

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.p	Bacteria;Tenericutes;Mollicutes;Mollicutes_RF9	Aix	0.040506347	0.034534809	0.457328121	NA	NA
m.p	OTU_81	HbA1C_IFCC	0.011045462	1.01214E-05	0.46624654	NA	NS-ENRICHED-NS
m.p	OTU_81	HbA1C	0.014698839	8.89856E-06	0.459975873	NA	NS-ENRICHED-NS
m.p	Bacteria;Firmicutes;Erysipelotrichia	plasma_glucose	0.030574157	0.001867079	-0.358856054	NS-DEPLETED-NS	NS-ENRICHED-NS
m.p	Bacteria;Proteobacteria;Betaproteobacteria;Burkholder	HOMA	0.023180623	0.017439428	-0.37941467	NS-DEPLETED-NS	DEPLETED-ENRICHED-NS
m.p	Bacteria;Proteobacteria;Betaproteobacteria;Burkholder	insulin	0.005719204	0.012854819	-0.417003172	NS-DEPLETED-NS	DEPLETED-ENRICHED-NS
m.p	Bacteria;Proteobacteria;Betaproteobacteria	c_SBP	0.002442679	0.000438633	-0.534837449	NA	NS-NS-DEPLETED
m.p	Bacteria;Proteobacteria;Betaproteobacteria	MAP	0.000999819	0.000231585	-0.559654026	NA	NS-NS-DEPLETED
m.p	Bacteria;Proteobacteria;Betaproteobacteria	c_DBP	0.008907778	0.004593766	-0.495088647	NA	NS-NS-DEPLETED
m.p	Bacteria;Proteobacteria;Betaproteobacteria	DBP_ABPM_24h	0.020994605	0.01163381	-0.465804841	NA	NA
m.p	Bacteria;Proteobacteria;Betaproteobacteria	insulin	0.012441433	0.034833351	-0.38509618	NA	DEPLETED-ENRICHED-NS
m.p	Bacteria;Firmicutes;Clostridia;Clostridiales;Peptostrept	HDL	0.009284955	0.010579426	0.456092083	NA	NA
m.p	Bacteria;Proteobacteria;Betaproteobacteria;Burkholder	MAP	0.048914436	0.007742882	-0.46868366	NA	NS-NS-DEPLETED
m.p	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ	CRP	0.037157715	0.003022149	-0.380345656	NS-ENRICHED-NS	NA
m.p	Bacteria;Proteobacteria	peripheral_resistance	0.000885559	0.000690415	-0.550487544	NA	NA
m.p	Bacteria;Proteobacteria	pulse	0.000996249	0.001431004	0.54723116	NA	NS-NS-DEPLETED
m.p	OTU_69	waist_circumference	0.047547172	0.009336383	-0.432844696	NA	DEPLETED-NS-DEPLETED
m.p	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	HDL	0.02439299	0.029351994	-0.401742587	NA	NA
m.p	Bacteria;Proteobacteria;Betaproteobacteria;Burkholder	MAP	0.039318138	0.001828494	-0.515352089	NA	NS-NS-DEPLETED
m.p	Bacteria;Proteobacteria;Betaproteobacteria;Burkholder	c_DBP	0.038931344	0.00566681	-0.515655539	NA	NS-NS-DEPLETED
m.p	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	creatinine	0.031598879	0.026220029	0.364874761	ENRICHED-DEPLETE	NA
m.p	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	eGFR	0.005204965	0.013270068	-0.43182642	ENRICHED-DEPLETE	DEPLETED-NS-NS
m.p	Bacteria;Proteobacteria;Gammaproteobacteria;Enterot	peripheral_resistance	0.030579543	0.002354407	-0.467471814	NA	NA
m.p	Bacteria;Firmicutes;Negativicutes;Selenomonadales;A	creatinine	0.024711742	0.010646649	-0.391733975	NA	NA
m.p	Bacteria;Proteobacteria;Gammaproteobacteria	peripheral_resistance	0.015213342	0.004815485	-0.477113345	NA	NA
m.p	OTU_52	creatinine	0.024094866	0.012619493	-0.448831986	NA	NA
m.p	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	DBP_office	0.010323411	6.67234E-05	-0.453705137	ENRICHED-DEPLETE	DEPLETED-ENRICHED-NS
m.p	Archaea;Euryarchaeota;Methanobacteria;Methanobac	DBP_office	0.045906033	0.009854865	0.359305347	NA	DEPLETED-ENRICHED-NS
m.p	Bacteria;Actinobacteria;Coriobacteriia;Coriobacteriales	weight	0.006978419	0.001219557	0.437316236	NA	DEPLETED-NS-DEPLETED
m.p	Bacteria;Actinobacteria;Coriobacteriia;Coriobacteriales	WHR	0.000729769	6.24583E-05	0.508585955	NA	DEPLETED-NS-DEPLETED
m.p	OTU_51	IGF	0.002500917	0.006842925	-0.496997043	NA	NS-ENRICHED-NS
m.p	OTU_99	eGFR	0.001101801	0.019941376	-0.512773975	NA	DEPLETED-NS-NS
i.p	7_IFNg- % IL-17a- IL-22+ CD3+	cholesterol	0.047786542	0.033666974	0.341272897	NA	NA
i.p	9_IFNg+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	SBP_ABPM_24h	0.031950835	0.002685651	0.471138177	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IFNg+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	MAP	0.042875396	0.000933959	0.509230166	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IFNg+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	c_SBP	0.047621583	0.00563299	0.470157898	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IL-17a- IFNg+ Va7.2+ CD161 % CD3+	SBP_ABPM_day	0.039124008	0.007241027	0.502038265	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IL-17a- IFNg+ Va7.2+ CD161 % CD3+	SBP_ABPM_24h	0.02164621	0.001015781	0.516259308	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IL-17a- IFNg+ Va7.2+ CD161 % CD3+	c_SBP	0.043100734	0.00399714	0.496556921	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IL-17a- IFNg+ Va7.2+ CD161 % CD3+	MAP	0.042875396	0.002137163	0.496727419	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	8_GM-CSF+ IL-2- IL-17a- % CD3+	SBP_ABPM_24h	0.04732574	0.04418285	0.431715606	DEPLETED-ENRICHE	NS-NS-DEPLETED
i.p	2_CD39+ CD45RA- % CD25high CD127low CD4+	HDL	0.030903888	0.025576484	-0.372826696	NA	NA
i.p	9_IL-2+ TNFa+ Va7.2+ CD161 % CD3+	SBP_ABPM_24h	0.043799456	0.001324267	0.448266927	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	1_CD4+ CD8- % CD3+	creatinine	0.029517054	0.012377275	-0.380908111	NA	NA
i.p	7_Helios+ Ki67- CD4+ CD3+ (ul)	waist_circumference	0.038319526	0.024741976	0.337644406	NA	DEPLETED-NS-DEPLETED
i.p	7_Helios+ Ki67- CD4+ CD3+ (ul)	HOMA	0.047942182	0.016793451	-0.337489234	NA	DEPLETED-ENRICHED-NS
i.p	9_IFNg+ TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	HOMA	0.040861459	0.04438405	0.348205726	DEPLETED-NS-NS	DEPLETED-ENRICHED-NS
i.p	9_IFNg+ TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	insulin	0.03807591	0.045855038	0.347792844	DEPLETED-NS-NS	DEPLETED-ENRICHED-NS
i.p	2_FoxP3+ CD45RA+ CD25high CD127low % CD4+	pulse	0.015955437	0.018420268	0.518754517	NA	NS-NS-DEPLETED
i.p	2_CD39+ CD31- CD25high CD127low CD4+ (ul)	CRP	0.010450344	0.012894649	0.4255878	DEPLETED-NS-NS	NA
i.p	3_CD123+ CD14- CD16- HLA-DR+ CD4dim/- %	eGFR	0.039599634	0.030784009	-0.373457645	ENRICHED-DEPLETE	DEPLETED-NS-NS
i.p	7_Th1/2_Treg	LDL	0.028180936	0.008791895	-0.364890512	NA	NA
i.p	7_Th1/2_Treg	cholesterol	0.013174888	0.009047344	-0.440971428	NA	NA
i.p	8_GM-CSF+ IL-2- % IL-17a- CD3+	SBP_ABPM_24h	0.04732574	0.045656669	0.430236268	DEPLETED-ENRICHE	NS-NS-DEPLETED

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
i.p	2_CD31+ CD45RA+ CD25high CD127low CD4+ (ul)	pulse	0.018540148	0.004668404	0.508148648	NA	NS-NS-DEPLETED
i.p	5_CD25- CD4+ CD8- CD3+ (ul)	eGFR	0.049836907	0.017131899	0.331182502	DEPLETED-ENRICHE	DEPLETED-NS-NS
i.p	5_CD24+ CD45RO+ % CD25+ CD4+ CD4high CD8-	SBP_ABPM_nocturn	0.040371701	0.006930962	0.520345885	NA	NA
i.p	5_CD24+ CD45RO+ % CD25+ CD4+ CD4high CD8-	LDL	0.032141644	0.032871805	0.347874976	NA	NA
i.p	0_IL-17a- IFNg- TCRgd+ CD4- CD3+ (ul)	insulin	0.036986231	0.045847031	0.350269359	NA	DEPLETED-ENRICHE
i.p	2_FoxP3+ CD39+ CD25high CD127low CD4+ (ul)	CRP	0.010450344	0.02529238	0.426545222	NA	NA
i.p	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	waist_circumference	0.024566098	0.03359319	0.356448047	NA	DEPLETED-NS-DEPLETED
i.p	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	BMI	0.024692696	0.036613077	0.372795625	NA	DEPLETED-NS-DEPLETED
i.p	6_CD161- CCR6- CXCR3- % CD25+ CD4+	creatinine	0.000450567	0.003126894	0.531494476	NA	NA
i.p	6_CD161- CCR6- CXCR3- % CD25+ CD4+	HOMA	0.025932786	0.026053777	0.377891398	NA	DEPLETED-ENRICHE
i.p	6_CD161- CCR6- CXCR3- % CD25+ CD4+	insulin	0.014865868	0.007743383	0.409190975	NA	DEPLETED-ENRICHE
i.p	6_CD27- CXCR3+ CD25- CD4+ (ul)	creatinine	0.028385888	0.032802452	-0.399163074	NA	NA
i.p	5_CD24+ CD45RO+ % CD8+ CD4-	IL-6	0.035441528	0.01238186	-0.372481842	NS-ENRICHE	ENRI NA
i.p	8_TNFa- IL-5- % IL-17a+ CD3+	creatinine	0.038169002	0.012330232	0.361755975	ENRICHE	NS-NS NA
i.p	8_TNFa- IL-5- % IL-17a+ CD3+	eGFR	0.044729833	0.013892621	-0.352930722	ENRICHE	NS-NS DEPLETED-NS-NS
i.p	5_CD24+ CD45RO+ % CD25- CD4+ CD4high CD8-	IL-6	0.014940976	0.003337193	-0.416646179	NA	NA
i.p	0_TCRgd+ % CD3+	insulin	0.00357754	0.011353343	0.47344277	NA	DEPLETED-ENRICHE
i.p	7_Helios- IFNg- CD4+ CD3+ (ul)	eGFR	0.044729833	0.004590232	0.341599453	NS-ENRICHE	NS-NS DEPLETED-NS-NS
i.p	7_Helios- IFNg- CD4+ CD3+ (ul)	creatinine	0.043610016	0.006223636	-0.346529935	NS-ENRICHE	NS-NS NA
i.p	6_CD161+ CCR6+ CXCR3- CD25- CD4+ (ul)	creatinine	0.028385888	0.002684295	-0.396348741	NA	NA
i.p	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	DBP_office	0.020194319	0.001536365	0.451891749	DEPLETED-ENRICHE	DEPLETED-ENRICHE
i.p	5_CD62L+ CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	eGFR	0.048212776	0.047866055	0.332444223	DEPLETED-ENRICHE	DEPLETED-NS-NS
i.p	0_IL-17a- IFNg- TCRgd+ % CD3+	insulin	0.014865868	0.016669054	0.419279418	NA	DEPLETED-ENRICHE
i.p	0_IL-17a- IFNg- TCRgd+ % CD3+	HOMA	0.031603347	0.034131314	0.368912859	NA	DEPLETED-ENRICHE
i.p	8_TNFa- IL-2- IL-17a+ CD4+ CD3+ (ul)	HOMA	0.021548595	0.019047938	0.3857469	NS-ENRICHE	NS-NS DEPLETED-ENRICHE
i.p	8_TNFa- IL-5- IL-17a+ CD4+ CD3+ (ul)	HOMA	0.012799301	0.005987445	0.414072646	NA	DEPLETED-ENRICHE
i.p	9_IL-2+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	SBP_ABPM_24h	0.043799456	0.001777637	0.43823865	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	7_Helios+ IFNg- CD4+ CD3+ (ul)	HOMA	0.039315004	0.020725041	-0.350517437	NS-DEPLETED-NS	DEPLETED-ENRICHE
i.p	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	MAP	0.042875396	0.000330541	0.544747737	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	c_SBP	0.043100734	0.002966915	0.496651182	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	SBP_ABPM_day	0.043098225	0.007889053	0.472836413	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	SBP_ABPM_24h	0.02164621	0.001388241	0.494354059	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	5_CD62L- CD45RO- CD25- CD4+ CD8- CD3+ (ul)	creatinine	0.038982389	0.039340082	-0.358878653	NA	NA
i.p	6_CD25- CD4+ (ul)	eGFR	0.044729833	0.019499813	0.340369105	DEPLETED-ENRICHE	DEPLETED-NS-NS
i.p	7_Th17/Treg	HDL	0.011805108	0.021763446	0.443143957	NA	NA
i.p	8_TNFa- IL-5+ IL-17a+ CD4+ CD3+ (ul)	DBP_office	0.02903607	0.003533375	0.413976347	DEPLETED-ENRICHE	DEPLETED-ENRICHE
i.p	3_HLA-DR-CD4dim/- %	creatinine	0.043610016	0.017511615	0.345071881	NA	NA
i.p	7_Th17/Th1	LDL	0.028180936	0.001698317	0.355936813	NA	NA
i.p	7_Th17/Th1	cholesterol	0.013174888	0.002273476	0.441971859	NA	NA
i.p	6_CD161+ CCR6- CXCR3- CD25- CD4+ (ul)	creatinine	0.005225839	0.020181008	-0.461497463	NA	NA
i.p	9_IL-17a- TNFa+ Va7.2+ CD161 % CD3+	SBP_ABPM_day	0.039124008	0.006032091	0.51050421	NA	NS-NS-DEPLETED
i.p	9_IL-17a- TNFa+ Va7.2+ CD161 % CD3+	SBP_ABPM_24h	0.02164621	0.001158271	0.535583767	NA	NS-NS-DEPLETED
i.p	9_IL-17a- TNFa+ Va7.2+ CD161 % CD3+	c_SBP	0.03474208	0.0011761	0.535975786	NA	NS-NS-DEPLETED
i.p	9_IL-17a- TNFa+ Va7.2+ CD161 % CD3+	MAP	0.042875396	0.002022834	0.499876453	NA	NS-NS-DEPLETED
i.p	5_CD24+ CD45RO+ CD25+ CD4+ CD8- CD3+ (ul)	LDL	0.005880922	0.002297915	0.424497663	NA	NA
i.p	5_CD24+ CD45RO+ CD25+ CD4+ CD8- CD3+ (ul)	cholesterol	0.016532407	0.002682699	0.40989013	NA	NA
i.p	5_CD24+ CD45RO+ CD25+ CD4+ CD8- CD3+ (ul)	SBP_ABPM_nocturn	0.00882391	0.001889227	0.573819189	NA	NA
i.p	6_Th1/2_Treg	SBP_ABPM_24h	0.02164621	0.009821451	-0.503500247	NA	NS-NS-DEPLETED
i.p	6_Th1/2_Treg	SBP_ABPM_day	0.039124008	0.008890606	-0.52756915	NA	NS-NS-DEPLETED
i.p	6_Th1/2_Treg	c_SBP	0.047621583	0.014450962	-0.490269652	NA	NS-NS-DEPLETED
i.p	0_IL-17a- IL-22- TCRgd+ % CD3+	insulin	0.00357754	0.012189075	0.469748145	NA	DEPLETED-ENRICHE
i.p	1_CD4- CD8- %	HOMA	0.011600412	0.003865541	0.451417088	NA	DEPLETED-ENRICHE
i.p	1_CD4- CD8- %	insulin	0.0012678	0.000882666	0.512641527	NA	DEPLETED-ENRICHE
i.p	1_CD4- CD8- %	creatinine	0.028385888	0.034485494	0.4046486	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
i.p	8_IL-10-IL-2-IL-17a+ CD4+ CD3+ (ul)	HOMA	0.038069366	0.033784964	0.36036036	DEPLETED-ENRICHED	DEPLETED-ENRICHED-NS
i.p	8_GM-CSF+IL-2-IL-17a- CD4+ CD3+ (ul)	IL-6	0.02220931	0.033151944	0.394367414	DEPLETED-ENRICHED	NA
i.p	8_IL-10-IL-2+ % IL-17a- CD3+	SBP_ABPM_24h	0.043799456	0.028208227	0.441305179	NA	NS-NS-DEPLETED
i.p	8_IL-10-IL-2+ % IL-17a- CD3+	SBP_ABPM_day	0.042322924	0.013307487	0.476849256	NA	NS-NS-DEPLETED
i.p	8_GM-CSF+IL-2+IL-17a- % CD3+	SBP_ABPM_24h	0.03758445	0.035427794	0.457094856	NA	NS-NS-DEPLETED
i.p	8_GM-CSF+IL-2+IL-17a- % CD3+	SBP_ABPM_day	0.043098225	0.025714641	0.467768004	NA	NS-NS-DEPLETED
i.p	8_GM-CSF+IL-2+IL-17a- % CD3+	c_SBP	0.047621583	0.016168824	0.465839438	NA	NS-NS-DEPLETED
i.p	6_CD161+ CCR6+ % CXCR3- CD25+ CD4+	HOMA	0.018377189	0.049625247	-0.399477688	NA	DEPLETED-ENRICHED-NS
i.p	3_HLA-DR+ CD16+HLA-DR- CD16- (ul)	eGFR	0.044729833	0.004090073	0.350704033	NA	DEPLETED-NS-NS
i.p	9_IFNg+ TNFa+ Va7.2+ CD161 % CD3+	SBP_ABPM_24h	0.02164621	0.001524978	0.527516665	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IFNg+ TNFa+ Va7.2+ CD161 % CD3+	SBP_ABPM_day	0.039124008	0.006022536	0.518166099	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IFNg+ TNFa+ Va7.2+ CD161 % CD3+	MAP	0.042875396	0.001798026	0.507258464	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IFNg+ TNFa+ Va7.2+ CD161 % CD3+	c_SBP	0.03474208	0.002424716	0.519324051	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	7_IL-17a-IL-22- CD4+ CD3+ (ul)	eGFR	0.044729833	0.005031556	0.338673958	DEPLETED-ENRICHED	DEPLETED-NS-NS
i.p	8_GM-CSF-IL-2- % IL-17a- CD3+	c_SBP	0.047621583	0.00974228	-0.482956783	NA	NS-NS-DEPLETED
i.p	8_GM-CSF-IL-2- % IL-17a- CD3+	SBP_ABPM_24h	0.02164621	0.01139675	-0.488969034	NA	NS-NS-DEPLETED
i.p	8_GM-CSF-IL-2- % IL-17a- CD3+	SBP_ABPM_day	0.039124008	0.007805581	-0.505295485	NA	NS-NS-DEPLETED
i.p	8_GM-CSF+IL-2+ % IL-17a+ CD3+	c_SBP	0.03474208	0.000526292	0.527728864	NA	NS-NS-DEPLETED
i.p	8_GM-CSF+IL-2+ % IL-17a+ CD3+	SBP_ABPM_24h	0.043799456	0.021300187	0.439818406	NA	NS-NS-DEPLETED
i.p	5_CD24- CD45RO+ CD8+ CD4- CD3+ (ul)	DBP_office	0.020194319	0.00327971	0.430584744	DEPLETED-NS-NS	DEPLETED-ENRICHED-NS
i.p	5_CD24+ CD45RO+ CD25- CD4+ CD8- CD3+ (ul)	IL-6	0.024821547	0.020891904	-0.386707669	NA	NA
i.p	8_TNFa-IL-2+ % IL-17a- CD3+	c_SBP	0.049691645	0.021778497	0.460178008	NA	NS-NS-DEPLETED
i.p	8_TNFa-IL-2+ % IL-17a- CD3+	SBP_ABPM_day	0.042322924	0.014323159	0.482017941	NA	NS-NS-DEPLETED
i.p	8_TNFa-IL-2+ % IL-17a- CD3+	SBP_ABPM_24h	0.02164621	0.017573277	0.486772956	NA	NS-NS-DEPLETED
i.p	5_CD62L- CD45RO- % CD8+ CD4-	cholesterol	0.04321578	0.029715703	-0.352373571	ENRICHED-NS-NS	NA
i.p	8_IL-10-IL-2+IL-17a- % CD3+	SBP_ABPM_day	0.042322924	0.012535913	0.478916082	NA	NS-NS-DEPLETED
i.p	8_IL-10-IL-2+IL-17a- % CD3+	SBP_ABPM_24h	0.043799456	0.026599538	0.443104363	NA	NS-NS-DEPLETED
i.p	2_FoxP3+ CD31+ CD25high CD127low % CD4+	hip_circumference	0.047024998	0.006761688	0.340587617	NA	DEPLETED-DEPLETED-DEPLETED
i.p	8_GM-CSF+IL-2+ % IL-17a- CD3+	c_SBP	0.047621583	0.015888073	0.46690145	NA	NS-NS-DEPLETED
i.p	8_GM-CSF+IL-2+ % IL-17a- CD3+	SBP_ABPM_24h	0.03758445	0.034404269	0.458449529	NA	NS-NS-DEPLETED
i.p	8_GM-CSF+IL-2+ % IL-17a- CD3+	SBP_ABPM_day	0.043098225	0.024256872	0.46988003	NA	NS-NS-DEPLETED
i.p	6_CD161- CCR6- % CXCR3- CD25+ CD4+	creatinine	0.004119127	0.015633257	0.475383627	NA	NA
i.p	6_CD161- CCR6- % CXCR3- CD25+ CD4+	insulin	0.021043716	0.02952311	0.373972793	NA	DEPLETED-ENRICHED-NS
i.p	2_CD39- CD45RA+ CD25high CD127low CD4+ (ul)	pulse	0.005503175	0.000996447	0.568127839	NA	NS-NS-DEPLETED
i.p	2_FoxP3+ CD45RA+ CD25high CD127low CD4+ (ul)	pulse	0.015829932	0.006010594	0.523023674	NA	NS-NS-DEPLETED
i.p	8_IL-10-IL-2-IL-17a+ % CD3+	DBP_office	0.04505293	0.005681841	0.396566468	DEPLETED-NS-NS	DEPLETED-ENRICHED-NS
i.p	8_IL-10-IL-2-IL-17a+ % CD3+	HOMA	0.011600412	0.007257054	0.443409011	DEPLETED-NS-NS	DEPLETED-ENRICHED-NS
i.p	8_GM-CSF-IL-2-IL-17a+ % CD3+	insulin	0.014865868	0.013792492	0.413557329	NA	DEPLETED-ENRICHED-NS
i.p	8_GM-CSF-IL-2-IL-17a+ % CD3+	HOMA	0.004158931	0.001172702	0.489502654	NA	DEPLETED-ENRICHED-NS
i.p	2_CD31- CD45RA+ CD25high CD127low CD4+ (ul)	pulse	0.007080556	0.001283843	0.555524742	NA	NS-NS-DEPLETED
i.p	1_CD4dim CD8bright % CD4+ CD8+ CD3+	Reflex	0.033179155	0.012075868	0.542852739	NA	NA
i.p	7_IFNg+ % IL-17a-IL-22+ CD3+	cholesterol	0.047786542	0.033707057	-0.34109348	NA	NA
i.p	8_TNFa-IL-2+IL-17a- % CD3+	c_SBP	0.047621583	0.018181924	0.464205416	NA	NS-NS-DEPLETED
i.p	8_TNFa-IL-2+IL-17a- % CD3+	SBP_ABPM_24h	0.02164621	0.014820897	0.489187452	NA	NS-NS-DEPLETED
i.p	8_TNFa-IL-2+IL-17a- % CD3+	SBP_ABPM_day	0.042322924	0.01177497	0.485490453	NA	NS-NS-DEPLETED
i.p	2_FoxP3- CD45RA+ CD25high CD127low % CD4+	pulse	0.018540148	0.003123042	0.507208039	NA	NS-NS-DEPLETED
i.p	2_FoxP3- CD45RA+ CD25high CD127low % CD4+	HMV	0.03905355	0.002966767	0.552856907	NA	NS-NS-DEPLETED
i.p	7_IFNg+IL-17a- % CD3+	cholesterol	0.04321578	0.026188549	-0.352619388	NA	NA
i.p	5_CD4 Tem/2_Treg	hip_circumference	0.002792505	0.04400709	-0.486788096	NA	DEPLETED-DEPLETED-DEPLETED
i.p	1_CD4bright CD8dim % CD4+ CD8+ CD3+	Reflex	0.033179155	0.017602985	-0.538041637	NA	NA
i.p	6_CD27- CD161+ CCR6+ CXCR3- CD25- CD4+ (ul)	creatinine	0.041746021	0.006799394	-0.352180206	NA	NA
i.p	0_IL-17a+IL-22+ % TCRgd+ CD3+	HDL	0.011864591	0.045426434	-0.430715682	NA	NA
i.p	8_TNFa-IL-5+IL-17a+ % CD3+	DBP_office	0.020194319	0.002484983	0.43020505	NA	DEPLETED-ENRICHED-NS
i.p	2_CD39+ CD31- % CD25high CD127low CD4+	HDL	0.042152953	0.013796561	-0.35583209	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
i.p	8_TNFa+ IL-5- IL-17a+ % CD3+	HOMA	0.047942182	0.034130398	0.337051227	NA	DEPLETED-ENRICHED-NS
i.p	9_IFNg+ TNFa- Va7.2+ CD161 % CD3+	HOMA	0.012799301	0.007197407	0.414673423	DEPLETED-NS-NS	DEPLETED-ENRICHED-NS
i.p	9_IFNg+ TNFa- Va7.2+ CD161 % CD3+	insulin	0.014865868	0.00818028	0.40856287	DEPLETED-NS-NS	DEPLETED-ENRICHED-NS
i.p	9_IL-17a- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	c_SBP	0.03474208	0.001406151	0.516161106	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IL-17a- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	MAP	0.042875396	0.001001076	0.508086537	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IL-17a- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	SBP_ABPM_day	0.042322924	0.005945208	0.477587263	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	9_IL-17a- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	SBP_ABPM_24h	0.02164621	0.001106	0.502811367	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	8_GM-CSF- IL-2- IL-17a- % CD3+	c_SBP	0.047621583	0.009229564	-0.488096444	NA	NS-NS-DEPLETED
i.p	8_GM-CSF- IL-2- IL-17a- % CD3+	SBP_ABPM_day	0.039124008	0.010399308	-0.499691321	NA	NS-NS-DEPLETED
i.p	8_GM-CSF- IL-2- IL-17a- % CD3+	SBP_ABPM_24h	0.033827713	0.021468581	-0.466168316	NA	NS-NS-DEPLETED
i.p	8_TNFa- IL-2- IL-17a+ % CD3+	HOMA	0.012799301	0.012080739	0.420407472	NA	DEPLETED-ENRICHED-NS
i.p	7_IL-17a+ Ki67- % CD3+	HDL	0.011805108	0.037948492	0.439895732	NA	NA
i.p	8_TNFa- IL-5- IL-17a+ % CD3+	HOMA	0.012799301	0.008111343	0.430450543	NA	DEPLETED-ENRICHED-NS
i.p	2_CD31- CD45RA+ % CD25high CD127low CD4+	pulse	0.019036654	0.025962935	0.50335182	NA	NS-NS-DEPLETED
i.p	2_CD39- CD45RA+ % CD25high CD127low CD4+	pulse	0.004251789	0.001367508	0.59190048	NA	NS-NS-DEPLETED
i.p	9_IL2- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	SBP_ABPM_24h	0.04732574	0.01716272	0.428870132	DEPLETED-NS-NS	NS-NS-DEPLETED
i.p	1_CD4- CD8- % CD3+	creatinine	0.028385888	0.015194722	0.407273968	ENRICHED-DEPLETED	NA
i.p	6_CD161+ CCR6- % CXCR3- CD25- CD4+	IL-6	0.006563022	0.041285883	-0.458618082	NA	NA
i.p	2_FoxP3+ CD31+ CD25high CD127low CD4+ (ul)	hip_circumference	0.011869352	0.033107092	0.399570239	NA	DEPLETED-DEPLETED-DEPLETED
i.p	2_CD39- CD45RA+ CD25high CD127low % CD4+	pulse	0.004251789	0.000643636	0.598133747	NA	NS-NS-DEPLETED
i.p	6_CD161+ CCR6- CXCR3- % CD25- CD4+	IL-6	0.006563022	0.038792385	-0.455810799	NA	NA
i.p	8_TNFa- IL-2+ IL-17a- CD4+ CD3+ (ul)	LDL	0.000715492	0.004942333	0.522389174	DEPLETED-ENRICHED	NA
i.p	8_TNFa- IL-2+ IL-17a- CD4+ CD3+ (ul)	cholesterol	0.013174888	0.006510325	0.4545965	DEPLETED-ENRICHED	NA
i.p	5_CD24+ CD45RO+ CD25- CD4+ % CD4high CD8-	IL-6	0.014940976	0.003154609	-0.41853964	NA	NA
i.p	5_CD4high %	eGFR	0.039844741	0.005449514	0.366565728	NA	DEPLETED-NS-NS
i.p	3_CD4high %	creatinine	0.045064144	0.028779241	-0.33804937	DEPLETED-NS-NS	NA
i.p	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16- (ul)	waist_circumference	0.020114528	0.029043997	0.366493077	NA	DEPLETED-NS-DEPLETED
i.p	7_Helios- IFNg+ % CD3+	cholesterol	0.040534536	0.029800436	-0.357032991	NA	NA
i.p	2_CD31- CD45RA+ CD25high CD127low % CD4+	pulse	0.004560692	0.001563436	0.580245388	NA	NS-NS-DEPLETED
i.p	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	BMI	0.02359063	0.047893659	0.382776122	DEPLETED-ENRICHED	DEPLETED-NS-DEPLETED
i.p	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	weight	0.024976753	0.048436845	0.370120855	DEPLETED-ENRICHED	DEPLETED-NS-DEPLETED
i.p	1_CD4+ CD8- CD3+ (ul)	creatinine	0.045064144	0.013535513	-0.337258139	DEPLETED-ENRICHED	NA
i.p	1_CD4+ CD8- CD3+ (ul)	eGFR	0.032790022	0.001848992	0.392098428	DEPLETED-ENRICHED	DEPLETED-NS-NS
i.p	6_CXCR3- CD25- CD4+ (ul)	eGFR	0.044729833	0.031839795	0.348489405	DEPLETED-ENRICHED	DEPLETED-NS-NS
i.p	8_GM-CSF- IL-2- IL-17a+ CD4+ CD3+ (ul)	HOMA	0.012799301	0.007927082	0.416724767	DEPLETED-ENRICHED	DEPLETED-ENRICHED-NS
i.p	2_FoxP3- CD45RA+ CD25high CD127low CD4+ (ul)	pulse	0.013855447	0.000799629	0.531527444	NA	NS-NS-DEPLETED
i.p	5_CD24+ CD45RO+ CD25+ CD4+ % CD4high CD8-	SBP_ABPM_nocturn	0.00882391	0.000837864	0.588553259	NA	NA
i.p	5_CD24+ CD45RO+ CD25+ CD4+ % CD4high CD8-	cholesterol	0.030558089	0.014065796	0.368391881	NA	NA
i.p	5_CD24+ CD45RO+ CD25+ CD4+ % CD4high CD8-	LDL	0.015732364	0.010974436	0.381817095	NA	NA
i.p	5_CD24+ CD45RO+ CD25+ CD4+ % CD4high CD8-	c_SBP	0.047621583	0.011980618	0.465449621	NA	NS-NS-DEPLETED
i.p	7_IFNg- IL-17a- CD4+ CD3+ (ul)	eGFR	0.048212776	0.031264388	0.333123718	DEPLETED-ENRICHED	DEPLETED-NS-NS
i.p	9_IL2- TNFa+ Va7.2+ CD161 % CD3+	SBP_ABPM_24h	0.043799456	0.039756311	0.438461543	NA	NS-NS-DEPLETED
m.i	Bacteria;Proteobacteria;Gammaproteobacteria;Enterot	4_CD56- CD16+ CD3- %	0.037495578	0.036412155	-0.411113204	NA	NA
m.i	Bacteria;Proteobacteria;Gammaproteobacteria;Enterot	2_CD39- CD31+ CD25high CD127low CD4+ (ul)	0.041931682	0.006207541	0.379323315	NA	NA
m.i	Bacteria;Proteobacteria;Gammaproteobacteria;Enterot	4_CD56- CD16+ % CD3-	0.037495578	0.036412155	-0.411113204	NA	NA
m.i	Bacteria;Proteobacteria;Betaproteobacteria;Burkholderi	3_CD14low CD16++ % HLA-DR+ CD16+/HLA-DR- CD16-	0.001400462	0.000750809	-0.489297375	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Proteobacteria;Betaproteobacteria;Burkholderi	3_CD14low CD16++ HLA-DR+ CD16+/HLA-DR- CD16- (ul)	0.001400462	5.76001E-05	-0.509163544	NA	NS-DEPLETED-NS
m.i	Bacteria;Proteobacteria;Betaproteobacteria;Burkholderi	3_CD14low CD16++ HLA-DR+ CD16+/HLA-DR- CD16-%	0.001400462	0.000719363	-0.494295703	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	2_FoxP3+ % CD25high CD127low CD4+	0.045624257	0.003553588	0.396225899	ENRICHED-DEPLETED	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.045624257	0.002489356	0.423364352	ENRICHED-DEPLETED	NA
m.i	OTU_126	6_CD161- CCR6- % CXCR3- CD25- CD4+	0.025618343	0.034562984	0.431037347	NA	NA
m.i	OTU_126	6_CD161- CCR6- CXCR3- % CD25- CD4+	0.020793751	0.02786684	0.436058223	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ	6_CD27- CD161+ CCR6+ % CXCR3- CD25- CD4+	0.001716612	0.03260125	0.491879005	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ	6_CD27- CD161+ CCR6+ CXCR3- CD25- CD4+ (ul)	0.00291159	0.001541649	0.481102728	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ	6_CD27- % CD161+ CCR6+ CXCR3- CD25- CD4+	0.001297122	0.026590818	0.498871393	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ	6_CD27- CD161+ CCR6+ CXCR3- % CD25- CD4+	0.001878566	0.043713449	0.490065767	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	8_TNFa+ IL-5+ IL-17a+ % CD3+	0.007299688	0.002978342	0.477928031	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	8_TNFa+ IL-2+ IL-17a+ % CD3+	0.037930988	0.001402772	0.422860844	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	8_TNFa+ IL-5+ IL-17a+ CD4+ CD3+ (ul)	0.020848646	0.007575913	0.437414813	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	8_TNFa+ IL-2- IL-17a+ % CD3+	0.013304363	0.004213957	0.449612132	NA	DEPLETED-NS-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	8_TNFa+ IL-2- IL-17a+ CD4+ CD3+ (ul)	0.018368941	0.00929383	0.433250442	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ	4_TCRgd+ % CD4- CD8- CD3+	0.004954802	0.035565349	-0.485944924	DEPLETED-ENRICHED	ENRICHED-DEPLETED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	4_TCRgd+ % CD4- CD8- CD3+	0.030460638	0.032101531	0.398046784	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	0_IL-17a+ IL-22- TCRgd+ CD4- CD3+ (ul)	0.012419509	0.024962911	0.440644259	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	0_IL-17a+ IFNg+ TCRgd+ CD4- CD3+ (ul)	0.036889053	0.038958018	0.4013928	NA	DEPLETED-NS-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	10_CD69+ % CD4- CD8- CD3+	0.009789695	0.001618377	0.455223374	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	6_CD27- CXCR3+ % CD25- CD4+	0.022187263	0.005056654	-0.437879106	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	6_CD27- CXCR3+ CD25- % CD4+	0.022187263	0.005037161	-0.437687603	NA	NA
m.i	OTU_2	1_CD4+ CD8+ %	0.017434577	0.021424547	0.456170836	NA	NA
m.i	OTU_2	1_CD4+ CD8+ % CD3+	0.01212587	0.026622781	0.464212091	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales;Porp	5_CD25+ CD4+ CD8- CD3+ (ul)	0.018807086	0.001858267	-0.457457827	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales;Porp	6_CD161+ CCR6+ CXCR3- CD25- CD4+ (ul)	0.029691083	0.000336263	-0.430691462	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ	3_CD123+ CD14- CD16- HLA-DR+ % CD4dim/-	0.039725561	0.013032154	-0.412038882	NA	ENRICHED-NS-NS
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovit	9_IFNg+ TNFa- % Va7.2+ CD161 CD3+	0.001648522	0.036439957	0.507670455	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	6_CD161+ CCR6+ CXCR3- CD25+ % CD4+	0.019198431	0.000945568	-0.439369343	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	5_CD25+ CD4+ % CD4high	0.037499953	0.034777364	-0.423145048	NA	DEPLETED-NS-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	6_CD25- % CD4+	0.000227993	0.033742116	0.52997584	NA	ENRICHED-NS-ENRICHED
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	4_CD56dim CD16- CD3- (ul)	0.013046453	0.018594556	0.448370732	NA	NA
m.i	Bacteria;Firmicutes;Erysipelotrichia;Erysipelotrichales;	10_IL-17a- IFNg- % TCRgd+ CD3+	0.014457874	0.015741563	0.446001735	NA	NA
m.i	Bacteria;Firmicutes;Erysipelotrichia;Erysipelotrichales;	10_IL-17a- IFNg+ % TCRgd+ CD3+	0.010442776	0.00990064	-0.462236528	NA	NA
m.i	Bacteria;Firmicutes;Erysipelotrichia;Erysipelotrichales;	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.026990443	0.005058713	-0.431216799	NA	DEPLETED-NS-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	0_IL-17a+ IFNg+ TCRgd+ % CD3+	0.039967614	0.004043855	-0.411882521	ENRICHED-NS-NS	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.041161227	0.008234013	-0.411123982	ENRICHED-NS-NS	DEPLETED-NS-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	0_IL-17a+ IFNg+ TCRgd+ CD4- CD3+ (ul)	0.036889053	0.005545341	-0.39569707	ENRICHED-NS-NS	DEPLETED-NS-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.036663609	0.026308266	-0.385001908	ENRICHED-NS-NS	DEPLETED-NS-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	9_IFNg+ TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.032967761	0.043659736	-0.400422264	ENRICHED-NS-NS	DEPLETED-NS-NS
m.i	Bacteria;Actinobacteria;Actinobacteria;Bifidobacteriale	5_CD62L+ CD45RO- CD25+ CD4+ % CD4high CD8-	0.030523179	0.014879136	0.414037287	NA	NA
m.i	Bacteria;Actinobacteria;Actinobacteria;Bifidobacteriale	9_IL-2+ TNFa+ % Va7.2+ CD161+ CD4- CD3+ (ul)	0.030523179	0.001434	-0.384079069	NA	DEPLETED-NS-NS
m.i	Bacteria;Actinobacteria;Actinobacteria;Bifidobacteriale	9_IL-2+ TNFa+ % Va7.2+ CD161 CD3+	0.030523179	0.000436106	-0.383202107	NA	NA
m.i	Bacteria;Actinobacteria;Actinobacteria;Bifidobacteriale	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.049775569	0.034403904	0.340217283	NA	NA
m.i	Bacteria;Actinobacteria;Actinobacteria;Bifidobacteriale	9_IL-2+ TNFa+ Va7.2+ CD161 % CD3+	0.030523179	0.001701753	-0.384109305	NA	DEPLETED-NS-NS
m.i	Bacteria;Actinobacteria;Actinobacteria;Bifidobacteriale	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.030523179	0.014316925	0.391546783	NA	NA
m.i	Bacteria;Actinobacteria;Actinobacteria;Bifidobacteriale	5_CD62L+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.030523179	0.006404294	0.38459761	NA	NA
m.i	Bacteria;Cyanobacteria;Melainabacteria;Gastranaerop	7_IFNg+ IL-17a- IL-22+ CD4+ CD3+ (ul)	0.046058146	0.000426363	0.42154024	NA	NA
m.i	OTU_52	6_CD27- CD161+ CCR6+ CXCR3- % CD25- CD4+	0.00642558	0.034245412	0.462939087	NA	NA
m.i	OTU_52	6_CD27- CD161+ CCR6+ % CXCR3- CD25- CD4+	0.006371604	0.029384262	0.463124255	NA	NA
m.i	OTU_52	6_CD27- CD161+ CCR6+ CXCR3- CD25- % CD4+	0.005958579	0.037227673	0.464591568	NA	NA
m.i	OTU_47	6_CD27dim % CD161+ CCR6+ CXCR3- CD25- CD4+	0.027452157	0.007699834	-0.431802359	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ	3_CD123+ CD14- CD16- HLA-DR+ % CD4dim/-	0.030948792	0.016001359	-0.427882449	NA	ENRICHED-NS-NS
m.i	Bacteria;Firmicutes;Negativicutes;Selenomonadales;V	6_CD27- CD161+ CCR6+ CXCR3- % CD25- CD4+	0.000887577	0.004154731	-0.502856236	NA	NA
m.i	Bacteria;Firmicutes;Negativicutes;Selenomonadales;V	6_CD27- % CD25- CD4+	0.013736636	0.014387905	-0.438262974	NA	NS-DEPLETED-NS
m.i	Bacteria;Firmicutes;Negativicutes;Selenomonadales;V	6_CD27- CD25- CD4+ (ul)	0.029614164	0.044298388	-0.41951004	NA	NA
m.i	Bacteria;Firmicutes;Negativicutes;Selenomonadales;V	6_CD27- CD161+ CCR6+ CXCR3- CD25- CD4+ (ul)	0.002184367	0.043327634	-0.47914407	NA	NA
m.i	Bacteria;Firmicutes;Negativicutes;Selenomonadales;V	6_CD27- CD25- % CD4+	0.015969853	0.012182441	-0.43467103	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Firmicutes;Negativicutes;Selenomonadales;V	6_CD27- CD161+ CCR6+ CXCR3- CD25- % CD4+	0.000887577	0.004610976	-0.498387023	NA	NA
m.i	Bacteria;Firmicutes;Negativicutes;Selenomonadales;V	6_CD27- CD161+ CCR6+ % CXCR3- CD25- CD4+	0.000887577	0.005656087	-0.500526472	NA	NA
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovit	1_CD19+ %	0.034831528	0.01040249	-0.443388707	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Erysipelotrichia;Erysipelotrichales	2_CD39+ CD31- % CD25high CD127low CD4+	0.044363032	0.010267073	0.437693757	NS-DEPLETED-NS	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	Bacteria;Firmicutes;Erysipelotrichia;Erysipelotrichales	2_FoxP3+ CD39+ % CD25high CD127low CD4+	0.046390648	0.013672857	0.419669986	NS-DEPLETED-NS	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ	5_CD62L- CD45RO- % CD8+ CD4-	0.012710262	0.041381918	-0.448970026	NA	ENRICHED-NS-NS
m.i	Bacteria;Proteobacteria;Gammaproteobacteria	10_CD69+ % Va7.2+ CD161+ CD4- CD8- CD3+	0.03469261	0.037420103	0.411074349	NA	NA
m.i	Bacteria;Proteobacteria;Gammaproteobacteria	5_CD24- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.028114043	0.028571333	0.432013786	NA	DEPLETED-ENRICHED-NS
m.i	OTU_70	6_Th17/Treg	0.002629448	0.033964596	0.496006478	NS-DEPLETED-NS	NA
m.i	OTU_70	6_CD161- CCR6- CXCR3- CD25+ CD4+ (ul)	0.000948994	0.001401285	-0.518035001	NS-DEPLETED-NS	DEPLETED-ENRICHED-DEPLETED
m.i	OTU_70	0_TCRgd+ % CD3+	0.036715942	0.039591941	-0.439019158	NS-DEPLETED-NS	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Peptostrept	8_TNFa+ IL-2- IL-17a+ CD4+ CD3+ (ul)	0.02636537	0.023888112	-0.423654975	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Peptostrept	8_TNFa+ IL-2- IL-17a+ % CD3+	0.013198341	0.001801362	-0.465271763	NA	DEPLETED-NS-NS
m.i	OTU_99	2_CD39+ CD31+ % CD25high CD127low CD4+	0.001799645	0.006479076	0.50342543	NA	NA
m.i	OTU_99	7_Helios+ Ki67+ CD4+ CD3+ (ul)	0.011017715	0.032170304	-0.466301195	NA	NA
m.i	OTU_99	7_Foxp3+ Ki67+ CD4+ CD3+ (ul)	0.019215174	0.004608892	-0.453982646	NA	NA
m.i	OTU_99	8_TNFa+ IL-5+ IL-17a+ CD4+ CD3+ (ul)	0.037415215	0.022300353	-0.438572536	NA	DEPLETED-ENRICHED-NS
m.i	OTU_99	7_Helios- Ki67+ CD4+ CD3+ (ul)	0.000381622	8.90708E-05	-0.53441778	NA	NA
m.i	OTU_99	1_CD4+ CD8- CD3+ (ul)	0.000925239	0.043751357	-0.516035896	NA	DEPLETED-ENRICHED-NS
m.i	OTU_99	7_FoxP3- Ki67- CD4+ CD3+ (ul)	0.047642718	0.03291028	-0.415626294	NA	DEPLETED-ENRICHED-NS
m.i	OTU_99	7_IL-17a+ IL-22- CD4+ CD3+ (ul)	0.02068569	0.037767796	-0.45231331	NA	NA
m.i	OTU_99	8_TNFa+ IL-2- % IL-17a+ CD3+	0.015561719	0.004747672	-0.442904761	NA	NA
m.i	OTU_99	7_IFNg- IL-17a+ CD4+ CD3+ (ul)	0.00511982	0.012214851	-0.482534049	NA	NA
m.i	OTU_99	7_Helios- IFNg- CD4+ CD3+ (ul)	0.00343205	0.031297334	-0.490688851	NA	NS-ENRICHED-NS
m.i	OTU_99	2_FoxP3+ CD39+ % CD25high CD127low CD4+	0.025584781	0.012148436	0.447452404	NA	NA
m.i	OTU_99	7_FoxP3- Ki67+ CD4+ CD3+ (ul)	0.005235182	0.000891133	-0.482073542	NA	NA
m.i	OTU_99	8_IL-10- IL-2- IL-17a- CD4+ CD3+ (ul)	0.005726659	0.030275309	-0.480212329	NA	DEPLETED-ENRICHED-NS
m.i	OTU_99	8_GM-CSF- IL-2- IL-17a- CD4+ CD3+ (ul)	0.005627118	0.028084714	-0.480576896	NA	DEPLETED-ENRICHED-NS
m.i	OTU_99	7_IL-17a+ Ki67- CD4+ CD3+ (ul)	0.010606658	0.039918089	-0.467126269	NA	NA
m.i	OTU_99	5_CD8_Tem/Tcm	0.048708762	0.041186255	-0.43226209	NA	NA
m.i	OTU_99	7_FoxP3- Helios- CD4+ CD3+ (ul)	0.028363744	0.009913604	-0.428558851	NA	DEPLETED-ENRICHED-NS
m.i	OTU_99	7_Helios+ IFNg- CD4+ CD3+ (ul)	0.00698019	0.012099386	-0.47606777	NA	NS-DEPLETED-NS
m.i	OTU_61	8_TNFa- IL-5+ % IL-17a- CD3+	0.007111729	0.039803383	0.475674083	NA	NA
m.i	OTU_61	9_IL-2+ TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.001273033	0.000170179	0.510050196	NA	NA
m.i	OTU_61	9_IL-2+ TNFa- % Va7.2+ CD161 CD3+	0.001144514	0.000191163	0.512059099	NA	NA
m.i	OTU_61	9_IL-2+ TNFa- Va7.2+ CD161 % CD3+	0.002748338	0.000306673	0.495129835	NA	NA
m.i	OTU_61	8_TNFa- IL-5+ IL-17a- % CD3+	0.004900437	0.033347036	0.48343722	NA	NA
m.i	Bacteria;Firmicutes;Clostridia	9_IFNg+ TNFa- % Va7.2+ CD161 CD3+	0.030764393	0.024981105	0.397172604	NA	NA
m.i	Bacteria;Firmicutes;Clostridia	Monocytes %	0.030764393	0.028285886	-0.382934941	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Firmicutes;Clostridia	6_CD27- CXCR3+ % CD25- CD4+	0.023866754	0.030938982	-0.413282651	NA	NA
m.i	Bacteria;Firmicutes;Clostridia	6_Th1/2_Treg	0.006433199	0.001688953	-0.477427367	NA	NA
m.i	Bacteria;Firmicutes;Clostridia	6_CD27- CXCR3+ CD25- % CD4+	0.023866754	0.033034587	-0.413305989	NA	NA
m.i	Bacteria;Firmicutes;Clostridia	1_CD11c+ CD14+ CD3- CD19- %	0.030764393	0.025279355	-0.384018384	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Firmicutes;Clostridia	6_Th17/Th1	0.003465004	0.003472293	0.493169808	NA	NA
m.i	Bacteria;Firmicutes;Clostridia	6_CXCR3- CD25- % CD4+	0.030764393	0.018566977	0.388494574	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Peptostrept	6_CD25- % CD4+	0.01417771	0.03719219	-0.445339057	NA	ENRICHED-NS-ENRICHED
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Peptostrept	5_CD4_Tem/Treg	0.019040635	0.017809447	-0.421629341	NA	ENRICHED-NS-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Peptostrept	6_CXCR3- CD25+ % CD4+	0.01417771	0.043847128	0.431807019	NA	DEPLETED-NS-DEPLETED
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	5_CD24- CD45RO+ CD25- CD4+ CD8- CD3+ (ul)	0.010706812	0.023091953	0.454545644	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	9_IFNg+ TNFa- % Va7.2+ CD161 CD3+	0.005027116	0.003677753	0.466646694	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	6_CD27- % CXCR3+ CD25- CD4+	0.013771647	0.026485109	-0.399090663	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	4_CD8+ CD4+ % CD56+ CD3+	0.030139074	0.026783115	-0.369991798	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	1_CD3+ %	0.027697538	0.032099219	0.374347935	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	9_IFNg+ TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.006594255	0.013842783	0.430705313	NA	DEPLETED-NS-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	Monocytes %	0.005027116	0.00256767	-0.450913098	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	6_CD27- CXCR3+ % CD25- CD4+	0.006441699	0.033930767	-0.438062358	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	6_CD27- CXCR3+ CD25- % CD4+	0.006441699	0.037514076	-0.437306425	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	6_Th1/2_Treg	0.006594255	0.011964802	-0.442822003	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	1_CD11c+ CD14+ % CD3- CD19-	0.011423	0.017657446	-0.411531052	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.049586128	0.016198977	-0.349408963	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	1_CD11c+ CD14+ CD3- CD19- %	0.005027116	0.002282923	-0.450961355	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	6_Th17/Th1	0.005027116	0.022474791	0.467338032	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.041901717	0.007680491	-0.356015757	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	6_CXCR3- CD25- % CD4+	0.030139074	0.044778579	0.368799274	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales	9_IFNg+ TNFa- Va7.2+ CD161 % CD3+	0.013771647	0.035792423	0.399193943	NA	DEPLETED-NS-NS
m.i	Bacteria;Cyanobacteria	7_IL-17a- IL-22+ CD4+ CD3+ (ul)	0.047449568	0.011535932	0.373016821	NA	NA
m.i	Bacteria;Cyanobacteria	7_IFNg+ IL-17a- IL-22+ CD4+ CD3+ (ul)	0.026861752	0.000126663	0.449395439	NA	NA
m.i	Bacteria;Cyanobacteria	7_IFNg+ IL-17a- IL-22+ % CD3+	0.040062089	0.000784553	0.405635085	NA	NA
m.i	OTU_51	4_CD56+ CD3+ %	0.032666647	0.000577719	-0.429587352	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir:	5_CD24+ CD4high CD8dim % CD4+ CD8	0.046352064	0.016960892	0.395663069	NA	NS-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ:	6_Th17/Th1	0.032429267	0.016875941	0.445052058	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir:	9_IL-17a+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.017879573	0.000245032	0.441247658	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir:	9_IL-17a+ TNFa+ Va7.2+ CD161 % CD3+	0.049827304	0.000761264	0.41600122	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir:	6_CXCR3- % CD25- CD4+	0.048024797	0.00164912	0.416936357	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir:	6_CXCR3- CD25- % CD4+	0.017879573	0.001672003	0.441047777	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir:	6_CXCR3+ CD25- % CD4+	0.049538147	0.001849674	-0.416149115	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir:	6_CXCR3+ % CD25- CD4+	0.047264345	0.00160285	-0.417340605	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.046753239	0.022685166	0.35880186	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	6_Th17/Th1	0.008551745	0.012010931	-0.474593899	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.047442091	0.034266557	0.356290177	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	6_CD27dim CXCR3+ % CD25- CD4+	0.015378275	0.026190654	0.424355783	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	4_CD8+ CD4+ % CD56+ CD3+	0.016784745	0.020197484	0.416203434	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	9_IFNg+ TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.025005	0.039334234	-0.388726252	NA	DEPLETED-NS-NS
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	9_IFNg+ TNFa- % Va7.2+ CD161 CD3+	0.01287847	0.003176409	-0.440960803	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	6_CD27dim CXCR3+ CD25- % CD4+	0.016784745	0.035487074	0.413680849	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	6_CD27- CXCR3+ % CD25- CD4+	0.02110829	0.041070339	0.400737085	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	6_Th1/2_Treg	0.01287847	0.019012519	0.456007475	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales	6_CD27- CXCR3+ CD25- % CD4+	0.02110829	0.046005093	0.400384274	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia	9_IFNg+ TNFa- % Va7.2+ CD161 CD3+	0.046440739	0.007334219	-0.382755733	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia	6_Th1/2_Treg	0.033438016	0.03082408	0.435402825	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia	6_CD27- CXCR3+ CD25- % CD4+	0.033438016	0.045008971	0.395529489	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia	6_CD27- CXCR3+ % CD25- CD4+	0.033438016	0.039165599	0.395772942	NA	NA
m.i	OTU_81	0_IL-17a- IL-22+ TCRgd+ % CD3+	0.000385944	1.70455E-05	-0.534220405	NA	NA
m.i	OTU_81	0_IL-17a- IL-22+ TCRgd+ CD4- CD3+ (ul)	0.005603095	8.16495E-05	-0.480665781	NA	NA
m.i	OTU_81	1_CD4- CD8+ %	0.021545671	0.001950203	0.451387484	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ:	4_TCRgd+ % CD4- CD8- CD3+	0.049014649	0.006101959	-0.435316369	NA	ENRICHED-DEPLETED-NS
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales;Prev:	6_CXCR3+ CD25+ % CD4+	0.02126631	0.022047966	0.43714956	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales;Prev:	6_CXCR3+ % CD25+ CD4+	0.023324013	0.028157108	0.425457171	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales;Prev:	6_CXCR3- % CD25+ CD4+	0.022073453	0.027754275	-0.426814234	NA	NA
m.i	Bacteria;Bacteroidetes;Bacteroidia;Bacteroidales;Prev:	6_CXCR3+ CD25+ CD4+ (ul)	0.026979097	0.042601199	0.421844322	NA	NA
m.i	Bacteria;Proteobacteria;Deltaproteobacteria	6_CXCR3- CD25+ CD4+ (ul)	0.002321965	0.002855364	-0.472840886	NA	DEPLETED-ENRICHED-DEPLETED
m.i	Bacteria;Proteobacteria;Deltaproteobacteria	6_CD25+ CD4+ (ul)	0.00180955	0.007322962	-0.484073294	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Proteobacteria;Deltaproteobacteria	6_CD161- CCR6- CXCR3- CD25+ CD4+ (ul)	0.00127999	0.003064719	-0.512461743	NA	DEPLETED-ENRICHED-DEPLETED
m.i	Bacteria;Proteobacteria;Deltaproteobacteria	6_CD25+ CD4+ (ul)2	0.00180955	0.007322962	-0.484073294	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Proteobacteria;Deltaproteobacteria	6_CD161- CCR6- CXCR3- CD25- CD4+ (ul)	0.012603481	0.045137859	-0.423142355	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir:	8_IL-10- IL-2- % IL-17a+ CD3+	0.006627874	0.004509716	-0.46579588	NA	NA
m.i	OTU_74	9_IL-17a+ TNFa+ Va7.2+ CD161 % CD3+	0.003532997	3.78991E-05	0.490104764	NA	NA
m.i	OTU_74	9_IL-17a+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.00480391	4.85013E-05	0.483846651	NA	NA
m.i	OTU_74	6_CD27- CD161+ CCR6+ CXCR3- CD25- CD4+ (ul)	0.002916383	0.024395882	0.493949536	NA	NA
m.i	OTU_74	9_IL-17a+ TNFa+ % Va7.2+ CD161 CD3+	0.000429459	3.91504E-06	0.53234188	NA	NA
m.i	OTU_40	7_IFNg+ IL-17a- IL-22+ CD4+ CD3+ (ul)	0.033480617	0.000157157	0.444310489	NA	NA
m.i	OTU_107	5_CD24+ CD45RO+ % CD8+ CD4-	0.006587027	0.004465507	0.477287213	NA	NS-ENRICHED-ENRICHED

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	OTU_107	5_CD24+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.003763083	0.003032399	0.491429312	NA	NS-ENRICHED-ENRICHED
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Christenser	6_CD161- CCR6- CXCR3- CD25+ CD4+ (ul)	0.033014094	0.024838477	-0.40876466	NA	DEPLETED-ENRICHED-DEPLETED
m.i	OTU_42	6_CD27dim CXCR3+ CD25- % CD4+	0.015316045	0.00291441	-0.459063048	NA	NA
m.i	OTU_42	6_CD161- CCR6+ CXCR3- % CD25- CD4+	0.008080172	0.045865994	-0.472968826	NA	NA
m.i	OTU_42	4_CD56high CD16+ % CD3-	0.011184042	0.012291024	0.455463743	NA	NA
m.i	OTU_42	4_CD56high CD16- % CD3-	0.000716111	0.008549385	0.520760858	NA	NA
m.i	OTU_42	6_CD161- CCR6+ % CXCR3- CD25- CD4+	0.007513584	0.026725411	-0.474512143	NA	NA
m.i	OTU_42	4_CD56high CD16+ CD3- %	0.011184042	0.012291024	0.455463743	NA	NA
m.i	OTU_42	6_CD27dim CXCR3+ % CD25- CD4+	0.027825413	0.003551588	-0.445512048	NA	NA
m.i	OTU_42	4_CD56high CD16- CD3- %	0.000716111	0.008549385	0.520760858	NA	NA
m.i	OTU_42	6_CD161- CCR6+ CXCR3- CD25- % CD4+	0.005319404	0.037153206	-0.481743296	NA	NA
m.i	Bacteria;Proteobacteria;Alphaproteobacteria;Rhodospir	4_CD56high CD16+ CD3- %	0.016494742	0.041289869	0.442936267	NA	NA
m.i	Bacteria;Proteobacteria;Alphaproteobacteria;Rhodospir	4_CD56high CD16+ % CD3-	0.016494742	0.041289869	0.442936267	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	8_IL-10- IL-2- % IL-17a+ CD3+	0.008292939	0.004480472	-0.475243868	ENRICHED-NS-NS	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	6_CD161- CCR6- CXCR3- CD25+ CD4+ (ul)	0.041061641	0.013904573	-0.394138126	ENRICHED-NS-NS	DEPLETED-ENRICHED-DEPLETED
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	5_CD62L- CD45RO+ % CD8+ CD4-	0.002098061	0.002328091	-0.503035713	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.045112474	0.008573272	0.424210635	NA	NA
m.i	OTU_71	5_CD24+ CD45RO- CD25+ CD4+ % CD4high CD8-	0.030997073	0.002986928	0.442999833	NA	NA
m.i	OTU_71	5_CD24+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.008421531	0.001372484	0.474918589	NA	NA
m.i	OTU_71	5_CD24+ CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.025214691	0.003422296	0.447787985	NA	NA
m.i	OTU_50	2_FoxP3- % CD25high CD127low CD4+	0.039952067	0.003338809	0.44017186	NA	NA
m.i	Bacteria;Actinobacteria;Actinobacteria;Actinomycetales	10_CD69+ Va7.2+ CD161+ CD4- CD8- % CD3+	0.048287231	0.000552205	0.408800551	NA	NA
m.i	OTU_35	4_CD8- CD4- CD56+ CD3+ %	0.017684193	0.046480565	-0.458829915	NA	NA
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovivi	6_CD25+ CD4+ (ul)2	0.004669304	0.00263892	-0.452591859	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovivi	6_Th17/Treg	0.004669304	0.040904431	0.466516843	NA	NA
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovivi	6_CD161- CCR6- CXCR3- CD25+ CD4+ (ul)	0.000133138	0.001312311	-0.552337774	NA	DEPLETED-ENRICHED-DEPLETED
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovivi	6_CD25+ CD4+ (ul)	0.004669304	0.00263892	-0.452591859	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovivi	6_CXCR3- CD25+ CD4+ (ul)	0.007209373	0.002640678	-0.438293351	NA	DEPLETED-ENRICHED-DEPLETED
m.i	Bacteria;Bacteroidetes	6_Th1/2_Treg	0.039886075	0.027162378	0.434261006	NA	NA
m.i	Bacteria;Bacteroidetes	6_Th17/Th1	0.039886075	0.033145848	-0.439360906	NA	NA
m.i	OTU_135	7_Helios- Ki67- CD4+ CD3+ (ul)	0.014554089	0.027951645	0.444627247	NA	NS-ENRICHED-NS
m.i	OTU_135	5_CD4+ CD8+ %	0.007085947	0.020732387	-0.475750708	NA	NA
m.i	OTU_135	2_CD39+ CD31+ % CD25high CD127low CD4+	0.025416363	0.028467012	-0.431229256	NA	NA
m.i	OTU_135	8_TNFa+ IL-5- % IL-17a- CD3+	0.02225601	0.023534867	0.450648294	NA	DEPLETED-NS-DEPLETED
m.i	OTU_135	6_CXCR3+ CD25- CD4+ (ul)	0.030812038	0.006606182	0.443139695	NA	NA
m.i	OTU_135	7_IL-17a- IL-22- CD4+ CD3+ (ul)	0.011450741	0.03616366	0.449995371	NA	DEPLETED-ENRICHED-NS
m.i	OTU_135	7_IL-17a- Ki67- CD4+ CD3+ (ul)	0.020486566	0.042029398	0.436413371	NA	NS-ENRICHED-NS
m.i	OTU_135	7_IFNg- IL-17a- CD4+ CD3+ (ul)	0.010963898	0.037003143	0.450987073	NA	DEPLETED-ENRICHED-NS
m.i	OTU_135	4_CD8- CD4+ CD56+ CD3+ %	0.02298343	0.033524231	-0.449913703	NA	NA
m.i	OTU_135	7_FoxP3- Ki67- CD4+ CD3+ (ul)	0.047642718	0.019703498	0.42455607	NA	DEPLETED-ENRICHED-NS
m.i	OTU_135	2_FoxP3+ CD39- % CD25high CD127low CD4+	0.038087764	0.044063992	0.421272144	NA	NA
m.i	OTU_135	8_TNFa+ IL-2- IL-17a- CD4+ CD3+ (ul)	0.007564491	0.028044902	0.466336888	NA	DEPLETED-NS-NS
m.i	OTU_135	8_TNFa+ IL-2- % IL-17a+ CD3+	0.015561719	0.023744748	0.444633889	NA	NA
m.i	OTU_135	7_Helios- IFNg- CD4+ CD3+ (ul)	0.007214349	0.021054106	0.460386679	NA	NS-ENRICHED-NS
m.i	OTU_135	4_CD8+ CD4+ CD56+ CD3+ %	0.012204827	0.021253984	-0.464070117	NA	NA
m.i	OTU_135	8_TNFa+ IL-5- IL-17a- % CD3+	0.022253005	0.02355925	0.450651374	NA	DEPLETED-NS-DEPLETED
m.i	OTU_135	8_TNFa+ IL-5- % IL-17a+ CD3+	0.026417918	0.021908043	0.446713146	NA	DEPLETED-NS-DEPLETED
m.i	OTU_135	4_TCRgd+ % CD4- CD8- CD3+	0.001957719	0.014305568	0.504373383	NA	ENRICHED-DEPLETED-NS
m.i	OTU_135	8_TNFa+ IL-5+ IL-17a- CD4+ CD3+ (ul)	0.019696793	0.031041148	0.453423209	NA	DEPLETED-ENRICHED-NS
m.i	OTU_135	7_FoxP3- Helios- CD4+ CD3+ (ul)	0.028363744	0.013425912	0.432381889	NA	DEPLETED-ENRICHED-NS
m.i	OTU_135	8_TNFa+ IL-5- IL-17a- CD4+ CD3+ (ul)	0.006429954	0.022045103	0.470950457	NA	DEPLETED-NS-NS
m.i	OTU_135	6_CD25- CD4+ (ul)	0.013492294	0.041465118	0.446222593	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Erysipelotrichia;Erysipelotrichales;	14_CD56dim CD16 high % CD56+ CD3-	0.000463595	0.01282841	0.51846385	NA	NA
m.i	Bacteria;Firmicutes;Erysipelotrichia;Erysipelotrichales;	10_IL-17a- IFNg- % TCRgd+ CD3+	0.010921336	0.015553959	0.443655766	NA	NA



Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	Bacteria;Firmicutes;Erysipelotrichia;Erysipelotrichales; 8	IL-10- IL-2- % IL-17a+ CD3+	0.002501998	0.010128425	0.462452787	NA	NA
m.i	Bacteria;Firmicutes;Erysipelotrichia;Erysipelotrichales; 0	IL-17a- IFNg+ % TCRgd+ CD3+	0.030923113	0.033915745	-0.418420857	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Christenser	6_CD161- CCR6- % CXCR3- CD25+ CD4+	0.007916542	0.047672093	-0.435055575	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Christenser	6_CD161+ CCR6- CXCR3- CD25+ CD4+ (ul)	0.020415926	0.04952814	0.396928496	NA	DEPLETED-ENRICHED-NS
m.i	OTU_10	6_CD27- CXCR3+ CD25- % CD4+	0.002247974	0.002501387	-0.499094342	NA	NA
m.i	OTU_10	6_CD27- CXCR3+ % CD25- CD4+	0.003207116	0.003294407	-0.492050462	NA	NA
m.i	OTU_10	1_CD3+ %	0.001306062	0.000175832	0.50956476	NA	DEPLETED-ENRICHED-NS
m.i	OTU_10	6_CD27- CXCR3+ CD25- CD4+ (ul)	0.014178239	0.048920708	-0.460774	NA	NA
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Ruminococ	5_CD62L- CD45RO- % CD8+ CD4-	0.003533198	0.020959897	-0.492780284	NS-ENRICHED-NS	ENRICHED-NS-NS
m.i	Bacteria;Firmicutes;Negativicutes;Selenomonadales;V	5_CD62L- CD45RO- CD8+ CD4- CD3+ (ul)	0.038592873	0.023731066	0.412782418	NA	NA
m.i	Bacteria;Proteobacteria	5_CD8_Tcm/Tn	0.016365176	0.026808038	-0.418242838	NA	NA
m.i	Bacteria;Proteobacteria	5_CD8_Tem/Tn	0.007616671	0.0192259	-0.453078958	NA	NA
m.i	Bacteria;Proteobacteria	10_CD69+ % Va7.2+ CD161+ CD4- CD8- CD3+	0.022033261	0.026298194	0.406638041	NA	NA
m.i	Bacteria;Proteobacteria	6_CD27dim % CXCR3+ CD25- CD4+	0.007616671	0.019605802	-0.453450966	NA	NA
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovii	3_CD14- CD16- HLA-DR+ CD4dim/- %	0.044975738	0.012400356	-0.420447358	NA	NA
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovii	5_CD24- CD45RO- % CD8+ CD4-	0.049908932	0.021713779	0.40595931	NA	NS-DEPLETED-NS
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovii	3_CD14- CD16- HLA-DR+ % CD4dim/-	0.044975738	0.037333268	-0.429427397	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Proteobacteria;Deltaproteobacteria;Desulfovii	3_CD14- CD16- HLA-DR+ CD4dim/- (ul)	0.049908932	0.023901854	-0.399812383	NA	NS-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	8_TNFa+ IL-5+ IL-17a+ % CD3+	0.005994284	0.002194645	0.467873306	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	8_TNFa+ IL-5+ IL-17a+ CD4+ CD3+ (ul)	0.007550872	0.003405697	0.452147738	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	8_TNFa+ IL-2- IL-17a+ CD4+ CD3+ (ul)	0.005994284	0.000869851	0.46581166	NA	DEPLETED-ENRICHED-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	8_TNFa+ IL-2- IL-17a+ % CD3+	0.007604533	0.001164784	0.45198689	NA	DEPLETED-NS-NS
m.i	Bacteria;Firmicutes;Clostridia;Clostridiales;Lachnospir	9_IL-17a- IFNg+ Va7.2+ CD161 % CD3+	0.036663609	0.03955182	0.39584745	NA	DEPLETED-NS-NS
m.i	Bacteria;Firmicutes	6_Th1/2_Treg	0.012514751	0.007667387	-0.458088438	NA	NA
m.i	Bacteria;Firmicutes	9_IFNg+ TNFa- % Va7.2+ CD161 CD3+	0.01723008	0.008632111	0.427054492	NA	NA
m.i	Bacteria;Firmicutes	6_CXCR3- CD25- % CD4+	0.026661938	0.00985638	0.410431026	NA	NA
m.i	Bacteria;Firmicutes	6_Th17/Th1	0.012514751	0.016264264	0.4545032	NA	NA
m.i	OTU_146	5_CD24- CD45RO- % CD8+ CD4-	0.014416593	9.42171E-05	0.46334148	NA	NS-DEPLETED-NS
m.i	OTU_103	0_IL-17a- IFNg- % TCRgd+ CD3+	0.021779309	0.006483558	0.451141889	NA	NA
m.i	OTU_103	0_IL-17a- IFNg+ % TCRgd+ CD3+	0.024539237	0.008531604	-0.448412418	NA	NA
m.i	MF0017: alanine degradation (racemase pathway)	2_CD31- CD45RA+ CD25high CD127low CD4+ (ul)	0.044855306	0.005214374	0.438406731	NA	NA
m.i	MF0017: alanine degradation (racemase pathway)	3_HLA-DR-CD4dim/- (ul)	0.015616874	0.028077789	0.487796858	NA	NA
m.i	MF0017: alanine degradation (racemase pathway)	2_FoxP3- CD45RA+ CD25high CD127low CD4+ (ul)	0.043792696	0.008824115	0.431460144	NA	NA
m.i	M00474: RcsC-RcsD-RcsB (capsule synthesis) two-cc	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	0.001255633	0.007524461	-0.535045813	NA	DEPLETED-ENRICHED-NS
m.i	M00474: RcsC-RcsD-RcsB (capsule synthesis) two-cc	3_HLA-DR-CD4dim/- (ul)	0.043879968	0.01046231	-0.378639093	NA	NA
m.i	M00474: RcsC-RcsD-RcsB (capsule synthesis) two-cc	5_CD8_Tem/Tcm	0.034435165	0.007565269	-0.400197314	NA	NA
m.i	M00020: Serine biosynthesis, glycerate-3P => serine	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.006298788	0.029108482	-0.474194786	NA	ENRICHED-DEPLETED-NS
m.i	M00020: Serine biosynthesis, glycerate-3P => serine	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.00554596	0.018500411	-0.477150034	NA	ENRICHED-DEPLETED-NS
m.i	M00439: Oligopeptide transport system	5_CD24- CD45RO+ CD25- CD4+ % CD4high CD8-	0.009735421	0.009738667	-0.483612847	NA	NS-DEPLETED-DEPLETED
m.i	M00439: Oligopeptide transport system	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.019612956	0.008688113	0.431954564	NA	NA
m.i	M00439: Oligopeptide transport system	5_CD24- CD45RO+ % CD25- CD4+ CD4high CD8-	0.009735421	0.023689236	-0.472764478	NA	NA
m.i	M00439: Oligopeptide transport system	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.0223273	0.001371808	0.451828678	NA	DEPLETED-ENRICHED-NS
m.i	M00439: Oligopeptide transport system	5_CD4_Tcm/Tn	0.009735421	0.010209876	-0.474176432	NA	NA
m.i	M00439: Oligopeptide transport system	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.021330827	0.005683317	0.440627205	NA	NA
m.i	M00395: Decapping complex	8_GM-CSF+ IL-2+ IL-17a- % CD3+	0.019113314	0.0025536	-0.459906444	NA	NA
m.i	M00395: Decapping complex	5_CD24- CD45RO+ CD25- CD4+ % CD4high CD8-	0.014209199	0.024025348	-0.441224833	NA	NS-DEPLETED-DEPLETED
m.i	M00395: Decapping complex	5_CD62L+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.022188881	0.009971963	0.421699872	NA	NA
m.i	M00395: Decapping complex	5_CD4_Tcm/Tn	0.008099179	0.019000253	-0.466443979	NA	NA
m.i	M00395: Decapping complex	8_GM-CSF+ IL-2+ % IL-17a- CD3+	0.017829874	0.002515117	-0.461596806	NA	NA
m.i	M00119: Pantothenate biosynthesis, valine/L-aspartate	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.038243499	0.049076952	0.414576854	NA	NA
m.i	M00289: RF-C complex	7_Helios+ IFNg+ CD4+ CD3+ (ul)	0.049809928	0.00241661	-0.442239142	NA	NA
m.i	M00289: RF-C complex	2_FoxP3+ CD39- CD25high CD127low % CD4+	0.032612944	0.014972829	-0.446608197	NA	NA
m.i	M00289: RF-C complex	2_FoxP3+ CD31- CD25high CD127low CD4+ (ul)	0.046320217	0.003728425	-0.429962582	NA	DEPLETED-NS-NS
m.i	M00289: RF-C complex	2_FoxP3+ CD45RA- CD25high CD127low CD4+ (ul)	0.036206567	0.002904793	-0.413370439	NA	DEPLETED-NS-NS

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 2	FoxP3- CD45RA+ CD25high CD127low CD4+ (ul)	0.004518925	0.00089598	0.515120217	NA	NA
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 3	CD14- CD16- HLA-DR+ CD4dim/- %	0.039659778	0.04692782	-0.366687355	NA	NA
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 5	CD4_Teff/2_Treg	0.015318912	0.006248116	0.484490877	NA	NA
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 2	CD31- CD45RA+ CD25high CD127low % CD4+	0.021879656	0.026105002	0.482579948	NA	NA
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 1	CD4dim CD8bright CD4+ CD8+ CD3+ %	0.009462951	0.04759899	-0.485858555	NA	NA
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 5	CD62L- CD45RO- CD25- CD4+ % CD4high CD8-	5.64263E-05	0.000189162	0.595178406	NA	ENRICHED-NS-NS
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 5	CD4_Teff/Treg	0.000129747	0.000764742	0.585286882	NA	ENRICHED-NS-NS
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 5	CD62L- CD45RO- % CD25- CD4+ CD4high CD8-	5.77846E-05	0.000147361	0.594802444	NA	ENRICHED-NS-NS
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 2	FoxP3- CD45RA+ CD25high CD127low % CD4+	0.001175199	0.000334472	0.542917242	NA	NA
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 2	FoxP3- CD45RA+ % CD25high CD127low CD4+	0.001063592	6.31212E-05	0.544785013	NA	NA
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 5	CD4_Tcm/Tn	0.015332951	0.034309488	-0.43337136	NA	NA
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 2	CD31- CD45RA+ % -CD25high CD127low CD4+	0.003245631	0.004167247	0.506835048	NA	NA
m.i	M00777: Avermectin biosynthesis, 2-methylbutanoyl-C 2	CD39- CD45RA+ % CD25high CD127low CD4+	0.006190253	0.036519286	0.486284338	NA	NA
m.i	M00024: Phenylalanine biosynthesis, chorismate => pl 4	CD56high CD16- CD3- %	0.047856654	0.000543945	0.438221646	NA	NA
m.i	M00024: Phenylalanine biosynthesis, chorismate => pl 4	CD56high CD16- % CD3-	0.047856654	0.000543945	0.438221646	NA	NA
m.i	M00715: Lincosamide resistance, efflux pump LmrB	2_FoxP3+ CD45RA+ % CD25high CD127low CD4+	0.006755493	0.024429153	-0.500849548	NA	NA
m.i	M00715: Lincosamide resistance, efflux pump LmrB	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.021150004	0.006342223	-0.429247394	NA	ENRICHED-DEPLETED-NS
m.i	M00715: Lincosamide resistance, efflux pump LmrB	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.049762349	0.016208089	-0.380061026	NA	NA
m.i	M00715: Lincosamide resistance, efflux pump LmrB	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.021150004	0.009546008	-0.42271083	NA	ENRICHED-DEPLETED-NS
m.i	M00715: Lincosamide resistance, efflux pump LmrB	6_CD161+ CCR6- CXCR3- CD25- % CD4+	0.041187398	0.034250387	0.389878968	NA	NA
m.i	M00667: Tetracycline resistance, efflux pump	5_CD24- CD45RO+ CD25- CD4+ % CD4high CD8-	0.032568143	0.008953175	-0.426064636	NA	NS-DEPLETED-DEPLETED
m.i	M00667: Tetracycline resistance, efflux pump	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.032568143	0.004791122	0.412172372	NA	NA
m.i	M00667: Tetracycline resistance, efflux pump	5_CD24- CD45RO+ % CD25- CD4+ CD4high CD8-	0.045428487	0.029274381	-0.397948278	NA	NA
m.i	M00667: Tetracycline resistance, efflux pump	5_CD4_Tcm/Tn	0.032568143	0.03161858	-0.413833909	NA	NA
m.i	M00667: Tetracycline resistance, efflux pump	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.032568143	0.000321873	0.414923772	NA	DEPLETED-ENRICHED-NS
m.i	M00667: Tetracycline resistance, efflux pump	4_CD8+ CD4- CD56+ CD3+ %	0.040202297	0.038526773	0.422827129	NA	NA
m.i	M00667: Tetracycline resistance, efflux pump	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.032568143	0.002609568	0.423221676	NA	NA
m.i	M00319: Manganese/zinc/iron transport system	5_CD62L- CD45RO- % CD8+ CD4-	0.012772167	0.023320368	-0.494583737	NA	ENRICHED-NS-NS
m.i	M00403: HRD1/SEL1 ERAD complex	9_IL2- TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.047857617	0.040492275	-0.416558578	NA	DEPLETED-ENRICHED-NS
m.i	M00403: HRD1/SEL1 ERAD complex	9_IL-17a- TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.047857617	0.026938899	-0.425071704	NA	DEPLETED-ENRICHED-NS
m.i	M00189: Molybdate transport system	5_CD62L+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.047810341	0.001830677	-0.399912312	NA	NA
m.i	M00189: Molybdate transport system	0_TCRgd+ % CD3+	0.047810341	0.047148792	0.403441945	NA	NA
m.i	M00189: Molybdate transport system	0_IL-17a- IL-22- TCRgd+ % CD3+	0.049425079	0.04679404	0.395447404	NA	NA
m.i	M00288: RPA complex	3_HLA-DR+ CD16+/HLA-DR- CD16- %	0.021480301	0.021780053	-0.451660541	NA	NA
m.i	M00288: RPA complex	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.007851957	0.004940742	-0.488183687	NA	NA
m.i	M00672: Penicillin biosynthesis, aminoacidate + cyctei 1	CD4dim CD8bright CD4+ CD8+ CD3+ (ul)	0.005075797	0.009535382	0.499570547	NA	NA
m.i	M00672: Penicillin biosynthesis, aminoacidate + cyctei 6	CXCR3- CD25+ CD4+ (ul)	0.001773881	0.012480555	0.528320573	NA	DEPLETED-ENRICHED-DEPLETED
m.i	M00797: dTDP-D-desosamine biosynthesis	4_CD56high CD16- CD3- %	0.04156126	0.037491351	-0.410600223	NA	NA
m.i	M00797: dTDP-D-desosamine biosynthesis	4_CD56high CD16- % CD3-	0.04156126	0.037491351	-0.410600223	NA	NA
m.i	M00104: Bile acid biosynthesis, cholesterol => cholate 2	FoxP3+ % CD25high CD127low CD4+	0.048091689	0.007915719	-0.42895703	NA	NA
m.i	M00104: Bile acid biosynthesis, cholesterol => cholate 5	CD24- CD4high CD8dim % CD4+ CD8	0.028272427	0.028868671	0.460246719	NA	NA
m.i	M00096: C5 isoprenoid biosynthesis, non-mevalonate 3	HLA-DR- % CD4dim/-	0.006684298	0.018773732	0.467686687	NA	NA
m.i	M00096: C5 isoprenoid biosynthesis, non-mevalonate 4	CD56high CD16+ CD3- %	0.044476368	0.001299644	0.372560846	NA	NA
m.i	M00096: C5 isoprenoid biosynthesis, non-mevalonate 3	HLA-DR-CD4dim/- (ul)	0.018072869	0.010310644	0.421958349	NA	NA
m.i	M00096: C5 isoprenoid biosynthesis, non-mevalonate 4	CD56high CD16+ % CD3-	0.044476368	0.001299644	0.372560846	NA	NA
m.i	M00096: C5 isoprenoid biosynthesis, non-mevalonate 3	HLA-DR+ % CD4dim/-	0.006684298	0.018773732	-0.467686687	NA	NA
m.i	M00521: CiaH-CiaR two-component regulatory system 2	FoxP3+ CD45RA+ % CD25high CD127low CD4+	0.010321916	0.024132736	-0.481656198	NA	NA
m.i	M00521: CiaH-CiaR two-component regulatory system 2	FoxP3- CD45RA+ % CD25high CD127low CD4+	0.032096926	0.002616342	-0.417108625	NA	NA
m.i	M00521: CiaH-CiaR two-component regulatory system 2	FoxP3+ CD45RA- % CD25high CD127low CD4+	0.020786275	0.013697762	0.427111026	NA	NA
m.i	M00521: CiaH-CiaR two-component regulatory system 2	CD31- CD45RA+ % -CD25high CD127low CD4+	0.00496456	0.000865418	-0.500338075	NA	NA
m.i	M00521: CiaH-CiaR two-component regulatory system 4	CD8+ CD4+ CD56+ CD3+ %	0.028138629	0.023855371	0.433771934	NA	NA
m.i	M00521: CiaH-CiaR two-component regulatory system 8	TNFA- IL-2- % IL-17a+ CD3+	0.043007169	0.038966688	0.431941744	NA	ENRICHED-DEPLETED-NS
m.i	M00521: CiaH-CiaR two-component regulatory system 2	CD39- CD45RO+ % CD25high CD127low CD4+	0.006190253	0.003477721	-0.492475675	NA	NA
m.i	M00408: ESCRT-0 complex	3_CD14low CD16+ HLA-DR+ CD16+/HLA-DR- CD16-%	0.035593542	0.012761466	0.454588651	NA	ENRICHED-DEPLETED-NS

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00408: ESCRT-0 complex	2_FoxP3+ CD31+ CD25high CD127low CD4+ (ul)	0.021036115	0.01336796	-0.483472096	NA	NA
m.i	M00408: ESCRT-0 complex	2_CD25high CD127low CD4+ (ul)	0.000265968	0.005719806	-0.569619569	NA	DEPLETED-NS-NS
m.i	M00408: ESCRT-0 complex	2_FoxP3+ CD31- CD25high CD127low CD4+ (ul)	0.000866435	0.013229902	-0.548587518	NA	DEPLETED-NS-NS
m.i	M00408: ESCRT-0 complex	2_FoxP3+ CD45RA- CD25high CD127low CD4+ (ul)	0.01290238	0.028030141	-0.484522904	NA	DEPLETED-NS-NS
m.i	M00408: ESCRT-0 complex	7_IFNg- IL-17a- IL-22+ CD4+ CD3+ (ul)	0.013968502	0.002144393	-0.49261805	NA	NA
m.i	M00408: ESCRT-0 complex	2_CD39- CD45RA+ CD25high CD127low CD4+ (ul)	0.002469233	0.019808046	-0.528656018	NA	NA
m.i	M00408: ESCRT-0 complex	3_CD14low CD16++ % HLA-DR+ CD16+/HLA-DR- CD16-	0.043791057	0.013682193	0.44940977	NA	ENRICHED-DEPLETED-NS
m.i	M00408: ESCRT-0 complex	7_IL-17a- IL-22+ CD4+ CD3+ (ul)	0.020925454	0.002656517	-0.483591592	NA	NA
m.i	M00408: ESCRT-0 complex	1_CD4+ CD8- CD3+ (ul)	0.016681306	0.013390105	-0.472847548	NA	DEPLETED-ENRICHED-NS
m.i	M00408: ESCRT-0 complex	2_FoxP3+ CD45RA+ CD25high CD127low CD4+ (ul)	0.004572507	0.026144932	-0.516307152	NA	NA
m.i	M00408: ESCRT-0 complex	2_CD31- CD45RA+ CD25high CD127low CD4+ (ul)	0.003922288	0.020201342	-0.51942688	NA	NA
m.i	M00032: Lysine degradation, lysine => saccharopine = 2	CD31+ CD45RA+ % -CD25high CD127low CD4+	0.03808436	0.001863073	0.469732187	NA	NA
m.i	M00728: Cationic antimicrobial peptide (CAMP) resista	3_CD11c+ CD14- CD16- % HLA-DR+ CD4dim/-	0.000212705	0.001719526	0.573440754	NA	NA
m.i	M00486: CitA-CitB (citrate fermentation) two-compone	5_CD25+ CD4+% CD4high	0.019695562	0.010216659	0.46119127	NA	DEPLETED-NS-NS
m.i	M00486: CitA-CitB (citrate fermentation) two-compone	5_CD25- CD4+% CD4high cells	0.035670001	0.012676235	-0.444323596	NA	ENRICHED-NS-NS
m.i	M00496: ComD-ComE (competence) two-component r	0_IL-17a- IFNg- % TCRgd+ CD3+	0.008628295	0.004649046	0.487928688	NA	NA
m.i	M00496: ComD-ComE (competence) two-component r	8_TNFa+ IL-5- % IL-17a+ CD3+	0.000398289	0.001972659	-0.562590214	NA	DEPLETED-NS-DEPLETED
m.i	M00496: ComD-ComE (competence) two-component r	8_TNFa+ IL-5- IL-17a+ % CD3+	0.002285914	2.11212E-05	-0.530168437	NA	NA
m.i	M00496: ComD-ComE (competence) two-component r	0_IL-17a- IFNg+ % TCRgd+ CD3+	0.00509059	0.006791637	-0.499507835	NA	NA
m.i	M00496: ComD-ComE (competence) two-component r	8_TNFa+ IL-5- IL-17a+ CD4+ CD3+ (ul)	0.00331133	0.000168226	-0.522835305	NA	DEPLETED-ENRICHED-NS
m.i	M00001: Glycolysis (Embden-Meyerhof pathway), gluc	3_HLA-DR+ CD4dim/- %	0.002102807	0.023876068	-0.502315597	NA	ENRICHED-NS-NS
m.i	M00001: Glycolysis (Embden-Meyerhof pathway), gluc	3_CD123+ CD14- CD16- % HLA-DR+ CD4dim/-	0.013509073	0.026511113	0.493353683	NA	NA
m.i	M00001: Glycolysis (Embden-Meyerhof pathway), gluc	3_CD11c+ CD14- CD16- % HLA-DR+ CD4dim/-	0.006974232	0.01367307	0.483594578	NA	NA
m.i	M00001: Glycolysis (Embden-Meyerhof pathway), gluc	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.006391495	0.00909597	-0.469568395	NA	ENRICHED-DEPLETED-NS
m.i	M00001: Glycolysis (Embden-Meyerhof pathway), gluc	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.007349161	0.018229074	-0.466247694	NA	ENRICHED-DEPLETED-NS
m.i	M00159: V/A-type ATPase, prokaryotes	8_GM-CSF- IL-2- IL-17a+ CD4+ CD3+ (ul)	0.049972098	0.005335105	0.439459262	NA	DEPLETED-ENRICHED-NS
m.i	M00615: Nitrate assimilation	3_CD11c+ CD14- CD16- % HLA-DR+ CD4dim/-	0.047546348	0.020035877	-0.406755819	NA	NA
m.i	M00615: Nitrate assimilation	6_CD27bright CD161+ CCR6+ CXCR3- % CD25- CD4+	0.004525708	0.019860817	0.503069506	NA	NA
m.i	M00615: Nitrate assimilation	6_CD27bright CD161+ CCR6+ CXCR3- CD25- CD4+ (ul)	0.001389315	0.033499249	0.535384449	NA	DEPLETED-NS-NS
m.i	M00615: Nitrate assimilation	6_CD27bright CD161+ CCR6+ % CXCR3- CD25- CD4+	0.005834151	0.017011433	0.496556011	NA	NA
m.i	M00615: Nitrate assimilation	6_CD27bright CD161+ CCR6+ CXCR3- CD25- % CD4+	0.003517374	0.024576252	0.507376791	NA	NA
m.i	M00429: Competence-related DNA transformation tran	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.030501789	0.043458799	-0.412846886	NA	ENRICHED-DEPLETED-NS
m.i	M00429: Competence-related DNA transformation tran	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.030501789	0.022749561	-0.413975794	NA	ENRICHED-DEPLETED-NS
m.i	MF0101: Sulfate reduction (assimilatory)	4_CD56high CD16+ % CD3-	0.001753175	0.001744262	-0.521687501	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.01002772	0.029561533	0.428324793	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	3_HLA-DR- CD4dim/- (ul)	0.00618892	0.043691864	-0.45370844	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	4_CD56high CD16- CD3- (ul)	9.76047E-05	0.001415596	-0.584947022	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	4_CD56high CD16- CD3- %	0.034584036	0.026045444	-0.42807556	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	4_CD56dim CD16+ % CD3-	0.035118916	0.002309472	-0.359768351	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	5_CD62L+ CD45RO- CD8+ CD4- CD3+ (ul)	0.006907789	0.011807602	-0.453891122	NA	DEPLETED-NS-NS
m.i	MF0101: Sulfate reduction (assimilatory)	3_CD11c+ CD14- CD16- HLA-DR+ CD4dim/- %	0.011309243	0.001751992	0.472453893	NA	ENRICHED-NS-NS
m.i	MF0101: Sulfate reduction (assimilatory)	4_CD56high CD16+ CD3- %	0.001753175	0.001744262	-0.521687501	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	3_CD11c+ CD14- CD16- HLA-DR+ % CD4dim/-	0.004446143	0.000319237	0.502411667	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.049762349	0.01477726	0.381192508	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	4_CD56dim CD16+ CD3- (ul)	0.012860876	0.00641344	-0.421812203	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	4_CD56high CD16- % CD3-	0.034584036	0.026045444	-0.42807556	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	4_CD56high CD16+ CD3- (ul)	9.03473E-05	0.000175676	-0.57619935	NA	NA
m.i	MF0101: Sulfate reduction (assimilatory)	4_CD56dim CD16+ CD3- %	0.035118916	0.002309472	-0.359768351	NA	NA
m.i	M00485: KinABCDE-Spo0FA (sporulation control) two-	4_CD56high CD16+ % CD3-	0.021535123	0.030990508	0.448311779	NA	NA
m.i	M00485: KinABCDE-Spo0FA (sporulation control) two-	4_CD56high CD16+ CD3- %	0.021535123	0.030990508	0.448311779	NA	NA
m.i	M00525: Lysine biosynthesis, acetyl-DAP pathway, asj	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.046763547	0.014655762	-0.388453985	NA	ENRICHED-DEPLETED-NS
m.i	M00525: Lysine biosynthesis, acetyl-DAP pathway, asj	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.047253972	0.040191399	-0.372234503	NA	ENRICHED-DEPLETED-NS
m.i	M00737: Bacitracin resistance, vRadE transporter	5_CD4_Tcm/Treg	0.036906614	0.009171632	-0.371076565	NA	ENRICHED-NS-ENRICHED
m.i	MF0036: arginine degradation (ornithine decarboxylas	6_CD161+ CCR6+ CXCR3- % CD25+ CD4+	0.01696605	0.000789661	-0.455771385	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	MF0036: arginine degradation (ornithine decarboxylase)	6_CD161+ CCR6+ CXCR3- CD25+ % CD4+	0.001143486	0.001007499	-0.536842138	NA	NA
m.i	MF0036: arginine degradation (ornithine decarboxylase)	2_CD31+ CD45RA+ % -CD25high CD127low CD4+	0.044042727	0.006437741	0.438882816	NA	NA
m.i	M00633: Semi-phosphorylative Entner-Doudoroff path	4_CD8+ CD4- CD56+ CD3+ %	0.043796582	0.040884105	-0.429853097	NA	NA
m.i	MF0027: cysteine degradation	4_CD56high CD16+ % CD3-	0.016426215	0.003160628	0.433402767	NA	NA
m.i	MF0027: cysteine degradation	4_CD56high CD16+ CD3- %	0.016426215	0.003160628	0.433402767	NA	NA
m.i	MF0111: triacylglycerol degradation	4_CD56high CD16+ % CD3-	0.003018985	0.003104646	0.490905607	NA	NA
m.i	MF0111: triacylglycerol degradation	4_CD56high CD16+ CD3- %	0.003018985	0.003104646	0.490905607	NA	NA
m.i	MF0111: triacylglycerol degradation	4_CD56high CD16+ CD3- (ul)	0.004587896	0.011493159	0.46781457	NA	NA
m.i	M00352: Spliceosome, U2-snRNP	5_CD24+ CD45RO- CD25- CD4+ % CD4high CD8-	0.026731931	0.010015455	0.4779959	NA	NA
m.i	M00352: Spliceosome, U2-snRNP	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.001060738	0.028607429	-0.506763627	NA	NA
m.i	M00352: Spliceosome, U2-snRNP	5_CD24+ CD45RO- % CD25- CD4+ CD4high CD8-	0.023280823	0.011633358	0.473206353	NA	NA
m.i	M00352: Spliceosome, U2-snRNP	5_CD24+ CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.048586805	0.010865503	0.446928048	NA	NA
m.i	M00352: Spliceosome, U2-snRNP	2_CD39+ CD31- CD25high CD127low % CD4+	0.001833613	0.022013342	-0.517437773	NA	NA
m.i	M00044: Tyrosine degradation, tyrosine => homogenti	5_CD62L+ CD45RO- CD8+ CD4- CD3+ (ul)	0.016155372	0.023627777	-0.448305474	NA	DEPLETED-NS-NS
m.i	M00044: Tyrosine degradation, tyrosine => homogenti	5_CD8_Teff/Tn	0.026894636	0.020376894	0.429231755	NA	NA
m.i	M00298: Multidrug/hemolysin transport system	5_CD62+- CD45RO+ % CD25- CD4+ CD4high CD8-	0.044694717	0.010927017	-0.405758709	NA	NA
m.i	M00298: Multidrug/hemolysin transport system	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.043746825	0.00708646	-0.410782469	NA	NA
m.i	M00627: beta-Lactam resistance, Bla system	3_CD11c+ CD14- CD16- HLA-DR+ % CD4dim/-	0.035149876	0.006517737	0.438210256	NA	NA
m.i	M00616: Sulfate-sulfur assimilation	3_CD11c+ CD14- CD16- HLA-DR+ % CD4dim/-	0.010808049	0.000382371	0.474860236	NA	NA
m.i	M00616: Sulfate-sulfur assimilation	5_CD62L+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.004227533	0.025670414	-0.517354768	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	5_CD62L+ CD45RO- CD8+ CD4- CD3+ (ul)	0.006907789	0.011807602	-0.453891122	NA	DEPLETED-NS-NS
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	3_CD11c+ CD14- CD16- HLA-DR+ CD4dim/- %	0.011309243	0.001751992	0.472453893	NA	ENRICHED-NS-NS
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	4_CD56dim CD16+ CD3- (ul)	0.012860876	0.00641344	-0.421812203	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	4_CD56high CD16+ CD3- (ul)	9.03473E-05	0.000175676	-0.57619935	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	4_CD56high CD16- % CD3-	0.034584036	0.026045444	-0.42807556	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	4_CD56dim CD16+ CD3- %	0.035118916	0.002309472	-0.359768351	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	4_CD56high CD16+ CD3- %	0.001753175	0.001744262	-0.521687501	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	3_CD11c+ CD14- CD16- HLA-DR+ % CD4dim/-	0.004446143	0.000319237	0.502411667	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.049762349	0.01477726	0.381192508	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	3_HLA-DR-CD4dim/- (ul)	0.00618892	0.043691864	-0.45370844	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	4_CD56high CD16+ % CD3-	0.001753175	0.001744262	-0.521687501	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.01002772	0.029561533	0.428324793	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	4_CD56high CD16- CD3- (ul)	9.76047E-05	0.001415596	-0.584947022	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	4_CD56high CD16- CD3- %	0.034584036	0.026045444	-0.42807556	NA	NA
m.i	M00176: Assimilatory sulfate reduction, sulfate => H2S	4_CD56dim CD16+ % CD3-	0.035118916	0.002309472	-0.359768351	NA	NA
m.i	M00183: RNA polymerase, bacteria	2_FoxP3+ CD39+ % CD25high CD127low CD4+	0.028433894	0.043089539	-0.412215556	NA	NA
m.i	M00183: RNA polymerase, bacteria	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.023891908	0.027238745	-0.427513002	NA	NA
m.i	M00497: GlnL-GlnG (nitrogen regulation) two-component	3_HLA-DR-CD4dim/- (ul)	0.042990258	0.014234944	-0.397665306	NA	NA
m.i	M00497: GlnL-GlnG (nitrogen regulation) two-component	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.024536085	0.027541255	0.462552537	NA	NA
m.i	M00212: Ribose transport system	5_CD62L- CD45RO- % CD8+ CD4-	0.043332088	0.002580294	0.432295663	NA	ENRICHED-NS-NS
m.i	M00673: Cephamycin C biosynthesis, aminoacidate +	6_CXCR3- CD25+ CD4+ (ul)	0.001773881	0.012480555	0.528320573	NA	DEPLETED-ENRICHED-DEPLETED
m.i	M00673: Cephamycin C biosynthesis, aminoacidate +	1_CD4dim CD8bright CD4+ CD8+ CD3+ (ul)	0.005075797	0.009535382	0.499570547	NA	NA
m.i	M00252: Lipooligosaccharide transport system	0_IL-17a- IL-22- % TCRgd+ CD3+	0.000289553	0.001725309	0.568154008	NA	NA
m.i	M00252: Lipooligosaccharide transport system	0_IL-17a- IL-22+ % TCRgd+ CD3+	0.001311012	0.005009072	-0.540857221	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	4_CD56high CD16+ CD3- %	0.01630166	0.007781374	-0.419008725	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	5_CD24+ CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.0226264	0.016993148	-0.481816451	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	6_CD161- CCR6- % CXCR3- CD25+ CD4+	0.03825953	0.01511998	0.46962364	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	4_CD56high CD16+ CD3- (ul)	0.011067075	0.010035333	-0.429552631	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	8_TNFA+ IL-2- % IL-17a+ CD3+	0.035108769	0.0084598	-0.440084417	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	8_GM-CSF- IL-2- % IL-17a+ CD3+	0.001355188	0.026705687	0.540230245	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.019612956	0.03571792	-0.42125557	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	3_CD11c+ CD14- CD16- HLA-DR+ CD4dim/- %	0.042968349	0.013051349	0.421002208	NA	ENRICHED-NS-NS
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	5_CD62L+ CD45RO- CD8+ CD4- CD3+ (ul)	0.001552362	0.012771121	-0.524122508	NA	DEPLETED-NS-NS
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.000694137	6.98915E-05	-0.505028288	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	5_CD62L+ CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.021379685	0.045033678	-0.470953868	NA	DEPLETED-ENRICHED-NS
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	8_TNFa- IL-2- % IL-17a+ CD3+	0.00190549	0.012719311	0.533708487	NA	ENRICHED-DEPLETED-NS
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	4_CD56high CD16+ % CD3-	0.01630166	0.007781374	-0.419008725	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	8_TNFa+ IL-2+ % IL-17a+ CD3+	0.00616564	0.012256338	-0.510137254	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	8_TNFa+ IL-5+ % IL-17a+ CD3+	0.004950879	0.035351617	-0.514677918	NA	NS-ENRICHED-NS
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.0223273	0.009268995	-0.448130211	NA	DEPLETED-ENRICHED-NS
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	10_CD69+ % Va7.2+ CD161+ CD4- CD8- CD3+	0.044337692	0.001467838	-0.453107368	NA	NA
m.i	M00630: D-Galacturonate degradation (fungi), D-galac	5_CD24+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.024177827	0.041820048	-0.467311726	NA	NA
m.i	M00214: Methyl-galactoside transport system	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.036826109	0.02964622	0.412883254	NA	DEPLETED-ENRICHED-NS
m.i	M00612: Anoxygenic photosynthesis in purple bacteria	3_HLA-DR- % CD4dim/-	0.030929309	0.020183152	0.431459238	NA	NA
m.i	M00612: Anoxygenic photosynthesis in purple bacteria	3_HLA-DR-CD4dim/- (ul)	0.007796352	0.028685947	0.487833394	NA	NA
m.i	M00612: Anoxygenic photosynthesis in purple bacteria	3_HLA-DR+ % CD4dim/-	0.030929309	0.020183152	-0.431459238	NA	NA
m.i	M00386: Cul4-DDB1-CSA complex	2_CD31+ CD45RA- % -CD25high CD127low CD4+	0.018844175	0.000543184	0.478038725	NA	NA
m.i	MF0067: PHB production	6_CD27bright CD161+ CCR6+ % CXCR3- CD25- CD4+	0.028363724	0.040932268	-0.450135721	NA	NA
m.i	M00487: CitS-CitT (magnesium-citrate transport) two-c	6_CD161+ CCR6- CXCR3- CD25- CD4+ (ul)	0.002367711	0.024491928	0.52258754	NA	NA
m.i	M00811: Nicotine degradation, pyrrolidine pathway, nic	6_CD27- CXCR3+ CD25- CD4+ (ul)	0.047797621	0.012645705	0.414536842	NA	NA
m.i	M00811: Nicotine degradation, pyrrolidine pathway, nic	1_CD19+ %	0.030700159	0.004306215	-0.430396197	NA	DEPLETED-ENRICHED-NS
m.i	M00273: PTS system, fructose-specific II component	5_CD8_Tem/Tcm	0.034002732	0.000636418	0.468944099	NA	NA
m.i	M00038: Tryptophan metabolism, tryptophan => kynun	8_TNFa- IL-5- IL-17a+ % CD3+	0.048401757	0.003816958	0.422737128	NA	NA
m.i	M00038: Tryptophan metabolism, tryptophan => kynun	8_GM-CSF- IL-2- IL-17a+ CD4+ CD3+ (ul)	0.017213929	0.029479057	0.487983997	NA	DEPLETED-ENRICHED-NS
m.i	M00038: Tryptophan metabolism, tryptophan => kynun	2_FoxP3- CD45RA+ % CD25high CD127low CD4+	0.032096926	0.026453545	-0.414918534	NA	NA
m.i	M00038: Tryptophan metabolism, tryptophan => kynun	8_IL-10- IL-2- IL-17a+ CD4+ CD3+ (ul)	0.002604245	0.021303863	0.527608034	NA	DEPLETED-ENRICHED-NS
m.i	M00038: Tryptophan metabolism, tryptophan => kynun	8_IL-10- IL-2- IL-17a+ % CD3+	0.031530251	0.045797391	0.466192164	NA	DEPLETED-NS-NS
m.i	M00038: Tryptophan metabolism, tryptophan => kynun	8_TNFa- IL-5- IL-17a+ CD4+ CD3+ (ul)	0.014140912	0.034788031	0.476694161	NA	NA
m.i	M00489: DctS-DctR (C4-dicarboxylate transport) two-c	6_CD161- CCR6- CXCR3- CD25- CD4+ (ul)	0.04852437	0.041912682	0.423236442	NA	DEPLETED-ENRICHED-NS
m.i	M00489: DctS-DctR (C4-dicarboxylate transport) two-c	6_CD161- CCR6- % CXCR3- CD25- CD4+	0.032754992	0.003454281	0.427310683	NA	NA
m.i	M00088: Ketone body biosynthesis, acetyl-CoA => ace	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.021330827	0.009918479	0.442368894	NA	NA
m.i	M00088: Ketone body biosynthesis, acetyl-CoA => ace	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.0223273	0.005727216	0.478065175	NA	DEPLETED-ENRICHED-NS
m.i	M00088: Ketone body biosynthesis, acetyl-CoA => ace	5_CD24- CD45RO+ CD25- CD4+ % CD4high CD8-	0.00084938	0.047769774	-0.535921443	NA	NS-DEPLETED-DEPLETED
m.i	M00088: Ketone body biosynthesis, acetyl-CoA => ace	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.009626435	0.003681922	0.500713024	NA	NA
m.i	MF0098: methanogenesis from carbon dioxide	5_CD62L+ CD45RO- CD8+ CD4- CD3+ (ul)	0.015717614	0.000279255	-0.482192932	NA	DEPLETED-NS-NS
m.i	M00042: Catecholamine biosynthesis, tyrosine => dop;	5_CD4_Tcm/Tn	0.02598907	0.045423559	0.433092252	NA	NA
m.i	M00121: Heme biosynthesis, glutamate => protoheme;	3_CD11c+ CD14- CD16- % HLA-DR+ CD4dim/-	0.016635718	0.021302527	0.454104515	NA	NA
m.i	M00121: Heme biosynthesis, glutamate => protoheme;	1_CD3+ %	0.041546092	0.007214081	0.421926668	NA	DEPLETED-ENRICHED-NS
m.i	M00121: Heme biosynthesis, glutamate => protoheme;	3_HLA-DR+ CD4dim/- %	0.000876028	0.044152868	-0.514633345	NA	ENRICHED-NS-NS
m.i	M00121: Heme biosynthesis, glutamate => protoheme;	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.004442856	0.008033347	-0.487271067	NA	ENRICHED-DEPLETED-NS
m.i	M00121: Heme biosynthesis, glutamate => protoheme;	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.002899939	0.002425431	-0.49700391	NA	ENRICHED-DEPLETED-NS
m.i	M00730: Cationic antimicrobial peptide (CAMP) resista	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.017054776	0.013031963	-0.480329996	NA	NA
m.i	M00658: VanS-VanR (actinomycete type vancomycin r	4_CD56dim CD16- % CD3-	0.019868428	0.005808756	0.441549008	NA	ENRICHED-DEPLETED-NS
m.i	M00658: VanS-VanR (actinomycete type vancomycin r	5_CD62L+ CD45RO- CD8+ CD4- CD3+ (ul)	0.000127272	0.043170606	0.58204289	NA	DEPLETED-NS-NS
m.i	M00658: VanS-VanR (actinomycete type vancomycin r	4_CD56dim CD16- CD3- %2	0.019868428	0.005808756	0.441549008	NA	NA
m.i	M00100: Sphingosine degradation	0_IL-17a- IFNg- % TCRgd+ CD3+	0.046758704	0.000989995	-0.43732186	NA	NA
m.i	M00100: Sphingosine degradation	4_CD56dim CD16high CD56+ CD3- %	0.040206174	0.012252802	-0.468447402	NA	NA
m.i	M00100: Sphingosine degradation	4_CD56dim CD16+ % CD3-	0.012885345	0.043493317	-0.45397159	NA	NA
m.i	M00100: Sphingosine degradation	0_IL-17a- IFNg+ TCRgd+ %CD3+	0.045003306	0.000482107	0.419727034	NA	NA
m.i	M00100: Sphingosine degradation	0_IL-17a- IFNg+ % TCRgd+ CD3+	0.012885345	0.000579012	0.47251633	NA	NA
m.i	M00100: Sphingosine degradation	4_CD56dim CD16+ CD3- %	0.012885345	0.043493317	-0.45397159	NA	NA
m.i	M00100: Sphingosine degradation	4_CD56dim CD16+ CD3- (ul)	0.014499078	0.011763448	-0.445386367	NA	NA
m.i	M00178: Ribosome, bacteria	3_HLA-DR-CD4dim/- (ul)	0.00121067	0.014267633	0.50540738	NA	NA
m.i	M00178: Ribosome, bacteria	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.000767742	0.049554389	-0.517333042	NA	NA
m.i	M00178: Ribosome, bacteria	4_CD56dim CD16+ % CD3-	0.035514881	0.034963205	0.364499982	NA	NA
m.i	M00178: Ribosome, bacteria	1_CD4- CD8+ CD3+ (ul)	0.028709978	0.01607389	0.377420533	NA	NA
m.i	M00178: Ribosome, bacteria	4_CD56dim CD16+ CD3- %	0.035514881	0.034963205	0.364499982	NA	NA
m.i	M00224: Fluoroquinolone transport system	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	0.012778336	0.02724659	-0.482395084	NA	DEPLETED-ENRICHED-NS

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00676: PI3K-Akt signaling	10_CD69+ Va7.2+ CD161+ % CD4- CD8- CD3+	0.016675733	0.00617269	0.483619478	NA	NA
m.i	M00676: PI3K-Akt signaling	10_CD69+ Va7.2+ CD161+ CD4- CD8- % CD3+	0.014182733	0.003500969	0.492282698	NA	NA
m.i	M00676: PI3K-Akt signaling	4_CD56dim CD16+ CD3- (ul)	0.039569564	0.030264345	0.359703687	NA	NA
m.i	M00676: PI3K-Akt signaling	0_IL-17a- IFNg+ % TCRgd+ CD3+	0.025130544	0.043732788	-0.441269696	NA	NA
m.i	M00676: PI3K-Akt signaling	5_CD62L+ CD45RO- % CD8+ CD4-	0.034705421	0.004747002	0.413990281	NA	DEPLETED-NS-NS
m.i	MF0053: allose degradation	3_HLA-DR-CD4dim/- (ul)	0.025109312	0.010331525	0.471354452	NA	NA
m.i	MF0100: Sulfate reduction (dissimilatory)	5_CD62L+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.000868933	0.021093867	-0.550164414	NA	NA
m.i	M00628: beta-Lactam resistance, AmpC system	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.020483949	0.028449754	0.456115032	NA	NA
m.i	M00628: beta-Lactam resistance, AmpC system	3_HLA-DR-CD4dim/- (ul)	0.025697278	0.015500685	-0.402557545	NA	NA
m.i	M00700: Multidrug resistance, efflux pump AbcA	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.0223273	0.031607779	0.459479286	NA	DEPLETED-ENRICHED-NS
m.i	M00700: Multidrug resistance, efflux pump AbcA	3_CD4high %	0.0121524	0.004917684	0.468643519	NA	DEPLETED-NS-NS
m.i	M00700: Multidrug resistance, efflux pump AbcA	5_CD62L+ CD45RO- CD25- CD4+ % CD4high CD8-	0.046854563	0.010169432	0.414312205	NA	NA
m.i	M00700: Multidrug resistance, efflux pump AbcA	5_CD62L+ CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.027185971	0.000379753	0.451199796	NA	DEPLETED-ENRICHED-NS
m.i	M00700: Multidrug resistance, efflux pump AbcA	5_CD62L+ CD45RO- CD8+ CD4- CD3+ (ul)	0.006512914	0.018633357	0.465449364	NA	DEPLETED-NS-NS
m.i	M00700: Multidrug resistance, efflux pump AbcA	5_CD8_Tem/Tn	0.011615508	0.046279495	-0.481215233	NA	NA
m.i	M00700: Multidrug resistance, efflux pump AbcA	5_CD62L+ CD45RO- % CD8+ CD4-	0.000416413	0.001526076	0.555602243	NA	DEPLETED-NS-NS
m.i	M00700: Multidrug resistance, efflux pump AbcA	5_CD62L+ CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.021531705	0.015874215	0.45698836	NA	DEPLETED-ENRICHED-NS
m.i	M00700: Multidrug resistance, efflux pump AbcA	5_CD8_Teff/Tn	0.00207503	0.000561491	-0.518282379	NA	NA
m.i	M00179: Ribosome, archaea	3_HLA-DR-CD4dim/- (ul)	0.002200087	0.038302917	0.488125685	NA	NA
m.i	M00179: Ribosome, archaea	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.001367121	0.034737014	-0.499429084	NA	NA
m.i	M00179: Ribosome, archaea	2_FoxP3+ CD39+ % CD25high CD127low CD4+	0.015209134	0.03054765	-0.411429932	NA	NA
m.i	M00179: Ribosome, archaea	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.002996638	0.012899407	-0.472442247	NA	NA
m.i	M00476: ComP-ComA (competence) two-component r	7_Helios+ IFNg+ CD4+ CD3+ (ul)	0.049809928	0.001889528	-0.435108154	NA	NA
m.i	M00376: 3-Hydroxypropionate bi-cycle	4_CD56high CD16+ % CD3-	0.006534116	0.029876147	-0.450029238	NA	NA
m.i	M00376: 3-Hydroxypropionate bi-cycle	3_HLA-DR-CD4dim/- (ul)	0.005845688	0.025505567	-0.464303982	NA	NA
m.i	M00376: 3-Hydroxypropionate bi-cycle	4_CD56high CD16+ CD3- %	0.006534116	0.029876147	-0.450029238	NA	NA
m.i	M00376: 3-Hydroxypropionate bi-cycle	4_CD56high CD16+ CD3- (ul)	0.006035011	0.037951651	-0.45226351	NA	NA
m.i	M00296: BER complex	2_CD39+ CD31- CD25high CD127low CD4+ (ul)	0.005115501	0.039965631	-0.454158407	NA	DEPLETED-NS-NS
m.i	M00296: BER complex	5_CD62L- CD45RO- CD25- CD4+ % CD4high CD8-	0.017440727	0.011831301	0.462131597	NA	ENRICHED-NS-NS
m.i	M00296: BER complex	5_CD62L- CD45RO- % CD25- CD4+ CD4high CD8-	0.027490198	0.017911021	0.45092092	NA	ENRICHED-NS-NS
m.i	M00296: BER complex	5_CD4_Teff/Treg	0.006089614	0.001547236	0.498878513	NA	ENRICHED-NS-NS
m.i	M00296: BER complex	5_CD4_Teff/2_Treg	0.013479266	0.00444391	0.503309191	NA	NA
m.i	M00296: BER complex	2_FoxP3+ CD39+ CD25high CD127low CD4+ (ul)	0.00337659	0.023320304	-0.485623967	NA	NA
m.i	M00296: BER complex	5_CD4_Tcm/Tn	0.017252416	0.035792646	-0.423132361	NA	NA
m.i	MF0052: chondroitin sulfate and dermatan sulfate deg	4_CD56high CD16+ CD3- (ul)	0.034349174	0.010994328	-0.387080274	NA	NA
m.i	MF0052: chondroitin sulfate and dermatan sulfate deg	3_HLA-DR-CD4dim/- (ul)	0.009923068	0.015433301	-0.482097187	NA	NA
m.i	M00583: Putative peptide transport system	6_CD161+ CCR6- CXCR3- % CD25+ CD4+	0.02886861	0.029827435	-0.459738051	NA	NA
m.i	M00583: Putative peptide transport system	6_CD161+ CCR6- % CXCR3- CD25+ CD4+	0.037144172	0.024836781	-0.470322818	NA	NA
m.i	MF0041: histidine degradation	3_HLA-DR-CD4dim/- (ul)	0.047817454	0.011088799	-0.427950311	NA	NA
m.i	MF0041: histidine degradation	1_CD4- CD8+ CD3+ (ul)	0.007146804	0.012830303	-0.48987943	NA	NA
m.i	M00220: Rhamnose transport system	4_CD56high CD16+ CD3- %	0.035646091	0.040964437	-0.383937955	NA	NA
m.i	M00220: Rhamnose transport system	5_CD24+ CD45RO+ CD25- CD4+ CD8- CD3+ (ul)	0.013731292	0.049798621	-0.455484614	NA	NA
m.i	M00220: Rhamnose transport system	0_IL-17a- IFNg+ TCRgd+ %CD3+	0.020502166	0.021585321	0.445420831	NA	NA
m.i	M00220: Rhamnose transport system	4_CD56high CD16+ % CD3-	0.035646091	0.040964437	-0.383937955	NA	NA
m.i	M00140: C1-unit interconversion, prokaryotes	3_HLA-DR+ CD4dim/- %	0.020364455	0.039497932	-0.415250832	NA	ENRICHED-NS-NS
m.i	M00140: C1-unit interconversion, prokaryotes	3_HLA-DR-CD4dim/- (ul)	0.000534904	0.019323319	0.559663866	NA	NA
m.i	M00005: PRPP biosynthesis, ribose 5P => PRPP	1_CD4- CD8- %	0.047619133	0.039426114	0.390543357	NA	NA
m.i	M00613: Anoxygenic photosynthesis in green nonsulfu	4_CD56high CD16+ % CD3-	0.006534116	0.029876147	-0.450029238	NA	NA
m.i	M00613: Anoxygenic photosynthesis in green nonsulfu	3_HLA-DR-CD4dim/- (ul)	0.005845688	0.025505567	-0.464303982	NA	NA
m.i	M00613: Anoxygenic photosynthesis in green nonsulfu	4_CD56high CD16+ CD3- %	0.006534116	0.029876147	-0.450029238	NA	NA
m.i	M00613: Anoxygenic photosynthesis in green nonsulfu	4_CD56high CD16+ CD3- (ul)	0.006035011	0.037951651	-0.45226351	NA	NA
m.i	M00639: Multidrug resistance, efflux pump MexCD-Op	5_CD4_Tcm/Treg	0.049440447	0.002296439	-0.368781826	NA	ENRICHED-NS-ENRICHED
m.i	M00713: Fluoroquinolone resistance, efflux pump LfrA	8_TNFa+ IL-5- IL-17a+ % CD3+	0.048104392	0.001032574	-0.447034785	NA	NA
m.i	M00342: Bacterial proteasome	3_CD14hi CD16- HLA-DR+ CD16+HLA-DR- CD16-%	0.027253377	0.029091677	-0.423945116	NA	ENRICHED-DEPLETED-NS

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00342: Bacterial proteasome	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.027253377	0.022576051	-0.432921037	NA	ENRICHED-DEPLETED-NS
m.i	MF0078: xylitol degradation	5_CD24+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.018646871	0.004436189	-0.468693478	NA	NA
m.i	MF0078: xylitol degradation	5_CD24+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.046761988	0.019624707	-0.414367736	NA	NA
m.i	MF0078: xylitol degradation	5_CD24+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.021633291	0.003454121	-0.471364235	NA	NA
m.i	MF0078: xylitol degradation	5_CD24+ CD45RO+ CD25- CD4+ CD8- CD3+ (ul)	0.003975378	0.000931132	-0.512029814	NA	NA
m.i	M00123: Biotin biosynthesis, pimeloyl-ACP/CoA => bic 4	CD56high CD16+ CD3- (ul)	0.003046984	0.001693052	-0.490701159	NA	NA
m.i	M00123: Biotin biosynthesis, pimeloyl-ACP/CoA => bic 4	CD56dim CD16+ CD3- %	0.00086755	0.02666234	-0.528755161	NA	NA
m.i	M00123: Biotin biosynthesis, pimeloyl-ACP/CoA => bic 4	CD56high CD16+ CD3- %	0.004249223	0.00245979	-0.469633857	NA	NA
m.i	M00123: Biotin biosynthesis, pimeloyl-ACP/CoA => bic 2	FoxP3+ CD45RA- CD25high CD127low % CD4+	0.039290295	0.005784377	0.382084264	NA	NA
m.i	M00123: Biotin biosynthesis, pimeloyl-ACP/CoA => bic 4	CD56dim CD16+ % CD3-	0.00086755	0.02666234	-0.528755161	NA	NA
m.i	M00123: Biotin biosynthesis, pimeloyl-ACP/CoA => bic 2	FoxP3+ CD45RA- % CD25high CD127low CD4+	0.001090182	0.036105315	0.505421429	NA	NA
m.i	M00123: Biotin biosynthesis, pimeloyl-ACP/CoA => bic 4	CD56high CD16+ % CD3-	0.004249223	0.00245979	-0.469633857	NA	NA
m.i	M00123: Biotin biosynthesis, pimeloyl-ACP/CoA => bic 3	HLA-DR-CD4dim/- (ul)	0.003000981	0.013781396	-0.478735842	NA	NA
m.i	MF0073: sorbitol degradation (dehydrogenase)	1_CD4- CD8- %	0.010741562	0.041793323	0.466867032	NA	NA
m.i	M00045: Histidine degradation, histidine => N-formimr	3_HLA-DR-CD4dim/- (ul)	0.023910663	0.010561461	-0.445656245	NA	NA
m.i	M00045: Histidine degradation, histidine => N-formimr	5_CD62L- CD45RO- CD8+ CD4- CD3+ (ul)	0.048457331	0.040216866	-0.413047251	NA	NA
m.i	M00045: Histidine degradation, histidine => N-formimr	1_CD4- CD8+ CD3+ (ul)	0.006224334	0.017031867	-0.498323879	NA	NA
m.i	M00037: Melatonin biosynthesis, tryptophan => seroto1	CD19+ %	0.03398845	0.021380184	0.464149668	NA	DEPLETED-ENRICHED-NS
m.i	M00037: Melatonin biosynthesis, tryptophan => seroto3	HLA-DR-CD4dim/- (ul)	0.043989287	0.046362913	-0.421941083	NA	NA
m.i	M00733: GraS-GraR (cationic antimicrobial peptide tra 2	FoxP3+ CD45RA- CD25high CD127low % CD4+	0.002968184	0.023917867	-0.518025837	NA	NA
m.i	M00733: GraS-GraR (cationic antimicrobial peptide tra 2	CD25high CD127low % CD4+	0.024950824	0.038623574	-0.444569309	NA	NA
m.i	M00433: Lysine biosynthesis, 2-oxoglutarate => 2-oxo:3	HLA-DR+ CD16+/HLA-DR- CD16- %	0.032509447	0.002811932	-0.465218475	NA	NA
m.i	M00662: HK1-Rrp1 (glycerol uptake and utilization) twc 1	CD19+ %	0.02471006	0.047645948	0.431495189	NA	DEPLETED-ENRICHED-NS
m.i	M00033: Ectoine biosynthesis, aspartate => ectoine	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.025871248	0.03549681	0.402406937	NA	NA
m.i	M00033: Ectoine biosynthesis, aspartate => ectoine	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.025871248	0.003013268	-0.404832154	NA	ENRICHED-DEPLETED-NS
m.i	M00033: Ectoine biosynthesis, aspartate => ectoine	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-	0.029524093	0.010065217	-0.389635896	NA	ENRICHED-DEPLETED-NS
m.i	M00033: Ectoine biosynthesis, aspartate => ectoine	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.027138219	0.011006568	0.40980035	NA	DEPLETED-ENRICHED-NS
m.i	M00033: Ectoine biosynthesis, aspartate => ectoine	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.025871248	0.030824808	0.406843311	NA	NA
m.i	M00165: Reductive pentose phosphate cycle (Calvin c 3	HLA-DR-CD4dim/- (ul)	0.007796352	0.028685947	0.487833394	NA	NA
m.i	M00165: Reductive pentose phosphate cycle (Calvin c 3	HLA-DR+ % CD4dim/-	0.030929309	0.020183152	-0.431459238	NA	NA
m.i	M00165: Reductive pentose phosphate cycle (Calvin c 3	HLA-DR- % CD4dim/-	0.030929309	0.020183152	0.431459238	NA	NA
m.i	MF0033: cysteine degradation (mercaptopyruvate pat	7_Helios- IFNg+ CD4+ CD3+ (ul)	0.03558221	0.000232832	0.47274388	NA	NA
m.i	MF0033: cysteine degradation (mercaptopyruvate pat	7_IFNg+ IL-17a- CD4+ CD3+ (ul)	0.019601117	0.000119949	0.489550603	NA	NA
m.i	M00493: AlgZ-AlgR (alginate production) two-compon	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.007851957	0.047101937	0.480898181	NA	NA
m.i	M00493: AlgZ-AlgR (alginate production) two-compon	2_FoxP3+ % CD25high CD127low CD4+	0.048091689	0.01694555	0.434103431	NA	NA
m.i	M00436: Sulfonate transport system	0_IL-17a- IFNg+ TCRgd+ %CD3+	0.03964966	0.018601761	0.44979949	NA	NA
m.i	M00569: Catechol meta-cleavage, catechol => acetyl-(	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.013096273	0.023461863	-0.481155343	NA	NA
m.i	M00569: Catechol meta-cleavage, catechol => acetyl-(	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.018631383	0.023325658	-0.477185323	NA	NA
m.i	M00390: Exosome, archaea	3_HLA-DR+ CD16+/HLA-DR- CD16- %	0.037925745	0.001987309	-0.444230138	NA	NA
m.i	MF0081: Glycolysis (pay-off phase)	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.030810848	0.022314295	-0.420583883	NA	ENRICHED-DEPLETED-NS
m.i	MF0081: Glycolysis (pay-off phase)	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.030080636	0.007557318	-0.426216031	NA	ENRICHED-DEPLETED-NS
m.i	MF0081: Glycolysis (pay-off phase)	3_HLA-DR+ CD4dim/- %	0.003765543	0.048325561	-0.483160539	NA	ENRICHED-NS-NS
m.i	M00201: alpha-Glucoside transport system	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.0223273	0.018819638	0.427784091	NA	DEPLETED-ENRICHED-NS
m.i	M00201: alpha-Glucoside transport system	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.021330827	0.033352596	0.424868848	NA	NA
m.i	M00201: alpha-Glucoside transport system	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.021328337	0.022560761	0.419545775	NA	NA
m.i	MF0047: lactose and galactose degradation (PTS)	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.0304786	0.049377979	0.433953126	NA	NA
m.i	MF0047: lactose and galactose degradation (PTS)	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.0304786	0.038197465	0.418556456	NA	NA
m.i	M00467: SasA-RpaAB (circadian timing mediating) twc 4	CD8+ CD4+ % CD56+ CD3+	0.049735739	0.046333744	-0.446187442	NA	NA
m.i	M00467: SasA-RpaAB (circadian timing mediating) twc 5	CD4+ CD8+ %	0.027038435	0.029386938	-0.461331862	NA	NA
m.i	MF0079: bifidobacterium shunt	3_HLA-DR+ CD4dim/- %	0.016182777	0.010556066	-0.448262633	NA	ENRICHED-NS-NS
m.i	MF0079: bifidobacterium shunt	3_HLA-DR+ % CD4dim/-	0.005191073	0.015689382	-0.491491209	NA	NA
m.i	MF0079: bifidobacterium shunt	1_CD3+ %	0.041546092	0.00212511	0.422803589	NA	DEPLETED-ENRICHED-NS
m.i	MF0079: bifidobacterium shunt	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.036705497	0.007380223	-0.410720158	NA	ENRICHED-DEPLETED-NS
m.i	MF0079: bifidobacterium shunt	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.036705497	0.013194771	-0.40758164	NA	ENRICHED-DEPLETED-NS

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	MF0079: bifidobacterium shunt	3_HLA-DR- % CD4dim/-	0.005191073	0.015689382	0.491491209	NA	NA
m.i	M00098: Acylglycerol degradation	4_CD56high CD16+ CD3- (ul)	0.004587896	0.011493159	0.46781457	NA	NA
m.i	M00098: Acylglycerol degradation	4_CD56high CD16+ CD3- %	0.003018985	0.003104646	0.490905607	NA	NA
m.i	M00098: Acylglycerol degradation	4_CD56high CD16+ % CD3-	0.003018985	0.003104646	0.490905607	NA	NA
m.i	M00351: Spliceosome, U1-snRNP	6_CD161- CCR6- CXCR3- CD25+ % CD4+	0.009475935	0.048728994	0.501051157	NA	NA
m.i	M00351: Spliceosome, U1-snRNP	5_CD8_Tem/Tcm	0.009558128	0.024735433	0.461021747	NA	NA
m.i	M00343: Archaeal proteasome	5_CD24- CD45RO- % CD8+ CD4-	0.038116241	0.000177087	-0.461379662	NA	NS-DEPLETED-NS
m.i	M00206: Cellobiose transport system	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.034889192	0.027291482	0.39724672	NA	NA
m.i	M00206: Cellobiose transport system	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.029066429	0.020211204	0.40818812	NA	DEPLETED-ENRICHED-NS
m.i	M00293: DNA polymerase zeta complex	3_HLA-DR+ CD4dim/- %	0.047718743	0.024092301	0.332763944	NA	ENRICHED-NS-NS
m.i	M00293: DNA polymerase zeta complex	5_CD62L- CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.022080064	0.013204545	-0.46621239	NA	NA
m.i	M00293: DNA polymerase zeta complex	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	0.029517088	0.006419381	-0.36416449	NA	DEPLETED-ENRICHED-NS
m.i	M00293: DNA polymerase zeta complex	3_HLA-DR-CD4dim/- (ul)	0.005073762	0.000259415	-0.449807267	NA	NA
m.i	M00293: DNA polymerase zeta complex	6_CD161+ CCR6- CXCR3- CD25- CD4+ (ul)	0.023096368	0.018191856	-0.432744478	NA	NA
m.i	M00293: DNA polymerase zeta complex	5_CD62L- CD45RO- CD8+ CD4- CD3+ (ul)	0.014293711	0.020114566	-0.422715066	NA	NA
m.i	M00293: DNA polymerase zeta complex	3_CD11c+ CD14- CD16- HLA-DR+ CD4dim/- %	0.011309243	0.027558593	0.4734217	NA	ENRICHED-NS-NS
m.i	M00293: DNA polymerase zeta complex	1_CD4- CD8+ CD3+ (ul)	0.025820383	0.003390277	-0.380332122	NA	NA
m.i	M00004: Pentose phosphate pathway (Pentose phosph	9_IL2- TNFa- % Va7.2+ CD161 CD3+	0.01015369	0.005219791	0.499566097	NA	NA
m.i	M00050: Guanine ribonucleotide biosynthesis IMP => (3	HLA-DR+ CD4dim/- %	0.001472791	0.014280194	-0.509833295	NA	ENRICHED-NS-NS
m.i	M00050: Guanine ribonucleotide biosynthesis IMP => (5	CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.040113462	0.027734615	0.374370134	NA	NA
m.i	M00050: Guanine ribonucleotide biosynthesis IMP => (1	CD3+ %	0.041039591	0.001094245	0.433184439	NA	DEPLETED-ENRICHED-NS
m.i	MF0072: ribitol degradation	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.008662703	0.005717455	-0.454430021	NA	ENRICHED-DEPLETED-NS
m.i	MF0072: ribitol degradation	3_HLA-DR-CD4dim/- %	0.000472477	0.026419689	0.527071591	NA	NA
m.i	MF0072: ribitol degradation	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.008054706	0.004137848	-0.446916964	NA	ENRICHED-DEPLETED-NS
m.i	MF0072: ribitol degradation	3_HLA-DR- % CD4dim/-	9.52149E-05	0.000728087	0.586796262	NA	NA
m.i	MF0072: ribitol degradation	3_HLA-DR+ % CD4dim/-	9.52149E-05	0.000728087	-0.586796262	NA	NA
m.i	MF0072: ribitol degradation	3_HLA-DR+ CD4dim/- %	0.000476154	0.00344593	-0.527578332	NA	ENRICHED-NS-NS
m.i	MF0072: ribitol degradation	3_HLA-DR-CD4dim/- (ul)	0.007600579	0.008916555	0.446864096	NA	NA
m.i	MF0018: proline degradation (glutamate pathway)	4_CD56high CD16+ % CD3-	0.043101976	0.020113465	-0.385750309	NA	NA
m.i	MF0018: proline degradation (glutamate pathway)	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.029782266	0.047812074	0.408583489	NA	NA
m.i	MF0018: proline degradation (glutamate pathway)	4_CD56high CD16+ CD3- %	0.043101976	0.020113465	-0.385750309	NA	NA
m.i	MF0018: proline degradation (glutamate pathway)	4_CD56high CD16+ CD3- (ul)	0.043101976	0.020688384	-0.382118129	NA	NA
m.i	M00611: Oxygenic photosynthesis in plants and cyano	3_HLA-DR-CD4dim/- (ul)	0.008685771	0.033031019	0.485275849	NA	NA
m.i	M00611: Oxygenic photosynthesis in plants and cyano	3_HLA-DR+ % CD4dim/-	0.034500884	0.024316111	-0.428536196	NA	NA
m.i	M00611: Oxygenic photosynthesis in plants and cyano	3_HLA-DR- % CD4dim/-	0.034500884	0.024316111	0.428536196	NA	NA
m.i	M00519: YesM-YesN two-component regulatory syster	5_CD62L+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.006331935	0.00787506	-0.508476434	NA	NA
m.i	M00519: YesM-YesN two-component regulatory syster	3_CD14- CD16- HLA-DR+ % CD4dim/-	0.026819323	0.037984623	0.420159318	NA	DEPLETED-ENRICHED-NS
m.i	M00519: YesM-YesN two-component regulatory syster	4_CD56dim CD16+ % CD3-	0.026819323	0.01356047	-0.420621872	NA	NA
m.i	M00519: YesM-YesN two-component regulatory syster	3_CD14- CD16- HLA-DR+ CD4dim/- %	0.026819323	0.018233313	0.435311637	NA	NA
m.i	M00519: YesM-YesN two-component regulatory syster	4_CD56dim CD16+ CD3- %	0.026819323	0.01356047	-0.420621872	NA	NA
m.i	MF0026: cysteine biosynthesis/homocysteine degrada	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.002899939	0.032308462	-0.496684144	NA	ENRICHED-DEPLETED-NS
m.i	MF0026: cysteine biosynthesis/homocysteine degrada	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.004442856	0.037615218	-0.491335763	NA	ENRICHED-DEPLETED-NS
m.i	M00256: Cell division transport system	3_HLA-DR- % CD4dim/-	0.000410033	0.009919445	0.543142664	NA	NA
m.i	M00256: Cell division transport system	4_CD56high CD16+ CD3- (ul)	0.045110635	0.000646043	0.369180178	NA	NA
m.i	M00256: Cell division transport system	4_CD56high CD16+ CD3- %	0.04107511	0.001177226	0.381599265	NA	NA
m.i	M00256: Cell division transport system	3_HLA-DR-CD4dim/- (ul)	0.005067925	0.002091385	0.474227934	NA	NA
m.i	M00256: Cell division transport system	4_CD56high CD16+ % CD3-	0.04107511	0.001177226	0.381599265	NA	NA
m.i	M00256: Cell division transport system	3_HLA-DR+ CD4dim/- %	0.005067925	0.046239567	-0.47113953	NA	ENRICHED-NS-NS
m.i	M00256: Cell division transport system	3_HLA-DR+ % CD4dim/-	0.000410033	0.009919445	-0.543142664	NA	NA
m.i	M00079: Keratan sulfate degradation	3_HLA-DR-CD4dim/- (ul)	0.045389821	0.019220973	-0.413920351	NA	NA
m.i	M00079: Keratan sulfate degradation	1_CD4- CD8+ CD3+ (ul)	0.007504148	0.01340444	-0.504676653	NA	NA
m.i	M00091: Phosphatidylcholine (PC) biosynthesis, PE => 10	CD69+ Va7.2+ CD161+ CD4- CD8- CD3+ (ul)	0.025810824	0.015566631	0.478803125	NA	NA
m.i	M00091: Phosphatidylcholine (PC) biosynthesis, PE => 10	CD69+ Va7.2+ CD161+ CD4- CD8- % CD3+	0.047627207	0.028779302	0.43684027	NA	NA
m.i	M00690: MAPK (ERK5) signaling	1_CD4- CD8+ %	0.029403944	0.009775161	-0.430554945	NA	NA



Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00734: BraS-BraR (bacitracin transport) two-compon	5_CD4_Tcm/Treg	0.022178188	0.00089773	-0.414940927	NA	ENRICHED-NS-ENRICHED
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	2_FoxP3- CD45RA+ % CD25high CD127low CD4+	0.047999202	0.005972116	0.385640728	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	9_IFNg+ TNFa+ % Va7.2+ CD161 CD3+	0.011601021	0.006127336	0.496681773	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	2_CD31- CD45RA+ % -CD25high CD127low CD4+	0.029418305	0.000188363	0.401275691	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	2_CD39- CD45RA+ % CD25high CD127low CD4+	0.036578188	0.007775668	0.436218242	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	0_IL-17a- IFNg- % TCRgd+ CD3+	0.008628295	0.003364658	-0.489963814	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	2_CD31- CD45RA+ CD25high CD127low CD4+ (ul)	0.037949372	0.008680555	0.452996138	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	9_IFNg- TNFa+ % Va7.2+ CD161 CD3+	0.036910315	0.001697271	0.470471878	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	9_IL-17a- TNFa- % Va7.2+ CD161 CD3+	0.000812335	0.000613314	-0.549773709	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	2_FoxP3- CD45RA+ CD25high CD127low CD4+ (ul)	0.004518925	0.000689935	0.502064723	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	9_IL-17a- TNFa+ % Va7.2+ CD161 CD3+	0.002436589	0.001260694	0.528917462	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	3_HLA-DR-CD4dim/- %	0.010066613	0.011238683	-0.392958878	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	9_IFNg- TNFa- % Va7.2+ CD161 CD3+	0.019413947	0.005595756	-0.485285395	NA	NA
m.i	M00059: Glycosaminoglycan biosynthesis, heparan su	0_IL-17a- IFNg+ % TCRgd+ CD3+	0.003888289	0.00211652	0.519603028	NA	NA
m.i	M00013: Malonate semialdehyde pathway, propanoyl-l	1_CD4dim CD8bright CD4+ CD8+ % CD3+	0.045530952	0.031178536	-0.456192279	NA	NA
m.i	MF0048: lactose degradation	3_HLA-DR-CD4dim/- (ul)	4.24059E-05	0.00208141	-0.605334308	NA	NA
m.i	MF0048: lactose degradation	1_CD4- CD8+ CD3+ (ul)	0.020887361	0.013171541	-0.445816588	NA	NA
m.i	M00115: NAD biosynthesis, aspartate => NAD	3_HLA-DR+ CD4dim/- %	0.000476154	0.00587291	-0.521781229	NA	ENRICHED-NS-NS
m.i	M00115: NAD biosynthesis, aspartate => NAD	3_HLA-DR+ % CD4dim/-	0.000331188	0.009620736	-0.517940333	NA	NA
m.i	M00115: NAD biosynthesis, aspartate => NAD	1_CD3+ %	0.034646176	0.002527812	0.45265956	NA	DEPLETED-ENRICHED-NS
m.i	M00115: NAD biosynthesis, aspartate => NAD	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.007827745	0.015387344	-0.449837863	NA	ENRICHED-DEPLETED-NS
m.i	M00115: NAD biosynthesis, aspartate => NAD	1_CD19+ %	0.004485836	0.018322012	-0.478848666	NA	DEPLETED-ENRICHED-NS
m.i	M00115: NAD biosynthesis, aspartate => NAD	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.008769919	0.027730271	-0.444863621	NA	ENRICHED-DEPLETED-NS
m.i	M00115: NAD biosynthesis, aspartate => NAD	3_HLA-DR- % CD4dim/-	0.000331188	0.009620736	0.517940333	NA	NA
m.i	M00515: FliB-FliC (polar flagellar synthesis) two-comp	2_CD39+ CD45RA- % CD25high CD127low CD4+	0.044107322	0.049421638	-0.410075565	NA	NA
m.i	MF0021: leucine degradation	5_CD8_Tem/Tcm	0.048024303	0.003289668	-0.455722102	NA	NA
m.i	MF0061: mannose degradation	0_IL-17a+ IFNg+ TCRgd+ CD4- CD3+ (ul)	0.022151348	0.024462027	-0.45628955	NA	DEPLETED-NS-NS
m.i	MF0061: mannose degradation	1_CD4- CD8- %	0.0225871	0.041366976	-0.430632064	NA	NA
m.i	MF0061: mannose degradation	7_Helios+ IFNg+ CD4+ CD3+ (ul)	0.049809928	0.00830757	0.422020863	NA	NA
m.i	M00702: Multidrug resistance, efflux pump NorB	5_CD8_Tem/Tn	0.011615508	0.018037915	-0.48130218	NA	NA
m.i	M00702: Multidrug resistance, efflux pump NorB	5_CD8_Teff/Tn	0.000435636	0.000271049	-0.561007691	NA	NA
m.i	M00702: Multidrug resistance, efflux pump NorB	5_CD62L+ CD45RO- % CD8+ CD4-	0.00011265	0.000647076	0.584051153	NA	DEPLETED-NS-NS
m.i	M00702: Multidrug resistance, efflux pump NorB	1_CD4+ CD8- % CD3+	0.01460838	0.021874017	0.440508273	NA	NA
m.i	M00702: Multidrug resistance, efflux pump NorB	3_CD4high %	0.0117716	0.008101229	0.496364236	NA	DEPLETED-NS-NS
m.i	M00500: AtoS-AtoC (cPHB biosynthesis) two-compon	0_TCRgd+ % CD3+	0.003119988	0.047113774	0.502548551	NA	NA
m.i	M00500: AtoS-AtoC (cPHB biosynthesis) two-compon	4_CD56high CD16+ % CD3-	0.025121155	0.04855948	-0.412025876	NA	NA
m.i	M00500: AtoS-AtoC (cPHB biosynthesis) two-compon	0_IL-17a- IFNg- TCRgd+ % CD3+	0.00742525	0.044096855	0.472052981	NA	NA
m.i	M00500: AtoS-AtoC (cPHB biosynthesis) two-compon	4_CD56high CD16+ CD3- %	0.025121155	0.04855948	-0.412025876	NA	NA
m.i	M00295: BRCA1-associated genome surveillance corr	4_CD56high CD16+ CD3- %	0.007912265	0.001650535	0.460475233	NA	NA
m.i	M00295: BRCA1-associated genome surveillance corr	4_CD56dim CD16+ CD3- %	0.001144683	3.70002E-05	0.523261019	NA	NA
m.i	M00295: BRCA1-associated genome surveillance corr	4_CD56dim CD16+ CD3- (ul)	0.007912265	0.000101667	0.465915838	NA	NA
m.i	M00295: BRCA1-associated genome surveillance corr	4_CD56high CD16+ CD3- (ul)	0.009837505	0.000659422	0.450586892	NA	NA
m.i	M00295: BRCA1-associated genome surveillance corr	4_CD56high CD16+ % CD3-	0.007912265	0.001650535	0.460475233	NA	NA
m.i	M00295: BRCA1-associated genome surveillance corr	4_CD56dim CD16+ % CD3-	0.001144683	3.70002E-05	0.523261019	NA	NA
m.i	M00473: UhpB-UhpA (hexose phosphates uptake) twc	Monocytes %	0.028005001	0.024004561	-0.460478118	NA	ENRICHED-DEPLETED-NS
m.i	M00473: UhpB-UhpA (hexose phosphates uptake) twc	1_CD11c+ CD14+ CD3- CD19- %	0.028268243	0.020219307	-0.460250324	NA	ENRICHED-DEPLETED-NS
m.i	M00125: Riboflavin biosynthesis, GTP => riboflavin/FM	5_CD24- CD45RO+ % CD25+ CD4+ CD4high CD8-	0.033442803	0.030764084	-0.464538879	NA	NA
m.i	M00605: Glucose/mannose transport system	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.029535836	0.041905647	0.413753373	NA	NA
m.i	M00605: Glucose/mannose transport system	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.027175522	0.039051754	0.41979528	NA	DEPLETED-ENRICHED-NS
m.i	M00400: p97-Ufd1-Npl4 complex	9_IL-17a- TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.040283548	0.029415733	-0.432082865	NA	DEPLETED-ENRICHED-NS
m.i	M00400: p97-Ufd1-Npl4 complex	9_IL2- TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.046903332	0.04051526	-0.423496744	NA	DEPLETED-ENRICHED-NS
m.i	M00198: Putative sn-glycerol-phosphate transport syst	0_IL-17a- IFNg+ TCRgd+ %CD3+	0.019068394	0.011874088	0.477766004	NA	NA
m.i	M00754: Nisin resistance, phage shock protein homolo	3_HLA-DR-CD4dim/- (ul)	0.00461789	0.016266275	-0.508910548	NA	NA
m.i	M00155: Cytochrome c oxidase, prokaryotes	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.020640561	0.000341228	0.423678932	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00155: Cytochrome c oxidase, prokaryotes	6_CD25+ CD4+ (ul)2	0.04466967	0.04235747	0.424924807	NA	DEPLETED-ENRICHED-NS
m.i	M00155: Cytochrome c oxidase, prokaryotes	2_CD31- CD45RA+ % -CD25high CD127low CD4+	0.020640561	0.012659155	-0.437778979	NA	NA
m.i	M00155: Cytochrome c oxidase, prokaryotes	2_FoxP3+ CD45RA- CD25high CD127low CD4+ (ul)	0.020640561	0.000724138	0.454728869	NA	DEPLETED-NS-NS
m.i	M00155: Cytochrome c oxidase, prokaryotes	6_CD25+ CD4+ (ul)	0.04466967	0.04235747	0.424924807	NA	DEPLETED-ENRICHED-NS
m.i	M00481: LiaS-LiaR (cell wall stress response) two-con	3_HLA-DR-CD4dim/- (ul)	0.00461789	0.016266275	-0.508910548	NA	NA
m.i	M00596: Dissimilatory sulfate reduction, sulfate => H2	5_CD62L+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.000615181	0.006902307	-0.551179232	NA	NA
m.i	M00596: Dissimilatory sulfate reduction, sulfate => H2	0_IL-17a- IFNg- TCRgd+ % CD3+	0.039337924	0.049145194	0.422898797	NA	NA
m.i	MF0091: beta-D-glucuronide and D-glucuronate degra	0_IL-17a+ IFNg+ TCRgd+ % CD3+	0.02945783	0.003698372	-0.475634836	NA	NA
m.i	MF0091: beta-D-glucuronide and D-glucuronate degra	0_IL-17a+ IFNg+ TCRgd+ CD4- CD3+ (ul)	0.005482413	0.000855584	-0.512575709	NA	DEPLETED-NS-NS
m.i	MF0091: beta-D-glucuronide and D-glucuronate degra	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.023986263	0.029452836	0.391724138	NA	ENRICHED-DEPLETED-NS
m.i	MF0091: beta-D-glucuronide and D-glucuronate degra	1_CD4- CD8- %	0.028900538	0.038758709	-0.42075839	NA	NA
m.i	MF0091: beta-D-glucuronide and D-glucuronate degra	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.025703861	0.025216925	0.384303409	NA	ENRICHED-DEPLETED-NS
m.i	M00722: Cationic antimicrobial peptide (CAMP) resista	0_IL-17a- IL-22+ % TCRgd+ CD3+	0.004708438	0.013601965	0.508503992	NA	NA
m.i	M00722: Cationic antimicrobial peptide (CAMP) resista	0_IL-17a- IL-22- % TCRgd+ CD3+	0.008965138	0.035751729	-0.485127264	NA	NA
m.i	M00095: C5 isoprenoid biosynthesis, mevalonate path	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.019612956	0.016316922	0.452230516	NA	NA
m.i	M00095: C5 isoprenoid biosynthesis, mevalonate path	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.0223273	0.012978655	0.440871444	NA	DEPLETED-ENRICHED-NS
m.i	M00095: C5 isoprenoid biosynthesis, mevalonate path	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.021330827	0.014573935	0.42695447	NA	NA
m.i	M00664: Nodulation	7_Helios- IFNg- CD4+ CD3+ (ul)	0.017264784	0.000101379	0.487918079	NA	NS-ENRICHED-NS
m.i	M00664: Nodulation	3_CD11c+ CD14- CD16- HLA-DR+ CD4dim/- %	0.019505703	0.039086594	-0.452307863	NA	ENRICHED-NS-NS
m.i	M00664: Nodulation	3_CD14low CD16++ HLA-DR+ CD16+/HLA-DR- CD16-%	0.013965911	0.001351085	-0.492622136	NA	ENRICHED-DEPLETED-NS
m.i	M00664: Nodulation	6_CD161+ CCR6+ CXCR3- % CD25+ CD4+	0.01696605	0.005754321	0.463311891	NA	NA
m.i	M00664: Nodulation	6_CD27- CXCR3+ CD25- CD4+ (ul)	0.010115037	0.024141992	0.499648268	NA	NA
m.i	M00664: Nodulation	6_CD25- CD4+ (ul)	0.025711195	0.00164764	0.478892033	NA	DEPLETED-ENRICHED-NS
m.i	M00664: Nodulation	7_Foxp3+ Helios- CD4+ CD3+ (ul)	0.039147597	0.011491157	0.469080319	NA	NS-ENRICHED-NS
m.i	M00664: Nodulation	4_CD56high CD16+ CD3- (ul)	0.020582311	0.002748572	0.404140443	NA	NA
m.i	M00664: Nodulation	6_CD161+ CCR6+ CXCR3- CD25+ CD4+ (ul)	0.022488824	0.01521473	0.481903491	NA	DEPLETED-NS-NS
m.i	M00664: Nodulation	4_CD56high CD16+ CD3- %	0.049863802	0.003768739	0.358344374	NA	NA
m.i	M00664: Nodulation	3_CD14low CD16++ % HLA-DR+ CD16+/HLA-DR- CD16-	0.027386498	0.001938195	-0.477437807	NA	ENRICHED-DEPLETED-NS
m.i	M00664: Nodulation	5_CD62L- CD45RO- CD25- CD4+ CD8- CD3+ (ul)	8.69646E-06	0.002086722	0.623308768	NA	NA
m.i	M00664: Nodulation	1_CD4+ CD8- CD3+ (ul)	0.007507384	0.000983061	0.506006713	NA	DEPLETED-ENRICHED-NS
m.i	M00664: Nodulation	3_HLA-DR+ CD16+/HLA-DR- CD16- (ul)	0.006515465	0.014583543	0.508984943	NA	NA
m.i	M00664: Nodulation	8_IL-10+ IL-2- IL-17a- CD4+ CD3+ (ul)	0.00082159	0.004196345	0.549565607	NA	DEPLETED-ENRICHED-NS
m.i	M00664: Nodulation	7_IL-17a- IL-22- CD4+ CD3+ (ul)	0.010149402	0.00022366	0.499575199	NA	DEPLETED-ENRICHED-NS
m.i	M00664: Nodulation	4_CD56high CD16+ % CD3-	0.049863802	0.003768739	0.358344374	NA	NA
m.i	M00664: Nodulation	6_CXCR3- CD25- CD4+ (ul)	0.01681854	0.001901228	0.488502762	NA	DEPLETED-ENRICHED-NS
m.i	M00664: Nodulation	2_CD31+ CD45RA- % -CD25high CD127low CD4+	0.049457854	0.041319751	-0.397659503	NA	NA
m.i	M00664: Nodulation	5_CD25- CD4+ CD8- CD3+ (ul)	0.018685663	0.001441206	0.486145758	NA	DEPLETED-ENRICHED-NS
m.i	M00664: Nodulation	7_Helios- Ki67- CD4+ CD3+ (ul)	0.004179473	2.59615E-05	0.518138888	NA	NS-ENRICHED-NS
m.i	M00664: Nodulation	7_IL-17a- Ki67- CD4+ CD3+ (ul)	0.004438466	6.529E-05	0.516914708	NA	NS-ENRICHED-NS
m.i	M00664: Nodulation	7_IFNg- IL-17a- CD4+ CD3+ (ul)	0.036743769	0.000851509	0.470578569	NA	DEPLETED-ENRICHED-NS
m.i	M00664: Nodulation	6_CD161+ CCR6+ % CXCR3- CD25+ CD4+	0.030707263	0.00357032	0.472938275	NA	NA
m.i	M00664: Nodulation	8_GM-CSF- IL-2- IL-17a- CD4+ CD3+ (ul)	0.036886335	0.000891975	0.470487213	NA	DEPLETED-ENRICHED-NS
m.i	M00691: DNA damage-induced cell cycle checkpoints	6_CXCR3+ % CD25+ CD4+	0.044797282	0.012626823	-0.465869696	NA	NA
m.i	M00691: DNA damage-induced cell cycle checkpoints	6_CXCR3- % CD25+ CD4+	0.049316605	0.013773875	0.463560943	NA	NA
m.i	M00691: DNA damage-induced cell cycle checkpoints	6_CD27dim CXCR3+ CD25- % CD4+	0.020859497	0.021179311	-0.483663094	NA	NA
m.i	M00691: DNA damage-induced cell cycle checkpoints	6_CD27dim CXCR3+ % CD25- CD4+	0.034137798	0.025986224	-0.472309109	NA	NA
m.i	M00002: Glycolysis, core module involving three-carbc	3_HLA-DR-CD4dim/- (ul)	0.004116891	0.045760238	0.481220314	NA	NA
m.i	M00002: Glycolysis, core module involving three-carbc	3_HLA-DR+ CD4dim/- %	0.001649769	0.010567602	-0.501351895	NA	ENRICHED-NS-NS
m.i	M00002: Glycolysis, core module involving three-carbc	3_HLA-DR+ % CD4dim/-	0.000171232	0.024071674	-0.559104819	NA	NA
m.i	M00002: Glycolysis, core module involving three-carbc	3_HLA-DR- % CD4dim/-	0.000171232	0.024071674	0.559104819	NA	NA
m.i	M00002: Glycolysis, core module involving three-carbc	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.015610561	0.020610286	-0.426161224	NA	ENRICHED-DEPLETED-NS
m.i	M00002: Glycolysis, core module involving three-carbc	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.015610561	0.009882856	-0.425207352	NA	ENRICHED-DEPLETED-NS
m.i	M00049: Adenine ribonucleotide biosynthesis, IMP =>	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.038027896	0.019376384	0.379064801	NA	NA
m.i	M00049: Adenine ribonucleotide biosynthesis, IMP =>	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.048451348	0.00294497	0.37395951	NA	DEPLETED-ENRICHED-NS

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00049: Adenine ribonucleotide biosynthesis, IMP =>	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.031015664	0.013223387	0.392411888	NA	NA
m.i	MF0114: acetyl-CoA to crotonyl-CoA	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.026543503	0.021505977	0.414125736	NA	DEPLETED-ENRICHED-NS
m.i	M00360: Aminoacyl-tRNA biosynthesis, prokaryotes	3_HLA-DR+ CD4dim/- %	0.040664882	0.043698281	-0.383919763	NA	ENRICHED-NS-NS
m.i	M00360: Aminoacyl-tRNA biosynthesis, prokaryotes	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.021840406	0.020928104	-0.423347135	NA	NA
m.i	M00360: Aminoacyl-tRNA biosynthesis, prokaryotes	3_HLA-DR-CD4dim/- (ul)	0.000627715	0.009181771	0.556558275	NA	NA
m.i	M00360: Aminoacyl-tRNA biosynthesis, prokaryotes	1_CD4- CD8+ CD3+ (ul)	0.020233874	0.028442982	0.435732554	NA	NA
m.i	M00344: Formaldehyde assimilation, xylulose monoph	1_CD4+ CD8+ % CD3+	0.049439868	0.001204226	-0.41712036	NA	NA
m.i	M00344: Formaldehyde assimilation, xylulose monoph	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.011955865	0.029830026	-0.432668945	NA	ENRICHED-DEPLETED-NS
m.i	M00344: Formaldehyde assimilation, xylulose monoph	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.012323481	0.029774154	-0.425192967	NA	ENRICHED-DEPLETED-NS
m.i	M00344: Formaldehyde assimilation, xylulose monoph	0_IL-17a+ IFNg+ TCRgd+ CD4- CD3+ (ul)	0.010887796	0.002607585	0.482688263	NA	DEPLETED-NS-NS
m.i	M00344: Formaldehyde assimilation, xylulose monoph	0_IL-17a+ IFNg+ TCRgd+ % CD3+	0.02945783	0.009190494	0.459244777	NA	NA
m.i	M00704: Tetracycline resistance, efflux pump Tet38	4_CD56high CD16+ CD3- (ul)	0.04397491	0.022833259	0.403266619	NA	NA
m.i	M00393: TRAMP complex	3_HLA-DR-CD4dim/- (ul)	0.002945594	0.007903345	0.503774001	NA	NA
m.i	M00393: TRAMP complex	3_HLA-DR+ % CD4dim/-	0.023289886	0.009636912	-0.404525496	NA	NA
m.i	M00393: TRAMP complex	3_HLA-DR- % CD4dim/-	0.023289886	0.009636912	0.404525496	NA	NA
m.i	M00393: TRAMP complex	3_HLA-DR-CD4dim/- %	0.003458502	0.037124254	0.491505349	NA	NA
m.i	M00364: C10-C20 isoprenoid biosynthesis, bacteria	4_CD56dim CD16+ % CD3-	0.010413948	0.006372815	0.416620995	NA	NA
m.i	M00364: C10-C20 isoprenoid biosynthesis, bacteria	3_HLA-DR+ CD4dim/- %	0.001698016	0.044174069	-0.476232234	NA	ENRICHED-NS-NS
m.i	M00364: C10-C20 isoprenoid biosynthesis, bacteria	2_CD31- CD45RA+ % -CD25high CD127low CD4+	0.027887314	0.013684367	0.418834976	NA	NA
m.i	M00364: C10-C20 isoprenoid biosynthesis, bacteria	2_FoxP3+ CD39+ % CD25high CD127low CD4+	4.5245E-05	0.017131759	-0.598646172	NA	NA
m.i	M00364: C10-C20 isoprenoid biosynthesis, bacteria	10_CD69+ % Va7.2+ CD161+ CD4- CD8- CD3+	0.044337692	0.034080612	0.44781945	NA	NA
m.i	M00364: C10-C20 isoprenoid biosynthesis, bacteria	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.000254829	0.016662017	-0.545814951	NA	NA
m.i	M00364: C10-C20 isoprenoid biosynthesis, bacteria	4_CD56dim CD16+ CD3- %	0.010413948	0.006372815	0.416620995	NA	NA
m.i	M00364: C10-C20 isoprenoid biosynthesis, bacteria	4_CD56high CD16+ CD3- (ul)	0.048433646	0.00251077	0.354488655	NA	NA
m.i	M00364: C10-C20 isoprenoid biosynthesis, bacteria	4_CD56dim CD16+ CD3- (ul)	0.014082742	0.027084959	0.417464377	NA	NA
m.i	MF0107: glycerol degradation (propanediol pathway)	1_CD4- CD8+ %	0.044747644	0.049149076	0.39839411	NA	NA
m.i	M00549: Nucleotide sugar biosynthesis, glucose => Ul	3_HLA-DR+ CD4dim/- %	0.014214802	0.030328149	-0.464814206	NA	ENRICHED-NS-NS
m.i	M00726: Cationic antimicrobial peptide (CAMP) resista	5_CD24+ CD45RO- % CD8+ CD4-	0.02011963	0.023695526	-0.442155743	NA	NS-ENRICHED-NS
m.i	M00726: Cationic antimicrobial peptide (CAMP) resista	0_IL-17a- IFNg+ % TCRgd+ CD3+	0.025130544	0.014824559	-0.43542759	NA	NA
m.i	MF0087: TCA cycle (Mycobacterium pathway)	2_FoxP3- CD45RA+ % CD25high CD127low CD4+	0.032260583	0.024663715	0.437932046	NA	NA
m.i	M00641: Multidrug resistance, efflux pump MexEF-Opr	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.001296275	0.024328274	0.525476835	NA	NA
m.i	MF0009: tryptophan degradation	5_CD8_Tem/Tcm	0.029934875	0.000719179	-0.449573883	NA	NA
m.i	MF0080: Glycolysis (preparatory phase)	3_CD11c+ CD14- CD16- % HLA-DR+ CD4dim/-	0.013639444	0.018012673	0.485403193	NA	NA
m.i	M00254: ABC-2 type transport system	3_CD11c+ CD14- CD16- % HLA-DR+ CD4dim/-	0.036695461	0.039674269	0.42876586	NA	NA
m.i	M00254: ABC-2 type transport system	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.036695461	0.004246069	0.428454471	NA	NA
m.i	M00184: RNA polymerase, archaea	4_CD56dim CD16 high % CD56+ CD3-	0.024570386	0.033370965	0.428377431	NA	NA
m.i	M00184: RNA polymerase, archaea	3_HLA-DR+ CD16+/HLA-DR- CD16- %	0.000498416	0.000624191	-0.558615107	NA	NA
m.i	M00184: RNA polymerase, archaea	5_CD24+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.039832069	0.040619194	0.409063064	NA	NS-ENRICHED-ENRICHED
m.i	M00184: RNA polymerase, archaea	4_CD56dim CD16high CD56+ CD3- %	0.043020086	0.017316693	0.439997304	NA	NA
m.i	M00573: Biotin biosynthesis, Biol pathway, long-chain-	4_CD56high CD16+ CD3- %	0.004249223	0.00245979	-0.469633857	NA	NA
m.i	M00573: Biotin biosynthesis, Biol pathway, long-chain-	4_CD56dim CD16+ CD3- %	0.00086755	0.02666234	-0.528755161	NA	NA
m.i	M00573: Biotin biosynthesis, Biol pathway, long-chain-	4_CD56high CD16+ CD3- (ul)	0.003046984	0.001693052	-0.490701159	NA	NA
m.i	M00573: Biotin biosynthesis, Biol pathway, long-chain-	4_CD56dim CD16+ % CD3-	0.00086755	0.02666234	-0.528755161	NA	NA
m.i	M00573: Biotin biosynthesis, Biol pathway, long-chain-	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.039290295	0.005784377	0.382084264	NA	NA
m.i	M00573: Biotin biosynthesis, Biol pathway, long-chain-	4_CD56high CD16+ % CD3-	0.004249223	0.00245979	-0.469633857	NA	NA
m.i	M00573: Biotin biosynthesis, Biol pathway, long-chain-	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.001090182	0.036105315	0.505421429	NA	NA
m.i	M00573: Biotin biosynthesis, Biol pathway, long-chain-	3_HLA-DR-CD4dim/- (ul)	0.003000981	0.013781396	-0.478735842	NA	NA
m.i	M00338: Cysteine biosynthesis, homocysteine + serine	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.004442856	0.037615218	-0.491335763	NA	ENRICHED-DEPLETED-NS
m.i	M00338: Cysteine biosynthesis, homocysteine + serine	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.002899939	0.032308462	-0.496684144	NA	ENRICHED-DEPLETED-NS
m.i	MF0102: mucin degradation	3_HLA-DR-CD4dim/- (ul)	0.011262	0.005741109	-0.456156376	NA	NA
m.i	MF0102: mucin degradation	1_CD4- CD8+ CD3+ (ul)	0.00574563	0.013435834	-0.510632079	NA	NA
m.i	M00503: PgtB-PgtA (phosphoglycerate transport) two-	1_CD3+ %	0.031727592	0.004755352	0.474022339	NA	DEPLETED-ENRICHED-NS
m.i	M00120: Coenzyme A biosynthesis, pantothenate => C	3_HLA-DR+ % CD4dim/-	0.028384728	0.00502672	-0.450061202	NA	NA
m.i	M00120: Coenzyme A biosynthesis, pantothenate => C	3_HLA-DR-CD4dim/- %	0.028384728	0.013632549	0.441255458	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00120: Coenzyme A biosynthesis, pantothenate => C	3_HLA-DR- % CD4dim/-	0.028384728	0.00502672	0.450061202	NA	NA
m.i	M00134: Polyamine biosynthesis, arginine => ornithine	6_CD161+ CCR6+ CXCR3- % CD25+ CD4+	0.01696605	0.000789661	-0.455771385	NA	NA
m.i	M00134: Polyamine biosynthesis, arginine => ornithine	6_CD161+ CCR6+ CXCR3- CD25+ % CD4+	0.001143486	0.001007499	-0.536842138	NA	NA
m.i	M00134: Polyamine biosynthesis, arginine => ornithine	2_CD31+ CD45RA+ % -CD25high CD127low CD4+	0.044042727	0.006437741	0.438882816	NA	NA
m.i	M00209: Osmoprotectant transport system	9_IFNg+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.003594314	0.000804685	-0.521189228	NA	DEPLETED-NS-NS
m.i	M00209: Osmoprotectant transport system	9_IL-17a- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.013580759	0.008250511	-0.49323738	NA	DEPLETED-NS-NS
m.i	M00209: Osmoprotectant transport system	9_IFNg+ TNFa+ Va7.2+ CD161 % CD3+	0.038869329	0.005243059	-0.469249325	NA	DEPLETED-NS-NS
m.i	M00209: Osmoprotectant transport system	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.000974433	0.002623204	-0.546414545	NA	DEPLETED-NS-NS
m.i	M00022: Shikimate pathway, phosphoenolpyruvate + ε	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.031664518	0.006167407	0.395816554	NA	DEPLETED-ENRICHED-NS
m.i	M00022: Shikimate pathway, phosphoenolpyruvate + ε	3_HLA-DR+ CD4dim/- %	0.003104897	0.025349232	-0.493879937	NA	ENRICHED-NS-NS
m.i	M00022: Shikimate pathway, phosphoenolpyruvate + ε	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.021330827	0.024828396	0.414130364	NA	NA
m.i	M00022: Shikimate pathway, phosphoenolpyruvate + ε	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.019612956	0.022820593	0.429178672	NA	NA
m.i	M00022: Shikimate pathway, phosphoenolpyruvate + ε	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.007827745	0.005209428	-0.453268297	NA	ENRICHED-DEPLETED-NS
m.i	M00022: Shikimate pathway, phosphoenolpyruvate + ε	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.008769919	0.013403871	-0.444978306	NA	ENRICHED-DEPLETED-NS
m.i	M00166: Reductive pentose phosphate cycle, ribulose	3_HLA-DR-CD4dim/- (ul)	0.000914861	0.012763051	0.549141396	NA	NA
m.i	M00166: Reductive pentose phosphate cycle, ribulose	3_HLA-DR+ % CD4dim/-	0.008861487	0.045393446	-0.463137703	NA	NA
m.i	M00166: Reductive pentose phosphate cycle, ribulose	3_HLA-DR- % CD4dim/-	0.008861487	0.045393446	0.463137703	NA	NA
m.i	M00260: DNA polymerase III complex, bacteria	3_HLA-DR+ % CD4dim/-	0.004377631	0.046080869	-0.479725965	NA	NA
m.i	M00260: DNA polymerase III complex, bacteria	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.007787143	0.032376219	-0.456400003	NA	NA
m.i	M00260: DNA polymerase III complex, bacteria	3_HLA-DR+ CD4dim/-	0.017263538	0.047487696	-0.425335234	NA	ENRICHED-NS-NS
m.i	M00260: DNA polymerase III complex, bacteria	3_HLA-DR-CD4dim/- (ul)	0.004377631	0.002192447	0.492035075	NA	NA
m.i	M00260: DNA polymerase III complex, bacteria	3_HLA-DR- % CD4dim/-	0.004377631	0.046080869	0.479725965	NA	NA
m.i	M00150: Fumarate reductase, prokaryotes	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.043957045	0.010445522	0.398919609	NA	NA
m.i	M00498: NtrY-NtrX (nitrogen regulation) two-compone	3_HLA-DR-CD4dim/- (ul)	0.015857017	0.032171674	-0.48199198	NA	NA
m.i	M00695: cAMP signaling	6_CD161+ CCR6+ % CXCR3- CD25+ CD4+	0.030707263	0.000449368	0.458228275	NA	NA
m.i	M00695: cAMP signaling	6_CD161+ CCR6+ CXCR3- % CD25+ CD4+	0.021686769	0.000308352	0.460133583	NA	NA
m.i	M00158: F-type ATPase, eukaryotes	8_GM-CSF+ IL-2+ IL-17a- CD4+ CD3+ (ul)	0.035371486	0.039882123	0.446009841	NA	NS-ENRICHED-NS
m.i	MF0115: Crotonyl-coA from succinate	5_CD8_Tem/Tcm	0.041456474	0.00028293	-0.463975155	NA	NA
m.i	M00391: Exosome, eukaryotes	3_HLA-DR+ CD16+/HLA-DR- CD16- %	0.039657219	0.004933588	-0.431638248	NA	NA
m.i	M00516: SLN1-YPD1-SSK1/SKN7 (osmosensing) two	2_FoxP3- CD45RA+ % CD25high CD127low CD4+	0.029010936	0.013913867	-0.431628626	NA	NA
m.i	M00516: SLN1-YPD1-SSK1/SKN7 (osmosensing) two	1_CD4+ CD8+ % CD3+	0.009087259	0.046342729	0.494811459	NA	NA
m.i	M00036: Leucine degradation, leucine => acetoacetate	5_CD8_Tem/Tcm	0.047806557	0.002883864	-0.460358056	NA	NA
m.i	MF0112: acetate to acetyl-CoA	8_GM-CSF- IL-2+ IL-17a- CD4+ CD3+ (ul)	0.039965639	0.043083277	0.439097909	NA	DEPLETED-NS-NS
m.i	M00475: BarA-UvrY (central carbon metabolism) two-c	4_CD56high CD16+ % CD3-	0.00398381	0.002892087	-0.477019637	NA	NA
m.i	M00475: BarA-UvrY (central carbon metabolism) two-c	4_CD56dim CD16+ % CD3-	0.000681725	0.02484948	-0.525508107	NA	NA
m.i	M00475: BarA-UvrY (central carbon metabolism) two-c	4_CD56high CD16+ CD3- (ul)	0.003811886	0.001969469	-0.481571135	NA	NA
m.i	M00475: BarA-UvrY (central carbon metabolism) two-c	4_CD56dim CD16+ CD3- %	0.000681725	0.02484948	-0.525508107	NA	NA
m.i	M00475: BarA-UvrY (central carbon metabolism) two-c	4_CD56high CD16+ CD3- %	0.00398381	0.002892087	-0.477019637	NA	NA
m.i	MF0014: glutamate degradation (4-aminobutanoate pa	3_HLA-DR-CD4dim/- (ul)	0.017594513	0.017407947	-0.44041323	NA	NA
m.i	MF0014: glutamate degradation (4-aminobutanoate pa	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.024512792	0.002923447	0.422629653	NA	NA
m.i	MF0014: glutamate degradation (4-aminobutanoate pa	1_CD4- CD8+ CD3+ (ul)	0.006872906	0.022064927	-0.500479544	NA	NA
m.i	MF0104: nitrate reduction (dissimilatory)	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	0.00457895	0.006937542	-0.473519794	NA	DEPLETED-ENRICHED-NS
m.i	MF0104: nitrate reduction (dissimilatory)	3_HLA-DR-CD4dim/- (ul)	0.00136782	0.002304681	-0.511372148	NA	NA
m.i	MF0104: nitrate reduction (dissimilatory)	5_CD24- CD45RO+ CD8+ CD4- CD3+ (ul)	0.025484413	0.030275428	-0.425035167	NA	DEPLETED-NS-NS
m.i	MF0104: nitrate reduction (dissimilatory)	1_CD4- CD8+ CD3+ (ul)	0.000196196	0.003883142	-0.562852811	NA	NA
m.i	M00023: Tryptophan biosynthesis, chorismate => trypt	0_IL-17a- IFNg- TCRgd+ % CD3+	0.006198722	0.041342379	0.502690112	NA	NA
m.i	M00579: Phosphate acetyltransferase-acetate kinase	3_HLA-DR-CD4dim/- (ul)	0.000683672	0.010758951	0.547570332	NA	NA
m.i	M00579: Phosphate acetyltransferase-acetate kinase	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.045545322	0.012183022	-0.389197985	NA	NA
m.i	M00579: Phosphate acetyltransferase-acetate kinase	1_CD4- CD8+ CD3+ (ul)	0.018299714	0.036938323	0.43847278	NA	NA
m.i	M00530: Dissimilatory nitrate reduction, nitrate => amn	5_CD24- CD45RO+ CD8+ CD4- CD3+ (ul)	0.010679289	0.028543016	-0.465568739	NA	DEPLETED-NS-NS
m.i	M00530: Dissimilatory nitrate reduction, nitrate => amn	1_CD4- CD8+ CD3+ (ul)	0.002557533	0.032496216	-0.514820194	NA	NA
m.i	M00530: Dissimilatory nitrate reduction, nitrate => amn	3_HLA-DR-CD4dim/- (ul)	0.046364423	0.008462886	-0.414289498	NA	NA
m.i	M00530: Dissimilatory nitrate reduction, nitrate => amn	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	0.002557533	0.013097864	-0.506763854	NA	DEPLETED-ENRICHED-NS
m.i	M00194: Maltose/maltodextrin transport system	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.028588101	0.032677403	0.410707114	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00194: Maltose/maltodextrin transport system	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.0223273	0.016055629	0.427935061	NA	DEPLETED-ENRICHED-NS
m.i	M00194: Maltose/maltodextrin transport system	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.022010389	0.038384238	0.421921457	NA	NA
m.i	M00466: NbIS-NbIR (photosynthesis) two-component r2	FoxP3+ CD45RA- CD25high CD127low CD4+ (ul)	0.01769636	0.029809746	0.460997086	NA	DEPLETED-NS-NS
m.i	M00466: NbIS-NbIR (photosynthesis) two-component r2	FoxP3+ CD45RA- CD25high CD127low % CD4+	0.006802803	0.002648002	0.467597335	NA	NA
m.i	M00466: NbIS-NbIR (photosynthesis) two-component r2	FoxP3+ CD31- CD25high CD127low % CD4+	0.002112751	0.004438719	0.517916226	NA	NA
m.i	M00466: NbIS-NbIR (photosynthesis) two-component r5	CD4+ CD8+ %	0.000133444	0.002218159	-0.581260004	NA	NA
m.i	M00466: NbIS-NbIR (photosynthesis) two-component r1	CD4+ CD8+ %	0.023990588	0.019793778	-0.478269869	NA	NA
m.i	M00466: NbIS-NbIR (photosynthesis) two-component r1	CD4+ CD8+ % CD3+	0.049439868	0.030106779	-0.42398079	NA	NA
m.i	M00466: NbIS-NbIR (photosynthesis) two-component r2	CD25high CD127low % CD4+	0.008785318	0.005835415	0.487525407	NA	NA
m.i	MF0054: arabinose degradation	3_CD14- CD16- HLA-DR+ CD4dim/- %	0.006256011	0.045665578	0.509833835	NA	NA
m.i	MF0054: arabinose degradation	5_CD24+ CD45RO+ CD25- CD4+ CD8- CD3+ (ul)	0.028091635	0.005117597	-0.42572937	NA	NA
m.i	MF0054: arabinose degradation	1_CD19+ %	0.001702313	0.034651794	0.535881322	NA	DEPLETED-ENRICHED-NS
m.i	MF0054: arabinose degradation	5_CD24+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.048545387	0.008039047	-0.4176282	NA	NA
m.i	MF0054: arabinose degradation	5_CD24+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.017651816	0.044736851	-0.417581615	NA	NS-ENRICHED-ENRICHED
m.i	MF0054: arabinose degradation	5_CD24+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.048562757	0.009738922	-0.417618258	NA	NA
m.i	M00483: NreB-NreC (dissimilatory nitrate/nitrite reduct	8_GM-CSF- IL-2- IL-17a+ CD4+ CD3+ (ul)	0.049972098	0.033053423	0.440143225	NA	DEPLETED-ENRICHED-NS
m.i	M00483: NreB-NreC (dissimilatory nitrate/nitrite reduct	8_TNFa- IL-5+ IL-17a+ % CD3+	0.008392223	0.029819062	0.503645309	NA	NA
m.i	M00483: NreB-NreC (dissimilatory nitrate/nitrite reduct	1_CD11c+ CD14+ CD3- CD19- %	0.005862405	0.015230674	-0.511186637	NA	ENRICHED-DEPLETED-NS
m.i	M00483: NreB-NreC (dissimilatory nitrate/nitrite reduct	8_GM-CSF- IL-2- IL-17a+ % CD3+	0.011715131	0.019826035	0.496468878	NA	NA
m.i	M00483: NreB-NreC (dissimilatory nitrate/nitrite reduct	5_CD62L+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.020513789	0.01966338	-0.42448947	NA	NA
m.i	M00483: NreB-NreC (dissimilatory nitrate/nitrite reduct	Monocytes %	0.007018115	0.017730526	-0.507426557	NA	ENRICHED-DEPLETED-NS
m.i	M00483: NreB-NreC (dissimilatory nitrate/nitrite reduct	8_TNFa- IL-5+ IL-17a+ CD4+ CD3+ (ul)	0.021076207	0.014838168	0.483428949	NA	DEPLETED-ENRICHED-NS
m.i	M00552: D-galactonate degradation, De Ley-Doudorof	3_HLA-DR-CD4dim/- (ul)	0.001850523	0.025070046	0.534855681	NA	NA
m.i	M00355: Spliceosome, 35S U5-snRNP	5_CD4_Tcm/Treg	0.043250641	0.025874958	0.422491125	NA	ENRICHED-NS-ENRICHED
m.i	M00355: Spliceosome, 35S U5-snRNP	6_CD27- CXCR3+ CD25- % CD4+	0.049189313	0.036291971	0.428350889	NA	NA
m.i	M00180: RNA polymerase II, eukaryotes	5_CD4_Teff/2_Treg	0.027851029	0.027708884	0.459893736	NA	NA
m.i	M00531: Assimilatory nitrate reduction, nitrate => amm	6_CD27- CXCR3+ CD25- CD4+ (ul)	0.047797621	0.036815293	-0.4347699	NA	NA
m.i	M00531: Assimilatory nitrate reduction, nitrate => amm	6_CD27- CXCR3+ % CD25- CD4+	0.006164842	0.006388967	-0.510139951	NA	NA
m.i	M00531: Assimilatory nitrate reduction, nitrate => amm	6_CD27- CXCR3+ CD25- % CD4+	0.005432143	0.006458718	-0.512766172	NA	NA
m.i	M00531: Assimilatory nitrate reduction, nitrate => amm	6_CD27- % CXCR3+ CD25- CD4+	0.000629109	0.005904655	-0.554431931	NA	NA
m.i	M00531: Assimilatory nitrate reduction, nitrate => amm	6_CD27bright % CXCR3+ CD25- CD4+	0.000128521	0.000219308	0.58188163	NA	NA
m.i	MF0076: arabinol degradation	5_CD24+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.018646871	0.012807239	-0.463756203	NA	NA
m.i	MF0076: arabinol degradation	5_CD24+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.046761988	0.023283877	-0.421855254	NA	NA
m.i	MF0076: arabinol degradation	5_CD24+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.021633291	0.009895088	-0.466700778	NA	NA
m.i	MF0076: arabinol degradation	5_CD24+ CD45RO+ CD25- CD4+ CD8- CD3+ (ul)	0.004386802	0.003320499	-0.505996584	NA	NA
m.i	M00394: RNA degradosome	3_HLA-DR+ CD4dim/- %	0.017622421	0.049238605	-0.439201286	NA	ENRICHED-NS-NS
m.i	M00335: Sec (secretion) system	3_HLA-DR+ CD4dim/- %	0.046327982	0.012929249	-0.36831817	NA	ENRICHED-NS-NS
m.i	M00335: Sec (secretion) system	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.005800986	0.010429327	-0.491718519	NA	NA
m.i	M00335: Sec (secretion) system	3_HLA-DR+ % CD4dim/-	0.01599018	0.004863836	-0.417337292	NA	NA
m.i	M00335: Sec (secretion) system	3_HLA-DR-CD4dim/- (ul)	0.005800986	0.005063544	0.494738765	NA	NA
m.i	M00335: Sec (secretion) system	3_CD14- CD16- HLA-DR+ CD4dim/- %	0.011765008	0.044930416	-0.434635658	NA	NA
m.i	M00335: Sec (secretion) system	3_HLA-DR- % CD4dim/-	0.01599018	0.004863836	0.417337292	NA	NA
m.i	MF0011: aspartate degradation (oxaloacetate pathway	7_IFNg+ IL-17a- CD4+ CD3+ (ul)	0.025129663	0.000240115	0.474022653	NA	NA
m.i	MF0011: aspartate degradation (oxaloacetate pathway	7_Helios- IFNg+ CD4+ CD3+ (ul)	0.03558221	0.000416672	0.459079284	NA	NA
m.i	M00016: Lysine biosynthesis, succinyl-DAP pathway, z	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.021330827	0.00432466	0.457231402	NA	NA
m.i	M00016: Lysine biosynthesis, succinyl-DAP pathway, z	4_CD56high CD16- CD3- %	0.038373632	0.015738754	0.416164274	NA	NA
m.i	M00016: Lysine biosynthesis, succinyl-DAP pathway, z	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.028316657	0.004828298	0.404548343	NA	DEPLETED-ENRICHED-NS
m.i	M00016: Lysine biosynthesis, succinyl-DAP pathway, z	4_CD56high CD16- % CD3-	0.038373632	0.015738754	0.416164274	NA	NA
m.i	M00016: Lysine biosynthesis, succinyl-DAP pathway, z	3_CD14hi CD16- % HLA-DR+ CD16+ /HLA-DR- CD16-	0.017323469	0.023536532	-0.428422668	NA	ENRICHED-DEPLETED-NS
m.i	M00016: Lysine biosynthesis, succinyl-DAP pathway, z	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.019612956	0.003367921	0.450007055	NA	NA
m.i	M00787: Bacilysin biosynthesis, prephenate => bacily	4_CD8- CD4+ CD56+ CD3+ %	0.010430314	0.000423546	0.483661867	NA	NA
m.i	M00716: ArIS-ArIR (virulence regulation) two-compone	6_CD161+ CCR6- CXCR3- CD25- CD4+ (ul)	0.000262634	0.000994466	0.569836587	NA	NA
m.i	M00716: ArIS-ArIR (virulence regulation) two-compone	5_CD24+ CD45RO- % CD25- CD4+ CD4high CD8-	0.023280823	0.048354556	0.464943754	NA	NA
m.i	M00716: ArIS-ArIR (virulence regulation) two-compone	3_HLA-DR-CD4dim/- (ul)	0.009886686	0.021551982	0.405436759	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00716: ArlS-ArlR (virulence regulation) two-compone	5_CD24+ CD45RO- CD25- CD4+ % CD4high CD8-	0.027156939	0.04964368	0.461225687	NA	NA
m.i	M00606: N,N'-Diacetylchitobiose transport system	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.0223273	0.017234206	0.42956587	NA	DEPLETED-ENRICHED-NS
m.i	M00606: N,N'-Diacetylchitobiose transport system	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.021330827	0.031769919	0.425796017	NA	NA
m.i	M00606: N,N'-Diacetylchitobiose transport system	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.02203541	0.022395568	0.418643445	NA	NA
m.i	M00365: C10-C20 isoprenoid biosynthesis, archaea	5_CD62L+ CD45RO- CD8+ CD4- CD3+ (ul)	0.007571747	0.007533711	0.45709066	NA	DEPLETED-NS-NS
m.i	M00365: C10-C20 isoprenoid biosynthesis, archaea	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.002899939	0.01216944	-0.513122197	NA	ENRICHED-DEPLETED-NS
m.i	M00365: C10-C20 isoprenoid biosynthesis, archaea	5_CD8_Teff/Tn	0.030255741	0.00904481	-0.416569994	NA	NA
m.i	M00365: C10-C20 isoprenoid biosynthesis, archaea	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.004442856	0.012109844	-0.513848543	NA	ENRICHED-DEPLETED-NS
m.i	M00465: ManS-ManR (manganese homeostasis) two-	2_CD31+ CD45RA- CD25high CD127low % CD4+	0.019303859	0.03676731	0.485413503	NA	NA
m.i	M00465: ManS-ManR (manganese homeostasis) two-	6_CD161+ CCR6- % CXCR3- CD25- CD4+	0.018096036	0.044881025	-0.435341088	NA	NA
m.i	MF0002: ethanol production (CO2 pathway)	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.026859036	0.032940386	-0.399972597	NA	ENRICHED-DEPLETED-NS
m.i	MF0002: ethanol production (CO2 pathway)	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.026859036	0.038569468	-0.395399821	NA	ENRICHED-DEPLETED-NS
m.i	M00185: Sulfate transport system	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.034718632	0.000295544	-0.442201416	NA	NA
m.i	M00185: Sulfate transport system	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.034718632	0.000474163	-0.436009868	NA	NA
m.i	M00544: Carbazole degradation, carbazole => 2-oxopr	1_CD19+ %	0.007542291	0.007141975	0.42381819	NA	DEPLETED-ENRICHED-NS
m.i	M00544: Carbazole degradation, carbazole => 2-oxopr	5_CD62L- CD45RO+ CD25+ CD4+ CD8- CD3+ (ul)	0.045503567	0.011895528	0.448442076	NA	DEPLETED-NS-NS
m.i	M00544: Carbazole degradation, carbazole => 2-oxopr	5_CD24- CD45RO+ CD25+ CD4+ % CD4high CD8-	0.002058582	0.020485921	0.532210476	NA	NA
m.i	M00544: Carbazole degradation, carbazole => 2-oxopr	5_CD25+ CD4+% CD4high	0.000976547	0.002819852	0.546374311	NA	DEPLETED-NS-NS
m.i	M00544: Carbazole degradation, carbazole => 2-oxopr	5_CD25- CD4+ % CD4high cells	0.00078163	0.000723648	-0.550480436	NA	ENRICHED-NS-NS
m.i	M00544: Carbazole degradation, carbazole => 2-oxopr	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.000254829	0.00696232	0.551036386	NA	NA
m.i	M00698: Multidrug resistance, efflux pump BpeEF-Opr	1_CD4- CD8+ CD3+ (ul)	0.002135593	0.021352971	-0.50189989	NA	NA
m.i	M00698: Multidrug resistance, efflux pump BpeEF-Opr	3_HLA-DR-CD4dim/- (ul)	0.002135593	0.011579415	-0.530252101	NA	NA
m.i	M00698: Multidrug resistance, efflux pump BpeEF-Opr	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	0.004566447	0.048184208	-0.467153818	NA	DEPLETED-ENRICHED-NS
m.i	M00171: C4-dicarboxylic acid cycle, NAD - malic enzyr	4_CD56dim CD16+ % CD3-	0.038997292	0.042876151	0.399342316	NA	NA
m.i	M00171: C4-dicarboxylic acid cycle, NAD - malic enzyr	3_HLA-DR+ % CD4dim/- %	0.001106257	0.020585359	-0.515748032	NA	NA
m.i	M00171: C4-dicarboxylic acid cycle, NAD - malic enzyr	3_HLA-DR+ CD4dim/- %	0.00849704	0.01212803	-0.456104134	NA	ENRICHED-NS-NS
m.i	M00171: C4-dicarboxylic acid cycle, NAD - malic enzyr	3_HLA-DR-CD4dim/- (ul)	0.000609133	0.009571541	0.548671435	NA	NA
m.i	M00171: C4-dicarboxylic acid cycle, NAD - malic enzyr	4_CD56dim CD16+ CD3- %	0.038997292	0.042876151	0.399342316	NA	NA
m.i	M00171: C4-dicarboxylic acid cycle, NAD - malic enzyr	3_HLA-DR- % CD4dim/-	0.001106257	0.020585359	0.515748032	NA	NA
m.i	M00341: Proteasome, 19S regulatory particle (PA700)	4_CD56high CD16+ CD3- %	0.002800478	0.014879458	0.504846479	NA	NA
m.i	M00341: Proteasome, 19S regulatory particle (PA700)	4_CD56high CD16+ % CD3-	0.002800478	0.014879458	0.504846479	NA	NA
m.i	M00490: MalK-MalR (malate transport) two-componen	5_CD24- CD45RO+ % CD25- CD4+ CD4high CD8-	0.000861864	0.003976713	-0.548685017	NA	NA
m.i	M00490: MalK-MalR (malate transport) two-componen	5_CD24- CD45RO+ % CD25+ CD4+ CD4high CD8-	0.035948215	0.022457674	-0.421668038	NA	NA
m.i	M00490: MalK-MalR (malate transport) two-componen	5_CD24- CD45RO+ CD25- CD4+ % CD4high CD8-	0.000421418	0.000804987	-0.561594534	NA	NS-DEPLETED-DEPLETED
m.i	M00359: Aminoacyl-tRNA biosynthesis, eukaryotes	1_CD4- CD8+ CD3+ (ul)	0.028292777	0.034031907	0.425137011	NA	NA
m.i	M00359: Aminoacyl-tRNA biosynthesis, eukaryotes	3_HLA-DR-CD4dim/- (ul)	0.000853066	0.011072722	0.550529777	NA	NA
m.i	M00359: Aminoacyl-tRNA biosynthesis, eukaryotes	3_HLA-DR+ CD4dim/- %	0.04434134	0.043681321	-0.384339947	NA	ENRICHED-NS-NS
m.i	M00359: Aminoacyl-tRNA biosynthesis, eukaryotes	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.028292777	0.02424643	-0.414960586	NA	NA
m.i	M00642: Multidrug resistance, efflux pump MexJK-Opr	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.017581235	0.044568041	0.455577793	NA	NA
m.i	M00642: Multidrug resistance, efflux pump MexJK-Opr	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.027698451	0.034686433	0.418076518	NA	NA
m.i	M00642: Multidrug resistance, efflux pump MexJK-Opr	3_HLA-DR-CD4dim/- (ul)	0.045665158	0.047485465	-0.386956522	NA	NA
m.i	M00048: Inosine monophosphate biosynthesis, PRPP	3_HLA-DR-CD4dim/- (ul)	0.002801323	0.008350779	0.495542565	NA	NA
m.i	M00200: Putative sorbitol/mannitol transport system	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.023337058	0.024664146	0.417049443	NA	NA
m.i	M00200: Putative sorbitol/mannitol transport system	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.021330827	0.031684688	0.426858631	NA	NA
m.i	M00200: Putative sorbitol/mannitol transport system	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.0223273	0.016849821	0.43054543	NA	DEPLETED-ENRICHED-NS
m.i	M00577: Biotin biosynthesis, BioW pathway, pimelate	: 4_CD56dim CD16+ CD3- %	0.000589828	0.021667299	-0.536245387	NA	NA
m.i	M00577: Biotin biosynthesis, BioW pathway, pimelate	: 4_CD56high CD16+ CD3- (ul)	0.003046984	0.001231683	-0.501662465	NA	NA
m.i	M00577: Biotin biosynthesis, BioW pathway, pimelate	: 4_CD56high CD16+ CD3- %	0.00398381	0.001766291	-0.480029969	NA	NA
m.i	M00577: Biotin biosynthesis, BioW pathway, pimelate	: 4_CD56dim CD16+ % CD3-	0.000589828	0.021667299	-0.536245387	NA	NA
m.i	M00577: Biotin biosynthesis, BioW pathway, pimelate	: 4_CD56high CD16+ % CD3-	0.00398381	0.001766291	-0.480029969	NA	NA
m.i	M00577: Biotin biosynthesis, BioW pathway, pimelate	: 3_HLA-DR-CD4dim/- (ul)	0.00328408	0.017336459	-0.472415053	NA	NA
m.i	M00161: Photosystem II	2_FoxP3+ CD31- CD25high CD127low CD4+ (ul)	0.020036353	0.006231737	-0.45875445	NA	DEPLETED-NS-NS
m.i	M00161: Photosystem II	2_FoxP3+ CD45RA- CD25high CD127low CD4+ (ul)	0.01290238	0.0104429	-0.478808527	NA	DEPLETED-NS-NS
m.i	M00161: Photosystem II	2_CD25high CD127low CD4+ (ul)	0.018305903	0.006917971	-0.470663425	NA	DEPLETED-NS-NS

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00505: KinB-AlgB (alginate production) two-component	4_CD56dim CD16+ % CD3-	0.002392533	0.036657313	-0.493285954	NA	NA
m.i	M00505: KinB-AlgB (alginate production) two-component	4_CD56dim CD16+ CD3- %	0.002392533	0.036657313	-0.493285954	NA	NA
m.i	MF0046: sucrose degradation	5_CD62L+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.004559394	0.0161949	-0.515710632	NA	NA
m.i	M00533: Homoprotocatechuate degradation, homopro	3_CD4high %	0.016350887	0.000600604	0.465076973	NA	DEPLETED-NS-NS
m.i	M00533: Homoprotocatechuate degradation, homopro	1_CD4+ CD8- %	0.043046343	0.000624319	0.466822589	NA	DEPLETED-ENRICHED-NS
m.i	M00533: Homoprotocatechuate degradation, homopro	5_CD8_Teff/Tn	0.044944486	0.001248552	-0.42916001	NA	NA
m.i	M00533: Homoprotocatechuate degradation, homopro	5_CD62L+ CD45RO- % CD8+ CD4-	0.04763009	0.001850264	0.419752976	NA	DEPLETED-NS-NS
m.i	M00385: Cul4-DDB1-DDB2 complex	2_CD31+ CD45RA- % -CD25high CD127low CD4+	0.018844175	0.000543184	0.478038725	NA	NA
m.i	MF0055: xylose degradation	5_CD24+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.030438297	0.019112523	-0.437147142	NA	NA
m.i	MF0055: xylose degradation	5_CD24+ CD45RO+ CD25- CD4+ CD8- CD3+ (ul)	0.017075405	0.006459091	-0.478758483	NA	NA
m.i	MF0055: xylose degradation	5_CD24+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.034516626	0.022756836	-0.435382355	NA	NA
m.i	MF0055: xylose degradation	5_CD24+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.024177827	0.005858343	-0.464034973	NA	NA
m.i	M00545: Trans-cinnamate degradation, trans-cinnama	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.018631383	0.0227566	-0.470247558	NA	NA
m.i	M00545: Trans-cinnamate degradation, trans-cinnama	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.013158271	0.018368915	-0.478465404	NA	NA
m.i	M00545: Trans-cinnamate degradation, trans-cinnama	5_CD4_Tcm/Tcm	0.026153007	0.033244022	-0.442836966	NA	ENRICHED-NS-ENRICHED
m.i	M00458: ResE-ResD (aerobic and anaerobic respiratic	5_CD8_Tem/Treg	0.007160215	0.002159511	0.513445378	NA	NA
m.i	M00458: ResE-ResD (aerobic and anaerobic respiratic	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.045069357	0.00019905	-0.437670702	NA	NA
m.i	M00458: ResE-ResD (aerobic and anaerobic respiratic	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.045069357	0.000247202	-0.429085596	NA	NA
m.i	M00595: Thiosulfate oxidation by SOX complex, thiosu	5_CD62L+ CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.047012092	0.033997947	0.417913843	NA	DEPLETED-ENRICHED-NS
m.i	M00089: Triacylglycerol biosynthesis	4_CD8+ CD4+ % CD56+ CD3+	0.049735739	0.013471941	-0.454923314	NA	NA
m.i	M00089: Triacylglycerol biosynthesis	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.034590422	0.03905456	-0.386806241	NA	ENRICHED-DEPLETED-NS
m.i	MF0040: lysine degradation (cadaverine pathway)	5_CD8_Tem/Tcm	0.043738719	0.034993017	0.440559377	NA	NA
m.i	M00455: TorS-TorR (TMAO respiration) two-compone	5_CD8_Tem/Tcm	0.038779971	0.026112437	-0.399488491	NA	NA
m.i	M00455: TorS-TorR (TMAO respiration) two-compone	3_HLA-DR-CD4dim/- (ul)	0.000200451	0.01043719	-0.578151261	NA	NA
m.i	M00058: Glycosaminoglycan biosynthesis, chondroitin	1_CD19+ %	0.005528865	0.002455289	-0.461589105	NA	DEPLETED-ENRICHED-NS
m.i	M00058: Glycosaminoglycan biosynthesis, chondroitin	3_CD14- CD16- HLA-DR+ CD4dim/- %	0.044682977	0.017800638	-0.383002039	NA	NA
m.i	M00058: Glycosaminoglycan biosynthesis, chondroitin	1_CD4bright CD8dim % CD4+ CD8+ CD3+	0.017535259	0.006149617	0.462000678	NA	NA
m.i	M00058: Glycosaminoglycan biosynthesis, chondroitin	1_CD4dim CD8bright % CD4+ CD8+ CD3+	0.017535259	0.009142931	-0.462000678	NA	NA
m.i	M00058: Glycosaminoglycan biosynthesis, chondroitin	5_CD24- CD45RO- % CD8+ CD4-	0.022238167	0.000279739	0.449018421	NA	NS-DEPLETED-NS
m.i	MF0013: glutamate degradation (crotonyl-CoA pathwa	2_FoxP3- CD39+ % CD25high CD127low CD4+	0.03858007	0.009507355	-0.469426198	NA	NA
m.i	M00003: Gluconeogenesis, oxaloacetate => fructose-ε	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.033788846	0.022435342	-0.401256897	NA	ENRICHED-DEPLETED-NS
m.i	M00003: Gluconeogenesis, oxaloacetate => fructose-ε	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16-%	0.033788846	0.031002984	-0.404950902	NA	ENRICHED-DEPLETED-NS
m.i	M00003: Gluconeogenesis, oxaloacetate => fructose-ε	1_CD4- CD8- %	0.045487799	0.040345671	0.400752727	NA	NA
m.i	M00003: Gluconeogenesis, oxaloacetate => fructose-ε	3_HLA-DR+ CD4dim/- %	0.009471839	0.023802573	-0.461525814	NA	ENRICHED-NS-NS
m.i	M00308: Semi-phosphorylative Entner-Doudoroff path	3_HLA-DR-CD4dim/- (ul)	0.00506917	0.025201968	0.497844355	NA	NA
m.i	M00373: Ethylmalonyl pathway	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.046651283	0.00408392	0.400632156	NA	NA
m.i	M00373: Ethylmalonyl pathway	4_CD56high CD16+ % CD3-	0.028927533	0.01254563	-0.42231622	NA	NA
m.i	M00373: Ethylmalonyl pathway	4_CD56high CD16+ CD3- %	0.028927533	0.01254563	-0.42231622	NA	NA
m.i	M00373: Ethylmalonyl pathway	4_CD56high CD16+ CD3- (ul)	0.017053583	0.01303633	-0.447207125	NA	NA
m.i	M00663: SsrA-SsrB two-component regulatory system	7_Helios+ IFNγ+ CD4+ CD3+ (ul)	0.049809928	0.0032614	0.451806789	NA	NA
m.i	MF0123: propionate production (propanediol pathway)	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16- (ul)	0.02816843	0.032736057	-0.468637821	NA	NA
m.i	M00244: Putative zinc/manganese transport system	3_CD14hi CD16- % HLA-DR+ CD16+/HLA-DR- CD16-	0.025223	0.044897518	-0.430947705	NA	ENRICHED-DEPLETED-NS
m.i	M00244: Putative zinc/manganese transport system	5_CD8_Teff/Tn	0.034905092	0.033753072	-0.412809763	NA	NA
m.i	M00712: Multidrug resistance, efflux pump YkkCD	4_CD56dim CD16- CD3- %	0.013593782	0.029133432	0.493216313	NA	NA
m.i	M00463: TrcS-TrcR two-component regulatory system	2_FoxP3- CD45RA+ % CD25high CD127low CD4+	0.010739357	0.001636641	-0.473766105	NA	NA
m.i	M00463: TrcS-TrcR two-component regulatory system	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.000847065	0.021891961	0.503800546	NA	NA
m.i	M00463: TrcS-TrcR two-component regulatory system	2_CD31- CD45RA+ % -CD25high CD127low CD4+	0.003245631	0.009111647	-0.506227101	NA	NA
m.i	M00463: TrcS-TrcR two-component regulatory system	2_CD39- CD45RA+ % CD25high CD127low CD4+	0.006190253	0.025396724	-0.493430311	NA	NA
m.i	M00463: TrcS-TrcR two-component regulatory system	6_CD161+ CCR6- CXCR3- CD25- CD4+ (ul)	0.023096368	0.040387523	-0.424537527	NA	NA
m.i	MF0010: tyrosine degradation (phenol pathway)	2_CD31- CD45RA+ % -CD25high CD127low CD4+	0.03493933	0.007206477	-0.394825087	NA	NA
m.i	MF0010: tyrosine degradation (phenol pathway)	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.006558031	0.020230987	0.457960317	NA	NA
m.i	M00330: Adhesin protein transport system	2_CD25high CD127low % CD4+	0.006235362	0.002468109	0.509902802	NA	NA
m.i	M00330: Adhesin protein transport system	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.007851957	0.020379916	0.495884532	NA	NA
m.i	M00330: Adhesin protein transport system	2_FoxP3+ % CD25high CD127low CD4+	0.048091689	0.018610903	0.44224691	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	M00330: Adhesin protein transport system	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.000644681	0.00067587	0.553989369	NA	NA
m.i	M00330: Adhesin protein transport system	2_FoxP3+ CD31- CD25high CD127low % CD4+	0.001254254	0.001031132	0.541692551	NA	NA
m.i	M00839: PdtA-S-PdtA-R two-component regulatory system	3_HLA-DR-CD4dim/- (ul)	5.54751E-05	0.000703642	-0.600840336	NA	NA
m.i	M00839: PdtA-S-PdtA-R two-component regulatory system	1_CD4- CD8+ CD3+ (ul)	0.000902641	0.00103504	-0.53536719	NA	NA
m.i	M00014: Glucuronate pathway (uronate pathway)	3_CD14- CD16- HLA-DR+ CD4dim/- %	0.024222214	0.039435019	0.417005418	NA	NA
m.i	M00014: Glucuronate pathway (uronate pathway)	2_CD39+ CD31- % CD25high CD127low CD4+	0.04711413	0.049548796	0.37243761	NA	NA
m.i	M00367: C10-C20 isoprenoid biosynthesis, non-plant	5_CD24+ CD45RO+ CD25- CD4+ CD8- CD3+ (ul)	0.016874487	0.001484961	0.47529184	NA	NA
m.i	M00367: C10-C20 isoprenoid biosynthesis, non-plant	5_CD24+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.023893337	0.002467689	0.454417559	NA	NA
m.i	M00367: C10-C20 isoprenoid biosynthesis, non-plant	5_CD24+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.037227447	0.014802575	0.420394965	NA	NS-ENRICHED-ENRICHED
m.i	M00367: C10-C20 isoprenoid biosynthesis, non-plant	5_CD24+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.018646871	0.002093627	0.460508288	NA	NA
m.i	M00208: Glycine betaine/proline transport system	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	0.000166154	0.033204497	-0.577608491	NA	DEPLETED-ENRICHED-NS
m.i	M00208: Glycine betaine/proline transport system	3_HLA-DR-CD4dim/- (ul)	0.000277202	0.001184451	-0.54288037	NA	NA
m.i	M00208: Glycine betaine/proline transport system	1_CD4- CD8+ CD3+ (ul)	0.000131962	0.00112956	-0.581444843	NA	NA
m.i	M00208: Glycine betaine/proline transport system	1_CD4- CD8+ %	0.021909808	0.024759934	-0.420103588	NA	NA
m.i	M00591: Putative xylitol transport system	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.000425227	0.045363522	0.555224645	NA	NA
m.i	M00591: Putative xylitol transport system	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.018237648	0.01625583	0.453981509	NA	NA
m.i	M00501: PilS-PilR (type 4 fimbriae synthesis) two-com	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.019612956	0.03716558	-0.419636166	NA	NA
m.i	M00501: PilS-PilR (type 4 fimbriae synthesis) two-com	4_CD56high CD16- % CD3-	0.034584036	0.046848736	-0.460282807	NA	NA
m.i	M00501: PilS-PilR (type 4 fimbriae synthesis) two-com	4_CD56high CD16+ CD3- %	0.005092422	0.049584374	-0.460534253	NA	NA
m.i	M00501: PilS-PilR (type 4 fimbriae synthesis) two-com	4_CD56high CD16+ % CD3-	0.005092422	0.049584374	-0.460534253	NA	NA
m.i	M00501: PilS-PilR (type 4 fimbriae synthesis) two-com	6_CD161+ CCR6- CXCR3- CD25+ % CD4+	0.0193977	0.049078989	-0.459546133	NA	NA
m.i	M00501: PilS-PilR (type 4 fimbriae synthesis) two-com	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.021330827	0.028249197	-0.425134043	NA	NA
m.i	M00501: PilS-PilR (type 4 fimbriae synthesis) two-com	4_CD56high CD16- CD3- %	0.034584036	0.046848736	-0.460282807	NA	NA
m.i	M00555: Betaine biosynthesis, choline => betaine	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.035902086	0.013725202	-0.433419507	NA	NA
m.i	M00555: Betaine biosynthesis, choline => betaine	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.035902086	0.023647006	-0.427464738	NA	NA
m.p	M00288: RPA complex	pulse_pressure	0.013737656	0.017039605	-0.482405763	NA	NS-NS-DEPLETED
m.p	M00104: Bile acid biosynthesis, cholesterol => cholate	eGFR	0.015056962	0.03344	0.415149949	NA	DEPLETED-NS-NS
m.p	M00104: Bile acid biosynthesis, cholesterol => cholate	pulse_pressure	0.040004934	0.012004201	-0.404335346	NA	NS-NS-DEPLETED
m.p	M00401: Sec61 complex	pulse_pressure	0.011375838	0.009099829	-0.496105934	NA	NS-NS-DEPLETED
m.p	M00096: C5 isoprenoid biosynthesis, non-mevalonate	pulse_pressure	0.00161336	2.25892E-05	-0.613581249	NA	NS-NS-DEPLETED
m.p	M00474: RcsC-RcsD-RcsB (capsule synthesis) two-cc	pulse_pressure	0.000337366	6.4513E-05	0.680741869	NA	NS-NS-DEPLETED
m.p	M00474: RcsC-RcsD-RcsB (capsule synthesis) two-cc	eGFR	0.008866439	0.01421479	-0.471412522	NA	DEPLETED-NS-NS
m.p	M00405: THC complex	pulse_pressure	0.025752061	0.00984699	-0.435385634	NA	NS-NS-DEPLETED
m.p	M00339: RaxAB-RaxC type I secretion system	eGFR	0.026365158	0.030071512	-0.369126781	NA	DEPLETED-NS-NS
m.p	M00025: Tyrosine biosynthesis, chorismate => tyrosine	pulse_pressure	0.004189945	0.000318299	-0.567922796	NA	NS-NS-DEPLETED
m.p	M00289: RF-C complex	pulse_pressure	0.009182824	0.040775959	-0.513351093	NA	NS-NS-DEPLETED
m.p	M00804: Complete nitrification, comammox, ammonia	pulse_pressure	0.017367889	0.000448129	0.46327709	NA	NS-NS-DEPLETED
m.p	M00015: Proline biosynthesis, glutamate => proline	pulse_pressure	0.022137316	0.047658891	-0.443155578	NA	NS-NS-DEPLETED
m.p	M00737: Bacitracin resistance, VraDE transporter	triglycerol	0.029752501	0.003607523	0.441592464	NA	DEPLETED-ENRICHED-NS
m.p	M00525: Lysine biosynthesis, acetyl-DAP pathway, asj	triglycerol	0.02209868	0.004127922	0.45634824	NA	DEPLETED-ENRICHED-NS
m.p	M00226: Histidine transport system	pulse_pressure	0.007909267	0.001087733	0.522992081	NA	NS-NS-DEPLETED
m.p	MF0088: TCA cycle (Helicobacter pathway)	PWV	0.000567531	0.004441032	-0.62299675	NA	NS-NS-DEPLETED
m.p	MF0088: TCA cycle (Helicobacter pathway)	pulse_pressure	0.020780431	0.006747672	-0.451701278	NA	NS-NS-DEPLETED
m.p	MF0110: glyoxylate bypass	pulse_pressure	0.034445983	0.006617262	-0.413611873	NA	NS-NS-DEPLETED
m.p	MF0110: glyoxylate bypass	PWV	0.000151967	0.025706198	-0.665397965	NA	NS-NS-DEPLETED
m.p	M00615: Nitrate assimilation	CRP	0.032090124	0.001660096	0.452224341	NA	NA
m.p	M00325: alpha-Hemolysin/cyclolysin transport system	eGFR	0.026365158	0.027438435	-0.366203873	NA	DEPLETED-NS-NS
m.p	M00646: Multidrug resistance, efflux pump AcrAD-TolC	pulse_pressure	0.01595887	0.010715919	0.470908756	NA	NS-NS-DEPLETED
m.p	M00646: Multidrug resistance, efflux pump AcrAD-TolC	eGFR	0.026365158	0.015147601	-0.378808915	NA	DEPLETED-NS-NS
m.p	M00740: Methylaspartate cycle	PWV	0.00238407	0.035130549	-0.576526319	NA	NS-NS-DEPLETED
m.p	M00740: Methylaspartate cycle	pulse_pressure	0.012179736	0.000240053	-0.488407093	NA	NS-NS-DEPLETED
m.p	M00668: Tetracycline resistance, TetA transporter	DBP_ABPM_day	0.040420818	0.003757785	-0.543636197	NA	NA
m.p	M00668: Tetracycline resistance, TetA transporter	DBP_ABPM_24h	0.039174644	0.001148645	-0.577144868	NA	NA
m.p	M00668: Tetracycline resistance, TetA transporter	pulse_pressure	0.00861384	0.01598576	0.516262576	NA	NS-NS-DEPLETED



Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.p	M00821: Multidrug resistance, efflux pump TriABC-Tol	eGFR	0.026365158	0.031131334	-0.367957618	NA	DEPLETED-NS-NS
m.p	M00497: GlnL-GlnG (nitrogen regulation) two-compon	eGFR	0.026365158	0.020631364	-0.373112652	NA	DEPLETED-NS-NS
m.p	M00532: Photorespiration	pulse_pressure	0.011375838	0.000161575	0.495325041	NA	NS-NS-DEPLETED
m.p	MF0129: catalase	pulse_pressure	0.007909267	0.000312601	0.522550849	NA	NS-NS-DEPLETED
m.p	M00630: D-Galacturonate degradation (fungi), D-galac	eGFR	0.015056962	0.000624428	-0.4324887	NA	DEPLETED-NS-NS
m.p	M00612: Anoxygenic photosynthesis in purple bacteria	PWV	8.64905E-05	0.011215942	-0.695428769	NA	NS-NS-DEPLETED
m.p	M00127: Thiamine biosynthesis, AIR => thiamine-P/thi	pulse_pressure	0.00161336	0.000411201	-0.616429816	NA	NS-NS-DEPLETED
m.p	M00643: Multidrug resistance, efflux pump MexXY-Opi	eGFR	0.030714415	0.016177772	-0.35560833	NA	DEPLETED-NS-NS
m.p	M00643: Multidrug resistance, efflux pump MexXY-Opi	pulse_pressure	0.045285549	0.008277098	0.397008799	NA	NS-NS-DEPLETED
m.p	MF0007: phenylalanine degradation	HbA1C_IFCC	0.002964661	0.005169945	0.510950775	NA	NS-ENRICHED-NS
m.p	MF0007: phenylalanine degradation	HbA1C	0.002053752	0.004256151	0.518491673	NA	NS-ENRICHED-NS
m.p	MF0083: pyruvate dehydrogenase complex	pulse_pressure	0.017643454	0.000495452	0.46220028	NA	NS-NS-DEPLETED
m.p	M00178: Ribosome, bacteria	pulse_pressure	0.00536231	0.018387641	-0.550587233	NA	NS-NS-DEPLETED
m.p	M00261: DNA polymerase alpha / primase complex	triglycerol	0.02209868	0.005212776	0.46954263	NA	DEPLETED-ENRICHED-NS
m.p	M00440: Nickel transport system	IGF	0.009041694	0.013005391	0.502055631	NA	NS-ENRICHED-NS
m.p	M00676: PI3K-Akt signaling	cholesterol	0.0418311	0.048688872	-0.421739119	NA	NA
m.p	M00398: Sm core complex	pulse_pressure	0.030219149	0.01130033	-0.423072973	NA	NS-NS-DEPLETED
m.p	M00204: Trehalose/maltose transport system	pulse_pressure	0.011375838	0.032136141	0.495906667	NA	NS-NS-DEPLETED
m.p	MF0132: superoxide reductase	pulse_pressure	0.029553447	0.000620429	-0.425901403	NA	NS-NS-DEPLETED
m.p	M00042: Catecholamine biosynthesis, tyrosine => dop	eGFR	0.004725977	0.039181417	-0.515631654	NA	DEPLETED-NS-NS
m.p	MF0130: peroxidase	pulse_pressure	0.020024047	0.000650424	0.454387069	NA	NS-NS-DEPLETED
m.p	M00225: Lysine/arginine/ornithine transport system	pulse_pressure	0.007909267	0.000947322	0.521589013	NA	NS-NS-DEPLETED
m.p	M00709: Macrolide resistance, MacAB-TolC transporte	pulse_pressure	0.019103021	0.011165887	0.457398411	NA	NS-NS-DEPLETED
m.p	M00709: Macrolide resistance, MacAB-TolC transporte	eGFR	0.026365158	0.011243344	-0.3669346	NA	DEPLETED-NS-NS
m.p	MF0041: histidine degradation	pulse_pressure	0.001977784	0.00018205	0.595675973	NA	NS-NS-DEPLETED
m.p	MF0068: glucarate degradation	pulse_pressure	0.030219149	0.032769904	0.423860366	NA	NS-NS-DEPLETED
m.p	M00140: C1-unit interconversion, prokaryotes	pulse_pressure	0.00536231	0.00678191	-0.551238334	NA	NS-NS-DEPLETED
m.p	M00613: Anoxygenic photosynthesis in green nonsulfu	pulse_pressure	0.030219149	0.026649139	0.42223896	NA	NS-NS-DEPLETED
m.p	M00628: beta-Lactam resistance, AmpC system	pulse_pressure	0.030219149	0.002613646	0.423541162	NA	NS-NS-DEPLETED
m.p	M00822: Multidrug resistance, efflux pump MexMN-Op	eGFR	0.026365158	0.013101361	-0.372780417	NA	DEPLETED-NS-NS
m.p	M00179: Ribosome, archaea	pulse_pressure	0.007354957	0.045319331	-0.529914778	NA	NS-NS-DEPLETED
m.p	M00191: Thiamine transport system	pulse_pressure	0.017367889	0.005991012	0.463238244	NA	NS-NS-DEPLETED
m.p	M00376: 3-Hydroxypropionate bi-cycle	pulse_pressure	0.030219149	0.026649139	0.42223896	NA	NS-NS-DEPLETED
m.p	MF0052: chondroitin sulfate and dermatan sulfate deg	eGFR	0.015056962	0.004079188	-0.421081476	NA	DEPLETED-NS-NS
m.p	M00170: C4-dicarboxylic acid cycle, phosphoenolpyru	pulse_pressure	0.030219149	0.039101512	-0.422727286	NA	NS-NS-DEPLETED
m.p	M00165: Reductive pentose phosphate cycle (Calvin c	PWV	8.64905E-05	0.011215942	-0.695428769	NA	NS-NS-DEPLETED
m.p	M00696: Multidrug resistance, efflux pump AcrEF-TolC	eGFR	0.026365158	0.029715596	-0.371757399	NA	DEPLETED-NS-NS
m.p	M00436: Sulfonate transport system	CRP	0.032090124	0.015187397	0.447018547	NA	NA
m.p	M00661: Paspaline biosynthesis, geranylgeranyl-PP +	pulse	0.010087509	0.000237919	0.619079382	NA	NS-NS-DEPLETED
m.p	M00123: Biotin biosynthesis, pimeloyl-ACP/CoA => bic	eGFR	0.015056962	0.0077592	-0.416002923	NA	DEPLETED-NS-NS
m.p	M00045: Histidine degradation, histidine => N-formim	pulse_pressure	0.001836835	5.49592E-05	0.604303061	NA	NS-NS-DEPLETED
m.p	M00037: Melatonin biosynthesis, tryptophan => seroto	pulse_pressure	0.020024047	0.011981913	0.454301802	NA	NS-NS-DEPLETED
m.p	MF0018: proline degradation (glutamate pathway)	pulse_pressure	0.00161336	0.000496899	0.618204697	NA	NS-NS-DEPLETED
m.p	M00611: Oxygenic photosynthesis in plants and cyano	PWV	8.64905E-05	0.015582163	-0.690220174	NA	NS-NS-DEPLETED
m.p	M00502: GlrK-GlrR (amino sugar metabolism) two-con	pulse_pressure	0.010867603	0.020438303	0.503262714	NA	NS-NS-DEPLETED
m.p	M00079: Keratan sulfate degradation	pulse_pressure	0.006552678	0.000559322	0.534553873	NA	NS-NS-DEPLETED
m.p	M00256: Cell division transport system	pulse_pressure	0.01664002	0.03717943	-0.468385739	NA	NS-NS-DEPLETED
m.p	M00647: Multidrug resistance, efflux pump AcrAB-TolC	pulse_pressure	0.008230526	0.00053134	0.519334388	NA	NS-NS-DEPLETED
m.p	M00647: Multidrug resistance, efflux pump AcrAB-TolC	eGFR	0.026365158	0.019944102	-0.371136281	NA	DEPLETED-NS-NS
m.p	MF0034: glutamine degradation (oxoglutarate pathway	eGFR	0.020282142	0.039888115	0.40189989	NA	DEPLETED-NS-NS
m.p	MF0034: glutamine degradation (oxoglutarate pathway	pulse_pressure	0.00586006	0.000217734	-0.545459813	NA	NS-NS-DEPLETED
m.p	MF0131: superoxide dismutase	pulse_pressure	0.027845872	0.000729134	0.430214947	NA	NS-NS-DEPLETED
m.p	M00343: Archaeal proteasome	eGFR	0.045532148	0.001993501	-0.3304862	NA	DEPLETED-NS-NS
m.p	M00293: DNA polymerase zeta complex	eGFR	0.038575898	0.035813979	-0.340872139	NA	DEPLETED-NS-NS

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.p	M00213: L-Arabinose transport system	pulse_pressure	0.021220498	0.03202624	0.446668846	NA	NS-NS-DEPLETED
m.p	MF0031: asparagine degradation	WHR	0.03282472	0.024984561	-0.428324793	NA	DEPLETED-NS-DEPLETED
m.p	M00699: Multidrug resistance, efflux pump AmeABC	eGFR	0.024518905	0.017437048	-0.38286445	NA	DEPLETED-NS-NS
m.p	M00699: Multidrug resistance, efflux pump AmeABC	pulse_pressure	0.012179736	0.000980449	0.489058194	NA	NS-NS-DEPLETED
m.p	M00605: Glucose/mannose transport system	eGFR	0.033773162	0.025396489	0.347156506	NA	DEPLETED-NS-NS
m.p	M00027: GABA (gamma-Aminobutyrate) shunt	pulse_pressure	0.016073901	0.003412999	0.470176267	NA	NS-NS-DEPLETED
m.p	M00285: MCM complex	pulse_pressure	0.029553447	0.007668285	-0.425753049	NA	NS-NS-DEPLETED
m.p	M00734: BraS-BraR (bacitracin transport) two-compon	triglycerol	0.02209868	0.004002125	0.457900359	NA	DEPLETED-ENRICHED-NS
m.p	MF0061: mannose degradation	pulse_pressure	0.030440393	0.036662679	0.420936758	NA	NS-NS-DEPLETED
m.p	M00554: Nucleotide sugar biosynthesis, galactose => l	eGFR	0.030714415	0.021303314	0.353401109	NA	DEPLETED-NS-NS
m.p	M00570: Isoleucine biosynthesis, threonine => 2-oxob	pulse_pressure	0.01125009	0.002697268	-0.500045523	NA	NS-NS-DEPLETED
m.p	MF0122: propionate production (succinate pathway)	pulse_pressure	0.011951628	0.000458977	0.491825373	NA	NS-NS-DEPLETED
m.p	MF0122: propionate production (succinate pathway)	eGFR	0.020282142	0.038154875	-0.402192181	NA	DEPLETED-NS-NS
m.p	M00076: Dermatan sulfate degradation	pulse_pressure	0.016894954	0.026920389	0.466025498	NA	NS-NS-DEPLETED
m.p	M00270: PTS system, trehalose-specific II component	DBP_ABPM_day	0.040420818	0.013754764	-0.544953622	NA	NA
m.p	M00360: Aminoacyl-tRNA biosynthesis, prokaryotes	pulse_pressure	0.011375838	0.034373134	-0.495894754	NA	NS-NS-DEPLETED
m.p	M00284: Origin recognition complex	pulse_pressure	0.010228621	0.0144038	-0.506754461	NA	NS-NS-DEPLETED
m.p	M00049: Adenine ribonucleotide biosynthesis, IMP =>	pulse_pressure	0.009190244	0.010183528	-0.512579216	NA	NS-NS-DEPLETED
m.p	M00393: TRAMP complex	pulse_pressure	0.011354146	0.026511476	-0.497808307	NA	NS-NS-DEPLETED
m.p	M00529: Denitrification, nitrate => nitrogen	pulse_pressure	0.016825654	0.002615513	0.467061767	NA	NS-NS-DEPLETED
m.p	M00078: Heparan sulfate degradation	pulse_pressure	0.019456665	0.004842093	0.456258984	NA	NS-NS-DEPLETED
m.p	MF0009: tryptophan degradation	pulse_pressure	0.037266605	0.032142771	0.408810003	NA	NS-NS-DEPLETED
m.p	M00641: Multidrug resistance, efflux pump MexEF-Opr	eGFR	0.015056962	0.014813665	-0.417212433	NA	DEPLETED-NS-NS
m.p	MF0008: tyrosine degradation (hydroxyphenylacetalde	HbA1C	0.002053752	0.002669103	0.52706284	NA	NS-ENRICHED-NS
m.p	MF0008: tyrosine degradation (hydroxyphenylacetalde	HbA1C_IFCC	0.002964661	0.003169346	0.519723075	NA	NS-ENRICHED-NS
m.p	M00002: Glycolysis, core module involving three-carbc	PWV	0.000151967	0.017826351	-0.669955486	NA	NS-NS-DEPLETED
m.p	M00192: Putative thiamine transport system	pulse_pressure	0.043793527	0.015771541	0.399478981	NA	NS-NS-DEPLETED
m.p	M00019: Valine/isoleucine biosynthesis, pyruvate => v	pulse_pressure	0.021634127	0.01364411	-0.445190268	NA	NS-NS-DEPLETED
m.p	M00120: Coenzyme A biosynthesis, pantothenate => C	pulse_pressure	0.001965512	0.00080436	-0.600152292	NA	NS-NS-DEPLETED
m.p	M00120: Coenzyme A biosynthesis, pantothenate => C	eGFR	0.02947692	0.017473836	0.355684652	NA	DEPLETED-NS-NS
m.p	M00471: NarX-NarL (nitrate respiration) two-componer	pulse_pressure	0.023487708	0.00475291	0.440324852	NA	NS-NS-DEPLETED
m.p	M00697: Multidrug resistance, efflux pump MdtEF-TolC	eGFR	0.026365158	0.031247351	-0.370149799	NA	DEPLETED-NS-NS
m.p	M00718: Multidrug resistance, efflux pump MexAB-Opr	pulse_pressure	0.014983517	0.001052887	0.474815361	NA	NS-NS-DEPLETED
m.p	M00718: Multidrug resistance, efflux pump MexAB-Opr	eGFR	0.023801949	0.016447929	-0.386152722	NA	DEPLETED-NS-NS
m.p	M00166: Reductive pentose phosphate cycle, ribulose	PWV	0.000451285	0.040811116	-0.635448546	NA	NS-NS-DEPLETED
m.p	M00022: Shikimate pathway, phosphoenolpyruvate + e	pulse_pressure	0.019103021	0.024294243	-0.457561186	NA	NS-NS-DEPLETED
m.p	MF0062: starch degradation	pulse_pressure	0.00161336	0.000110076	-0.613092924	NA	NS-NS-DEPLETED
m.p	M00229: Arginine transport system	pulse_pressure	0.006408013	0.003074112	0.537231084	NA	NS-NS-DEPLETED
m.p	MF0037: arginine degradation (AST/succinyltransferas	pulse_pressure	0.006547539	0.002141004	0.535552222	NA	NS-NS-DEPLETED
m.p	M00573: Biotin biosynthesis, Biol pathway, long-chain-	eGFR	0.015056962	0.0077592	-0.416002923	NA	DEPLETED-NS-NS
m.p	M00337: Immunoproteasome	eGFR	0.008110619	0.038664901	0.480424334	NA	DEPLETED-NS-NS
m.p	MF0102: mucin degradation	pulse_pressure	0.006043629	0.000255681	0.540576556	NA	NS-NS-DEPLETED
m.p	M00267: PTS system, N-acetylglucosamine-specific II	weight	0.043426991	0.013084985	0.402287197	NA	DEPLETED-NS-DEPLETED
m.p	M00010: Citrate cycle, first carbon oxidation, oxaloacel	pulse_pressure	0.007475082	0.000239796	-0.526659274	NA	NS-NS-DEPLETED
m.p	M00017: Methionine biosynthesis, apartate => homose	pulse_pressure	0.011951628	0.003389408	-0.491906761	NA	NS-NS-DEPLETED
m.p	MF0105: nitrate reduction (denitrification)	pulse_pressure	0.014983517	0.001534671	0.475222299	NA	NS-NS-DEPLETED
m.p	M00052: Pyrimidine ribonucleotide biosynthesis, UMP	pulse_pressure	0.002050317	0.003410531	-0.592664631	NA	NS-NS-DEPLETED
m.p	MF0014: glutamate degradation (4-aminobutanoate pa	pulse_pressure	0.005016524	0.000267195	0.561086236	NA	NS-NS-DEPLETED
m.p	MF0104: nitrate reduction (dissimilatory)	pulse_pressure	0.014983517	0.001561192	0.474245648	NA	NS-NS-DEPLETED
m.p	MF0104: nitrate reduction (dissimilatory)	eGFR	0.015056962	0.047739424	-0.413854838	NA	DEPLETED-NS-NS
m.p	M00449: CreC-CreB (phosphate regulation) two-comp	pulse_pressure	0.013065961	0.002396737	0.485303511	NA	NS-NS-DEPLETED
m.p	M00449: CreC-CreB (phosphate regulation) two-comp	eGFR	0.040332646	0.002989445	-0.336560273	NA	DEPLETED-NS-NS
m.p	M00197: Putative fructooligosaccharide transport syste	eGFR	0.047353805	0.021424912	0.329484837	NA	DEPLETED-NS-NS
m.p	MF0032: glutamine degradation (ammonia pathway)	pulse_pressure	0.007909267	0.00011464	0.521450466	NA	NS-NS-DEPLETED

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.p	M00303: PTS system, N-acetylmuramic acid-specific II	WHR	0.029653275	0.049058543	-0.438285589	NA	DEPLETED-NS-DEPLETED
m.p	M00157: F-type ATPase, prokaryotes and chloroplasts	pulse_pressure	0.012062608	0.017402199	-0.490930109	NA	NS-NS-DEPLETED
m.p	M00417: Cytochrome o ubiquinol oxidase	pulse_pressure	0.018748135	0.02733967	0.45896361	NA	NS-NS-DEPLETED
m.p	M00498: NtrY-NtrX (nitrogen regulation) two-component	pulse_pressure	0.005750865	0.003914247	0.547231819	NA	NS-NS-DEPLETED
m.p	M00746: Multidrug resistance, repression of porin Omf	eGFR	0.015056962	0.025266452	-0.419813268	NA	DEPLETED-NS-NS
m.p	M00746: Multidrug resistance, repression of porin Omf	pulse_pressure	0.04497102	0.009451429	0.39792236	NA	NS-NS-DEPLETED
m.p	M00051: Uridine monophosphate biosynthesis, glutam	pulse_pressure	0.000778587	0.002506587	-0.652240368	NA	NS-NS-DEPLETED
m.p	M00068: Glycosphingolipid biosynthesis, globo-series,	eGFR	0.038575898	0.001730519	0.341252907	NA	DEPLETED-NS-NS
m.p	M00068: Glycosphingolipid biosynthesis, globo-series,	pulse_pressure	0.012179736	0.004018342	-0.489290332	NA	NS-NS-DEPLETED
m.p	M00326: RTX toxin transport system	eGFR	0.026365158	0.030952805	-0.376909024	NA	DEPLETED-NS-NS
m.p	M00575: Pertussis pathogenicity signature 2, T1SS	eGFR	0.028967087	0.027526138	-0.360759956	NA	DEPLETED-NS-NS
m.p	M00575: Pertussis pathogenicity signature 2, T1SS	pulse_pressure	0.014983517	0.04912345	0.475466462	NA	NS-NS-DEPLETED
m.p	M00527: Lysine biosynthesis, DAP aminotransferase	pulse_pressure	0.014983517	0.00109207	-0.476850052	NA	NS-NS-DEPLETED
m.p	M00335: Sec (secretion) system	pulse_pressure	0.011354146	0.010372597	-0.497929445	NA	NS-NS-DEPLETED
m.p	M00720: Multidrug resistance, efflux pump VexEF-Tol	eGFR	0.026365158	0.031131334	-0.367957618	NA	DEPLETED-NS-NS
m.p	M00579: Phosphate acetyltransferase-acetate kinase	pulse_pressure	0.010867603	0.013978814	-0.503301027	NA	NS-NS-DEPLETED
m.p	M00530: Dissimilatory nitrate reduction, nitrate =>	amn pulse_pressure	0.004011732	0.000107562	0.57087588	NA	NS-NS-DEPLETED
m.p	M00530: Dissimilatory nitrate reduction, nitrate =>	amn WHR	0.029653275	0.013372944	-0.473778923	NA	DEPLETED-NS-DEPLETED
m.p	M00466: NblS-NblR (photosynthesis) two-component	r body_fat_ratio	0.006076298	0.019650045	0.49362076	NA	ENRICHED-DEPLETED-DEPLETED
m.p	M00577: Biotin biosynthesis, BioW pathway, pimelate	eGFR	0.015056962	0.010026176	-0.416149068	NA	DEPLETED-NS-NS
m.p	M00048: Inosine monophosphate biosynthesis, PRPP	pulse_pressure	0.000337366	3.93902E-05	-0.677551917	NA	NS-NS-DEPLETED
m.p	M00048: Inosine monophosphate biosynthesis, PRPP	Aix	0.030320696	0.020633997	-0.591352977	NA	NA
m.p	M00048: Inosine monophosphate biosynthesis, PRPP	PWV	0.000151967	0.002244391	-0.667920878	NA	NS-NS-DEPLETED
m.p	M00279: PTS system, galactitol-specific II component	CRP	0.046257955	0.01669027	0.42039903	NA	NA
m.p	M00346: Formaldehyde assimilation, serine pathway	pulse_pressure	0.001977784	0.004917146	-0.596164299	NA	NS-NS-DEPLETED
m.p	M00488: DcuS-DcuR (C4-dicarboxylate metabolism)	tv pulse_pressure	0.025752061	0.020954307	0.435544553	NA	NS-NS-DEPLETED
m.p	MF0016: glycine degradation	pulse_pressure	0.01125009	0.001698586	0.500452461	NA	NS-NS-DEPLETED
m.p	M00340: Proteasome, 20S core particle	eGFR	0.008110619	0.03474487	0.480156967	NA	DEPLETED-NS-NS
m.p	M00305: PTS system, 2-O-A-mannosyl-D-glycerate-sp	pulse_pressure	0.001674152	0.017779905	0.609269913	NA	NS-NS-DEPLETED
m.p	M00698: Multidrug resistance, efflux pump BpeEF-Opr	pulse_pressure	0.01097419	0.005225637	0.502242988	NA	NS-NS-DEPLETED
m.p	M00182: RNA polymerase I, eukaryotes	pulse_pressure	0.021634127	0.007121182	-0.444809134	NA	NS-NS-DEPLETED
m.p	M00768: Multidrug resistance, efflux pump GesABC	eGFR	0.026365158	0.013101361	-0.372780417	NA	DEPLETED-NS-NS
m.p	M00642: Multidrug resistance, efflux pump MexJK-Opr	pulse_pressure	0.036073824	0.002657264	0.411088857	NA	NS-NS-DEPLETED
m.p	M00241: Vitamin B12 transport system	pulse_pressure	0.008249814	0.011909577	0.518473875	NA	NS-NS-DEPLETED
m.p	M00571: AlgE-type Mannuronan C-5-Epimerase trans	eGFR	0.026365158	0.031131334	-0.367957618	NA	DEPLETED-NS-NS
m.p	M00456: ArcB-ArcA (anoxic redox control) two-compo	pulse_pressure	0.002050317	0.002206128	0.590977433	NA	NS-NS-DEPLETED
m.p	M00456: ArcB-ArcA (anoxic redox control) two-compo	DBP_ABPM_24h	0.039174644	0.015541217	-0.553311401	NA	NA
m.p	M00456: ArcB-ArcA (anoxic redox control) two-compo	DBP_ABPM_day	0.03575926	0.018624196	-0.567807166	NA	NA
m.p	M00712: Multidrug resistance, efflux pump YkkCD	SBP_ABPM_nocturn	0.025854704	0.00228558	0.595531061	NA	NA
m.p	M00236: Putative polar amino acid transport system	pulse_pressure	0.011354146	0.006566419	-0.498336383	NA	NS-NS-DEPLETED
m.p	M00806: PTS system, maltose-specific II component	WHR	0.029653275	0.035503368	-0.444026272	NA	DEPLETED-NS-DEPLETED
m.p	M00029: Urea cycle	pulse_pressure	0.027845872	0.001378903	-0.430214947	NA	NS-NS-DEPLETED
m.p	M00504: DctB-DctD (C4-dicarboxylate transport) two-c	pulse_pressure	0.009379035	0.009497819	0.511157124	NA	NS-NS-DEPLETED
m.p	M00455: TorS-TorR (TMAO respiration) two-compone	pulse_pressure	0.00536231	0.000697561	0.551808047	NA	NS-NS-DEPLETED
m.p	M00003: Gluconeogenesis, oxaloacetate => fructose-6	PWV	2.63038E-05	0.010939537	-0.73376077	NA	NS-NS-DEPLETED
m.p	MF0013: glutamate degradation (crotonyl-CoA pathwa	HbA1C	0.02016418	0.006634295	0.458598799	NA	NS-ENRICHED-NS
m.p	MF0013: glutamate degradation (crotonyl-CoA pathwa	HbA1C_IFCC	0.01184103	0.004887758	0.471374516	NA	NS-ENRICHED-NS
m.p	M00373: Ethylmalonyl pathway	pulse_pressure	0.036707855	0.003872679	0.409803258	NA	NS-NS-DEPLETED
m.p	M00610: PTS system, D-glucosamine-specific II com	DBP_ABPM_24h	0.039174644	0.001358802	-0.563915357	NA	NA
m.p	M00610: PTS system, D-glucosamine-specific II com	DBP_ABPM_day	0.03575926	0.001712545	-0.580140421	NA	NA
m.p	MF0051: sucrose degradation (Actinobacteria)	weight	0.043426991	0.025920418	0.418692169	NA	DEPLETED-NS-DEPLETED
m.p	M00028: Ornithine biosynthesis, glutamate => ornithine	pulse_pressure	0.032137679	0.01164706	-0.417355703	NA	NS-NS-DEPLETED
m.p	M00518: GlnK-GlnL (glutamine utilization) two-compon	pulse_pressure	0.014624308	0.003293448	0.479045642	NA	NS-NS-DEPLETED
m.p	M00839: PtdaS-PtdaR two-component regulatory syste	pulse_pressure	0.017025391	0.002644672	0.46529301	NA	NS-NS-DEPLETED

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.p	M00208: Glycine betaine/proline transport system	Aix	0.049946924	0.028364488	0.545970262	NA	NA
m.p	M00208: Glycine betaine/proline transport system	pulse_pressure	0.001613336	0.000385415	0.616022878	NA	NS-NS-DEPLETED
m.i	unknown Ruminococcaceae [meta_mOTU_v2_6905]	5_CD8_Tem/Tcm	0.000864564	0.001265011	0.550628062	NA	NA
m.i	Bacteroides rodentium/uniformis [ref_mOTU_v2_0899]	2_FoxP3- CD45RA+ % CD25high CD127low CD4+	0.01954072	0.002126492	-0.476092988	NA	NA
m.i	Bacteroides rodentium/uniformis [ref_mOTU_v2_0899]	2_CD39- CD45RA+ % CD25high CD127low CD4+	0.014757681	0.027777017	-0.493803808	NA	NA
m.i	Bacteroides rodentium/uniformis [ref_mOTU_v2_0899]	6_CD161+ CCR6- CXCR3- CD25- CD4+ (ul)	0.035252385	0.042835375	-0.412791834	NA	NA
m.i	Bacteroides rodentium/uniformis [ref_mOTU_v2_0899]	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.000650598	0.049507223	0.555791134	NA	NA
m.i	Bacteroides rodentium/uniformis [ref_mOTU_v2_0899]	2_CD31- CD45RA+ % -CD25high CD127low CD4+	0.005183241	0.007886905	-0.515970429	NA	NA
m.i	Bacteroides rodentium/uniformis [ref_mOTU_v2_0899]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.000608664	0.018990231	0.526681791	NA	NA
m.i	Blautia wexlerae [ref_mOTU_v2_0466]	5_CD24+ CD45RO- % CD8+ CD4-	0.043306753	0.039394107	0.406667095	NA	NS-ENRICHED-NS
m.i	Blautia wexlerae [ref_mOTU_v2_0466]	4_CD56dim CD16+ CD3- %	0.034029619	0.008258712	-0.432003802	NA	NA
m.i	Blautia wexlerae [ref_mOTU_v2_0466]	4_CD56dim CD16+ % CD3-	0.034029619	0.008258712	-0.432003802	NA	NA
m.i	Blautia wexlerae [ref_mOTU_v2_0466]	1_CD19+ %	0.034029619	0.007219053	0.428905537	NA	DEPLETED-ENRICHED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7018]	2_FoxP3+ CD31- CD25high CD127low % CD4+	0.000495598	0.047124801	-0.541538327	ENRICHED-DEplete NA	
m.i	unknown Clostridiales [meta_mOTU_v2_7018]	6_CD27dim % CXCR3+ CD25- CD4+	0.036204524	0.048215885	0.434447767	ENRICHED-DEplete NA	
m.i	unknown Clostridiales [meta_mOTU_v2_7018]	2_FoxP3+ CD31- CD25high CD127low CD4+ (ul)	0.044125969	0.041718425	-0.4177364	ENRICHED-DEplete DEPLETED-NS-NS	
m.i	unknown Clostridiales [meta_mOTU_v2_7018]	5_CD4_Teff/2_Treg	0.020438309	0.000776279	0.462534412	ENRICHED-DEplete NA	
m.i	unknown Clostridiales [meta_mOTU_v2_7018]	2_FoxP3+ CD45RA- CD25high CD127low CD4+ (ul)	0.040550974	0.03587068	-0.40855213	ENRICHED-DEplete DEPLETED-NS-NS	
m.i	unknown Clostridiales [meta_mOTU_v2_7018]	2_CD25high CD127low % CD4+	0.001564954	0.022451394	-0.539566482	ENRICHED-DEplete NA	
m.i	unknown Prevotella [meta_mOTU_v2_7342]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.041479481	0.040545205	-0.353175362	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5745]	9_IFNg+ TNFa- Va7.2+ CD161 % CD3+	0.008128884	0.025769969	0.506626213	NA	DEPLETED-NS-NS
m.i	unknown Eggerthella [meta_mOTU_v2_7082]	4_CD8- CD4- CD56+ CD3+ %	0.000275966	0.033478701	0.570856068	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6049]	4_CD56dim CD16 high % CD56+ CD3-	0.047404145	0.036608291	0.427195258	NA	NA
m.i	Phascolarctobacterium succinatutens [ref_mOTU_v2_16]	6_CD161+ CCR6+ CXCR3- CD25+ % CD4+	0.011013293	0.002015529	0.500161066	NA	NA
m.i	Phascolarctobacterium succinatutens [ref_mOTU_v2_16]	6_CD161+ CCR6+ CXCR3- CD25+ CD4+ (ul)	0.01684085	0.004371264	0.49089354	NA	DEPLETED-NS-NS
m.i	Phascolarctobacterium succinatutens [ref_mOTU_v2_14]	4_CD56high CD16+ CD3- (ul)	0.033890947	0.007670003	0.409039827	NA	NA
m.i	Phascolarctobacterium succinatutens [ref_mOTU_v2_12]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.03038544	0.006305296	-0.421894388	NA	NA
m.i	Phascolarctobacterium succinatutens [ref_mOTU_v2_12]	2_FoxP3+ % CD25high CD127low CD4+	0.028303662	0.005170595	-0.426311503	NA	NA
m.i	Phascolarctobacterium succinatutens [ref_mOTU_v2_14]	4_CD56dim CD16+ CD3- (ul)	0.028303662	0.042084705	0.412301241	NA	NA
m.i	Senegalimassilia anaerobia [ref_mOTU_v2_1606]	0_IL-17a+ IFNg+ TCRgd+ CD4- CD3+ (ul)	0.009343265	0.001406004	0.503678354	NA	DEPLETED-NS-NS
m.i	Senegalimassilia anaerobia [ref_mOTU_v2_1606]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.004672373	0.001628477	0.494931387	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5411]	8_GM-CSF+ IL-2+ IL-17a- % CD3+	0.022280263	0.013048313	-0.44607639	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5411]	8_GM-CSF+ IL-2- % IL-17a- CD3+	0.039297143	0.042489874	-0.400621626	NA	DEPLETED-ENRICHED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_5411]	8_TNFA- IL-2+ IL-17a- % CD3+	0.020950754	0.002028827	-0.442987501	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5411]	8_GM-CSF+ IL-2- IL-17a- % CD3+	0.04012809	0.043048301	-0.400808745	NA	DEPLETED-ENRICHED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_5411]	8_GM-CSF- IL-2- IL-17a- % CD3+	0.014892573	0.021761236	0.493604114	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5411]	8_IL-10- IL-2- IL-17a- % CD3+	0.032491194	0.002705095	0.436769515	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5411]	8_GM-CSF+ IL-2+ % IL-17a- CD3+	0.021507737	0.011789688	-0.446973218	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5411]	8_TNFA- IL-2+ % IL-17a- CD3+	0.023688272	0.00204167	-0.43981663	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5411]	8_GM-CSF+ IL-2+ IL-17a- CD4+ CD3+ (ul)	0.013700736	0.021765683	-0.492086671	NA	NS-ENRICHED-NS
m.i	Blautia producta [ref_mOTU_v2_4020]	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.002030467	0.013993817	0.530530853	NA	NA
m.i	Blautia producta [ref_mOTU_v2_4020]	2_CD25high CD127low % CD4+	0.002331067	0.030382241	0.503721643	NA	NA
m.i	Blautia producta [ref_mOTU_v2_4020]	5_CD4_Teff/Treg	0.013590619	0.001089069	-0.44616478	NA	ENRICHED-NS-NS
m.i	Blautia producta [ref_mOTU_v2_4020]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	2.81777E-05	0.00099667	0.60759953	NA	NA
m.i	Blautia producta [ref_mOTU_v2_4020]	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.002471723	0.017517585	0.530769366	NA	NA
m.i	Blautia producta [ref_mOTU_v2_4020]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	4.02233E-05	0.000160679	0.602161377	NA	NA
m.i	Blautia producta [ref_mOTU_v2_4020]	5_CD4_Teff/2_Treg	0.004273221	0.001046739	-0.529590701	NA	NA
m.i	Blautia producta [ref_mOTU_v2_4020]	5_CD62L+ CD45RO+ CD25+ CD4+ % CD4high CD8-	0.020656525	0.009087415	0.464436588	NA	NA
m.i	Blautia producta [ref_mOTU_v2_4020]	2_FoxP3+ CD31- CD25high CD127low % CD4+	0.000222149	0.003183853	0.56245589	NA	NA
m.i	Blautia producta [ref_mOTU_v2_4020]	2_FoxP3+ % CD25high CD127low CD4+	0.019666862	0.000533085	0.487440321	NA	NA
m.i	Blautia producta [ref_mOTU_v2_4020]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.000718153	0.00012023	0.554007049	NA	NA
m.i	unknown Prevotella [meta_mOTU_v2_6399]	9_Va7.2+ CD161 CD4- CD3+ (ul)	0.028432985	0.026444608	-0.419746584	NA	DEPLETED-ENRICHED-NS
m.i	unknown Prevotella [meta_mOTU_v2_6399]	9_Va7.2+ CD161 % CD3+	0.030979073	0.018487524	-0.456845425	NA	NA
m.i	unknown Prevotella [meta_mOTU_v2_6399]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.022855041	0.000268706	-0.412004056	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	unknown Clostridiales [meta_mOTU_v2_7093]	4_CD56high CD16+ % CD3-	0.010736708	0.001152152	0.45512038	DEPLETED-ENRICHE	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7093]	4_CD56high CD16+ CD3- (ul)	0.005726591	0.000656037	0.48400936	DEPLETED-ENRICHE	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7093]	6_CD161+ CCR6+ CXCR3- CD25+ CD4+ (ul)	0.018620144	0.000645709	0.463182436	DEPLETED-ENRICHE	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7093]	6_CD161+ CCR6+ CXCR3- CD25+ % CD4+	0.012615074	0.000936165	0.481816031	DEPLETED-ENRICHE	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7093]	1_CD4- CD8+ CD3+ (ul)	0.005182264	0.002053446	0.512697543	DEPLETED-ENRICHE	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7093]	3_HLA-DR-CD4dim/- (ul)	0.013758319	0.000915031	0.456696052	DEPLETED-ENRICHE	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7093]	4_CD56high CD16+ CD3- %	0.010736708	0.001152152	0.45512038	DEPLETED-ENRICHE	NA
m.i	unknown Ruminococcaceae [meta_mOTU_v2_6652]	5_CD24- CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.031171411	0.037517993	0.458530604	NA	NS-ENRICHE-NS
m.i	Bifidobacterium bifidum [ref_mOTU_v2_0786]	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.033368263	0.012993561	0.467750851	NA	NA
m.i	unknown Burkholderiales [meta_mOTU_v2_7434]	5_CD4high CD8dim % CD4+ CD8+	0.005685009	0.000445649	-0.504530645	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5341]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.02721682	0.006667938	-0.45261282	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5669]	9_IFNg- TNFa+ % Va7.2+ CD161 CD3+	0.048419527	0.002865041	0.456351405	NA	NA
m.i	unknown Ruminococcus [meta_mOTU_v2_7476]	2_CD31+ CD45RA- % CD25high CD127low CD4+	0.016600099	0.002495749	0.491212184	NA	NA
m.i	unknown Ruminococcus [meta_mOTU_v2_7476]	3_CD11c+ % CD14- CD16- HLA-DR+ CD4dim/-	0.02263247	0.001721828	0.468219174	NA	ENRICHE-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_5880]	1_CD4bright CD8dim CD4+ CD8+ % CD3+	0.041344895	0.049396563	-0.431390994	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5880]	5_CD4+ CD8+ %	0.034307388	0.039497633	-0.446786428	NA	NA
m.i	unknown Oscillibacter [meta_mOTU_v2_5944]	4_CD56dim CD16+ CD3- %	0.005771694	0.008437742	0.490278088	NA	NA
m.i	unknown Oscillibacter [meta_mOTU_v2_5944]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.000213088	0.001890499	0.575255178	NA	NA
m.i	unknown Oscillibacter [meta_mOTU_v2_5944]	4_CD56dim CD16+ % CD3-	0.005771694	0.008437742	0.490278088	NA	NA
m.i	unknown Oscillibacter [meta_mOTU_v2_5944]	8_TNFA- IL-2+ IL-17a+ CD4+ CD3+ (ul)	0.042245179	0.012380347	-0.442777553	NA	NA
m.i	unknown Oscillibacter [meta_mOTU_v2_5944]	5_CD62L+ CD45RO- CD8+ CD4- CD3+ (ul)	3.73052E-06	0.001191434	0.63667334	NA	DEPLETED-NS-NS
m.i	unknown Oscillibacter [meta_mOTU_v2_5944]	4_CD56dim CD16+ CD3- (ul)	0.002178706	0.003071123	0.505156003	NA	NA
m.i	unknown Oscillibacter [meta_mOTU_v2_5944]	1_CD19+ %	0.013771216	0.019887302	-0.440634852	NA	DEPLETED-ENRICHE-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7553]	5_CD25- CD4+ % CD4high cells	0.014638837	0.00284964	-0.493981158	NA	ENRICHE-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7553]	5_CD62L- CD45RO+ CD25+ CD4+ CD8- CD3+ (ul)	0.033090995	0.046753598	0.4489966	NA	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7553]	5_CD24- CD45RO+ CD25+ CD4+ % CD4high CD8-	0.048960684	0.005730755	0.425391303	NA	NA
m.i	Clostridium sp. CAG:448 [meta_mOTU_v2_7377]	2_CD39+ CD45RA+ CD25high CD127low CD4+ (ul)	0.036606011	0.000273982	-0.47322506	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7014]	5_CD62L- CD45RO- CD25- CD4+ % CD4high CD8-	0.036905983	0.000231665	0.426605412	ENRICHE-DEplete	ENRICHE-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7014]	5_CD62L- CD45RO- % CD25- CD4+ CD4high CD8-	0.036905983	0.000411223	0.420633856	ENRICHE-DEplete	ENRICHE-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7014]	5_CD4high CD8dim % CD4+ CD8+	0.03429378	0.030693957	0.448094902	ENRICHE-DEplete	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7014]	5_CD4_Teff/Treg	0.01111985	0.000149381	0.477358018	ENRICHE-DEplete	ENRICHE-NS-NS
m.i	Sutterella wadsworthensis [ref_mOTU_v2_4889]	8_TNFA- IL-5+ IL-17a- % CD3+	0.00731062	0.010863239	-0.508854266	NA	NA
m.i	Sutterella wadsworthensis [ref_mOTU_v2_4889]	1_CD4dim CD8bright % CD4+ CD8+ CD3+	0.01001147	0.005677506	-0.477821108	NA	NA
m.i	Sutterella wadsworthensis [ref_mOTU_v2_4889]	5_CD24- CD45RO- % CD8+ CD4-	0.013549106	1.31378E-06	0.480184958	NA	NS-DEPLETED-NS
m.i	Sutterella wadsworthensis [ref_mOTU_v2_4889]	8_TNFA- IL-5+ % IL-17a- CD3+	0.007325253	0.010672348	-0.508812417	NA	NA
m.i	Sutterella wadsworthensis [ref_mOTU_v2_4889]	1_CD4bright CD8dim % CD4+ CD8+ CD3+	0.01001147	0.003428652	0.477821108	NA	NA
m.i	Sutterella wadsworthensis [ref_mOTU_v2_4889]	1_CD19+ %	0.004827875	0.000310209	-0.487848163	NA	DEPLETED-ENRICHE-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6629]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	5.75297E-05	0.026024041	0.589321088	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6629]	2_FoxP3+ % CD25high CD127low CD4+	0.024216513	0.006968709	0.449615026	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6629]	2_FoxP3+ CD31- CD25high CD127low % CD4+	0.000222149	0.0247454	0.566797417	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6629]	5_CD62L+ CD45RO+ CD25+ CD4+ % CD4high CD8-	0.020656525	0.003208632	0.453592885	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6629]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.001854933	0.001548607	0.522740351	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6629]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.000651129	0.032782135	0.521364329	NA	NA
m.i	Clostridium sp. KLE 1755 [ref_mOTU_v2_0860]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.00148855	0.015655224	0.531751915	NA	NA
m.i	Clostridium sp. KLE 1755 [ref_mOTU_v2_0860]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.002161215	0.002151844	0.510290981	NA	NA
m.i	Clostridium sp. KLE 1755 [ref_mOTU_v2_0860]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.033960127	0.011434897	0.41358311	NA	NA
m.i	Clostridium sp. KLE 1755 [ref_mOTU_v2_0860]	2_FoxP3+ CD31- CD25high CD127low % CD4+	0.003982326	0.035840517	0.488373505	NA	NA
m.i	Clostridium sp. KLE 1755 [ref_mOTU_v2_0860]	2_FoxP3+ % CD25high CD127low CD4+	0.025064554	0.001408467	0.435066379	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6852]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.025942212	0.001453577	-0.435737357	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6852]	2_CD25high CD127low % CD4+	0.025942212	0.044232664	-0.430197014	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6852]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.025942212	0.006502576	-0.441224861	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6852]	2_FoxP3+ CD31- CD25high CD127low % CD4+	0.017089793	0.006751981	-0.476581915	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6852]	2_FoxP3+ % CD25high CD127low CD4+	0.01991541	0.000911907	-0.464014697	NA	NA
m.i	Eubacterium sp. CAG:274 [meta_mOTU_v2_7140]	4_CD56high CD16+ CD3- %	0.010239405	0.002131752	-0.47611579	ENRICHE-DEplete	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	Eubacterium sp. CAG:274 [meta_mOTU_v2_7140]	4_CD56high CD16+ % CD3-	0.010239405	0.002131752	-0.47611579	ENRICHED-DEPLETE	NA
m.i	Eubacterium sp. CAG:274 [meta_mOTU_v2_7140]	4_CD56high CD16+ CD3- (ul)	0.011946452	0.010334575	-0.462871153	ENRICHED-DEPLETE	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7281]	5_CD8_Tem/Tn	0.030662776	0.044385453	0.460921695	NA	NA
m.i	unknown Faecalibacterium [meta_mOTU_v2_7718]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.033672007	0.003916978	0.421784994	NA	NA
m.i	unknown Ruminococcus [meta_mOTU_v2_7275]	9_IFNg+ TNFa- Va7.2+ CD161 % CD3+	0.027898511	0.023378197	0.453272977	NA	DEPLETED-NS-NS
m.i	unknown Ruminococcus [meta_mOTU_v2_7275]	9_IFNg+ TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.010025914	0.009125412	0.502174847	NA	DEPLETED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa+ IL-2+ IL-17a- CD4+ CD3+ (ul)	0.048507275	0.02067847	-0.449576464	NA	DEPLETED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	0.024032082	0.038923886	0.420795796	NA	DEPLETED-ENRICHED-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.03254797	0.021549942	-0.400136182	NA	NA
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	5_CD24- CD45RO+ CD8+ CD4- CD3+ (ul)	0.040208252	0.044031133	0.417730841	NA	DEPLETED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	9_IL-17a- TNFa- % Va7.2+ CD161 CD3+	0.044762418	0.004832849	0.468484333	NA	NA
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	2_FoxP3+ CD39- CD25high CD127low CD4+ (ul)	0.034045918	0.033805186	-0.450714256	NA	NA
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa+ IL-5+ IL-17a- % CD3+	0.035460443	0.013897468	-0.462297479	NA	DEPLETED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	2_FoxP3+ CD31- CD25high CD127low CD4+ (ul)	0.034244168	0.021615547	-0.443238485	NA	DEPLETED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa+ IL-2- IL-17a- CD4+ CD3+ (ul)	0.048907144	0.023993933	-0.416160987	NA	DEPLETED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	6_CD27- % CD161+ CCR6+ CXCR3- CD25- CD4+	0.036110183	0.015076145	-0.431753406	NA	NA
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa+ IL-5+ IL-17a- CD4+ CD3+ (ul)	0.041289977	0.021704504	-0.435896302	NA	DEPLETED-ENRICHED-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa- IL-2- % IL-17a- CD3+	0.021108185	0.012069907	0.475779821	NA	ENRICHED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa+ IL-2- % IL-17a- CD3+	0.035748829	0.015919432	-0.454593352	NA	DEPLETED-NS-DEPLETED
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa- IL-2- IL-17a- % CD3+	0.022505525	0.013229093	0.468352798	NA	ENRICHED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	2_FoxP3+ CD45RA- CD25high CD127low CD4+ (ul)	0.018114315	0.02343015	-0.441294784	NA	DEPLETED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa+ IL-5- IL-17a- % CD3+	0.032996895	0.01480707	-0.457355159	NA	DEPLETED-NS-DEPLETED
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	9_IL-17a- TNFa+ % Va7.2+ CD161 CD3+	0.041311723	0.00458656	-0.470383348	NA	NA
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa+ IL-2- IL-17a- % CD3+	0.033245949	0.015897721	-0.4545892	NA	DEPLETED-NS-DEPLETED
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa+ IL-5- % IL-17a- CD3+	0.032996895	0.01480707	-0.457355159	NA	DEPLETED-NS-DEPLETED
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa+ IL-5+ % IL-17a- CD3+	0.034365175	0.013916686	-0.462310148	NA	DEPLETED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	2_CD25high CD127low CD4+ (ul)	0.039717698	0.018424823	-0.444359851	NA	DEPLETED-NS-NS
m.i	unknown Bacteroidales [meta_mOTU_v2_6670]	8_TNFa+ IL-5- IL-17a- CD4+ CD3+ (ul)	0.045119665	0.024690116	-0.418403636	NA	DEPLETED-NS-NS
m.i	Streptococcus oralis [ref_mOTU_v2_0356]	8_TNFa+ IL-5+ IL-17a- % CD3+	0.035460443	0.003066697	-0.441992901	NA	DEPLETED-NS-NS
m.i	Streptococcus oralis [ref_mOTU_v2_0356]	8_TNFa+ IL-5+ % IL-17a- CD3+	0.034365175	0.002910696	-0.442920024	NA	DEPLETED-NS-NS
m.i	Streptococcus oralis [ref_mOTU_v2_0356]	8_TNFa- IL-2- IL-17a- % CD3+	0.03708408	0.007649058	0.429654476	NA	ENRICHED-NS-NS
m.i	Streptococcus oralis [ref_mOTU_v2_0356]	8_TNFa- IL-2- % IL-17a- CD3+	0.037611101	0.027190622	0.420194941	NA	ENRICHED-NS-NS
m.i	Streptococcus oralis [ref_mOTU_v2_0356]	8_TNFa+ IL-5+ IL-17a- CD4+ CD3+ (ul)	0.044114137	0.003102626	-0.423265713	NA	DEPLETED-ENRICHED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7097]	5_CD25- CD4+ % CD4high cells	0.016981836	0.048740624	-0.474973045	NA	ENRICHED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7097]	5_CD62L- CD45RO+ CD25+ CD4+ CD8- CD3+ (ul)	0.005232254	0.022586146	0.514450569	NA	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7097]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.031222609	0.013677796	0.375548303	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6787]	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.009459589	0.004766772	0.48457225	NA	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6787]	9_IFNg+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.033761797	0.004096614	0.448490061	NA	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6787]	9_IL2- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.017334257	0.029955667	0.466439083	NA	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6787]	9_IL-17a- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.018669162	0.008896575	0.456098327	NA	DEPLETED-NS-NS
m.i	Ruminococcus callidus [ref_mOTU_v2_4209]	5_CD24- CD45RO+ % CD25+ CD4+ CD4high CD8-	0.047677233	0.012860474	-0.466983088	NA	NA
m.i	Ruminococcus callidus [ref_mOTU_v2_4209]	5_CD24- CD45RO+ CD25+ CD4+ % CD4high CD8-	0.012942798	0.039559268	-0.496669976	NA	NA
m.i	Ruminococcus callidus [ref_mOTU_v2_4209]	5_CD24+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.018194151	0.018659038	0.489177625	NA	NA
m.i	Ruminococcus callidus [ref_mOTU_v2_4209]	5_CD24+ CD45RO- % CD25- CD4+ CD4high CD8-	0.007275013	0.004099691	0.508956425	NA	NA
m.i	Ruminococcus callidus [ref_mOTU_v2_4209]	5_CD24+ CD45RO- CD25- CD4+ % CD4high CD8-	0.006635781	0.003918048	0.51087462	NA	NA
m.i	Ruminococcus callidus [ref_mOTU_v2_4209]	5_CD24+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.014777483	0.018094705	0.493774387	NA	NA
m.i	Ruminococcus callidus [ref_mOTU_v2_4209]	5_CD24+ CD45RO+ CD25- CD4+ CD8- CD3+ (ul)	0.005855031	0.009871271	0.513466859	NA	NA
m.i	Ruminococcus callidus [ref_mOTU_v2_4209]	5_CD24+ CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.004652743	0.001938823	0.509522129	NA	NA
m.i	Prevotella sp. CAG:279 [meta_mOTU_v2_6938]	1_CD4+ CD8- %	0.018500768	0.006806939	-0.488805399	NA	DEPLETED-ENRICHED-NS
m.i	Veillonella atypica [ref_mOTU_v2_0561]	0_IL-17a- IFNg+ % TCRgd+ CD3+	0.041655727	0.000267106	-0.453387433	NA	NA
m.i	unknown Massiliomicrobiota [meta_mOTU_v2_7010]	5_CD24+ CD45RO- % CD8+ CD4-	0.012502093	0.007871558	0.487358361	NA	NS-ENRICHED-NS
m.i	Ruminococcus bromii [ref_mOTU_v2_4720]	3_CD11c+ % CD14- CD16- HLA-DR+ CD4dim/-	0.009932912	0.00346669	0.502373956	NA	ENRICHED-NS-NS
m.i	unknown Olsenella [meta_mOTU_v2_7724]	9_IL-17a+ TNFa- % Va7.2+ CD161 CD3+	0.020399367	8.86346E-05	0.486620827	NA	NA
m.i	unknown Olsenella [meta_mOTU_v2_7724]	9_IL-17a+ TNFa- Va7.2+ CD161 % CD3+	0.042857192	0.000190619	0.469515339	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	unknown Olsenella [meta_mOTU_v2_7724]	9_IL-17a+ TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.01961808	9.2213E-05	0.487495901	NA	NA
m.i	uncultured Clostridium sp. [meta_mOTU_v2_5907]	4_CD56high CD16+ CD3- (ul)	0.039801683	0.047943718	0.398892955	NA	NA
m.i	uncultured Clostridium sp. [meta_mOTU_v2_5907]	5_CD24+ CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.010572562	0.012174763	0.476561028	NA	NA
m.i	Bacteroides xylanisolvens [ref_mOTU_v2_1072]	1_CD4- CD8+ CD3+ (ul)	0.047142529	0.026806048	-0.40562714	NA	NA
m.i	Bacteroides xylanisolvens [ref_mOTU_v2_1072]	4_CD8+ CD4- % CD56+ CD3+	0.009269969	0.04102414	-0.503845831	NA	NA
m.i	unknown Alistipes [meta_mOTU_v2_6070]	5_CD4_Teff/2_Treg	0.020438309	0.012621524	0.463323862	NA	NA
m.i	unknown Alistipes [meta_mOTU_v2_6070]	5_CD62L+ CD45RO+ CD25+ CD4+ % CD4high CD8-	0.020656525	0.009577382	-0.470659679	NA	NA
m.i	unknown Alistipes [meta_mOTU_v2_6070]	5_CD4_Teff/Treg	0.012930458	0.017139078	0.482803173	NA	ENRICHED-NS-NS
m.i	Alloscardovia omnicoles [ref_mOTU_v2_0446]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.03254797	0.019221298	-0.398805963	NA	NA
m.i	Bacteroides clarus [ref_mOTU_v2_4945]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.02433657	0.030718965	0.440725706	NA	NA
m.i	Bacteroides clarus [ref_mOTU_v2_4945]	5_CD62L- CD45RO- CD8+ CD4- CD3+ (ul)	0.014689629	0.042540668	0.493905198	NA	NA
m.i	Dialister invisus [ref_mOTU_v2_4598]	4_CD56high CD16+ % CD3-	0.019557266	0.045572091	-0.431426412	DEPLETED-ENRICHED	NA
m.i	Dialister invisus [ref_mOTU_v2_4598]	4_CD56high CD16+ CD3- %	0.019557266	0.045572091	-0.431426412	DEPLETED-ENRICHED	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5741]	8_IL-10- IL-2- % IL-17a- CD3+	0.045593372	0.049641745	0.431572769	NA	NA
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	5_CD62L- CD45RO+ CD25- CD4+ % CD4high CD8-	0.032205396	0.017242195	0.445701418	NA	NA
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	2_FoxP3+ CD45RA- CD25high CD127low CD4+ (ul)	0.035799408	0.046495183	-0.403990685	NA	DEPLETED-NS-NS
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	5_CD24- CD45RO+ % CD25- CD4+ CD4high CD8-	0.014923664	0.014312526	0.456117645	NA	NA
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	5_CD4_Tem/Tn	0.014406728	0.021103204	0.459846779	NA	NA
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	5_CD24- CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.031558767	0.029449385	-0.437092382	NA	NS-ENRICHED-NS
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	5_CD4_Teff/Treg	0.047757486	0.042700682	-0.373998886	NA	ENRICHED-NS-NS
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	3_CD14hi CD16- HLA-DR+ CD16+/HLA-DR- CD16- (ul)	0.045893283	0.01156009	-0.467891434	NA	NA
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	5_CD62L+ CD45RO- % CD25- CD4+ CD4high CD8-	0.022729006	0.030834046	-0.436876098	NA	NA
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	2_FoxP3+ CD31- CD25high CD127low % CD4+	0.041774591	0.0463792	-0.395116174	NA	NA
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	5_CD62L+ CD45RO- CD25- CD4+ % CD4high CD8-	0.020493843	0.028923656	-0.439575357	NA	NA
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	3_CD14- CD16- HLA-DR+ CD4dim/- (ul)	0.049232411	0.010805914	-0.449202689	NA	NS-ENRICHED-NS
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	5_CD62L- CD45RO+ % CD25- CD4+ CD4high CD8-	0.034237036	0.014447587	0.45370042	NA	NA
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	5_CD24- CD45RO+ CD25- CD4+ % CD4high CD8-	0.028063161	0.019408536	0.435388925	NA	NS-DEPLETED-DEPLETED
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	3_HLA-DR+ CD16+/HLA-DR- CD16- (ul)	0.039913155	0.02672924	-0.430887718	NA	NA
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	2_FoxP3+ CD31- CD25high CD127low CD4+ (ul)	0.044125969	0.035058231	-0.411989761	NA	DEPLETED-NS-NS
m.i	Sutterella sp. CAG:351 [meta_mOTU_v2_7305]	5_CD62L+ CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.023499731	0.024146326	-0.44471739	NA	DEPLETED-ENRICHED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7415]	1_CD19+ %	0.017824196	0.027858116	-0.479318659	NA	DEPLETED-ENRICHED-NS
m.i	Faecalitalea cylindroides [ref_mOTU_v2_1470]	4_CD56high CD16+ CD3- (ul)	0.026517939	0.021545488	-0.446696855	NA	NA
m.i	cand. Alistipes marseilloanorexicus [ref_mOTU_v2_25_9_IL-17a- IFNg- Va7.2+ CD161+ CD4- CD3+ (ul)]	9_IL-17a- IFNg- Va7.2+ CD161+ CD4- CD3+ (ul)	0.029593182	0.021356379	0.417762631	NA	DEPLETED-ENRICHED-NS
m.i	cand. Alistipes marseilloanorexicus [ref_mOTU_v2_25_9_IFNg- TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)]	9_IFNg- TNFa- Va7.2+ CD161+ CD4- CD3+ (ul)	0.04512869	0.039019109	0.403096037	NA	DEPLETED-ENRICHED-NS
m.i	cand. Alistipes marseilloanorexicus [ref_mOTU_v2_25_1_CD11c+ CD14+ % CD3- CD19-	1_CD11c+ CD14+ % CD3- CD19-	0.021338848	0.007599349	-0.485608934	NA	NA
m.i	cand. Alistipes marseilloanorexicus [ref_mOTU_v2_25_9_Va7.2+ CD161 CD4- CD3+ (ul)]	9_Va7.2+ CD161 CD4- CD3+ (ul)	0.028432985	0.005759262	0.422370451	NA	DEPLETED-ENRICHED-NS
m.i	Roseburia sp. CAG:182 [meta_mOTU_v2_6334]	4_CD56high CD16+ CD3- (ul)	0.002889398	0.000633564	0.518572253	NA	NA
m.i	Roseburia sp. CAG:182 [meta_mOTU_v2_6334]	4_CD56high CD16+ % CD3-	0.006466619	0.000417591	0.481558587	NA	NA
m.i	Roseburia sp. CAG:182 [meta_mOTU_v2_6334]	4_CD56high CD16+ CD3- %	0.006466619	0.000417591	0.481558587	NA	NA
m.i	Eubacterium sp. CAG:202 [meta_mOTU_v2_7449]	6_CD27bright CXCR3+ CD25- % CD4+	0.033512096	0.028084418	-0.436554968	NA	NA
m.i	Eubacterium sp. CAG:202 [meta_mOTU_v2_7449]	6_CD161+ CCR6- CXCR3- CD25- CD4+ (ul)	0.024853424	0.033697414	0.448960875	NA	NA
m.i	Eubacterium sp. CAG:202 [meta_mOTU_v2_7449]	0_IL-17a+ IFNg- TCRgd+ % CD3+	0.004298693	0.001599047	-0.519776165	NA	NA
m.i	Eubacterium sp. CAG:202 [meta_mOTU_v2_7449]	6_CD161+ CCR6- CXCR3- % CD25- CD4+	0.008621529	0.048805642	0.490370543	NA	NA
m.i	Eubacterium sp. CAG:202 [meta_mOTU_v2_7449]	0_IL-17a+ IL-22- TCRgd+ % CD3+	0.039214786	0.006201808	-0.471610498	NA	NA
m.i	Eubacterium sp. CAG:202 [meta_mOTU_v2_7449]	6_CD27bright % CXCR3+ CD25- CD4+	0.001192514	0.049289907	-0.544682195	NA	NA
m.i	Eubacterium sp. CAG:202 [meta_mOTU_v2_7449]	6_CD27bright CXCR3+ % CD25- CD4+	0.036880707	0.028101646	-0.432988622	NA	NA
m.i	Faecalibacterium prausnitzii [ref_mOTU_v2_4211]	1_CD4dim CD8bright CD4+ CD8+ % CD3+	0.000637316	0.003075251	-0.556162332	NA	NA
m.i	Faecalibacterium prausnitzii [ref_mOTU_v2_4211]	1_CD4dim CD8bright CD4+ CD8+ CD3+ %	0.004198574	0.004434855	-0.520252228	NA	NA
m.i	Faecalibacterium prausnitzii [ref_mOTU_v2_4211]	5_CD4high CD8dim % CD4+ CD8+	0.004487906	0.000249994	0.518732938	NA	NA
m.i	Ruminococcus sp. CAG:177 [meta_mOTU_v2_6664]	6_CD27bright CXCR3+ % CD25- CD4+	0.003895845	0.001565423	-0.507517789	NA	NA
m.i	Ruminococcus sp. CAG:177 [meta_mOTU_v2_6664]	6_CD161+ CCR6- CXCR3- CD25- % CD4+	0.027130491	0.000471171	0.441024644	NA	NA
m.i	Ruminococcus sp. CAG:177 [meta_mOTU_v2_6664]	6_CD161+ CCR6- % CXCR3- CD25- CD4+	0.023826917	0.000242603	0.444363825	NA	NA
m.i	Ruminococcus sp. CAG:177 [meta_mOTU_v2_6664]	5_CD4_Teff/Treg	0.013590619	0.042860458	0.44711606	NA	ENRICHED-NS-NS
m.i	Ruminococcus sp. CAG:177 [meta_mOTU_v2_6664]	6_CD27bright CXCR3+ CD25- CD4+ (ul)	0.015119919	0.027280571	-0.479283562	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	Ruminococcus sp. CAG:177 [meta_mOTU_v2_6664]	6_CD27bright CXCR3+ CD25- % CD4+	0.004900569	0.002394353	-0.50265907	NA	NA
m.i	Ruminococcus sp. CAG:177 [meta_mOTU_v2_6664]	6_CD161- CCR6+ CXCR3- % CD25+ CD4+	0.040888802	0.000577924	-0.45420202	NA	NA
m.i	Ruminococcus sp. CAG:177 [meta_mOTU_v2_6664]	6_CD161+ CCR6- CXCR3- % CD25- CD4+	0.026806918	0.000292527	0.447046714	NA	NA
m.i	Ruminococcus sp. CAG:177 [meta_mOTU_v2_6664]	2_FoxP3- CD45RA+ % CD25high CD127low CD4+	0.01954072	0.009655694	0.471690576	NA	NA
m.i	unknown Butyricicoccus [meta_mOTU_v2_5800]	6_CD27bright CXCR3+ CD25- % CD4+	0.033512096	0.003664402	-0.42654613	NA	NA
m.i	unknown Butyricicoccus [meta_mOTU_v2_5800]	5_CD24- CD45RO+ CD25+ CD4+ % CD4high CD8-	0.039620135	0.011058099	-0.436978732	NA	NA
m.i	unknown Butyricicoccus [meta_mOTU_v2_5800]	5_CD25- CD4+ % CD4high cells	0.037391612	0.013926248	0.445900243	NA	ENRICHED-NS-NS
m.i	unknown Butyricicoccus [meta_mOTU_v2_5800]	6_CD27bright CXCR3+ % CD25- CD4+	0.036880707	0.002578514	-0.436051727	NA	NA
m.i	unknown Butyricicoccus [meta_mOTU_v2_5800]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.019852634	0.011114664	-0.446612914	NA	NA
m.i	Alistipes obesi [ref_mOTU_v2_1825]	5_CD24- CD45RO+ CD25- CD4+ % CD4high CD8-	0.043602974	0.012179794	-0.415637538	NS-ENRICHED-NS	NS-DEPLETED-DEPLETED
m.i	Alistipes obesi [ref_mOTU_v2_1825]	5_CD24- CD45RO+ % CD25- CD4+ CD4high CD8-	0.042349738	0.023092922	-0.406136468	NS-ENRICHED-NS	NA
m.i	Alistipes obesi [ref_mOTU_v2_1825]	6_CD161- CCR6+ CXCR3- % CD25+ CD4+	0.040888802	8.10807E-05	-0.453849434	NS-ENRICHED-NS	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7778]	8_TNFa- IL-5+ IL-17a+ % CD3+	0.027069002	0.008528088	-0.480209647	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7778]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.039313562	0.03081635	0.374191051	NA	NA
m.i	Roseburia hominis [ref_mOTU_v2_4572]	5_CD62L- CD45RO- % CD25- CD4+ CD4high CD8-	0.032371799	0.044301619	0.430794427	ENRICHED-DEplete ENRICHED-NS-NS	ENRICHED-NS-NS
m.i	Roseburia hominis [ref_mOTU_v2_4572]	5_CD62L- CD45RO- CD25- CD4+ % CD4high CD8-	0.031710434	0.031502996	0.432083497	ENRICHED-DEplete ENRICHED-NS-NS	ENRICHED-NS-NS
m.i	Roseburia hominis [ref_mOTU_v2_4572]	8_TNFa- IL-2+ IL-17a+ CD4+ CD3+ (ul)	0.042245179	0.013773105	-0.45625855	ENRICHED-DEplete NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	6_CD161+ CCR6- % CXCR3- CD25- CD4+	0.029194701	0.028231874	0.420577126	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	8_GM-CSF+ IL-2- % IL-17a- CD3+	0.023918532	0.025793473	-0.435537608	NA	DEPLETED-ENRICHED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	8_GM-CSF+ IL-2- IL-17a- CD4+ CD3+ (ul)	0.043999438	0.04083643	-0.406346245	NA	DEPLETED-ENRICHED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	2_CD39+ CD45RA- CD25high CD127low CD4+ (ul)	0.04608756	0.033821904	-0.410757244	NA	DEPLETED-NS-NS
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	4_CD56dim CD16+ CD3- (ul)	0.018475585	0.034639865	0.422008012	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	2_FoxP3+ CD39+ % CD25high CD127low CD4+	0.024821944	0.022057236	-0.448992843	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	6_CD161+ CCR6- CXCR3- CD25- % CD4+	0.033300046	0.028401096	0.415436912	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	8_GM-CSF+ IL-2- IL-17a- % CD3+	0.023922152	0.025678264	-0.435533629	NA	DEPLETED-ENRICHED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.023797001	0.043427503	-0.389475876	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	2_CD39+ CD45RA- % CD25high CD127low CD4+	0.029299744	0.040547699	-0.430157478	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	6_CD161+ CCR6- CXCR3- % CD25- CD4+	0.036351656	0.027185988	0.419418306	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	2_FoxP3+ CD39+ CD25high CD127low CD4+ (ul)	0.043746878	0.031483748	-0.412233701	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	6_CD161+ CCR6- CXCR3- CD25- CD4+ (ul)	0.037716652	0.029192345	0.405972455	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	2_FoxP3+ CD39+ CD25high CD127low % CD4+	0.026645474	0.024149504	-0.437054126	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	2_CD39+ CD31- CD25high CD127low % CD4+	0.043880033	0.02970212	-0.428350277	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	2_CD39+ CD45RA- CD25high CD127low % CD4+	0.033767734	0.0316661	-0.430484113	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_7454]	2_CD39+ CD31- % CD25high CD127low CD4+	0.038961377	0.029770322	-0.431530871	NA	NA
m.i	Tyzzereella nexilis [ref_mOTU_v2_4366]	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.01747039	0.023508028	0.463484016	NA	NA
m.i	Tyzzereella nexilis [ref_mOTU_v2_4366]	6_CD27bright CXCR3+ CD25- % CD4+	0.046048426	0.032357449	0.405033463	NA	NA
m.i	Tyzzereella nexilis [ref_mOTU_v2_4366]	6_CD27bright CXCR3+ % CD25- CD4+	0.04884451	0.034439498	0.400787226	NA	NA
m.i	Tyzzereella nexilis [ref_mOTU_v2_4366]	5_CD62+- CD45RO+ % CD25- CD4+ CD4high CD8-	0.01747039	0.028717122	0.466642463	NA	NA
m.i	Alistipes inops [ref_mOTU_v2_3597]	9_IL2- TNFa+ Va7.2+ CD161 % CD3+	0.009372993	0.007627292	0.499364017	NA	NA
m.i	Alistipes inops [ref_mOTU_v2_3597]	9_IL2- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.038217249	0.027923445	0.433479235	NA	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7076]	0_IL-17a- IL-22- % TCRgd+ CD3+	0.021409787	0.044160882	0.448459271	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7076]	5_CD4_Tcm/Tn	0.028249212	0.005506846	-0.410693463	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7076]	0_IL-17a+ IFNg- % TCRgd+ CD3+	0.001167991	0.032749207	-0.545069851	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7076]	0_IL-17a+ IL-22- % TCRgd+ CD3+	0.002722964	0.011109766	-0.528873909	NA	NA
m.i	Prevotella copri [ref_mOTU_v2_4448]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.013300302	0.009954373	-0.458041349	NA	NA
m.i	Prevotella copri [ref_mOTU_v2_4448]	2_FoxP3+ % CD25high CD127low CD4+	0.025064554	0.016809652	-0.431201274	NA	NA
m.i	Prevotella copri [ref_mOTU_v2_4448]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.000476956	0.006277409	-0.553146578	NA	NA
m.i	Prevotella copri [ref_mOTU_v2_4448]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.010460697	0.004983468	-0.47561967	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7066]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.041479481	0.04042441	-0.353201201	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5754]	6_CD161+ CCR6- CXCR3- CD25- CD4+ (ul)	0.021735604	0.03681848	0.459426668	NA	NA
m.i	Faecalibacterium prausnitzii [ref_mOTU_v2_4875]	5_CD24- CD45RO+ CD25- CD4+ % CD4high CD8-	0.005852426	0.001476648	-0.49884857	NS-ENRICHED-NS	NS-DEPLETED-DEPLETED
m.i	Faecalibacterium prausnitzii [ref_mOTU_v2_4875]	5_CD24- CD45RO+ % CD25- CD4+ CD4high CD8-	0.007876021	0.007425483	-0.476717439	NS-ENRICHED-NS	NA
m.i	Bacteroides fragilis [ref_mOTU_v2_0286]	6_CD161- CCR6- CXCR3- CD25+ % CD4+	0.040893635	0.029135763	0.45603759	NA	NA
m.i	Alistipes onderdonkii [ref_mOTU_v2_0775]	4_CD56high CD16+ CD3-	0.000488953	3.86664E-05	-0.560891611	NA	NA



Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	Alistipes onderdonkii [ref_mOTU_v2_0775]	4_CD8+ CD4+ CD56+ CD3+ %	0.00068006	0.041527425	-0.554992599	NA	NA
m.i	Alistipes onderdonkii [ref_mOTU_v2_0775]	0_IL-17a- IFNg+ TCRgd+ %CD3+	0.044963589	0.039853944	0.452239906	NA	NA
m.i	Alistipes onderdonkii [ref_mOTU_v2_0775]	4_CD56high CD16+ CD3- (ul)	0.002152181	0.000216306	-0.533460112	NA	NA
m.i	Alistipes onderdonkii [ref_mOTU_v2_0775]	4_CD56high CD16+ % CD3-	0.000488953	3.86664E-05	-0.560891611	NA	NA
m.i	Coprococcus comes [ref_mOTU_v2_4313]	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.002030467	0.010621294	-0.520924343	DEPLETED-NS-NS	NA
m.i	Coprococcus comes [ref_mOTU_v2_4313]	5_CD8_Tem/Tcm	0.008715242	0.009586631	0.468418815	DEPLETED-NS-NS	NA
m.i	Coprococcus comes [ref_mOTU_v2_4313]	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.002517698	0.014594241	-0.516562	DEPLETED-NS-NS	NA
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD62L- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.018103836	0.003526859	-0.489288377	NA	DEPLETED-ENRICHED-NS
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD62L+ CD45RO- % CD25- CD4+ CD4high CD8-	0.007562796	0.023404749	-0.477655208	NA	NA
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD24- CD45RO- CD25+ CD4+ CD8- CD3+ (ul)	0.008878483	0.011740591	-0.504761846	NA	DEPLETED-ENRICHED-NS
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD4_Tem/Tn	0.022333835	0.014647045	0.444112768	NA	NA
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.011113647	0.001678572	-0.499965918	NA	NA
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD62L- CD45RO+ CD25- CD4+ % CD4high CD8-	0.032205396	0.009702966	0.45847322	NA	NA
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD62L+ CD45RO- CD25+ CD4+ % CD4high CD8-	0.046764962	0.028997422	-0.467443587	NA	NA
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD24- CD45RO- CD25+ CD4+ % CD4high CD8-	0.008223526	0.014351812	-0.506382174	NA	DEPLETED-NS-NS
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD62L+ CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.023499731	0.017090397	-0.448972177	NA	DEPLETED-ENRICHED-NS
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD24- CD45RO- % CD25+ CD4+ CD4high CD8-	0.014629737	0.046836855	-0.493994793	NA	NA
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD62L- CD45RO+ % CD25- CD4+ CD4high CD8-	0.034237036	0.016653067	0.44077881	NA	NA
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD4+ CD25+ %	0.011392374	0.002176611	-0.499432406	NA	DEPLETED-NS-NS
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD62L+ CD45RO- CD25- CD4+ % CD4high CD8-	0.008179221	0.030211929	-0.470621912	NA	NA
m.i	Parabacteroides johnsonii [ref_mOTU_v2_5296]	5_CD62L- CD45RO- % CD25+ CD4+ CD4high CD8-	0.033368263	0.010538158	-0.458859943	NA	NA
m.i	Veillonella dispar [ref_mOTU_v2_4469]	8_TNFa+ IL-2- IL-17a+ CD4+ CD3+ (ul)	0.049839631	0.002078794	-0.465923325	NA	DEPLETED-ENRICHED-NS
m.i	Veillonella dispar [ref_mOTU_v2_4469]	8_TNFa+ IL-5- IL-17a+ CD4+ CD3+ (ul)	0.018728154	0.000790948	-0.488533046	NA	DEPLETED-ENRICHED-NS
m.i	Veillonella dispar [ref_mOTU_v2_4469]	8_TNFa+ IL-5- IL-17a+ % CD3+	0.011090579	0.000112598	-0.500010631	NA	NA
m.i	Veillonella dispar [ref_mOTU_v2_4469]	9_IL-2+ TNFa+ % Va7.2+ CD161 CD3+	0.021283097	0.000540447	-0.469676537	NA	NA
m.i	Desulfovibrio piger [ref_mOTU_v2_4205]	8_TNFa- IL-5- IL-17a- CD4+ CD3+ (ul)	0.023496161	0.041244556	0.47291317	NA	NS-ENRICHED-NS
m.i	Desulfovibrio piger [ref_mOTU_v2_4205]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.045149216	0.00291278	0.3902388	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6013]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.029323551	0.026261063	-0.421943552	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6013]	5_CD4_Teff/2_Treg	0.023639867	0.013550651	0.45308201	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6013]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.018608234	0.013398009	-0.446769984	NA	NA
m.i	unknown Prevotella [meta_mOTU_v2_6968]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.026128027	0.001349057	0.415700353	NA	NA
m.i	unknown Prevotella [meta_mOTU_v2_6968]	5_CD24+ CD45RO- % CD8+ CD4-	0.042303403	0.035495805	-0.377627867	NA	NS-ENRICHED-NS
m.i	unknown Prevotella [meta_mOTU_v2_6968]	1_CD19+ %	0.026128027	0.000444942	-0.442346002	NA	DEPLETED-ENRICHED-NS
m.i	unknown Prevotella [meta_mOTU_v2_6968]	5_CD62L- CD45RO- CD8+ CD4- CD3+ (ul)	0.043604885	0.028989082	0.421552998	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	5_CD24+ CD45RO- % CD25- CD4+ CD4high CD8-	0.023609186	0.004071069	0.4574013	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	5_CD24+ CD45RO- CD25- CD4+ % CD4high CD8-	0.022932499	0.00418626	0.458115092	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	4_CD56dim CD16+ % CD3-	0.030370051	0.01959371	0.38922917	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	4_CD56dim CD16+ CD3- (ul)	0.004486005	0.008023397	0.481515733	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	5_CD24+ CD45RO+ CD25- CD4+ CD8- CD3+ (ul)	0.027577387	0.005570801	0.463489127	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	5_CD24+ CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.004652743	0.000834467	0.503764522	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	5_CD24+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.047736331	0.006683654	0.450933987	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.009778487	0.019610114	-0.432095698	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	6_CD161+ CCR6+ CXCR3- % CD25+ CD4+	0.008583832	0.000662885	0.505476493	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	4_CD56high CD16+ CD3- (ul)	0.036570862	0.023237543	0.40472349	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.028544061	0.002566934	0.393687373	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	5_CD24+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.020661725	0.011749639	0.467048812	NA	NS-ENRICHED-ENRICHED
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	5_CD4_Teff/Treg	0.043084938	0.014272048	0.396002297	NA	ENRICHED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	6_CD161+ CCR6+ CXCR3- CD25+ CD4+ (ul)	0.018620144	0.008171877	0.470009811	NA	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	4_CD56dim CD16+ CD3- %	0.030370051	0.01959371	0.38922917	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	6_CD161+ CCR6+ % CXCR3- CD25+ CD4+	0.029317593	0.00151847	0.47837772	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7717]	6_CD161+ CCR6+ CXCR3- CD25+ % CD4+	0.02188425	0.007062593	0.4592602	NA	NA
m.i	unknown Ruminococcaceae [meta_mOTU_v2_6850]	5_CD62L- CD45RO- CD8+ CD4- CD3+ (ul)	0.040790518	0.04539127	0.453909218	NA	NA
m.i	unknown Ruminococcaceae [meta_mOTU_v2_6850]	4_CD56high CD16+ CD3- (ul)	0.013725669	0.020908811	0.485261221	NA	NA
m.i	unknown Ruminococcaceae [meta_mOTU_v2_6850]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.014831904	0.015030638	0.467407998	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	unknown Clostridiales [meta_mOTU_v2_7782]	5_CD4_Tcm/Tn	0.034021401	0.037555727	-0.460264391	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7782]	4_CD56high CD16+ CD3- (ul)	0.045218508	0.045479782	0.392214211	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6699]	4_CD56+ CD3+ %	1.49106E-06	0.000207912	-0.648924049	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6699]	4_CD8+ CD4- CD56+ CD3+ %	4.23254E-06	0.006146625	-0.63494325	NA	NA
m.i	unknown Ruminococcaceae [meta_mOTU_v2_7012]	5_CD4_Tcm/Tn	0.040978095	0.043660523	-0.417851173	NA	NA
m.i	Lactobacillus ruminis [ref_mOTU_v2_0167]	5_CD24+ CD45RO- % CD8+ CD4-	0.049442495	0.006202269	-0.379497513	NA	NS-ENRICHED-NS
m.i	Lactobacillus ruminis [ref_mOTU_v2_0167]	4_CD56high CD16+ % CD3-	0.035761097	0.006568987	0.409419827	NA	NA
m.i	Lactobacillus ruminis [ref_mOTU_v2_0167]	4_CD56high CD16+ CD3- %	0.035761097	0.006568987	0.409419827	NA	NA
m.i	Acidaminococcus intestini [ref_mOTU_v2_0391]	5_CD24- CD45RO- CD25- CD4+ % CD4high CD8-	0.020820793	0.021080855	0.443147342	NA	NA
m.i	Acidaminococcus intestini [ref_mOTU_v2_0391]	5_CD24- CD45RO- % CD8+ CD4-	0.049001016	0.045433588	0.40740774	NA	NS-DEPLETED-NS
m.i	Acidaminococcus intestini [ref_mOTU_v2_0391]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.041210097	0.044124288	0.370724133	NA	NA
m.i	Acidaminococcus intestini [ref_mOTU_v2_0391]	5_CD4_Tcm/Tn	0.030179317	0.019027074	-0.416919873	NA	NA
m.i	Acidaminococcus intestini [ref_mOTU_v2_0391]	5_CD62L+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.016330375	0.009681717	0.475881934	NA	NA
m.i	Acidaminococcus intestini [ref_mOTU_v2_0391]	5_CD24- CD45RO- % CD25- CD4+ CD4high	0.019932829	0.02167306	0.444264702	NA	NA
m.i	Acidaminococcus intestini [ref_mOTU_v2_0391]	5_CD24- CD45RO- % CD25+ CD4+ CD4high CD8-	0.025153436	0.012291499	0.46569994	NA	NA
m.i	Acidaminococcus intestini [ref_mOTU_v2_0391]	5_CD8_Tcm/Tn	0.028058129	0.017810701	-0.435393643	NA	NA
m.i	unknown Ruminococcaceae [meta_mOTU_v2_6478]	5_CD24+ CD45RO- % CD8+ CD4-	0.001821695	0.023489522	-0.536670072	NA	NS-ENRICHED-NS
m.i	unknown Ruminococcaceae [meta_mOTU_v2_6478]	8_TNFa- IL-2+ IL-17a+ CD4+ CD3+ (ul)	0.042245179	0.004958445	-0.452650013	NA	NA
m.i	unknown Erysipelotrichaceae [meta_mOTU_v2_7790]	3_HLA-DR-CD4dim/- (ul)	0.003828125	0.005516119	0.52211129	NA	NA
m.i	unknown Erysipelotrichaceae [meta_mOTU_v2_7790]	6_CD27bright % CXCR3+ CD25- CD4+	0.022068722	0.005023748	-0.46881798	NA	NA
m.i	unknown Erysipelotrichaceae [meta_mOTU_v2_7790]	6_CD27bright CXCR3+ % CD25- CD4+	0.003895845	0.001034299	-0.520164835	NA	NA
m.i	unknown Erysipelotrichaceae [meta_mOTU_v2_7790]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.000667697	0.017502633	-0.544898628	NA	NA
m.i	unknown Erysipelotrichaceae [meta_mOTU_v2_7790]	2_FoxP3+ CD45RA+ CD25high CD127low % CD4+	0.006898251	0.036409029	-0.449690631	NA	NA
m.i	unknown Erysipelotrichaceae [meta_mOTU_v2_7790]	6_CD27bright CXCR3+ CD25- % CD4+	0.002995042	0.001017072	-0.526997892	NA	NA
m.i	unknown Erysipelotrichaceae [meta_mOTU_v2_7790]	5_CD24+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.01820392	0.023505395	0.489165675	NA	NS-ENRICHED-ENRICHED
m.i	unknown Erysipelotrichaceae [meta_mOTU_v2_7790]	6_CD27bright CXCR3+ CD25- CD4+ (ul)	0.015119919	0.007730718	-0.477663864	NA	NA
m.i	Faecalibacterium prausnitzii [meta_mOTU_v2_7154]	2_FoxP3- CD45RA+ CD25high CD127low % CD4+	0.007287912	0.022743405	0.508919363	NA	NA
m.i	Faecalibacterium prausnitzii [meta_mOTU_v2_7154]	6_CD161- CCR6- CXCR3- % CD25+ CD4+	0.02365553	0.048370715	-0.467166937	NA	NA
m.i	Faecalibacterium prausnitzii [meta_mOTU_v2_7154]	5_CD4_Teff/Treg	0.013590619	0.01537572	0.443946992	NA	ENRICHED-NS-NS
m.i	Faecalibacterium prausnitzii [meta_mOTU_v2_7154]	6_CD161- CCR6- % CXCR3- CD25+ CD4+	0.037146141	0.042757044	-0.471273897	NA	NA
m.i	Faecalibacterium prausnitzii [meta_mOTU_v2_7154]	5_CD62L- CD45RO- CD25- CD4+ % CD4high CD8-	0.029722951	0.011927481	0.424751427	NA	ENRICHED-NS-NS
m.i	Faecalibacterium prausnitzii [meta_mOTU_v2_7154]	5_CD62L- CD45RO- % CD25- CD4+ CD4high CD8-	0.037638233	0.01506065	0.413504084	NA	ENRICHED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_5540]	5_CD24+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.047736331	0.013258114	0.436142526	NA	NA
m.i	unknown Eggerthellaceae [meta_mOTU_v2_5373]	1_CD19+ %	0.019871916	0.017772397	-0.476812518	NA	DEPLETED-ENRICHED-NS
m.i	Streptococcus parasanguinis [ref_mOTU_v2_0144]	9_IL-17a- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.031118139	0.008287736	-0.449254622	NA	DEPLETED-NS-NS
m.i	Bifidobacterium longum [ref_mOTU_v2_0150]	5_CD4_Teff/2_Treg	0.019340418	0.012341468	0.487158139	NA	NA
m.i	Dialister invisus [meta_mOTU_v2_6402]	6_CD27- % CXCR3+ CD25- CD4+	0.029348869	0.029023556	0.478353171	NA	NA
m.i	Dialister invisus [meta_mOTU_v2_6402]	5_CD24+ CD45RO- % CD8+ CD4-	0.046269579	0.040121844	-0.368283059	NA	NS-ENRICHED-NS
m.i	Dialister invisus [meta_mOTU_v2_6402]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.017347653	0.025247041	0.423358766	NA	NA
m.i	Dialister invisus [meta_mOTU_v2_6402]	4_CD56high CD16+ CD3- (ul)	0.043594004	0.003317471	0.386033066	NA	NA
m.i	Dialister invisus [meta_mOTU_v2_6402]	6_CD27- CD161+ CCR6+ CXCR3- CD25- CD4+ (ul)	0.020192703	0.033664769	0.470918149	NA	NA
m.i	Dialister invisus [meta_mOTU_v2_6402]	4_CD56high CD16+ % CD3-	0.006466619	0.000342901	0.476596678	NA	NA
m.i	Dialister invisus [meta_mOTU_v2_6402]	6_CD27- CD25- CD4+ (ul)	0.012488669	0.017919255	0.497445678	NA	NA
m.i	Dialister invisus [meta_mOTU_v2_6402]	5_CD24- CD45RO- % CD8+ CD4-	0.026406759	0.002620701	0.446490196	NA	NS-DEPLETED-NS
m.i	Dialister invisus [meta_mOTU_v2_6402]	4_CD56high CD16+ CD3- %	0.006466619	0.000342901	0.476596678	NA	NA
m.i	Dialister invisus [meta_mOTU_v2_6402]	1_CD19+ %	0.004673161	0.003603977	-0.4949277	NA	DEPLETED-ENRICHED-NS
m.i	Dialister invisus [meta_mOTU_v2_6402]	4_CD56high CD16- CD3- (ul)	0.023125622	0.000980949	0.457909415	NA	NA
m.i	Dialister invisus [meta_mOTU_v2_6402]	3_CD11c+ CD14- CD16- HLA-DR+ CD4dim/- %	0.049884327	0.017308844	-0.44244855	NA	ENRICHED-NS-NS
m.i	Dialister invisus [meta_mOTU_v2_6402]	6_CD27- CXCR3+ CD25- CD4+ (ul)	0.02962023	0.018145854	0.461761374	NA	NA
m.i	Dialister invisus [meta_mOTU_v2_6402]	6_CD27dim % CXCR3+ CD25- CD4+	0.027085719	0.018050778	-0.463375895	NA	NA
m.i	unknown Butyrivococcus [meta_mOTU_v2_5437]	2_FoxP3+ % CD25high CD127low CD4+	0.038318879	0.022446894	0.423154776	NA	NA
m.i	unknown Butyrivococcus [meta_mOTU_v2_5437]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.018995177	0.008248021	0.47785473	NA	NA
m.i	Bacteroides stercoris [ref_mOTU_v2_0275]	6_CD27dim CXCR3+ CD25- CD4+ (ul)	0.034492586	0.00389113	-0.474613289	NA	NA
m.i	Bacteroides stercoris [ref_mOTU_v2_0275]	6_CD27dim % CXCR3+ CD25- CD4+	0.016333036	0.039428712	-0.491570723	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	unknown Bacteroidales [meta_mOTU_v2_5375]	8_IL-10- IL-2+ % IL-17a+ CD3+	0.045424968	0.019546359	0.451225046	NA	NA
m.i	unknown Bacteroidales [meta_mOTU_v2_5375]	8_GM-CSF- IL-2+ IL-17a- % CD3+	0.04428925	0.014340592	0.428100619	NA	NA
m.i	unknown Bacteroidales [meta_mOTU_v2_5375]	8_GM-CSF- IL-2- IL-17a- % CD3+	0.032875146	0.0328901	-0.436021276	NA	NA
m.i	unknown Bacteroidales [meta_mOTU_v2_5375]	8_GM-CSF- IL-2+ % IL-17a- CD3+	0.044295688	0.014840742	0.428096709	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7355]	4_CD56high CD16+ CD3- (ul)	0.008972902	0.007122639	0.462835955	NA	NA
m.i	Clostridium asparagiforme [ref_mOTU_v2_4394]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.022868309	0.004797808	0.460676136	ENRICHED-NS-NS	NA
m.i	Clostridium asparagiforme [ref_mOTU_v2_4394]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.022868309	0.009056498	0.456925434	ENRICHED-NS-NS	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6986]	8_IL-10+ IL-2- IL-17a- % CD3+	0.012201858	0.037440593	-0.473225338	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6986]	8_IL-10+ IL-2- % IL-17a- CD3+	0.012549144	0.035790818	-0.473958911	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6105]	2_FoxP3+ CD31- CD25high CD127low % CD4+	0.025080698	0.038213318	0.444242856	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6105]	2_CD25high CD127low % CD4+	0.025080698	0.031662637	0.436992822	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6105]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.025080698	0.010952999	0.455673459	NA	NA
m.i	unknown Peptostreptococcaceae [meta_mOTU_v2_7355]	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	0.022637798	0.01812956	0.440991442	NA	DEPLETED-ENRICHED-NS
m.i	Bilophila wadsworthia [ref_mOTU_v2_1149]	4_CD56high CD16+ % CD3-	0.025974465	0.040773357	-0.418769628	NA	NA
m.i	Bilophila wadsworthia [ref_mOTU_v2_1149]	4_CD56high CD16+ CD3- %	0.025974465	0.040773357	-0.418769628	NA	NA
m.i	Bifidobacterium catenulatum/kashiwanohense [ref_mOTU_v2_6105]	6_CD27dim % CD25- CD4+	0.01344367	0.004152141	-0.470949906	NA	NA
m.i	Bifidobacterium catenulatum/kashiwanohense [ref_mOTU_v2_6105]	6_CD27dim CD25- % CD4+	0.014933497	0.003383437	-0.475295442	NA	NA
m.i	Bifidobacterium catenulatum/kashiwanohense [ref_mOTU_v2_6105]	5_CD62L+ CD45RO+ % CD8+ CD4-	0.000228436	0.049715113	-0.574078158	NA	NA
m.i	Bifidobacterium catenulatum/kashiwanohense [ref_mOTU_v2_6105]	0_IL-17a- IL-22+ % TCRgd+ CD3+	0.022161909	0.013570304	-0.451839108	NA	NA
m.i	Bacteroides plebeius [ref_mOTU_v2_4343]	6_CD161+ CCR6- CXCR3- CD25+ CD4+ (ul)	0.018925901	0.000388435	-0.45877424	NA	DEPLETED-ENRICHED-NS
m.i	Bacteroides plebeius [ref_mOTU_v2_4343]	6_CD161+ CCR6- CXCR3- CD25+ % CD4+	0.015062947	0.00034999	-0.477750958	NA	NA
m.i	Bacteroides plebeius [ref_mOTU_v2_4343]	6_CD161+ CCR6- CXCR3- % CD25+ CD4+	0.03352072	0.000338959	-0.467593206	NA	NA
m.i	Bacteroides plebeius [ref_mOTU_v2_4343]	6_CD161+ CCR6- % CXCR3- CD25+ CD4+	0.017183191	0.000220863	-0.481911221	NA	NA
m.i	Intestinibacter bartlettii [ref_mOTU_v2_4268]	9_IFNg- TNFa+ % Va7.2+ CD161 CD3+	0.048419527	0.002268755	-0.449622043	NA	NA
m.i	Oscillibacter sp. 57_20 [meta_mOTU_v2_5351]	5_CD24- CD45RO+ % CD25- CD4+ CD4high CD8-	0.007876021	0.021483041	-0.485321548	NS-ENRICHED-NS	NA
m.i	Oscillibacter sp. 57_20 [meta_mOTU_v2_5351]	5_CD24- CD45RO+ CD25- CD4+ % CD4high CD8-	0.008528825	0.014165065	-0.474869383	NS-ENRICHED-NS	NS-DEPLETED-DEPLETED
m.i	unknown Atopobiaceae [meta_mOTU_v2_6458]	4_CD56dim CD16+ % CD3-	0.001049997	0.000136687	0.547049077	NA	NA
m.i	unknown Atopobiaceae [meta_mOTU_v2_6458]	5_CD62L+ CD45RO- CD8+ CD4- CD3+ (ul)	0.01979264	0.024541337	0.444445282	NA	DEPLETED-NS-NS
m.i	unknown Atopobiaceae [meta_mOTU_v2_6458]	5_CD24+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.047736331	0.008368209	0.448196748	NA	NA
m.i	unknown Atopobiaceae [meta_mOTU_v2_6458]	4_CD56dim CD16+ CD3- (ul)	0.001270609	7.94654E-05	0.522497392	NA	NA
m.i	unknown Atopobiaceae [meta_mOTU_v2_6458]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.041123434	0.000425348	0.394947055	NA	NA
m.i	unknown Atopobiaceae [meta_mOTU_v2_6458]	4_CD56dim CD16+ CD3- %	0.001049997	0.000136687	0.547049077	NA	NA
m.i	Streptococcus anginosus [ref_mOTU_v2_0687]	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.049697609	0.038389987	-0.419994295	NA	DEPLETED-NS-NS
m.i	Bacteroides fragilis [ref_mOTU_v2_0287]	1_CD4bright CD8dim % CD4+ CD8+ CD3+	0.01256832	0.001104084	-0.470166074	NA	NA
m.i	Bacteroides fragilis [ref_mOTU_v2_0287]	1_CD4dim CD8bright % CD4+ CD8+ CD3+	0.012765844	0.001093616	0.465342299	NA	NA
m.i	Clostridium sp. L2-50 [ref_mOTU_v2_4212]	5_CD24+ CD45RO+ CD25+ CD4+ % CD4high CD8-	0.014635046	0.000810664	0.493986838	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6561]	2_FoxP3+ CD31- CD25high CD127low % CD4+	0.012073581	5.86563E-05	0.484956405	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6561]	2_FoxP3+ CD45RA- CD25high CD127low CD4+ (ul)	0.035799408	0.001497226	0.400504058	NA	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6561]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.012319783	0.000204291	0.462126873	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6561]	2_CD25high CD127low % CD4+	0.012073581	0.000235793	0.472272544	NA	NA
m.i	Lactobacillus sakei [ref_mOTU_v2_0992]	9_IL-17a+ IFNg+ Va7.2+ CD161 % CD3+	0.020604523	3.68183E-05	0.486396213	NA	NA
m.i	Lactobacillus sakei [ref_mOTU_v2_0992]	9_IL-17a+ IFNg+ % Va7.2+ CD161 CD3+	0.032584614	5.84853E-05	0.475936079	NA	NA
m.i	Lactobacillus sakei [ref_mOTU_v2_0992]	9_IL-17a+ IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.040750515	7.33045E-05	0.470706012	NA	NA
m.i	Eggerthella lenta [ref_mOTU_v2_0642]	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.042075081	0.010207995	-0.430924402	NS-DEPLETED-NS	DEPLETED-NS-NS
m.i	Ruminococcus gnavus [ref_mOTU_v2_0280]	5_CD4_Teff/Treg	0.041361481	0.007294061	-0.429508507	NA	ENRICHED-NS-NS
m.i	Ruminococcus gnavus [ref_mOTU_v2_0280]	1_CD19+ %	0.041361481	0.029000788	0.419964853	NA	DEPLETED-ENRICHED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7800]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.045729355	0.002021104	0.364692928	NA	NA
m.i	Ruminococcus lactaris [ref_mOTU_v2_0281]	8_IL-10+ IL-2- % IL-17a- CD3+	0.000530926	0.00209565	-0.559429654	NA	NA
m.i	Ruminococcus lactaris [ref_mOTU_v2_0281]	8_IL-10+ IL-2- IL-17a- % CD3+	0.000564063	0.002207219	-0.55835044	NA	NA
m.i	Eubacterium rectale [ref_mOTU_v2_1416]	1_CD4- CD8- %	0.009651885	0.043673962	0.502986355	DEPLETED-ENRICHED-NS	NA
m.i	unknown Sutterella [meta_mOTU_v2_7526]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.041479481	0.040545205	-0.353175362	NA	NA
m.i	Bacteroides coprophilus [ref_mOTU_v2_4472]	9_Va7.2+ CD161 CD4- CD3+ (ul)	0.039977099	0.003775632	0.413933974	NA	DEPLETED-ENRICHED-NS
m.i	Holdemanella bififormis [meta_mOTU_v2_7589]	5_CD24- CD45RO+ CD25+ CD4+ % CD4high CD8-	0.034490034	0.02717235	-0.453355948	NA	NA
m.i	Holdemanella bififormis [meta_mOTU_v2_7589]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.022239908	0.021380448	0.408487826	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	Holdemanella biformis [meta_mOTU_v2_7589]	5_CD24+ CD45RO- % CD8+ CD4-	0.003479523	0.009503691	-0.51477802	NA	NS-ENRICHED-NS
m.i	Holdemanella biformis [meta_mOTU_v2_7589]	5_CD4_Teff/Treg	0.046056321	0.041843229	0.378326324	NA	ENRICHED-NS-NS
m.i	Holdemanella biformis [meta_mOTU_v2_7589]	4_CD56dim CD16+ CD3- %	0.029320623	0.043796104	0.392996329	NA	NA
m.i	Holdemanella biformis [meta_mOTU_v2_7589]	4_CD56dim CD16+ % CD3-	0.029320623	0.043796104	0.392996329	NA	NA
m.i	Holdemanella biformis [meta_mOTU_v2_7589]	1_CD19+ %	0.01006004	0.005144554	-0.455607476	NA	DEPLETED-ENRICHED-NS
m.i	Holdemanella biformis [meta_mOTU_v2_7589]	5_CD24+ CD45RO- % CD25+ CD4+ CD4high CD8-	0.047736331	0.02180055	0.426077696	NA	NA
m.i	Holdemanella biformis [meta_mOTU_v2_7589]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.022650651	0.018613	-0.3926913	NA	NA
m.i	unknown Akkermansia [meta_mOTU_v2_7059]	5_CD24+ CD45RO+ CD8+ CD4- CD3+ (ul)	0.025514838	0.048543823	-0.443997263	NA	NS-ENRICHED-ENRICHED
m.i	bacterium LF-3 [ref_mOTU_v2_3608]	6_CD161+ CCR6- CXCR3- CD25+ % CD4+	0.00095227	0.025650573	-0.548853628	NS-DEPLETED-NS	NA
m.i	bacterium LF-3 [ref_mOTU_v2_3608]	6_CD161+ CCR6- CXCR3- CD25- CD4+ (ul)	0.03226445	0.042638387	-0.422037002	NS-DEPLETED-NS	NA
m.i	bacterium LF-3 [ref_mOTU_v2_3608]	6_CD161+ CCR6- CXCR3- CD25+ CD4+ (ul)	0.00537034	0.013440118	-0.515244008	NS-DEPLETED-NS	DEPLETED-ENRICHED-NS
m.i	Blautia obeum [ref_mOTU_v2_4719]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.003100718	0.01521737	-0.49390948	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4719]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.000427965	0.000517413	-0.555108804	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4719]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.04339191	0.022203655	-0.393605447	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4719]	5_CD62L- CD45RO+ CD8+ CD4- CD3+ (ul)	0.003384833	0.015343835	0.524571301	NA	DEPLETED-ENRICHED-NS
m.i	Blautia obeum [ref_mOTU_v2_4202]	7_IL-17a+ Ki67- CD4+ CD3+ (ul)	0.040987328	0.009735344	0.453789635	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	7_IL-17a+ Ki67+ CD4+ CD3+ (ul)	0.044764462	0.001789374	0.46848325	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	0_IL-17a- IL-22- % TCRgd+ CD3+	0.018448095	0.015491738	0.473040287	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	7_Helios- Ki67+ % CD3+	0.005384876	2.83698E-05	0.515188569	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	7_Helios+ Ki67+ CD4+ CD3+ (ul)	0.003893633	0.00215299	0.521770619	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	7_Helios+ Ki67+ % CD3+	0.005121058	0.001464917	0.516217292	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	7_IFNg- IL-17a+ CD4+ CD3+ (ul)	0.009717452	0.001160809	0.502842002	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	5_CD62L- CD45RO+ CD25+ CD4+ CD8- CD3+ (ul)	0.005232254	0.000233309	0.50125848	NA	DEPLETED-NS-NS
m.i	Blautia obeum [ref_mOTU_v2_4202]	0_IL-17a- IL-22+ % TCRgd+ CD3+	0.0052863	0.004151697	-0.499836034	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	7_Helios- Ki67+ CD4+ CD3+ (ul)	0.00233707	9.90497E-05	0.53186097	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	7_Helios- Ki67- % CD3+	0.036252713	0.000559064	-0.473451866	NA	NS-ENRICHED-ENRICHED
m.i	Blautia obeum [ref_mOTU_v2_4202]	7_IFNg- IL-17a+ % CD3+	0.028348527	0.00089897	0.479150638	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	7_IL-17a+ IL-22+ CD4+ CD3+ (ul)	0.025354728	0.000633271	0.48170382	NA	NA
m.i	Blautia obeum [ref_mOTU_v2_4202]	5_Tcm/2_Treg	0.008992769	0.034540532	-0.513968765	NA	NA
m.i	unknown Faecalibacterium [meta_mOTU_v2_5815]	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.016526542	0.00379016	-0.454109083	NA	NA
m.i	unknown Faecalibacterium [meta_mOTU_v2_5815]	4_CD8- CD4- CD56+ CD3+ %	0.000424099	0.013400085	0.555272557	NA	NA
m.i	unknown Faecalibacterium [meta_mOTU_v2_5815]	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.016526542	0.003334469	-0.447730852	NA	NA
m.i	unknown Faecalibacterium [meta_mOTU_v2_5815]	4_CD56dim CD16- CD3- %	0.002089244	0.007028422	-0.53403399	NA	NA
m.i	Holdemanella biformis [ref_mOTU_v2_4395]	4_CD56high CD16+ CD3- (ul)	0.047513872	0.004051066	0.427665672	NA	NA
m.i	Holdemanella biformis [ref_mOTU_v2_4395]	4_CD56high CD16+ % CD3-	0.035641472	0.001252874	0.445816228	NA	NA
m.i	Holdemanella biformis [ref_mOTU_v2_4395]	4_CD56high CD16+ CD3- %	0.035641472	0.001252874	0.445816228	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6777]	2_CD31+ CD45RA- CD25high CD127low % CD4+	0.008724279	0.000716902	0.495313075	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6777]	2_CD31+ CD45RA- CD25high CD127low CD4+ (ul)	0.048213085	0.003211196	0.458497939	NA	NA
m.i	Clostridium sp. CAG:273 [meta_mOTU_v2_5681]	3_CD123+ CD14- CD16- HLA-DR+ CD4dim/- %	0.009787716	0.000420492	-0.502688311	NA	ENRICHED-DEPLETED-ENRICHED
m.i	Clostridium sp. CAG:273 [meta_mOTU_v2_5681]	3_CD123+ CD14- CD16- HLA-DR+ % CD4dim/-	0.000415457	5.98055E-05	-0.563762646	NA	ENRICHED-NS-NS
m.i	Azospirillum sp. 51_20 [meta_mOTU_v2_5652]	5_CD24+ CD45RO- % CD8+ CD4-	0.03914005	0.029565152	-0.402320346	NA	NS-ENRICHED-NS
m.i	Azospirillum sp. 51_20 [meta_mOTU_v2_5652]	5_CD24- CD45RO- % CD8+ CD4-	0.03914005	0.028266094	0.441722843	NA	NS-DEPLETED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	8_TNFa- IL-5+ IL-17a+ % CD3+	0.033567201	0.032884199	-0.458714507	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.017347653	0.001701091	0.4202989	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	7_IL-17a- Ki67- CD4+ CD3+ (ul)	0.02019259	0.02052055	0.486849351	NA	NS-ENRICHED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	7_Helios- Ki67- CD4+ CD3+ (ul)	0.022959423	0.005330983	0.483957017	NA	NS-ENRICHED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	5_CD62L+ CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.000304821	0.034559322	0.56914695	NA	DEPLETED-ENRICHED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	8_TNFa+ IL-2+ % IL-17a+ CD3+	0.000151985	0.036015272	0.580908963	NA	NA
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	1_CD4+ CD8- CD3+ (ul)	0.024013971	0.042820742	0.482939344	NA	DEPLETED-ENRICHED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	7_IL-17a- IL-22- CD4+ CD3+ (ul)	0.00683602	0.020751553	0.510255827	NA	DEPLETED-ENRICHED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	7_Helios- IFNg- CD4+ CD3+ (ul)	0.014626369	0.004061662	0.493999842	NA	NS-ENRICHED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	7_FoxP3- Ki67- CD4+ CD3+ (ul)	0.025590134	0.002677823	0.481493178	NA	DEPLETED-ENRICHED-NS
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	9_IL-2+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.007092627	0.000788101	0.50948714	NA	DEPLETED-NS-NS
m.i	unknown Firmicutes [meta_mOTU_v2_6331]	9_IL-2+ TNFa+ % Va7.2+ CD161 CD3+	0.00098752	0.000274258	0.548183454	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	unknown Clostridiales [meta_mOTU_v2_6891]	5_CD4+ CD8+ %	0.030781612	0.010565385	-0.44240604	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6891]	5_CD62L- CD45RO- CD8+ CD4- CD3+ (ul)	0.043604885	0.045037428	0.435967022	NA	NA
m.i	Bacteroidales sp. [ref_mOTU_v2_1074]	2_FoxP3+ % CD25high CD127low CD4+	0.01991541	0.010087849	0.461555216	NA	NA
m.i	Bacteroides fragilis/ovatus [ref_mOTU_v2_1073]	0_IL-17a- IL-22+ % TCRgd+ CD3+	0.01004455	0.00545928	-0.492220928	ENRICHED-DEplete	NA
m.i	Bacteroides fragilis/ovatus [ref_mOTU_v2_1073]	0_IL-17a- IL-22- % TCRgd+ CD3+	0.021137933	0.016842791	0.458855917	ENRICHED-DEplete	NA
m.i	Parabacteroides merdae [ref_mOTU_v2_1378]	5_CD4+ CD8+ %	0.025715813	0.002082124	-0.475125192	NA	NA
m.i	unknown Anaeromassilibacillus [meta_mOTU_v2_535]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.027253164	0.001143365	0.452579537	NA	NA
m.i	Flavonifractor plautii [ref_mOTU_v2_1377]	4_CD56high CD16+ % CD3-	0.048431376	0.011825153	-0.419428692	NA	NA
m.i	Flavonifractor plautii [ref_mOTU_v2_1377]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.048431376	0.006052317	0.418265645	NA	NA
m.i	Flavonifractor plautii [ref_mOTU_v2_1377]	1_CD4- CD8+ % CD3+	0.048603909	0.047178555	-0.407779555	NA	NA
m.i	Flavonifractor plautii [ref_mOTU_v2_1377]	4_CD56high CD16+ CD3- %	0.048431376	0.011825153	-0.419428692	NA	NA
m.i	Bacteroides cellulosilyticus/timonensis [ref_mOTU_v2_0]	0_IL-17a- IL-22+ % TCRgd+ CD3+	0.0052863	0.001578443	-0.493780415	NA	NA
m.i	Bacteroides cellulosilyticus/timonensis [ref_mOTU_v2_0]	0_IL-17a- IL-22- % TCRgd+ CD3+	0.020032239	0.00324664	0.454355017	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6721]	2_CD31+ CD45RA- CD25high CD127low CD4+ (ul)	0.048213085	0.04160562	-0.449729576	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6721]	2_CD39+ CD31+ CD25high CD127low CD4+ (ul)	0.049726406	0.027159415	-0.465977749	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6721]	8_GM-CSF+ IL-2- IL-17a- CD4+ CD3+ (ul)	0.000529434	0.046954555	-0.551244843	NA	DEPLETED-ENRICHED-NS
m.i	Coprococcus catus [ref_mOTU_v2_4874]	5_CD24- CD45RO- % CD8+ CD4-	0.049001016	0.033693974	0.412941922	NA	NS-DEPLETED-NS
m.i	Coprococcus catus [ref_mOTU_v2_4874]	5_CD4_Teff/Treg	0.007142552	0.042112318	0.484590478	NA	ENRICHED-NS-NS
m.i	Coprococcus catus [ref_mOTU_v2_4874]	5_CD4_Teff/2_Treg	0.039707252	0.031524225	0.426282684	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5991]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.03254797	0.041761417	-0.395553671	NA	NA
m.i	Ruminococcus torques [ref_mOTU_v2_1376]	4_CD56 high CD16- % CD56+ CD3-	0.040125599	0.041826437	-0.454317202	NA	NS-ENRICHED-ENRICHED
m.i	Bacteroides eggerthii [ref_mOTU_v2_1410]	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.027312926	0.008029574	0.446571886	NA	DEPLETED-NS-NS
m.i	Bacteroides eggerthii [ref_mOTU_v2_1410]	9_IFNg+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.033349374	0.00123148	0.475397459	NA	DEPLETED-NS-NS
m.i	Bacteroides eggerthii [ref_mOTU_v2_1410]	9_IL2- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.017334257	0.003183492	0.464904959	NA	DEPLETED-NS-NS
m.i	Bacteroides eggerthii [ref_mOTU_v2_1410]	9_IL-17a- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.01335228	0.00175551	0.48051979	NA	DEPLETED-NS-NS
m.i	Eubacterium hallii [ref_mOTU_v2_4207]	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.003997912	0.015149175	-0.498321603	NA	NA
m.i	Eubacterium hallii [ref_mOTU_v2_4207]	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.003481397	0.011773287	-0.501300133	NA	NA
m.i	Eubacterium hallii [ref_mOTU_v2_4207]	5_CD8_Tem/Tcm	0.004020631	0.032712675	0.491912039	NA	NA
m.i	Barnesiella intestinihominis [ref_mOTU_v2_4880]	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.003639576	0.002215227	0.510820669	NA	DEPLETED-NS-NS
m.i	Barnesiella intestinihominis [ref_mOTU_v2_4880]	9_IL-17a- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.004685372	0.001699935	0.51803002	NA	DEPLETED-NS-NS
m.i	Barnesiella intestinihominis [ref_mOTU_v2_4880]	9_IL2- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.000868957	0.001486812	0.550535228	NA	DEPLETED-NS-NS
m.i	Barnesiella intestinihominis [ref_mOTU_v2_4880]	9_IL2- TNFa+ Va7.2+ CD161 % CD3+	0.009372993	0.006213611	0.488511819	NA	NA
m.i	Barnesiella intestinihominis [ref_mOTU_v2_4880]	9_IFNg- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.020559269	0.008839139	0.48644558	NA	NA
m.i	Barnesiella intestinihominis [ref_mOTU_v2_4880]	9_IFNg+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.033761797	0.004339135	0.457524629	NA	DEPLETED-NS-NS
m.i	Parabacteroides goldsteinii [ref_mOTU_v2_0901]	5_CD4+ CD8+ %	0.047704259	0.025703377	-0.421121742	NA	NA
m.i	Parabacteroides goldsteinii [ref_mOTU_v2_0901]	3_HLA-DR-CD4dim/- (ul)	0.016122914	0.014441898	0.44232523	NA	NA
m.i	Parabacteroides goldsteinii [ref_mOTU_v2_0901]	8_TNFa+ IL-5+ IL-17a- % CD3+	0.035460443	0.021608559	0.441178618	NA	DEPLETED-NS-NS
m.i	Parabacteroides goldsteinii [ref_mOTU_v2_0901]	3_HLA-DR+ CD16+ HLA-DR- CD16- (ul)	0.027190356	0.01284345	0.453912253	NA	NA
m.i	Parabacteroides goldsteinii [ref_mOTU_v2_0901]	8_TNFa- IL-2- % IL-17a- CD3+	0.039705367	0.036090675	-0.414961643	NA	ENRICHED-NS-NS
m.i	Parabacteroides goldsteinii [ref_mOTU_v2_0901]	8_TNFa+ IL-5+ IL-17a- CD4+ CD3+ (ul)	0.022376363	0.011947714	0.468489474	NA	DEPLETED-ENRICHED-NS
m.i	Parabacteroides goldsteinii [ref_mOTU_v2_0901]	8_TNFa+ IL-2- IL-17a- CD4+ CD3+ (ul)	0.037177405	0.020084097	0.436195322	NA	DEPLETED-NS-NS
m.i	Parabacteroides goldsteinii [ref_mOTU_v2_0901]	8_TNFa- IL-2- IL-17a- % CD3+	0.044578334	0.036922759	-0.413630652	NA	ENRICHED-NS-NS
m.i	Parabacteroides goldsteinii [ref_mOTU_v2_0901]	8_TNFa+ IL-5- IL-17a- CD4+ CD3+ (ul)	0.045119665	0.0288721	0.42206663	NA	DEPLETED-NS-NS
m.i	Parabacteroides goldsteinii [ref_mOTU_v2_0901]	8_TNFa+ IL-5+ % IL-17a- CD3+	0.034365175	0.021787939	0.441153329	NA	DEPLETED-NS-NS
m.i	Bacteroides dorei/vulgatus [ref_mOTU_v2_0898]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.002798247	0.027895285	0.487570916	NS-DEPLETED-NS	NA
m.i	Bacteroides dorei/vulgatus [ref_mOTU_v2_0898]	2_FoxP3- CD45RA+ % CD25high CD127low CD4+	0.035754142	0.023223013	-0.433809723	NS-DEPLETED-NS	NA
m.i	Eubacterium ventriosum [ref_mOTU_v2_4204]	7_IL-17a+ Ki67- CD4+ CD3+ (ul)	0.040987328	0.025145926	0.459112114	NA	NA
m.i	Eubacterium ventriosum [ref_mOTU_v2_4204]	7_IL-17a+ IL-22- CD4+ CD3+ (ul)	0.029209641	0.011199692	0.478462637	NA	NA
m.i	unknown Bacteroidales [meta_mOTU_v2_5520]	3_CD14low CD16++ HLA-DR+ CD16+ HLA-DR- CD16- (ul)	0.003161855	0.000158618	-0.525925204	NA	NS-DEPLETED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6672]	2_FoxP3+ CD31- CD25high CD127low % CD4+	0.000222149	0.013190029	0.555357456	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6672]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.03038544	0.040538436	0.415649854	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6672]	1_CD19+ %	0.019756973	0.005652948	0.41609936	NA	DEPLETED-ENRICHED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6672]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.000211053	0.017133055	0.5651221	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6672]	2_CD25high CD127low % CD4+	0.002331067	0.028306593	0.510796566	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.i	unknown Clostridiales [meta_mOTU_v2_6926]	4_CD56high CD16+ CD3- %	0.016485372	0.01998058	0.460144822	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6926]	4_CD56high CD16+ % CD3-	0.016485372	0.01998058	0.460144822	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7148]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.041479481	0.040545205	-0.353175362	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6795]	6_CD27- CD25- % CD4+	0.043925716	0.00165907	-0.453748228	NA	ENRICHED-DEPLETED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6795]	6_CD27- % CD25- CD4+	0.043141715	0.000774861	-0.452514179	NA	NS-DEPLETED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6190]	6_CD161+ CCR6- CXCR3- CD25+ CD4+	0.037146141	0.011449738	0.456225617	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6190]	6_CD161+ CCR6- CXCR3- CD25+ CD4+ (ul)	0.017663829	0.018746565	-0.474055577	NA	DEPLETED-ENRICHED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6190]	6_CD161+ CCR6- CXCR3- % CD25+ CD4+	0.014927023	0.007549832	0.493553384	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6190]	2_FoxP3+ CD31- CD25high CD127low CD4+ (ul)	0.024553138	0.032995343	-0.466277879	NA	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_6190]	2_FoxP3+ CD39- CD25high CD127low CD4+ (ul)	0.034045918	0.040908043	-0.448278307	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6190]	6_CD161+ CCR6- % CXCR3- CD25+ CD4+	0.017183191	0.039979252	-0.474698664	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6190]	6_CD161+ CCR6- CXCR3- % CD25+ CD4+	0.03352072	0.042577023	-0.457049962	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7527]	5_CD62L- CD45RO- CD25+ CD4+ % CD4high CD8-	0.03565787	0.032126448	-0.458125754	NA	NA
m.i	Hungatella hathewayi [ref_mOTU_v2_0882]	9_IL-17a- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.022685847	0.001777483	-0.456315469	NA	DEPLETED-NS-NS
m.i	Hungatella hathewayi [ref_mOTU_v2_0882]	9_IFNg+ TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.043568251	0.003097571	-0.433487621	NA	DEPLETED-NS-NS
m.i	Hungatella hathewayi [ref_mOTU_v2_0882]	9_IL2- TNFa+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.026863267	0.011782024	-0.44699343	NA	DEPLETED-NS-NS
m.i	Hungatella hathewayi [ref_mOTU_v2_0882]	9_IL-17a- IFNg+ Va7.2+ CD161+ CD4- CD3+ (ul)	0.004610396	0.00058086	-0.508944524	NA	DEPLETED-NS-NS
m.i	unknown Faecalibacterium [meta_mOTU_v2_6452]	6_CD161+ CCR6- CXCR3- CD25+ % CD4+	0.025792783	0.040758808	0.453457234	NA	NA
m.i	unknown Faecalibacterium [meta_mOTU_v2_6452]	5_CD24+ CD45RO- % CD25- CD4+ CD4high CD8-	0.023609186	0.028772365	0.464083754	NA	NA
m.i	unknown Faecalibacterium [meta_mOTU_v2_6452]	5_CD24+ CD45RO- CD25- CD4+ % CD4high CD8-	0.02089109	0.023288641	0.470115975	NA	NA
m.i	unknown Faecalibacterium [meta_mOTU_v2_6452]	6_CD161+ CCR6- CXCR3- CD25- % CD4+	0.003786972	0.0431444793	0.522328108	NA	NA
m.i	unknown Faecalibacterium [meta_mOTU_v2_6452]	6_CD161+ CCR6- CXCR3- % CD25+ CD4+	0.041208795	0.007546105	0.420907725	NA	NA
m.i	unknown Faecalibacterium [meta_mOTU_v2_6452]	5_CD24+ CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.020931605	0.023500545	0.453263793	NA	NA
m.i	unknown Prevotella [meta_mOTU_v2_6911]	5_CD24- CD45RO- CD8+ CD4- CD3+ (ul)	0.037738	0.000433054	0.385657071	NA	NA
m.i	unknown Prevotella [meta_mOTU_v2_6911]	8_TNFa- IL-5- IL-17a- CD4+ CD3+ (ul)	0.017404552	0.011530445	0.490163738	NA	NS-ENRICHED-NS
m.i	unknown Prevotella [meta_mOTU_v2_6911]	3_HLA-DR+ CD16+/HLA-DR- CD16- (ul)	0.048919752	0.035684484	0.41615379	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_5362]	5_CD62L- CD45RO- CD25- CD4+ % CD4high CD8-	0.006204683	0.046982455	0.512268318	NA	ENRICHED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_5362]	5_CD62L- CD45RO- % CD25- CD4+ CD4high CD8-	0.001955756	0.018504863	0.535306874	NA	ENRICHED-NS-NS
m.i	Adlercreutzia equolifaciens [ref_mOTU_v2_3198]	2_CD31+ CD45RA- CD25high CD127low % CD4+	0.010430616	0.001904894	0.491388261	NS-NS-DEPLETED	NA
m.i	unknown Bacteroidales [meta_mOTU_v2_5951]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.041479481	0.040545205	-0.353175362	NA	NA
m.i	unknown Eubacterium [meta_mOTU_v2_6509]	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.008326415	0.004449931	-0.49033568	DEPLETED-NS-NS	NA
m.i	unknown Eubacterium [meta_mOTU_v2_6509]	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.008326415	0.006616912	-0.480875293	DEPLETED-NS-NS	NA
m.i	unknown Eubacterium [meta_mOTU_v2_6509]	4_CD56dim CD16- CD3- %	0.036826937	0.029804228	-0.438886782	DEPLETED-NS-NS	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7455]	5_CD62L+ CD45RO+ CD25- CD4+ % CD4high CD8-	0.012210867	0.000552877	-0.472007135	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7455]	5_CD62+ CD45RO+ % CD25- CD4+ CD4high CD8-	0.012210867	0.000778746	-0.473867033	NA	NA
m.i	Clostridium saccharogumia [ref_mOTU_v2_0473]	5_CD62L- CD45RO- CD25- CD4+ % CD4high CD8-	0.029722951	0.031397075	-0.435754881	NA	ENRICHED-NS-NS
m.i	Clostridium saccharogumia [ref_mOTU_v2_0473]	5_CD62L- CD45RO- % CD25- CD4+ CD4high CD8-	0.032371799	0.039256191	-0.433188655	NA	ENRICHED-NS-NS
m.i	Clostridium saccharogumia [ref_mOTU_v2_0473]	5_CD4_Teff/Treg	0.007142552	0.008109705	-0.500765969	NA	ENRICHED-NS-NS
m.i	Clostridium saccharogumia [ref_mOTU_v2_0473]	5_CD62L- CD45RO- CD25- CD4+ CD8- CD3+ (ul)	0.047137236	0.025209074	-0.450296941	NA	NA
m.i	Clostridium saccharogumia [ref_mOTU_v2_0473]	8_IL-10+ IL-2- IL-17a- % CD3+	0.02409708	0.000307392	0.439819483	NA	NA
m.i	Clostridium saccharogumia [ref_mOTU_v2_0473]	8_IL-10+ IL-2- % IL-17a- CD3+	0.025489447	0.000280857	0.441015959	NA	NA
m.i	Clostridium saccharogumia [ref_mOTU_v2_0473]	5_CD4_Teff/2_Treg	0.045032312	0.035886237	-0.419323344	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6419]	2_FoxP3+ CD31- % CD25high CD127low CD4+	0.042153664	0.014697648	0.396248925	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6419]	2_FoxP3+ CD45RA- % CD25high CD127low CD4+	0.019040774	0.004983372	0.461401763	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_6419]	2_FoxP3+ CD45RA- CD25high CD127low % CD4+	0.042153664	0.016882697	0.394851721	NA	NA
m.i	Veillonella parvula [ref_mOTU_v2_1042]	0_IL-17a- IFNg+ % TCRgd+ CD3+	0.041655727	0.028550522	-0.460409261	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7158]	9_IFNg+ TNFa- Va7.2+ CD161 % CD3+	0.027898511	0.025427259	-0.455044134	NA	DEPLETED-NS-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7158]	9_IL2- TNFa+ Va7.2+ CD161 % CD3+	0.047433202	0.017453684	-0.439785616	NA	NA
m.i	unknown Clostridiales [meta_mOTU_v2_7158]	9_Va7.2+ CD161 CD4- CD3+ (ul)	0.007475801	0.04092187	-0.508386349	NA	DEPLETED-ENRICHED-NS
m.i	unknown Clostridiales [meta_mOTU_v2_7158]	9_IL-17a- IFNg+ Va7.2+ CD161 % CD3+	0.020848019	0.004636485	-0.486132306	NA	DEPLETED-NS-NS
m.p	unknown Clostridiales [meta_mOTU_v2_6672]	pulse_pressure	0.023355811	0.028901501	0.563632085	NA	NS-NS-DEPLETED
m.p	unknown Clostridiales [meta_mOTU_v2_6190]	pulse_pressure	0.043742535	0.012320027	-0.52300356	NA	NS-NS-DEPLETED
m.p	uncultured Eubacterium sp. [meta_mOTU_v2_5477]	eGFR	0.033038255	0.027909236	0.416522546	NA	DEPLETED-NS-NS
m.p	unknown Clostridiales [meta_mOTU_v2_6028]	HDL	0.030681077	0.003654286	0.460907191	NA	NA

Table S7

Test	Feature1	Feature2	CORONA_Q	CORONA_LRP	CORONA_R	Feature1CORONA	Feature2CORONA
m.p	unknown Ruminococcaceae [meta_mOTU_v2_6789]	pulse_pressure	0.043742535	0.007989338	0.519892449	NA	NS-NS-DEPLETED
m.p	Enterobacteriaceae sp. [ref_mOTU_v2_0036]	pulse_pressure	0.043742535	0.010434989	0.531242994	NS-NS-DEPLETED	NS-NS-DEPLETED
m.p	Clostridium sp. CAG:217 [meta_mOTU_v2_7451]	eGFR	0.009891211	6.33815E-05	0.5024638	NA	DEPLETED-NS-NS
m.p	Blautia hydrogenotrophica [ref_mOTU_v2_4324]	HDL	0.002684321	0.049691064	0.529154488	NA	NA
m.p	unknown Synergistaceae [meta_mOTU_v2_6989]	LDL_HDL_ratio	0.035358687	0.022853496	0.421445852	NA	NA
m.p	unknown Synergistaceae [meta_mOTU_v2_6989]	LDL	0.0212425947	0.013286036	0.459776858	NA	NA
m.p	Ruminococcus gnavus [ref_mOTU_v2_0280]	pulse_pressure	0.023355811	0.002375985	0.570431567	NA	NS-NS-DEPLETED
m.p	Eggerthella lenta [ref_mOTU_v2_0642]	DBP_ABPM_24h	0.040020235	0.002863322	-0.584719314	NS-DEPLETED-NS	NA
m.p	Eggerthella lenta [ref_mOTU_v2_0642]	DBP_ABPM_day	0.048823344	0.005090271	-0.579305396	NS-DEPLETED-NS	NA
m.p	Eggerthella lenta [ref_mOTU_v2_0642]	c_DBP	0.033208144	0.003429963	-0.589713917	NS-DEPLETED-NS	NS-NS-DEPLETED
m.p	Faecalibacterium prausnitzii [ref_mOTU_v2_4910]	DBP_office	0.021973802	0.000420588	0.468920194	NA	DEPLETED-ENRICHED-NS
m.p	Eubacterium rectale [ref_mOTU_v2_1416]	triglycerol	0.019920772	0.001031477	0.487153091	DEPLETED-ENRICHED	DEPLETED-ENRICHED-NS
m.p	Holdemanelia biformis [meta_mOTU_v2_7589]	eGFR	0.033079267	0.001143069	0.403762024	NA	DEPLETED-NS-NS
m.p	unknown Faecalibacterium [meta_mOTU_v2_5815]	eGFR	0.033038255	0.005641283	0.410073445	NA	DEPLETED-NS-NS
m.p	unknown Faecalibacterium [meta_mOTU_v2_5815]	PWV	0.011304404	0.007160782	-0.599751166	NA	NS-NS-DEPLETED
m.p	unknown Faecalibacterium [meta_mOTU_v2_5815]	pulse_pressure	0.023355811	0.00086597	-0.560941283	NA	NS-NS-DEPLETED
m.p	Alistipes shahii [ref_mOTU_v2_4873]	Reflex	0.037643056	0.004000875	-0.586367573	NA	NA
m.p	Bacteroidales sp. [ref_mOTU_v2_1074]	body_fat_ratio	0.008937316	4.9606E-05	0.50462181	NA	ENRICHED-DEPLETED-DEPLETED
m.p	Bacteroidales sp. [ref_mOTU_v2_1074]	DBP_office	0.021973802	0.001793564	-0.47088366	NA	DEPLETED-ENRICHED-NS
m.p	Bacteroides fragilis [ref_mOTU_v2_0286]	LDL_HDL_ratio	0.00268721	0.010159993	-0.500683375	NA	NA
m.p	unknown Eggerthellaceae [meta_mOTU_v2_5373]	PWV	0.048151871	0.048138694	-0.526842141	NA	NS-NS-DEPLETED
m.p	Faecalibacterium prausnitzii [meta_mOTU_v2_7154]	IL-6	0.015774123	0.017665509	-0.492339088	NA	NA
m.p	Blautia producta [ref_mOTU_v2_4020]	eGFR	0.037387688	0.02033403	-0.392175307	NA	DEPLETED-NS-NS
m.p	unknown Bacteroidales [meta_mOTU_v2_5647]	LDL	0.04234297	0.035979522	0.424382948	NA	NA
m.p	unknown Bacteroidales [meta_mOTU_v2_5647]	LDL_HDL_ratio	0.018787642	0.017536295	0.445775446	NA	NA
m.p	Erysipelotrichaceae sp. [ref_mOTU_v2_0885]	eGFR	0.033038255	0.005897953	-0.405664973	ENRICHED-DEPLETED	DEPLETED-NS-NS
m.p	Bacteroides massiliensis [ref_mOTU_v2_0455]	eGFR	0.033038255	0.007348777	0.417377292	NA	DEPLETED-NS-NS
m.p	unknown Clostridiales [meta_mOTU_v2_6629]	pulse_pressure	0.023355811	0.015490678	0.561144814	NA	NS-NS-DEPLETED
m.p	unknown Clostridiales [meta_mOTU_v2_6629]	eGFR	0.033038255	0.032373745	-0.410202635	NA	DEPLETED-NS-NS
m.p	Clostridium sp. CAG:306 [meta_mOTU_v2_5698]	LDL	0.04234297	0.004372427	0.427967457	NA	NA
m.p	Clostridium sp. CAG:306 [meta_mOTU_v2_5698]	LDL_HDL_ratio	0.001021611	0.011029806	0.526542456	NA	NA
m.p	Azospirillum sp. CAG:239 [meta_mOTU_v2_5386]	LDL	0.00016584	0.01089798	0.579459493	NA	NA
m.p	Azospirillum sp. CAG:239 [meta_mOTU_v2_5386]	cholesterol	0.00119411	0.014842047	0.544657242	NA	NA
m.p	Azospirillum sp. CAG:239 [meta_mOTU_v2_5386]	LDL_HDL_ratio	0.000117706	0.003321481	0.585115334	NA	NA
m.p	unknown Ruminococcus [meta_mOTU_v2_7275]	eGFR	0.033038255	0.014485978	0.444296411	NA	DEPLETED-NS-NS
m.p	unknown Clostridiales [meta_mOTU_v2_6852]	eGFR	0.033038255	0.003270579	0.419841964	NA	DEPLETED-NS-NS