

Table S1

Feature	Space	Fasting effect	Recovery effect	Study effect	FDR (intervention model comparison)	Fasting effect size (Cliff's delta)	Fasting FDR (MWU post-hoc, N=3)	Recovery effect size (Cliff's delta)	Recovery FDR (MWU post-hoc, N=3)	Study effect size (Cliff's delta)	Study FDR (MWU post-hoc, N=3)
Coprococcus comes [ref_mOTU_v2_4313]	Microbiome-Taxonomy-OTU-mOTU2-rar	YES-DEPLETED	YES-ENRICHED	NS	0.034	-0.652	0.002	0.478	0.034	0.000	0.225
Erysipelotrichaceae sp._C Coprobacillus_Erysipelatoclostridium ramosum_	Microbiome-Taxonomy-Species-mOTU2-YES-ENRICHED	YES-DEPLETED	NS		0.031	0.522	0.014	-0.478	0.021	0.130	0.583
Anaerotruncus colliformis [ref_mOTU_v2_0884]	Microbiome-Taxonomy-OTU-mOTU2-rar	YES-ENRICHED	NS	NS	0.041	0.348	0.045	-0.087	0.222	0.261	0.061
unknown Clostridiales [meta_mOTU_v2_5805]	Microbiome-Taxonomy-OTU-mOTU2-rar	NS	YES-ENRICHED	NS	0.006	-0.348	0.050	0.652	0.002	0.217	0.255
Bacteroides dorei/vulgatus [ref_mOTU_v2_0898]	Microbiome-Taxonomy-OTU-mOTU2-rar	NS	YES-DEPLETED	NS	0.003	0.261	0.090	-0.348	0.021	-0.174	0.436
Actinomyces sp_ICM39 [ref_mOTU_v2_0376]	Microbiome-Taxonomy-OTU-mOTU2-rar	NS	YES-DEPLETED	NS	0.007	0.130	0.097	-0.391	0.020	-0.174	0.097
Clostridium_asparagiforme	Microbiome-Taxonomy-Species-mOTU2-YES-ENRICHED	NS	NS		0.071	0.348	0.036	-0.174	0.304	0.130	0.368
Actinomycetaceae	Microbiome-Taxonomy-Family-mOTU2-r	NS	YES-DEPLETED	YES-DEPLETED	0.000	0.087	0.525	-0.478	0.003	-0.435	0.005
Actinomyces sp_ICM39	Microbiome-Taxonomy-Species-mOTU2-NS	YES-DEPLETED	NS		0.005	0.130	0.097	-0.391	0.020	-0.174	0.097
Alistipes obesi	Microbiome-Taxonomy-Species-mOTU2-NS	YES-ENRICHED	NS		0.005	-0.261	0.420	0.565	0.036	0.304	0.352
Dialister invisus	Microbiome-Taxonomy-Species-mOTU2-YES-DEPLETED	YES-ENRICHED	NS		0.003	-0.391	0.022	0.304	0.022	-0.130	0.824
Roseburia hominis	Microbiome-Taxonomy-Species-mOTU2-YES-ENRICHED	YES-DEPLETED	NS		0.034	0.565	0.005	-0.435	0.030	0.304	0.333
Anaerotruncus	Microbiome-Taxonomy-Genus-mOTU2-r	YES-ENRICHED	NS	YES-ENRICHED	0.065	0.391	0.027	-0.130	0.159	0.304	0.037
Bacteria class incertae sedis	Microbiome-Taxonomy-Class-mOTU2-rar	NS	YES-DEPLETED	NS	0.092	0.130	0.478	-0.435	0.013	-0.261	0.118
unknown Clostridium [meta_mOTU_v2_6792]	Microbiome-Taxonomy-OTU-mOTU2-rar	YES-ENRICHED	YES-DEPLETED	NS	0.006	0.565	0.012	-0.522	0.012	0.087	0.861
Coprococcus comes	Microbiome-Taxonomy-Species-mOTU2-YES-DEPLETED	YES-ENRICHED	NS		0.026	-0.652	0.002	0.478	0.034	0.000	0.225
unknown Clostridiales [meta_mOTU_v2_7014]	Microbiome-Taxonomy-OTU-mOTU2-rar	YES-ENRICHED	YES-DEPLETED	NS	0.053	0.478	0.016	-0.391	0.049	0.174	0.068
Eubacterium sp_CAG:274	Microbiome-Taxonomy-Species-mOTU2-YES-ENRICHED	YES-DEPLETED	NS		0.063	0.261	0.031	-0.261	0.031	-0.087	0.760
Roseburia sp_40_7 [meta_mOTU_v2_6875]	Microbiome-Taxonomy-OTU-mOTU2-rar	YES-DEPLETED	YES-ENRICHED	NS	0.041	-0.348	0.047	0.348	0.047	0.217	0.570
Roseburia sp_40_7	Microbiome-Taxonomy-Species-mOTU2-YES-DEPLETED	YES-ENRICHED	NS		0.032	-0.348	0.047	0.348	0.047	0.217	0.570
Dialister invisus [ref_mOTU_v2_4598]	Microbiome-Taxonomy-OTU-mOTU2-rar	YES-DEPLETED	YES-ENRICHED	NS	0.065	-0.391	0.027	0.261	0.031	-0.043	1.000