Increasing Firearm Deaths in The Youngest Americans: Ecologic Correlation with Firearm Prevalence

SUBTITLE
Fatal Firearm Accidents in 1 to 4 Year-Olds

ARCHIE BLEYER, MD [a,b]
STUART SIEGEL, MD [c]
CHARLES R. THOMAS, JR., MD [a]

[a] Knight Cancer Institute and Department of Radiation Medicine
Oregon Health and Science University, Portland, Oregon
[b] McGovern Medical School, University of Texas, Houston, Texas
[c] Los Angeles, California

Corresponding Author: Archie Bleyer, MD
ableyer@gmail.com   2884 NW Horizon Drive, Bend OR 97703

Text: 2,889 words   Abstract: 250 words   References: 32
Figures: 7   Tables: 3

Key Words: *firearms, firearm accidents, mortality, children, United States*

KEY POINTS

Question: In the U.S., how has the escalation of both firearm sales and firearm death rates affected the country's youngest population?

Findings: While the steadily increasing rate of sales and concomitant availability of, and access to, firearms in the U.S. has increased since 2004, fatal firearm accidents in 1 to 4 year-olds increased exponentially and at a rate greater than all other evaluable causes of death in the age group.

Interpretation: The ominous acceleration of firearm deaths and injuries among young Americans requires urgent, definitive solutions from multiple stakeholders to effectively reduce firearm access.

ABSTRACT

Background: In the United States (U.S.), the overall death rate in 1-4 year-olds had been steadily declining until 2011, after which it ceased to improve. To understand this trend reversal, we investigated trends in the causes of their deaths.

Methods: Mortality data were obtained from the U.S. Centers for Disease Control and Institute for Health Metrics and Evaluation, firearm background check data from the National Instant Criminal Background Check System, and civilian firearm prevalence from the Small Arms Survey.

Findings: In 1-4 year-olds, the rate of fatal firearm accidents during 2002-2017 increased exponentially at an average rate of 6.0%/year (p=0.0003). The rate of increase was the greatest of all evaluable causes of death in the age group. Both the rate increase and most recent absolute rate in firearm accidental deaths in young children were correlated with the concurrent corresponding rate of firearm background checks (p = 0.0002 and 0.003, respectively). Also, the firearm accidental death rate in countries with high civilian firearm prevalence was correlated with the number of guns per civilian population (p=0.002).

Interpretation: Prior to 2004, the childhood firearm death rate did not increase during the Federal Assault Weapons Ban. Since 2004 when the Ban ended, the steadily increasing rate of sales and concomitant availability of, and access to, firearms in the U.S. has been associated with an increase in fatal firearm accidents in its youngest children. The acceleration of firearm deaths and injuries among young Americans requires urgent, definitive solutions that address firearm prevalence.

Funding: No external funding.

INTRODUCTION

According to the Institute for Health Metrics and Evaluation (IHME) Global Disease Burden (GBD) database,[1] the United States (U.S.) has had a much slower reduction in the overall death rate in 1-4 year-olds since 1997 than all other countries of high socio-demographic index. By 2014 the rate was 43%-46% higher in the U.S. (Fig. 1**B**) and highly statistically significant (p < 0.0001) (Fig. 1**A**).[1] As of 2017, only Brunei of the 39 other countries of high socio-demographic status had a higher rate.[1] Even more concerning, the death rate among 1-4 year-olds in the U.S. ceased to decline since 2011 (Fig. 1**B**). Why has the death rate in the youngest Americans failed to improve while it has continued to do so in other countries?

Figure 1. Comparison of the Annual Overall Death Rate in 1-4 Year-Olds during 1990-2017 in U.S. and Countries of High Socio-Demographic Index* Other Than the U.S.
A. Mean and Uncertainty Ranges
B. Joinpoint[9]/AAPC[‡] Analysis
‡ AAPC - average annual % change, based on constant variance (homoscedasticity) assump...
* 39 countries identified by IHME
(http://ghdx.healthdata.org/sites/default/files/record-attached-files/IHME_GBD_2017_S 950_2017.zip): Andorra, Australia, Austria, Belgium, Brunei, Canada, Croatia, Cyprus, Cze Republic, Denmark, England, Estonia, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Japan, Latvia, Lithuania, Luxembourg, Malta, Netherlands, New Zealand, Northern Ireland, Norway, Poland, Scotland, Singapore, Slovakia, Slovenia, South Korea, Spain, Sweden, Switzerland, Taiwan, Wales.

Data Source: IHME GBD[1]

Cunningham and colleagues reported that in 2016 firearms were the most common cause of death in urban U.S. children and teenagers.[2] They reported the rate to be 37 times higher in the U.S. than in 12 other high-income countries and 5 times higher than seven low-to-middle-income countries. A recent study in Los Angeles County found that unintentional firearm injuries were more common in younger children, more frequently caused by a firearm from within the home, and more likely to involve friend/family.[3] We therefore examined U.S. and global firearm mortality data and found that the firearm accident fatality rate increased exponentially since the early 2000s in children <5 years of age. We, therefore, tested the hypothesis that increasing firearm prevalence in the U.S. is a cause of the firearm accident mortality rate increase in young children.

METHODS

Death rates and causes. We obtained annual mortality data available since 1999 for the U.S. from the CDC Wide-ranging ONline Data for Epidemiologic Research (CDC WONDER)[4] and for other countries from the IHME GBD.[1] The CDC WISQAR database[4] provided injury mortality data for the U.S. prior to 1999. The International Classification of Disease (ICD) 10 Codes[5] for type of firearm death were W32-34 for unintentional; X93-95 for assault, Y22-24 for unspecified/undetermined, W32,X93,Y22 for handgun, W33,X94,Y23 for larger firearms, and W34,X95,Y24 for other/unspecified firearm.

Firearm sales and civilian firearm prevalence. We estimated national firearm sales from firearm background checks since 1999 published by the National Instant Criminal Background Check System.[6] Global data on estimated civilian gun prevalence were obtained from the Small Arms Survey.[7]

Trend analysis. We analyzed time trends with the Joinpoint Regression Program[8] that identifies when a trend changes to another trend, the probability range of the inflection, and the average annual percent change (AAPC) and p-value for each trend detected. We applied joinpoint analysis with weighted least squares option, logarithmic transformation, standard errors for annual death rates, and constant variance (homoscedasticity) for death rates without standard error values.

RESULTS

Firearm Death Rate Trends in 1 to 4 Year-Olds in the U.S. during 1999-2017

The national firearm death rate in American 1-4 year-olds fell progressively during 1999-2003, after which it increased exponentially (AAPC = 3.0, p = 0.003) (Fig. 2**A**). During 2003-2017, 60% of the increase in the firearm death rate in 1-4 year-olds was due to fatal accidents (unintentional causes), 27% to homicides, and 13% to undetermined and other causes (Fig. 2**A**). During 2002-2017 the firearm accidental death rate in 1-4 year-olds increased exponentially at an average AAPC of 6.0 (p = 0.0003) (Fig. 2**A**). Compared to the rate during 1999-2004 before the increase in the firearm background check rate, the firearm accidental death rate in 1-4 year-olds increased to 2.5 times higher in 2016-2017, according to the area under the death rate vs. age curves (Fig. 3**A**). For ages 2, 3 and 4, the 2002-2017 AAPC was 9.1, 11.0 (p < 0.05), and 8.5 (p < 0.05), respectively (Fig. 3**B**).

Figure 2. Joinpoint[9]/AAPC[*] Analysis of Annual Rates during 1999-2017 in U.S. of:
A. Firearm Deaths in 1-4 Year-Olds, by Type of Firearm Death
B. All-Age Firearm Background Check Rate
‡ AAPC - Average Annual Percent Change
Gray zone: Last 6 years of the 1994-2004 Federal Assault Weapons Ban
Data Source: CDC WONDER,[4] NICS[6]

Figure 3. Firearm Accidental Death Rate by Single Year of Age from Birth to 10 Years, U.S.
A. By Era during 1999-2017.
B. Average Annual Percent Change (AAPC) during 2002-2017.
Data Source: CDC WONDER[4]

Given the 2002-2017 era as having a continuously increasing accidental firearm death rate in 1-4 year-olds, this cause of death was compared in Table 1 with all of the leading causes of death in the age group during those years. For causes that had more than 50 deaths in the age group during 2002-2017, firearm accident fatalities had the greatest increase of the leading 43 evaluable causes of death (Table 1), 40% more than the cause with the 2nd greatest increase. The 3rd greatest increase was firearm deaths due to causes other than accidents, primarily undetermined causes and some homicides. It is likely that some of the undetermined causes were accidents that were not witnessed and thus not certain enough to be classified as an accident. Of the 43 leading evaluable causes, motor vehicle accidents in which 1-4 year-olds died as occupants had the greatest decrease (AAPC = −8.14, p < 0.0001). Since 1999-2004 when 1-4 year-olds were

>4 times likely to die in a motor vehicle than of a firearm, the former declined at an AAPC of -10.5 (p < 0.0001) such that by 2014-2017 1-4 year-olds died from bullets at the same rate as from motor vehicle accidents (Fig. 4). During 2016-2017, one in every 122 deaths that occurred in 1-4 year-olds occurred as a result of a firearm accident (Table 1).

Figure 4. Joinpoint[9]/AAPC[‡] Analysis of Annual Firearm and Motor Vehicle Traffic Occupant Death[^] Rates, 1999-2017, U.S., Age 1-4
‡ Average annual % change, based on constant variance (homoscedasticity) assumpt
Data Source: CDC WISQARS[4]
^ ICD-10 Codes:[8] V30-V39 (.4-.9),V40-V49 (.4-.9),V50-V59 (.4-.9), V60-V69 (.4-.9),V70-V79 (.4-.9),V83-V86 (.0-.3)

Figure 5. Correlation of 2017 Firearm Accidental Death Rate in 1-4 Year-Olds (y-axis) with:
A. All-Age Background Firearm Check Rate, Annually during 1999-2017, U.S.
Data Source: CDC WONDER,[4] NICS[7]
B. All-Age Background Firearm Check Rate, by U.S. State and D.C. during 2015-2017. AK-Alaska, IN-Indiana, DL-Delaware
Data Source: CDC WONDER,[4] NICS[7]
C. Estimated Civilian Firearm Prevalence in the 18 Countries with the Highest Prevalence during 2017 and Population >2 Million, excluding Iraq. Red circle identifies U.S.
Data Source: CDC WONDER,[4] IHME GBD,[1] Small Arms Survey[7]

Correlation of Firearm Death Rate Trend in 1-4 Year-Olds with Firearm Sales

The national firearm background check rate also began to increase after 2004 and, thereafter, accelerated exponentially at an average AAPC of 8.7 during 2004-2017 (p < 0.0001) (Fig. 2**B**), concurrent with the increases in overall firearm death (Fig. 2) and fatal firearm death rates among 1-4 year-olds (Fig 2**A**). During those years, the firearm accident death rate in 1-4 year-olds and the annual firearm background check rate were directly correlated (R^2 = 0.70, p = 0.0002) (Fig. 5**A**). The firearm accident death rate in 2017 for each legal jurisdiction (state and District of Columbia) was also correlated with its firearm background check rate for 2015-2017 (R^2 = 0.17; p = 0.003) (Fig. 5**B**).

Type of Firearm Used in Deaths of 1-4 Year-Olds (Supplemental Fig. S1)

The available CDC WONDER data has handguns as the cause in 20%-30% of the fatal accidents, larger firearms (rifles, shotguns, assault weapons, etc.) in 5%–10% of the deaths, and 60%–80% not specified as to the type of firearm. The available data do not suggest changes in the proportion of types of firearm during 1999-2017. However, gun-related homicides in the age group do have a trend, with unspecified weapons increasing from 70%–80% during 1999-2004 to 90% by 2014.

Supplemental Figure S1.   **Annual Proportion of All Firearm Accidental Deaths** (upper panel) **and of All Homicides** (lower panel) **by Handgun, Larger Weapons* or by Unknown Type of Firearm, 1999-2017, Age 1-4.**
* Rifle, shotgun, assault weapon, etc.
<u>Data Source</u>: CDC WONDER[4]

Supplemental Figure S2.   Joinpoint[9]/AAPC[‡] Analysis of Annual Rates in U.S. of:
    A.   Firearm Deaths in 1-14 Year-Olds, 1981-2017, by Type of Firearm Death
    B.   All-Age Firearm Background Checks, 1999-2017
   ‡ Average annual percent change
    Gray zone: Federal Assault Weapons Ban
   * based on constant variance (homoscedasticity) assumption
    <u>Data Source</u>: CDC WISQARS,[4] NICS[6]

Firearm Death Rate Trend in 1-4 Year-Olds and the Federal Assault Weapon Ban

The U.S. had a Federal Assault Weapons Ban from 1994 until 2004 when it was not renewed because of equivocal evidence during the Ban that firearm deaths had decreased. In retrospect, firearm background checks decreased during the last 6 years of the Ban (Fig. 2**B**) and 1-4 year-olds had rate decreases during the Ban of fatal firearm accidents (AAPC = − 6.7, p < 0.0001), firearm homicides (AAPC = −4.5, p = 0.02), and overall firearm deaths (AAPC = −5.5, p = 0.001) (Supplemental Fig. S2). The year after the Ban expired and the national firearm background check rate began to exponentially increase, the rates of overall firearm deaths, firearm suicides, and fatal firearm accidents in 1-4 year-olds concurrently increased (Supplemental Fig. S2).

Global Ranking of Firearm Accident Rate Trend in 1-4 Year-Olds

In terms of rate trends since 2002 when in the U.S. the firearm death rate in 1-4 year-olds began to increase (Fig. 2**A**), the U.S. had the greatest rate increase in the world during 2002-2017, according to IHME GBD data (Supplemental Table S1). Only 9 other countries had a consistent increase and each of the 189 countries in the rest of the world had a decrease (Supplemental Table S1). The U.S. increase (AAPC = 6.01, p = 0.006) was greater than all of the countries with an increase, with the next greatest increase in Dominica (AAPC = 3.90). In terms of absolute rates during 2016-2017, the U.S. had the 2nd highest firearm death rate (203/100,000) among 1-4 year-olds of 58 countries in Europe, North America, Australasia, and high-income Asia (Supplemental Table S2). Montenegro had the highest rate (217/100,000) and Greenland third

(150/100,000). The 2017 national firearm accidental death rate in 1-4 year-olds was also directly correlated with the estimated civilian gun prevalence in the 18 countries with the highest rates of civilian gun ownership during 2017 and more than 2 million population (Fig. 5**C**) (p = 0.002).

DISCUSSION

Our results indicate that an exponential increase in the firearm death rate of America's youngest children explains in part why their overall mortality rate has ceased to improve like it has in other socio-demographically advantaged countries. Since 2014, 1-4 year-olds in the U.S. were as likely to die of bullets as in motor vehicle accidents. Most of the firearm mortality increase in 1-4 year-olds was due to fatal firearm accidents that also increased exponentially during 2004-2017. If the trend continues, one in every100 deaths among 1-4 year-olds in the U.S. during 2019 will be due to firearm accidents. That both the overall and accidental firearm death rate increased while the overall and majority of causes of death decreased adds greater significance to the firearm problem.

Since 2004 when in the U.S. the Federal Assault Weapons Ban ended and firearm sales began to accelerate, the accidental firearm death rate in 1-4 year-olds was directly proportional to the increase in firearm background checks. The most recent absolute rates in firearm accidental deaths in the age group was highly significantly correlated geographically (at the state and D.C. level) with the concurrent corresponding all-age rate of firearm background checks. Also, the firearm accidental death rate in countries with the high civilian firearm prevalence was significantly correlated with the number of guns per civilian population. We therefore hypothesize that the increasing firearm death rates in young children that we obseved was due to increasing firearm prevalence. Increasing violence displayed in video games and on television may have contrbuted to firearm death causation but only if firearms were accessible.

A critical limitation of our study is the ecologic limitation of attributing death rates to firearm sales rate in a cause-effect relationship. Although the correlations are not proof of causal relationship, the striking similarity of the joinpoint regressions of the overall, accidental, and undetermined firearm death rate profiles with the gun sales rate and the high degrees of correlation of accidental firearm death rates and firearm

background check rates ($0.0004 \leq p \leq 0.003$) are highly suggestive of a causal relationship. Firearm accident mortality rates, including pediatric deaths, have previously been specifically linked to firearam sales and Google searches for buying and cleaning guns.[9] Statistically significant or not, firearm prevalence and accidents is a logical synergism. There is also the assumption that firearm background checks are a surrogate for firearm sales. Background checks likely underrepresent the number of guns actually purchased since denials occur for <0.5% of checks, an approved buyer may purchase multiple firearms, and few states require checks for purchases from private parties. That the number of firearms in the home is not as predictive of suicide risk as the presence or absence of firearms[10] also makes correlations more difficult to interpret to the extent that the increase in gun sales increased the number of guns per home more than the proportion of homes with guns. Also, the data available were not sufficient to analyze the role of other potentially important factors such as race and socioeconomic status.

Multilple comparisons have found states with more restrictive firearm legislation to have lower pediatric, unintentional, suicide, and overall firearm-related fatality rates, and more slowly rising suicide rates.[11-15] A case-control study of firearms in events identified by medical examiner and coroner offices from 37 counties in Washington, Oregon, and Missouri, and 5 trauma centers in Seattle, Spokane, Tacoma, and Kansas City found that 4 practices of keeping a gun locked, unloaded, storing ammunition locked, and in a separate location are each associated with a protective effect for firarm injuries in homes with children and teenagers where guns are stored.[16] Having a gun in the home is associated with an increased firearm death risk for everyone in the home, including <5 year-olds.[17] General Social Survey gun ownership data indicates that handgun ownership in American families with young children increased to 72% in 2016 and is correlated with the increased death rate among young children from 2006 to 2016.[17] Broadly reducing access to firearms has lowered firearm mortality in other countries.[18]

The Federal Assault Weapons Ban has been recently shown to have reduced mass shootings[19] but not, to our knowledge, unintentional firearm deaths homicides in children. Assault weapons would not seem to be major cause of accidental deaths in young children. On the other hand, both handguns and long guns had progressively lower rates of permits issued during the last 6 years of the Ban (AAPC = –8.6, p = 0.03; AAPC = –4.8, p = 0.04, respectively) (Supplemental Fig. S3), suggesting that handguns

Supplemental Figure S3. Joinpoint[9]/AAPC‡ Analysis of Annual Number of National Firearm Permits Issued, by Type of Firearm, 1999-2017.
Gray zone: Last 6 year of Federal Assault Weapons Ban
‡ Average annual percent change, based on constant variance (homoscedasticity) assumption
* Multiple (multiple types of firearms selected)
** Firearms that are neither handguns nor long guns (rifles nor shotguns)
Data Source: NICS[6]

were also affected by the Ban. Since the national firearm background check program began in November 1998, firearm sales may have been suppressed during the initial years of the ban, but the synchronicity of the Ban and sales also suggests that the Ban also suppressed sales of both handguns and long guns. Also, the low rate of handguns specified to have caused accidental deaths in 1-4 year-olds implies larger firearms were a primary method. In addition, the decreasing rate of handguns and increasing rate of unspecified weapons used in homicides of 1-4 year-olds suggests that the age group has been increasingly killed by larger firearms. The homicide trends are consistent with an increasing availability and use of larger weapons since the Federal Assault Weapons Ban expired in 2004. Thus the non-specified proportion of firearm accidental deaths may include an increasing proportion of larger weapons. Finally, with 16,000,000 1-4 year-olds in the U.S. and at least 16 million assault weapons (called *modern sporting rifles* by the National Shooting Sports Foundation[20]) in private ownership in the U.S.,[20] the average of 1 assault weapon for every 1-4 year-old suggests that assault weapons by themselves could have contributed directly to the fatal firearm accidents in the age group. That the AR-15 (M16 style) rifle has become the most popular single model of rifle in the country[21] adds to the feasibility of assault weapons accidentally killing the country's youngest children.

The dramatic decrease in motor vehicle accident deaths, with the most recent data indicating that it is safer for 1-4 year-olds to be in cars than in homes with firearms, raises the issue of vehicle and firearm death comparisons. Federal funding of research was available to study vehicle deaths and prohibited for firearm research. Compared to requiring seat belt use, special safety seats for infants, airbag installation, power brake improvements and many other automobile safety features, firearms have had little such development. Requiring all drivers to be licensed and requiring motor vehicles to be parked in safe spots and their owners to be cited for parking violations has no parallel in the firearm world. These comparisons suggest what could be done to achieve a comparable reduction in firearm deaths.

The prominence of firearm deaths in American children requires addressing the problem of the country's gun plethora.[22] Of the world's population, the 4% that live in America own nearly half of the entire global stock of 857 million civilian firearms.[23] Eleven health professional organizations and the American Bar Association have recommended numerous national interventions that included protecting children from gunshot injuries.[24-28] The American Academy of Pediatrics has conlcuded that "the absence of guns from homes and communities is the most effective measure to prevent suicide, homicide, and unintentional injuries to children and adolescents".[29] Because the gun lobby in the U.S. influenced legislation prohibiting government during the past 25 years from allocating resources to study the problem, the state of the science of firearm injuries among American children has lagged behind other areas of injury prevention.[30] In 2017, the Firearm Safety Among Children and Teens (FACTS) Consortium, a National Institute for Child Health and Human Development-funded group of scientists and stakeholders, was formed to develop research resources for a pediatric-specific research agenda for firearm injury prevention.[31]

Ultimately, the non-fatal injury rate, which is multiple times higher than the death rate, must also be considered. In one study, for every person <18 years of age who died of bullets, 4 to 5 more were treated for gunshot wounds.[32] The overall human and financial cost of firearm injuries and deaths in the U.S. is extraordinary.

CONCLUSION

Young children in the U.S. have not had a decreasing mortality rate when compared to other high socio-demographic countries. A major reason is their rate of firearm deaths and especially fatal firearm accidents. Prior to 2004, the childhood firearm death rate did not increase during the Federal Assault Weapons Ban. Since then, the steadily increasing rate of sales and concomitant availability of, and access to, firearms in the U.S. has been associated with a dramatic increase in fatal firearm accidents in young children. The acceleration of firearm deaths and injuries among young Americans has become a national public health crisis that requires urgent and definitive solutions to address firearm prevalence. Twelve health professional organizations and the American Bar Association have provided multiple recommendations, including funding of the CDC and National Institutes of Health to determine the most effective solutions. Ignoring these recommendation s and thereby allowing the increasing firearm death rate in young children to continue to increase is not a responsible option.

REFERENCES

1. Institute for Health Metrics and Evaluation (IHME). GBD Compare Results Tool. Seattle, WA: IHME, University of Washington, 2017. Available from http://ghdx.healthdata.org/gbd-results-tool. Accessed September 6, 2019.
2. Cunningham RM, Walton MA, Carter PM. The major causes of death in children and adolescents in the United States. N Engl J Med 2018 December 20; 379:2468-2475
3. Barry WE, Barin E, McLaughlin CM, et al. Pediatric firearm injuries in Los Angeles County: Younger children are more likely to be the victims of unintentional firearm injury. J Pediatr Surg. 2019 Feb;54(2):350-353.
4. Centers for Disease Control and Prevention, National Center for Health Statistics. CDC Wide-ranging ONline Data for Epidemiologic Research (CDC WONDER), https://wonder.cdc.gov/ucd-icd10.html, and Web-based Injury Statistics Query and Reporting System (WISQARS), https://webappa.cdc.gov/sasweb/ncipc/mortrate.html. Accessed August 12, 2019.
5. International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM). ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Publ ications/ICD10CM/2019/. Accessed January 12, 2019.
6. National Instant Criminal Background Check System (NICS), Criminal Justice Information System Division, Federal Bureau of Investigation, U.S. Department of Justice. https://www.fbi.gov/file-repository/nics_firearm_checks_-_month_year.pdf/view. Accessed January 13, 2019.
7. Karp A. Estimating global civilian-held firearms numbers. Small Arms Survey Briefing Paper, June 2018. http://www.smallarmssurvey.org/fileadmin/docs/T-Briefing-Papers/SAS-BP-Civilian-Firearms-Numbers.pdf. Accessed July 24, 2019.
8. Joinpoint Regression Program, Version 4.5.0.1 June 2017; Statistical Research and Applications Branch, National Cancer Institute. Kim HJ, Fay MP, Feuer EJ, Midthune DN. Permutation tests for joinpoint regression with applications to cancer rates. Stat Med. 2000;19:335-351 (correction: 2001;20:655).
9. Levine PB, McKnight R. Firearms and accidental deaths: Evidence from the aftermath of the Sandy Hook school shooting. Science. 2017 Dec 8;358(6368):1324-1328.
10. Dahlberg LL, Ikeda RM, Kresnow MJ. Guns in the home and risk of a violent death in the home: findings from a national study. Am J Epidemiol. 2004 Nov 15;160(10):929-936.
11. Anestis MD, Houtsma C. The association between gun ownership and statewide overall suicide rates. Suicide Life Threat Behav. 2017 Mar 13. doi: 10.1111/sltb.12346. [Epub ahead of print]
12. Resnick S, Smith RN, Beard JH, Holena D, Reilly PM, Schwab CW, Seamon MJ. Firearm deaths in America: Can we learn from 462,000 lives lost? Ann Surg. 2017 Jun 27. doi: 10.1097/SLA.0000000000002376. [Epub ahead of print]
13. Anestis MD, Anestis JC, Butterworth SE. Handgun legislation and changes in statewide overall suicide rates. Am J Public Health. 2017 Apr;107(4):579-581.
14. Ghiani M, Hawkins SS, Baum CF. Associations between gun laws and suicides. Am J Epidemiol. 2019 Jul 1;188(7):1254-1261.
15. Madhavan S, Taylor JS, Chandler JM, Staudenmayer KL, Chao SD. Firearm legislation stringency and firearm-related fatalities among children in the United States. J Am Coll Surg. 2019 Aug;229(2):150-157.

16. Grossman DC, Mueller BA, Riedy C, et al. Gun storage practices and risk of youth suicide and unintentional firearm injuries. JAMA. 2005;293(6):707-714.

17. Prickett KC, Gutierrez C, Deb S. Family firearm ownership and firearm-related mortality among young children: 1976-2016. Pediatrics. 2019 Feb;143(2). pii: e20181171.

18. Mann JJ, Michel CA. Prevention of firearm suicide in the United States: What works and what is possible. Am J Psychiatry. 2016 Oct 1;173(10):969-979. Epub 2016 Jul 22.

19. DiMaggio C, Avraham J, Berry C, et al. Changes in US mass shooting deaths associated with the 1994-2004 federal assault weapons ban: Analysis of open-source data. J Trauma Acute Care Surg. 2019 Jan;86(1):11-19.

20. NSSF. The Firearms Industry Trade Association. The circus comes to Capital Hill. https://www.nssf.org/the-circus-comes-to-capitol-hill/. Accessed October 12, 2019.

21. How an 'ugly,' unwanted weapon became the most popular rifle in America. CNN Health. https://www.cnn.com/2017/12/14/health/ar15-rifle-history-trnd/index.html. Accessed September 26, 2019.20.

22. Taichman DB, Bauchner H, Drazen JM, Laine C, Peiperl L. Firearm-related injury and death — A U.S. health care crisis in need of health care professionals. New Engl J Med. 2017 Nov 23;377(21):2090-2091 and published simultaneously in Annals of Internal Medicine, JAMA, N Engl J Med, and PLOS Medicine.

23. Karp A. Estimating global civilian-held firearms numbers. Small Arms Survey Briefing Paper, June 2018. http://www.smallarmssurvey.org/fileadmin/docs/T-Briefing-Papers/SAS-BP-Civilian-Firearms-Numbers.pdf. Accessed July 25, 2019.

24. Weinberger SE, Hoyt DB, Lawrence HC 3rd, et al. Firearm-related injury and death in the United States: A call to action from 8 health professional organizations and the American Bar Association. Ann Intern Med. 2015 Apr 7;162(7):513-516.

25. Behrman P, Redding CA, Raja S, Newton T, Beharie N, Printz D. Society of Behavioral Medicine (SBM) position statement: restore CDC funding for firearms and gun violence prevention research. Transl Behav Med. 2018 Feb 28;93.

26. Bayouth L, Lukens-Bull K, Gurien L, Tepas JJ 3rd, Crandall M. Twenty years of pediatric gunshot wounds in our community: Have we made a difference? J Pediatr Surg. 2019 Jan;54(1):160-164.

27. Butkus R, Doherty R, Bornstein SS; Health and Public Policy Committee of the American College of Physicians. Reducing firearm injuries and deaths in the United States: A position paper from the American College of Physicians. Ann Intern Med. 2018 Nov 20;169(10):704-707.

28. Talley CL, Campbell BT, Jenkins DH, et al. Recommendations from the American College of Surgeons Committee on Trauma's Firearm Strategy Team (FAST) Workgroup: Chicago Consensus I. J Am Coll Surg. 2018 Nov 14. pii: S1072-7515(18)32155-0. doi: 10.1016/j.jamcollsurg.2018.11.002

29. American Academy of Pediatrics, Council on Injury, Violence, and Poison Prevention Executive Committee. Firearm-related injuries affecting the pediatric population. Pediatrics. 2012;130:e1416-e1423.

30. Ngo QM, Sigel E, Moon A, et al; FACTS Consortium. State of the science: a scoping review of primary prevention of firearm injuries among children and adolescents. J Behav Med. 2019 Aug;42(4):811-829.

31. Cunningham RM, Carter PM, Ranney ML, et al. Prevention of Firearm Injuries Among Children and Adolescents: Consensus-Driven Research Agenda from the Firearm Safety Among Children and Teens (FACTS) Consortium. JAMA Pediatr. 2019 Jun 10. doi: 10.1001/jamapediatrics.2019.1494. [Epub ahead of print]

32. Fowler KA, Dahlberg LL, Haileyesus T, Gutierrez C, Bacon B. Childhood firearm injuries in the United States. Pediatrics. 2017 Jun 19. pii: e20163486. doi: 10.1542/peds.2016-3486. [Epub ahead of print].

Table 1.   The 43 Leading Causes of Death in 1-4 Year-Olds during 2002-2017: Their Rate Trends and Proportion of All Deaths in 2016-2017

	Cause in trend rank order	AAPC* in Death Rate during 2002-2017	% of all Deaths in 2016-2017
1	**Firearm accident**	**7.46**	**0.8%**
2	Intestinal infections	5.31	0.5%
3	**All other firearm** (primarily undetermined, some homicides)	**2.70**	**1.6%**
4	Other and unspecified infectious or parasitic diseases and their sequelae	2.47	2.3%
5	Infections of kidney	2.20	0.0%
6	Tuberculosis	1.75	0.1%
7	Diabetes mellitus	1.40	0.2%
8	Poisoning	1.39	1.5%
9	Symptoms, signs, abnormal clinical or lab results not elsewhere classified	0.74	6.8%
10	Other diseases of respiratory system	0.52	2.5%
11	Machinery	0.41	0.3%
12	Struck by or against	-0.08	0.7%
13	Hernia	-0.26	0.1%
14	Natural/Environmental	-0.38	0.8%
15	Cerebrovascular diseases, including stroke	-0.58	1.5%
16	Cut/Pierce	-0.62	0.4%
17	Other land transport	-0.90	0.4%
18	Other acute lower respiratory infections	-0.95	0.5%
19	Suffocation	-0.97	3.5%
20	Drowning	-1.15	11.2%
21	Unspecified Injury	-1.17	3.8%
22	Malignant neoplasms	-1.22	8.9%
23	Complications of medical and surgical care	-1.88	0.4%
24	Anemias	-1.89	0.6%
25	Chronic lower respiratory diseases	-1.97	1.0%
26	Congenital malformations, deformations and chromosomal abnormalities	-1.98	10.8%
27	Diseases of Heart	-2.06	3.1%
28	Other Pedestrian	-2.08	2.1%
29	Influenza & Pneumonia	-2.12	2.6%
30	Hot object/Substance	-2.21	0.2%
31	In situ and benign neoplasms, neoplasms of uncertain/unknown behavior	-2.31	1.2%
32	Other specified, classifiable Injury	-2.31	1.7%
33	Pneumonitis due to solids and liquids	-2.71	0.2%
34	Meningitis	-3.30	0.4%
35	Other transport	-3.33	0.1%
36	Certain conditions originating in the perinatal period	-3.39	1.3%
37	Motor vehicle traffic	-3.65	8.8%
38	Nephritis, nephrotic syndrome and nephrosis	-3.71	0.3%
39	Septicemia	-3.77	1.5%
40	Other specified, not elsewhere classified Injury	-3.80	0.7%
41	Fire/Flame	-6.12	2.9%
42	Fall	-7.01	0.4%
43	**Motor vehicle accident, as occupant**[^]	**-8.14**	**2.2%**
	All Deaths	**-1.86**	

*Average annual percent change   Total of 43 causes: 88.7%

Data source: CDC WONDER and CDC WISQARS[4]; causes with >50 deaths during 2002-2017

^ICD-10 Codes: V30-V39 (.4-.9),V40-V49 (.4-.9),V50-V59 (.4-.9),V60-V69 (.4-.9),V70-V79 (.4-.9),V83-V86 (.0-.3)

Supplemental Table S1. Global Ranking of Average Annual Percent Change (AAPC) in Unintentional Firearm Death Rate, 2002-2017, Age 1-4.

Data Source: IHME GBD [1]

Increasing Trend	AAPC	Decreasing Trend (Continued)	AAPC	Decreasing Trend (Continued)	AAPC	Decreasing Trend (Continued)	AAPC	Decreasing Trend (Continued)	AAPC
1 United States*	7.46	38 Iceland	-1.07	79 Switzerland	-2.50	120 Belize	-4.10	161 Colombia	-5.76
2 Dominica	3.90	39 Ireland	-1.20	80 Guinea	-2.54	121 Seychelles	-4.10	162 Scotland	-5.78
3 Guatemala	2.90	40 Liberia	-1.21	81 Guam	-2.55	122 Croatia	-4.12	163 Senegal	-5.81
4 United Arab Emirates	2.20	41 Austria	-1.31	82 Georgia	-2.62	123 Virgin Islands, U.S.	-4.12	164 Uzbekistan	-5.93
5 Cote d'Ivoire	1.74	42 Madagascar	-1.32	83 Papua New Guinea	-2.73	124 Malta	-4.12	165 Uruguay	-6.01
6 South Sudan	1.67	43 Somalia	-1.33	84 The Gambia	-2.74	125 Haiti	-4.14	166 Rwanda	-6.12
7 Oman	1.57	44 Slovakia	-1.35	85 Mauritania	-2.82	126 Turkmenistan	-4.16	167 Portugal	-6.16
8 Cuba	1.15	45 Zimbabwe	-1.35	86 Egypt	-2.83	127 Thailand	-4.21	168 Equatorial Guinea	-6.18
9 Tanzania	0.50	46 Trinidad and Tobago	-1.39	87 Panama	-2.90	128 Qatar	-4.23	169 Chile	-6.40
10 Morocco	0.30	47 Federated States of Micro	-1.49	88 Yemen	-2.93	129 Togo	-4.23	170 Norway	-6.65
Initially Increasing Trend, then Continuosusly Decreasng Trend		48 Nigeria	-1.52	89 Costa Rica	-2.94	130 American Samoa	-4.28	171 Australia	-6.70
11 Northern Mariana Isl.**	0.73	49 Sweden	-1.56	90 Niger	-2.95	131 Kazakhstan	-4.34	172 India	-6.90
12 Antigua and Barbuda***	0.12	50 Ukraine	-1.59	91 Botswana	-2.95	132 Saint Lucia	-4.38	173 Brazil	-6.91
Decreasing Trend		51 Netherlands	-1.64	92 Syria	-2.99	133 St. Vincent & Grenadines	-4.38	174 Malaysia	-6.93
13 Iran	-0.09	52 Eritrea	-1.67	93 Namibia	-3.03	134 Guinea-Bissau	-4.48	175 Poland	-6.97
14 The Bahamas	-0.25	53 Tunisia	-1.68	94 Bermuda	-3.09	135 South Africa	-4.53	176 China	-7.10
15 Ecuador	-0.25	54 Tajikistan	-1.70	95 Singapore	-3.09	136 Kuwait	-4.65	177 Mongolia	-7.14
16 Taiwan	-0.28	55 Brunei	-1.74	96 Puerto Rico	-3.12	137 Luxembourg	-4.67	178 Ethiopia	-7.28
17 Bahrain	-0.29	56 New Zealand	-1.76	97 Bosnia & Herzegovina	-3.18	138 Greenland	-4.71	179 El Salvador	-7.37
18 Burkina Faso	-0.31	57 Democratic Rep. of Congo	-1.80	98 Palestine	-3.22	139 Germany	-4.75	180 Bolivia	-7.38
19 Lebanon	-0.43	58 Italy	-1.81	99 Bulgaria	-3.37	140 England	-4.77	181 Cambodia	-7.43
20 Zambia	-0.47	59 Mozambique	-1.83	100 Marshall Islands	-3.41	141 Swaziland	-4.79	182 Israel	-7.48
21 Mali	-0.54	60 Libya	-1.84	101 Sudan	-3.52	142 Congo	-4.95	183 Laos	-7.54
22 Bangladesh	-0.56	61 Kiribati	-1.86	102 Romania	-3.54	143 Argentina	-4.95	184 Vietnam	-7.60
23 Benin	-0.65	62 Slovenia	-1.86	103 Canada	-3.56	144 Grenada	-5.00	185 Denmark	-7.75
24 Chad	-0.72	63 Greece	-1.93	104 Kenya	-3.56	145 Lithuania	-5.19	186 Latvia	-7.78
25 Japan	-0.81	64 Gabon	-1.99	105 Kyrgyzstan	-3.58	146 Barbados	-5.22	187 Peru	-7.79
26 Jamaica	-0.91	65 Cameroon	-2.03	106 Cyprus	-3.59	147 Northern Ireland	-5.32	188 Russian Federation	-7.80
27 Central African Rep,	-0.92	66 Ghana	-2.04	107 South Korea	-3.65	148 Djibouti	-5.34	189 Timor-Leste	-7.91
28 France	-0.94	67 Cape Verde	-2.05	108 Maldives	-3.68	149 Czech Republic	-5.34	190 Sri Lanka	-7.92
29 Mauritius	-0.94	68 Azerbaijan	-2.08	109 Honduras	-3.73	150 Wales	-5.35	191 Andorra	-8.29
30 Jordan	-0.94	69 Malawi	-2.11	110 Albania	-3.77	151 Estonia	-5.37	192 Angola	-8.29
31 Sierra Leone	-0.95	70 Comoros	-2.13	111 Montenegro	-3.78	152 Moldova	-5.39	193 Myanmar	-8.57
32 Solomon Islands	-0.95	71 Belgium	-2.14	112 Mexico	-3.79	153 Pakistan	-5.45	194 Saudi Arabia	-8.87
33 Lesotho	-1.01	72 Philippines	-2.14	113 North Korea	-3.87	154 Dominican Republic	-5.47	195 Bhutan	-8.97
34 Fiji	-1.01	73 Samoa	-2.14	114 Burundi	-3.91	155 Spain	-5.50	196 Nicaragua	-9.19
35 Vanuatu	-1.02	74 Iraq	-2.17	115 Algeria	-4.04	156 Belarus	-5.55	197 Serbia	-9.90
36 Hungary	-1.03	75 Uganda	-2.21	116 Nepal	-4.05	157 Armenia	-5.58	198 Paraguay	-19.26
37 Guyana	-1.05	76 Tonga	-2.37	117 Suriname	-4.06	158 Sao Tome & Principe	-5.62		
Continued in next column		77 Macedonia	-2.38	118 Afghanistan	-4.06	159 Finland	-5.64		
		78 Venezuela	-2.45	119 Indonesia	-4.09	160 Turkey	-5.69		

*Data from CDC WONDER (all other countries from IHME GBD)   **Continous decrease after 2009   ***Continous decrease after 2007

Supplemental Table S2. Unintentional Firearm Death Rate, Age 1-4, 2016-2017, in North America, Europe, Australasia, High-Income Asia, by Rank Order.

<u>Data Source</u>: IHME GBD[1]

	Country	Deaths per 100,000		Country	Deaths per 100,000
1	Montenegro	0.217	30	Israel	0.018
2	United States*	0.203	31	Germany	0.018
3	Greenland	0.150	32	Italy	0.018
4	Mexico	0.066	33	Poland	0.017
5	Bulgaria	0.063	34	India	0.017
6	Portugal	0.057	35	Finland	0.016
7	France	0.055	36	Denmark	0.016
8	Macedonia	0.054	37	Taiwan	0.015
9	Albania	0.047	38	Spain	0.015
10	Moldova	0.045	39	Japan	0.015
11	Slovakia	0.045	40	Iceland	0.014
12	Ukraine	0.041	41	Nepal	0.014
13	Romania	0.038	42	Northern Ireland	0.014
14	North Korea	0.037	43	Netherlands	0.013
15	Croatia	0.031	44	England	0.013
16	Serbia	0.031	45	Scotland	0.012
17	Malta	0.030	46	New Zealand	0.012
18	Andorra	0.030	47	Switzerland	0.012
19	Czech Republic	0.027	48	Wales	0.012
20	Latvia	0.026	49	Luxembourg	0.011
21	Belarus	0.023	50	Estonia	0.011
22	Greece	0.023	51	Hungary	0.011
23	Belgium	0.022	52	Australia	0.010
24	Brunei	0.021	53	Sweden	0.010
25	Canada	0.021	54	Slovenia	0.009
26	Lithuania	0.021	55	Norway	0.009
27	South Korea	0.019	56	Ireland	0.009
28	Austria	0.019	57	Cyprus	0.008
29	China	0.018	58	Bosnia and Herzegovina	0.008
	Continued in next column		59	Singapore	0.005

*Data from CDC WONDER; Other countries from IHME GBD