medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

Coding variants in *ACE2* and *TMPRSS2* are not major drivers of COVID-19 severity in UK Biobank subjects

Running title: **Variants in *ACE2* and *TMPRSS2* do not determine COVID-19 severity**

David Curtis

UCL Genetics Institute, UCL, Darwin Building, Gower Street, London WC1E 6BT.

Centre for Psychiatry, Queen Mary University of London, Charterhouse Square, London EC1M 6BQ.

Correspondence:

David Curtis *d.curtis@ucl.ac.uk*

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

Abstract

It is plausible that coding variants in the *ACE2* and *TMPRSS2* genes might contribute to variation in COVID-19 severity. Exome sequence data was obtained for 49,953 UK Biobank subjects of whom 74 had tested positive for SARS-CoV-2 and could be presumed to have severe disease. A weighted burden analysis was carried out using SCOREASSOC to determine whether there were differences between these cases and the other sequenced subjects in the overall burden of rare, damaging variants in *ACE2* or *TMPRSS2*. There were no significant differences in weighted burden scores between cases and controls for either gene. There were no individual DNA sequence variants with a markedly different frequency between cases and controls. Genetic variants affecting the structure and function of the ACE2 and TMPRSS2 proteins are not a major determinant of whether infection with SARS-CoV-2 results in severe symptoms. This research has been conducted using the UK Biobank Resource.

Keywords

ACE2; *TMPRSS2*; COVID-19; SARS-CoV-2.

Introduction

There is wide variation in the severity of symptoms in patients infected with SARS-CoV-2 and there are reports in the UK that members of ethnic minorities are more severely affected. An obvious possible explanation for these findings would be that genetic polymorphisms affecting structure or function of key proteins could influence host susceptibility and/or responses to infection. If these polymorphisms varied in frequency between different ethnic groups then this could contribute to differential outcomes.

Two key proteins involved in SARS-CoV-2 infective processes are ACE2, which is expressed on the cell surface and acts as a receptor for the viral S protein, and TMPRSS2, which cleaves the S protein to

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

allow fusion of the viral and cellular membranes (Hoffmann et al., 2020). Variants in the genes coding for these proteins might be contribute to different responses to infection.

Methods

Exome sequence data was obtained for 49,953 UK Biobank subjects. All variants were annotated using VEP, PolyPhen and SIFT (Adzhubei et al., 2013; Kumar et al., 2009; McLaren et al., 2016). To obtain population principal components reflecting ancestry, version 1.90beta of *plink* (https://www.cog-genomics.org/plink2) was run with the options *--maf 0.1 --pca header tabs --make-rel* (Chang et al., 2015; Purcell et al., 2007, 2009).

The COVID-19 results table was downloaded from UK Biobank on 28th April 2020. This contained results for 2,724 subjects who had undergone testing for SARS-CoV-2 infection between 16th March and 14th April 2020. During this period, testing in the UK was done almost exclusively on patients admitted to hospital and thus patients testing positive can be assumed to have severe disease because patients with milder symptoms were generally left at home. Of the subjects tested, 185 had been exome sequenced, of whom 74 had tested positive. The proportion of infected subjects who require hospitalisation rises with age but is still only 0.18 for those aged 80 or over (Verity et al., 2020). Thus the subjects who tested positive could be regarded as cases with an unusually severe response to infection whereas the subjects who tested negative or who were not tested could be regarded as unscreened controls, most of whom would not have severe symptoms even if infected.

SCOREASSOC was then used to carry out a weighted burden analysis to test whether, in *ACE2* or *TMPRSS2*, sequence variants which were rarer and/or predicted to have more severe functional effects occurred more commonly in cases, i.e. subjects who tested positive for SARS-CoV-2, than all the other sequenced subjects. Variants were weighted according to their functional annotation using the default weights provided with the GENEVARASSOC program, which was used to generate input files for weighted burden analysis by SCOREASSOC (Curtis, 2016, 2012). For example, a weight of 5 was assigned for a synonymous variant, 10 for a non-synonymous variant and 20 for a stop gained

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

variant. Additionally, 10 was added to the weight if the PolyPhen annotation was possibly or probably damaging and also if the SIFT annotation was deleterious, meaning that a non-synonymous variant annotated as both damaging and deleterious would be assigned an overall weight of 30. The full set of weights is shown in Table 1, copied from the previous reports which used this method (Curtis et al., 2019, 2018). Variants were excluded if there were more than 10% of genotypes missing in the controls or if the heterozygote count was smaller than both homozygote counts in the controls. For each subject a gene-wise weighted burden score was derived as the sum of the variant-wise weights, each multiplied by the number of alleles of the variant which the given subject possessed. If a subject was not genotyped for a variant then they were assigned the subject-wise average score for that variant.

A t test was carried out to determine whether the gene-wise burden scores differed between cases and controls and additionally ridge regression analysis with lamda=1 was performed incorporating the first 20 principal components, as described previously (Curtis et al., 2019, 2018). To do this, SCOREASSOC first calculates the likelihood for the phenotypes as predicted by the principal components and then calculates the likelihood using a model which additionally incorporates the gene-wise burden scores. It then carries out a likelihood ratio test assuming that twice the natural log of the likelihood ratio follows a chi-squared distribution with one degree of freedom to produce a p value.

Ethical approval was provided by the UCL Research Ethics Committee.

Results

The genotype counts and frequencies of variants are presented in Supplementary Table 1, with variant positions and annotations redacted in order to preserve subject anonymity. There were 512 valid variants in *ACE2* and there was no tendency for the weighted burden scores to be different between cases and controls: t=0.74, 49951 df, p=0.45 and chi-squared=0.33, 1 df, p=0.57. There were 658 valid variants in *TMPRSS2* and although the weighted burden scores were lower in cases

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

than in controls this difference would not meet conventional standards for statistical significance after correcting for the fact that two genes were tested: t=-1.6, 49951 df, p=0.10 and, in the ridge regression analysis incorporating principal components, chi-squared=4.17, 1 df, p = 0.04. On visual inspection of the results there were no individual variants with markedly different frequencies between cases and controls. Of course, for both genes there were many rare variants which were observed in controls but not in cases but this is as expected given the disparity in sample sizes.

Discussion

Although the number of severely affected subjects who had been sequenced is very small it is nevertheless possible to draw some preliminary conclusions and given the importance of the topic it seems reasonable to communicate these findings. In general, the results are negative. It is not the case that a large proportion of severely affected subjects have a particular genetic variant in one of these genes which is relatively rare in the general population. Nor is it the case that there is a common variant which confers strong protection against severe infection. It remains possible that there might be rare variants which have a major effect on risk in individual subjects but such effects would only be detected with larger sample sizes.

The fact that the weighted burden scores were higher in controls than in cases is consistent with the hypothesis that rare genetic variants in *TMPRSS2* with functional effects disrupting functioning of the protein might be protective against severe infection. Although this is biologically plausible it should be emphasised that the results obtained are not statistically significant. This could be investigated further by carrying out targeted sequencing of this gene in a sample of a few hundred severely affected subjects.

Genetic variants affecting the structure and function of the ACE2 and TMPRSS2 proteins are not a major determinant of whether infection with SARS-CoV-2 results in severe symptoms.

Acknowledgments

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

This research has been conducted using the UK Biobank Resource. The author wishes to acknowledge the staff supporting the High Performance Computing Cluster, Computer Science Department, University College London. This work was carried out in part using resources provided by BBSRC equipment grant BB/R01356X/1.

References

Adzhubei, I., Jordan, D.M., Sunyaev, S.R. (2013) Predicting functional effect of human missense mutations using PolyPhen-2. Curr. Protoc. Hum. Genet. 7 Unit7.20.

Chang, C.C., Chow, C.C., Tellier, L.C., Vattikuti, S., Purcell, S.M., Lee, J.J. (2015) Second-generation PLINK: rising to the challenge of larger and richer datasets. Gigascience 4, 7.

Curtis, D. (2012) A rapid method for combined analysis of common and rare variants at the level of a region, gene, or pathway. Adv Appl Bioinform Chem 5, 1–9.

Curtis, D. (2016) Pathway analysis of whole exome sequence data provides further support for the involvement of histone modification in the aetiology of schizophrenia. Psychiatr. Genet. 26, 223–7.

Curtis, D., Bakaya, K., Sharma, L., Bandyopadhay, S. (2019) Weighted burden analysis of exome-sequenced late onset Alzheimer's cases and controls provides further evidence for involvement of PSEN1 and demonstrates protective role for variants in tyrosine phosphatase genes. Ann Hum Genet 84, 291–302.

Curtis, D., Coelewij, L., Liu, S.-H., Humphrey, J., Mott, R. (2018) Weighted Burden Analysis of Exome-Sequenced Case-Control Sample Implicates Synaptic Genes in Schizophrenia Aetiology. Behav. Genet. 43, 198–208.

Hoffmann, M., Kleine-Weber, H., Schroeder, S., Krüger, N., Herrler, T., Erichsen, S., Schiergens, T.S., Herrler, G., Wu, N.H., Nitsche, A., Müller, M.A., Drosten, C., Pöhlmann, S. (2020) SARS-CoV-2 Cell Entry Depends on ACE2 and TMPRSS2 and Is Blocked by a Clinically Proven Protease Inhibitor. Cell 181, 271-280.e8.

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

Kumar, P., Henikoff, S., Ng, P.C. (2009) Predicting the effects of coding non-synonymous variants on protein function using the SIFT algorithm. Nat. Protoc. 4, 1073–1081.

McLaren, W., Gil, L., Hunt, S.E., Riat, H.S., Ritchie, G.R.S., Thormann, A., Flicek, P., Cunningham, F. (2016) The Ensembl Variant Effect Predictor. Genome Biol. 17, 122.

Purcell, S., Neale, B., Todd-Brown, K., Thomas, L., Ferreira, M.A.R., Bender, D., Maller, J., Sklar, P., de Bakker, P.I.W., Daly, M.J., Sham, P.C. (2007) PLINK: a tool set for whole-genome association and population-based linkage analyses. Am. J. Hum. Genet. 81, 559–75.

Purcell, S.M., Wray, N.R., Stone, J.L., Visscher, P.M., O'Donovan, M.C., Sullivan, P.F., Sklar, P., Purcell Leader, S.M., Ruderfer, D.M., McQuillin, A., Morris, D.W., O'Dushlaine, C.T., Corvin, A., Holmans, P. a, Macgregor, S., Gurling, H., Blackwood, D.H.R., Craddock, N.J., Gill, M., Hultman, C.M., Kirov, G.K., Lichtenstein, P., Muir, W.J., Owen, M.J., Pato, C.N., Scolnick, E.M., St Clair, D., Sklar Leader, P., Williams, N.M., Georgieva, L., Nikolov, I., Norton, N., Williams, H., Toncheva, D., Milanova, V., Thelander, E.F., Sullivan, P.F., Kenny, E., Quinn, E.M., Choudhury, K., Datta, S., Pimm, J., Thirumalai, S., Puri, V., Krasucki, R., Lawrence, J., Quested, D., Bass, N., Crombie, C., Fraser, G., Leh Kuan, S., Walker, N., McGhee, K. a, Pickard, B., Malloy, P., Maclean, A.W., Van Beck, M., Pato, M.T., Medeiros, H., Middleton, F., Carvalho, C., Morley, C., Fanous, A., Conti, D., Knowles, J. a, Paz Ferreira, C., Macedo, A., Helena Azevedo, M., Kirby, A.N., Ferreira, M. a R., Daly, M.J., Chambert, K., Kuruvilla, F., Gabriel, S.B., Ardlie, K., Moran, J.L. (2009) Common polygenic variation contributes to risk of schizophrenia and bipolar disorder. Nature 10, 8192–8192.

Verity, R., Okell, L.C., Dorigatti, I., Winskill, P., Whittaker, C., Imai, N., Cuomo-Dannenburg, G., Thompson, H., Walker, P.G.T., Fu, H., Dighe, A., Griffin, J.T., Baguelin, M., Bhatia, S., Boonyasiri, A., Cori, A., Cucunubá, Z., FitzJohn, R., Gaythorpe, K., Green, W., Hamlet, A., Hinsley, W., Laydon, D., Nedjati-Gilani, G., Riley, S., van Elsland, S., Volz, E., Wang, H., Wang, Y., Xi, X., Donnelly, C.A., Ghani, A.C., Ferguson, N.M. (2020) Estimates of the severity of coronavirus disease 2019: a model-based analysis. Lancet. Infect. Dis.

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

Table 1

The table shows the weight accorded to each type of variant as annotated by VEP (McLaren et al., 2016). 10 was added to this weight if the variant was annotated by Polyphen as possibly or probably damaging and 10 was added if SIFT annotated it as deleterious (Adzhubei et al., 2013; Kumar et al., 2009).

VEP annotation	Weight
intergenic_variant	1
feature_truncation	3
regulatory_region_variant	3
feature_elongation	3
regulatory_region_amplification	3
regulatory_region_ablation	3
TF_binding_site_variant	3
TFBS_amplification	3
TFBS_ablation	3
downstream_gene_variant	3
upstream_gene_variant	3
non_coding_transcript_variant	3
NMD_transcript_variant	3
intron_variant	3
non_coding_transcript_exon_variant	3
3_prime_UTR_variant	5
5_prime_UTR_variant	5
mature_miRNA_variant	5
coding_sequence_variant	5
synonymous_variant	5
stop_retained_variant	5
incomplete_terminal_codon_variant	5
splice_region_variant	5
protein_altering_variant	10
missense_variant	10
inframe_deletion	15
inframe_insertion	15
transcript_amplification	15
start_lost	15
stop_lost	15
frameshift_variant	20
stop_gained	20
splice_donor_variant	20
splice_acceptor_variant	20
transcript_ablation	20

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

Supplementary Table 1

Table showing genotype counts and allele frequencies for variants in *ACE2* and *TMPRSS2* in cases tested positive for SARS-CoV-2, presumed to have severe illness, against background controls. Each variant is assigned a weight, with higher weights for variants which are rarer and/or with predicted damaging effects. For variants in *ACE2*, which is on the X chromosome, males are treated as homozygotes. To preserve subject anonymity, variant positions and annotations are redacted.

Supplementary Table 1A

Genotype counts and frequencies for variants in *ACE2*.

Variant	contAA	contAB	contBB	contFreq	caseAA	caseAB	caseBB	caseFreq	Weight
1	49866	1	0	0.00001	74	0	0	0	30
2	49020	472	236	0.009492	70	2	0	0.013889	28.98
3	49712	8	0	0.00008	74	0	0	0	29.99
4	49627	1	0	0.00001	73	0	0	0	30
5	49368	9	0	0.000091	73	0	0	0	29.99
6	49751	88	3	0.000943	74	0	0	0	29.9
7	49862	7	1	0.00009	74	0	0	0	29.99
8	49872	1	0	0.00001	74	0	0	0	30
9	49091	474	308	0.010928	70	2	2	0.040541	28.83
10	49877	2	0	0.00002	74	0	0	0	30
11	49878	1	0	0.00001	74	0	0	0	50
12	49878	1	0	0.00001	74	0	0	0	50
13	49876	2	1	0.00004	74	0	0	0	49.99
14	49871	6	1	0.00008	74	0	0	0	49.99
15	49878	1	0	0.00001	74	0	0	0	50
16	49867	10	2	0.00014	74	0	0	0	49.97
17	49878	1	0	0.00001	74	0	0	0	50
18	49878	1	0	0.00001	74	0	0	0	50
19	49877	1	1	0.00003	74	0	0	0	49.99
20	49878	1	0	0.00001	74	0	0	0	50
21	49878	1	0	0.00001	74	0	0	0	50
22	49878	1	0	0.00001	74	0	0	0	50
23	49878	1	0	0.00001	74	0	0	0	50
24	49854	2	0	0.00002	74	0	0	0	99.99
25	49870	7	2	0.00011	74	0	0	0	49.98
26	49822	37	19	0.000752	74	0	0	0	49.86
27	49874	3	2	0.00007	74	0	0	0	49.99
28	49873	3	3	0.00009	74	0	0	0	49.98
29	49878	1	0	0.00001	74	0	0	0	50
30	49878	1	0	0.00001	74	0	0	0	50
31	49875	2	2	0.00006	74	0	0	0	49.99
32	49877	2	0	0.00002	74	0	0	0	30
33	49876	2	1	0.00004	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

34	49868	2	0	0.00002	74	0	0	0	30
35	49854	4	0	0.00004	74	0	0	0	30
36	49505	1	0	0.00001	73	0	0	0	30
37	49628	1	0	0.00001	73	0	0	0	30
38	49468	120	7	0.001351	73	0	0	0	29.85
39	49737	1	0	0.00001	73	0	0	0	30
40	49819	4	0	0.00004	74	0	0	0	30
41	49877	1	1	0.00003	74	0	0	0	49.99
42	49878	1	0	0.00001	74	0	0	0	50
43	49878	1	0	0.00001	74	0	0	0	50
44	49871	3	0	0.00003	74	0	0	0	49.99
45	49868	1	0	0.00001	74	0	0	0	50
46	49838	1	0	0.00001	74	0	0	0	30
47	49833	1	0	0.00001	74	0	0	0	30
48	49831	1	0	0.00001	74	0	0	0	30
49	49770	32	5	0.000422	74	0	0	0	29.95
50	49684	11	0	0.000111	73	0	0	0	29.99
51	49655	2	0	0.00002	73	0	0	0	30
52	49635	3	0	0.00003	73	0	0	0	30
53	49589	1	0	0.00001	73	0	0	0	30
54	49278	2	0	0.00002	72	0	0	0	30
55	48863	2	0	0.00002	69	0	0	0	30
56	49281	2	0	0.00002	69	0	0	0	30
57	49670	5	0	0.00005	71	0	0	0	29.99
58	49700	2	0	0.00002	72	0	0	0	30
59	49818	11	0	0.00011	73	0	0	0	29.99
60	49136	440	217	0.008776	69	2	2	0.041096	29.06
61	49575	207	71	0.0035	74	0	0	0	49.37
62	49872	6	0	0.00006	74	0	0	0	49.99
63	49874	3	0	0.00003	74	0	0	0	49.99
64	49871	3	0	0.00003	74	0	0	0	49.99
65	49817	1	0	0.00001	74	0	0	0	30
66	49454	1	0	0.00001	73	0	0	0	30
67	49414	2	0	0.00002	73	0	0	0	30
68	49376	1	0	0.00001	73	0	0	0	30
69	48952	2	0	0.00002	73	0	0	0	30
70	49846	3	0	0.00003	74	0	0	0	30
71	49835	21	0	0.000211	74	0	0	0	29.98
72	49875	2	0	0.00002	74	0	0	0	50
73	49860	2	0	0.00002	74	0	0	0	30
74	48538	4	0	0.000041	68	0	0	0	30
75	49445	1	0	0.00001	74	0	0	0	30
76	49481	3	0	0.00003	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

77	49876	2	0	0.00002	74	0	0	0	50
78	49867	1	0	0.00001	74	0	0	0	50
79	49770	3	0	0.00003	74	0	0	0	30
80	49766	4	0	0.00004	74	0	0	0	30
81	49593	1	0	0.00001	74	0	0	0	30
82	49455	1	0	0.00001	74	0	0	0	30
83	49298	2	0	0.00002	74	0	0	0	30
84	48175	2	0	0.000021	69	0	0	0	30
85	48553	2	0	0.000021	72	0	0	0	30
86	49304	1	0	0.00001	72	0	0	0	30
87	49600	1	0	0.00001	73	0	0	0	30
88	49658	3	0	0.00003	73	0	0	0	30
89	49750	1	0	0.00001	74	0	0	0	50
90	49760	3	0	0.00003	74	0	0	0	199.98
91	49785	1	0	0.00001	74	0	0	0	50
92	49771	22	0	0.000221	74	0	0	0	199.84
93	49835	7	0	0.00007	74	0	0	0	49.99
94	49867	4	0	0.00004	74	0	0	0	49.99
95	49870	4	0	0.00004	74	0	0	0	49.99
96	49872	2	0	0.00002	74	0	0	0	50
97	49876	1	0	0.00001	74	0	0	0	149.99
98	49851	6	1	0.00008	74	0	0	0	29.99
99	49854	6	0	0.00006	74	0	0	0	29.99
100	49321	4	0	0.000041	74	0	0	0	30
101	48768	237	18	0.002784	74	0	0	0	29.7
102	49107	1	0	0.00001	74	0	0	0	30
103	49303	1	0	0.00001	73	0	0	0	30
104	49809	22	4	0.000301	74	0	0	0	29.97
105	49864	4	0	0.00004	74	0	0	0	30
106	49869	8	0	0.00008	74	0	0	0	49.99
107	49877	2	0	0.00002	74	0	0	0	50
108	49870	6	2	0.0001	74	0	0	0	49.98
109	49874	4	1	0.00006	74	0	0	0	49.99
110	49877	2	0	0.00002	73	1	0	0.006757	49.99
111	49793	1	0	0.00001	73	0	0	0	30
112	49643	1	0	0.00001	72	0	0	0	30
113	49390	8	0	0.000081	72	0	0	0	29.99
114	49254	16	0	0.000162	72	0	0	0	29.98
115	48174	10	0	0.000104	71	0	0	0	29.99
116	48059	43	0	0.000447	71	0	0	0	29.95
117	49584	2	0	0.00002	74	0	0	0	30
118	49615	37	2	0.000413	74	0	0	0	29.96
119	49841	1	0	0.00001	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

120	49877	2	0	0.00002	74	0	0	0	30
121	49867	10	2	0.00014	74	0	0	0	29.98
122	49876	3	0	0.00003	74	0	0	0	30
123	49878	1	0	0.00001	74	0	0	0	50
124	49623	187	69	0.003258	72	1	1	0.02027	49.41
125	49877	1	1	0.00003	74	0	0	0	49.99
126	49878	1	0	0.00001	74	0	0	0	50
127	49877	2	0	0.00002	74	0	0	0	30
128	49878	1	0	0.00001	74	0	0	0	30
129	48035	2	0	0.000021	72	0	0	0	30
130	48772	1	0	0.00001	72	0	0	0	30
131	48916	1	0	0.00001	72	0	0	0	30
132	49263	1	0	0.00001	74	0	0	0	30
133	49410	164	11	0.001876	72	1	0	0.006849	29.8
134	49818	2	0	0.00002	74	0	0	0	30
135	49857	1	0	0.00001	74	0	0	0	30
136	49874	3	1	0.00005	74	0	0	0	49.99
137	49876	2	0	0.00002	74	0	0	0	50
138	49850	14	10	0.000341	74	0	0	0	49.94
139	49877	1	1	0.00003	74	0	0	0	49.99
140	49878	1	0	0.00001	74	0	0	0	50
141	49874	3	1	0.00005	74	0	0	0	49.99
142	49878	1	0	0.00001	74	0	0	0	50
143	49878	1	0	0.00001	74	0	0	0	50
144	49878	1	0	0.00001	74	0	0	0	50
145	49878	1	0	0.00001	74	0	0	0	50
146	49878	1	0	0.00001	74	0	0	0	50
147	49875	3	1	0.00005	73	0	1	0.013514	49.99
148	49857	18	3	0.000241	74	0	0	0	49.96
149	49878	1	0	0.00001	74	0	0	0	30
150	49811	11	1	0.00013	73	1	0	0.006757	29.98
151	49481	5	0	0.000051	74	0	0	0	29.99
152	48991	4	0	0.000041	74	0	0	0	30
153	49280	17	0	0.000172	73	0	0	0	29.98
154	49366	1	0	0.00001	73	0	0	0	30
155	49775	2	0	0.00002	74	0	0	0	30
156	49868	1	0	0.00001	74	0	0	0	30
157	49873	1	0	0.00001	74	0	0	0	30
158	49877	2	0	0.00002	74	0	0	0	50
159	49857	6	0	0.00006	73	0	0	0	29.99
160	49858	5	0	0.00005	73	0	0	0	29.99
161	49856	2	0	0.00002	73	0	0	0	30
162	49538	3	0	0.00003	73	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

163	49504	1	0	0.00001	73	0	0	0	30
164	49490	1	0	0.00001	73	0	0	0	30
165	49368	25	2	0.000294	72	0	0	0	29.97
166	49288	3	0	0.00003	72	0	0	0	30
167	49289	3	0	0.00003	72	0	0	0	30
168	47532	2	0	0.000021	72	0	0	0	30
169	49702	3	0	0.00003	74	0	0	0	30
170	49877	2	0	0.00002	74	0	0	0	50
171	49873	4	2	0.00008	74	0	0	0	49.99
172	49877	1	1	0.00003	74	0	0	0	49.99
173	49877	2	0	0.00002	74	0	0	0	50
174	49878	1	0	0.00001	74	0	0	0	50
175	49868	3	0	0.00003	74	0	0	0	49.99
176	49794	4	0	0.00004	74	0	0	0	49.99
177	49617	2	0	0.00002	74	0	0	0	30
178	49509	1	0	0.00001	74	0	0	0	30
179	48694	3	0	0.000031	73	0	0	0	30
180	46768	1	0	0.000011	72	0	0	0	30
181	49845	3	0	0.00003	74	0	0	0	30
182	49877	2	0	0.00002	74	0	0	0	30
183	49878	1	0	0.00001	74	0	0	0	30
184	49878	1	0	0.00001	74	0	0	0	30
185	49878	1	0	0.00001	74	0	0	0	30
186	49877	2	0	0.00002	74	0	0	0	30
187	49878	1	0	0.00001	74	0	0	0	50
188	49877	1	1	0.00003	74	0	0	0	49.99
189	49878	1	0	0.00001	74	0	0	0	50
190	49878	1	0	0.00001	74	0	0	0	50
191	49878	1	0	0.00001	74	0	0	0	50
192	49876	2	1	0.00004	74	0	0	0	49.99
193	49878	1	0	0.00001	74	0	0	0	50
194	49877	2	0	0.00002	74	0	0	0	50
195	49875	4	0	0.00004	74	0	0	0	49.99
196	49878	1	0	0.00001	74	0	0	0	50
197	49878	1	0	0.00001	74	0	0	0	50
198	49876	3	0	0.00003	74	0	0	0	49.99
199	49877	1	1	0.00003	74	0	0	0	199.98
200	49878	1	0	0.00001	74	0	0	0	50
201	49877	1	1	0.00003	74	0	0	0	30
202	49877	2	0	0.00002	74	0	0	0	30
203	49853	10	1	0.00012	74	0	0	0	29.99
204	49858	2	0	0.00002	74	0	0	0	30
205	49837	1	0	0.00001	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

206	49764	33	0	0.000331	73	1	0	0.006757	29.96
207	49798	1	0	0.00001	74	0	0	0	30
208	49644	112	11	0.001346	74	0	0	0	29.86
209	49798	3	0	0.00003	74	0	0	0	30
210	49155	1	0	0.00001	71	0	0	0	30
211	49877	2	0	0.00002	74	0	0	0	50
212	49878	1	0	0.00001	74	0	0	0	50
213	49874	3	2	0.00007	74	0	0	0	49.99
214	49878	1	0	0.00001	74	0	0	0	50
215	49878	1	0	0.00001	74	0	0	0	50
216	49876	2	1	0.00004	74	0	0	0	49.99
217	49872	5	0	0.00005	74	0	0	0	49.99
218	49786	4	0	0.00004	74	0	0	0	49.99
219	49323	2	0	0.00002	74	0	0	0	50
220	48576	2	0	0.000021	72	0	0	0	50
221	49812	2	0	0.00002	74	0	0	0	50
222	49827	1	0	0.00001	74	0	0	0	50
223	49854	3	0	0.00003	74	0	0	0	49.99
224	49864	1	0	0.00001	74	0	0	0	50
225	49878	1	0	0.00001	74	0	0	0	50
226	49875	4	0	0.00004	74	0	0	0	49.99
227	49878	1	0	0.00001	74	0	0	0	50
228	49874	5	0	0.00005	74	0	0	0	49.99
229	49878	1	0	0.00001	74	0	0	0	50
230	49876	2	0	0.00002	74	0	0	0	30
231	49874	1	0	0.00001	74	0	0	0	30
232	49868	2	0	0.00002	74	0	0	0	30
233	49813	8	0	0.00008	74	0	0	0	29.99
234	49719	1	0	0.00001	74	0	0	0	30
235	49695	2	0	0.00002	74	0	0	0	30
236	49766	3	0	0.00003	73	0	0	0	30
237	46504	2267	1107	0.04492	73	0	1	0.013514	42.29
238	49862	13	4	0.000211	74	0	0	0	49.96
239	49848	28	3	0.000341	74	0	0	0	49.94
240	47866	1396	617	0.026364	73	0	1	0.013514	45.38
241	49869	6	4	0.00014	74	0	0	0	49.97
242	49870	7	1	0.00009	74	0	0	0	49.98
243	49878	1	0	0.00001	74	0	0	0	50
244	49876	3	0	0.00003	74	0	0	0	49.99
245	49741	5	0	0.00005	74	0	0	0	29.99
246	48903	80	0	0.000817	71	0	0	0	29.91
247	49570	22	1	0.000242	72	0	0	0	29.97
248	49653	8	0	0.000081	72	0	0	0	29.99

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

249	49842	2	0	0.00002	74	0	0	0	30
250	49878	1	0	0.00001	74	0	0	0	30
251	49877	2	0	0.00002	74	0	0	0	30
252	49877	2	0	0.00002	74	0	0	0	30
253	49877	2	0	0.00002	74	0	0	0	30
254	49871	6	2	0.0001	74	0	0	0	49.98
255	49874	4	1	0.00006	74	0	0	0	49.99
256	49868	8	3	0.00014	74	0	0	0	49.97
257	49718	114	47	0.002085	74	0	0	0	49.63
258	49875	3	1	0.00005	74	0	0	0	49.99
259	49878	1	0	0.00001	74	0	0	0	50
260	49876	3	0	0.00003	74	0	0	0	149.98
261	49878	1	0	0.00001	74	0	0	0	50
262	49877	1	0	0.00001	74	0	0	0	50
263	49679	1	0	0.00001	74	0	0	0	30
264	49300	1	0	0.00001	73	0	0	0	30
265	49798	1	0	0.00001	74	0	0	0	30
266	49808	1	0	0.00001	74	0	0	0	30
267	49872	1	0	0.00001	74	0	0	0	30
268	49877	1	0	0.00001	74	0	0	0	30
269	49873	5	0	0.00005	74	0	0	0	29.99
270	49876	3	0	0.00003	74	0	0	0	30
271	49877	1	1	0.00003	74	0	0	0	30
272	49878	1	0	0.00001	74	0	0	0	30
273	49878	1	0	0.00001	74	0	0	0	50
274	49878	1	0	0.00001	74	0	0	0	50
275	49877	1	1	0.00003	74	0	0	0	49.99
276	49875	3	1	0.00005	73	0	1	0.013514	49.99
277	49878	1	0	0.00001	74	0	0	0	30
278	49843	18	2	0.000221	74	0	0	0	29.98
279	49852	1	0	0.00001	74	0	0	0	30
280	49850	1	0	0.00001	74	0	0	0	30
281	49814	2	0	0.00002	74	0	0	0	30
282	49794	2	0	0.00002	74	0	0	0	30
283	49792	4	0	0.00004	74	0	0	0	30
284	49800	2	0	0.00002	74	0	0	0	30
285	49803	1	0	0.00001	74	0	0	0	30
286	49848	1	0	0.00001	74	0	0	0	30
287	49853	3	0	0.00003	74	0	0	0	30
288	49875	2	0	0.00002	74	0	0	0	30
289	49872	6	1	0.00008	74	0	0	0	29.99
290	49878	1	0	0.00001	74	0	0	0	50
291	49843	1	0	0.00001	74	0	0	0	100

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

292	49852	9	0	0.00009	74	0	0	0	29.99
293	49726	7	1	0.00009	73	0	0	0	29.99
294	48489	1	0	0.00001	69	0	0	0	30
295	49365	45	0	0.000455	73	0	0	0	29.95
296	49465	5	0	0.000051	73	0	0	0	29.99
297	49778	8	0	0.00008	74	0	0	0	29.99
298	49762	28	0	0.000281	74	0	0	0	29.97
299	49601	204	49	0.003029	73	0	0	0	29.67
300	49872	2	0	0.00002	74	0	0	0	30
301	49871	6	0	0.00006	74	0	0	0	29.99
302	0	1	49855	0.99999	0	0	74	1	50
303	49855	1	0	0.00001	74	0	0	0	50
304	49876	2	0	0.00002	74	0	0	0	50
305	49876	3	0	0.00003	74	0	0	0	49.99
306	49877	2	0	0.00002	74	0	0	0	50
307	49876	2	1	0.00004	74	0	0	0	49.99
308	49878	1	0	0.00001	74	0	0	0	50
309	49877	2	0	0.00002	74	0	0	0	50
310	49836	26	15	0.000561	74	0	0	0	49.9
311	49864	11	3	0.00017	74	0	0	0	29.98
312	49868	3	0	0.00003	74	0	0	0	30
313	49858	1	0	0.00001	74	0	0	0	30
314	49788	1	0	0.00001	73	0	0	0	30
315	49606	112	15	0.001428	72	0	0	0	29.85
316	49569	29	1	0.000313	71	1	0	0.006944	29.97
317	49679	7	0	0.00007	74	0	0	0	29.99
318	49794	2	0	0.00002	74	0	0	0	30
319	49800	2	1	0.00004	74	0	0	0	30
320	49878	1	0	0.00001	74	0	0	0	50
321	49876	2	0	0.00002	74	0	0	0	50
322	49877	2	0	0.00002	74	0	0	0	50
323	49857	8	4	0.00016	74	0	0	0	29.98
324	49863	5	1	0.00007	74	0	0	0	29.99
325	49863	5	0	0.00005	74	0	0	0	29.99
326	49858	6	0	0.00006	74	0	0	0	29.99
327	49850	6	0	0.00006	73	0	0	0	29.99
328	49669	1	0	0.00001	73	0	0	0	30
329	49605	1	0	0.00001	73	0	0	0	30
330	49307	8	0	0.000081	71	0	0	0	29.99
331	49295	2	0	0.00002	71	0	0	0	30
332	48301	1	0	0.00001	69	0	0	0	30
333	49615	7	1	0.000091	73	0	0	0	29.99
334	49826	3	0	0.00003	73	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

335	49874	1	0	0.00001	74	0	0	0	50
336	49870	8	0	0.00008	74	0	0	0	49.99
337	49877	1	0	0.00001	74	0	0	0	50
338	49872	4	1	0.00006	74	0	0	0	49.99
339	49841	3	0	0.00003	74	0	0	0	49.99
340	49839	1	0	0.00001	74	0	0	0	50
341	49551	1	0	0.00001	73	0	0	0	30
342	48564	8	0	0.000082	72	0	0	0	29.99
343	48182	1	0	0.00001	71	0	0	0	30
344	47885	1	0	0.00001	71	0	0	0	30
345	47288	134	0	0.001413	71	0	0	0	29.85
346	47226	5	0	0.000053	70	0	0	0	29.99
347	0	1	47226	0.999989	0	0	70	1	30
348	0	10	47838	0.999896	0	0	73	1	29.99
349	47838	4	0	0.000042	73	0	0	0	30
350	49556	1	0	0.00001	73	0	0	0	30
351	49663	2	0	0.00002	74	0	0	0	30
352	49742	1	0	0.00001	74	0	0	0	30
353	49817	1	0	0.00001	74	0	0	0	30
354	49841	1	0	0.00001	74	0	0	0	30
355	49864	1	0	0.00001	74	0	0	0	30
356	49878	1	0	0.00001	74	0	0	0	50
357	49873	4	1	0.00006	74	0	0	0	49.99
358	49877	2	0	0.00002	74	0	0	0	50
359	49878	1	0	0.00001	74	0	0	0	50
360	49876	3	0	0.00003	74	0	0	0	49.99
361	49875	4	0	0.00004	74	0	0	0	49.99
362	49878	1	0	0.00001	74	0	0	0	50
363	49872	2	0	0.00002	74	0	0	0	50
364	49848	1	0	0.00001	74	0	0	0	30
365	49844	1	0	0.00001	74	0	0	0	30
366	49760	5	0	0.00005	74	0	0	0	29.99
367	49751	4	0	0.00004	74	0	0	0	30
368	49679	1	0	0.00001	73	0	0	0	30
369	49606	1	0	0.00001	73	0	0	0	30
370	49404	39	0	0.000394	74	0	0	0	29.96
371	49698	1	0	0.00001	74	0	0	0	30
372	49873	4	0	0.00004	74	0	0	0	49.99
373	49877	2	0	0.00002	74	0	0	0	50
374	49877	2	0	0.00002	74	0	0	0	50
375	49878	1	0	0.00001	74	0	0	0	50
376	49875	4	0	0.00004	74	0	0	0	49.99
377	49878	1	0	0.00001	74	0	0	0	50

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

378	49877	1	0	0.00001	74	0	0	0	50
379	49860	11	6	0.000231	74	0	0	0	49.96
380	49871	1	0	0.00001	74	0	0	0	50
381	49817	1	0	0.00001	74	0	0	0	30
382	48495	1	0	0.00001	71	0	0	0	30
383	48427	2	0	0.000021	69	0	0	0	30
384	49875	1	0	0.00001	74	0	0	0	30
385	49875	4	0	0.00004	74	0	0	0	49.99
386	49877	2	0	0.00002	74	0	0	0	50
387	49858	15	5	0.000251	74	0	0	0	49.95
388	49870	7	2	0.00011	74	0	0	0	49.98
389	49875	4	0	0.00004	74	0	0	0	49.99
390	49878	1	0	0.00001	74	0	0	0	50
391	49875	1	0	0.00001	74	0	0	0	50
392	49873	2	0	0.00002	74	0	0	0	30
393	49308	11	0	0.000112	73	0	0	0	29.99
394	49287	5	0	0.000051	73	0	0	0	29.99
395	49239	12	0	0.000122	73	0	0	0	29.99
396	49047	7	1	0.000092	72	0	0	0	29.99
397	49054	1	0	0.00001	72	0	0	0	30
398	49023	2	0	0.00002	72	0	0	0	30
399	49694	2	0	0.00002	73	0	0	0	30
400	48882	582	74	0.007368	72	1	0	0.006849	29.21
401	49706	1	0	0.00001	73	0	0	0	30
402	49761	2	0	0.00002	74	0	0	0	30
403	49877	2	0	0.00002	74	0	0	0	50
404	49878	1	0	0.00001	74	0	0	0	50
405	49878	1	0	0.00001	74	0	0	0	50
406	49875	4	0	0.00004	74	0	0	0	49.99
407	49869	8	1	0.0001	74	0	0	0	49.98
408	49878	1	0	0.00001	74	0	0	0	50
409	49858	1	0	0.00001	74	0	0	0	30
410	49834	1	1	0.00003	74	0	0	0	30
411	49830	1	0	0.00001	74	0	0	0	30
412	49830	1	0	0.00001	74	0	0	0	30
413	49823	1	0	0.00001	74	0	0	0	30
414	49642	1	0	0.00001	74	0	0	0	30
415	49605	1	0	0.00001	74	0	0	0	30
416	49214	11	0	0.000112	74	0	0	0	29.99
417	49525	2	0	0.00002	74	0	0	0	30
418	49580	6	0	0.000061	74	0	0	0	29.99
419	49871	2	0	0.00002	74	0	0	0	30
420	49457	289	117	0.005244	71	1	2	0.033784	29.43

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

421	49853	20	2	0.000241	74	0	0	0	29.97
422	49868	9	1	0.00011	74	0	0	0	29.99
423	49878	1	0	0.00001	74	0	0	0	50
424	49847	22	9	0.000401	74	0	0	0	49.93
425	49878	1	0	0.00001	74	0	0	0	199.99
426	49878	1	0	0.00001	74	0	0	0	50
427	49586	2	0	0.00002	74	0	0	0	30
428	49606	1	0	0.00001	74	0	0	0	30
429	49861	4	2	0.00008	74	0	0	0	29.99
430	49876	1	0	0.00001	74	0	0	0	30
431	49873	4	1	0.00006	74	0	0	0	49.99
432	49877	1	1	0.00003	74	0	0	0	49.99
433	49878	1	0	0.00001	74	0	0	0	50
434	49873	6	0	0.00006	74	0	0	0	49.99
435	49795	63	21	0.001053	74	0	0	0	49.81
436	49877	1	1	0.00003	74	0	0	0	49.99
437	49646	167	66	0.002997	74	0	0	0	49.46
438	49877	2	0	0.00002	74	0	0	0	50
439	49799	54	26	0.001063	74	0	0	0	49.81
440	49872	3	1	0.00005	74	0	0	0	199.96
441	49872	3	0	0.00003	74	0	0	0	49.99
442	49857	18	1	0.0002	74	0	0	0	29.98
443	49434	443	0	0.004441	72	2	0	0.013514	29.52
444	49874	1	0	0.00001	74	0	0	0	30
445	49859	1	0	0.00001	74	0	0	0	30
446	49809	1	0	0.00001	74	0	0	0	30
447	49737	1	0	0.00001	74	0	0	0	30
448	49737	1	0	0.00001	74	0	0	0	30
449	49834	21	5	0.000311	74	0	0	0	29.97
450	49872	5	0	0.00005	74	0	0	0	29.99
451	49878	1	0	0.00001	74	0	0	0	50
452	49878	1	0	0.00001	74	0	0	0	50
453	49876	3	0	0.00003	74	0	0	0	49.99
454	49873	4	1	0.00006	74	0	0	0	49.99
455	49878	1	0	0.00001	74	0	0	0	50
456	49878	1	0	0.00001	74	0	0	0	50
457	49857	5	0	0.00005	74	0	0	0	29.99
458	49748	21	0	0.000211	74	0	0	0	29.98
459	49708	6	0	0.00006	74	0	0	0	29.99
460	49704	6	0	0.00006	74	0	0	0	29.99
461	49705	6	0	0.00006	74	0	0	0	29.99
462	49693	6	0	0.00006	74	0	0	0	29.99
463	49696	4	0	0.00004	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

464	49722	1	0	0.00001	74	0	0	0	30
465	49387	7	0	0.000071	74	0	0	0	29.99
466	49799	1	0	0.00001	74	0	0	0	30
467	49831	2	0	0.00002	74	0	0	0	30
468	49590	190	58	0.00307	73	0	0	0	29.67
469	35368	8646	5857	0.204127	57	11	6	0.155405	20.77
470	49878	1	0	0.00001	74	0	0	0	50
471	49872	1	0	0.00001	74	0	0	0	30
472	49801	6	0	0.00006	74	0	0	0	29.99
473	49761	2	0	0.00002	74	0	0	0	30
474	49422	188	17	0.002237	73	0	0	0	29.76
475	49508	3	0	0.00003	74	0	0	0	30
476	49840	1	1	0.00003	74	0	0	0	30
477	49839	10	0	0.0001	74	0	0	0	29.99
478	49873	6	0	0.00006	74	0	0	0	29.99
479	49876	3	0	0.00003	74	0	0	0	49.99
480	49839	34	5	0.000441	74	0	0	0	49.92
481	49877	2	0	0.00002	74	0	0	0	50
482	49877	2	0	0.00002	74	0	0	0	50
483	49878	1	0	0.00001	74	0	0	0	50
484	49875	2	1	0.00004	74	0	0	0	49.99
485	49877	1	0	0.00001	74	0	0	0	50
486	49875	1	0	0.00001	74	0	0	0	30
487	49850	3	0	0.00003	74	0	0	0	30
488	49522	1	0	0.00001	73	0	0	0	30
489	49389	2	0	0.00002	71	0	0	0	30
490	0	26	49024	0.999735	0	0	72	1	29.97
491	49341	15	0	0.000152	74	0	0	0	29.98
492	49419	1	0	0.00001	74	0	0	0	30
493	49522	1	0	0.00001	73	0	0	0	30
494	49647	2	0	0.00002	73	0	0	0	30
495	49654	2	0	0.00002	73	0	0	0	30
496	49857	1	0	0.00001	74	0	0	0	30
497	49874	4	1	0.00006	74	0	0	0	49.99
498	49878	1	0	0.00001	74	0	0	0	50
499	49878	1	0	0.00001	74	0	0	0	50
500	49878	1	0	0.00001	74	0	0	0	50
501	49877	2	0	0.00002	74	0	0	0	50
502	49858	17	3	0.000231	74	0	0	0	49.96
503	49341	377	155	0.006887	73	0	1	0.013514	48.77
504	49878	1	0	0.00001	74	0	0	0	50
505	49873	3	1	0.00005	74	0	0	0	49.99
506	49874	4	1	0.00006	74	0	0	0	49.99

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

507	49875	2	1	0.00004	74	0	0	0	49.99
508	49875	3	0	0.00003	74	0	0	0	49.99
509	49851	23	3	0.000291	74	0	0	0	49.95
510	49832	2	0	0.00002	74	0	0	0	50

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

Supplementary Table 1B

Genotype counts and frequencies for variants in *TMPRSS2*.

Locus	contAA	contAB	contBB	contFreq	caseAA	caseAB	caseBB	caseFreq	weight
1	49866	1	0	0.00001	74	0	0	0	50
2	49870	1	0	0.00001	74	0	0	0	50
3	49866	7	0	0.00007	74	0	0	0	49.99
4	49874	2	0	0.00002	74	0	0	0	50
5	49869	10	0	0.0001	74	0	0	0	49.98
6	49868	11	0	0.00011	74	0	0	0	49.98
7	49877	2	0	0.00002	74	0	0	0	50
8	49877	2	0	0.00002	74	0	0	0	50
9	49877	2	0	0.00002	74	0	0	0	50
10	49876	3	0	0.00003	74	0	0	0	49.99
11	49878	1	0	0.00001	74	0	0	0	50
12	49877	2	0	0.00002	74	0	0	0	50
13	49878	1	0	0.00001	74	0	0	0	50
14	49877	2	0	0.00002	74	0	0	0	50
15	49878	1	0	0.00001	74	0	0	0	50
16	49876	3	0	0.00003	74	0	0	0	49.99
17	49878	1	0	0.00001	74	0	0	0	50
18	49874	5	0	0.00005	74	0	0	0	49.99
19	49856	23	0	0.000231	74	0	0	0	49.96
20	49877	2	0	0.00002	74	0	0	0	50
21	49868	11	0	0.00011	74	0	0	0	49.98
22	49878	1	0	0.00001	74	0	0	0	50
23	49876	3	0	0.00003	74	0	0	0	30
24	49878	1	0	0.00001	74	0	0	0	30
25	49878	1	0	0.00001	74	0	0	0	30
26	0	24	45793	0.999738	0	0	71	1	29.97
27	49878	1	0	0.00001	74	0	0	0	30
28	49859	20	0	0.0002	74	0	0	0	29.98
29	49815	62	2	0.000662	74	0	0	0	29.93
30	49877	2	0	0.00002	74	0	0	0	30
31	49878	1	0	0.00001	74	0	0	0	30
32	49876	3	0	0.00003	74	0	0	0	30
33	49878	1	0	0.00001	74	0	0	0	30
34	49875	3	0	0.00003	74	0	0	0	30
35	49874	4	0	0.00004	74	0	0	0	30
36	38028	11037	812	0.126922	62	12	0	0.081081	18.04
37	49842	8	0	0.00008	74	0	0	0	29.99
38	49830	1	0	0.00001	74	0	0	0	30
39	49816	8	0	0.00008	74	0	0	0	29.99

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

40	49761	1	0	0.00001	74	0	0	0	30
41	49878	1	0	0.00001	74	0	0	0	30
42	49877	2	0	0.00002	74	0	0	0	30
43	49874	5	0	0.00005	74	0	0	0	29.99
44	49681	198	0	0.001985	74	0	0	0	29.79
45	49877	2	0	0.00002	74	0	0	0	30
46	49878	1	0	0.00001	74	0	0	0	30
47	49878	1	0	0.00001	74	0	0	0	30
48	49878	1	0	0.00001	74	0	0	0	30
49	49779	100	0	0.001002	74	0	0	0	29.89
50	49877	2	0	0.00002	74	0	0	0	30
51	49878	1	0	0.00001	74	0	0	0	30
52	49878	1	0	0.00001	74	0	0	0	50
53	49164	713	2	0.007187	74	0	0	0	48.72
54	49877	2	0	0.00002	74	0	0	0	50
55	49877	2	0	0.00002	74	0	0	0	50
56	49877	2	0	0.00002	74	0	0	0	50
57	49876	3	0	0.00003	74	0	0	0	49.99
58	49878	1	0	0.00001	74	0	0	0	50
59	49875	4	0	0.00004	74	0	0	0	49.99
60	49878	1	0	0.00001	74	0	0	0	50
61	49867	12	0	0.00012	74	0	0	0	49.98
62	49872	7	0	0.00007	74	0	0	0	49.99
63	49878	1	0	0.00001	74	0	0	0	50
64	49878	1	0	0.00001	74	0	0	0	30
65	49878	1	0	0.00001	74	0	0	0	30
66	49485	391	3	0.00398	74	0	0	0	29.57
67	49878	1	0	0.00001	74	0	0	0	30
68	49613	265	1	0.002676	74	0	0	0	29.71
69	49878	1	0	0.00001	74	0	0	0	30
70	49853	25	0	0.000251	74	0	0	0	29.97
71	49875	2	0	0.00002	74	0	0	0	30
72	49845	2	0	0.00002	74	0	0	0	30
73	49845	8	0	0.00008	74	0	0	0	29.99
74	49845	1	0	0.00001	74	0	0	0	30
75	49872	2	0	0.00002	74	0	0	0	30
76	49872	1	0	0.00001	74	0	0	0	30
77	49864	13	0	0.00013	74	0	0	0	29.99
78	49878	1	0	0.00001	74	0	0	0	30
79	49878	1	0	0.00001	74	0	0	0	30
80	49877	2	0	0.00002	74	0	0	0	30
81	49870	9	0	0.00009	74	0	0	0	29.99
82	49878	1	0	0.00001	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

83	49878	1	0	0.00001	74	0	0	0	30
84	49878	1	0	0.00001	74	0	0	0	30
85	49878	1	0	0.00001	74	0	0	0	30
86	49878	1	0	0.00001	74	0	0	0	30
87	49874	5	0	0.00005	74	0	0	0	29.99
88	49878	1	0	0.00001	74	0	0	0	30
89	49878	1	0	0.00001	74	0	0	0	199.99
90	49877	2	0	0.00002	74	0	0	0	50
91	49876	3	0	0.00003	74	0	0	0	49.99
92	49878	1	0	0.00001	74	0	0	0	50
93	49878	1	0	0.00001	74	0	0	0	50
94	49876	3	0	0.00003	74	0	0	0	49.99
95	49877	2	0	0.00002	74	0	0	0	50
96	49878	1	0	0.00001	74	0	0	0	50
97	49718	160	1	0.001624	74	0	0	0	49.71
98	49878	1	0	0.00001	74	0	0	0	50
99	49878	1	0	0.00001	74	0	0	0	50
100	49878	1	0	0.00001	74	0	0	0	50
101	49878	1	0	0.00001	74	0	0	0	50
102	49878	1	0	0.00001	74	0	0	0	50
103	49878	1	0	0.00001	74	0	0	0	50
104	49878	1	0	0.00001	74	0	0	0	50
105	49878	1	0	0.00001	74	0	0	0	50
106	49878	1	0	0.00001	74	0	0	0	50
107	49878	1	0	0.00001	74	0	0	0	50
108	49878	1	0	0.00001	74	0	0	0	50
109	49877	2	0	0.00002	74	0	0	0	50
110	49878	1	0	0.00001	74	0	0	0	50
111	49877	2	0	0.00002	74	0	0	0	50
112	49878	1	0	0.00001	74	0	0	0	30
113	49878	1	0	0.00001	74	0	0	0	30
114	49857	22	0	0.000221	73	1	0	0.006757	29.98
115	49878	1	0	0.00001	74	0	0	0	30
116	49878	1	0	0.00001	74	0	0	0	30
117	49872	7	0	0.00007	74	0	0	0	29.99
118	49878	1	0	0.00001	74	0	0	0	30
119	49878	1	0	0.00001	74	0	0	0	30
120	49878	1	0	0.00001	74	0	0	0	30
121	49878	1	0	0.00001	74	0	0	0	30
122	49878	1	0	0.00001	74	0	0	0	30
123	49878	1	0	0.00001	74	0	0	0	30
124	49843	1	0	0.00001	74	0	0	0	30
125	49875	1	0	0.00001	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

126	49872	4	0	0.00004	74	0	0	0	30
127	49782	94	3	0.001002	73	1	0	0.006757	29.89
128	49878	1	0	0.00001	74	0	0	0	30
129	49875	4	0	0.00004	74	0	0	0	30
130	49877	2	0	0.00002	74	0	0	0	30
131	49878	1	0	0.00001	74	0	0	0	50
132	49873	6	0	0.00006	74	0	0	0	49.99
133	47048	2782	49	0.02887	72	2	0	0.013514	44.96
134	49877	1	0	0.00001	74	0	0	0	299.99
135	49878	1	0	0.00001	74	0	0	0	50
136	49872	7	0	0.00007	74	0	0	0	49.99
137	49877	2	0	0.00002	74	0	0	0	50
138	49878	1	0	0.00001	74	0	0	0	50
139	49872	7	0	0.00007	74	0	0	0	49.99
140	49876	3	0	0.00003	74	0	0	0	49.99
141	49868	2	0	0.00002	74	0	0	0	50
142	49878	1	0	0.00001	74	0	0	0	50
143	49878	1	0	0.00001	74	0	0	0	50
144	49878	1	0	0.00001	74	0	0	0	199.99
145	49877	2	0	0.00002	74	0	0	0	50
146	49878	1	0	0.00001	74	0	0	0	50
147	49878	1	0	0.00001	74	0	0	0	30
148	49878	1	0	0.00001	74	0	0	0	30
149	49855	24	0	0.000241	74	0	0	0	29.97
150	49842	37	0	0.000371	74	0	0	0	29.96
151	49878	1	0	0.00001	74	0	0	0	30
152	49823	20	0	0.000201	73	1	0	0.006757	29.98
153	49874	5	0	0.00005	74	0	0	0	29.99
154	49875	1	0	0.00001	74	0	0	0	30
155	49876	1	0	0.00001	74	0	0	0	30
156	49832	9	0	0.00009	74	0	0	0	29.99
157	49821	2	0	0.00002	74	0	0	0	30
158	49755	20	0	0.000201	74	0	0	0	29.98
159	49875	2	0	0.00002	74	0	0	0	30
160	49875	2	0	0.00002	74	0	0	0	30
161	49876	1	0	0.00001	74	0	0	0	30
162	49869	8	1	0.0001	74	0	0	0	29.99
163	49878	1	0	0.00001	74	0	0	0	30
164	49873	6	0	0.00006	74	0	0	0	29.99
165	49878	1	0	0.00001	74	0	0	0	30
166	49876	3	0	0.00003	74	0	0	0	30
167	49874	5	0	0.00005	74	0	0	0	29.99
168	49878	1	0	0.00001	74	0	0	0	50

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

169	49878	1	0	0.00001	74	0	0	0	50
170	49877	2	0	0.00002	74	0	0	0	50
171	49876	3	0	0.00003	74	0	0	0	49.99
172	49876	3	0	0.00003	74	0	0	0	49.99
173	49878	1	0	0.00001	74	0	0	0	50
174	49878	1	0	0.00001	74	0	0	0	50
175	49876	3	0	0.00003	74	0	0	0	49.99
176	49878	1	0	0.00001	74	0	0	0	50
177	49878	1	0	0.00001	74	0	0	0	50
178	49878	1	0	0.00001	74	0	0	0	50
179	49878	1	0	0.00001	74	0	0	0	50
180	49878	1	0	0.00001	74	0	0	0	50
181	49878	1	0	0.00001	74	0	0	0	50
182	49878	1	0	0.00001	74	0	0	0	50
183	49878	1	0	0.00001	74	0	0	0	50
184	49860	19	0	0.00019	74	0	0	0	49.97
185	49877	2	0	0.00002	74	0	0	0	50
186	49877	2	0	0.00002	74	0	0	0	50
187	49877	2	0	0.00002	74	0	0	0	50
188	49861	7	0	0.00007	74	0	0	0	99.97
189	49873	6	0	0.00006	74	0	0	0	49.99
190	49878	1	0	0.00001	74	0	0	0	50
191	49876	1	0	0.00001	74	0	0	0	50
192	49878	1	0	0.00001	74	0	0	0	50
193	49875	4	0	0.00004	74	0	0	0	49.99
194	49870	9	0	0.00009	74	0	0	0	49.98
195	49877	2	0	0.00002	74	0	0	0	50
196	49878	1	0	0.00001	74	0	0	0	50
197	49877	2	0	0.00002	74	0	0	0	50
198	49878	1	0	0.00001	74	0	0	0	30
199	49878	1	0	0.00001	74	0	0	0	30
200	49749	130	0	0.001303	74	0	0	0	29.86
201	49843	36	0	0.000361	74	0	0	0	29.96
202	49870	9	0	0.00009	74	0	0	0	29.99
203	49878	1	0	0.00001	74	0	0	0	30
204	48473	1337	64	0.014687	71	3	0	0.02027	28.44
205	16267	24053	9559	0.432757	26	34	14	0.418919	3.49
206	49877	1	0	0.00001	74	0	0	0	30
207	49873	4	0	0.00004	74	0	0	0	30
208	49873	2	0	0.00002	74	0	0	0	30
209	49874	1	0	0.00001	74	0	0	0	30
210	49875	2	0	0.00002	74	0	0	0	30
211	49874	3	0	0.00003	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

212	49826	6	0	0.00006	74	0	0	0	29.99
213	46375	3431	69	0.035779	69	5	0	0.033784	26.27
214	49878	1	0	0.00001	74	0	0	0	30
215	49878	1	0	0.00001	74	0	0	0	30
216	49878	1	0	0.00001	74	0	0	0	30
217	49878	1	0	0.00001	74	0	0	0	30
218	49860	19	0	0.00019	74	0	0	0	29.98
219	49443	422	14	0.004511	72	2	0	0.013514	29.51
220	49426	438	15	0.004691	72	2	0	0.013514	29.49
221	48377	1484	18	0.015237	73	1	0	0.006757	28.38
222	49872	7	0	0.00007	74	0	0	0	29.99
223	49872	1	0	0.00001	74	0	0	0	30
224	49876	3	0	0.00003	74	0	0	0	30
225	49878	1	0	0.00001	74	0	0	0	30
226	49865	14	0	0.00014	74	0	0	0	29.98
227	49846	33	0	0.000331	74	0	0	0	29.96
228	49878	1	0	0.00001	74	0	0	0	30
229	49878	1	0	0.00001	74	0	0	0	30
230	49878	1	0	0.00001	74	0	0	0	50
231	49864	15	0	0.00015	74	0	0	0	49.97
232	49875	4	0	0.00004	74	0	0	0	49.99
233	49871	8	0	0.00008	74	0	0	0	49.99
234	49878	1	0	0.00001	74	0	0	0	50
235	49878	1	0	0.00001	74	0	0	0	50
236	49878	1	0	0.00001	74	0	0	0	50
237	49878	1	0	0.00001	74	0	0	0	50
238	49878	1	0	0.00001	74	0	0	0	50
239	49878	1	0	0.00001	74	0	0	0	50
240	49871	8	0	0.00008	74	0	0	0	49.99
241	49878	1	0	0.00001	74	0	0	0	50
242	49878	1	0	0.00001	74	0	0	0	50
243	49874	5	0	0.00005	74	0	0	0	49.99
244	49877	2	0	0.00002	74	0	0	0	50
245	49878	1	0	0.00001	74	0	0	0	50
246	49878	1	0	0.00001	74	0	0	0	50
247	49873	6	0	0.00006	74	0	0	0	49.99
248	49875	4	0	0.00004	74	0	0	0	49.99
249	49870	9	0	0.00009	74	0	0	0	49.98
250	49877	2	0	0.00002	74	0	0	0	50
251	49860	2	0	0.00002	74	0	0	0	99.99
252	49878	1	0	0.00001	74	0	0	0	50
253	49878	1	0	0.00001	74	0	0	0	50
254	49877	2	0	0.00002	74	0	0	0	50

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

255	49878	1	0	0.00001	74	0	0	0	50
256	49870	9	0	0.00009	74	0	0	0	49.98
257	49877	2	0	0.00002	74	0	0	0	50
258	49862	17	0	0.00017	74	0	0	0	49.97
259	49877	2	0	0.00002	74	0	0	0	50
260	49867	12	0	0.00012	74	0	0	0	49.98
261	49876	1	0	0.00001	74	0	0	0	50
262	49869	10	0	0.0001	74	0	0	0	49.98
263	29807	17442	2630	0.227571	51	22	1	0.162162	18.37
264	49867	1	0	0.00001	74	0	0	0	299.99
265	49878	1	0	0.00001	74	0	0	0	50
266	14707	24543	10629	0.459121	24	36	14	0.432432	5.3
267	49878	1	0	0.00001	74	0	0	0	50
268	49878	1	0	0.00001	74	0	0	0	50
269	49878	1	0	0.00001	74	0	0	0	50
270	49878	1	0	0.00001	74	0	0	0	50
271	49878	1	0	0.00001	74	0	0	0	30
272	49875	4	0	0.00004	74	0	0	0	30
273	49878	1	0	0.00001	74	0	0	0	30
274	49872	7	0	0.00007	74	0	0	0	29.99
275	49878	1	0	0.00001	74	0	0	0	30
276	49878	1	0	0.00001	74	0	0	0	30
277	49823	56	0	0.000561	74	0	0	0	29.94
278	49878	1	0	0.00001	74	0	0	0	30
279	49876	1	0	0.00001	74	0	0	0	30
280	49870	7	0	0.00007	74	0	0	0	29.99
281	49874	3	0	0.00003	74	0	0	0	30
282	49871	6	0	0.00006	74	0	0	0	29.99
283	49862	1	0	0.00001	74	0	0	0	30
284	49856	3	0	0.00003	74	0	0	0	30
285	49846	14	0	0.00014	74	0	0	0	29.98
286	49836	4	0	0.00004	74	0	0	0	30
287	49861	1	0	0.00001	74	0	0	0	30
288	49862	1	0	0.00001	74	0	0	0	30
289	49866	1	0	0.00001	74	0	0	0	30
290	49878	1	0	0.00001	74	0	0	0	30
291	49878	1	0	0.00001	74	0	0	0	30
292	49309	564	4	0.005734	74	0	0	0	29.39
293	49878	1	0	0.00001	74	0	0	0	30
294	49876	3	0	0.00003	74	0	0	0	30
295	49864	15	0	0.00015	72	2	0	0.013514	29.98
296	49878	1	0	0.00001	74	0	0	0	50
297	49878	1	0	0.00001	74	0	0	0	199.99

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

298	49877	2	0	0.00002	74	0	0	0	50
299	49878	1	0	0.00001	74	0	0	0	50
300	49878	1	0	0.00001	74	0	0	0	50
301	49878	1	0	0.00001	74	0	0	0	50
302	47639	2021	139	0.023083	67	6	1	0.054054	27.56
303	49878	1	0	0.00001	74	0	0	0	30
304	49875	3	0	0.00003	74	0	0	0	30
305	47116	2716	46	0.028149	70	4	0	0.027027	27.05
306	49876	1	0	0.00001	74	0	0	0	30
307	49869	1	0	0.00001	74	0	0	0	30
308	49838	27	0	0.000271	74	0	0	0	29.97
309	49807	1	0	0.00001	74	0	0	0	30
310	49708	46	0	0.000462	74	0	0	0	29.95
311	49632	1	0	0.00001	74	0	0	0	30
312	49553	2	0	0.00002	74	0	0	0	30
313	29186	16538	3847	0.244417	39	26	9	0.297297	10.05
314	49842	2	0	0.00002	74	0	0	0	30
315	49857	1	0	0.00001	74	0	0	0	30
316	49863	1	0	0.00001	74	0	0	0	30
317	49876	2	0	0.00002	74	0	0	0	30
318	49876	3	0	0.00003	74	0	0	0	49.99
319	49877	1	0	0.00001	74	0	0	0	299.99
320	49877	2	0	0.00002	74	0	0	0	50
321	49877	2	0	0.00002	74	0	0	0	50
322	49638	241	0	0.002416	73	1	0	0.006757	49.57
323	49857	22	0	0.000221	74	0	0	0	49.96
324	49876	3	0	0.00003	74	0	0	0	49.99
325	49877	1	0	0.00001	74	0	0	0	50
326	49878	1	0	0.00001	74	0	0	0	50
327	49878	1	0	0.00001	74	0	0	0	50
328	49878	1	0	0.00001	74	0	0	0	50
329	49876	3	0	0.00003	74	0	0	0	199.98
330	49878	1	0	0.00001	74	0	0	0	30
331	49877	1	0	0.00001	74	0	0	0	30
332	49875	1	0	0.00001	74	0	0	0	30
333	49874	1	0	0.00001	74	0	0	0	30
334	49847	24	0	0.000241	74	0	0	0	29.97
335	49805	57	0	0.000572	74	0	0	0	29.94
336	49831	1	0	0.00001	74	0	0	0	30
337	49832	1	0	0.00001	74	0	0	0	30
338	49825	5	0	0.00005	74	0	0	0	29.99
339	49819	6	0	0.00006	74	0	0	0	29.99
340	49824	1	0	0.00001	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

341	49809	6	0	0.00006	74	0	0	0	29.99
342	49816	1	0	0.00001	74	0	0	0	30
343	49878	1	0	0.00001	74	0	0	0	30
344	49878	1	0	0.00001	74	0	0	0	30
345	44995	4768	116	0.050121	70	4	0	0.027027	24.86
346	49866	13	0	0.00013	74	0	0	0	29.99
347	49869	10	0	0.0001	74	0	0	0	29.99
348	13592	24519	11768	0.481716	21	34	19	0.486486	3.04
349	49875	4	0	0.00004	74	0	0	0	30
350	49758	120	1	0.001223	74	0	0	0	29.87
351	49878	1	0	0.00001	74	0	0	0	30
352	49859	20	0	0.0002	74	0	0	0	29.98
353	49878	1	0	0.00001	74	0	0	0	30
354	49873	6	0	0.00006	74	0	0	0	49.99
355	49878	1	0	0.00001	74	0	0	0	199.99
356	49878	1	0	0.00001	74	0	0	0	50
357	49878	1	0	0.00001	74	0	0	0	50
358	49878	1	0	0.00001	74	0	0	0	50
359	49878	1	0	0.00001	74	0	0	0	50
360	49878	1	0	0.00001	74	0	0	0	50
361	49877	2	0	0.00002	74	0	0	0	50
362	48437	1436	6	0.014515	73	1	0	0.006757	47.43
363	49878	1	0	0.00001	74	0	0	0	50
364	49876	3	0	0.00003	74	0	0	0	49.99
365	49877	2	0	0.00002	74	0	0	0	50
366	49878	1	0	0.00001	74	0	0	0	50
367	49867	6	0	0.00006	74	0	0	0	199.96
368	49878	1	0	0.00001	74	0	0	0	50
369	49875	4	0	0.00004	74	0	0	0	49.99
370	49878	1	0	0.00001	74	0	0	0	50
371	49878	1	0	0.00001	74	0	0	0	50
372	49878	1	0	0.00001	74	0	0	0	50
373	49877	2	0	0.00002	74	0	0	0	50
374	29726	17495	2658	0.228663	51	22	1	0.162162	18.26
375	49878	1	0	0.00001	74	0	0	0	50
376	49878	1	0	0.00001	74	0	0	0	50
377	49877	2	0	0.00002	74	0	0	0	50
378	49878	1	0	0.00001	74	0	0	0	50
379	49878	1	0	0.00001	74	0	0	0	50
380	49873	6	0	0.00006	74	0	0	0	49.99
381	49878	1	0	0.00001	74	0	0	0	50
382	49876	3	0	0.00003	74	0	0	0	30
383	49877	2	0	0.00002	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

384	49698	2	0	0.00002	74	0	0	0	30
385	49698	175	1	0.001774	74	0	0	0	29.81
386	49698	1	0	0.00001	74	0	0	0	30
387	49698	1	0	0.00001	74	0	0	0	30
388	49698	1	0	0.00001	74	0	0	0	30
389	49878	1	0	0.00001	74	0	0	0	30
390	49878	1	0	0.00001	74	0	0	0	30
391	49876	3	0	0.00003	74	0	0	0	30
392	49877	2	0	0.00002	74	0	0	0	30
393	49878	1	0	0.00001	74	0	0	0	30
394	49832	46	1	0.000481	74	0	0	0	29.95
395	49877	2	0	0.00002	74	0	0	0	30
396	0	1	49876	0.99999	0	0	74	1	30
397	49877	2	0	0.00002	74	0	0	0	30
398	49877	2	0	0.00002	74	0	0	0	30
399	49878	1	0	0.00001	74	0	0	0	30
400	49830	4	0	0.00004	74	0	0	0	30
401	49871	8	0	0.00008	74	0	0	0	29.99
402	49877	2	0	0.00002	74	0	0	0	30
403	49876	3	0	0.00003	74	0	0	0	30
404	49874	2	0	0.00002	74	0	0	0	30
405	49878	1	0	0.00001	74	0	0	0	30
406	49878	1	0	0.00001	74	0	0	0	30
407	49876	3	0	0.00003	74	0	0	0	30
408	49875	4	0	0.00004	74	0	0	0	30
409	24968	20457	4454	0.294362	41	28	5	0.256757	2.52
410	49878	1	0	0.00001	74	0	0	0	50
411	49875	4	0	0.00004	74	0	0	0	49.99
412	49874	5	0	0.00005	74	0	0	0	49.99
413	49877	2	0	0.00002	74	0	0	0	50
414	49868	1	0	0.00001	74	0	0	0	50
415	49877	2	0	0.00002	74	0	0	0	50
416	49877	2	0	0.00002	74	0	0	0	50
417	49877	2	0	0.00002	74	0	0	0	50
418	49870	9	0	0.00009	74	0	0	0	49.98
419	49878	1	0	0.00001	74	0	0	0	50
420	49878	1	0	0.00001	74	0	0	0	50
421	49878	1	0	0.00001	74	0	0	0	50
422	49877	1	0	0.00001	74	0	0	0	199.99
423	49877	1	0	0.00001	74	0	0	0	50
424	49877	1	0	0.00001	74	0	0	0	50
425	49875	3	0	0.00003	74	0	0	0	49.99
426	49877	1	0	0.00001	74	0	0	0	50

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

427	49873	5	0	0.00005	74	0	0	0	49.99
428	49877	1	0	0.00001	74	0	0	0	50
429	49876	2	0	0.00002	74	0	0	0	50
430	49878	1	0	0.00001	74	0	0	0	50
431	49878	1	0	0.00001	74	0	0	0	30
432	49878	1	0	0.00001	74	0	0	0	30
433	49878	1	0	0.00001	74	0	0	0	30
434	49878	1	0	0.00001	74	0	0	0	30
435	49870	9	0	0.00009	74	0	0	0	29.99
436	49807	71	1	0.000732	74	0	0	0	29.92
437	49873	5	0	0.00005	74	0	0	0	29.99
438	49857	21	0	0.000211	74	0	0	0	29.98
439	49774	98	2	0.001023	74	0	0	0	29.89
440	0	1	49872	0.99999	0	0	74	1	30
441	49872	1	0	0.00001	74	0	0	0	30
442	47405	2419	42	0.025097	71	3	0	0.02027	27.36
443	49381	36	0	0.000364	74	0	0	0	29.96
444	49834	1	0	0.00001	74	0	0	0	30
445	49780	68	1	0.000702	73	1	0	0.006757	29.92
446	49871	1	0	0.00001	74	0	0	0	30
447	49875	2	0	0.00002	74	0	0	0	30
448	49873	5	0	0.00005	74	0	0	0	29.99
449	49877	2	0	0.00002	74	0	0	0	30
450	49877	2	0	0.00002	74	0	0	0	30
451	49878	1	0	0.00001	74	0	0	0	50
452	49878	1	0	0.00001	74	0	0	0	50
453	49878	1	0	0.00001	74	0	0	0	50
454	49877	2	0	0.00002	74	0	0	0	50
455	49874	5	0	0.00005	74	0	0	0	49.99
456	49877	1	0	0.00001	74	0	0	0	50
457	49875	3	0	0.00003	74	0	0	0	49.99
458	49876	1	0	0.00001	74	0	0	0	100
459	49878	1	0	0.00001	74	0	0	0	50
460	49845	17	0	0.00017	74	0	0	0	299.82
461	49878	1	0	0.00001	74	0	0	0	50
462	49878	1	0	0.00001	74	0	0	0	50
463	49878	1	0	0.00001	74	0	0	0	50
464	49878	1	0	0.00001	74	0	0	0	50
465	49878	1	0	0.00001	74	0	0	0	50
466	49878	1	0	0.00001	74	0	0	0	30
467	49857	15	0	0.00015	74	0	0	0	29.98
468	48631	1213	9	0.012346	73	1	0	0.006757	28.68
469	49733	1	0	0.00001	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

470	49733	1	0	0.00001	74	0	0	0	30
471	49834	1	0	0.00001	74	0	0	0	30
472	49848	1	0	0.00001	74	0	0	0	30
473	49856	6	0	0.00006	74	0	0	0	29.99
474	49850	17	0	0.00017	74	0	0	0	29.98
475	49878	1	0	0.00001	74	0	0	0	30
476	49878	1	0	0.00001	74	0	0	0	30
477	49636	243	0	0.002436	74	0	0	0	29.74
478	49878	1	0	0.00001	74	0	0	0	30
479	49878	1	0	0.00001	74	0	0	0	30
480	49878	1	0	0.00001	74	0	0	0	30
481	49864	15	0	0.00015	74	0	0	0	29.98
482	49875	4	0	0.00004	74	0	0	0	30
483	49876	3	0	0.00003	74	0	0	0	30
484	49878	1	0	0.00001	74	0	0	0	30
485	49867	12	0	0.00012	74	0	0	0	29.99
486	49877	1	0	0.00001	74	0	0	0	30
487	49877	1	0	0.00001	74	0	0	0	30
488	49878	1	0	0.00001	74	0	0	0	30
489	49878	1	0	0.00001	74	0	0	0	50
490	49878	1	0	0.00001	74	0	0	0	50
491	49878	1	0	0.00001	74	0	0	0	50
492	42095	7392	392	0.081958	61	12	1	0.094595	36.45
493	48949	925	5	0.009373	73	1	0	0.006757	48.33
494	49857	5	0	0.00005	74	0	0	0	99.98
495	49878	1	0	0.00001	74	0	0	0	50
496	49875	4	0	0.00004	74	0	0	0	49.99
497	49877	2	0	0.00002	74	0	0	0	50
498	49877	2	0	0.00002	74	0	0	0	50
499	49862	17	0	0.00017	74	0	0	0	49.97
500	49873	6	0	0.00006	74	0	0	0	49.99
501	48487	1377	15	0.014104	72	2	0	0.013514	47.5
502	49878	1	0	0.00001	74	0	0	0	199.99
503	49878	1	0	0.00001	74	0	0	0	50
504	49878	1	0	0.00001	74	0	0	0	50
505	49877	2	0	0.00002	74	0	0	0	50
506	49878	1	0	0.00001	74	0	0	0	50
507	49870	9	0	0.00009	74	0	0	0	49.98
508	49870	3	0	0.00003	74	0	0	0	199.98
509	49870	2	0	0.00002	74	0	0	0	299.98
510	49872	1	0	0.00001	74	0	0	0	50
511	49868	11	0	0.00011	74	0	0	0	49.98
512	49878	1	0	0.00001	74	0	0	0	50

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

513	49876	3	0	0.00003	74	0	0	0	49.99
514	49878	1	0	0.00001	74	0	0	0	50
515	49878	1	0	0.00001	74	0	0	0	50
516	49878	1	0	0.00001	74	0	0	0	50
517	49833	46	0	0.000461	74	0	0	0	49.92
518	49878	1	0	0.00001	74	0	0	0	50
519	49875	4	0	0.00004	74	0	0	0	49.99
520	49877	2	0	0.00002	74	0	0	0	50
521	49877	2	0	0.00002	74	0	0	0	50
522	49878	1	0	0.00001	74	0	0	0	50
523	49877	2	0	0.00002	74	0	0	0	50
524	49846	33	0	0.000331	74	0	0	0	49.94
525	49876	3	0	0.00003	74	0	0	0	49.99
526	49875	4	0	0.00004	74	0	0	0	49.99
527	49868	11	0	0.00011	74	0	0	0	199.92
528	49611	267	1	0.002697	74	0	0	0	49.52
529	49872	1	0	0.00001	74	0	0	0	50
530	49876	3	0	0.00003	74	0	0	0	49.99
531	49878	1	0	0.00001	74	0	0	0	50
532	49876	3	0	0.00003	74	0	0	0	49.99
533	49877	2	0	0.00002	74	0	0	0	50
534	49860	19	0	0.00019	74	0	0	0	49.97
535	49878	1	0	0.00001	74	0	0	0	50
536	49878	1	0	0.00001	74	0	0	0	50
537	49877	2	0	0.00002	74	0	0	0	50
538	49878	1	0	0.00001	74	0	0	0	50
539	49875	4	0	0.00004	74	0	0	0	49.99
540	49878	1	0	0.00001	74	0	0	0	50
541	49877	2	0	0.00002	74	0	0	0	50
542	49877	2	0	0.00002	74	0	0	0	50
543	49869	10	0	0.0001	74	0	0	0	29.99
544	49875	1	0	0.00001	74	0	0	0	30
545	49868	11	0	0.00011	74	0	0	0	29.99
546	49875	2	0	0.00002	74	0	0	0	30
547	49875	1	0	0.00001	74	0	0	0	30
548	49870	1	0	0.00001	74	0	0	0	30
549	49870	1	0	0.00001	74	0	0	0	30
550	49867	4	0	0.00004	74	0	0	0	30
551	49865	1	0	0.00001	74	0	0	0	30
552	49772	91	0	0.000913	74	0	0	0	29.9
553	49804	1	0	0.00001	73	0	0	0	30
554	49759	1	0	0.00001	73	0	0	0	30
555	49625	2	0	0.00002	73	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

556	49620	1	0	0.00001	73	0	0	0	30
557	49800	1	0	0.00001	74	0	0	0	30
558	49850	1	0	0.00001	74	0	0	0	30
559	49847	5	0	0.00005	74	0	0	0	29.99
560	49866	3	0	0.00003	74	0	0	0	30
561	49877	2	0	0.00002	74	0	0	0	30
562	49873	6	0	0.00006	74	0	0	0	49.99
563	49876	3	0	0.00003	74	0	0	0	49.99
564	49878	1	0	0.00001	74	0	0	0	50
565	49877	2	0	0.00002	74	0	0	0	50
566	49878	1	0	0.00001	74	0	0	0	50
567	49872	3	0	0.00003	74	0	0	0	30
568	49842	1	0	0.00001	74	0	0	0	30
569	49860	1	0	0.00001	74	0	0	0	30
570	49778	3	0	0.00003	74	0	0	0	30
571	49347	1	0	0.00001	74	0	0	0	30
572	49177	13	0	0.000132	74	0	0	0	29.99
573	49167	1	0	0.00001	74	0	0	0	30
574	49878	1	0	0.00001	74	0	0	0	30
575	49878	1	0	0.00001	74	0	0	0	30
576	49874	1	0	0.00001	74	0	0	0	30
577	49853	26	0	0.000261	74	0	0	0	29.97
578	49875	4	0	0.00004	74	0	0	0	30
579	49878	1	0	0.00001	74	0	0	0	30
580	49878	1	0	0.00001	74	0	0	0	30
581	49878	1	0	0.00001	74	0	0	0	30
582	49878	1	0	0.00001	74	0	0	0	30
583	49847	32	0	0.000321	74	0	0	0	29.97
584	49864	15	0	0.00015	74	0	0	0	29.98
585	49878	1	0	0.00001	74	0	0	0	30
586	49878	1	0	0.00001	74	0	0	0	30
587	49878	1	0	0.00001	74	0	0	0	30
588	49878	1	0	0.00001	74	0	0	0	30
589	49835	44	0	0.000441	74	0	0	0	29.95
590	49878	1	0	0.00001	74	0	0	0	30
591	49877	2	0	0.00002	74	0	0	0	30
592	49875	4	0	0.00004	74	0	0	0	30
593	49877	2	0	0.00002	74	0	0	0	30
594	49878	1	0	0.00001	74	0	0	0	30
595	49878	1	0	0.00001	74	0	0	0	30
596	49878	1	0	0.00001	74	0	0	0	30
597	49876	3	0	0.00003	74	0	0	0	30
598	49878	1	0	0.00001	74	0	0	0	30

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

599	49878	1	0	0.00001	74	0	0	0	30
600	49877	2	0	0.00002	74	0	0	0	30
601	49878	1	0	0.00001	74	0	0	0	30
602	49878	1	0	0.00001	74	0	0	0	30
603	49876	3	0	0.00003	74	0	0	0	30
604	49878	1	0	0.00001	74	0	0	0	30
605	49876	3	0	0.00003	74	0	0	0	30
606	49878	1	0	0.00001	74	0	0	0	30
607	49868	11	0	0.00011	74	0	0	0	29.99
608	49878	1	0	0.00001	74	0	0	0	30
609	49878	1	0	0.00001	74	0	0	0	30
610	49876	3	0	0.00003	74	0	0	0	30
611	49862	17	0	0.00017	74	0	0	0	29.98
612	49878	1	0	0.00001	74	0	0	0	30
613	49878	1	0	0.00001	74	0	0	0	30
614	49878	1	0	0.00001	74	0	0	0	30
615	49850	29	0	0.000291	74	0	0	0	29.97
616	49873	5	0	0.00005	74	0	0	0	29.99
617	49875	1	0	0.00001	74	0	0	0	30
618	49878	1	0	0.00001	74	0	0	0	30
619	49878	1	0	0.00001	74	0	0	0	30
620	49876	3	0	0.00003	74	0	0	0	30
621	49877	2	0	0.00002	74	0	0	0	30
622	49876	3	0	0.00003	74	0	0	0	30
623	49704	175	0	0.001754	74	0	0	0	29.81
624	49878	1	0	0.00001	74	0	0	0	30
625	49878	1	0	0.00001	74	0	0	0	30
626	49878	1	0	0.00001	74	0	0	0	30
627	49878	1	0	0.00001	74	0	0	0	30
628	49878	1	0	0.00001	74	0	0	0	30
629	49874	5	0	0.00005	74	0	0	0	29.99
630	49878	1	0	0.00001	74	0	0	0	30
631	49875	4	0	0.00004	74	0	0	0	30
632	49878	1	0	0.00001	74	0	0	0	30
633	49872	7	0	0.00007	74	0	0	0	49.99
634	49877	1	0	0.00001	74	0	0	0	199.99
635	49877	1	0	0.00001	74	0	0	0	199.99
636	49873	6	0	0.00006	74	0	0	0	49.99
637	49869	10	0	0.0001	74	0	0	0	49.98
638	49877	2	0	0.00002	74	0	0	0	50
639	18275	23765	7839	0.395387	24	35	15	0.439189	6.97
640	48676	1194	9	0.012149	74	0	0	0	47.84
641	49878	1	0	0.00001	74	0	0	0	199.99

medRxiv preprint doi: https://doi.org/10.1101/2020.05.01.20085860; this version posted May 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

642	49878	1	0	0.00001	74	0	0	0	50
643	49877	2	0	0.00002	74	0	0	0	50
644	49877	2	0	0.00002	74	0	0	0	50
645	49877	2	0	0.00002	74	0	0	0	50
646	49872	1	0	0.00001	74	0	0	0	50
647	49878	1	0	0.00001	74	0	0	0	50
648	49878	1	0	0.00001	74	0	0	0	50
649	49876	3	0	0.00003	74	0	0	0	49.99
650	49878	1	0	0.00001	74	0	0	0	50
651	49878	1	0	0.00001	74	0	0	0	50
652	49878	1	0	0.00001	74	0	0	0	50
653	49877	1	0	0.00001	74	0	0	0	50
654	49878	1	0	0.00001	74	0	0	0	50
655	49874	2	0	0.00002	74	0	0	0	50
656	49878	1	0	0.00001	74	0	0	0	50
657	49878	1	0	0.00001	74	0	0	0	50
658	49878	1	0	0.00001	74	0	0	0	50