Quantifying the Physical and Educational Impact of Healthcare Accessibility in College Students

by

Johnathan Kenyon, B.A.

118 South Jackson Street

Woodbury, NJ 08096

jkenyon@cazenovia.edu

(509) 494-2999

Cazenovia College

1,590 words

Key Points

Question How does healthcare accessibility affect college students?

Findings Many students report inadequate healthcare access, despite having insurance. The adoption of telemedicine among college students is currently low. Students utilizing telemedicine display improvements across health and academic categories.

Meaning Bolstering the adoption of telemedical health services may help optimize the healthcare accessibility gap amongst college students.

Abstract

Importance: There is a dearth of empirical research addressing the healthcare component in the academic performance of college students. It is unknown how discrepancies in college student healthcare access manifest in college students.

Objective: To improve awareness of current healthcare issues facing college students and find ways to minimize the healthcare gap.

Design, Setting, and Participants: College student respondents were assessed for health status, usage of the health system, as well as potential factors that that discouraged use of health benefits and the educational outcomes of the students.

Main Outcomes and Measures: Educational outcomes associated with differing levels of healthcare access, averages, Pearson's r, odds ratios and 95% CIs.

Results: Nearly 1 in 4 students (26.1% [SE, 3.7%]) reported having inadequate healthcare access. Healthcare accessibility shows a strong correlation ($r = .267$ [95% CI, .104-.416]; $P=.002$) to self-health ratings. Student self-health assessments showed a significant negative correlation ($r = -.502$ [95% CI, -.619--.363]; $P<.001$) with the number of missed classes over the last 12 months. Telemedical use amongst students corresponded with reduced absences ($M = .90$ [95% CI, .27-1.53]; $P=.011$) and higher ratings on self-health assessments ($OR = 1.74$ [95% CI, .809-3.75]; $P=.001$), though the adoption of telemedical visits among college students is staggeringly low with only 7.9% (SE 2.4%) reporting at least some telemedical usage.

Conclusions and Relevance: Over a quarter of college students report inadequate healthcare access despite fewer than 1 in 12 students utilizing telemedicine. Further research is needed to

determine the extent to how much the current healthcare norms affect college students, but

fostering a pedagogical approach to telemedicine may serve to bridge the healthcare gap.

Introduction

The global health pandemic has brought attention to how healthcare is handled in the United States. Vicissitudes in healthcare access for college students have recently become exacerbated. College students displaced by the pandemic may face expensive out-of-network costs[1] if seeking healthcare. Students opting to delay or forgo necessary healthcare could be putting their lives at risk. Opening a dialogue for student healthcare is necessary if any improvements to the current student healthcare system are to be implemented.

Student Insurance Options

Individuals may remain on their parents' health insurance plans until they reach 26 years of age.[2] Many, but not all college students are under the age of 26, however, even those that meet the age criteria are not guaranteed to be listed on their parents' insurance plan, nor will their parents necessarily have insurance, or have an insurer that provides coverage in the region where the student is attending college. Obtaining health insurance through an employer is possible, but federal law only requires employers to provide health insurance to full-time employees,[3] which is not feasible for most full-time students.

Research on Preventive Healthcare

The value of this study becomes clear upon examining the current state of the healthcare system for college students. Similar studies of preventive healthcare in schools K-12 were highlighted by Dr. Rochmes of Stanford, where she found strong correlations between the availability of preventive health services in schools and academic performance of students K-12.[4] Dr. Rochmes found school health services are strong predictors of academic performance,[4] displaying uniform benefit across student subgroups, rather than unevenly benefiting those with otherwise inadequate healthcare access. This research instead focuses on investigating healthcare accessibility disparities among college students and to perform the first-ever analyses of the

relationship between healthcare and academic performance of college students. This study aimed to quantify the presence of healthcare inequalities and how healthcare inequalities may be hindering students academically.

Methods

Sampling of Students

Informed consent detailing the uses of submitted responses was outlined before students were able to view the survey. Methods for obtaining informed consent and ensuring the privacy of participants were approved and monitored by the institutional review board of Cazenovia College. On the date of April 7[th], 2020, the survey was emailed to current full-time undergraduate students at Cazenovia College. The survey ultimately obtained 177 unique contributions before closing on April 12[th] at 11:59 pm. Responses were filtered for completion with responses <70% complete excluded from the results. The final response rate was 77.4% based on 137 results proper. 100% of the student population can be assumed to have health insurance based on legal mandates. Approximately 74% of students are female and 98% of students receive some sort of financial aid.[5] Average student GPA was 3.18 as reported by the registrar's office.

Measures

The survey included four questions relating to the healthcare accessibility status of the student. Two of these questions focused on the healthcare-seeking habits of students, and the other two were used to determine if the student received sufficient healthcare over the past 12 months, because not all students have the same healthcare needs. An additional two questions adapted from a nationwide health survey of college students[6][7] were used to ascertain the general health status of local college students in comparison to college students across the nation. Another two

questions were used to determine the academic performance of the student. One question was used to determine if students used the health insurer from the school or an alternate insurance plan.

Data Analyses

Data were collected from the survey results and exported into SPSS and Microsoft Excel. GPA was collected to analyze for discrepancies that correlate with healthcare accessibility. More accurate GPA metrics are available from institutional records and displayed alongside the reported GPA. Factors discouraging students from seeking healthcare are multifactorial, thus students may select multiple responses for this question. In general, data were analyzed using SPSS.

Results

The survey results are shown in Table 1.

Sources of Health Insurance

Approximately 1 in 8 students (11.8% [SE, 2.8%]) receive health insurance through the institution. Students sourcing their health insurance from the institution displayed a significantly higher distribution (Mdn = 6 [SD, 2.8]; $P<.001$) of annual health visits than students using alternative insurance (Mdn = 2 [SD, 2.3]; $P<.001$). Students receiving insurance through the institution reported greater allotment of time (M = 15 [SD, 6.1]; $P=.046$) during health visits than students reporting alternate insurance (M = 12 [SD, 5.6]; $P=.046$). The categorization of health insurance did not relate to healthcare accessibility ($P=.581$).

Analysis of Healthcare Accessibility

1 in 4 students (26.1% [SE, 3.7%]) reported inadequate healthcare access over the last 12 months (for brevity referred to as low access students). Low access students were significantly more

likely to report barriers to healthcare (OR = 2.91 [95% CI, .557-5.29]; $P<.001$), with low accessibility showing links to out of pocket cost (OR = 3.85 [95% CI, 1.71-8.69]; $P=.001$), previous unsatisfactory healthcare experiences (OR = 3.58 [95% CI, 1.29-9.93]; $P=.014$), course workload (OR = 2.34 [95% CI, 1.05-5.19]; $P=.037$), and scheduling conflicts (OR = 2.33, [95% CI, 1.05-5.19]; $P=.038$). High access was associated with increased self-health assessment scores (r = .267 [95% CI, .104-.406]; $P=.002$).

Analysis of Academic Performance

Self-health assessments show a nearly linear correlation (r = -.502 [95% CI, -.619--.363]; $P<.001$) to the number of classes missed because of illness. Healthcare accessibility was strongly correlated with academic performance (r = .336 [95% CI, .179-.476]; $P<.001$) with low access students showing diminishes in GPA (M = 2.8 [95% CI, 2.5-3.1]; $P<.001$), whereas high access students showed higher GPA (M = 3.5 [95% CI, 3.3-3.7]; $P<.001$). Deficiencies in healthcare access aligned with increases in classes missed due to illness (r = -.348 [95% CI, -.487--.192]; $P<.001$), with high access students reporting fewer absences (M = 2.45 [95% CI, 2.0-2.9]; $P=.001$) than low access students (M = 4.1 [95% CI, 3.1-5.2]; $P=.001$).

Analysis of Telemedical Usage

Only 1 in 12 students (7.9% [SE, 2.4%]) utilize telemedicine for some or all their health needs. Telemedical usage corresponded with shorter interactions with physicians (r = .388 [95% CI, .236-.521]; $P<.001$) with visits typically lasting 4.5 minutes ([95% CI, 1.9-7.1]; $P<.001$). Telemedical savvy students reported fewer illness-related absences (M = .90 [95% CI, .27-1.53]; $P=.011$) than even high access students (r = .219 [95% CI, .054-.373]; $P=.011$). Telemedical users were more likely to report higher ratings on self-health assessment (OR = 1.74 [95% CI, .809-3.75]; $P=.001$) than other students and display higher GPA (M = 3.5 [95% CI, 3.1-3.9];

P<.001) than students not using telemedicine (M = 3.3 [95% CI, 3.1-3.5]; *P*<.001), including students with high access. Usage of telemedicine was unrelated to reports of barriers to healthcare access (*P*=.999) nor was there a relation to telemedical use in either of the health insurance options used by students (*P*=.235).

Discussion

Insurance Utilization

High deductible insurance discourages healthcare seeking behaviors. Out of pocket cost is strongly associated with low healthcare accessibility. Given the economic vulnerability of college students, they are often unable to utilize health services, despite healthcare access serving as a strong predictor of academic success. Financial aid packages do not include allowances for out of pocket health costs, but insurance and even health center fees are billed to students regardless.[8] Students are billed for services they cannot fully utilize.

Limitations

The aim of this study was to determine the extent of healthcare discrepancies in the local student population and promote further inquiries of similar studies at other locations. The dearth of literature regarding the effects of healthcare access on academic performance makes comparison of the results very difficult. The location of the study site is in the state with the second-lowest rate of uninsured adults.[9] The results may not be as exaggerated as other states with higher rates of uninsured. Individual policies are not available for comparison to the institutional health plan. Students in the bottom quartile reported an average of one health visit every 1.5 years, raising questions regarding their status as insured. Students might be evading additional costs to attendance by claiming to be insured, however, the legal mandates on insurance status at the

study site make this impossible to tease out. Method of data collection required the active online presence of students during the study timeframe, which occurred shortly after the unexpected transition to online learning. The response rate was likely bolstered by the relevance of the study to the cause of distance learning and the increased presence of online usage of students, however, future studies may encounter difficulties in sampling online.

Suggestions

Creating a healthcare subsidy for students on the institutional health insurer may improve the adoption of the insurer and alleviate discrepancies associated with out of pocket expenses. An example subsidy could cover all annual out of pocket health expenses for students, monthly medication copays, and coinsurance costs. Based on median usage of high access students, 6 annual primary care visits, 10 months of tier 1 prescriptions, .53 annual emergency room visits[10] would cost $291.97 per student. Which is less than the amount currently billed to all students annually for 'health center fees' ($300)[8] despite most students (88.3% [SE, 2.7%]) utilizing alternative health providers.

Conclusion

Over 1 in 4 college students' healthcare needs are not being meant. Telemedical adoption among students remains low, with fewer than 1 in 12 students using telemedicine for any of their healthcare needs. Improving the adoption of telemedicine among college students may help alleviate discrepancies in healthcare accessibility. Subsidizing out of pocket expenses for college students could further bridge the gap of healthcare inequality among college students.

Acknowledgments

I would like to thank Dr. Livermore for your superb teachings of statistics and how to use statistical tools such as SPSS. The mathematical rigor and education you provided has proven to be invaluable in the writing of this paper.

Also, my sister Marie for providing the technology used to perform the calculations on the data. If not for your selfless act, I would have been unable to complete this assignment.

Finally, I wish to thank Dr. Essary for pushing me to take on the task of conducting my own primary research project. Without your encouragement, I would not have attempted a project this bold - especially as a senior thesis – the capstone of my entire undergraduate academic career. None of this would have been possible without you.

Literature Cited

1. CDPHP. Summary of Benefits and Coverage. Gallagher Student. https://www.gallagherstudent.com/brochures/10506.pdf. Published 2018. Accessed May 3, 2020.

2. Health Insurance Coverage for Children and Young Adults Under 26. HealthCare.gov. https://www.healthcare.gov/young-adults/children-under-26/. Accessed May 3, 2020.

3. Employer Shared Responsibility Provisions. Internal Revenue Service. https://www.irs.gov/affordable-care-act/employers/employer-shared-responsibility-provisions. Published April 3, 2020. Accessed May 3, 2020.

4. Rochmes J. School-Based Healthcare and Academic Performance: Implications of. Center for Education Policy Analysis. https://cepa.stanford.edu/content/school-based-healthcare-and-academic-performance-implications-physical-health-services-educational-outcomes-and-inequality. Published August 9, 2016. Accessed May 3, 2020.

5. Cazenovia College. Fast Facts. https://www.cazenovia.edu/about/cazenovia-college-fast-facts. Accessed May 3, 2020.

6. Elflein J. College student health status U.S. 2018. Statista. https://www.statista.com/statistics/826166/college-students-health-status-us/. Published April 1, 2019. Accessed May 3, 2020.

7. Elflein J. Medical treatments among college students U.S. 2018. Statista. https://www.statista.com/statistics/826999/health-issues-among-college-students-us/. Published April 1, 2019. Accessed May 3, 2020.

8. Frank D. Health Services FAQs. Cazenovia College. https://www.cazenovia.edu/student-life/health-office/health-services-faqs. Accessed May 3, 2020.

9. CDC, Cohen RA, Terlizzi EP, Martinez ME. Health Insurance Coverage: Early Release of Estimates. https://www.cdc.gov/nchs/data/nhis/earlyrelease/insur201905.pdf. Published 2018. Accessed May 3, 2020.

10. CDC, National Hospital Ambulatory Medical Care Survey: 2017 Emergency Department Summary Tables. https://www.cdc.gov/nchs/data/nhamcs/web_tables/2017_ed_web_tables-508.pdf.Published 2018. Accessed May 3, 2020.

Table 1. Complete Survey Results

Question	Answer Options	Students That Answered, No./Total No. (%)
Do you use the health insurer provided by Cazenovia College? (%)	Yes	16/136 (11.76)
	No	120/136 (88.24)
In general, how would you rate your overall health? (%) *Adapted from Elflein	Excellent	19/136 (13.97)
	Very good	60/136 (44.12)
	Good	37/136 (27.21)
	Fair	11/136 (8.09)
	Poor	8/136 (5.88)
	Don't know	1/136 (0.74)
Within the past 12 months, have you been diagnosed or treated by a health professional for the following? (%) (Select all that apply) *Adapted from Elflein	Sinus infection	28/137 (20.44)
	Strep throat	12/137 (8.76)
	Urinary tract infection	17/137 (12.41)
	Migraine headache	15/137 (10.95)
	Ear infection	4/137 (2.92)
	Irritable bowel syndrome	4/137 (2.92)
	High cholesterol	1/137 (0.74)
	High blood pressure	4/137 (2.92)
	Repetitive stress injury (e.g., carpal tunnel syndrome)	4/137 (2.92)
	Mononucleosis	3/137 (2.19)
	Diabetes	2/137 (1.46)
	Endometriosis	1/137 (0.74)

	HPV	1/137 (0.74)
	Genital herpes	1/137 (0.74)
	Gonorrhea	0/137 (0.00)
	Hepatitis B or C	0/137 (0.00)
	Pelvic inflammatory disease (PID)	0/137 (0.00)
	Tuberculosis	0/137 (0.00)
	HIV	0/137 (0.00)
In the past 12 months, how many classes have you missed because of physical health (e.g., sinus infection, concussion, flu)? (%)	0	33/136 (24.26)
	1	30/136 (22.06)
	2	17/136 (12.50)
	3	13/136 (9.56)
	4	12/136 (8.82)
	5	10/136 (7.35)
	>5	21/136 (15.44)
What is your approximate GPA? (%)	>3.50	67/136 (49.26)
	3.00 to <3.50	37/136 (27.01)
	2.50 to <3.00	20/136 (7.35)
	<2.50	1/136 (0.74)
	Prefer not to answer	11/136 (8.09)
In the past 12 months, how many times did you visit a primary care medical professional? (%)	0	9/129 (6.98)
	1	24/129 (18.60)
	2	28/129 (21.71)
	3	25/129 (19.38)

	4	11/129 (8.63)
	5	5/129 (3.88)
	6	7/129 (5.43)
	7	2/129 (1.55)
	>7	18/129 (13.95)
In the past 12 months, were you able to visit with your primary care medical professional as often as you needed? (%)	Yes	99/134 (73.88)
	No	35/134 (26.12)
How much time does your primary care medical professional typically spend with you during your visits? (%)	1 to 5 minutes	4/133 (3.01)
	5 to 10 minutes	32/133 (24.06)
	10 to 15 minutes	34/133 (25.56)
	15 to 20 minutes	34/133 (25.56)
	>20 minutes	29/133 (21.80)
What, if any, factors are discouraging you from seeking healthcare? (%) (Select all that apply)	Out-of-pocket cost	44/137 (32.12)
	Scheduling conflicts	71/137 (51.82)
	Course workload	46/137 (33.58)
	Out-of-network coverage	9/137 (6.57)
	Previous unsatisfactory healthcare experience	18/137 (13.14)
	Severity of health concern	23/137 (16.79)
	Self-diagnosing	22/137 (16.06)
	Other	22/137 (16.06)
Do you utilize telemedicine to complete some or all your health visits? (%)	Yes	10/126 (7.94)
	No	116/126 (92.06)