

1 **Exploring alternative medicine options for the prevention or treatment of coronavirus**
2 **disease 2019 (COVID-19)- A systematic scoping review**

3 Amrita Nandan, Ph.D¹; Santosh Tiwari, PhD¹; Vishwas Sharma, Ph.D^{1*}

4
5
6

7 **Affiliation:**

8 ¹ Department of Health Research, Society for Life Sciences and Human Health (non-profitable
9 charitable trust registered at the government of India).

10

11 **Running head:** Alternative medicine options for COVID-19.

12 *Correspondence

13 Vishwas Sharma, Ph.D

14 Society for Life Sciences and Human Health (non-profitable charitable trust registered at the
15 government of India),

16 84/8 K, Tilak Nagar,

17 Allahabad, Uttar Pradesh,

18 India

19 Phone: +91-9560486193

20 E-mail: vishmicro@gmail.com, hope.sfls@gmail.com

21

22 **Abstract**

23 **Background:** Coronavirus disease 2019 (COVID-19) is caused by coronavirus 2 (SARS-CoV-
24 2). Symptoms include fever, cough, shortness of breath, muscle pain, pneumonia, and multi-
25 organ failure. The infection spreads from one person to another via respiratory droplets.
26 Alternative medicine (AMs) viz., Ayurveda, Homeopathy, Unani, and Traditional Chinese
27 Medicine (TCM), are being promoted for the prevention of COVID-19. The aim of this
28 systematic scoping review was to identify and summarize the scientific evidences promoting the
29 use of AMs for the prevention of COVID-19.

30 **Methods:** A comprehensive search of electronic search engines (PubMed and Web of Science)
31 was performed. In addition, freewheeling searches of the government health ministries and
32 government websites was done to retrieve the available information. Records available until 12th
33 March 2020 were considered. Reports proposing the use of AMs for prevention or treatment of
34 COVID-19 across all countries were included. Screening (primary and secondary) of the records
35 and data extraction from the eligible studies were done by a single reviewer followed by a
36 random quality check (10%) by the second reviewer.

37 **Results:** Overall, 8 records (7 from China and 1 from India) exploring the use of AMs for the
38 prevention or treatment of COVID-19 were identified. Different medicines were explored by
39 different AM systems.

40 **Conclusions:** Several AMs options are proposed for the prevention or treatment of COVID-19.
41 However, their efficacy and safety still needs scientific validation through rigorous randomized
42 controlled trials. This review may help inform decisions about the importance of research and
43 development of AMs for COVID-19 prevention and treatment.

44 **Keywords:** Alternative medicine, Ayurveda, COVID-19, Homeopathy, Traditional Chinese

45 Medicine, Unani.

46

47 **Introduction**

48 Coronavirus disease 2019 (COVID-19) is spreading rapidly throughout the world and is infecting
49 people irrespective of their age, sex and ethnicity. The healthcare systems of several countries
50 are already stretched to their limits. The disease spreads via the respiratory droplets and close
51 contact, and the disinfection of cities and communities is not showing to be effective for the
52 control of the disease.¹ The World Health Organization (WHO) has declared COVID-19 as a
53 global pandemic which is causing critical challenges for the politicians, public health
54 practitioners, scientists, and the medical community to deal with the situation.^{2,3} There is no
55 specific antiviral treatment available in the modern medicine system to treat COVID-19. Despite
56 concerted efforts, a truly effective vaccine is still not available. Under such conditions, it is
57 imperative that resource-starved nations and communities may think for relatively cheaper
58 options of alternative medicines (AMs) for prophylaxis or treat themselves against this virus.
59 Presently, it is a worldwide emergency and the primary objective of mankind at this moment is
60 to survive. The scientific basis of the AM treatment options can be explored and debated later.
61 Mankind cannot allow thousands or millions to perish before modern medicine invents a cure or
62 prophylaxis. In China itself, the total number of confirmed cases treated by Traditional Chinese
63 Medicine (TCM) has reached 60,107.⁴ Indian government ministry of Ayurveda, Yoga &
64 Naturopathy, Unani, Siddha and Homoeopathy (AYUSH) is also proposing Homeopathy and
65 Ayurveda for prophylaxis and Unani medicines for symptomatic management of COVID-19.⁵
66 There are two broad clinical systems for preventing or treating the disease i) modern medicine,
67 which is experimental medicine based on modern scientific clinical evidence ii) alternative
68 medicine, which comprises (a) Ayurveda: This system uses plant-based medicines with some

69 animal products as well as added minerals; the evidence is largely clinical. (b) Homeopathy: uses
70 an extremely diluted form of numerous substances. Evidence is largely clinical and partly from
71 randomized controlled trials (RCTs). (c) Unani is a Perso-Arabic system of medicine based
72 originally on the teachings of the Greek physicians Hippocrates and Galen. (d) TCM: based on
73 traditional practices and beliefs from China which mostly include herbal formulations besides
74 acupuncture, cupping therapy, gua sha, massage (tui na), bonesetter (die-da), exercise (qigong),
75 and dietary therapy. Recently, articles exploring the use of AMs for COVID-19 prevention or
76 treatment are available in the electronic search engines such as PubMed, Web of Science, etc.
77 This systematic scoping review aims to summarize available evidences on the AM options for
78 the prevention or treatment of COVID-19. Specifically, we aimed to answer the following
79 questions:

- 80 1. Is there any recent evidence available for using AMs for the prevention or treatment of
81 COVID-19; if yes then how they are distributed country-wise?
- 82 2. Is there any scientific research-based evidence available for the proposed AMs for COVID-19
83 prevention or treatment?

84 **Materials and Methods**

85 **Search criteria**

86 A comprehensive literature search was performed following PRISMA guidelines^{6,7} to screen the
87 records on AMs for COVID-19 (Figure 1 and Additional file S1) using the phrase (ayurveda OR
88 traditional chinese medicine OR homeopathy OR unani OR siddha) AND (COVID-19). Briefly,
89 electronic search engines (PubMed and Web of Science) were screened from the inception
90 database to 12th of March 2020. In addition, freewheeling searches of the health ministry and
91 government websites of different countries was done to retrieve all the relevant data. The records

92 issued by the government authorities reflect its acceptance among the society in that country and
93 hence included. One reviewer (A.N.) screened all titles and abstracts and relevant full-text
94 articles. A second researcher (V.S.) performed a quality check of a random selection of 10% of
95 titles, abstracts, and full-text articles. Discrepancies were resolved; when a consensus was not
96 reached, a third researcher was consulted. Relevant data from all included studies were extracted
97 by a single reviewer, using a pre-defined extraction grid, which was subsequently validated by an
98 independent reviewer. The detailed criteria of screening are mentioned on Additional file S1.

99 The inclusion and exclusion criteria are:

100 *Inclusion criteria*

101 (i) records where details of AMs (Ayurveda, Homeopathy, Unani, and TCM) on COVID-19
102 were given, are included for quantitative analysis (Additional file S2).

103 (ii) records whose abstract and full text available were included.

104 (iii) records published in English were included.

105 *Exclusion criteria*

106 (i) records where details on AMs were not available were excluded.

107 **Data extraction**

108 From the selected records following were extracted (i) type of AMs system i.e. Ayurveda,
109 Homeopathy, Unani. and TCM (ii) country (iii) clinical treatment (iv) drug dosage recommended
110 (v) drug duration recommended.

111 **Results**

112 A total of 8 records^{4,5,8-13} were obtained where the promotion of AMs (Ayurveda, Homeopathy,
113 Unani, and TCM) for the prevention or treatment of COVID-19 were described (Additional file
114 S2). Seven records were on TCM and one record covered Ayurveda, Homeopathy, and Unani

115 medicines. Records were either from China (n=7) or India (n=1). Different AMs comprising
116 preventive management and symptomatic management were proposed for the treatment of
117 COVID-19. Diverse drug dose and duration were suggested for specific types of AMs (Table 1).
118 During our search we found only the names of the Ayurvedic, Homeopathic, and Unani
119 Medicines in the record. In order to understand the probable connection of these medicines with
120 COVID-19, we further explored the general properties of promoted AMs whose details are:

121 **Ayurveda**

122 *Ark Ocimum sanctum (tulsi extract)*

123 It is said to prevent disease, promote general health, wellbeing and longevity. In addition to
124 providing immunity, it is recommended as a treatment for a range of conditions including
125 anxiety, fever, cough, asthma, diarrhea, vomiting, indigestion, dysentery, diabetes, arthritis,
126 genitourinary disorders, and back pain.¹⁴⁻¹⁶

127 *Amritarishta*

128 The main ingredient of Amritarishta is *Tinospora Cordifolia* and *Dashmool* with water.
129 Dashmoolmatrabastiin has shown efficacy in the management of benign prostatic hyperplasia.¹⁷

130 *Agastya Harityaki*

131 It contains Haritaki as one of the main components. The plant has been extensively used for
132 cough, intermittent fevers, indigestion, anemia, asthma, neuropathy, etc. Haritaki has been well
133 reported for its antiviral properties.¹⁸

134 *SamshamaniVati*

135 It is an ayurvedic medicine used in the treatment of all types of fever. It is prepared with Giloya
136 (*Tinospora cordifolia*).¹⁹ Giloya extract contains many constituents such as alkaloids, steroids,
137 glycosides, and polysaccharides.²⁰ Its extract is extensively used in various herbal preparations

138 for the treatment of different ailments for its immunomodulatory, anti-inflammatory, anti-
139 oxidant, anti-spasmodic, anti-osteoporotic, anti-arthritic, and anti-allergic properties.^{21,22}

140 *Trikatu (Pippali, Marich & Shunthi) powder and Tulsi leaves*

141 It is an herbal formulation containing dried fruits of *Piper nigrum* (Maricha) and *Piper longum*
142 (Peepli), and dried rhizomes of *Zingiber officinale* (Sunthi) mixed together in equal quantities.

143 Different extracts and fractions of Trikatu possess anti-oxidant,²³ immunomodulatory,^{24,25} anti-
144 allergic,²⁶ and anti-arthritic²⁷ activities. Studies report that Trikatu possesses the ability to
145 improve the bioavailability of various drugs if combined with them thereby increasing the
146 efficacy of the treatment. It is also prescribed for the treatment of asthma, cough, chronic rhinitis/
147 sinusitis etc.^{28,29}

148 *Ashwagandha (Withania somnifera)*

149 It is also called 'Indian Ginseng', is an important medicinal plant widely used against many
150 diseases in Indian Systems of Medicine. It is shown to possess anti-microbial, anti-inflammatory,
151 anti-tumor, anti-stress, neuroprotective, cardioprotective, and anti-diabetic properties.³⁰⁻³² It has
152 shown antiviral activity against infectious bursal disease virus and herpes simplex virus type 1.
153 ^{33,34}

154 **Homeopathy**

155 *Arsenicum album 30C*

156 Arsenicum album 30C and two drops of sesame oil in each nostril each morning are suggested
157 by the advisory given by Central Council for Research in Homeopathy (CCRH), India for
158 prevention to COVID-19.⁵ Arsenicum album 30C is prepared by diluting aqueous arsenic
159 trioxide until little or no arsenic remains, and is used in respiratory disorders. Mice intoxicated
160 with arsenic trioxide injections when treated with Arsenicum album 30 showed revival and

161 restoration of protein and DNA damage of liver and kidney.³⁵ Some improvement in the clinical
162 outcome of Acute Encephalitis Syndrome was observed with adjunctive Homeopathic medicines
163 which included Arsenicum album 30.³⁶

164 **Unani**

165 *Sharbat Unnab*

166 It is widely used in the Unani system of medicine as a blood purifier, curing sore throat, catarrh,
167 cough, urticaria, chest pain and pneumonia.^{37,38}

168 *Khamira Marwareed*

169 It exhibits immune-stimulatory activity leading to a Th1-dominant immune state.³⁹ Although
170 considered to be cardio-protective no scientific evidence is reported yet.⁴⁰

171 *Roghan Baboona*

172 It exhibits anti-inflammatory and analgesic activities. Massage with Roghan Baboona is reported
173 to give relief from symptoms and signs of osteoarthritis and rheumatoid arthritis in patients.⁴¹

174 *Arque-Ajeeb*

175 It is a Unani formulation consisting of plant extracts of *Menthaarvensis* Linn, seeds extract of
176 *Trachyspermumammi* Linn and Camphor. It is reputed for its beneficial effects in the treatment
177 of diarrhea and cholera,⁴² but the claim of the efficacy is yet to be tested.

178 *Habb-e-Ikseer Bukhar*

179 It is suggested as an antipyretic to lower the body temperature for clinical management of
180 Dengue fever.⁴³

181 *Behidana*

182 The entire plant is used for medicinal purposes, and it has been proven as anti-oxidant, anti-
183 bacterial, anti-inflammatory, anti-allergic, aphrodisiac, nephroprotective, anti-atherosclerotic,
184 anti-hypertensive, hypolipidaemic, hepatoprotective, anti-spasmodic, and anti-cancerous.⁴⁴

185 *Sapistan*

186 It exhibits significant anti-bacterial activity and is used to treat upper respiratory tract
187 infections.⁴⁵

188 *Darchini*

189 It is also called Cinnamon, is a coagulant and prevents bleeding.⁴⁶ It also possesses anti-
190 microbial,⁴⁷ anti-fungal,⁴⁸ and anti-oxidant⁴⁹ properties. Its use might be beneficial to reduce
191 oxidative stress-induced complications and oxidative stress associated diseases.^{50,51}

192 *Banafsha*

193 It exhibits anti-inflammatory, anti-microbial, anti-oxidant, anti-pyretic, expectorant and anti-
194 tussive, anti-spasm and bronchodilator, analgesic activities.⁵² Sharbatbanafsha also effectively
195 relieves most of the complaints due to chronic sinusitis.⁵³

196 *Chiraita*

197 Previous research demonstrates that the *Swertia chirayita* extracts exhibit a wide range of
198 biological activities, such as anti-bacterial, anti-fungal, anti-viral, anti-inflammatory, anti-
199 diabetic and antioxidant.⁵⁴⁻⁵⁶

200 *Kasni*

201 The root extract of Kasni (*Cichoriumintybus*) is shown to have anti-tumor and
202 immunomodulatory properties⁵⁷ Dried root is used as a tonic in fevers, rheumatic complaints
203 vomiting, diarrhea, and enlarged spleen.⁵⁸

204 *Afsanteen*

205 It exhibits diverse pharmacological effects such as anti-helminthic, anti-bacterial, anti-pyretic
206 and hepatoprotective.⁵⁹

207 *Neem Bark*

208 Its ingredients are used for the treatment of many cancers, infectious and metabolic diseases in
209 traditional medicine.⁶⁰

210 *SaadKoofi*

211 SaadKoofi (*Cyperusrotundus*) is a medicinal plant having potential pharmacological actions both
212 prophylactic and therapeutic.⁶¹

213 *GuleSurkh* (Rosa damascene flower)

214 It is medicinally used in various diseases such as asthma, bronchitis, wounds, and ulcer.⁶² The
215 mixture made by rose and honey is very effective in throat problems.⁶³

216 **Traditional Chinese Medicine**

217 Mostly combinations of TCMs were proposed for the prevention or treatment of COVID-19
218 which are already covered by several articles^{4,5,8-10,12} Since the therapeutic activity was not of an
219 individual medicine but of cocktail they are not described here. However, early intervention of
220 TCMs showed to be effective in improving cure rate of COVID-19 patients. It delayed the
221 disease progression, shortened the course of the disease and reduced mortality in the treated
222 patients.⁴ Based on the effective response of TCM on COVID-19 patients, TCM treatment
223 strategies have been included in guidelines issued from China.^{11,13} Further details of TCMs used
224 for the treatment of COVID-19 are described in Table 1.

225 **Discussion**

226 The early cases of COVID-19 diseases were diagnosed in China in November 2019, which
227 ultimately made a lockdown in a few regions of China in early 2020. Due to the unavailability of

228 definite modern medicines for the prevention or treatment of COVID-19, China along with other
229 methods of prevention or treatment promoted and treated 60,107 Chinese people with TCM. The
230 effective cure rate of QPD against COVID-19 was reported ~90%⁴. In India, the promotion of
231 AMs (Ayurveda, Homeopathy, and Unani) is underway.⁵

232 The results of this study found that different medicines were proposed for the prevention or
233 treatment of COVID-19 by different AM systems. All the proposals for promoting AMs were
234 from China or India. TCMs were primarily promoted by China, whereas Ayurveda,
235 Homeopathy, and Unani were promoted by India. Evidence from the screened records suggest
236 that AMs were primarily considered as a preventive treatment of COVID-19 disease. The
237 detailed mechanism of action of AMs on COVID-19 was not found in the studied records. We
238 found that most of the medicines used were for the treatment of the symptoms (fever, cough, and
239 chest related issues such as pneumonia, chest pain etc.) and boosting immunity. No RCT
240 addressing the antiviral properties of these medicines against COVID-19 was observed. Robust
241 evidence on the effect of these medicines on the COVID-19 life cycle and the infected
242 individuals are lacking, and is required to understand their plausible role in the prevention or
243 treatment of COVID-19.

244 **Conclusions**

245 This study limits to selective AM options i.e. Ayurveda, Homeopathy, Unani, and TCM,
246 however other uncovered AMs such as naturopathy, etc. needs to be explored. Scientific lab
247 research and RCTs are lacking for the proposed AMs for COVID-19. Screening for potential
248 candidates via *in silico* analysis using the bioinformatics tool followed by *in vitro* screening of
249 the proposed medicines and RCTs are needed for scientific justification. A detailed investigation

250 of the different combinations of these AMs is warranted to look if there is a definite solution to
251 the COVID-19 disease. Studying other AMs for their efficacy to treat or prevent COVID-19,
252 based on their known activities, would be an opportunity of window that could be explored.
253 More information and research on AMs for COVID-19 treatment is needed from the different
254 geographical locations of the World. This study may form an excellent foundation for developing
255 lab research in the field of AMs and COVID-19, and draw the attention of scientists and
256 researchers throughout the globe to study and understand the biological role of our listed AMs
257 for the prevention and treatment of COVID-19. Following these suggestions, research conducted
258 in this field may determine the importance and value of AMs and probable scope of a full
259 systematic review.

260 **Acknowledgments**

261 The authors are thankful to Dr. Nirmal Chandra Asthana for his continuous support and
262 suggestions on the manuscript. The grammar was checked by Grammarly software and the
263 plagiarism from the online plagiarism checker ‘Duplichecker’ (<https://www.duplichecker.com/>).

264 **Conflict of Interest Statement**

265 None declared

266 **Funding**

267 None declared

268 **Ethical Statement**

269 None declared

270 **Authors' contributions**

271 AN reviewed and wrote the first draft of the review. VS conceived the study, reviewed and wrote
272 the final version of the manuscript. ST reviewed the manuscript and gave critical suggestion.
273

274 **References**

- 275 1. Xiao, Y. & Torok, M. E. Taking the right measures to control COVID-19. *Lancet. Infect.*
276 *Dis.* (2020). doi:10.1016/S1473-3099(20)30152-3
- 277 2. Fauci, A. S., Lane, H. C. & Redfield, R. R. Covid-19 - Navigating the Uncharted. *N. Engl.*
278 *J. Med.* (2020). doi:10.1056/NEJMe2002387
- 279 3. Coronavirus disease 2019 (COVID-19) Situation Report – 52.
- 280 4. Ren, J.-L., Zhang, A.-H. & Wang, X.-J. Traditional Chinese medicine for COVID-19
281 treatment. *Pharmacol. Res.* **155**, 104743 (2020).
- 282 5. Advisory for Corona virus Homoeopathy for Prevention of Corona virus Infections Unani
283 Medicines useful in symptomatic management of Corona Virus infection. (2020).
- 284 6. PRISMA TRANSPARENT REPORTING of SYSTEMATIC REVIEWS and META-
285 ANALYSES.
- 286 7. Peters, M. D. J. *et al.* Guidance for conducting systematic scoping reviews. *Int. J. Evid.*
287 *Based. Healthc.* **13**, 141–146 (2015).
- 288 8. Stressed About Coronavirus? Here’s How Yoga Can Help. (2020).
- 289 9. National Health Commission of the People’s Republic of China.<Guideline on diagnosis
290 and treatment of COVID-19 (Trial 6th edition).
- 291 10. Lu, H. Drug treatment options for the 2019-new coronavirus (2019-nCoV). *Biosci. Trends*
292 (2020). doi:10.5582/bst.2020.01020
- 293 11. Shen, K. *et al.* Diagnosis, treatment, and prevention of 2019 novel coronavirus infection in
294 children: experts’ consensus statement. *World J. Pediatr.* (2020). doi:10.1007/s12519-

- 295 020-00343-7
- 296 12. Luo, H. *et al.* Can Chinese Medicine Be Used for Prevention of Corona Virus Disease
297 2019 (COVID-19)? A Review of Historical Classics, Research Evidence and Current
298 Prevention Programs. *Chin. J. Integr. Med.* (2020). doi:10.1007/s11655-020-3192-6
- 299 13. Jin, Y.-H., Cai, L., Cheng, Z.-S., Cheng, H. & Deng, T. A rapid advice guideline for the
300 diagnosis and treatment of 2019 novel coronavirus (2019-nCoV) infected pneumonia
301 (standard version).
- 302 14. Jamshidi, N. & Cohen, M. M. The Clinical Efficacy and Safety of Tulsi in Humans: A
303 Systematic Review of the Literature. *Evid. Based. Complement. Alternat. Med.* **2017**,
304 9217567 (2017).
- 305 15. Singh, N. *Tulsi: The Mother Medicine of Nature. International Institute of Herbal*
306 *Medicine* (2002).
- 307 16. Pattanayak, P., Behera, P., Das, D. & Panda, S. K. *Ocimum sanctum* Linn. A reservoir
308 plant for therapeutic applications: An overview. *Pharmacogn. Rev.* **4**, 95–105 (2010).
- 309 17. Gupta, A., Gupta, P. & Sharma, R. TO STUDY THE EFFICACY OF KANCHNAR
310 GUGGULU AND DASHMOOL MATRA BASTI IN THE MANAGEMENT OF
311 VATASHTHEELA W.S.R TO BENIGN PROSTATIC HYPERPLASIA. *Int. J. Ayurveda*
312 *Pharma Res.* **7**, 19–24 (2019).
- 313 18. Poudel, S. & Yadav, M. P. Agastya Haritaki Rasayana: A Critical Review. *J. Drug Deliv.*
314 *Ther.* doi:<https://doi.org/10.22270/jddt.v9i1-s.2283>
- 315 19. Alsuhaibani, S. & Khan, M. A. Immune-Stimulatory and Therapeutic Activity of

- 316 Tinospora cordifolia: Double-Edged Sword against Salmonellosis. *J. Immunol. Res.* **2017**,
317 1787803 (2017).
- 318 20. Chemistry and medicinal properties of Tinosporacordifolia (Guduchi). *Indian J.*
319 *Pharmacol.* **35**, 83–91 (2003).
- 320 21. Panchabhai, T. S., Kulkarni, U. P. & Rege, N. N. Validation of therapeutic claims of
321 Tinospora cordifolia: a review. *Phytother. Res.* **22**, 425–41 (2008).
- 322 22. Sharma, U. *et al.* Immunomodulatory active compounds from Tinospora cordifolia. *J.*
323 *Ethnopharmacol.* **141**, 918–26 (2012).
- 324 23. Jain, N. & Mishra, R. Antioxidant activity of trikatu mega Ext. *Int J Res Pharm Biomed*
325 *Sci* **2**, 624–28 (2011).
- 326 24. Anthelmintic activity of water extracts of trikatu churna and its individual ingredients on
327 Indian earthworms. *Int J Pharm Bio Sci* **3**, 374–8 (2012).
- 328 25. Jain, N. & Mishra, R. Immunomodulator activity of trikatu. *Int J Res Pharm Biomed Sci* **2**,
329 160–64 (2011).
- 330 26. Murunikkara, V. & Rasool, M. Trikatu, an herbal compound as immunomodulatory and
331 anti-inflammatory agent in the treatment of rheumatoid arthritis--an experimental study.
332 *Cell. Immunol.* **287**, 62–8 (2014).
- 333 27. Maenthaisong, R. *et al.* Efficacy and safety of topical Trikatu preparation in, relieving
334 mosquito bite reactions: a randomized controlled trial. *Complement. Ther. Med.* **22**, 34–9
335 (2014).
- 336 28. Pattanaik, S., Hota, D., Prabhakar, S., Kharbanda, P. & Pandhi, P. Effect of piperine on

- 337 the steady-state pharmacokinetics of phenytoin in patients with epilepsy. *Phytother. Res.*
338 **20**, 683–6 (2006).
- 339 29. Kasibhatta, R. & Naidu, M. U. R. Influence of piperine on the pharmacokinetics of
340 nevirapine under fasting conditions: a randomised, crossover, placebo-controlled study.
341 *Drugs R. D.* **8**, 383–91 (2007).
- 342 30. Dar, N. J., Hamid, A. & Ahmad, M. Pharmacologic overview of *Withania somnifera*, the
343 Indian Ginseng. *Cell. Mol. Life Sci.* **72**, 4445–60 (2015).
- 344 31. Dutta, R., Khalil, R., Green, R., Mohapatra, S. S. & Mohapatra, S. *Withania Somnifera*
345 (Ashwagandha) and Withaferin A: Potential in Integrative Oncology. *Int. J. Mol. Sci.* **20**,
346 (2019).
- 347 32. Grover, A., Agrawal, V., Shandilya, A., Bisaria, V. S. & Sundar, D. Non-nucleosidic
348 inhibition of Herpes simplex virus DNA polymerase: mechanistic insights into the anti-
349 herpetic mode of action of herbal drug withaferin A. *BMC Bioinformatics* **12 Suppl 1**, S22
350 (2011).
- 351 33. Pant, M & Ambwani, Tanuj & Umapathi, V. Antiviral activity of Ashwagandha extract on
352 Infectious Bursal Disease Virus Replication. *Indian J. Sci. Technol.* (2012).
- 353 34. KAMBIZI, L., GOOSEN, B. ., TAYLOR, M. B. & AFOLAYAN, A. . Anti-viral effects
354 of aqueous extracts of *Aloe ferox* and *Withania somnifera* on herpes simplex virus type 1
355 in cell culture. *S. Afr. j. sci* **103**, 359–360 (2007).
- 356 35. Kundu, S. N., Mitra, K. & Khuda Bukhsh, A. R. Efficacy of a potentized homeopathic
357 drug (*Arsenicum-Aalbum-30*) in reducing cytotoxic effects produced by arsenic trioxide

- 358 in mice: IV. Pathological changes, protein profiles, and content of DNA and RNA.
359 *Complement. Ther. Med.* **8**, 157–65 (2000).
- 360 36. Oberai, P. *et al.* Effectiveness of Homeopathic Medicines as Add-on to Institutional
361 Management Protocol for Acute Encephalitis Syndrome in Children: An Open-Label
362 Randomized Placebo-Controlled Trial. *Homeopathy* **107**, 161–171 (2018).
- 363 37. HS, K. & Amraz, I. New Delhi: CCRUM Dept of AYUSH Govt of India. (2005).
- 364 38. Talib, M., Aslam, M., Ahmed, M. A., Qamar, M. W. & , Shahid S. Chaudhary, A. J.
365 Unnab: A boon to herbal nutraceuticals. *Intrenational J. Adv. Aharmacy Medicine*
366 *Bioallied Sci.* (2017).
- 367 39. Khan, F., Ali, S., Ganie, B. A. & Rubab, I. Immunopotentiating effect of Khamira
368 Marwarid, an herbo-mineral preparation. *Methods Find. Exp. Clin. Pharmacol.* **31**, 513–
369 22 (2009).
- 370 40. Ahmad, S. *et al.* Khamiras, a natural cardiac tonic: An overview. *J. Pharm. Bioallied Sci.*
371 **2**, 93–9 (2010).
- 372 41. Tanzeel, A. The Effect of Dalak (Massage) with Roghan-e-Baboona in Wajaul Mafasil
373 (Arthritis) – A Clinical Study. *A J. Siddha, Ayurveda, Unani, Yoga, Naturop. Homeopath.*
374 **4**, (2004).
- 375 42. Khan, M. A., Khan, N. A., Qasmi, I. A., Ahmad, G. & Zafar, S. Protective effect of
376 Arque-Ajeeb on acute experimental diarrhoea in rats. *BMC Complement. Altern. Med.* **4**, 8
377 (2004).
- 378 43. Guidelines for Unani Practitioners for Clinical Management of Dengue Fever.

- 379 44. Jour, Fazeenah, H. & Quamri, M. BEHIDANA (CYDONIA OBLONGA MILLER.)-A
380 REVIEW. *World J. Pharm. Res.* **5**, 79–94
- 381 45. Latif, A., Tafseer, M. B., Rauf, A., Khan, A. U. & Rehman, S. LAOOQ SAPISTAN
382 KHAYAAR SHAMBARI- A UNANI HERBAL FORMULATION. *Int. J. Pharm. Res. Bio-*
383 *Science* **2**, 67–77 (2013).
- 384 46. Hossein, N., Zohrvand Zahra, M. A., Mahdi, S. & Ali, K. Effect of Cinnamon zeylanicum
385 essence and distillate on the clotting time. *J. Med. Plants Res.* **7**, 1339–1343 (2013).
- 386 47. Chang, S. T., Chen, P. F. & Chang, S. C. Antibacterial activity of leaf essential oils and
387 their constituents from *Cinnamomum osmophloeum*. *J. Ethnopharmacol.* **77**, 123–7
388 (2001).
- 389 48. Wang, S.-Y., Chen, P.-F. & Chang, S.-T. Antifungal activities of essential oils and their
390 constituents from indigenous cinnamon (*Cinnamomum osmophloeum*) leaves against
391 wood decay fungi. *Bioresour. Technol.* **96**, 813–8 (2005).
- 392 49. Mancini-Filho, J., Van-Koijj, A., Mancini, D. A., Cozzolino, F. F. & Torres, R. P.
393 Antioxidant activity of cinnamon (*Cinnamomum Zeylanicum*, Breyne) extracts. *Boll.*
394 *Chim. Farm.* **137**, 443–7 (1998).
- 395 50. Hussain, Z., Khan, J. A. & Rashid, H. *Cinnamomum zeylanicum* (Darchini): A Boon to
396 Medical Science and a Possible Therapy for Stress-Induced Ailments. *Crit. Rev. Eukaryot.*
397 *Gene Expr.* **29**, 263–276 (2019).
- 398 51. Hussain, Z. *et al.* Protective effects of *Cinnamomum zeylanicum* L. (Darchini) in
399 acetaminophen-induced oxidative stress, hepatotoxicity and nephrotoxicity in mouse

- 400 model. *Biomed. Pharmacother.* **109**, 2285–2292 (2019).
- 401 52. Qasemzadeh, M. J. *et al.* The Effect of Viola odorata Flower Syrup on the Cough of
402 Children With Asthma: A Double-Blind, Randomized Controlled Trial. *J. Evid. Based.*
403 *Complementary Altern. Med.* **20**, 287–91 (2015).
- 404 53. Talat, H., Latafat, T., Aziz, M. N. & Yasmeen. A ranomized open comparative clinical
405 study of sharbat ustukhuddus and sharbat banafsha in the management of chronic
406 rhinosinusitis. *Indian J. Tradit. Knowl.* **19**, 218–227 (2020).
- 407 54. Verma, H., Patil, P. R., Kolhapure, R. M. & Gopalkrishna, V. Antiviral activity of the
408 Indian medicinal plant extract Swertia chirata against herpes simplex viruses: a study by
409 in-vitro and molecular approach. *Indian J. Med. Microbiol.* **26**, 322–6
- 410 55. Alam, K. D. *et al.* In vitro antimicrobial activities of different fractions of Swertia chirata
411 ethanolic extract. *Pakistan J. Biol. Sci. PJBS* **12**, 1334–7 (2009).
- 412 56. Chen, Y. *et al.* In vitro and in vivo antioxidant effects of the ethanolic extract of Swertia
413 chirayita. *J. Ethnopharmacol.* **136**, 309–15 (2011).
- 414 57. Hazra, B., Sarkar, R., Bhattacharyya, S. & Roy, P. Tumour inhibitory activity of chicory
415 root extract against Ehrlich ascites carcinoma in mice. *Fitoterapia* **73**, 730–3 (2002).
- 416 58. Chopra, R. N., Nayar, S. L. & Chopra, I. C. *Glossary of Indian medicinal plants.* (1982).
- 417 59. Khare, C. P. *Encyclopaedia of Indian Medicinal Plants.* (Springer Berlin, Heidenberg,
418 New York, 2004).
- 419 60. Brahmachari, G. Neem--an omnipotent plant: a retrospection. *Chembiochem* **5**, 408–21
420 (2004).

- 421 61. Hana, A. & Hifzul, K. Unani Perspective and New Researches of Sa'ad ku'fi (Cyperus
422 rotundus): A Review. *J. Drug Deliv. Ther.* **8**, 378–381 (2018).
- 423 62. Ghani, N. Khazainul Advia. Idara Kitabus Shifa, New Delhi. 1133–1135
- 424 63. R.N., C., I.C., C., K.L., H. & L.D, K. *Indigenous drug of India*. (HN Dhar and Sons pvt
425 Limited. Calcutta, 1958).
- 426 64. Wang, Z., Chen, X., Lu, Y., Chen, F. & Zhang, W. Clinical characteristics and therapeutic
427 procedure for four cases with 2019 novel coronavirus pneumonia receiving combined
428 Chinese and Western medicine treatment. *Biosci. Trends* **14**, 64–68 (2020).
- 429

430 **Table 1** Describes the promotions country-wise, clinical treatment, medicines, drug dose and
 431 duration of the alternative therapy systems for COVID- 19.

Alternative therapy system	Country	Clinical treatment	Medicines	Drug dose	Duration	References
Ayurveda	India	preventive management	Ark Ocimum sanctum (tulsi ark)	drink morning 20ml and evening 20ml with 20ml of water	15-20 days	^{5,8}
	India	preventive management	Amritarishta	drink afternoon 30ml and night 30ml with 20ml of water after meals	15-20 days	⁵
	India	preventive management	Agastya Harityaki	consume 5gm of Agastya Harityaki with warm water	twice a day	⁵
	India	preventive management	Samshamani Vati	consume 500mg of Samshamani Vati	twice a day	⁵
	India	preventive management	Trikatu (Pippali, Marich & Shunthi) powder and Tulsi leaves	consume 5gm of Trikatu (Pippali, Marich & Shunthi) powder and 3 to 5 Tulsi leaves boiled in water	as and when required	⁵
	India	preventive management	Anutaila/ Sesame oil	Pratimarsa Nasya: instil two drops of Anutaila/ Sesame oil in	daily in the morning	⁵

				each nostril		
	India	preventive management	Ashwagandha	-	-	8
Homeopathy	India	preventive management	Arsenicum album 30	-	one dose daily in empty stomach for three days. The dose should be repeated after one month by following the same schedule in case Coronavirus infections prevail in the community	5
Unani	India	symptomatic management	Sharbat Unnab	10-20ml	twice daily	5
	India	symptomatic management	TiryAQ Arba	3-5gm	twice daily	5
	India	symptomatic management	TiryAQ Nazla	5gm	twice daily	5
	India	symptomatic management	Khamira Marwareed	3-5gm	once a day	5
	India	symptomatic management	Roghan Baboona or Roghan Mom or Kafoori Balm	massage scalp and chest	-	5

	India	symptomatic management	Roghan Banafsha	apply in the nostrils	-	5
	India	symptomatic management	Arq Ajeeb	4-8 drops of Arq Ajeeb in fresh water	four times daily	5
	India	symptomatic management	Habb-e-Ikseer Bukhar	In case of fever, 2 pills of Habb-e-Ikseer Bukhar with lukewarm water	twice daily	5
	India	symptomatic management	Sharbat Nazla	10 ml of Sharbat Nazla mixed in lukewarm water	twice daily	5
	India	symptomatic management	Qurs-e-Suaal	Chew 2 tablets	twice daily	5
	India	preventive	Behidana	Prepare decoction of 3gm Behidana	-	5
	India	preventive	Unnab	Prepare decoction of 7nos Unnab	-	5
	India	preventive	Sapistana	Prepare decoction of 7nos Sapistana	-	5
	India	preventive	Darchini	Prepare decoction of 3gm Darchini	-	5
	India	preventive	Banafsha	Prepare decoction of 5gm Banafsha	-	5
	India	preventive	Berg-e-Gaozabaan	Prepare decoction of 7gm Berg-e-	-	5

				Gaozabaan		
	India	preventive	Chiraita and SharbatKhaksi	Arq extracted from Chiraita along with SharbatKhaksi	-	5
	India	preventive	Kasni and SharbatKhaksi	Arq extracted from Kasni along with SharbatKhaksi	-	5
	India	preventive	Afsanteen and SharbatKhaksi	Arq extracted from Afsanteen along with SharbatKhaksi	-	5
	India	preventive	Nankhawa and SharbatKhaksi	Arq extracted from Nankhawa along with SharbatKhaksi	-	5
	India	preventive	Gaozaban and SharbatKhaksi	Arq extracted from Gaozaban along with SharbatKhaksi	-	5
	India	preventive	Neem Bark and SharbatKhaksi	Arq extracted from Neem Bark along with SharbatKhaksi	-	5
	India	preventive	SaadKoofi and SharbatKhaksi	Arq extracted from SaadKoofi along with SharbatKhaksi	-	5
	India	sore throat	Khashkhash	Prepare decoction of Khashkhash	-	5
	India	sore throat	Bazrulbanj	Prepare decoction of Bazrulbanj	-	5

	India	sore throat	Post Khashkhash	Prepare decoction of Post Khashkhash	-	5
	India	sore throat	Barg e Moard (Habbulaas)	Prepare decoction of Barg e Moard	-	5
	India	sore throat	Tukhm e kahuMukashar	Prepare decoction of Tukhm e kahuMukashar	-	5
	India	sore throat	GuleSurkh	Prepare decoction of GuleSurkh	-	5
Traditional Chinese Medicine (TCM)	China	-	<i>Gingfei paidu</i> decoction	-	-	4,9
	China	-	<i>Gancaoganjia ng</i> decoction	-	-	4,9
	China	-	<i>Sheganmahuan g</i> decoction	-	-	4,9
	China	-	<i>Gingfei touxie fuzheng recip</i>	-	-	4,9
	China	-	QPD which consist of <i>Ephedrae Herba, Glycyrrhizae Radix et Rhizoma Praeprata cum Melle, Armeniacae Semen Amarum, Gypsum Fibrosum,</i>	-	-	4,9

			<p><i>Cinnamomi Ramulus, Alismatis Rhizoma, Polyporus, Atractylodis Macrocephala e Rhizoma, Poria, Bupleuri Radix, Scutellariae Radix, Pinelliae Rhizoma Praepratium cum Zingibere et Alumine, Zingiberis Rhizoma Recens, Asteris Radix et Rhizoma, Farfarae Flos, Belamcandae Rhizoma, Asari Radix et Rhizoma, Dioscoreae Rhizoma, Aurantii Fructus Immaturus, Citri Reticulatae Pericarpium, and Pogostemonis Herba</i></p>			
--	--	--	---	--	--	--

	China	-	ShuFengJieDu	-	-	10
	China	-	Lianhuaqingwen	-	-	10
	China	asymptomatic infection	Modified Yupingfeng powder in combination with Buhuanjin Zhengqi powder	9–12g of <i>Zhihuangqi</i> (Prepared Astragalus), 6–9g of <i>Chaobaizhu</i> (Roasted Rhizoma <i>Atractylodis Macrocephalae</i>), 3–9g of <i>Houpo</i> (Official Magnolia Bark), 6–9g of <i>Cangzhu</i> (<i>Atractylodes lancea</i>), 6–9g of <i>Chenpi</i> (<i>Pericarpium citri reticulatae</i>), 3–6g of <i>Jiangbanxia</i> (Ginger processed pinellia), 6–9g of <i>Huoxiang</i> (<i>Agastache rugosus</i>), 6 to 9g of <i>Fuling</i> (<i>Poria cocos</i>), and 3–6g of <i>Zhigancao</i> (Prepared Liquorice Root)	-	11
	China	for old and damp	Modified Qingqi	6–9g of <i>Cangzhu</i> , 3–9g		11

		tightening the lung	decoction	of <i>Houpo</i> , 6–9g of <i>Chenpi</i> , 6–12g of <i>Huoxiang</i> , 3–9g of <i>Banxia</i> , 3–9g of <i>Xingren</i> , 9–15g of <i>Suye</i> , 6–9g of <i>Jiegeng</i> , 6–9g of <i>Guanzhong</i> , 6–9g of <i>Fuling</i> , 3–6g of <i>Shengjiang</i> , and 3–6g of <i>Gancao</i>		
	China	plague poison obstructing lungs	Xuanbai Chengqi decoction	6–9g of <i>Huoxiang</i> , 10g of <i>Cangzhu</i> , 3–6g of <i>Zhimahuang</i> , 3–9g of <i>Chaoxingren</i> , 15–30g of <i>Shengshigao</i> , 10g of <i>Gualou</i> , 3–6g of <i>Jiujun</i> (to be added later in preparation), 6–9g of <i>Huangqin</i> , 6–9g of <i>Fuling</i> , 6–9g of <i>Danpi</i> , 6–9g of <i>Shichangpu</i> , and 3–6g of <i>Chuanbei</i>		¹¹
	China	inner blocking causing	Shenfu decoction, Shengmai	Shenfu decoction plus Shengmai drink		¹¹

		unconsciousness and collapse	drink and Angong Niuhuang Pill	composed of 3–6g of <i>Renshen</i> (radix ginseng), 6–12g of <i>fuzi</i> (radix aconiti Praeparata) (to be decocted one hour first). 6–12g of <i>Shanzhuyu</i> (Fructus Corni), 10g of <i>Maimendong</i> (Radix ophiopogonis), and 3–6g of <i>Rougui</i> (Cinnamomum cassia), to be taken with with Angong Niuhuang Pill		
China		Qi deficiency of both the lung and spleen	modified LiuJunZi decoction	15g of <i>Zhihuangqi</i> (Prepared Astragalus), 10g of <i>Xiyangshen</i> (American Ginseng), 10g of <i>Chaobaizhu</i> (Roasted Rhizoma Atractylodis Macrocephalae), 6g of <i>Fabanxia</i> (Rhizoma Pinelliae preparatum), 6g of <i>Chenpi</i> (Pericarpium		11

				citri reticulatae), 3g of <i>Chuanbei</i> (Tendrill-leaved fritillary bulb), 15g of <i>Fuling</i> (<i>Poria cocos</i>), 6 g of <i>Huoxiang</i> (<i>Agastache</i> <i>rugosus</i>), and 3g of <i>Sharen</i> (<i>Fructus amomi</i>) (to be added in later)		
	China	preventive	Radix astragali (Huangqi), Radix glycyrrhizae (Gancao), Radix saposhnikoviae (Fangfeng), Rhizoma Atractylodis Macrocephalae (Baizhu), Lonicerae Japonicae Flos (Jinyinhua), and Fructus forsythia (Lianqiao) mostly contained in Yupingfeng Powder	-	-	12
	China	preventive	Astragalus mongholicus, rhizoma	Astragalus mongholicus 12 g, roasted		13

			atractylodis macrocephalae , saposhnikovia divaricata, Cyrtomium fortunei, honeysuckle, tangerine or orange peel, eupatorium, and licorice.	rhizoma atractylodis macrocephalae 10 g, saposhnikovia divaricata 10 g, Cyrtomium fortunei 10 g, honeysuckle 10 g, dried tangerine or orange peel 6 g, eupatorium 10 g, and licorice 10 g. Taking the medicine above yielded decoction once a day for adults, and for 5 days as a treatment course. If for children, cutting the dose to half	
	China	preventive	Medical tea: perilla leaf, agastache leaf, dried tangerine or orange peel, amomum tsao-ko, and ginger.	Medical tea: perilla leaf 6 g, agastache leaf 6 g, dried tangerine or orange peel 9 g, stewed amomum tsao-ko 6 g, and 3 slices of ginger. Soak the herbs in hot water and drink the water.	13
	China	preventive	Huoxiang	Huoxiang	13

			Zhengqi capsule or Huoxiang Zhengqi Shui	Zhengqi capsule or Huoxiang Zhengqi Shui (in half dose).		
	China	hypodynamia accompanied by gastrointestinal upset	Huoxiang Zhengqi capsules (ball, liquid, or oral liquid).			13
	China	hypodynamia and fever	Jinhua Qinggan granules, Lianhua Qingwen capsules (granules), Shufeng Jiedu capsules (granules), or Fangfeng Tongsheng pills (granules).			13
	China	Clinical treatment period Early-stage, characterized as exterior syndrome of cold-dampness. aversion to cold without sweating, headache and generalized heaviness, limb pain, glomus and	Huoxiang Zhengqi powder Decoction and/or Huoxiang Zhengqi capsules or Huoxiang Zhengqi Shui.			13

		fullness in the chest and diaphragm, thirst with no desire to drink, ungratifying loose stool, yellow urine, frequent micturition and yellow urine				
	China	early-stage, characterized as cold-dampness obstructing lung. The clinical manifestation presents as aversion to cold with or without fever, dry cough, dry throat, fatigue and hypodynamia, oppression in chest, epigastric fullness, or nausea, loose stool. The tongue is pale or reddish, the tongue fur is slimy white, and soggy pulse	atractylodes lancea, tangerine or orange peel, mangnolia officinalis, agastache rugosus, amomum tsao-ko, ephedra herb, notopterygium root, ginger, areca-nut, periostracum cicada, bombyx batryticatus, and rhizoma curcumae longae	atractylodes lancea 15g, dried tangerine or orange peel 10g, mangnolia officinalis 10g, agastache rugosus 10g (end addition), amomum tsao-ko 6g, ephedra herb 6g, notopterygium root 10g, ginger 10g, areca-nut 10g (end addition), periostracum cicada 10g, bombyx batryticatus 10g, and rhizoma curcumae longae 10g above yielded decoction		13
	China	middle-stage, characterized	almond, gypsum,	almond 10g, gypsum 30g		13

		as epidemic toxin blocking the lung. In this stage, its clinical manifestation includes persistent fever or alternating cold and heat, cough with less phlegm, or yellow phlegm, abdominal distension and constipation; oppression in chest with anhelation, cough with wheezes, panting on exertion; or red tongue, slimy yellow fur or yellow dry fur, slippery and rapid pulse	trichosanthes kirilowii, rhubarb, ephedra with honey fried, semen lepidii, peach kernel, amomum tsao-ko, arecanut and atractylodes lancea, Xiyanping injection or Xuebijing injection	(predecoction), trichosanthes kirilowii 30g, rhubarb 6g (end addition), ephedra with honey fried 6g, semen lepidii 10g, peach kernel 10g, amomum tsao-ko 6g, arecanut 10g, and atractylodes lancea 10g above yielded decoction. In addition, the recommended Chinese patent medicine is Xiyanping injection or Xuebijing injection	
	China	severe stage, characterized as heat toxin generating stasis. In this stage, the clinical manifestations is known as high fever, oppression in chest with anhelation,	three Yellows and Gypsum, Shang Jiang Powder, and Toxin-Resolving Blood-quickenning decoction comprising of ephedra with honey fried, almond,	three Yellows and Gypsum decoction, Shang Jiang Powder, and Toxin-Resolving Blood-quickenning decoction. Its composition comprises of ephedra with honey fried 10g,	13

		purple-black facial complexion, lips dark and swollen, obnubilation, crimson tongue, yellow dry fur, surging and fine rapid string like pulse	gypsum, periostracum cicada, bombyx batryticatus, rhizoma curcumae longae, rhubarb stir-fried with wine, scutellaria baicalensis, coptis chinensis, phillyrin, angelica sinensis, peach kernel, radix paeoniae rubra, and rhizome of rehmannia, Xiyanping injection, Xuebijing injection, Qingkailing injection, or Angong Niuhuang pills	almond, 10g, gypsum 20-30g, periostracum cicada 10g, bombyx batryticatus 10g, rhizoma curcumae longae 10g, rhubarb stir-fried with wine 10g, scutellaria baicalensis 10g, coptis chinensis 5g, phillyrin 15g, angelica sinensis 10g, peach kernel 10g, radix paeoniae rubra 15g, and rhizome of rehmannia 15g above yielded decoction. The recommended Chinese patent medicines is the Xiyanping injection, Xuebijing injection, Qingkailing injection, or Angong Niuhuang pills	
	China	severe-stage, characterized as inner blocking causing collapse. In this stage, the clinical manifestation	ginseng, aconitine, and Cornus officinalis, Suhexiang pills or Angong Niuhuang pills, Xuebijing	ginseng 15g, aconitine 10g (predecoction), and Cornus officinalis 15g above yielded decoction, and both taken with fluid Suhexiang	13

		include dyspnea, panting on exertion or need assisted ventilation, accompanied by coma, and agitation, cold limbs with cold sweating, dark purple tongue, thick or dry thick tongue fur, floating and rootless pulse	injection, Shenfu injection, or Shengmai injection	pills or Angong Niuhuang pills. The recommended Chinese patent medicines is Xuebijing injection, Shenfu injection, or Shengma injection	
	China	recovery-stage, presents as lung and spleen Qi deficiency. Its clinical manifestations include shortness of breath, fatigue and hypodynamia, anorexia, nausea and vomiting, glomus and fullness, weak stools, ungratifying loose stool, pale tender-soft enlarged tongue, slimy white tongue fur	Rhizome pinellinae praeparata, dried tangerine or orange peel, Codonopsis pilosula, radix astragali preparata, poria cocos, agastache rugosus, and fructus amomi, costus pill and amomum with six noble ingredients	Rhizome pinellinae praeparata 9g, dried tangerine or orange peel 10g, Codonopsis pilosula 15g, radix astragali preparata 30g, poria cocos 15g, agastache rugosus 10g, and fructus amomi 6g (end addition) above yielded decoction. In addition, the recommended Chinese patent medicines is pill of costus and amomum with six noble ingredients	13


	China	recovery-stage, characterized as deficiency of Qi and Yin. The clinical manifestations of this stage is generalized heat with sweating, chest heat vexation, Qi counterflow with retching and vomiting, shortness of breath and lassitude of essence-spirit, red tongue and thin tongue fur, vacuous pulse	Zhuye Shigao, cogongrass rhizome and rhizome phragmitis; bamboo leaf, gypsum, Codonopsis pilosula, radix ophiopogonis, pinellia ternate, cogongrass rhizome, rhizoma phragmitis, licorice, and polished round-grained rice, Shengmaiyin	Zhuye Shigao decoction with cogongrass rhizome and rhizome phragmitis; and the composition of this prescription includes bamboo leaf 15g, gypsum 15g (predecoction), Codonopsis pilosula 15g, radix ophiopogonis 10g, pinellia ternate 9g, cogongrass rhizome 15-30g, rhizoma phragmitis 20g, licorice 10g, and polished round-grained rice 30g above yielded decoction. The recommended Chinese patent medicine: Shengmaiyin	13
--	-------	--	---	---	----

432

433

434 **Figure Legend**

435 **Figure 1** Flow chart describing the included/excluded literature.



436