

## **No Evidence for Reduced Hospital Admissions or Increased Deaths from Stroke or Heart Attack During COVID-19**

*Katharine Reeves, Samuel Watson, Tanya Pankhurst, Kamlesh Khunti, Suzy Gallier, Magdalena Skrybant, Peter J Chilton, Richard J Lilford\**

Katharine Reeves, Statistical Intelligence Analyst (Informatics), University Hospitals Birmingham NHS Foundation Trust, Katharine.Reeves@uhb.nhs.uk

Samuel Watson, Associate Professor, University of Warwick, s.watson.1@warwick.ac.uk

Tanya Pankhurst, Consultant Nephrologist, University Hospitals Birmingham NHS Foundation Trust, Tanya.Pankhurst@uhb.nhs.uk

Kamlesh Khunti, Professor of Primary Care Diabetes & Vascular Medicine, University of Leicester, kk22@le.ac.uk

Suzy Gallier, Head of Informatics Research & Commercial Development, University Hospitals Birmingham NHS Foundation Trust, Suzy.Gallier@uhb.nhs.uk

Magdalena Skrybant, Patient and Public Involvement & Engagement Lead, University of Birmingham, M.T.Skrybant@bham.ac.uk

Peter J Chilton, Research Fellow, University of Birmingham, p.j.chilton@bham.ac.uk

Richard J Lilford (0000-0002-0634-984X), Professor of Clinical Health, University of Birmingham, r.j.lilford@bham.ac.uk

\* Corresponding Author: Richard J Lilford, Murray Learning Centre, University of Birmingham, Edgbaston B15 2TT, United Kingdom r.j.lilford@bham.ac.uk @rjlilford


*The authors declare no conflicts of interest.*

**NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.**

Claims that hospital admissions for heart attack and stroke have declined over the COVID-19 pandemic have been made in at least 16 newspaper articles in the UK (Table 1). In contrast, data from the West Midlands Ambulance Service (WMAS) have not reported any reduction in call-outs for patients with stroke or ST-Elevation Myocardial Infarction (STEMI).<sup>1</sup> However, not all admissions with these diseases arrive via the Accident and Emergency (A&E) department. Furthermore, a study from Italy showed around a 30% reduction in acute coronary syndrome related hospital admission during the COVID-19 crisis.<sup>2</sup> We therefore examined admissions to University Hospitals Birmingham NHS Foundation Trust, which is the UK's largest hospital group and lies within the WMAS footprint. We examined cases admitted with STEMI (Codes I21.0 to I21.3 and I21.9) and stroke (Codes I61.0 to I61.9 and I63.0 to I63.9) from week 1 of 2016 to week 17 of 2019 and compared to the same period in 2020 pre and post lockdown. We examined three end-points: total admissions, admissions from A&E, and seven-day in-hospital mortality. The figure shows the number of admissions over time and proportionate differences from the 2016-2019 average. Small reductions in weekly admissions were observed for STEMI (-4.2, 95% CI [-10.6, 2.1],  $p=0.17$ ) and stroke (-4.4 [-10.8, 2.0],  $p=0.15$ ), but there was little evidence that this represents a shift in the overall mean in the post-lockdown period. We found little evidence of a difference in the number of patients being admitted through the emergency department (STEMI: -3.6 percentage points [pp], 95% CI [2.1, -9.3],  $p=0.19$ ; stroke: -5.0 pp, 95% CI [1.7, -11.7],  $p=0.19$ ) or seven-day in-hospital mortality (STEMI: -0.0 pp, 95% CI [1.4, -1.4],  $p=1.00$ ; stroke: -1.6 pp, 95% CI [1.1, -4.3],  $p=0.21$ ). Examination of the long run series in the Figure shows that there were larger spikes and troughs over the entire observation period, than those observed after lockdown occurred.

In summary, despite reported media claims of reduction in emergency cardiovascular hospital admissions, we did not observe any evidence of a reduction in admissions with these conditions. We argue that evidence on admission rates should be presented over time as well as statistically. We cannot exclude a modest effect of COVID-19 on admission rates for the serious and treatable emergency conditions studied here.

Figure 1.



Top panel: 4-week moving average of weekly admissions for heart attack (left) and Stroke (right).

Bottom panel: Percentage change from 2016-2019 average number of admissions to 2020 number of admissions for heart attack (left) and stroke (right).

The start of the lockdown period in the United Kingdom is shown by a red line at week 13 (23/04/20).

## References:

1. Lumley-Holmes J, Brake S, Docherty M, Lilford R, Watson S. Emergency ambulance services for heart attack and stroke during UK's COVID-19 lockdown. *Lancet*. 2020. DOI: 10.1016/S0140-6736(20)31031-X.
2. De Filippo O, D'Ascenzo F, Angelini F, et al. Reduced Rate of Hospital Admissions for ACS during Covid-19 Outbreak in Northern Italy. *N Engl J Med*. 2020. DOI: 10.1056/NEJMc2009166.

## Acknowledgements:

This work uses data provided by patients and collected by the NHS using the DECOVID Research Database (REC Ref 20/HRA/1689) under application number [DECOVID REF - UHB-COV067].

## Funding Source:

This study was funded by the National Institute for Health Research (NIHR) Applied Research Collaboration (ARC) West Midlands and NIHR ARC East Midlands. Views expressed are not necessarily those of the NHS, the NIHR or the Department of Health and Social Care.

**Table 1.** Newspaper reports on declining access to hospital care for stroke and heart attack

Date	Source	Headline	Comment	URL
2020-04-06	Guardian	Fears that people self-isolating with Covid-19 may seek help too late.	Senior clinical lecturer (Dr Pankhania) warns the NHS does not have monitoring system in place for people suspected of having coronavirus. Danger people will only arrive when symptoms very severe.	<a href="https://www.theguardian.com/world/2020/apr/06/fears-britons-self-isolating-covid-19-seek-help-too-late">https://www.theguardian.com/world/2020/apr/06/fears-britons-self-isolating-covid-19-seek-help-too-late</a>
2020-04-06	The Times	Heart attack victims scared to seek help at A&E.	Patients are putting their lives at risk by not attending A&E for fear of catching COVID-19. Numbers of people attending A&E are down by about 50% and doctors are concerned that they are not seeing the number of stroke/heart attack patients they would expect to see.	<a href="https://www.thetimes.co.uk/article/coronavirus-heart-attack-victims-scared-to-seek-help-at-a-amp-e-x239clr5l">https://www.thetimes.co.uk/article/coronavirus-heart-attack-victims-scared-to-seek-help-at-a-amp-e-x239clr5l</a>
2020-04-07	Daily Mail	ERs are seeing up to 60% fewer heart attack patients as those infected with coronavirus fill hospital beds but cardiac emergencies mysteriously 'disappear'.	Emergency Rooms in the US are seeing less than half of the usual number of heart attack patients.	<a href="https://www.dailymail.co.uk/health/article-8197459/ERs-seeing-60-fewer-heart-attack-patients-coronavirus-patients-beds.html">https://www.dailymail.co.uk/health/article-8197459/ERs-seeing-60-fewer-heart-attack-patients-coronavirus-patients-beds.html</a>
2020-04-09	Telegraph	A&E attendances at lowest point since records began amid corona virus outbreak.	There was a 29% drop in A&E attendances from the same month last year. This includes a 50% drop in heart attack attendances. NHS England report that this is most likely due to the coronavirus.	<a href="https://www.telegraph.co.uk/news/2020/04/09/ae-attendances-lowest-point-since-records-began-amid-coronavirus/">https://www.telegraph.co.uk/news/2020/04/09/ae-attendances-lowest-point-since-records-began-amid-coronavirus/</a>
2020-04-10	The Sun	Lives at Risk: Cancer, heart attack and stroke patients avoiding A&E over coronavirus fears – as figures hit record low.	Cancer, heart attack and stroke patients are putting their lives at risk by not seeking medical help from accident and emergency services during the coronavirus pandemic.	<a href="https://www.thesun.co.uk/news/11371854/cancer-heart-attack-stroke-patients-avoid-hospital-coronavirus/">https://www.thesun.co.uk/news/11371854/cancer-heart-attack-stroke-patients-avoid-hospital-coronavirus/</a>
2020-04-10	The Times	Fears for cancer, heart attack and stroke patients shunning A&E	Numbers of patients presenting at A&E was at a record low in March 2020. Cancer, heart attack and stroke victims are among those avoiding hospital due to coronavirus fears.	<a href="https://www.thetimes.co.uk/article/coronavirus-fears-for-the-patients-shunning-a-e-djppc62tl">https://www.thetimes.co.uk/article/coronavirus-fears-for-the-patients-shunning-a-e-djppc62tl</a>

2020-04-16	Guardian	Warning as UK coronavirus outbreak leads to sharp rise in deaths at home	Minutes from a remote meeting held by London A&E chiefs reveal that people are reluctant to call an ambulance when they need it during the coronavirus pandemic. This has led to a sharp rise in seriously ill people dying at home. This includes people dying from cardiac arrest.	<a href="https://www.theguardian.com/society/2020/apr/15/sharp-rise-in-ill-patients-dying-at-home-since-coronavirus-outbreak">https://www.theguardian.com/society/2020/apr/15/sharp-rise-in-ill-patients-dying-at-home-since-coronavirus-outbreak</a>
2020-04-16	Guardian	Concern as heart and stroke patients delay seeking help	President of the Royal College of Physicians (Andrew Goddard) states that consultants in cardiology and emergency medicine report a drop in patients presenting with heart attack symptoms. The Association of British Neurologists' stroke advisory group (David Werring) reported a reduction in people being referred with stroke or treated for stroke as the same time last year.	<a href="https://www.theguardian.com/world/2020/apr/16/coronavirus-concern-heart-attack-stroke-patients-delay-seeking-help">https://www.theguardian.com/world/2020/apr/16/coronavirus-concern-heart-attack-stroke-patients-delay-seeking-help</a>
2020-04-16	Daily Mail	Coronavirus crisis has caused a spike in the number of Britons dying from cardiac arrests at home because people are 'too scared to call 999 in case they catch the disease in hospital'	People who are seriously ill are delaying calling the emergency services due to fear of getting the coronavirus in hospital or fear of overburdening the system. As a consequence, people are dying in their own homes.	<a href="https://www.dailymail.co.uk/news/article-8224797/Coronavirus-crisis-causes-spike-number-Britons-dying-home.html">https://www.dailymail.co.uk/news/article-8224797/Coronavirus-crisis-causes-spike-number-Britons-dying-home.html</a>
2020-04-17	BBC News	Non-virus patients 'at risk' over hospital avoidance	People in Yorkshire put their health at risk due to not seeing help when they need it due to fears of getting coronavirus or of overloading the healthcare system. Since the start of the crisis, the number of potential heart attack and stroke sufferers seen by medics in Sheffield has halved.	<a href="https://www.bbc.co.uk/news/uk-england-52323908">https://www.bbc.co.uk/news/uk-england-52323908</a>
2020-04-20	BBC News	Coronavirus: Over 300 patients refuse ambulance over Covid-19 fears	A health chief (Toby Lewis) said that patients with severe illnesses refuse to be taken to hospital by ambulance due to fears over coronavirus.	<a href="https://www.bbc.co.uk/news/uk-england-birmingham-52412394">https://www.bbc.co.uk/news/uk-england-birmingham-52412394</a>
2020-04-22	Daily Mail	Heart attack and stroke victims have to wait more than TWO HOURS for an ambulance as coronavirus	Emergency response times are the 'worst on record' during the coronavirus due to a surge in demand and call outs due to coronavirus and many paramedics off sick. Patients with heart attacks and stroke face a response time of 2h 20minutes. They should have a response	<a href="https://www.dailymail.co.uk/news/article-8246947/Heart-attack-stroke-victims-wait-TWO-HOURS-ambulance.html">https://www.dailymail.co.uk/news/article-8246947/Heart-attack-stroke-victims-wait-TWO-HOURS-ambulance.html</a>

		crisis starts to squeeze front line services.	time of 18 minutes. The delayed response time increases risks for patients.	
2020-04-25	Mirror	NHS boss pleads for public to get medical care for non-coronavirus illnesses.	NHS England's medical director (Stephen Powis) urged patients to seek help without delay as A&E attendances drop. This includes patients with symptoms of stroke or chest pain.	<a href="https://www.mirror.co.uk/news/uk-news/nhs-boss-pleas-public-medical-21925020">https://www.mirror.co.uk/news/uk-news/nhs-boss-pleas-public-medical-21925020</a>
2020-04-25	BBC News	Coronavirus: Plea for Public to get help when they need it.	Doctors and healthcare workers advise people to get help when they need it. Delays in seeking help could put their long-term health, as well as their life, at risk.	<a href="https://www.bbc.co.uk/news/health-52417599">https://www.bbc.co.uk/news/health-52417599</a>
2020-04-25	Metro	NHS urges people not to let coronavirus stop them seeking medical help.	NHS Chief Executive (Simon Stevens) urges people not to delay seeking help if they need to. Many people fear getting coronavirus if they are admitted or burdening the health system.	<a href="https://metro.co.uk/2020/04/25/nhs-urges-people-not-let-coronavirus-stop-seeking-medical-help-12610673/">https://metro.co.uk/2020/04/25/nhs-urges-people-not-let-coronavirus-stop-seeking-medical-help-12610673/</a>
2020-04-27	BBC News	Coronavirus: Royal Papworth reports admissions 'down 50%' at heart and lung hospital.	Doctors at the Royal Papworth hospital report that heart attack and cancer admissions have more than halved during the coronavirus pandemic. Patients may be avoiding hospital for fear of contracting COVID-19 or putting pressure on the NHS.	<a href="https://www.bbc.co.uk/news/uk-england-cambridgeshire-52445067">https://www.bbc.co.uk/news/uk-england-cambridgeshire-52445067</a>