Dimensions and modulators of behavioural and mental-health change during the Covid-19 pandemic

Adam Hampshire 1*, Peter Hellyer 1 2, Eyal Soreq 1, Mitul A. Mehta 2, Konstantinos Ioannidis 3 4, William Trender 1, Jon E. Grant 5, Samuel R. Chamberlain 3 4

1. Imperial College London 2. King's College London 3. Cambridgeshire and Peterborough NHS Foundation Trust. 4. Department of Psychiatry, University of Cambridge, UK. 5. Department of Psychiatry, University of Chicago, USA.

*Corresponding author a.hampshire@imperial.ac.uk 0207 594 7993

How has the Covid-19 pandemic affected mental health? What are the most common positives and negatives? How do population variables mediate the impact on mood and behaviour? Who is most at risk of adverse consequences? Which pragmatic measures can help? We address these questions in a data-driven manner by applying multivariate, machine-learning and natural-language processing methods to a survey database collected from 376,987 members of the general public. We report that small average changes in mood from pre- to mid-pandemic obfuscate substantial consequences, both positive and negative, for people from particular sub-populations, vocations, circumstances and personality profiles. The coping strategies that people find helpful during the pandemic are correspondingly diverse yet predictable. We propose that by combining psychological, and demographic variables, it is possible to identify individuals who are at most risk of adverse consequences and to extract individually tailored advice from the collective lived experiences of the general population.

Key words: pandemic, coronavirus, Covid-19, mental health, wellbeing, mood, impulsive, compulsive, predictors, population.

Introduction

The coronavirus disease 2019 (Covid-19) pandemic has brought about unprecedented change in peoples' lives due to direct and indirect consequences of the illness, physical distancing and socio-economic restructuring. These changes are likely to have affected mood, anxiety, other aspects of mental health and behaviour in widespread, profound but idiosyncratic ways.[1] Expert groups have posited that the impact on well-being is likely to relate to a variety of factors including (i) aspects of demographics such as age or ethnicity, (ii) social networks, (iii) financial/occupational circumstances (iv), being shielded or having carer responsibilities, (v) pre-existing mental health symptoms, (vi) maladaptive online technology use, (vii) personality traits and (viii) tendency towards compulsive behaviours.[2-4]

Urgent calls have been made to study these relationships because they are critical to inform policy and healthcare decisions, and to guide researchers and clinicians; however, to date, there is little published information. Indeed, knowledge about how pandemics affect mental health (including Covid-19) is limited, with many studies focusing on small rarefied samples, not examining temporal dynamics of change pre- to post-lockdown,[5] nor integrating the diverse psycho-socio-economic variables that are relevant.[6]

More generally, addressing these knowledge gaps during the pandemic provides a unique opportunity to understand the nature and psychological basis of mental health resilience and vulnerability in the general population. It also presents a major methodological-statistical challenge. Specifically, there is likely to be a many-to-many mapping relationship between the ways that people have been affected by the pandemic and their psycho-socio-economic profiles. Furthermore, many of the relevant variables, for example psychiatric traits and technology use behaviours, will tend to covary. Moreover, it is not altogether clear what the major dimensions of the impact are, or which coping measures can help. In such a context, identifying, disentangling and mapping the key variables can only be achieved in a data-driven multivariate manner, which in turn necessitates the collection and analysis of largescale population data.

To address this challenge, we applied a combination of multivariate, machine learning, and natural-language processing methods to analyse a unique large-scale dataset, comprising a survey of mental health and wellbeing variables completed by 376,987 people, collected since late December 2019 and focused on January and May 2020, in collaboration with BBC2

Horizon, predominantly within the UK. Within this broader database were responses to a comprehensive questionnaire instrument capturing self-reported pandemic-impact in 74,830 out of 110,118 respondents in May, and free text from ~50,000 respondents stating in their own words the main positive and negative consequences of the pandemic, and what they had found helpful and would recommend to others to maintain health and well-being during this time.

We first sought to confirm whether there were global differences in the population distributions of depression, anxiety, and sleep problems between January, just prior to the Covid-19 outbreak reaching the UK, and May, during peak lockdown. Next, we estimated in a data-driven manner the dimensionality of self-perceived impact of the pandemic during May. We then identified the major predictors for each impact dimension, in terms of sociodemographic, economic and individual-circumstance variables (e.g., work and home arrangements), pre-existing mental and neurologic disorders, personality and psychiatric traits, and technology use. Finally, we analysed free text data to determine the diversity of strategies that people most commonly reported helped them to cope during the pandemic, characterise those topics, and then explore the potential to generate individually tailored advice by mapping the covariance between topic prevalence and the population variables in a multivariate manner.

Results

Respondents

Starting from December 26th 2019, participants were recruited to the study website, where they completed cognitive tests and a detailed questionnaire (**Supplement 1**). Articles describing the study appeared on the BBC2 Horizon page, BBC Home page, BBC News Home page and circulated on mobile news meta-apps from January 1st 2020. A second promotional drive was launched on May 2nd 2020, aligned with a BBC2 Horizon Documentary focused on concurrently collected cognitive data, analysis of which is outside the scope of the current article. This produced two large peaks in data collection after the January (pre-pandemic N= 225,437) and May (mid-pandemic N= 122,680) launches, with more minimal data (Early-pandemic 9,610) in the intervening period. Participants aged under 16 were excluded prior to analysis because they were presented with an abbreviated questionnaire. Also, as a quality control people who completed the questionnaire too rapidly (defined as under 6 minutes) were excluded. This resulted in 215,886 Pre-pandemic, 8,680 Early-pandemic and 110,118 Mid-pandemic datasets in the reported analyses (**Figure 1a**).

Figure 1. Sociodemographic mediated differences in national mood scores during the Pre- and Mid-Pandemic epochs

1a. Data were collected throughout the first 5 months of 2020. Sampling was concentrated in early January and early May, when BBC2 Horizon, News and Homepage promoted the study. 1b. Sociodemographic distributions, including age, were closely matched Pre-Pandemic (January) and Mid-Pandemic (May). Early-Pandemic (February-April) was more sparsely sampled and captured people from a different age distribution. 1c. Daily mean with SEM mood scores of the population, calculated separately for each of the 31 days post promotion launches Mid-Pandemic and Pre-Pandemic. Age, gender, handedness, first language, country of residence occupational status, and earnings are factored out. Significantly scaled differences are reproducibly evident across the days, most notably increased prevalence of mood-anxiety, but also improved sleep and tiredness scores. 1d. Differences in mean mood scores Mid-Pandemic minus Pre-Pandemic related to age. Older adults had a greater increase in anxiety. Younger adults increased sleep. Younger adults were less depressed whereas older adults were more depressed. 1e. Sub-population counts (middle squares - size represents log N per sub population) and the corresponding scale/valence of mood-score change (upper circles - size represents SD units and colour direction of change). Substantial differences were evident as a function of sociodemographic sub-groups, with heightened anxiety particularly in retired people, workers, homemakers, low income earners, and for gender Other vs Female vs Male.

Plotting sociodemographic distributions for each of the three epochs (**Figure 1b&e**) showed high correspondence in sociodemographic distributions including sex, handedness, first language, ethnicity and education level. However, the more sparsely sampled early-pandemic epoch age distribution had a marked skew towards younger age, likely a consequence of reduced visibility within the public eye at that time. The other two epochs captured a broad and inclusive cross section of the population, with >100 participants per age year up to and including 85. Participants above this age were combined into an 86+ category. ~15% indicated that they were from minority ethnic groups. There were 161,916 female, 187,622

male and 3,026 indicating other (i.e. non-binary) gender. This demonstrated appropriate representation of minority groups in the dataset.

Differences in the population distributions of mood scores Pre-vs Mid-Pandemic

Differences in mood assessment scores were calculated for the densely sampled and closely matched Mid vs Pre-Pandemic epochs after factoring out age, sex, handedness, education level, first language, country of residence, occupational status and income. Six mental health measures were calculated and compared separately for people who were sampled at each of 31 days post launch, effectively providing 31 independent replication analyses (**Figure 1c**). When analysing large-scale data, very small effects will tend to have highly significant statistical values. Therefore, the better measure of significance is effect size. Here, the mean differences in mental health measures were generally in the small effect size range. The most reliable difference during the Mid-pandemic vs. Pre-pandemic epochs was for anxiety, the incidence of which increased on average by ~0.3 standard deviation units (SDs), with this result reliably evident in all 31 analyses. Depression decreased on average by ~0.08 SDs, an effect that was only evident in the more densely sampled timeframe just post launch. A decrease in tiredness was evident for almost all days, with an average difference of ~0.16SDs. Problems concentrating increased marginally ~0.07SDs. Problems with insomnia stayed approximately the same; however, mean reported hours slept per night increased ~0.19SDs.

General Linear Models (GLMs) with interaction terms showed that these small but robust overall differences in mental health measures were amplified in select sociodemographic sub-populations (**Figure 1d-e**). Older adults showed the greatest increase in anxiety incidence, (0.4-0.5SD for 60-80-year-olds). Increases in depression was lower for younger adults and higher for older adults (-0.2SDs to 0.1SDs). Females (0.32SDs) had a greater increase in anxiety than Males (0.21SDs) but less than those identifying their gender as Other (0.38SDs). Vocationally, increased anxiety incidence was greater for retired people (0.38SDs), followed by homemakers (0.32SDs) and workers (0.29SDs). People who identified gender as Other reported the greatest increase in problems concentrating (0.22SDs).

Self-perceived pandemic impact and the PD-GIS-11 scale

The results of the cross-epoch analyses provided initial evidence that there might be disproportionate pandemic effects on the above-noted aspects of mental health for some

people. A limitation though was that any finer grained behavioural basis to the pandemic impact could not be elucidated from the mood questionnaire alone. Consequently, in May, the online questionnaire was extended with the PanDemic General Impact Scale (PD-GIS-11), designed to probe self-perceived impact of the pandemic on day-to-day life.

Analysis of responses to individual items of the Pandemic General Impact Scale (PD-GIS-11) for 74,830 people showed strong overall agree/disagree biases for a subset of positive and negative statements (**Figure 2)**. Some of the strongest agreement was with positive statements, e.g., improved natural environment, enjoying the simpler things in life, spending less money, saving more money, and a greater sense of community. Amongst the strongest agreement with negative statements was concern for health of loved ones, which notably, was higher than concern about one's own health, and loss of leisure/health activities. The strongest disagreement was with statements regarding loss of employment, increased conflict at home, preoccupation with infection and loss of access to basics. There was strong agreement that technology/science/healthcare would advance more rapidly and that things would change but not necessarily for the worse, but strong disagreement that economic impact would be temporary. People agreed that communication apps helped stay in touch with loved ones. These measures of overall agreement were contextualised by substantial population variability. Together, these results indicate that people were affected in very different ways, and not all of them negative.

Principal component analysis (**Supplement 2**) was conducted on the PD-GIS-11 with varimax rotation. Application of the Kaiser convention of including components with eigenvalues > 1 indicated 11 orthogonal dimensions, further supporting the view that people were affected in different ways. The component capturing the most variance (1) had heavy loadings for questions pertaining to positive perception of more free time, less stress and reduced tiredness. The next largest component (2) represented questions pertaining to loneliness and disruption of normal life. Subsequent factors represented (3) positive outlook; (4) increased conflict at home; (5) increased health obsession; (6) increased work engagement/efficiency; (7) improved environment; (8) concern about unhealthier lifestyle; (9) time for people; (10) connectedness; and (11) better sleep (**Figure 2**).

Figure 2. Individual item analysis and principal component analysis for the PD-GIS-11

Left. Strength of agreement with statements about pandemic impact. X scale is in SD units. **Right.** PCA identified 11 components underlying PD-GIS-11 responses (**Supplement 3**). These were labelled 1: positive perception of more free time, less stress and reduced tiredness. 2: loneliness/ disruption. 3: positive outlook. 4: increased conflict at home. 5: increased health obsession. 6: increased work engagement/efficiency. 7: improved environment. 8: concern about unhealthier lifestyle. 9: time for people. 10: connectedness. 11 Better sleep.

Bivariate cross-correlation of the PD-GIS-11 component scores with the mood self-assessment items demonstrated that self-perceived impact of the pandemic explained a substantial component of variance in the incidence of negative mood symptoms (**Figure 3**). This was primarily the case for the negative-impact sub-scales of the PD-GIS-11. The robustness of this relationship was further corroborated via canonical correlation analysis, which produced 10 statistically significant correlation modes, the largest of which had a canonical r value of 0.62 (p<0.001).

Figure 3. Interrelationship between the PD-GIS-11 sub-scales and mood assessment

a. Pearson's r values for questionnaire scale pairwise correlations. Significant correlations were evident between measures of self-perceived covid-19 pandemic impact, as captured in the PD-GIS-11 sub-scales, and the mood self-assessment items. These were clearly stronger for the negative impact sub-scales. b. Canonical correlation analysis confirmed this relationship in a multivariate manner, with 10 statistically significant correlation modes, the largest of which had a canonical r value of 0.62.

Statistical predictors of self-perceived pandemic impact

Together the above results demonstrated the validity of the PD-GIS-11 scale in providing a multi-dimensional assay of the idiosyncratic ways in which the pandemic affected mood and behaviour in May, during the lockdown. This enabled the central question, regarding how population variables relate to pandemic impact to be addressed.

We first used GLMs to examine the relationships of PD-GIS-11 scores with socio-demographic and economic variables, home context, cohabitees and work arrangements (**Figure 4**). A complex multivariate set of factors were substantially predictive of PD-GIS-11

scores (**see Supplement 3 for full results**). Work arrangements were amongst the most prominent with vocational differences spanning a very large effect size range; for example, health workers, particularly those on the frontline with Covid-19 patients had less time and were less relaxed relative to those who had been furloughed (1.5SDs), but also reported sleeping better (0.34SDs), having greater engagement in work (0.67SDs), and were the most likely to agree that the natural environment had changed for the better (0.25SDs).

Figure 4. Impact of the Covid-19 pandemic as a function of selected demographic variables

a. There were large and disproportionate impacts of the pandemic on the wellbeing of healthcare workers and disabled/shielded people. b. Conflict at home was predicted by type of cohabitees. c. Ethnicity predicted increased health concerns. d. People with anxiety and obsessive-compulsive disorder (OCD) were disproportionately concerned about health. e. People with attentional deficit hyperactivity disorder were more likely to report increased conflict at home. All effects reported in standard deviation units. Full GLM results are in Supplement 3.

People whose incomes had been negatively affected reported disproportionate disruption to everyday life (0.45SDs). People identifying as disabled or shielded reported substantially higher health obsession (0.5SDs), were less likely to report better connectedness (-0.57SDs) and were amongst the least likely to report feeling less stressed and having more time (-0.46SDs). The strongest contextual predictors of increased conflict in the home were cohabiting with preschool or school children (0.32SDs & 0.3SDs) or living with parents (0.38SDs)/in-laws (0.16SDs). People who had no, or unpleasant, outside environmental space were less likely to report reduced tiredness/stress than those with relaxing outside space (0.31SDs), were more worried about negative health implications of the lockdown (0.43SDs), and were less likely to report improved natural environment (0.43SDs). People from minority ethnic backgrounds tended to report higher health concerns (0.15-0.30SDs), but also were more likely to have a positive outlook (0.05-0.27SDs). The 8,347 participants who indicated they were looking after vulnerable older adults had higher scores for health obsession (0.17SDs) than the cohort average.

Next, we examined PD-GIS-11 scores for people reporting established diagnoses of different mental health and neurological conditions (**Figure 5 & Supplement 3**) after factoring out the above sociodemographic variables. As expected, depression (10,526) and anxiety (10,525) overlapped heavily in terms of comorbidity (6,305). Relative to the population mean, individuals with anxiety disorder and/or obsessive-compulsive disorder (797) reported greater increases in health obsessions relative to those reporting no conditions (0.25SDs). Those with attention-deficit hyperactivity disorder (ADHD, 449) reported greater increase in conflict at home (0.17SDs), and individuals with depression were more worried about having unhealthier lifestyles (0.18SDs). All clinical groups, apart from people with Parkinson's Disease, did not experience an increase in connectedness during the pandemic to the same extent as people without these disorders (0.05-0.21SDs).

Figure 5. Impact of the Covid-19 pandemic as a function of neurologic and psychiatric conditions

(Y axes for effect sizes in SD units). People who had been diagnosed with pre-existing conditions were more likely to report adverse consequences of the Covid-19 pandemic. **a.** Obsessive compulsive disorder and anxiety were associated with increased concerns about health during the pandemic. **b.** Attention deficit hyperactivity disorder was associated with increased conflict in the home. **c.** People with a history of depression were more likely to report increased concerns about the impact of the pandemic on the healthiness of their lifestyle. **d.** Almost all groups showed reduced connectedness relative to controls, with the exception of people with Parkinson's. **e.** Number of people indicating that they had been diagnosed with pre-existing neurologic and psychiatric conditions.

Finally, canonical correlation analysis was applied to quantify the multivariate associations between online technology use, personality traits, and compulsivity with Covid-19 impact (**Figure 6**) after factoring out sociodemographic variables. There were 11 statistically significant correlation modes. Full analyses are provided in **Supplement 3.** Cross-validation

analysis confirmed the model was not over-fitted, which is to be expected given the very large sample size. Back projecting the first CCA mode (canonical r=0.41) onto the PD-GIS-11 showed strong associations with adverse impact, including isolation/disruption (r=0.44), increased health obsession (r=0.58) and increased conflict at home (r=0.27). Back projection on the other side of the first mode showed strong associations with technology addiction (r=0.67), stress arising from technology use (r=0.52), compulsivity subscale reward drive (r=0.45) and cognitive rigidity (r=0.38), and negative association with the personality trait 'self security' (r=-0.75). Back projecting the second mode (canonical r=0.34) onto the PD-GIS-11 summarised positive pandemic impact, including better connectedness (r=0.55), improved environment (r=0.39), positive outlook (r=0.35), and greater work engagement (r=0.27), with a negative relationship to conflict at home (r=-0.26). The other side of the second mode associated positively with the traits compassion (r=0.69), conscientiousness (r=-0.31) and perfectionism (r=0.32), and negatively with introversion (r=-0.28). Therefore, the self-reported impact of the pandemic was substantially mediated along multiple dimensions by personality traits, compulsivity, and technology use.

Figure 6. Canonical Correlation of Trait and Technology vs PD-GIS-11

Correlation weights of the trait & technology vs PD-GIS-11 canonical variates with each other and their back projections, thresholded at | r | >0.25 (full results in Supplement 3). **a.** Mode 1 associated negative aspects of pandemic impact with technology stress and addiction, compulsivity traits and insecurity. **b.** Mode 2 associated positive aspects of pandemic impact with positive personality traits and perfectionism, a compulsivity trait. Red lines = positive correlations. Blue lines = negative correlations. Line weight = correlation r values.

Data-driven analysis of common impact and advice topics from free text

We further examined the dimensionality of pandemic impact through the application of Latent Dirichlet Allocation to free text in response to the questions "What has been most POSITIVE about the lockdown?", "What has been most NEGATIVE about the lockdown?" This is one of the most established methods for identifying commonly co-occurring combinations of words, which can be used to characterise each document according to the topic mixtures from which it is comprised. This allows the prevalence of the topics to be further examined in relation to population variables of interest.

The best fitted ten exemplars of each topic from the free text are provided in **Supplement 4a**. The optimal number of topics was identified by calculating models at different levels of dimensionality in steps of five and determining the one that produced the lowest perplexity measure. Descriptions of the main negatives from 49,482 participants (**Figure 7a**) were best summarised by just five topics. In prevalence order, these were being unable to see relatives (especially older relatives), impracticalities of working or schooling from home, disruption of social and recreational activities, physical and mental health worries, and frustration with the media or government. Descriptions of the main positives from 48,315 people (**Figure 7a**) were somewhat more diverse, summarised by 10 topics, these being more free/recreational time, improved environment, time for important things, slower pace of life, positive long-term change, more time with family, learning new skills/expertise, more regular digital contact with friends/family, and enjoying the outdoors.

The same approach was then applied to free test responses to the question "What has been most POSITIVE about the lockdown?" Advice from 44,376 people was much more variable, being optimally summarised by ~50 topics. A number of topics fitted within the broader themes of structuring time, keeping occupied, maintaining communication and keeping physically healthy. The most prevalent topic was establishing a healthy routine, followed by using video conferencing to stay in touch, meditation/yoga, regular exercise, time outside, keeping busy, going for regular walks and planning a healthy diet.

When concatenating topic prevalence estimates, there was substantial shared variance between peoples' topic mixtures and both the mood self-assessment (**Supplement 4b**) and the PD-GIS-11 (**Supplement 4c**), as quantified using canonical correlation analysis. This provided a cross validation of the scales and free text.

Figure 7. Topic modelling of free text responses

a. Positive and negative impact topics

b. Advice topic prevalences for retired people relative to all others

a. Latent Dirichlet Allocation (LDA) identified 5 negative topics and 10 positive topics from the free text responses describing the main negative and positive impacts of the Covid-19 pandemic. **b.** LDA identified ~50 topics from free text describing what people would recommend to others based on their lived experiences of the pandemic. The prevalence of the topics varied significantly across sub populations. Above, we present differences in the advice topic prevalence for retired older adults relative to the rest of the cohort.

A key question was whether the coping strategies that people recommended differed for people at greater risk of negative pandemic impact. To address this question, t-tests examined whether the topic prevalence covaried with some of the risk factors identified above (**Supplement 4d**). Some of the largest differences in topic prevalence related to retirement status (**Figure 7b**). Most prominently, retired people were more likely to recommend 'set up regular time to keep in touch with friends and family' (t=19.506 p<0.001) and 'doing more puzzles' (10.729 p<0.001) and taking time to complete jobs around the house (t= 10.223 p<0.001). As one would expect, work related topics were less prevalent, including 'segregate work and non-work time (t=-13.330 p<0.001) and 'maintain the work routine' (t=-13.580 p<0.001).

People whose income had been negatively affected were more likely to recommend 'go to the park regularly' (t=5.196 p<0.001) but less likely to recommend 'take the opportunity to slow

down a bit' (t=-7.057 p<0.001). Frontline health workers were more likely to recommend 'maintaining personal hygiene/handwashing' (t=3.199 p=0.001), and 'segregating work and home time' (t=3.102 p=0.002). Conversely 'structure your day' (-3.421   0.001) and 'use distraction techniques when stressed' (t=-3.239 p<0.001) were less relevant for them. In contrast, more prevalent topics amongst disabled and shielded people included 'doing exercise even if unmotivated (t=3.918 p<0.001), 'be more communicative with people' (t=4.703, p<0.001), 'follow lockdown rules and work out new approaches to reduce stress in the household' (t=3.524 p<0.001), 'listen to music or the wildlife' (t=3.878 p<0.001) and 'use the time to reflect' (t=4.253 p<0.001).

People who had been diagnosed with anxiety or depression were more likely to recommend 'being kind to yourself and others' (anxiety t=4.996 p<0.001; depression t=7.863 p<0.001) and to 'listen to music or appreciate wildlife' (anxiety t=3.742 p<0.001; depression t=4.321 p<0.001). Those with anxiety also were more likely to recommend meditation or yoga (anxiety t=4.552 p<0.001; depression t=-0.278 p=0.787), whereas those with depression were more likely to recommend 'taking pleasure in simple things' (anxiety t=1.687 p=0.0917; depression t=3.868 p<0.001) and 'doing exercise even if unmotivated' (anxiety t=2.468p=0.014; depression t=3.438 p<0.001).

Finally, the prevalence of advice topics was examined in relation to people living with children because this was amongst the most substantial predictor of pandemic impact. The majority of topics also differed significantly in prevalence. Most notably, 'do something creative' (t=13.282 p<0.001), 'take the opportunity to slow down a bit' (t= 9.021 p<0.001), 'try to focus on the positives' (t=7.921 p<0.001) and 'follow lockdown rules and work out new approaches to reduce stress in the household' (t=7.254 p<0.001) were all more prevalent.

Therefore, despite the intrinsic noisiness of topic modelling, the broad range of pragmatic coping strategies that people recommend applying differed significantly for sub-populations whose were most at risk of adverse impact during the pandemic.

Discussion

Our results provide converging evidence at large population scale that by May 2020 (peak UK lockdown), the Covid-19 pandemic had profound but idiosyncratic effects on mental health and wellbeing in the UK. The effects were complex, comprising multiple dimensions

of change, some being positive. The substantial variability in these dimensions of impact was associated with a combination of clinical/biological and psycho-socio-economic variables. Furthermore, there were statistically robust relationships between these variables and what people reported, in their own words, had helped them during the pandemic.

Differences in the population distributions of depression, anxiety, and sleep were observed from pre-pandemic to the time of maximal UK lockdown, being indicative of more pronounced untoward effects in particular groups, such as in older adults. However, such macro-data obfuscates considerable nuanced variations in the nature and extent of pandemic impact across individuals. Demographic characteristics, work, environment and social circumstances all had robust associations, varying in scale from small to very large, with the nature and extent of self-reported impact of the pandemic. In some ways this was anticipated based on extant literature,[8-12] but in others it was unexpected. Most notably, health workers showed very large differences to the broader population, being less relaxed and having less free time, but also reporting better sleep and greater work engagement. People from minority backgrounds were more worried about the impact of the pandemic on health, but also had more positive outlooks.

It was predicted that the impact of the Covid-19 pandemic would be substantially influenced by mental health and neurologic disorders,[1,2] and dimensional traits.[13] Notably, although overall, people with psychiatric and neurologic conditions were less likely to report increased connectedness during the pandemic, these generalised associations were of small scale. More selective associations were observed for particular disorders: e.g. elevated health worries in anxiety disorders / obsessive-compulsive disorder, and increased conflict at home in adults with attention-deficit hyperactivity disorder.[14,15] However, trait and personality scales collectively accounted for disproportionate pandemic impact: negative impact was associated with compulsivity and insecurity, and positive impact with compassion, conscientiousness, perfectionism, and extroversion. This accords with the notion that certain personality traits are prominent in shaping resilience, whereas others engender vulnerability.[16]

Online technology can provide a powerful mediator of positive and negative impact during the pandemic. Prior studies proposed that a subset of people develop problematic usage of online technology.[3,17,18] Accordingly, negative Covid-19 impact was strongly linked not with time spent using online technology *per se*, but with maladaptive online behaviours.

Conversely, the benefits of using technology to stay connected were prominent in the questionnaire and free text analyses. One might conclude that limiting screen time could be counterproductive; more nuanced approaches to develop healthy online behaviours are warranted.

The profound impact of the pandemic was perhaps best captured in the data-driven analysis of free text describing peoples' lived-experience. Crucially, the dimensionality of advice was much higher than for positive and negative impact statements, with ~50 topics optimally summarised the practical measures people said helped them during the pandemic. On one level, the fact that the prevalence of these topics differed significantly as a function of participant characteristics is surprising insofar as topic modelling is intrinsically noisy and the diversity of possible topics very broad. On another level, the observed relationships in many cases make intuitive sense; some measures are irrelevant or impractical, whereas others are more germane, depending on one's individual circumstances. Looking forwards, we believe that there is potential to extend the preliminary topic modelling analysis conducted here in order to identify pragmatic individually tailored advice based on this novel intersection of sociodemographic, contextual and personality variables with the corpus of peoples' self-expressed expert experiences. The rationale for thinking this could be effective as an intervention approach is simple: if something has proven tractable and effective for many people, in their own experience, it likely will also prove helpful for others. Indeed, we propose that such topics could conceivably be updated on a periodic basis, to determine pragmatic measures that people find helpful as events unfold during the recovery phase and beyond, and then making that advice available to others who have matched profiles. Future research should explore this potential through deeper analysis of the topics and study as a potential pragmatic intervention in future research.

Taken together, these results demonstrate the importance of measuring multiple dimensions when quantifying pandemic impact on mental health, and the necessity of incorporating the broad psycho-socio-economic context when seeking to understand, predict or mitigate such impact. The largest associations explaining pandemic impact related to occupation and home context, followed by medium associations with personality traits, compulsivity and maladaptive technology use, and smaller but still notable associations for mental health and neurological disorders and demographic characteristics. This complexity in turn necessitates careful study design to account for confounding factors.

Primary limitations of this study pertain to cross-sectional analysis albeit within the context of a longitudinal study. This is somewhat mitigated by the large scale of data and matching demographics for Pre and Mid pandemic timeframes, and by the rigorous multivariate statistical approaches deployed. We intend to recontact this cohort at 3, 6 and 12 months to plot change in the idiosyncratic impact of the pandemic and its aftermath in vivo[19,20] including more detailed assessment of identified vulnerable sub-groups. We also note that the current paper focused on data from people aged 16 and above. It is vital that research also examines younger people using this and related methodologies adapted for that purpose.[2]

Methods

Recruitment

Starting from December 26th 2019, participants were recruited to the study website, where they completed cognitive tests and a detailed questionnaire. Articles describing the study were placed on the BBC2 Horizon, BBC Home page, BBC News Home page and circulated on mobile news meta-apps from January 1st 2020. To maximise representativeness of the sample there were no inclusion/exclusion criteria. Analyses here exclude data from participants under 16 years old, as they completed a briefer questionnaire, and those who responded to the questionnaire unfeasibly fast (<4 minutes). Cognitive test data will be reported separately. The study was approved by the Imperial College Research Ethics Committee (17IC4009).

Data collection

Data were collected via our custom server system, which produces study-specific websites (https://gbws.cognitron.co.uk) on the Amazon EC2. Questionnaires and tests were programmed in Javascript and HTML5. They were deliverable via personal computers, tablets and smartphones. The questionnaire included scales quantifying sociodemographic, lifestyle, online technology use, personality, and mental health (**Supplement 1**). Participants could enrol for longitudinal follow up, scheduled for 3, 6 and 12 months. People returning to the site outside of these timepoints were navigated to a different URL. On May 2nd 2020, the questionnaire was augmented - in light of the Covid-19 pandemic - with an extended mood scale, and an instrument comprising 47 items quantifying self-perceived effects on mood, behaviour and outlook (Pandemic General Impact Scale PD-GIS-11). Questions regarding

pre-existing psychiatric and neurological conditions, lockdown context, having the virus, and free text fields were added. This coincided with further promotion via BBC2 Horizon and BBC Homepage.

Data processing and statistical analysis

Analyses were conducted in MATLAB R2020a. Participants with missing data were retained as some questions were contingent on others; therefore, observations per analysis vary with data availability. The questionnaire was organised into the following scales: demographics/lifestyle, online technology use, mood, personality, compulsive traits, and pandemic impact. Where appropriate, scales were summarised in the following steps. Agree-disagree and frequency items were filtered for missing data casewise within scale, converted to numeric, rank transformed to normality, and subscale scores estimated using principal component analysis. Components with eigenvalues>1 were varimax rotated and component scores estimated by regression. PCAs are reported in **Supplement 2**.

Cohort demographics were segmented into Pre-Pandemic, Early-Pandemic, and Mid-Pandemic epochs (**Figure 1a**). General linear modelling tested how sociodemographic variables statistically predicted differences in mood, anxiety, and sleep, between the densely sampled and demographically matched Pre-Pandemic and Mid-Pandemic epochs.

Subscales of the pandemic impact instrument (PD-GIS-11 **Supplement 3**) quantified self-perceived impact across 11 psycho-socio-economic dimensions. These were cross-validated against the mental health self-assessment using CCA and Pearson's correlation. General linear modelling (GLM) determined the relationship of sociodemographic variables, home context, cohabitees and work arrangements to the PD-GIS-11. Further GLMs examined carers and people reporting psychiatric and neurologic diagnoses (for groups with N>90 members) with the sociodemographics factored out. Due to the expected shared variance between online technology use, personality traits and compulsivity, their multivariate relationships with the PD-GIS-11 were quantified via canonical correlation analysis (CCA).

Latent Dirichlet Allocation (LDA)[7] was applied to extracted common topics from free text responses to the questions "What has been most POSITIVE about the lockdown?", "What has been most NEGATIVE about the lockdown?" and "What have you done that you would recommend to others because it has helped you during the lockdown?" Further details are

given in **Supplement 4**. Optimal numbers of topics were estimated for each question as follows. LDA models of different complexity were trained on 2/3rds of the participants' data. The trained models were applied to the remaining data. The lowest resultant perplexity value, quantifying fit of theoretical and observed topic word distributions, was identified and the LDA model retrained on all data at the corresponding level of complexity. Inter-individual differences in topic mixture estimates were estimated and analysed with reference to mood, PD-GIS-11 and at-risk sub-populations using CCA and t-tests.

Acknowledgements

Dr Hampshire is supported by the UK Dementia Research Institute and Biomedical Research Centre at Imperial College London with technology development supported by EU-CIG EC Marie-Curie CIG and NIHR grant II-LB-0715-20006. Dr Soreq's role was supported by MRC grant MR/R005370/1. William Trender is supported by the EPSRC Center for Doctoral Training in Neurotechnology. Dr Chamberlain's role in this study was funded by a Wellcome Trust Clinical Fellowship (Reference 110049/Z/15/Z). Mitul Mehta is in part supported by the National Institute for Health Research (NIHR) Biomedical Research Centre at South London and Maudsley NHS Foundation Trust and King's College London. The views expressed are those of the author(s) and not necessarily those of the NHS, the NIHR or the Department of Health and Social Care. We would like to acknowledge COST Action CA16207 'European Network for Problematic Usage of the Internet', supported by COST (European Cooperation in Science and Technology); and the support of the National UK Research Network for Behavioural Addictions (NUK-BA).

Declaration of interests

Dr. Chamberlain consults for Promentis, and receives stipends for journal editorial work from Elsevier. Dr. Grant has received research grants from the TLC Foundation for Body-Focused Repetitive Behaviors, Biohaven, Promentis, and Avanir Pharmaceuticals. Prof. Mehta has received grant income from Takeda Pharmaceuticals, Johnson & Johnson and Lundbeck. Dr Adam Hampshire is owner and founder of Future Cognition Ltd and H2 Cognitive Designs Ltd, which develop custom cognitive assessment software for other university-based research groups. Dr Peter Hellyer is owner and co-founder of H2 Cognitive Designs Ltd. The authors report no other conflicts of interest.

References

Pfefferbaum, B. & North, C. S. Mental Health and the Covid-19 Pandemic. N Engl J Med, doi:10.1056/NEJMp2008017 (2020).

Holmes, E. A. et al. Multidisciplinary research priorities for the COVID-19 pandemic: a call for action for mental health science. Lancet Psychiatry 7, 547-560, doi:10.1016/S2215-0366(20)30168-1 (2020).

Kiraly, O. et al. Preventing problematic internet use during the COVID-19 pandemic: Consensus guidance. Compr Psychiatry 100, 152180, doi:10.1016/j.comppsych.2020.152180 (2020).

Pareek, M. et al. Ethnicity and COVID-19: an urgent public health research priority. Lancet 395, 1421-1422, doi:10.1016/S0140-6736(20)30922-3 (2020).

Brooks, S. K. et al. The psychological impact of quarantine and how to reduce it: rapid review of the evidence. Lancet 395, 912-920, doi:10.1016/S0140-6736(20)30460-8 (2020).

Ioannidis, K., Askelund, A. D., Kievit, R. A. & van Harmelen, A. L. The complex neurobiology of resilient functioning after childhood maltreatment. BMC Med 18, 32, doi:10.1186/s12916-020-1490-7 (2020).

Blei D.M, N. A. Y., Jordan M.I, Lafferty J. Latent Dirichlet allocation. Journal of Machine Learning Research 3, 993-1022 (2003).

Chowkwanyun, M. & Reed, A. L., Jr. Racial Health Disparities and Covid-19 - Caution and Context. N Engl J Med, doi:10.1056/NEJMp2012910 (2020).

England., P. H. Disparities in the risk and outcomes of COVID-19. . (2020).

Kirby, T. Evidence mounts on the disproportionate effect of COVID-19 on ethnic minorities. Lancet Respir Med 8, 547-548, doi:10.1016/S2213-2600(20)30228-9 (2020).

Lai, J. et al. Factors Associated With Mental Health Outcomes Among Health Care Workers Exposed to Coronavirus Disease 2019. JAMA Netw Open 3, e203976, doi:10.1001/jamanetworkopen.2020.3976 (2020).

Rossi, R. et al. Mental Health Outcomes Among Frontline and Second-Line Health Care Workers During the Coronavirus Disease 2019 (COVID-19) Pandemic in Italy. JAMA Netw Open 3, e2010185, doi:10.1001/jamanetworkopen.2020.10185 (2020).

Chamberlain, S. R., Stochl, J., Redden, S. A. & Grant, J. E. Latent traits of impulsivity and compulsivity: toward dimensional psychiatry. Psychol Med 48, 810-821, doi:10.1017/S0033291717002185 (2018).

Cortese, S. & Coghill, D. Twenty years of research on attention-deficit/hyperactivity disorder (ADHD): looking back, looking forward. Evid Based Ment Health 21, 173-176, doi:10.1136/ebmental-2018-300050 (2018).

Posner, J., Polanczyk, G. V. & Sonuga-Barke, E. Attention-deficit hyperactivity disorder. Lancet 395, 450-462, doi:10.1016/S0140-6736(19)33004-1 (2020).

Grant J.E, P. A., Chamberlain S.R. . Obsessive-Compulsive Personality Disorder. American Psychiatric Association Publishing (2019).

Ioannidis, K. et al. Problematic internet use (PIU): Associations with the impulsive-compulsive spectrum. An application of machine learning in psychiatry. J Psychiatr Res 83, 94-102, doi:10.1016/j.jpsychires.2016.08.010 (2016).

Tiego, J. et al. Problematic use of the Internet is a unidimensional quasi-trait with impulsive and compulsive subtypes. BMC Psychiatry 19, 348, doi:10.1186/s12888-019-2352-8 (2019).

Fancourt D, S. A., Bu F. Trajectories of depression and anxiety during enforced isolation due to COVID-19; longitudinal analyses of 59,318 adults in the UK with and without diagnosed mental illness. medRxiv (2020).

Wang, C. et al. A longitudinal study on the mental health of general population during the COVID-19 epidemic in China. Brain Behav Immun, doi:10.1016/j.bbi.2020.04.028 (2020).

Supplementary materials: Hampshire et al.

Contents

(a) Demographic and other contextual information

The following background information was collected from participants: age, gender, ethnicity, country of residence, level of education, occupational status, and income.

(b) Mood, anxiety, and sleep

Mood and anxiety symptoms were recorded using the extensively validated Patient Health Questionnaire 2 (PHQ-2) and GAD-7 respectively [1,2] The PHQ-2 and GAD-7 ask about symptoms over the preceding two weeks, and each question is answered on a 4-point scale, from 0 (not at all) to 3 (nearly every day). Additionally, we asked how many hours on average participants slept per night.

(c) Personality traits, and compulsivity

Personality traits were quantified using the extensively validated Big-5 Inventory, which comprises 44 questions [3]. Each question is a short phrase and is answered on a 5-point rating scale from 1 (strongly disagree) to 5 (strongly agree). Aspects of personality classically reflect extraversion, agreeableness, conscientiousness, neuroticism and openness to experience [3] Based on prior factor analysis of data from 60,000 participants, we used an abbreviated version, comprising 18 questions with a data-driven structure of 6 components. These are reported in the factor analysis in **Appendix 2**.

Compulsivity is a trans-diagnostic concept representing the tendency towards repetitive habits, and was measured using the Cambridge-Chicago Compulsivity Trait Scale (CHI-T)[4]. This is a 15-item questionnaire that is answered on a 4-point rating scale ranging from 1 (strongly disagree) to 4 (strongly agree). The CHI-T is sensitive to compulsivity across a range of disorders [4,5].

(d) Impact of the pandemic

The Pandemic General Impact Scale (PD-GIS-11) was developed for the current study to quantify the self-reported negative and positive impacts of the Covid-19 pandemic, on multiple levels of psycho-socio-economic investigation. The instrument comprised 47 questions, relating to potential negative and positive aspects of the situation, and longer term outlook. Each item is answered on a 5-point scale ranging from 1 (strongly disagree) to 4 (strongly agree). Negative impact questions covered areas of concern for health (own health and that of others), being concerned with the consequences of contracting Covid-19, loneliness, conflict at home, negative emotions from reading/listening to news, grieving, loss of employment/job/income, loss of leisure and well being activities, loss of daily structure, disruption of sleep patterns, less healthy lifestyles, less focus on personal hygiene, loss of productivity, social disconnection, life being dominated by infection control routines, loss of important goods/medication/services, more arguments in the household, and going on the internet to avoid people at home. Positive impact questions covered less commuting time, more structure to the day, joy at being able to spent more time with people at home, more connections with people online, sense of shared community, more efficient/productive work, being more relaxed due to more time at home, better sleep due to spare time, greater sense of purpose in work, greater opportunity to exercise, improved natural environment, time to read for pleasure, work less stressful due to doing it from home, spending more time on hobbies, spending less and saving money, more social contact outside of the home, feeling less tired, feeling better connected with people at home, more wildlife, taking greater appreciation for the simple things in life, and being less stressed by daily responsibilities.

(e) Online Technology use

Technology use was quantified by asking about frequency of use of the following, over the previous 4 week period: Smart Phone, Computer (Desktop/Laptop), Tablet Device, Gaming Console, Email, Social Media, reading the news, playing computer games, online gambling, working, learning/studying, shopping, streaming films or music, and searching for information online. Each question was responded to on a 7-point scale, from 0 (never) to 7 (more often than hourly every day).

(f) Stress from online technology

Stress from online technology was measured by asking the participants the following questions, regarding the past 4 weeks: When you checked Email, did it tend to make you feel stressed/unhappy or relieved/happy? When you used social media, did it tend to make you feel stressed/unhappy or relieved/happy? When you read the news, did it tend to make you feel stressed/unhappy or relieved/happy? When you played computer games, did it tend to make you feel stressed/unhappy or relieved/happy? The response options for each question were: "Mostly stressed/unhappy","Mostly relieved/happy","Both", or "Neither".

(g) Maladaptive ('Addictive') use of online technology

Maladaptive use of online technology was quantified using the following questions, which were based on expert consensus amongst the study team in the field of Problemgst Usage of the Internet: How often did you check email or social media accounts after you went to bed? How often did you use internet related activities to block out disturbing thoughts or soothe yourself? How often did you choose to spend time on internet related activities to battle loneliness or boredom? How often did you suffer from negative financial consequences because of an online activity? How often did you check your email or social media account or equivalent before something else that you needed to do? How often did you try to stop an excessive online activity but feel a compulsion to continue? How often did you try to cut down the amount of time you spend on-line and fail? The questions asked about these areas over the preceding 4 week period. For the first question (using technology before bed), response options were 1 (never) to 5 (daily). For the other questions, response options were: 1 (never) to 7 (more than hourly every day).

References

1   Kroenke, K., Spitzer, R. L. & Williams, J. B. The Patient Health Questionnaire-2: validity of a two-item depression screener. *Med Care* 41, 1284-1292, doi:10.1097/01.MLR.0000093487.78664.3C (2003).
2   Spitzer, R. L., Kroenke, K., Williams, J. B. & Lowe, B. A brief measure for assessing generalized anxiety disorder: the GAD-7. *Arch Intern Med* 166, 1092-1097, doi:10.1001/archinte.166.10.1092 (2006).
3   John O.P, Naumann L.P & C.J., S. in *Handbook of personality: Theory and research* (ed R. W. Robins O. P. John, & L. A. Pervin) (Guilford Press, 2008).
4   Chamberlain, S. R. & Grant, J. E. Initial validation of a transdiagnostic compulsivity questionnaire: the Cambridge-Chicago Compulsivity Trait Scale. *CNS Spectr* 23, 340-346, doi:10.1017/S1092852918000810 (2018).
5   Albertella, L. *et al*. Compulsivity is measurable across distinct psychiatric symptom domains and is associated with familial risk and reward-related attentional capture. *CNS Spectr*, 1-8, doi:10.1017/S1092852919001330 (2019).

Appendix 2a - PCA of the Mood Self Assessment

Mid stage

C1	C2		Eigenvalue	Component
0.78	0.36	Q1 Nervous, anxious, on edge	**6.99**	**C1**
0.86	**0.32**	Q2 Down or depressed	**1.17**	**C2**
0.85	**0.33**	Q3 Tired or little energy	0.94	**C3**
0.65	**0.48**	Q4 Trouble concentrating	0.68	**C4**
0.43	**0.46**	Q5 Not able to get to sleep/stay asleep	0.54	**C5**
0.45	0.50	Q6 Not stop/control worrying	0.51	**C6**
0.64	0.40	Q7 Worrying about diferent things	0.43	**C7**
0.32	**0.70**	Q8 Trouble relaxing	0.42	**C8**
0.48	**0.66**	Q9 Restless/ can't stay still	0.37	**C9**
0.31	**0.68**	Q10 Easily annoyed/irritable	0.29	**C10**
0.32	**0.67**	Q11 Afraid something awful might happen	0.27	**C11**
0.30	**0.51**	Q12 Little pleasure doing things	0.23	**C12**
-0.06	-0.18	Q13 Hours slept	0.15	**C13**

	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Q1		0.79	0.78	0.69	0.47	0.54	0.64	0.48	0.63	0.50	0.48	0.40	-0.09
Q2	0.79		0.84	0.70	0.51	0.53	0.68	0.50	0.64	0.49	0.49	0.42	-0.11
Q3	0.78	0.84		0.72	0.51	0.55	0.68	0.50	0.63	0.50	0.50	0.43	-0.11
Q4	0.69	0.70	0.72		0.61	0.55	0.59	0.51	0.60	0.51	0.53	0.52	-0.18
Q1	0.47	0.51	0.51	0.61		0.49	0.48	0.43	0.46	0.38	0.50	0.41	-0.13
Q2	0.54	0.53	0.55	0.55	0.49		0.50	0.48	0.54	0.50	0.46	0.36	-0.09
Q3	0.64	0.68	0.68	0.59	0.48	0.50		0.50	0.58	0.45	0.47	0.38	-0.10
Q4	0.48	0.50	0.50	0.51	0.43	0.48	0.50		0.69	0.57	0.57	0.40	-0.09
Q1	0.63	0.64	0.63	0.60	0.46	0.54	0.58	0.69		0.61	0.57	0.45	-0.12
Q2	0.50	0.49	0.50	0.51	0.38	0.50	0.45	0.57	0.61		0.57	0.47	-0.13
Q3	0.48	0.49	0.50	0.53	0.50	0.46	0.47	0.57	0.57	0.57		0.46	-0.11
Q4	0.40	0.42	0.43	0.52	0.41	0.36	0.38	0.40	0.45	0.47	0.46		-0.37
Q1	-0.09	-0.11	-0.11	-0.18	-0.13	-0.09	-0.10	-0.09	-0.12	-0.13	-0.11	-0.37	

All stages

Loadings	How often:	Eigenvalue	Component
0.77	Q1 Nervous, anxious, on edge	3.07	1
0.81	Q2 Down or depressed	0.63	2
0.72	Q3 Tired or little energy	0.50	3
0.71	Q4 Trouble concentrating	0.47	4
0.58	Q5 Not able to get to sleep/stay asleep	0.33	5

	Q1	Q2	Q3	Q4	Q5
Q1		0.66	0.51	0.55	0.44
Q2	0.66		0.58	0.54	0.44
Q3	0.51	0.58		0.54	0.45
Q4	0.55	0.54	0.54		0.44
Q5	0.44	0.44	0.45	0.44	

Appendix 2b - PCA of the Minimise Big5 Personality Scale

Secure	Open	Introverted	Artistic	Compassionate	Conscientious	Q	Eigenvalue	Component
-0.06	0.11	-0.67	0.05	0.19	0.00	Talkative	3.33	C1
0.00	0.12	-0.03	0.01	0.16	0.72	Thorough job	2.25	C2
0.09	0.80	-0.14	0.16	0.03	0.06	Original/ new ideas	1.91	C3
-0.09	-0.01	0.80	-0.03	0.02	0.08	Reserved	1.74	C4
0.76	0.12	0.00	-0.02	0.19	0.05	Relaxed, handles stress well	1.55	C5
0.17	0.07	0.01	0.03	0.59	-0.06	Forgiving	1.22	C6
-0.10	0.14	0.07	0.02	0.10	-0.49	Disorgansied	0.70	C7
-0.73	-0.01	0.13	0.03	0.10	-0.01	Worries a lot	0.67	C8
-0.06	-0.02	0.63	-0.01	0.02	-0.19	Tends to be quiet	0.61	C9
0.70	0.08	0.04	-0.03	0.17	0.12	Stable/ not easily upset	0.58	C10
0.13	0.80	-0.05	0.18	0.01	0.04	Inventive	0.54	C11
0.05	0.16	0.01	0.03	0.15	0.68	Perseveres until the task is finished	0.49	C12
-0.06	0.21	-0.01	0.76	0.04	0.04	Values artistic/aesthetic experiences	0.48	C13
-0.01	0.07	-0.02	0.09	0.68	0.11	Kind/considerate to almost everyone	0.46	C14
0.01	0.48	0.04	0.28	0.24	0.03	Likes to reflect/play with ideas	0.41	C15
0.01	-0.07	0.05	-0.54	0.04	0.01	Few artistic instincts	0.40	C16
0.05	0.01	-0.12	0.05	0.55	0.12	Cooperative	0.36	C17
-0.02	0.17	-0.02	0.66	0.09	-0.01	Sophisticated in art/music/literature	0.29	C18

	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	Q16	Q17	Q18
Q1		0.09	0.20	-0.54	0.03	0.08	0.05	0.01	-0.42	-0.02	0.11	0.03	0.11	0.14	0.08	-0.03	0.19	0.11
Q2	0.09		0.16	0.04	0.09	0.05	-0.32	0.01	-0.14	0.12	0.11	0.53	0.09	0.20	0.11	0.00	0.17	0.04
Q3	0.20	0.16		-0.13	0.17	0.09	0.06	-0.08	-0.12	0.12	0.69	0.16	0.29	0.10	0.43	-0.15	0.06	0.25
Q4	-0.54	0.04	-0.13		-0.05	0.00	0.03	0.18	0.49	-0.01	-0.07	0.04	-0.02	0.00	0.03	0.06	-0.07	-0.03
Q5	0.03	0.09	0.17	-0.05		0.24	-0.05	-0.54	-0.04	0.59	0.18	0.12	0.00	0.12	0.10	0.04	0.14	0.02
Q6	0.08	0.05	0.09	0.00	0.24		0.09	-0.06	0.00	0.21	0.10	0.08	0.13	0.43	0.17	-0.02	0.32	0.08
Q7	0.05	-0.32	0.06	0.03	-0.05	0.09		0.12	0.19	-0.10	0.08	-0.29	0.05	-0.01	0.10	-0.04	-0.04	0.05
Q8	0.01	0.01	-0.08	0.18	-0.54	-0.06	0.12		0.14	-0.48	-0.11	-0.02	0.09	0.06	0.03	0.00	0.00	0.05
Q9	-0.42	-0.14	-0.12	0.49	-0.04	0.00	0.19	0.14		-0.03	-0.07	-0.13	-0.01	-0.03	0.01	0.06	-0.10	-0.02
Q10	-0.02	0.12	0.12	-0.01	0.59	0.21	-0.10	-0.48	-0.03		0.17	0.17	-0.01	0.11	0.08	0.04	0.15	0.00
Q11	0.11	0.11	0.69	-0.07	0.18	0.10	0.08	-0.11	-0.07	0.17		0.18	0.30	0.09	0.43	-0.17	0.04	0.25
Q12	0.03	0.53	0.16	0.04	0.12	0.08	-0.29	-0.02	-0.13	0.17	0.18		0.11	0.18	0.15	0.00	0.17	0.04
Q13	0.11	0.09	0.29	-0.02	0.00	0.13	0.05	0.09	-0.01	-0.01	0.30	0.11		0.22	0.37	-0.41	0.14	0.56
Q14	0.14	0.20	0.10	0.00	0.12	0.43	-0.01	0.06	-0.03	0.11	0.09	0.18	0.22		-0.15	-0.04	0.41	0.13
Q15	0.08	0.11	0.43	0.03	0.10	0.17	0.10	0.03	0.01	0.08	0.43	0.15	0.37	0.23		-0.15	0.16	0.29
Q16	-0.03	0.00	-0.15	0.06	0.04	-0.02	0.00	0.00	0.06	0.04	-0.17	0.00	-0.41	-0.04	-0.15		0.00	-0.37
Q17	0.19	0.17	0.06	-0.07	0.14	0.32	-0.04	0.00	-0.10	0.15	0.04	0.17	0.14	0.41	0.16	0.00		0.09
Q18	0.11	0.04	0.25	-0.03	0.02	0.08	0.05	0.05	-0.02	0.00	0.25	0.04	0.56	0.13	0.29	-0.37	0.09	

Appendix 2c - PCA of the Technology use, stress and addiction scales

USE

Phone, social, entertainment	Computer, Work, study	Gaming	Email, news and info		Eigenvalue	Component
0.567	0.154	0.091	0.257	Smart phone	3.58	C1
0.094	0.652	0.080	0.239	Computer	1.73	C2
-0.035	-0.040	0.060	0.301	Tablet	1.25	C3
0.141	0.065	0.774	-0.046	Games console	1.15	C4
0.165	0.328	-0.038	0.649	Email	0.96	C5
0.585	-0.001	0.072	0.062	Social media	0.89	C6
0.118	0.155	-0.022	0.332	News	0.87	C7
0.035	0.057	0.719	0.015	Games	0.77	C8
0.088	0.015	0.235	0.066	Gamble	0.66	C9
0.158	0.693	0.003	0.229	Work	0.65	C10
0.287	0.390	0.089	-0.094	Learn/study	0.59	C11
0.255	0.118	0.036	0.266	Shop	0.53	C12
0.516	0.258	0.251	-0.087	Stream	0.52	C13
0.436	0.328	0.055	0.217	Search	0.46	C14
0.444	0.335	0.199	0.027	Hours per day	0.40	C15

	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15
Q1		0.2482	0.0423	0.1591	0.3081	0.4089	0.1562	0.0876	0.0953	0.2642	0.1727	0.2014	0.3162	0.3415	0.31
Q2	0.2482		0.0186	0.094	0.385	0.0797	0.1831	0.1214	0.0371	0.5294	0.2372	0.1352	0.1974	0.2883	0.31
Q3	0.0423	0.0186		0.0222	0.1635	-0.014	0.1007	0.0569	0.009	0.0453	0.0012	0.1619	-0.046	0.0559	-0.03
Q4	0.1591	0.094	0.0222		-0.01	0.1341	-0.014	0.5635	0.206	0.0737	0.142	0.0532	0.302	0.0976	0.22
Q5	0.3081	0.385	0.1635	-0.01		0.1385	0.2847	0.0015	0.0481	0.4038	0.0959	0.2544	0.0996	0.3144	0.20
Q6	0.4089	0.0797	-0.014	0.1341	0.1385		0.0457	0.0781	0.07	0.1139	0.1626	0.1402	0.2748	0.2252	0.31
Q7	0.1562	0.1831	0.1007	-0.014	0.2847	0.0457		0.0076	0.0537	0.1793	0.0787	0.1331	0.0813	0.2604	0.09
Q8	0.0876	0.1214	0.0569	0.5635	0.0015	0.0781	0.0076		0.1574	0.0285	0.0931	0.0381	0.1938	0.0946	0.21
Q9	0.0953	0.0371	0.009	0.206	0.0481	0.07	0.0537	0.1574		0.0641	0.0215	0.0752	0.1063	0.0446	0.09
Q10	0.2642	0.5294	0.0453	0.0737	0.4038	0.1139	0.1793	0.0285	0.0641		0.3142	0.1896	0.2341	0.3299	0.29
Q11	0.1727	0.2372	0.0012	0.142	0.0959	0.1626	0.0787	0.0931	0.0215	0.3142		0.1321	0.3011	0.2746	0.26
Q12	0.2014	0.1352	0.1619	0.0532	0.2544	0.1402	0.1331	0.0381	0.0752	0.1896	0.1321		0.2032	0.2296	0.15
Q13	0.3162	0.1974	-0.046	0.302	0.0996	0.2748	0.0813	0.1938	0.1063	0.2341	0.3011	0.2032		0.3497	0.36
Q14	0.3415	0.2883	0.0559	0.0976	0.3144	0.2252	0.2604	0.0946	0.0446	0.3299	0.2746	0.2296	0.3497		0.33
Q15	0.311	0.315	-0.03	0.215	0.199	0.308	0.093	0.207	0.095	0.288	0.257	0.153	0.362	0.328	

STRESS

Loadings	Q - stress from	Eigenvalue	Component
0.35	Email	1.4	C1
0.56	Social media	1.0	C2
0.32	News	0.8	C3
0.15	Computer games	0.8	C4

	Q1	Q2	Q3	Q4
Q1		0.1853	0.1458	0.0337
Q2	0.1853		0.1742	0.1223
Q3	0.1458	0.1742		-0.017
Q4	0.0337	0.1223	-0.017	

Addiction

Loading		Eigenvalue	Component
0.48	Q1 Check email/social media in bed	3.26	C1
0.62	Q2 Internet activities to sooth self / block out disturbing thoughts	0.94	C2
0.63	Q3 Time online to battle loneliness	0.84	C3
0.36	Q4 Negative financial consequences due to online pursuits	0.72	C4
0.67	Q5 Check email/social media before something important	0.52	C5
0.77	Q6 Try to stop online activity but feel compelled	0.41	C6
0.71	Q7 Try to cut down time online but fail	0.31	C7

	Q1	Q2	Q3	Q4	Q5	Q6	Q7
Q1		0.37	0.34	0.15	0.43	0.29	0.27
Q2	0.37		0.58	0.24	0.41	0.41	0.36
Q3	0.34	0.58		0.23	0.45	0.42	0.36
Q4	0.15	0.24	0.23		0.21	0.29	0.25
Q5	0.43	0.41	0.45	0.21		0.50	0.44
Q6	0.29	0.41	0.42	0.29	0.50		0.68
Q7	0.27	0.36	0.36	0.25	0.44	0.68	

Appendix 2d - PCA of the CHIT compulsivity scale

Perfectionism	Reward drive	Cognitive rigidity		Eigenvalue	Component
0.57	-0.11	0.06	Leaving tasks unfinished	4.16	C1
0.67	-0.01	0.20	Doing things just right	2.01	C2
0.71	0.04	0.16	Completion to high standard	1.08	C3
0.22	0.29	**0.48**	Repetitive thoughts	0.88	C4
0.17	0.08	**0.54**	Habits	0.83	C5
0.06	**0.51**	0.27	Addictive personality	0.70	C6
0.17	**0.32**	0.24	Stubborn/rigid	0.67	C7
0.03	**0.67**	0.01	Acting on urges	0.65	C8
-0.08	**0.70**	0.11	Immediate reward	0.58	C9
0.53	0.25	0.32	Obsession with perfection	0.55	C10
0.61	0.10	0.13	Higher standards than others	0.52	C11
0.59	0.11	0.30	Soothed by completing tasks	0.49	C12
0.19	0.10	**0.56**	Avoid uncontrolled situations	0.47	C13
0.36	0.23	0.30	Need to be the best at things	0.41	C14

	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14
Q1		0.4537	0.4017	0.1001	0.1548	0.0139	0.0716	-0.039	-0.115	0.2727	0.294	0.3696	0.1147	0.1604
Q2	0.4537		0.5207	0.2201	0.2764	0.0902	0.1739	0.022	-0.019	0.3832	0.4188	0.4633	0.2342	0.2474
Q3	0.4017	0.5207		0.2795	0.1953	0.116	0.156	0.0537	-0.036	0.4803	0.4457	0.4164	0.2052	0.3377
Q4	0.1001	0.2201	0.2795		0.3345	0.3098	0.2406	0.2105	0.2308	0.3708	0.198	0.3063	0.3194	0.2802
Q5	0.1548	0.2764	0.1953	0.3345		0.2481	0.217	0.064	0.1044	0.2482	0.1486	0.268	0.3346	0.1723
Q6	0.0139	0.0902	0.116	0.3098	0.2481		0.2783	0.3396	0.3867	0.2124	0.136	0.1591	0.1677	0.238
Q7	0.0716	0.1739	0.156	0.2406	0.217	0.2783		0.2455	0.199	0.2201	0.2237	0.1817	0.1854	0.2255
Q8	-0.039	0.022	0.0537	0.2105	0.064	0.3396	0.2455		0.4774	0.1741	0.056	0.0928	0.0873	0.1657
Q9	-0.115	-0.019	-0.036	0.2308	0.1044	0.3867	0.199	0.4774		0.1926	0.0198	0.0753	0.127	0.1487
Q10	0.2727	0.3832	0.4803	0.3708	0.2482	0.2124	0.2201	0.1741	0.1926		0.3868	0.429	0.3256	0.3634
Q11	0.294	0.4188	0.4457	0.198	0.1486	0.136	0.2237	0.056	0.0198	0.3868		0.462	0.1815	0.3388
Q12	0.3696	0.4633	0.4164	0.3063	0.268	0.1591	0.1817	0.0928	0.0753	0.429	0.462		0.3044	0.3096
Q13	0.1147	0.2342	0.2052	0.3194	0.3346	0.1677	0.1854	0.0873	0.127	0.3256	0.1815	0.3044		0.3374
Q14	0.1604	0.2474	0.3377	0.2802	0.1723	0.238	0.2255	0.1657	0.1487	0.3634	0.3388	0.3096	0.3374	

Appendix 3a - PD-GIS-11 response distributions

Theme of each question:	Mean	SD	t	p
Concern about own health	0.3	1.17	79.0	<0.001
Concern about health of loved ones	1.2	0.93	374.3	<0.001
Loneliness	-0.2	1.32	-38.3	<0.001
Conflict at home	-0.8	1.25	-173.6	<0.001
Focus on consequences of Covid-19	-0.8	1.19	-200.7	<0.001
Unpleasant thoughts/images on	-0.1	1.29	-27.6	<0.001
Grieving	-1.5	1.03	-418.0	<0.001
Loss of employment/job opportunities	-0.9	1.52	-164.9	<0.001
Loss of leisure and related activities	0.9	1.27	199.1	<0.001
Loss of daily structure	0.0	1.40	0.8449	0.398
Sleep changes	0.1	1.44	12.0	<0.001
Less healthy lifestyle	-0.1	1.36	-31.6	<0.001
Less attention to personal hygeine	-0.9	1.33	-192.4	<0.001
Reduced productivity	-0.1	1.37	-24.4	<0.001
Disconnectedness	0.3	1.38	72.2	<0.001
Over-focused on infection control regimes	-0.5	1.28	-113.6	<0.001
Loss of essential access to	-0.9	1.19	-228.3	<0.001
More arguments at home	-0.9	1.23	-218.2	<0.001
Going online to avoid others at home	-1.2	1.13	-296.1	<0.001
More time as less commuting	0.3	1.37	67.6	<0.001
More structure to day	-0.6	1.05	-164.8	<0.001
Happier as spending more time with people	0.3	1.14	74.8	<0.001
Connecting with people more than before	-0.1	1.27	-20.3	<0.001
Sense of community	0.7	1.05	180.6	<0.001
Increased efficiency/productivity	-0.3	1.03	-89.4	<0.001
More relaxed as more time at home	0.2	1.18	61.2	<0.001
Better sleep as more spare time	-0.4	1.14	-99.6	<0.001
More purpose to work	-0.3	1.08	-88.3	<0.001
Able to exercise more	0.1	1.33	12.8	<0.001
Quieter/more relaxing external environment	1.0	1.14	247.8	<0.001
More time to read for pleasure	0.5	1.15	125.4	<0.001
Work less stressful as doing it from home	-0.2	1.11	-47.5	<0.001
More time on hobbies	0.1	1.22	29.8	<0.001
Spending less and saving more	0.8	1.10	218.1	<0.001
Less tired	-0.2	1.11	-51.0	<0.001
Better connected	0.3	1.01	86.5	<0.001
More wildlife	0.9	0.90	289.3	<0.001
Appreciating simple things in life more	0.8	0.94	245.6	<0.001
Less stressed by daily responsibilities	0.2	1.14	60.2	<0.001
Drinking more	0.0	1.02	11.1	<0.001
Smoking more	0.0	0.42	-8.4	<0.001
Belief that the world will be a better place	0.1	1.08	20.3	<0.001
Belief that the negative economic impact	-0.7	1.23	-153.6	<0.001
Things will change, not always for the worst	0.4	1.01	124.4	<0.001
We can cope better with global issues like	-0.2	1.20	-37.0	<0.001
Healthcare/technology will improve more	0.4	1.04	111.0	<0.001
Communications apps have meant more	1.2	0.87	374.1	<0.001

Positive and negative impact of lockdown (N=80,486)

Disagree strongly - - Disagree a little - Neutral - Agree a little - - Agree Strongly

Appendix 3b - PCA of PD-GIS-11 (zoom to read)

Appendix 3c - PD-GIS-11 vs Mood Self Assessment

Bivariate correlation of Mood Assessment and PD-GIS-11

More time, less stressed/tired	Isolated and disrupted lifestyle	Positive outlook	Conflict at home	Increased health obsession	Increased productivity and structure at work	Improved environment	Concern about less healthy lifestyle	More time for people	Better connected	Better sleep	SELF-PERCEIVED IMPACT — MOOD STATE
-0.07	0.22	-0.05	0.15	0.24	-0.08	-0.01	0.06	0.06	-0.03	-0.16	Nervous, anxious or on edge
-0.06	0.20	-0.03	0.14	0.24	-0.06	-0.02	0.06	0.04	-0.09	-0.16	Can't stop worrying
-0.05	0.21	-0.03	0.15	0.24	-0.06	-0.01	0.07	0.06	-0.07	-0.16	Worry about different things
-0.10	0.21	-0.02	0.15	0.19	-0.04	-0.01	0.09	0.05	-0.06	-0.21	Trouble relaxing
-0.05	0.19	0.00	0.13	0.11	-0.03	-0.01	0.05	0.05	-0.02	-0.15	Restless, can't sit still
-0.07	0.13	-0.04	0.33	0.10	-0.07	-0.02	0.09	0.09	-0.02	-0.12	Annoyed/irritable
-0.03	0.17	-0.02	0.12	0.30	-0.05	-0.01	0.06	0.05	-0.11	-0.13	Afraid something awfulmight happen
-0.06	0.21	-0.04	0.17	0.10	-0.12	-0.10	0.13	-0.01	-0.12	-0.11	Little pleasure doing things
-0.07	0.26	-0.05	0.18	0.15	-0.10	-0.06	0.09	-0.02	-0.10	-0.15	Down or depressed
-0.09	0.15	-0.01	0.14	0.14	-0.09	-0.06	0.21	0.04	-0.07	-0.19	Tired/ little energy
-0.03	0.22	-0.02	0.14	0.12	-0.10	-0.05	0.10	0.03	-0.08	-0.14	Trouble concentrating
-0.07	0.13	-0.01	0.08	0.13	-0.05	0.00	0.17	-0.02	-0.07	-0.37	Can't get to sleep or stay asleep
0.16	0.04	0.02	0.01	-0.09	-0.05	-0.04	-0.12	0.03	0.05	0.22	Hrs slept per night

Canonical correlation of Mood Assessment and PD-GIS-11

Mode	r	p
M01	0.62	0.0000
M02	0.38	0.0000
M03	0.30	0.0000
M04	0.27	0.0000
M05	0.19	0.0000
M06	0.16	0.0000
M07	0.12	0.0000
M08	0.09	0.0000
M09	0.03	0.0000
M10	0.01	0.0039
M11	0.01	0.0908

Appendix 3d - PD-GIS-11 vs socio-demographic, economic and context variables

P values for main effects and covariates

	More time, less stressed/tired	Isolated and disrupted lifestyle	Positive outlook	Conflict at home	Concern about health	More engaged in work	Improved environment	Worried about less healthy lifestyle	More time for people	Better connected	Better sleep
Age	0.0000	0.0000	0.0276	0.0000	0.0000	0.0000	0.0000	0.6101	0.0000	0.0000	0.0000
Sex	0.0000	0.0000	0.0000	0.4031	0.0000	0.0000	0.0000	0.0000	0.7447	0.0000	0.0000
Handedness	0.0008	0.4508	0.2319	0.0058	0.1020	0.0000	0.0000	0.1073	0.5253	0.0000	0.0003
First language	0.0036	0.0000	0.0000	0.0161	0.0000	0.0002	0.0000	0.0000	0.0064	0.0000	0.0000
Ethnicity	0.0000	0.0000	0.0000	0.0821	0.0000	0.0001	0.0000	0.0000	0.1782	0.0355	0.0423
Country of residence	0.3401	0.0577	0.1437	0.7074	0.1650	0.0921	0.0000	0.2162	0.9102	0.0257	0.5866
Education	0.0000	0.0000	0.0000	0.0793	0.0005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Relationship status	0.0003	0.0000	0.0000	0.0000	0.1993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0038
Home context	0.0021	0.0000	0.0948	0.1971	0.0000	0.0000	0.0899	0.0000	0.4235	0.0000	0.3522
Work arrangements	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
income negatively affected	0.0004	0.0000	0.0000	0.0098	0.0344	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Live with adult children	0.3224	0.0000	0.0639	0.0000	0.0000	0.0000	0.9533	0.0000	0.0000	0.0000	0.0001
Live with school children	0.0000	0.0000	0.0000	0.0000	0.0000	0.0018	0.0204	0.0000	0.0000	0.0257	0.4201
Live with flat/house mates	0.3664	0.0000	0.2713	0.8112	0.5142	0.0490	0.1062	0.1360	0.0000	0.8854	0.8854
Live with friends	0.6406	0.0038	0.8304	0.9690	0.0597	0.0026	0.8928	0.0000	0.8154	0.1922	0.1451
Live with grandparents	0.5876	0.9671	0.0311	0.9615	0.0858	0.0678	0.9947	0.0595	0.0034	0.0183	0.3626
Live with home schooled children	0.0000	0.0000	0.0004	0.0000	0.0807	0.6944	0.3407	0.0000	0.6146	0.0000	0.3225
Live with inlaws	0.4229	0.9862	0.5449	0.0000	0.6215	0.2190	0.3502	0.9156	0.0026	0.4888	0.5368
Living alone	0.0000	0.0000	0.1134	0.0000	0.0001	0.0689	0.0357	0.0399	0.0000	0.0009	0.0041
Live with parents	0.3358	0.4580	0.2804	0.0000	0.0000	0.0001	0.0012	0.0291	0.0000	0.4047	0.6031
Live wih partner	0.8534	0.0000	0.6762	0.0000	0.1969	0.0001	0.2265	0.0000	0.0000	0.0081	0.1210
Live with opreschoolchildren	0.0000	0.0000	0.0010	0.0000	0.3959	0.0033	0.5903	0.0000	0.3720	0.0000	0.2000
Home has a balcony	0.1446	0.0378	0.6250	0.1771	0.6461	0.1743	0.0000	0.8529	0.2247	0.0000	0.2191
Home has a large garden	0.3269	0.7997	0.1754	0.1725	0.0000	0.4632	0.0000	0.0416	0.0000	0.0007	0.6157
Home ha no outside space	0.0001	0.0000	0.0184	0.6853	0.0943	0.0000	0.0070	0.3855	0.0032	0.3780	
Home has overlooked outside space	0.0000	0.0000	0.0000	0.0052	0.0000	0.0031	0.0000	0.0485	0.2418	0.0000	0.0371
Home has private outside space	0.1138	0.8028	0.9083	0.6361	0.1114	0.7591	0.0282	0.0353	0.6399	0.9529	0.0378
Home has relaxing outside space	0.0000	0.0000	0.0000	0.0000	0.1468	0.7779	0.0000	0.0000	0.0000	0.0000	0.7593
Home has a small garden	0.0437	0.0079	0.6313	0.9556	0.2394	0.0192	0.1054	0.7452	0.0004	0.0050	0.2433
Home has unpleasnt outside space	0.0000	0.0051	0.0000	0.0000	0.0008	0.0000	0.0000	0.0000	0.0006	0.0011	0.0131
error	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000

F values

	More time, less stressed/tired	Isolated and disrupted lifestyle	Positive outlook	Conflict at home	Concern about health	Increased productivity and structure at work	Improved environment	Worried about less healthy lifestyle	More time for people	Better connected	Better sleep
Age	161	1079	5	188	190	154	433	0	1242	447	246
Sex	88	57	176	1	413	8	342	24	0	57	115
Handedness	7	1	1	5	2	17	15	2	1	18	8
First language	8	164	30	6	113	14	65	82	7	109	29
Ethnicity	24	10	17	2	18	5	11	16	1	2	2
Country of residence	1	4	2	0	2	3	34	2	0	5	0
Education	12	45	78	2	5	7	6	109	48	137	7
Relationship status	5	30	6	15	1	8	9	9	45	20	3
Home context	3	6	2	1	9	6	2	28	1	14	1
Work arrangements	413	55	12	12	21	169	71	25	48	111	46
income negatively affected	13	1749	164	7	4	99	132	146	689	1719	192
Live with adult children	1	83	3	88	18	27	0	60	81	40	16
Live with school children	87	127	18	691	63	10	5	201	640	5	1
Live with flat/house mates	1	53	1	0	0	4	3	2	361	10	0
Live with friends	0	8	0	0	4	9	0	27	0	2	2
Live with grandparents	0	0	5	0	3	3	0	4	9	6	1
Live with home schooled children	71	35	12	287	3	0	1	27	486	0	1
Live with inlaws	1	0	0	18	0	2	1	0	9	0	0
Living alone	32	156	3	26	16	3	4	4	1477	11	8
Live with parents	1	1	1	390	43	16	10	5	140	1	0
Live wih partner	0	116	0	29	2	15	1	35	35	7	2
Live with opreschoolchildren	916	34	11	373	1	9	0	79	761	1	73
Home has a balcony	2	4	0	2	0	2	18	0	1	23	2
Home has a large garden	1	0	2	2	29	1	26	4	23	12	0
Home ha no outside space	14	33	6	0	1	3	38	7	1	9	1
Home has overlooked outside space	20	30	19	8	30	9	21	73	4	1	4
Home has private outside space	3	0	0	0	3	0	5	4	0	0	4
Home has relaxing outside space	81	21	19	39	2	0	55	25	41	118	0
Home has a small garden	4	7	0	0	1	5	3	0	13	8	1
Home has unpleasnt outside space	35	8	21	18	11	19	42	89	12	11	6
error	1	1	1	1	1	1	1	1	1	1	1

Coefficient estimates

	More time, less stressed/tired	Isolated and disrupted lifestyle	Positive outlook	Conflict at home	Concern about health	More engaged in work	Improved environment	Worried about less healthy lifestyle	More time for people	Better connected	Better sleep
(Intercept)	0.45	1.38	-0.11	0.06	-0.24	-0.43	-0.14	-0.47	1.05	0.09	-0.73
age	-0.01	-0.02	0.00	-0.01	0.01	0.01	0.01	0.00	-0.02	-0.01	0.01
male	-0.14	-0.12	-0.20	-0.01	-0.32	0.04	-0.31	-0.08	0.00	-0.14	0.21
female	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a
other	-0.20	0.00	0.13	0.03	-0.06	0.00	-0.18	-0.06	-0.06	-0.45	-0.02
Left handed	-0.02	-0.01	-0.01	0.01	0.02	0.00	0.08	0.00	-0.02	0.00	-0.03
Right handed	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a
Ambidextrous	-0.09	-0.03	0.04	-0.08	-0.05	0.16	0.06	0.06	0.00	-0.20	-0.13
First Language_english	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a
FirstLanguage_Other	0.05	-0.26	-0.11	-0.04	0.21	0.07	-0.17	-0.19	-0.05	-0.25	0.13
Mixed ethnicity	0.11	-0.13	-0.04	0.03	0.08	-0.01	-0.08	0.12	-0.01	-0.03	-0.03
Unknown/other	0.20	-0.12	0.19	0.04	0.20	0.10	-0.14	0.18	0.01	-0.06	0.07
Sub-saharan African or Afro-american	0.41	-0.36	0.05	-0.11	0.16	-0.05	-0.37	0.29	-0.14	0.22	0.06
North African	0.21	0.05	0.27	-0.05	-0.12	0.00	-0.24	-0.01	-0.22	-0.14	0.21
West-central Asian	0.14	-0.04	0.19	0.09	0.26	0.14	-0.17	0.29	0.05	-0.07	-0.01
White european/american	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a
Country of residence is other	0.02	-0.03	-0.02	-0.01	0.02	-0.03	-0.10	-0.02	0.00	0.05	0.01
Country of residence is UK	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a
Secondary school/High school diploma	-0.05	-0.13	0.14	-0.01	0.04	0.00	-0.04	0.20	-0.12	-0.25	-0.06
PhD	-0.10	-0.04	-0.13	-0.03	-0.04	-0.07	-0.08	-0.05	0.07	0.02	-0.04
Primary/Elementary school	-0.10	-0.19	0.23	0.02	0.05	-0.03	0.04	0.26	-0.11	-0.45	-0.09
No schooling	-0.09	-0.08	0.34	0.21	0.02	0.48	0.16	0.29	-0.21	-0.67	-0.34
University degree	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a
Single	0.07	-0.11	0.00	0.04	-0.03	-0.11	-0.12	0.10	-0.27	-0.19	-0.09
In a relationship	0.04	0.00	-0.01	0.09	0.00	-0.03	-0.01	0.00	-0.10	-0.10	-0.01
Divorced	0.10	0.02	0.04	-0.05	-0.03	-0.09	-0.03	0.15	-0.12	0.02	-0.03
Widowed	0.06	0.22	0.16	-0.04	-0.04	-0.01	-0.11	0.06	0.01	-0.17	0.02
Seperated	0.01	0.21	0.01	0.06	-0.10	-0.06	0.03	0.06	-0.13	-0.11	-0.08
Married	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a
Other	0.01	-0.21	0.00	-0.01	0.00	-0.01	-0.12	0.05	0.07	-0.19	-0.14
Semi	0.03	-0.03	0.01	-0.02	0.07	-0.04	0.00	0.12	0.00	-0.06	-0.01

Flat	0.05	-0.06	-0.03	-0.04	0.09	-0.10	-0.04	0.11	0.01	0.05	0.02
Terrace	0.05	-0.07	-0.02	-0.03	0.05	-0.05	0.01	0.18	0.00	-0.02	0.00
River home	-0.12	-0.09	0.12	-0.04	-0.10	-0.03	0.07	0.10	0.16	-0.29	-0.01
Bungalow	0.02	-0.04	0.03	0.00	0.07	0.00	-0.02	0.10	0.00	-0.17	-0.01
Detached	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a	
Retired	-0.21	0.21	0.06	0.10	0.08	0.20	-0.13	-0.03	-0.24	0.39	0.20
Student	-0.06	0.29	0.24	0.20	-0.12	-0.12	-0.20	0.03	-0.05	0.17	0.16
working from home	0.04	0.05	0.06	0.08	-0.02	0.33	-0.28	0.17	0.08	0.44	0.03
Disabled/Not applicable/Sheltered employment	-0.46	-0.20	-0.01	0.08	0.50	0.06	-0.03	0.41	-0.03	-0.57	-0.15
Unemployed/Looking for work	0.00	0.15	-0.01	0.09	-0.03	0.06	-0.11	0.07	-0.03	-0.16	-0.16
furloughed	0.52	0.01	0.09	0.06	-0.02	-0.20	-0.11	0.09	-0.03	0.18	-0.17
other frontline health worker	-0.60	-0.09	0.15	0.02	0.01	0.46	0.11	0.15	-0.08	0.08	0.30
working in the office/lab/ other workplace	-0.46	-0.12	0.06	0.01	-0.01	0.37	0.00	0.08	-0.10	0.21	0.20
health worker with coronavirus patients	-0.94	-0.09	0.15	-0.02	-0.01	0.67	0.25	0.09	-0.12	0.06	0.34
retail of other job involving interaction with the public	-0.40	-0.14	0.10	0.00	0.08	0.31	0.08	0.07	-0.07	0.03	0.15
Homemaker	-0.25	-0.05	0.02	0.08	0.15	0.24	-0.09	0.12	-0.04	0.00	0.10
other work	0a	0a	0a	0a	0a	0a	0a	0a	0a	0a	
Income negatively affected by pandemic	0.03	0.45	-0.13	0.02	-0.02	-0.10	0.13	-0.13	0.26	-0.53	-0.18
Live with adult children	0.01	-0.12	0.02	0.11	-0.06	-0.06	0.00	0.11	0.11	-0.10	-0.06
Live with school children	-0.11	-0.15	0.05	0.30	-0.10	-0.04	0.03	0.20	0.32	-0.04	-0.01
Live with flat/house mates	0.02	0.22	0.03	0.01	0.02	-0.06	-0.05	-0.05	-0.53	0.11	-0.01
Live with friends	0.02	0.10	0.01	0.00	-0.07	-0.10	0.00	-0.19	-0.01	0.06	-0.06
Live with grandparents	-0.03	0.00	0.14	0.00	0.11	0.12	0.00	0.13	-0.18	-0.19	-0.07
Live with home schooled children	-0.15	-0.12	0.07	0.29	-0.03	-0.01	0.02	0.11	0.41	-0.01	0.02
Live with inlaws	0.03	0.00	0.03	0.16	-0.02	-0.05	0.04	0.00	-0.13	-0.04	-0.03
Living alone	0.11	0.27	0.03	-0.10	-0.08	0.04	-0.05	0.05	-0.78	0.09	-0.07
Live with parents	-0.02	-0.02	0.02	0.38	0.14	-0.08	-0.07	-0.05	-0.25	0.02	0.01
Live wih partner	0.00	-0.21	-0.01	0.09	0.02	-0.07	0.02	0.12	0.11	0.06	0.04
Live with opreschoolchildren	-0.52	-0.11	0.06	0.32	0.02	0.05	-0.01	0.18	0.49	0.02	0.19
Home has a balcony	0.03	0.05	0.01	0.03	-0.01	0.03	-0.11	0.00	0.03	0.14	0.04
Home has a large garden	0.02	-0.01	0.03	-0.02	-0.11	-0.01	0.11	-0.04	0.09	0.08	-0.01
Home ha no outside space	-0.10	0.16	-0.06	0.01	0.03	-0.04	-0.18	0.08	0.02	0.10	0.03
Home has overlooked outside space	-0.06	0.09	-0.07	0.04	0.09	-0.04	-0.08	0.14	0.03	-0.02	-0.04
Home has private outside space	-0.02	0.00	0.00	-0.01	-0.02	0.00	-0.03	0.03	-0.01	0.00	-0.04
Home has relaxing outside space	0.11	-0.06	0.05	-0.07	-0.02	0.00	0.10	-0.07	0.08	0.17	0.00
Home has a small garden	-0.04	0.05	-0.01	0.00	-0.02	-0.04	0.03	0.01	0.07	0.07	0.03
Home has unpleasnt outside space	-0.20	0.10	-0.16	0.13	0.12	-0.15	-0.24	0.36	-0.12	-0.14	-0.11

Observations

16	709
17	676
18	692
19	701
20	702
21	733
22	773
23	879
24	882
25	1041
26	1138
27	1215
28	1289
29	1322
30	1335
31	1268
32	1346
33	1248
34	1163
35	1168
36	1208
37	1115
38	1246
39	1439
40	1399
41	1285
42	1341
43	1278
44	1293
45	1552

46	1497
47	1521
48	1631
49	1720
50	1808
51	1596
52	1652
53	1710
54	1746
55	1847
56	1695
57	1654
58	1647
59	1583
60	1628
61	1460
62	1452
63	1411
64	1354
65	1313
66	1183
67	1121
68	977
69	857
70	852
71	711
72	733
73	642
74	378
75	352
76	278
77	220
78	162
79	153
80	123
81	86
82	98
83	66
84	39
85	44
86	117
Female	40844
Male	33402
Other	290
unknown	17
Ambidextrous	1915
Left handed	8014
Right handed	64624
English	70191
Other	4362
Mixed ethnicity	1630
North African	119
Rom, Sinti or B	48
Sub-saharan A	213
Unknown	3803
West-central A	224
White Europea	68516
United Kingdor	68720
other	5833
01 No schoolin	90
02 Primary/Ele	1493
03 Secondary s	26569
04 University d	43328
05 PhD	3073
Divorced	3208
In a relationshi	15779
Married	37595
Seperated	1140
Single	14995
Widowed	1836
Flat	11263
bungalow	4090
detached hous	24149

other	633
river home	182
semideteched	21526
terraced house	12710
Disabled/Not a	777
Homemaker	2405
Retired	14506
Student	5630
Unemployed/L	2340
furloughed	6798
health worker	1714
other	4143
other frontline	2873
retail of other j	2114
working from h	26782
working in the	4471
Income affecte	53093
Income affecte	21460
livewithadultch	12308
livewithatscho	12108
livewithflathou	2343
livewithfriends	1354
livewithgrandp	354
livewithhomes	4408
livewithinlaws	776
livewithlivingal	10179
livewithparents	9790
livewithpartne	47427
livewithpresch	5017
outsidespaceba	4132
outsidespacela	30258
outsidespacen	4301
outsidespaceo	7280
outsidespacepi	14131
outsidespacere	19083
outsidespacesi	33592
outsidespaceu	1241

Appendix 3e - PD-GIS-11 vs preexisting conditions

P values for main effects and covariates

	More time, less stressed/tired	Isolated and disrupted lifestyle	Positive outlook	Conflict at home	Concern about health	Increased productivity and structure at work	Improved environment	Worried about less healthy lifestyle	More time for people	Better connected	Better sleep
Anxiety	0.9422	0.0175	0.0209	0.2570	0.0000	0.3450	0.0552	0.0000	0.0122	0.0000	0.0000
ADHD	0.9137	0.1100	0.2172	0.0003	0.2866	0.6573	0.1503	0.0794	0.1549	0.0065	0.8752
Bipolar	0.9920	0.4420	0.2528	0.0839	0.2866	0.6157	0.0066	0.0530	0.2767	0.0001	0.0185
Depression	0.0002	0.0000	0.0000	0.0000	0.2145	0.0000	0.0889	0.0000	0.0001	0.0000	0.0000
OCD	0.7239	0.1403	0.3296	0.1411	0.0000	0.5852	0.0740	0.6014	0.1563	0.1377	0.7220
Other psychiatric	0.2140	0.0015	0.4172	0.0580	0.0432	0.0740	0.6014	0.0487	0.6004	0.0009	0.0247
Learning disability	0.0338	0.1039	0.1436	0.2853	0.9229	0.0562	0.2429	0.0131	0.8848	0.0000	0.4263
Dementia	0.8385	0.0000	0.0000	0.2052	0.0599	0.4425	0.0333	0.0639	0.0028	0.0020	0.8347
Motor neuron	0.3803	0.6229	0.3621	0.6744	0.3220	0.2179	0.0937	0.2852	0.2950	0.0311	0.7882
Multiple Sclerosis	0.0620	0.8261	0.6168	0.4905	0.1757	0.1980	0.6721	0.2287	0.8489	0.1928	0.7366
Stroke	0.4021	0.4455	0.0123	0.6551	0.7999	0.8189	0.2222	0.8244	0.0485	0.0046	0.5661
Cerebral palsy	0.0811	0.1921	0.4014	0.0410	0.5207	0.1687	0.7709	0.4560	0.6989	0.0205	0.7608
Other neurological	0.3592	0.0364	0.7452	0.0102	0.0364	0.0255	0.7626	0.0000	0.1030	0.0000	0.8597
Traumatic brain injury	0.3939	0.9740	0.4088	0.7804	0.9743	0.6306	0.0361	0.3077	0.3845	0.3068	0.6753
Huntington's	0.5716	0.4903	0.6536	0.8417	0.0593	0.7244	0.7799	0.8856	0.8992	0.4865	0.3320
Parkinson's	0.5189	0.9089	0.6965	0.8799	0.2291	0.9350	0.0038	0.6770	0.8220	0.3472	0.2081
'Error'	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000

F values

	More time, less stressed/tired	Isolated and disrupted lifestyle	Positive outlook	Conflict at home	Concern about health	Increased productivity and structure at work	Improved environment	Worried about less healthy lifestyle	More time for people	Better connected	Better sleep
Anxiety	0	6	5	1	393	1	4	30	6	44	101
ADHD	0	3	2	13	1	0	2	3	2	7	0
Bipolar	0	1	1	3	1	0	7	4	1	15	6
Depression	14	110	21	58	2	17	3	212	16	27	145
OCD	2	2	1	2	47	0	3	0	2	2	0
Other psychiatric	2	10	1	4	4	3	0	4	0	11	5
Learning disability	5	3	2	1	0	4	1	6	0	22	1
Dementia	0	19	18	2	4	1	5	3	9	10	0
Motor neuron	1	0	1	0	1	2	3	1	1	5	0
Multiple Sclerosis	3	0	0	0	2	2	0	1	0	2	0
Stroke	1	1	6	0	0	0	1	0	4	8	0
Cerebral palsy	3	2	1	4	0	2	0	1	0	5	0
Other neurological	1	4	0	7	4	5	0	20	3	31	0
Traumatic brain injury	1	0	1	0	0	0	4	1	1	1	0
Huntington's	0	0	0	0	4	0	0	0	0	0	1
Parkinson's	0	0	0	0	1	0	8	0	0	1	2
'Error'	1	1	1	1	1	1	1	1	1	1	1

Coefficient estimates

(Intercept)	N	More time, less stressed/tired	Isolated and disrupted lifestyle	Positive outlook	Conflict at home	Concern about health	Increased productivity and structure at work	Improved environment	Worried about less healthy lifestyle	More time for people	Better connected	Better sleep
		0.008874999	-0.02253887	0.002245452	-0.01988248	-0.03553512	6.26E-03	-0.00475401	-0.03958208	0.003004649	0.032301512	0.041376663
Anxiety	10210	0.00	0.03	0.03	0.01	0.25	-0.01	0.02	0.07	0.03	-0.08	-0.13
ADHD	449	-0.01	0.08	0.06	0.17	-0.10	-0.02	-0.07	0.08	0.07	-0.13	0.01
Bipolar	350	0.00	0.04	0.06	-0.09	-0.06	-0.03	-0.15	0.10	0.06	-0.21	-0.13
Depression	10214	-0.05	0.13	-0.06	0.10	-0.02	-0.05	0.02	0.18	-0.05	-0.07	-0.15
OCD	797	-0.01	-0.05	-0.03	0.06	0.25	0.06	0.02	-0.06	0.02	-0.10	-0.07
Other psychiatric	1099	-0.04	0.10	-0.03	0.06	-0.06	-0.06	-0.01	-0.05	-0.05	-0.10	-0.07
Learning disability	856	-0.07	-0.06	0.05	0.04	0.00	0.07	0.04	0.09	-0.01	-0.16	-0.03
Dementia	47	-0.03	-0.65	-0.64	0.19	-0.28	-0.12	-0.32	0.28	-0.45	-0.46	0.03
Motor neuron	26	0.18	0.10	0.19	0.09	-0.21	0.26	-0.35	-0.22	-0.22	-0.45	0.06
Multiple Sclerosis	234	-0.12	-0.01	-0.03	0.05	0.09	-0.08	0.03	-0.08	0.01	-0.09	0.02
Stroke	430	0.04	0.04	0.12	0.02	0.01	-0.01	-0.06	-0.01	0.10	-0.14	-0.03
Cerebral palsy	54	0.24	0.18	-0.12	-0.29	0.09	0.19	0.04	0.10	-0.05	-0.32	-0.04
Other neurological	1856	-0.02	-0.05	0.01	0.06	0.05	0.05	0.01	0.11	-0.04	-0.13	0.00
Traumatic brain injury	99	-0.09	0.00	0.08	-0.03	0.00	0.05	0.21	0.10	0.09	-0.10	-0.04
Huntington's	19	-0.14	-0.17	0.11	0.05	-0.46	-0.09	-0.07	-0.04	-0.03	-0.17	0.24
Parkinson's	120	-0.06	-0.01	0.04	-0.01	0.11	-0.01	-0.27	0.04	-0.02	0.09	-0.12

Incidence / Observations

Incidence %	Observations N	Group
12.76	10210	Anxiety
0.56	449	ADHD
0.44	350	Bipolar
12.77	10214	Depression
1.00	797	OCD
1.37	1099	Other psychiatric
1.07	856	Learning disability
0.06	47	Dementia
0.03	26	Motor neuron
0.29	234	Multiple Sclerosis
0.54	430	Stroke
0.07	54	Cerebral palsy
2.32	1856	Other neurological
0.12	99	Traumatic brain injury
0.02	19	Huntington's
0.15	120	Parkinson's

Appendix 3f - PD-GIS-11 vs caring for older adult

P values for main effects and covariates

	More time, less stressed/tired	Isolated and disrupted lifestyle	Positive outlook	Conflict at home	Concern about health	Increased productivity and structure at work	Improved environment	Worried about less healthy lifestyle	More time for people	Better connected	Better sleep
'q95Areyoucaringforanolderorvulner'	0.0000	0.0678	0.3474	0.0514	0.0000	0.0000	0.0000	0.0000	0.0002	0.0000	0.5463
'Error'	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000	0.5000

Coefficient estimates

	More time, less stressed/tired	Isolated and disrupted lifestyle	Positive outlook	Conflict at home	Concern about health	Increased productivity and structure at work	Improved environment	Worried about less healthy lifestyle	More time for people	Better connected	Better sleep
'(Intercept)'	0.01	0.00	0.00	0.00	-0.02	-0.01	-0.01	-0.01	0.00	0.01	0.00
Caring for a vulnerable older adult = 'yes'	-0.05	-0.02	0.01	0.02	0.17	0.05	0.06	0.06	0.04	-0.08	-0.01

Observations

Yes	8532
No	66021

F values

	More time, less stressed/tired	Isolated and disrupted lifestyle	Positive outlook	Conflict at home	Concern about health	Increased productivity and structure at work	Improved environment	Worried about less healthy lifestyle	More time for people	Better connected	Better sleep
	20	3	1	4	223	22	28	24	14	52	0
	1	1	1	1	1	1	1	1	1	1	1

Appendix 3g - PD-GIS-11 vs traits and technology variables

Appendix 5a - negative topics (zoom to read)

Here are the top 10 exemplars of each

Not being able to see relatives

"not seeing grandson, son, daughter in law, daughter, son in law. especially not being able to travel to visit dad who had a heart attack and was in hospital"

"missing family, seeing my mum, brother and nieces, cuddling family members - having that physical connection"

"bereavement being unable to see and hug family members especially at the funeral. missing contact with close friendsjust not being able to socialize"

"miss my parents, wider family and friends. miss family gatherings and grandparents spending time with children"

"not being able to see close family; not being able to hug family; not being able to be with close friends and family"

"being unable to visit elderly parents. not being able to visit or physically touch friends, especially those grieving"

"being unable to visit/care for elderly parent living 200miles away especially on 95th birthday and being unable to visit newly born child in family in scotland."

"not being able to see my parents, sister, nieces and in laws. my parents are missing out on my baby growing up and i miss the hugs."

"not being able to spend time with extended family and not being able to have a proper funeral for my gran.not being able to give them hugs."

"not being able to hold a proper funeral for my grandad or hugging and physically spending time with family members and close friends"

Problems with working and schooling from home

"both i and my husband are keyworkers. my daughter (11) goes to school hub.... frequently being the only pupil in her class. i feel guilty for not being able to stay home with her. feel she is missing out on the quality time her peers ars having. due to working hours (9-5) very little time left in evening for quality time with her.... trying to make sure she is upto date with school work (very little school work completed in hub ... no peer support.... left to own devices to just get on with it."

"the balance between working from home and supporting the children in their school work it's very difficult and stressful at times and can cause more bickering.increased tension can cause a few more marital arguments.i feel i'm easily distracted at home and snack more which is not healthy.i also feel the days are rolling into one and then becoming monotonous as we can't do anything new or different as it usually involves leaving the home to do this."

"trying to work from home whilst partner works during the day i look after children then i start work once they are in bed so very late nights for me. it's almost back to a 1950's house where the woman cooks cleans and looks after children with the 21st century spin of working on top of all of that!"

"spending more time with my young childrenli am working from home full time, my wife part time. this has been very difficult at times with 2 pre schoolers and can feel like i am not parenting or completing my paid work as well as before"

"having to teach myself my a-levels is hard. i am also used to having all the school's resources (access to a workshop) which i no longer have. also i am worried that if lots of students this year defer a year before going to university, my year of application will be very competitive and my year may not have as good results due to fewer hours spent with a teacher."

"i dont mind it adult children dont like they are not allowed in and argue with me on the door step. dont really like working from home i run a help line more suicide calls id rather deal with these in a team and not at home, feel more tired so no using time effectivly, frink 1 glass red wine every few days. not doing my homework for a course feel unfocused more tired work more demanding lucky to have a job though"

"dramatic increase in how tired i feel which makes doing my uni work from home incredibly difficult. i am far less productive. i feel stressed as i feel i should be spending time on my hobbies, doing something new in lockdown, but instead i am spending all my time trying to write essays for uni and not doing them very well as i am tired/unproductive."

"my wife still works full time, with a long commute. i care for our 2 year daughter upto 14 hours a day, but still feel pressure to deliver work from home."

"both my husband and myself trying to work from home and look after (home school) a 5 year and 7 year old has been very stressful. i have much less time in the day to try and get stuff done. no cleaner or ironing lady has added to the stress. the situation is near impossible because the schools are not open."

"no school means problems as we have a small child and i have full time work from home but my husband who's a full time dad has no relief which is stressful. feel guilty about having to work so much when i am here."

Disruption of social and recreational activities

"not being able to visit family and friends whom normally i would see daily or weekly. not being able to attend weekly church services. not being able to visit local shops daily, nor to travel short distances to shop further from home. not being able to go to the gym, to a weekly tai chi class and the choir.not being able to invite friends into our house, nor to go to their houses. not being able to visit the library, art gallery, or museum in the city, and not being able to attend concerts or plays."

"being unable to visit family who are scattered around the country; and being unable to participate in my hobbies such as going dancing with friends, on holidays and weekends away, and attending daily sociable exercise classes at the local leisure centre."

"freedom of movement, cannot just hop in the car to local pub or shops, miss the social interaction with the village group of oldies when we would meet for a pint and a natter in the local pub. also miss local village activities and clubs"

"queuing for supermarkets and farm shops. garden centres being shut to get my garden and greenhouse plantswi.and flower club not taking place and cancelled holiday with friends to brazil and peru"

"not being able to take my dog on the walks he enjoys (country parks) as the were closed. meeting socially with friends - having coffee/lunch/dinner. not being able to attend exercise classes ."

"boredom, no socialising, pubs visits, informal chats in the shops, cafes closure of public places, restaurants, sporting and cultural activities."

"inability to go to regular social events: pub quizzes, knitting group, wi activities.closure of local recycling centre, garden centre, pubs, hairdresser"

"miss spontaneity of going for a walk and popping into the pub for a couple of pints or getting dinner. not able to get some food, and do not want to be in supermarkets. not being able to play tennis. and not being able to meet with friends."

"unable to see parents/siblings and their families. unable to go out to restaurants, cinema, theatres etc. unable to go out for the day to the seaside or a local countryside settings such as the canal for walks etc."

"cancelled holiday. cancelled trips. no driving/riding out for the day. can't go to garden centre. can't meet up with friends. no restaurants open. missed a birthday celebration."

Physical and mental health concerns

"lives being lost due to depression, more people suffering due to abuse (less support), financial problems, losing jobs. future problems with the economy. the general cost this is causing the young who are the future."

"lack of social contact - lack of decent access to healthcare. concerns about personal health and that of loved ones. lack of contact with grandchildren"

"loss of support network, fear of health implications, impact on physical and mental health, increase in expenses and uncertainty regarding finances."

"number of deaths. job losses and long term impact on economy. negative impact on many peoples quality of life could be long term. less career opportunities for young. education affected"

"anxiety about health and loved ones. isolation and lack of socialisation. worry about the economy and the future of my job and the hospitality business"

"the feeling of lack of purpose, loss of routine. long term will be loss of a business and therefore a huge life change."

"separation from loved ones for most people, loss of employment /income for many. fear and worry about health and future."

"growing rates of domestic abuse and peoples concern for loved ones. worry about the future state of the economy and jobs."

"loss of retirement income due to business failure, worry about elderly relatives, worry about children's jobs and economic impact on their future"

"worry about health of myself and loved ones. worry about future job security due to economic impact and impacts on the industry sector i work in."

Politics, government, and media.

"the fact that the public are being made to feel responsible for whether or not the nhs and their staff can get through this crisis. the coping of the nhs is not the public's responsibility, it is the responsibility of government. had we not had 10 years of tory cuts to the nhs and social care, we may have coped better. the way the crisis was handled from the start was terrible - the slow response of government, the arrogant way we wanted to do things our own way rather than model better countries like germany - now their economy will recover far faster than ours as they acted quicker and realised that the key was to test more . the ppe shortages in care homes and the nhs were a disaster too - a disgrace. people seem to have forgotten very quickly how in his first budget, rishi sunak did nothing for the social care system.....yet now boris says how sorry he is. the truth is the tories really do not care about the nhs and social care, we just need the public to realise this and stop believing boris' lies !"

"the british press to not celebrate the positive, they have not given the government any credit for the calm and controlled way they have dealt with the crisis, instead they ask the same question over and over again and focus on the negative elements and how many people have unfortunately lost their lives rather than celebrating those who have recovered. they also show graphs and numbers that do not give the correct impression. showing absolute figures instead of per capita is totally misleading. equally talking about new zealand who have more sheep than people and fewer people that we have in london is again a pointless and scaremongering approach."

"while many people are following government advice, many other people are still disregarding it and expecting that they will not be affected. this is negative for a few reasons. firstly, and most obviously, those people are allowing the virus to spread. secondly, this causes another division - between the careful and the careless. and whatever the outcome of this crisis may be, this division of opinion is just another thing people will argue about."

"the reasons so many have suffered during this pandemic are down to the current tory governments political decisions, now and over the last decade. they don't value or respect the people they govern (allegedly), or anyone who isn't like them. they don't even hold their own to account (unelected on the public payroll) when they flaunt the rules we've been forced to live by to protect each other. they hold us in contempt, it's deplorable. they are a destructive force who don't seem to know or care how to govern. they and their attitudes towards us is the most negative thing about lock down."

"peoples attitude to social distancing and the mount of people who think it doesn't apply to them. panic buying. government trying to make up for years of underfunding of the nhs is the biggest negative. will it improve the governments view of the nhs? no. it'll claim that the nhs was successfully funded and ignore that we all had to pay by locking down and you can bet your boots they'll make us pay more in taxes to cover for it."

"media coverage especially news on bbc, sky, itv and also newspapers, especially those left-leaning politically. poor behaviour of some individuals eg panic buying, too much virtue signalling, incorrect analysis and presentation of statistics and surveys, too much 'fake news', the 'politicisation' of the crisis again especially by the left. the over the top 'heroisation' of the nhs and other key workers, the closing down of many nhs services, the 'putting down' of the uk by giving undue praise to other nations, mostly by tv and printed press, the unfair criticism of the government in its genuine efforts, too many boffins and professors being presented as 'experts', not enough common sense being applied, the cockiness of the mostly under-30s in considering themselves not at threat, too many online/digital show-offs posting 'look at me' videos etc. not enough stoicism - ie. too many people have responded to the crisis in a hysterical or over the top manner, and also those with minority views and behaviours are being presented by media as representative of the whole nation. so overall the mode of reporting of the media emerges very badly"

"media- disgraceful twisting and manipulation of 'news. no effort to report facts only to try to distort words and facts to make a story. media only looking for the worst in everything and reporting speculation and opinion as fact.i have noticed that people believe most of the completely non factual information fed to them by the mainstream media"

"the rush to get out of it; while i understand the economical reasons for lockdown to end, coming out of it so soon could result in an overall worse pandemic & lead to more unnecessary deaths. the general negative attitude towards lockdown is the worst part of lockdown."

"essential workers are put at risk, when many of them didn't sign up for it or are vulnerable themselves. you constantly have to worry about people you know getting sick or dying, and know that there is no way to see them again before it happens."

"the most negative thing is watching the government back pedal and twist statistics in order to avoid panic (funny how ons data was only added when the daily death toll wouldnt be over 1000, we still don't have recovery data despite officials saying it was 'easily available' online). it has become increasingly obvious that boris johnson is just a cheeto-lite version of trump. i can't believe that we are supposed to be taking him seriously when he can't even say the right words. i don't like that our country is so uneducated and selfish that we are in a position to place money and billionaires and capitalism over 50,000 lives, and that nobody took this seriously in the first place. it is honestly shocking that all the news and the media aren't reflecting the seething discontent in most of the country.this guidance is 'vague' and impossible to apply to various sectors. the department for education has been slow to release information, probably because the government has been slow to create it! we live in a dystopian society, and pretty soon we will be in covid defined 'districts' like the hunger games, and everybody in this country is just going to do what they are told and stick their heads in the sand. well i am telling you that this was widespread in january but nobody had any tests, to confirm it because our government would prefer to twiddle their thumbs and deal with brexit."

Appendix 5b - positive topics (zoom to read)

PostivesTopics
Perpexity index suggests just 10 topics for the positives

Data cleaned/preprocessed, lemmatised and tokenised prior to LDA modelling, optimal model order determined by selection of lowest perplexity index

Here are the top 10 exemplars of each

More free time, including for recreation
"saving time and money not having to commute. less stress from commuting. saving money on other things. working from home. seeing my partner more. sleeping more. relaxing more. doing less."
"less time commuting, work less stressful, saving more money!"
"time to spend with partnerbetter sleep as i'm worrying less about commuting less stress due to no commute"
"more free time at home. less commuting. work hours less rigid"
"more free time to exercise and cook healthier meals. less work stress as only working part-time and less work to do."
"having more time to exercise as having to commute less. less stressed due to work"
"working from home, no commute. more free time. saving money"
"not commuting, exercising more, drinking less and eating healthier and saving money"

"spend more time with family who are working from home and are less stressed due to not commuting but still can work productively ,remotely .from their workplace ."
"i have more time to look after me. working from home saves me commuting time allowing me to work less hours in a day."

Better natural environment
"reduction in air pollution noise pollution fewer cars on the roads safeir walking and cycling more birds and other wildlife"
"less pollution, less traffic noise, clearer skies due to reduced air traffic"
"fresh air, appreciation of the wildlife, less traffic, less pollution , less aircraft noise"
"less travel and associated costs, less cars on the roads. less pollution due to less of road and air travel"
"less traffic on the roads, decrease in emissions. improved environment, less air traffic.clear sky."
"less noise from motorway traffic & the sky is so blue. there are less planes & you can hear the bird's singing."
"cleaner air, less traffic, less noise can now hear birds singing."
"less traffic, less noise, more wildlife and birdsong. less pollution. no aeroplanes flying over. can cross the road more easily."
"cleaner air due to less planes in the sky and also less traffic on the roads."
"quieter streets. cleaner air. less pollution. fewer cars. more bikes"

More time to focus on other important things
"been able to get house in order and complete tasks that have been put off for years"
"got to do jobs around the house that normally gets put off"
"more time with my wife. i hadn't had a proper break from work in almost a year. although i'm working from home it is like having an enforced holiday! i feel well rested for the first time in about 3 years!"
"able to get the garden jobs done that would have probably taken longer. jobs that have been put off,"
"my partner has been able to stay at home with me and our 6 month old daughter which has meant that he could witness a lot of "firsts" that he would have missed if at work."
"most positive is being able to get around to jobs around the house like diy, gardening, that i don't normally get around to."
"finally getting jobs done around the home that i've been putting off"
"i am on maternity leave with my 8 month old daughter and it has been great to have my partner at home to hang out with us and share the workload as he is only working 3 days a week now and before was working 7 days a week and in the evenings."
"all the jobs that we have been putting off have been done and diy jobs all finished."
"husband and son who normally work away from home are at home with me, so no longer alone during the week."

Slower pace of life, time to pause and take stock
"allowing the world to slow down and restart, making everyone see things from a different perspective. it really highlights what is important in life."
"the general pace of life has slowed down giving more time to consider life structure and once for the future."
"slower pace of life. realising that we should slow down and enjoy life a bit more"
"the pace of life has slowed down which is not a bad thing. i appreciate my loved ones more now too."
"giving everyone an opportunity to reflect on not their lives but everyone's lives.time to stop and appreciate what actually matters"
"the pace of life has slowed allowing people a breathing space, a chance to take stock and to value the things that really matter - each other, the environment and the special moments in life."
"enjoy the simple things in life, recognising and then letting go of things that you previously thought were important but have now realized what truly matters in life. detaching yourself from objects and materials and loving and appreciating living things."
"the chance to reflect on the important things in life, slow down and enjoy nature."
"taking time to reflect on what is important in life. realising that i don't need all the things i thought i did to be happy"
"slowing down the pace of life, simplifying things. realising the things i don't need."

Positive longer term global change
"awareness of what is happening all over the world. how the economy will change - for better or worse. will the global pandemic be a sign of the future state of the health of the world?"
"increase in people looking out for each other, positive environmental impact, shown how we can solve big global problems e.g. climate change"
"positive impacts are hard to see but we are allowing the health service to build capacity to deal with covid cases when the lockdown ends."
"for many people this experience has brought an appreciation of those who work in essential services, and this may translate into an ongoing understanding that adequate funding for the future is essential."
"hopefully the nhs and lower paid key workers will be shown more consideration and respect."
"short-term positive effect on the environment and short-term higher value placed on key workers and nhs."
"a reconfiguration about the importance of the lowest paid workers (and frontline health workers) in our society."
"greener environment and positive effects on climate change which i hope can be continued."
"appreciation of the nhs and a possibility that a tory government which is traditionally ideologically opposed to the nhs might have a change of heart and think it is worth investing in."
"i'm hopeful that people will realise we are not as secure as they think, and therefore will start to take climate change seriously. hopeful it will be a good chance for meaningful change in this respect, green economy etc."

More time with family
"i have more time to play persona 5 royal and i have been spending more quality time with my immediate family"
"spending more time with family at home. seeing more of my kids. kids are seeing more of their dad than before."
"spending quality time with my wife and young son."
"spending quality time with my daughter and not having to teach stroppy kids"
"being able to spend more time with my husband. for my husband to be able to bond with our young baby."
"spending more time with wife, young family and pets"
"having more time with my immediate family; spending time with my children."
"family time - spending more time with husband and him with the baby."
"for those with families and children, they are able to spend more quality time together"
"spending time with my children and not having the guilt of spending time with wider family"

Community spirit
"the community spirit which has emerged, people saying hello to neighbours, people helping the more vulnerable in the community"
"sense of community has increased. seems to genuine concern for others - strangers helping strangers"
"people in general seem to be friendlier and there seems to be a greater sense of community."
"there is a greater sense of community, people are helping each other and generally being friendlier and more tolerant. much better for wildlife"
"the sense of community has been amazing. i have gotten to know neighbours i would only know to say hello. i have helped and been given help."
"the coming together of the local community. villagers have become more friendly and generally more helpful and kind to each other."
"people are pulling together more and are caring for the vulnerable and generally looking out for people more"
"sense of community, stronger connection with the neighbours and the wider community. more kindness anc compassion"
"greater feeling of connection with neighbours, greater sense of community"
"communities coming together and helping, volunteering.creativity of people, shared to entertain others."

Time for new skills and exercise
"the free time to do hobbies, and also to read more and also i have time to exercise and learn a new skill like juggling. i am cooking more, and am reading articles i am interested in that can help to complement my upcoming sixth form courses."
"finding out about yourself, finding time to try new things like yoga, time to learn, time to read"
"the ability to enjoy time on your own and explore hobbies and interests. more time for reflection. more creative time."
"because my gcse exams were cancelled, i now have time to do hobbies such as reading and watching g films. i also have time to learn a new instrument and a new language!"

"i have been able to do a lot more exercise and have enjoyed playing with my dogs. i have been able to relax a lot more and do things i otherwise wouldn't have time to do."
"i have more time to do things i wouldn't normally do like baking, reading doing craft projects"
"the ability to spend more time relaxing, taking regular exercise and enjoying preparing and eating healthy meals"
"having more time for things i wouldn't have otherwise tried out e.g. running, reading, playing music"
"can discover new things like interests, more time with family, tests your self-discipline, more time to learn new things"
"i have had the time to learn new skills that i wouldn't have time to learn otherwise"

More regular digital contact
"i've discovered new ways of keeping in touch digitally and have spoken to people i love but don't often see more regularly."

"connecting with friends and family more frequently and esp. those in other countries. using social media such as houseparty and zoom to connect with groups of people."
"for me it has been making more effort to communicate regularly with family and friends - i keep a list of people to ensure that i ring them regularly"
"more regular communication with family, friends and loved ones if not face to face."
"being able to use technology to communicate (eg teams, zoom, google meet etc) and keep in touch with friends overseas"
"being more in touch with friends and family via zoom, including people i didn't used to speak to much before the lockdown."
"i can do my schoolwork easily whilst remaining in touch with friends. i also talk more to people and engage in conversations with family and quizzes via video"
"the fact that most people have complied willingly. i have made more effort to stay in touch with my closest friends and family."
"i have kept active everyday but miss the social contact of my family i also miss the social contact with friends when meeting for group activities and hobbies"
"friends and family are contacting me more regularly by phone than they did before the coronavirus - just for long chats, or to check up on me as an elderly person."

Enjoying the outdoors & wildlife more
"going out for a walk and not hearing the sirens the fire engines building work especially living in the middle of london you can hear the birds and actually appreciate that you're walking through the park"
"the warm weather makes it easier to forget what's going on when going for a daily walk"
"going for a daily walk and listening to and watching the birds"
"no pressure to be anywheretime just to beqoing for daily walk and enjoying the outdoors"
"lack of pressure to be busy which i saw in a lot of people before "how are you?" "so busy" as if it was a badge of honour. we can hear the birds better. lack of structure from external pressures can be a problem. those , like us who are already retired have an advantage in that we have had time to become acclimatised to having no external pressures."
"more relaxed at home. lovely walks and exploring our local area."
"for me, it hasn't been a problem as i am not distressed at being alone and quite enjoy the freedom, and longer walks with my dog, thanks to glorious weather."
"walking my dog everyday and seeing people out exercising in small family groups.listening to the birds when out walking and watching them in the garden."
"the quietness and not having to rush around for appointments or to places i am required to do. i have enjoyed doing things from home. the roads are also more quite and it is generally more peaceful."
"going on walks and seeing more nature. more birds and wildlife around."

Appendix 4c - Advice topics (zoom to read)

Appendix 4d - Advice topic prevalences vs risk factors (zoom to read)

	Caring for older adult		Disabled/shielded		Health worker		Retired		Anxiety		Depression		Income negatively affected		Cohabitees (t)			Cohabitees (p)		
	t	p	t	p	t	p	t	p	t	p	t	p	t	p	school children	home-schooled children	preschool children	school children	home-schooled children	preschool children
Establish a healthy routine	0.538	0.590	-4.491	0.000	-1.784	0.074	-5.315	0.000	-1.614	0.000	-5.785	0.000	-2.306	0.021	3.933	1.219	0.254	0.000	0.223	0.799
Connect with others using video calls, including in novel ways [e.g. "virtual TV nights"]	-0.082	0.935	-1.294	0.196	1.610	0.107	6.982	0.000	0.402	0.688	-1.857	0.063	-3.737	0.000	2.006	-0.115	1.853	0.045	0.909	0.064
Do meditation, yoga, or other mindful activities	1.113	0.266	-2.029	0.042	2.998	0.003	-9.861	0.000	4.647	0.000	-0.257	0.797	-1.071	0.284	2.505	-1.309	0.869	0.012	0.191	0.385
Try to do a little exercise, even if you don't feel motivated	1.517	0.129	3.918	0.000	-1.469	0.142	-5.597	0.000	2.468	0.014	3.438	0.001	-0.402	0.688	0.401	-3.270	2.341	0.689	0.001	0.019
Go outside	0.452	0.651	-2.553	0.011	0.588	0.556	-0.617	0.517	-1.222	0.222	-1.877	0.061	1.908	0.056	3.682	1.232	-1.079	0.000	0.218	0.281
Keep busy	0.185	0.853	0.728	0.467	-0.980	0.327	6.593	0.000	-2.490	0.013	-3.067	0.002	0.079	0.937	0.596	-2.022	-0.901	0.551	0.043	0.368
Use healthy distraction techniques when stressed	-0.079	0.937	-1.305	0.192	-1.239	0.000	1.124	0.261	-1.683	0.092	-1.253	0.210	-1.645	0.100	1.169	0.072	1.164	0.242	0.942	0.245
Try hard to have a healthy diet and minimise alcohol use	1.841	0.066	-1.850	0.064	-0.179	0.858	-8.332	0.000	-0.099	0.921	-0.124	0.902	3.244	0.001	2.138	-1.176	1.041	0.033	0.239	0.298
Structure your day	0.895	0.371	-2.261	0.024	-3.421	0.001	2.122	0.034	-3.026	0.002	-4.369	0.000	-0.428	0.669	2.500	-0.900	1.967	0.012	0.368	0.049
Do more puzzles	-0.605	0.545	-3.428	0.001	-0.894	0.372	10.729	0.000	-1.111	0.267	0.060	0.952	-0.640	0.523	0.547	-0.886	2.596	0.584	0.376	0.009
Enjoy the peace and quiet	-1.092	0.275	0.230	0.818	0.229	0.819	0.795	0.426	0.429	0.668	0.615	0.538	1.209	0.227	4.778	1.586	2.898	0.000	0.113	0.004
Go to the park	-1.674	0.094	-4.049	0.000	-0.607	0.544	-1.135	0.256	-1.888	0.059	-1.816	0.069	5.196	0.000	1.511	-2.446	0.281	0.131	0.014	0.779
Take up a new hobby	-0.335	0.737	-0.002	0.998	0.083	0.934	1.339	0.181	1.715	0.086	1.203	0.229	1.133	0.257	1.912	-1.007	2.457	0.056	0.314	0.014
Set up regular contact times for friends and family, whether over the telephone or using video calls	0.932	0.352	0.131	0.896	0.998	0.318	2.952	0.003	1.565	0.118	-0.537	0.591	-5.869	0.000	0.388	-1.531	-0.766	0.700	0.126	0.443
Keep in touch with family and friends	-1.558	0.119	-0.943	0.346	0.137	0.891	19.506	0.000	-1.275	0.202	-2.934	0.003	0.787	0.432	0.185	-1.802	3.590	0.853	0.072	0.000
Take the opportunity to slow down a bit	1.295	0.195	1.778	0.075	-1.666	0.096	-0.478	0.633	0.886	0.376	2.592	0.010	-7.057	0.000	9.021	3.967	7.119	0.000	0.000	0.000
Spend more time with family	-3.067	0.002	-0.956	0.339	-0.372	0.710	-4.705	0.000	-0.799	0.424	-0.696	0.486	-0.302	0.763	1.442	-2.631	-1.004	0.149	0.009	0.315
Focus on getting through the current day; try not to worry so much about the future	-1.471	0.141	1.267	0.205	-0.335	0.738	2.588	0.010	-0.221	0.825	0.187	0.852	0.817	0.414	-0.896	-3.082	0.927	0.370	0.002	0.354
Help older adults / shielded people	-0.585	0.558	3.852	0.000	-0.509	0.611	3.325	0.001	1.272	0.203	2.335	0.020	-1.374	0.169	4.085	-0.269	2.290	0.000	0.788	0.022
Maintain a work routine	0.682	0.495	-2.347	0.019	-2.248	0.025	-6.003	0.000	-1.253	0.210	-1.037	0.300	0.602	0.547	1.917	-0.601	3.240	0.055	0.548	0.001
Take up or revisit hobbies that you don't normally have time to do	0.596	0.551	2.024	0.043	-0.985	0.324	-0.814	0.416	1.864	0.062	3.559	0.000	0.326	0.744	2.646	-1.804	2.467	0.008	0.071	0.014
Do something creative	-1.853	0.064	-1.284	0.199	0.784	0.433	2.257	0.024	1.122	0.262	0.302	0.762	-0.664	0.506	1.982	-0.358	3.331	0.047	0.720	0.001
Be kind to yourself and others	1.252	0.211	2.548	0.011	-0.626	0.531	-9.797	0.000	-2.005	0.045	-1.064	0.287	1.865	0.062	0.898	-0.007	-0.480	0.369	0.994	0.631
Try to focus on the positives	-1.357	0.175	-0.802	0.423	2.919	0.004	0.415	0.678	-2.005	0.045	7.778	0.000	2.834	0.005	7.921	3.964	5.945	0.000	0.000	0.000
Minimise time reading or listening to the news	-1.904	0.057	1.531	0.126	0.789	0.430	0.063	0.950	2.277	0.023	2.758	0.006	2.949	0.003	2.260	-2.265	3.516	0.024	0.024	0.000
Reflect and take stock	-0.702	0.483	4.253	0.000	1.308	0.191	1.849	0.064	-1.603	0.109	-1.477	0.140	0.167	0.867	4.312	0.801	1.006	0.000	0.423	0.315
Volunteer to help others	-0.826	0.409	3.407	0.001	0.601	0.548	6.963	0.000	1.395	0.163	2.296	0.022	3.804	0.000	4.224	-0.494	3.245	0.000	0.621	0.001
Take pleasure from the simple things	0.448	0.654	-1.103	0.270	2.818	0.005	-1.960	0.050	1.831	0.067	-0.729	0.466	-1.886	0.059	4.704	1.205	1.583	0.000	0.228	0.113
Be more communicative with people around you, when out and about	-0.759	0.448	4.703	0.000	0.088	0.930	4.996	0.000	2.256	0.024	3.161	0.002	1.599	0.110	4.145	1.832	1.105	0.000	0.067	0.269
Read books	0.221	0.825	1.198	0.231	0.862	0.389	-1.000	0.317	0.312	0.755	0.618	0.537	-1.242	0.214	1.935	-1.977	0.618	0.053	0.048	0.102
Engage in online courses and clubs	0.877	0.380	2.179	0.029	-0.143	0.886	5.519	0.000	-0.658	0.510	-0.471	0.638	-1.267	0.205	2.630	-0.717	1.838	0.009	0.473	0.066
Work out what makes you happy and make sure you do it	1.719	0.086	-0.048	0.962	-1.508	0.132	-2.820	0.005	1.939	0.053	1.076	0.281	2.539	0.011	1.857	-1.580	2.166	0.063	0.114	0.030
Segregate work time from non-work time	-1.099	0.272	-2.865	0.004	3.102	0.002	-13.330	0.000	-3.121	0.002	-1.881	0.060	-1.536	0.125	2.905	-0.148	3.810	0.004	0.882	0.000
Listen to music, radio or just the wildlife	-0.220	0.826	0.136	0.892	0.647	0.518	-13.580	0.000	3.832	0.000	-0.207	0.836	-1.007	0.314	1.715	0.086	0.015	-2.763	0.990	0.322
Maintain the work routine	1.247	0.212																0.988	0.006	
Maintain your mental and physical health	-0.628	0.530	0.229	0.819	0.674	0.500	-6.429	0.000	3.668	0.000	2.788	0.005	0.359	0.720	-0.462	-2.471	0.551	0.644	0.013	0.582
Accept the things you cannot change and change the things you can	-0.348	0.728	0.577	0.564	0.104	0.917	1.454	0.146	-2.069	0.039	-0.726	0.468	-0.510	0.610	1.074	-2.330	0.321	0.283	0.020	0.748
Set targets to achieve each day	1.187	0.235	-1.921	0.055	-0.531	0.595	-9.032	0.000	-0.767	0.443	-1.398	0.162	1.946	0.052	2.255	-1.003	0.055	0.024	0.316	0.956
Follow lockdown rules and work out new approaches to reduce stress in the household	1.617	0.106	3.524	0.000	0.372	0.710	4.879	0.000	-1.937	0.053	-0.779	0.436	2.810	0.005	7.254	2.210	6.173	0.000	0.027	0.000
Maintain personal hygiene and wash hands regularly	-0.309	0.757	-0.792	0.428	3.199	0.001	-1.943	0.052	-1.394	0.163	-0.326	0.745	-1.984	0.047	3.086	-0.938	0.325	0.002	0.348	0.822
Find something productive to do each day	1.722	0.085	-0.283	0.778	-2.554	0.011	-2.812	0.005	2.284	0.022	1.906	0.057	-0.172	0.863	5.483	2.493	5.691	0.000	0.013	0.000
Stay safe and think about your own health and also that of others	0.708	0.479	0.674	0.501	0.206	0.837	1.180	0.238	-0.347	0.729	-0.846	0.398	-0.298	0.765	0.537	-2.083	0.249	0.591	0.037	0.803
Complete little jobs around the house	-1.610	0.107	-0.174	0.862	-0.233	0.816	10.223	0.000	-4.315	0.000	-2.412	0.016	-1.958	0.050	2.050	-1.054	1.384	0.040	0.292	0.166
Do the jobs you have been putting off	-2.024	0.043	0.672	0.501	1.035	0.301	3.030	0.002	-3.168	0.002	-1.292	0.196	-2.768	0.006	4.583	-0.001	0.460	0.000	0.999	0.646
Learn a new skill or language	1.544	0.123	-1.513	0.130	-2.242	0.025	-2.688	0.007	-1.032	0.302	-2.186	0.029	-0.490	0.624	1.286	-3.821	1.190	0.198	0.000	0.234
Get some fresh air	0.995	0.320	-2.739	0.006	-1.115	0.265	-3.952	0.000	0.226	0.821	-2.468	0.014	2.214	0.027	2.496	-0.571	3.872	0.013	0.568	0.000
Break the mould: do something different or creative.	0.710	0.478	0.946	0.344	-0.392	0.695	0.314	0.754	0.534	0.593	3.024	0.002	1.414	0.158	13.282	5.418	5.089	0.000	0.000	0.000
Grow your own.	-0.292	0.770	1.497	0.134	1.624	0.104	6.828	0.000	2.171	0.030	2.441	0.015	-1.984	0.047	4.781	0.714	2.645	0.000	0.475	0.000
Play board and card games more	0.307	0.759	-1.075	0.282	1.419	0.156	-11.916	0.000	0.091	0.928	-1.632	0.103	-1.718	0.086	4.849	0.313	1.041	0.000	0.754	0.298
Avoid fake news and too much social media	1.237	0.216	0.626	0.532	0.768	0.443	4.242	0.000	0.648	0.517	2.543	0.011	1.279	0.201	4.215	-0.233	1.722	0.000	0.816	0.085

Appendix 4e - CCA of all topics vs mood self assessment (zoom to read)

Appendix 4f - CCA of all topics vs PL-GIS-11 (zoom to read)