

Impact of a medical-legal partnership program on readmissions to a family medicine inpatient service.

Emma James, MD¹, Emily Samson, MD², Megha Manek, MD³, and Robert Robinson, MD⁴

¹Department of Obstetrics Gynecology, SIU School of Medicine, Springfield IL, USA

²Department of Family Medicine, University of North Carolina School of Medicine, Chapel Hill, NC, USA

³Department of Family and Community Medicine, SIU School of Medicine, Springfield IL, USA

⁴Department of Internal Medicine, SIU School of Medicine, Springfield IL, USA

Background: The Centers for Medicare and Medicaid Services (CMS) value-based reimbursement prioritizes health outcomes and population health in a way that emphasizes social determinants of health, access disparities, and prevention. Unmet legal assistance needs are an area of considerable interest because it can impact access to healthcare services and can be a social determinant of health. Medical-Legal Partnerships (MLP) are tools to link patients with unmet legal needs with lawyers and other legal services. The goal of these programs is to address legal issues that complicate the life and healthcare of patients. With the hypothesis that unmet legal needs were a risk factor for poor health outcomes, we studied the impact of unmet legal needs on the readmission rate to the SIU Family and Community Medicine inpatient service at Memorial Medical Center in Springfield, Illinois.

Methods: All adult patients discharged between January 2016 and March 2018 were retrospectively studied to determine if the need for legal services was a significant predictor of all-cause hospital readmission within 30 days of discharge. Patients in need of legal services were identified using an interview-based screening tool and were referred to an HRSA-grant funded MLP. The impact of unmet needs for legal services was compared to validated risk factors for hospital readmissions such as the LACE index and HOSPITAL score.

Results: Data from 2500 hospital discharges from the SIU FCM service were analyzed. The overall readmission rate was 27%. Univariate analysis showed patients who were readmitted were older (57 vs 53 years, $p < 0.001$), had longer hospital stays (4.69 vs 4.17 days, $p < 0.014$), had higher Charlson Comorbidity Index values (2.31 vs 1.57, $p < 0.001$), HOSPITAL scores (4.79 vs. 3.14, $p < 0.001$), LACE index values (10.13 vs. 8.33, $p < 0.001$) and were more likely to need legal services (12% vs. 3%, $p < 0.001$). Multivariate analysis showed the HOSPITAL score (OR 2.12, $p < 0.001$), LACE index (OR 1.16, $p < 0.001$), Charlson Comorbidity Index (OR 0.70, $p < 0.001$), hospital length of stay (OR 0.85, $p < 0.001$), congestive heart failure (OR 2.10, $p < 0.001$), COPD (OR 1.85, $p < 0.001$), diabetes with complications (OR 1.88, $p < 0.001$), and a need for legal services (OR 2.21, $p < 0.001$) to be independent predictors of an increased risk of hospital readmission.

Conclusion: Unmet legal needs identified in this study via an interview-based screening tool appear to be an independent risk factor for hospital readmission. The predicted risk of readmission (OR 2.21) compares favorably with validated HOSPITAL score (OR 2.12) and LACE index (OR 1.16) readmission risk assessment tools. These findings suggest that the presence of unaddressed legal issues may be a modifiable non-medical risk

factor for hospital readmission. Further study of the impact of MLP programs on hospital readmission is necessary to clarify the implications of this social determinant of health on a critical value-based care measurement.

medical legal partnership | hospital readmission | social determinants of health

Correspondence: rrobinson@siumed.edu

Introduction

Hospital readmissions are common and expensive, with nearly 20% of Medicare patients being readmitted to a hospital within 30 days of discharge at an overall cost of nearly 20 billion US dollars per year (Jencks, Williams and Coleman 2009). Because of this high frequency and cost, hospital readmissions within 30 days of discharge are a target for health care cost savings in the Medicare Value Based Purchasing (VBP) program. The VBP aims to incentivize hospitals and health systems to reduce readmissions through reductions in payments to hospitals with higher than expected readmission rates (Centers for Medicare and Medicaid Services, 2016). Because of the VBP initiative, health care organizations are investing considerable resources into efforts to reduce hospital readmission.

The underlying risk factors for hospital readmission are diverse. Studies have identified age, race, having a regular health care provider, major surgery, medical comorbidities, length of hospital stay, previous admissions in the last year, failure to transfer important information to the outpatient setting, discharging patients too soon, the number of medications at discharge, and many other risk factors for hospital readmission within 30 days (Auerbach et al, 2016; Picker et al., 2015; Hasan et al, 2010; Silverstein et al., 2008).

Medical Legal Partnerships (MLP) incorporate lawyers, usually from civil legal aid organizations, into the medical team to address patients' unmet legal needs that may be affecting their health (National Center for Medical Legal Partnership, 2019). Unaddressed legal needs often include issues with income, health insurance, housing, employment, immigration status, and family stability (National Center for Medical Legal Partnership, 2019). It is estimated that that 60% of premature deaths in the USA are attributable to the social determinants of health – environmental exposure, social circumstances, and behavioral patterns (Schroeder, 2007). MLPs have the potential to improve health status by addressing un-

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

safe housing, food insecurity, income for disabled individuals, orders of protection, and other unmet civil legal issues. One study found addressing the legal needs of high-need high-healthcare-use patients decreased inpatient and emergency department use by 50% and overall healthcare costs by 45% (Martin, Martin, Shultz, and Sandel 2015). A rural MLP program in Illinois demonstrated a 319% return on investment between 2007-2009 (Teufel et al, 2012).

The current investigation will explore if unaddressed legal needs, identified by the MLP screening tool, are significant predictors of hospital readmission. The performance of unmet legal needs as a risk factor for hospital readmission will be directly compared to the validated HOSPITAL and LACE readmission risk prediction tools. The HOSPITAL score and LACE index are useful predictors of readmission risk that are focused on the severity of illness and medical complexity.

Materials and Methods

Patients discharged from Memorial Medical Center between January 2016 and March 2018 by the SIU-School of Medicine (SIU-SOM) Family and Community Medicine inpatient service were retrospectively studied to determine if the need for legal services was a significant predictor of any cause hospital readmission within 30 days of discharge. Patients who died while in the hospital, were transferred to another hospital, or left against medical advice were excluded from analysis. The study endpoint was all-cause hospital readmission within 30 days of discharge. Memorial Medical Center is university-affiliated not-for-profit tertiary care center located in Springfield, Illinois, USA. The SIU-SOM Family and Community Medicine inpatient service is the family medicine residency teaching service and is staffed by board certified or board eligible faculty. Most patients for this service are admitted via the hospital emergency department. The MLP is an HRSA grant funded program designed to provide patients with free legal assistance through the Land of Lincoln Legal Assistance Foundation (LOLLAF) to address social and civil legal issues that may have a negative impact on the patient. Patients of SIU-SOM Family and Community Medicine practice are eligible to receive legal assistance from a legal assistance lawyer who works full time for SIU patients. MLP incorporates legal services into the healthcare team of patients at SIU's Center for Family and Community Medicine FQHC. Second-year medical students serve as inpatient screeners at Memorial Medical Center. Students screen patients using a questionnaire developed by the legal aid lawyers (Figure 1). All patients admitted to the family medicine inpatient service were eligible for screening. Common reasons for not being screened include patient declining screening, medical instability, and delirium. Patient screening occurred only on weekdays during the medical student academic year, from August to May. Patients who screened positive for possible legal issues signed HIPAA release for necessary contact information and this information was faxed to the Land of Lincoln Legal Aid office. Follow up appointments were made after further discussion with the Intake Specialist at LOLLAF. De-identified data on hospital readmissions,

Table 1. The HOSPITAL score

Attribute	Points if Positive
Low hemoglobin at discharge (<12 g/dL)	1
Discharge from an Oncology service	2
Low sodium level at discharge (<135 mEq/L)	1
Procedure during hospital stay (ICD10 Coded)	1
Index admission type urgent or emergent	1
Number of hospital admissions during the previous year	
0-1	0
2-5	2
>5	5
Length of stay ≥ 5 days	2

length of stay, diagnosis-related group (DRG), International Classification of Disease (ICD) diagnosis codes, age, gender, and the other variables in the HOSPITAL score (Table 1) and LACE index (Table 2) were extracted from the electronic health record. Patients screening positive for unaddressed legal needs were compared to the remainder of the family medicine inpatient service discharges. The study hospital does not have an admitting service for oncology patients, so patients with any oncology-related ICD codes were classified as being discharged from an oncology service for the purposes of calculating a HOSPITAL score. This reflects local practice patterns and accounts for the increased risk of readmission found in oncology patients. As a single center study, readmissions at other hospitals will not be detected. This study protocol was reviewed by the Springfield Committee for Research Involving Human Subjects, the local institutional review board (IRB). The IRB determined this study did not meet the criteria for research involving human subjects defined by 45 CFR 46.101 and 45 CFR 46.102.

Statistical analysis

The need for legal services through the MLP program was investigated as a predictor of any cause hospital readmission within 30 days. A HOSPITAL score, LACE index, and Charlson score were calculated for each admission. The Pearson chi-squared or Fisher's exact test were used to evaluate qualitative variables. The Mann-Whitney U or Kruskal-Wallis tests were used to evaluate quantitative variables. Variables from univariate analysis with a p-value of 0.05 or less were evaluated using multivariate logistic regression with backward likelihood ratio based method. Two sided P-values < 0.05 were considered significant. Statistical analysis was performed using SPSS version 22 (SPSS Inc., Chicago, IL, USA).

Table 2. The LACE Index

Attribute	Points if Positive
Length of stay	
Less than 1 day	0
1 day	1
2 days	2
3 days	3
4-6 days	4
7-13 days	5
≥ 14 days	7
Acute or emergent admission	3
Charlson comorbidity index score	
0	0
1	1
2	2
3	3
≥4	5
Visits to emergency department in previous 6 months	
0	0
1	1
2	2
3	3
≥4	4

Figure 2. Study Flow Diagram





Table 4. Multivariate logistic regression of potential risk factors for hospital readmission within 30 days of discharge.

	Odds Ratio (95% CI)	P value
HOSPITAL Score	2.12 (1.94 – 2.31)	<0.001
LACE Index	1.16 (1.08 – 1.24)	<0.001
Charlson Comorbidity Index	0.70 (0.60 – 0.81)	<0.001
MLP Assisted	2.21 (1.42 – 3.44)	<0.001
Medical comorbidities		
CHF	2.10 (1.56 – 2.84)	<0.001
COPD	1.85 (1.44 – 2.38)	<0.001
Diabetes with complications	1.88 (1.37 – 2.55)	<0.001
Mild liver disease	1.41 (0.99 – 2.01)	0.058
Length of hospital stay	0.853 (0.82 – 0.89)	<0.001

Figure 3. Receiver operating characteristic curves for the HOSPITAL score, LACE index, and the need for services from the MLP



Results

The SIU-SOM Family and Community Medicine inpatient service had 2645 discharges recorded between January 2016 and March 2018. Inclusion criteria were met in 2500 discharges, of which 678 were readmitted within 30 days (Figure 2). Of those 2500, 8.4% (210) were screened by the MLP program. Legal services were provided to 5.3% (134) of the patients.

Patients who were readmitted were older (57 vs 53 years, $p < 0.001$), had longer hospital stays (4.69 vs 4.17 days, $p < 0.014$), and had higher Charlson Comorbidity Index values (2.31 vs 1.57, $p < 0.001$). These patients had higher HOSPITAL scores (4.79 vs. 3.14, $p < 0.001$) and LACE index values (10.13 vs. 8.33, $p < 0.001$), indicating a higher risk of hospital readmission. Higher rates of myocardial infarction, CHF, peripheral vascular disease, cerebrovascular disease, COPD, diabetes with complications, advanced renal disease, and liver disease were seen in the group readmitted to the hospital (Table 3). Patients who had screened positive for unresolved legal issues and received linkage to legal services through the MLP program were more likely to be readmitted (12% vs. 3%, $p < 0.001$).

Multivariate analysis showed the HOSPITAL score (OR 2.12, $p < 0.001$), LACE index (OR 1.16, $p < 0.001$), Charlson Comorbidity Index (OR 0.70, $p < 0.001$), hospital length of

stay (OR 0.85, $p < 0.001$), congestive heart failure (OR 2.10, $p < 0.001$), COPD (OR 1.85, $p < 0.001$), diabetes with complications (OR 1.88, $p < 0.001$), and a need for legal services (OR 2.21, $p < 0.001$) to be independent predictors of an increased risk of hospital readmission. (Table 4).

A receiver operating characteristic (ROC) evaluation (Figure 3) showed that the HOSPITAL score and LACE index had good discrimination for hospital readmission in this population. The HOSPITAL score had a C statistic of 0.74 (95% CI 0.72 – 0.76) with a p -value of less than 0.001. The LACE index had a C statistic of 0.68 (95% CI 0.66 – 0.70) with a p -value of less than 0.001. The need for MLP services had a C statistic of 0.54 (95% CI 0.52 – 0.57) with a p -value of 0.001.

Discussion

The results indicate that many factors predict readmission in the study population, including older age, longer hospital stays, higher Charlson Comorbidity Index values, higher HOSPITAL scores, and higher LACE indices. Linkage to legal services for unmet legal need was also a significant predictor of hospital readmission. The receiver operating characteristics show the HOSPITAL and LACE indices to be strong models of predicting 30-day readmission. Patients that screened positive for unmet legal issues and were subsequently linked to MLP legal aid lawyers also achieved significance as a model of predicting readmission, albeit a much weaker model. The importance of this finding is that legal need, unlike many predictors of readmission such as age and comorbidities, is subject to intervention.

Multivariate analysis showed unmet legal needs (OR 2.21) compared favorably with the validated HOSPITAL score (OR 2.12) and the high risk for readmission medical problems of congestive heart failure (OR 2.10) and COPD (1.85). Unmet legal need differs substantially from these other risk factors because legal services have the potential to eliminate this risk factor, unlike interventions for COPD or CHF that manage but do not resolve the disease process. Unmet legal needs appear to be a new member of a short list of potentially modifiable risk factors for hospital readmission which include polypharmacy (Picker, Heard, Bailey et al. 2015) malnutrition (Sharma, Miller, Kaambwa et al. 2017; Budzynski, Tojek, Chzernak et al. 2016; Sanchez-Rodriguez, Annweiler, Ronquillo-Moreno et al. 2019), and substance abuse (Gerke, Agley, Wilson et al. 2018).

Patients in the current investigation were connected with legal aid lawyers but the vast majority had not received resolution of their legal issue by the end of the 30-day readmission timeframe. On average, it takes one to two weeks after referral to schedule an initial meeting with the legal aid lawyer. The potential positive effects of the lawyer's intervention are unlikely to be captured in a 30-day readmission. The differences seen during this time frame are more likely a result of the presence of unmet legal needs regarding food, income, insurance, or housing. This study is retrospective, single center, and did not investigate if the unmet legal needs directly led to hospital readmission.

Conclusions

Patients that screened positive for unmet legal issues and were subsequently linked to MLP legal aid lawyers were significantly more likely to be readmitted to the hospital within 30 days. This implies that unmet legal needs are an independent risk factor for hospital readmission, and therefore a potential point for intervention and reduction of 30-day readmission. Unaddressed legal issues may be a modifiable non-medical risk factor for readmission.

The vast majority of patients do not reach resolution of their legal issue within 30 days, and most take one to two weeks to schedule an appointment with the lawyer. Analysis of the effect of the legal intervention would likely be seen after 30 days. When patients reach resolution of their legal issues through the help of the MLP lawyers their readmission rate may return to baseline, potentially decreasing the healthcare system resources spent on preventable hospital readmission. Future analysis will focus on the effect of legal aid intervention on the modification of readmission risk.

AUTHOR CONTRIBUTIONS

Study design - EJ, ES, RR Supervision of MLP program - EJ, ES, MM Data acquisition - EJ, ES, RR Statistical analysis - RR Writing, original draft - EJ, ES Writing, review and editing - EJ, ES, MM, RR

COMPETING FINANCIAL INTERESTS

The authors declare no competing financial interests. This study had no external funding.

Bibliography

Jencks SF, Williams MV, Coleman EA. Rehospitalizations among patients in the Medicare fee-for-service program. *N Engl J Med*. 2009;360(14):1418-1428.

Centers for Medicare and Medicaid Services. Hospital Value Based Purchasing. <https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/hospital-value-based-purchasing/index.html> (Accessed 12/26/2016).

Auerbach AD, Kripalani S, Vasilevskis EE, Sehgal N, Lindnauer PK, Metlay JP, Fletcher G, Ruhnke GW, Flanders SA, Kim C, Williams MV, Thomas L, Giang V, Herzig SJ, Patel K, Boscardin WJ, Robinson EJ, Schnipper JL. Preventability and causes of readmissions in a national cohort of general medicine patients. *JAMA Intern Med*. 2016;176(4):484-493. doi:10.1001/jamainternmed.2015.7863.

Picker D, Heard K, Bailey TC, Martin NR, LaRossa GN, Kollef MH. The number of discharge medications predicts thirty-day hospital readmission: a cohort study. *BMC Health Serv Res*. 2015 Jul 23;15:282. doi: 10.1186/s12913-015-0950-9.

Hasan O, Meltzer DO, Shaykevich SA, Bell CM, Kaboli PJ, Auerbach AD, Wetterneck TB, Arora VM, Zhang J, Schnipper JL. Hospital readmission in general medicine patients: a prediction model. *J Gen Intern Med*. 2010 Mar;25(3):211-9. doi: 10.1007/s11606-009-1196-1. Epub 2009 Dec 15.

Silverstein MD, Qin H, Mercer SQ, Fong J, Haydar Z. Risk factors for 30-day hospital readmission in patients

65 years of age. *Proc (Bayl Univ Med Cent)*. 2008 Oct;21(4):363-72.

National Center for Medical Legal Partnership. The Need. <https://medical-legalpartnership.org/need/> (Accessed 4/14/2019).

Schroeder SA. We can do better – Improving the health of the American people. *N Engl J Med*. 2007;357:1221-1228. doi: 10.1056/NEJMsa073350

Martin J, Martin A, Schultz K, Sandel M. Embedding civil legal aid services in care for high-utilizing patients using Medical-Legal Partnership. *Health Affairs Blog*. April 22, 2015.

Teufel JA, Werner D, Goffinet D, Thorne, W, Brown, SL, Gettinger, L. Rural Medical-Legal Partnership and advocacy: A three-year follow-up study. *J Health Care Poor Underserved*. 2012 May;23(2):705-14. doi: 10.1353/hpu.2012.0038.

Picker D, Heard K, Bailey TC, Martin NR, LaRossa GN, Kollef MH. The number of discharge medications predicts thirty-day hospital readmission: a cohort study. *BMC Health Serv Res*. 2015;15:282. Published 2015 Jul 23. doi:10.1186/s12913-015-0950-9.

Sharma Y, Miller M, Kaambwa B, Shahi R, Hkendorf P, Horwood C, Thompson C. Malnutrition and its association with readmission and death within 7 days and 8–180 days postdischarge in older patients: a prospective observational study. *BMJ Open*. 2017;7:e018443. doi: 10.1136/bmjopen-2017-018443.

Budzyński J, Tojek K, Czerniak B, Banaszkiwicz Z. Scores of nutritional risk and parameters of nutritional status assessment as predictors of in-hospital mortality and readmissions in the general hospital population. *Clinical Nutrition*, 2016; 35(6):1464-1471. doi.org/10.1016/j.clnu.2016.03.025.

Sánchez-Rodríguez D, Annweiler C, Ronquillo-Moreno N, Vázquez-Ibar O, Escalada F, Duran, X, Muniesa, J M, Marco E. Prognostic value of the ESPEN consensus and guidelines for malnutrition: prediction of post-discharge clinical outcomes in older inpatients. *Nutrition in Clinical Practice*; 2019, 34: 304-312. doi:10.1002/ncp.10088.

Gerke S P, Agle J D, Wilson C, Gassman R A, Forys P, Crabb D W. An initial assessment of the utility of validated alcohol and drug screening tools in predicting 30-day readmission to adult general medicine wards. *American Journal of Medical Quality*; 2018, 33(4): 397–404. doi: 10.1177/1062860617750469.

**SIU-LAND OF LINCOLN PARTNERSHIP
at CENTER FOR FAMILY MEDICINE**

In-Patient Referral Form

SIU Center for Family Medicine
Updated: 8/14/17

Patient Information	
Name:	Home Phone #:
DOB:	Home Address:
MRN/FIN:	City:

- Bugs (e.g. roaches, bed bugs) or rodents
- Landlord disputes (e.g. evictions, lack of repairs, etc)
- Mold or dampness in residence
- Lead paint
- Unreliable utilities (electricity, heat, gas, etc): utilities have been shut off, are in danger of being shut off, cannot make payments because of overdue bills
- Medical problem making it difficult to live in house (e.g. you may not be released to home because of condition of the house)
- Medicare/Medicaid/health insurance problems (e.g. incorrect billing, denial of insurance, etc)
- Divorce (e.g. with and without violence; with and without children)
- Custody of children between unmarried parties
- Child Support
- Order of Protection (e.g. restraining order)
- SNAP (e.g. "food stamps"): have applied and been denied or are facing cut off from the program
- Unable to earn income because of disability and 1) are not currently receiving Social Security benefits or 2) are facing cut off from the program
- Child who is struggling in school (e.g. at risk of failing, repeatedly suspended/expelled, or being held back) and is not receiving special education services
- Expungement (e.g. clearing criminal record)
- Wills and powers of attorney

PATIENT AUTHORIZATION TO DISCLOSE THE FOLLOWING HEALTH/LEGAL INFORMATION

I understand authorizing the use or disclosure of the information identified above is voluntary. I need not sign this form to ensure healthcare treatment. I authorize the health care provider named above to consult with Land of Lincoln Legal Assistance Foundation, Inc. (Land of Lincoln) about my possible legal problem to see if Land of Lincoln can help resolve my problem or refer me to other resources. I also authorize Land of Lincoln to discuss my possible or current legal problem with my health care provider to help resolve my problem. I further authorize Land of Lincoln to disclose, my name, demographic information, and result of my case to the above named healthcare provider and SIU Center for Family Medicine.

I understand that I have a right to revoke this authorization at any time. I understand that if I revoke this authorization I must do so in writing and present my written revocation to the Health Information Department and Land of Lincoln. I understand that the revocation will not apply to information that has already been released in response to this authorization or to the extent that Land of Lincoln has already taken action in reliance on this authorization.

I understand that the information (excluding mental health information) that is being disclosed under this authorization may be subject to re-disclosure by the recipient and no longer be protected under the Health Insurance Portability and Accountability Act.

I understand that this authorization may include disclosing information regarding mental health, developmental disability, sexually transmitted disease, alcohol and/or drug abuse services, and HIV/AIDS test results, including but not limited to examination, diagnosis, evaluation, treatment or rehabilitation.

I have carefully read and understand the above and do hereby expressly and voluntarily authorize disclosure of the information between the healthcare provider listed above and Land of Lincoln. I agree that that a photocopy of this authorization is as valid as the original.

PLEASE FAX OR EMAIL TO:

Land of Lincoln Legal Assistance Foundation, Inc.

Attention: MLP Legal Champion/ [REDACTED]

Email: [REDACTED]

Fax: [REDACTED]

Phone: [REDACTED]

Patient Signature

Date

Figure 1. Legal Needs Screening Survey

Characteristic	Not readmitted within 30 days n = 1822	Readmitted within 30 days n = 678	
Age, mean (SD)	53 (20)	57 (16)	p < 0.001
Female	1112 (61%)	385 (57%)	p = 0.060
Length of hospital stay (SD)	4.17 (5.5)	4.69 (4.3)	p = 0.014
HOSPITAL Score (SD)	3.14 (1.2)	4.79 (2.1)	p < 0.001
LACE Index (SD)	8.33 (2.8)	10.13 (2.7)	p < 0.001
<u>Charlson Comorbidity Index (SD)</u>	1.57 (1.5)	2.31 (1.6)	p < 0.001
Screened by MLP	97 (5%)	113 (17%)	p < 0.001
MLP services provided	55 (3%)	79 (12%)	p < 0.001
Comorbidities			
Acute Myocardial Infarction	188 (10%)	94 (14%)	p = 0.015
Congestive Heart Failure	408 (22%)	295 (44%)	p < 0.001
Peripheral Vascular Disease	134 (7%)	67 (10%)	p = 0.047
Cerebrovascular Disease	114 (6%)	28 (4%)	p = 0.041
Dementia	108 (6%)	40 (6%)	p = 1.00
COPD	625 (34%)	363 (54%)	p < 0.001
Rheumatologic Disease	42 (2%)	16 (2%)	p = 1.00
Peptic Ulcer Disease	49 (3%)	9 (1%)	p = 0.051
Diabetes without complications	391 (21%)	165 (24%)	p = 0.130
Diabetes with complications	236 (13%)	173 (26%)	p < 0.001
Advanced Renal Disease	285 (16%)	218 (32%)	p < 0.001
Mild Liver Disease	146 (8%)	90 (13%)	p < 0.001
Moderate or Severe Liver Disease	51 (3%)	34 (5%)	p = 0.009
Hemiplegia or Quadriplegia	52 (3%)	16 (2%)	p = 0.581
Cancer	136 (8%)	46 (7%)	p = 0.604
Metastatic Cancer	68 (4%)	28 (4%)	p = 0.641
AIDS	16 (1%)	6 (1%)	p = 1.00

Table 3. Baseline characteristics of the study population by 30 day readmission status