



32           **keywords:** energy landscapes; ultrametric spaces;  $p$ -adic num-  
33           bers; ultrametric diffusion equation,;social barriers; linear growing  
34           barriers; covid-19; epidemic; disease spread; herd immunity; hierar-  
35           chy of social clusters

## 36           1    Introduction

37           The covid-19 epidemic has many unusual features (see section 2). One  
38           of them plays the crucial role in disease spread. We formulate it as  
39           the basic assumption of this paper (see also [1]):

40           **AS0** *Virus' spread in population is constrained by the hierarchic*  
41           *social cluster structure.*

42           How can one model mathematically social clustering of popula-  
43           tion? In a series of works [2]-[7], we constructed *ultrametric clustering*  
44           of population by using the system of hierarchically ordered social co-  
45           ordinates and this approach was applied in cognition, psychology, so-  
46           ciology, information theory (see also [8]-[12]). In this paper, we shall  
47           use ultrametric diffusion equation [13]-[21] to describe dynamics of  
48           coronavirus spread in socially clustered population. It is important to  
49           note that ultrametric spaces have treelike geometry, so we shall study  
50           dynamics of virus on social trees. To simplify mathematics, consider-  
51           ation is restricted to homogeneous trees with  $p$ -branches leaving each  
52           vertex. Such trees are endowed with algebraic structure, the  $p$ -adic  
53           number fields. We remark that  $p$ -adic numbers are widely used in  
54           number theory and algebraic geometry. Their applications to natural  
55           phenomena started with string theory and quantum physics [22]-[24].

56           The specialties of covid-19 epidemic<sup>1</sup> are not reflected in the stan-  
57           dard mathematical models [25]-[27], such as, e.g., the canonical SIR  
58           model [28] and its diffusion-type generalizations, e.g., [29]. Conse-  
59           quently, in spite of the tremendous efforts [30]-[36], mathematical  
60           modeling of coronavirus spread cannot be considered as successful.  
61           Therefore, we have to search for new mathematical models reflecting  
62           better the covid-19 specialties. The recent paper [1] based on **AS0** can  
63           be considered as a step in this direction. In it, we studied the problem  
64           of *approaching herd immunity in countries like Sweden*, i.e., without  
65           lock-down. The coronavirus does not spread throughout population  
66           homogeneously as it is described by the standard models of disease  
67           spread. Its spread has the clear social cluster character (cf. with dis-  
68           ease spread modeling in articles [37]-[40]). The coronavirus spreads

---

<sup>1</sup>See section 2, “covid on surface”, “covid in air”, “asymptomatic individuals”, “no mass-events”, “superspreaders”; in this paper we are interested in mild restrictions, as in Sweden, i.e., without lock-down.

69 relatively easy in a social cluster that was infected by somebody, but  
70 approaching other clusters is constrained by social barriers.

71 Such virus' spread is described very well by *dynamics on energy*  
72 *landscapes*. The latter is well developed theory with numerous appli-  
73 cations to statistical physics (e.g., spin glasses) and microbiology [41]-  
74 [47]. An energy landscape is a system of (energy) valleys separated by  
75 barriers of different heights having a hierarchic structure. A system  
76 (physical, biological) can move inside a valley or jump over a barrier  
77 to another valley, with some probability. Thus, the simplest math-  
78 ematical model is given by *random walks on energy landscapes* (see,  
79 e.g., [48]). Behavior of random walking depends crucially of grows of  
80 barriers coupled to the hierarchic structure of an energy landscape.

81 Geometrically the hierarchy of valleys (clusters) of an energy land-  
82 scape has the treelike structure. As is well known, trees also give  
83 the geometric representation for ultrametric spaces and vice verse.  
84 Thus, dynamics on energy landscapes, collection of clusters separated  
85 by hierarchically ordered barriers, can be represented as dynamics in  
86 ultrametric spaces.

87 In the first paper [1] on ultrametric approach to disease spread,  
88 we explored the random walk in ultrametric spaces [48]. Such ran-  
89 dom walk is the discrete version of *ultrametric diffusion*. Theory of  
90 diffusion equations in ultrametric space is well developed [13]-[21]. In  
91 the present paper, we apply its powerful mathematical apparatus for  
92 modeling covid-19 spread in hierarchically structured social clusters.  
93 The problem of approaching herd immunity is reformulated in terms  
94 of ultrametric diffusion equation. We consider a country without lock-  
95 down, but, nevertheless, imposing a bunch of social restrictions (bar-  
96 riers) during the covid-19 epidemic. As the basic example, we con-  
97 sider Sweden (see [1], appendix 2 for compact description of situation  
98 in Sweden, March-June 2020, from the viewpoint of imposing social  
99 barriers). This reformulation makes the model mathematically rigor-  
100 ous (studies [41]-[47], [48] were at the physical level of rigorousness)  
101 and opens the door for development of a variety of new mathematical  
102 models of coronavirus spread taking into account the social cluster  
103 structure of population.

104 For Sweden, this problem of approaching herd immunity is of the  
105 big value. The country did not impose the lock-down and the system  
106 of measures presented by the state epidemiologist Anders Tegnell and  
107 his team was aimed to approach herd immunity and, in this way, to  
108 make essentially weaker or escape at all the second wave of covid-  
109 19 epidemic and may be proceed without vaccination. However, the  
110 dynamics of population's immunity against coronavirus is very slow,  
111 essentially slower than it was predicted by Swedish epidemiologists

112 and by mathematical models of disease spread <sup>2</sup> (see, e.g., [49]-[51] for  
113 reports from Public Health Institute of Sweden, [32]-[34] for attempts  
114 of mathematical modeling and [52]-[56] for reports from massmedia).

115 As we have seen [1], ultrametric random walk (with jumps over  
116 mild barriers linearly growing with levels of social hierarchy) generates  
117 dynamics with asymptotic behavior of the power type; herd immunity  
118 in a social cluster  $C$  grows as  $p_{\text{Im}}(C, t) = 1 - t^{-q}$ ,  $q > 0$ . Generally  
119 (but, of course, depending on the parameter  $q$ ) this function increases  
120 slowly. This asymptotic can explain unexpectedly slow approaching  
121 herd immunity by population of Sweden. The basic parameter of the  
122 model  $q = T \log p / \Delta$ . Here  $T > 0$  is the social analog of temperature,  
123 the degree of activity in a society,  $\Delta$  is the magnitude of the elementary  
124 barrier for hopping between nearest social levels. Higher social tem-  
125 perature  $T$  implies more rapid approaching of herd immunity; higher  
126 social barrier  $\Delta$  implies slower growth of herd immunity.

127 In the present paper, by using results of work [17] on the relax-  
128 ation dynamics for diffusion pseudo-differential equation on ultramet-  
129 ric spaces we reproduce the power law for dynamics of herd immunity  
130 from [1], for linearly growing barriers. The technique of ultrametric  
131 diffusion equations provides the possibility to study this problem for  
132 other types of barriers as well as for design of more general mathemat-  
133 ical models of covid-19 spread, may be even matching quantitatively  
134 with medical data on this epidemic.

## 135 2 Specialties of covid-19 spread

136 As was emphasized in introduction, covid-19 epidemic has some spe-  
137 cialties. To match these specialties, one has to develop new mathemat-  
138 ical models. The fundamental specialty is the social cluster character  
139 of coronavirus spread, see **AS0**. Further, we shall discuss a few other  
140 virus' features. They justify the following assumption distinguishing  
141 our purely diffusional model of virus spread from the standard SIR-  
142 type models:

143 **AS1** *Intensity of virus' spreading is relatively insensible to the*  
144 *number of those who have already been infected.*

145 Now we discuss a few biological and social factors behind this fea-  
146 ture of the virus.

---

<sup>2</sup>In particular, by models Tom Britton [32, 33] that was used by Swedish State Health Authority predicted that herd immunity will be approached already in May; Anders Tegnell also announced, starting from the end of April 2020, that Sweden would soon approach herd immunity, but it did not happen, neither in May, nor June and July.

- 147           • **Covid on surface.** As was shown in study [58], the probability  
148           to become infected through some surface (say in a buses, metro,  
149           shop) is practically zero. It was found that even in houses with  
150           many infected (symptomatic) people, the viruses on surfaces (of  
151           say tables, chairs, mobile phones) were too weak to infect any-  
152           body. (Their were present, but were not able to infect mouths.)<sup>3</sup>
- 153           • **Covid in air.** The virus is neither so much dangerous at the  
154           open air, especially if people follow the recommendation to keep  
155           1, 5 m distance between them. In in [58] was pointed out: “The  
156           fact that COVID 19 is a droplet infection and cannot be trans-  
157           mitted through the air had previously also been confirmed by  
158           virologist Christian Drosten of Berlin’s Charité. He had pointed  
159           out in an interview [59] that coronavirus is extremely sensitive  
160           to drying out, so the only way of contracting it is if you were to  
161           ‘inhale’ the droplets.”
- 162           • **Asymptomatic individuals.** As was recently announced [60],  
163           WOH collected a lot of statistical data showing that asymp-  
164           tomatic individuals transmit covid-19 virus to other people with  
165           very low probability.<sup>4</sup> At the same time, US Centers for Disease  
166           Control and Prevention estimates that about a third of coro-  
167           navirus infections (35%) are asymptomatic [61]. Hence, about  
168           35% of infected people practically do not contribute in disease  
169           spread.
- 170           • **No mass-events.** Another important restriction supporting  
171           **AS1** is that even in Sweden, mass-events were forbidden, so no

---

<sup>3</sup>Mr Streeck, a professor for virology and the director of the Institute of virology and HIV Research at the University Bonn, clarified [58]: “There is no significant risk of catching the disease when you go shopping. Severe outbreaks of the infection were always a result of people being closer together over a longer period of time, for example the apré-ski parties in Ischgl, Austria.” During extended and careful study in Heidelberg (the German epicenter of the covid-19 epidemic) his team could also not find any evidence of living viruses on surfaces. “When we took samples from door handles, phones or toilets it has not been possible to cultivate the virus in the laboratory on the basis of these swabs. ... To actually ‘get’ the virus it would be necessary that someone coughs into their hand, immediately touches a door knob and then straight after that another person grasps the handle and goes on to touches their face.” Streeck therefore believes that there is little chance of transmission through contact with so-called contaminated surfaces.

<sup>4</sup>“We have a number of reports from countries who are doing very detailed contact tracing. They’re following asymptomatic cases, they’re following contacts and they’re not finding secondary transmission onward. It is very rare – and much of that is not published in the literature,” Van Kerkhove, WOH official said on June 6, 2020. “We are constantly looking at this data and we’re trying to get more information from countries to truly answer this question. It still appears to be rare that an asymptomatic individual actually transmits onward.” [60].

172 public concerts, neither football matches.<sup>5</sup>

173 • **Superspreaders.** As for many infections, spread of coronavirus  
174 has the following feature - the presence of superspreaders of in-  
175 fection. One person can infect really many people. Thus, single  
176 person's contribution in disease spread can be essentially higher  
177 than contribution of a few hundreds of usual asymptomatic indi-  
178 viduals or many presymptomatic individuals (see more on super-  
179 spreaders in Appendix).

180 **AS2** *The number of susceptible people  $S(t)$  is so large comparing*  
181 *with the number  $I(t)$  of those who are infected or the number  $R(t)$*   
182 *of recovered that we can consider it as constant,  $S(t) = \text{const}$ , and*  
183 *exclude it from model's dynamical equations.*

184 This assumption implies that for an individual in population under  
185 consideration the probability to become infected practically does not  
186 depend on the number of recovered. The population is rather far from  
187 approaching herd immunity and a disease spreader is surrounded (with  
188 the high degree of approximation) by susceptible people. Thus the  
189 number of recovered people  $R$  also can be excluded from dynamics. Of  
190 course, this model provides only the rough picture of the real disease  
191 spread, but it reflects the basic features of the covid-19 spread in  
192 the states that imposed relatively soft restrictions in relation with  
193 epidemic (as, e.g., Sweden, Japan, Belarus).

194 Denote the probability, for a person from elementary social cluster  
195  $x$ , to become infected at the instance of time  $t$  by the symbol  $p_I(x, t)$ .

196 To write the evolution equation for  $p_I(x, t)$ , we impose the addi-  
197 tional assumption:

198 **AS3** *The distribution of social clusters in the society is uniform:*  
199 *all clusters represented by balls of the same radius have the same mea-*  
200 *sure that is equal to balls' radius.*

201 Mathematically **AS3** is formalized through the use of the Haar  
202 measure  $\mu$  on  $\mathbf{Q}_p$ . We understand that this is a strong restriction on the  
203 social structure of society. But, the main reason for its imposing is just  
204 simplification of mathematics. We can consider other distributions on  
205  $\mathbf{Q}_p$  assigning different weights to social clusters represented by balls

---

<sup>5</sup>In Sweden, restaurants and night clubs were open, but such events were not of mass-character. The presence in a night club or in a restaurant of one infection spreader has practically the same impact as say 5 spreaders, the effect of closed space. Moreover, the distance between the tables in restaurants also diminished the effect of high number of infected in the population. During the intensive phase of the covid-19 epidemic (the end of March and April 2020) restaurants terminated self-serving during lunches (so typical in Sweden).

206 of the same radius. (We recall that any point of a ball can serve as its  
207 center.)

### 208 **3 Hierarchic treelike geometry of so-** 209 **cial clusters**

210 We represent the human society as a system of hierarchically cou-  
211 pled (as a treelike structure) disjoint clusters. There are many ways  
212 for mathematical modeling of such representations. Theory of *ultra-*  
213 *metric spaces* is one of the basic mathematical tools for this purpose.  
214 Geometrically ultrametric spaces can be represented as trees with hier-  
215 archic levels. Ultrametricity means that this metric satisfies so-called  
216 strong triangle inequality:

$$\rho(x, y) \leq \max\{\rho(x, y), \rho(y, z)\}, \quad (1)$$

217 for any triple of points  $x, y, z$ . Here in each triangle the third side is  
218 less or equal not only the sum of two other sides (as usual), but even  
219 their maximum. Define balls as usual in metric spaces  $B_R(a) = \{x :$   
220  $\rho_p(x, a) \leq R\}$ , where  $a$  is a center of the ball and  $R > 0$ , is its radius.  
221 The balls have the following basic properties:

- 222 • Two balls are either disjoint or one of them is contained in an-  
223 other.
- 224 • Any point of a ball can be selected as its center, i.e.,  $B_R(a) =$   
225  $B_R(b)$  for any  $b \in B_R(a)$ .

226 Any ball can be represented as disjoint union of balls of smaller  
227 radius, each of the latter can be represented in the same way with even  
228 smaller radius and so on. We get hierarchy of balls corresponding to  
229 disjoint partitions. Geometrically a ball is a bunch of branches of a  
230 tree.

231 We use the ultrametric balls to represent mathematically social  
232 clusters, any cluster is slit into disjoint sub-cluster, each of the latter  
233 is split into its own (disjoint) sub-clusters and so on. Inclusion relation  
234 generates the hierarchy on the set of social clusters.

235 In a series of works of the author and his collaborators [2]-[6], ultra-  
236 metric spaces (geometrically hierarchic trees) were applied for model-  
237 ing of cognitive, psychological, and social phenomena. This modeling  
238 was based on invention of systems of discrete social (or mental in  
239 cognitive studies) coordinates  $x = (x_m)$  characterizing (psycho-)social  
240 states of individuals. The treelike representation of *social states* is  
241 based on selection of hierarchically ordered social factors enumerated



242 by index  $m \in \mathbf{Z} = \{0, \pm 1, \pm 2, \dots\}$ . (It is convenient to work with co-  
243 ordinates enumerated by integer numbers.) The social importance of  
244 coordinates  $x_m$  decreases with increase of  $m$  and increases with de-  
245 crease of  $m$ ; e.g., social coordinate  $x_0$  is more important than any  
246  $x_j, j > 0$ , but it less important than any  $x_j, j < 0$ . The coordinate  
247  $x_0$  can be considered as a reference point. Depending on context (say  
248 socio-economic or socio-epidemic) it can be shifted to the right or  
249 to the left. Therefore it is convenient to use positive and negative  
250 indexes determining two different directions of social importance of  
251 coordinates.

252 We consider discrete social coordinates, generally, for each  $m$ , there  
253  $N_m$  possible values,  $x_m = 0, 1, \dots, N_m - 1$ , and  $N_m$  can vary essentially  
254 with  $m$ . In the treelike representation, numbers  $N_m$  determine the  
255 number of branches leaving vertexes. Such trees are complicated and  
256 we restrict modeling to homogeneous trees for that  $N_m$  does not de-  
257 pend on  $m$ . Moreover, by pure mathematical reasons it is convenient  
258 to select  $N_m = p$ , where  $p > 1$  is the fixed prime number. We remark  
259 that the corresponding theory was developed even for arbitrary trees  
260 (ultrametric spaces), but it is essentially more complicated [18, 19].

261 Thus, a social state  $x$  is represented by a vector of the form:

$$x = (x_{-n}, \dots, x_{-1}, x_0, x_1, \dots, x_m), \quad x_j \in \{0, 1, \dots, p - 1\}. \quad (2)$$

262 The vector representation of psychical, mental, and social states is very  
263 common in psychology and sociology. The essence of our approach [2]-  
264 [6] is the hierarchic ordering of coordinates leading to introduction of  
265 ultrametric on the state space, see (5).

266 For our purpose, modeling of epidemic, we can consider, for exam-  
267 ple, the following hierarchic system of social coordinates; for simplicity,  
268 let index  $m = 0, 1, 2, \dots$ , so the coordinate  $x_0$  is the most important.  
269 It is natural to use it to denote states (e.g., Sweden, Russia, USA,...);  
270  $x_1$  can be used for age;  $x_2$  for chronic diseases,  $x_3$  gender,  $x_4$  for race,  
271  $x_5$  for the town of location,  $x_6$  for the district,  $x_7$  for profession,  $x_8$   
272 for the level of social activity,  $x_9$  for the number of children living  
273 with this person, and so on. We understand that such ranking of the  
274 basic social factors related to the covid-19 epidemic may be naive and  
275 incomplete. The contribution of sociologists, psychologists, and epi-  
276 demologists can improve the present model essentially, see even the  
277 recent article [57] on mathematical model of evolutionary creation of  
278 social types and contribution of genetics and natural selection.

279 Since the majority of states selected the lock down policy that was  
280 not oriented towards approaching herd immunity, we restrict consid-  
281 eration to the Swedish population. So, in the above assigning of social  
282 meaning to coordinates they are shifted to the left. We also stress that



283 hierarchy of social factors involved in the covid-19 epidemic can be se-  
 284 lected depending on the state, i.e., for each state we create its own  
 285 system of social clustering coupled to this epidemic. Consider USA,  
 286 here the population is not so homogeneous with respect to the level  
 287 of income and the life style connected to income as it is in Sweden.  
 288 The social factor of belonging to up or low income classes plays the  
 289 crucial role in covid-19 infecting. It seems that this coordinate should  
 290 be places as the next (to the right) to the age-coordinate, then the  
 291 race-coordinate and so on. Thus, the above hierarchy, (age, chronic  
 292 disease, gender, race, town, district, family,...), that is appropriate  
 293 for Sweden, should be rearranged for USA, as say (age, income, race,  
 294 chronic disease, gender, town, district, family,...).<sup>6</sup>

295 It is convenient to proceed with variable number of coordinates,  
 296 i.e., not fix  $n$  and  $m$ . This gives the possibility to add new coordinates.  
 297 The space of such vectors can be represented by rational numbers of  
 298 the form

$$x = x_{-n}p^{-n} + \dots + x_{-1}p^{-1} + x_0 + x_1p + \dots + x_m p^m, \quad x_j \in \{0, 1, \dots, p-1\}. \quad (3)$$

299 This is the basis of the number-theoretic representation of the space  
 300 of social states. We shall consider it later. Now we continue in the  
 301 vector framework.

302 To use fruitfully ultrametric models, we have to construct a com-  
 303 plete metric space. The standard way is approach completeness is to  
 304 consider infinite sequences of the form:

$$x = (\dots, x_{-n}, \dots, x_{-1}, x_0, x_1, \dots, x_m, \dots), \quad x_j \in \{0, 1, \dots, p-1\}, \quad (4)$$

305 where, for each  $x$ , there exists  $n$  such that  $x_{-j} = 0, j > n$ . Denote the  
 306 space of such sequences by the symbol  $\mathbf{Q}_p$ . On this space, a metric is  
 307 introduced in the following way. Consider two sequences  $x = (x_j)$  and  
 308  $y = (y_j)$ ; let  $x_j = y_j, j < n$ , where  $n$  is some integer, but  $x_n \neq y_n$ .  
 309 Then the distance between two vectors is defined as

$$\rho_p(x, y) = p^{-n}. \quad (5)$$

310 So, if  $n$  is negative, then distance is larger than 1, if  $n$  is nonnegative,  
 311 then distance is less or equal to 1. The  $\rho_p$  is an ultrametric. We remark  
 312 that each ball can be identified with a ball of radius  $R = p^n, n \in \mathbf{Z}$ .  
 313 Ball  $B_1(0)$  plays the important role and it is defined by special  
 314 symbol  $\mathbf{Z}_p$ . As in any ultrametric space, each ball is represented as  
 315 disjoint union of smaller balls, e.g.,

$$\mathbf{Z}_p = \cup_{j=0}^{p-1} B_{1/p}(a^j) = \cup_{j_0 \dots j_{n-1}=0}^{p-1} B_{1/p^n}(a^{j_0 \dots j_{n-1}}) \quad (6)$$

---

<sup>6</sup>Income did not play any role in Sweden during the covid-19 epidemic.

316 where  $a^j \in \mathbf{Z}_p$  is constrained by condition  $x_0 = j$  and  $a^{j_0 \dots j_{n-1}}$  is  
 317 constrained by conditions  $x_0 = j_0, \dots, x_{n-1} = j_{n-1}$ , and so on. We  
 318 recall that in an *ultrametric space*, any point of a ball can be selected  
 319 as its center.

320 In our model,  $p$ -adic balls represent social clusters corresponding  
 321 to fixing a few social coordinates. For example  $C_j = B_{1/p}(a^j) = \{x \in$   
 322  $\mathbf{Z}_p : x_0 = j\}$ , in above epidemic coding  $C_j$  corresponds to fixing age=  
 323  $j$ ;  $C_{ji} = B_{1/p}(a^{ji}) = \{x \in \mathbf{Z}_p : x_0 = j, x_1 = i\}$ , age=  $j$ , gender =  $i$  for  
 324 Swedish society or age=  $j$ , income level=  $i$  for American society.

325 Social states, points of  $\mathbf{Q}_p$ , can be considered as balls of zero ra-  
 326 dius, we call them *elementary social clusters*. Partitions of a ball into  
 327 disjoint balls of smaller radii corresponds to partition of a social cluster  
 328 into disjoint subclusters of deeper level of social hierarchy.

329 Now we turn to the algebraic representation of social states by  
 330 rational numbers, see (3). The space  $\mathbf{Q}_p$  endowed with ultrametric  $\rho_p$   
 331 can be considered as completion of this set of rational numbers and  
 332 algebraically the elements of  $\mathbf{Q}_p$  can be represented by power series of  
 333 the form

$$x = \sum_{k=n} x_k p^k \quad (7)$$

334 where  $x_j \in \{0, 1, \dots, p-1\}$ ,  $x_n \neq 0$ , and  $n \in \mathbf{Z}$ ; so only finite number  
 335 of coordinates with negative index  $k$  can differ from zero. Such a se-  
 336 ries converges with respect to ultrametric  $\rho_p$ . Representation by the  
 337 power series gives the possibility to endow  $\mathbf{Q}_p$  with the algebraic opera-  
 338 tions, addition, subtraction, multiplication, and division (the latter  
 339 operation is defined only for prime  $p$ ). Hence,  $\mathbf{Q}_p$  is a *number field*,  
 340 *the field of  $p$ -adic numbers*. This algebraic representation leads to  
 341 number-theoretic representation of ultrametric,  $\rho_p(x, y) = |x - y|_p$ ,  
 342 where  $x \rightarrow |x|_p$  is the  $p$ -adic analog of the real absolute value; per  
 343 definition, for  $x$  given by series (7),

$$|x|_p = \left| \sum_{k=n} x_k p^k \right|_p = p^{-n}. \quad (8)$$

344 It satisfies the strong triangle inequality playing the fundamental role  
 345 in  $p$ -adic analysis:

$$|x + y|_p \leq \max\{|x|_p, |y|_p\}. \quad (9)$$

## 346 4 Modeling the virus spread with ul- 347 trametric diffusion equation

348 An elementary social cluster given by a point of  $\mathbf{Q}_p$  is a mathemati-  
 349 cal abstraction. Real clusters are represented by balls of finite radii.

350 Therefore it is interesting to study the evolution of average probabil-  
 351 ity for cluster  $B_n \equiv B_{p^n}(0)$ ,  $n = 0, \pm 1, \pm 2, \dots$ . Under assumption **AS3**,  
 352 this quantity is represented as the integral with respect to the Haar  
 353 measure:

$$p_I(B_n, t) = \int_{B_n} p_I(x, t) \mu(dx). \quad (10)$$

354 Under the above assumptions on the social structure of population  
 355 and its interaction with the virus (including restrictions imposed by  
 356 authorities in connection with epidemic), we can write the following  
 357 master equation for probability  $p_I(x, t)$ ,

$$\frac{\partial p_I(x, t)}{\partial t} = \int_{Q_p} [p(x|y; t)p_I(y, t) - p(y|x; t)p_I(x, t)] \mu(dy), \quad (11)$$

358 where  $p(x|y; t)$  is the transition probability: the probability that the  
 359 virus being present in (elementary) cluster  $y$  would jump to cluster  $x$ .  
 360 We suppose that this probability does not depend on time  $t$  and it is  
 361 symmetric, i.e.,  $p(x|y) = p(y|x)$ . Under these assumptions, the master  
 362 equation has the form

$$\frac{\partial p_I(x, t)}{\partial t} = \int_{Q_p} p(x|y) [p_I(y, t) - p_I(x, t)] \mu(dy). \quad (12)$$

363 It is natural to assume that the transition probability decreases with  
 364 increasing of the distance between two clusters, for example, that

$$p(x|y) = \frac{C_\alpha}{|x - y|_p^{1+\alpha}}, \quad \alpha > 0. \quad (13)$$

365 Here  $C_\alpha > 0$  is a normalization constant, by mathematical reasons it  
 366 is useful to select distance's power larger than one. Hence,

$$\frac{\partial p_I(x, t)}{\partial t} = C_\alpha \int_{Q_p} \frac{p_I(y, t) - p_I(x, t)}{|x - y|_p^{1+\alpha}} \mu(dy). \quad (14)$$

367 The integral operator in the right-hand side is the operator of frac-  
 368 tional derivative  $D^\alpha$  (the Vladimirov operator), see [13]. Thus, the  
 369 dynamics of the probability to become infected for those belonging  
 370 to an elementary social cluster is described by *the p-adic diffusion*  
 371 *equation*:

$$\frac{\partial p_I(x, t)}{\partial t} = D^\alpha p_I(x, t). \quad (15)$$

To formulate the Cauchy problem, we have to add some initial prob-  
 ability distribution. We select the uniform probability distribution  
 concentrated on a single ball, initially infected social cluster  $B_n$ ,

$$p_I(x, 0) = \frac{1}{\mu(B_n)} \begin{cases} 1, & x \in B_n \\ 0, & x \notin B_n \end{cases}$$




Figure 1: Asymptotic behavior of probability to become infected. (For fixed social temperature  $T$ , the upper graphs correspond to one-step barrier growth 10 and 100 times, respectively.)

372

373

374

375

376

377

378

This equation and its various generalizations were studied by many authors, for applications to physics and biology and by pure mathematical reasons, see, e.g., [13]. We are interested in the relaxation regime, i.e., asymptotic of average probability  $p_I(B_n, t)$  for large  $t$ . We use the mathematical result from [17] (see also [18, 19]) and obtain that the average probability has the power behavior:

$$p_I(B_n, t) \sim t^{-1/\alpha}, \quad t \rightarrow \infty. \quad (16)$$

379

380

381

382

383

384

385

386

387

Thus the average probability to become infected in a social cluster decreases rather slowly with time. If  $\alpha \gg 1$ , i.e., the virus transition probability decreases very quickly with increase of the distance between social clusters, then  $p_I(B_n, t)$  decreases very slowly with time, it is practically constant. If  $0 < \alpha \ll 1$ , so the virus transition probability decreases relatively slowly with increase of the distance, then  $p_I(B_n, t)$  decreases sufficiently quickly with time. We shall discuss these behaviors in section 5 by assigning bio-social meaning to the parameter  $\alpha$ .

388

389

We present some graphs corresponding to different values of  $\alpha$  at Fig. 1.

390

391

Consider now a kind of “integral immunity”, combination of innate and adaptive components, defined as the probability of not become

392 infected:

$$p_{\text{Im}}(x, t) = 1 - p_I(x, t) \quad (17)$$

393 and its average over social cluster represented by ball  $B_n$ ,

$$p_{\text{Im}}(B_n, t) = 1 - p_I(B_n, t) \quad (18)$$

394 This function increases relatively slowly with time, see Fig. 1. Its  
 395 asymptotic behavior depends on the parameter  $\alpha$  determining how  
 396 rapidly the transition probability between social clusters decreases  
 397 with increase of the distance between them.




Figure 2: Asymptotic behavior of probability to become immune; increasing of herd immunity (for fixed social temperature  $T$ , the upper graphs correspond to one-step barrier growth 10 and 100 times, respectively).

## 398 5 Virus' random walk on the hierar- 399 chic social tree

400 The mathematical result on the relaxation regime for the  $p$ -adic diffu-  
 401 sion [17] is generalization of studies on random walks on ultrametric  
 402 spaces describing dynamics on energy landscapes [48]-[47]. There are  
 403 given energy barriers  $\Delta_m$  separating valleys, movement from one val-  
 404 ley to another valley is constrained by necessity to jump over a barrier  
 405 between them. This random walk model gives a good heuristic pic-  
 406 ture of the virus spread, as jumping from one social cluster (valley)

407 to another, where clusters (valleys) are separated by social barriers  
408 (mountains) of different heights. Geometrically such random walk is  
409 represented as jumps on a tree between the levels of social hierarchy.  
410 Our model (selection of the transition probability in the form (13))  
411 corresponds to *barriers growing linearly with the number of elemen-*  
412 *tary jumps*. The relaxation regime of the power form is obtained for  
413 the number of hierarchy's levels approaching infinity, i.e., for ideal  
414 trees with infinitely long branches, as ultrametric spaces they are rep-  
415 resented by  $\mathbf{Q}_p$ .




Figure 3: Treelike configuration space

416 The virus plays the role of a system moving through barriers in  
417 models of dynamics on energy landscapes (see [48], [41]-[47] and ref-  
418 erences herein). In our case, these are social barriers between social  
419 clusters of population. The virus performs a complex random walk  
420 motion inside each social cluster moving in its sub-clusters, goes out  
421 of it and spreads through the whole population, sometimes the virus  
422 comes back to the original cluster from other social clusters that have

423 been infected from this initial source of infection, and so on. During  
424 this motion the virus should cross numerous social barriers.

425 Instead of virus walking through the social tree, we can consider  
426 a person. A person of the social type  $x$  can interact with persons of  
427 other social types. The temporal sequence of social contacts of some  
428 persons can have a very complicated trajectory, visiting numerous  
429 clusters (but the probability of approaching a cluster depends crucially  
430 on social barriers).

431 Let virus encounters a barrier of size  $\Delta_m$ , in hopping a distance  $m$   
432 (crossing  $m$  levels of hierarchy), where  $\Delta_1 < \Delta_2 < \dots < \Delta_m < \dots$ . It  
433 is supposed that barriers  $\Delta_m$  are the same for all social clusters, i.e.,  
434 they depend only on distance, but not on clusters. This assumption  
435 reflects a kind of epidemic *égalité* of all social groups, the barriers  
436 preventing spread of the virus that are imposed by state authorities  
437 are the same for all social groups.

438 Consider the tree at Fig. 3. We identify the lengths of branches  
439 between vertexes with magnitudes of barriers. Then the barriers on  
440 this tree depend on clusters, so from this viewpoint the social tree is  
441 not homogeneous.

442 Consider the energy landscape with a uniform barrier  $\Delta$ , at every  
443 branch point; that is, a jump of distance 1 involves surmounting a  
444 barrier  $\Delta$ , of distance 2, a barrier  $2\Delta$ , and so on. Hence, barriers  
445 linearly grow with distance  $m$ ,

$$\Delta_m = m\Delta, m = 1, 2, \dots \quad (19)$$

446 It seems that this type of behavior is the most natural from the  
447 viewpoint of social connections during the covid-19 epidemic in Swe-  
448 den. Barriers are sufficiently high, but they still are not walls as  
449 during the rigid quarantine (as say in Italy, France, or Russia). For  
450 such linearly increasing barriers one can derive the following asymp-  
451 totic behavior (17) of the relaxation probability [48], where in physics  
452 and biology the parameter

$$q \equiv 1/\alpha = \frac{T \log p}{\Delta}, \quad (20)$$

453 Here the new parameter  $T$  has the meaning of temperature. Thus  
454 behavior of distance between valleys of the energy landscape is deter-  
455 mined by the size of the barrier for one-step jump  $\Delta$  and temperature.  
456 We rewrite formula (13) for transition probability by using these pa-  
457 rameters:

$$p(x|y) = \frac{C_{T,\Delta}}{|x - y|_p^{1+\Delta/T}}. \quad (21)$$

458 In our model, we introduce the notion of *social temperature*  $T$ . As in  
459 physics, this parameter calibrates energy, in our case social energy.



460 The latter represents the degree of social activity, the magnitude of  
461 social actions. Although the notions of social temperature and energy  
462 are not so well established as in physics, they can be useful in socio-  
463 physical modeling (see [63] and references herein, starting with the  
464 works of Freud and Jung). Probability that the virus jumps from the  
465 elementary social cluster  $y$  to another cluster  $x$  grows with growth  
466 of social temperature. For high  $T$ , virus (or its spreader) easily move  
467 between social clusters. If  $T \ll 1$ , the infection is practically confined  
468 in clusters. If barrier  $\Delta$  increases for the fixed parameter  $T$ , then the  
469 transition probability decreases and vice verse.

470 Starting with expression (21), we obtain the relaxation asymptotic  
471 in the form:

$$p_I(B_n, t) \sim t^{-\frac{T \log p}{\Delta}}, \quad t \rightarrow \infty. \quad (22)$$

472 Thus, for large  $t$ , the average probability to become infected in social  
473 cluster  $B_n$  decreases quicker with increase of social temperature  $T$ .  
474 Decrease of the one-step jump barrier  $\Delta$  implies the same behavior.

475 Immunity probability  $p_{Im}(B_n, t)$  behaves in the opposite way. It  
476 increases quicker with increase of social temperature and decrease of  
477 the social barrier  $\Delta$ .

## 478 6 Concluding remarks

479 In this paper, we continue development of a new mathematical model  
480 of disease spread reflecting specialties of covid-19 epidemic. We espe-  
481 cially emphasize the social cluster character of the virus spread, **ASO**.  
482 Such clustered spread can be modeled with dynamical systems on ul-  
483 trametric spaces. Social clusters are represented by ultrametric balls.  
484 The basic feature of ultrametric balls is that they are either disjoint  
485 or one is included in another. This is the root of a the hierarchic  
486 structure of an ultrametric space. Geometrically ultrametric spaces  
487 are represented by trees with balls given by bunches of branches with  
488 the common root.

489 In this paper, we model the dynamics of coronavirus with ultra-  
490 metric diffusion equation<sup>7</sup>, its simplest version corresponding to  $p$ -adic  
491 trees and linearly increasing social barriers. Asymptotic of probabil-  
492 ity  $p_{Im}(t)$  to become immune against the virus is presented at Fig. 2.  
493 Generally, it increases slowly, the speed of increasing depends on the  
494 basic parameter of the model  $q = T \log p / \Delta$ .

---

<sup>7</sup>The use of purely diffusional model is supported by specialties of covid-19 epidemic, presented in section 2. Of course, this model is only approximate. But, it seems that it gives the right asymptotic of probabilities, to become infected and immune, in socially clustered society.

495 In a society with low social temperature and high barriers between  
496 social clusters,  $p_{Im}(t)$  increase so slowly that there is practically no  
497 hope to approach herd immunity.

## 498 Appendix

499 Superspreader is an unusually contagious individual who has been  
500 infected with disease; someone who infected the number of people far  
501 exceeding the two to three. As was pointed out in MIT Technology  
502 Review [62]: “For covid-19, this means 80% of new transmissions are  
503 caused by fewer than 20% of the carriers – the vast majority of people  
504 infect very few others or none at all, and it is a select minority of  
505 individuals who are aggressively spreading the virus. A recent preprint  
506 looking at transmission in Hong Kong supports those figures, while  
507 another looking at transmission in Shenzhen, China, pegs the numbers  
508 closer to 80/10. Lots of outbreaks around the world have been linked  
509 to single events where a superspreader likely infected dozens of people.  
510 For example, a choir practice in Washington State infected about 52  
511 people; a megachurch in Seoul was linked to the majority of initial  
512 infections in South Korea; and a wedding in Jordan with about 350  
513 guests led to 76 confirmed infections.” The bad news is that, for the  
514 moment, we cannot identify diagnostically superspreaders.

## 515 References

- 516 [1] A. Khrennikov, Ultrametric model for covid-19 dynamics: an  
517 attempt to explain slow approaching herd immunity in Swe-  
518 den. <https://www.preprints.org/manuscript/202007.0037/v1> ;  
519 <https://www.medrxiv.org/content/10.1101/2020.07.04.20146209v1>  
520 .
- 521 [2] Khrennikov A., Human subconscious as a p-adic dynamical sys-  
522 tem. *Journal of Theoretical Biology*, 193(2), 179-96 (1998).
- 523 [3] S. Albeverio, A. Khrennikov, P. E. Kloeden, Memory retrieval as  
524 a p-adic dynamical system. *Biosystems* 49, N 2, 105-115 (1999).
- 525 [4] D. Dubischar, V. M. Gundlach, O. Steinkamp, A. Khrennikov,  
526 A p-Adic Model for the Process of Thinking Disturbed by Phys-  
527 iological and Information Noise. *Journal of Theoretical Biology*  
528 197(4), 451-67 (1999).
- 529 [5] A. Khrennikov, *Information Dynamics in Cognitive, Psychological,*  
530 *Social, and Anomalous Phenomena.* Kluwer, 2004

- 531 [6] A. Khrennikov, Probabilistic pathway representation of cogni-  
532 tive information. *Journal of Theoretical Biology* 231, N 4, 597-  
533 613 (2004).
- 534 [7] A. Khrennikov, Toward an adequate mathematical model of  
535 mental space: Conscious/unconscious dynamics on  $m$ -adic trees.  
536 *Biosystems* 90, N 3, 656-675 (2007).
- 537 [8] Murtagh, F. The Haar wavelet transform of a dendrogram. *J.*  
538 *Classif.* 2007, 24, 3–32.
- 539 [9] Dragovich, B.; Dragovich, A. A  $p$ -Adic model of DNA sequence  
540 and genetic code. *P-Adic Numbers Ultramet. Anal. Appl.* 2009,  
541 1, 34–41.
- 542 [10] Dragovich, B.; Dragovich, A.  $p$ -adic modelling of the genome  
543 and the genetic code. *Comput. J.* 2010, 53, 432–442.
- 544 [11] Murtagh, F.; Contreras, P. Fast, linear time,  $m$ -adic hierarchi-  
545 cal clustering for search and retrieval using the Baire metric,  
546 with linkages to generalized ultrametrics, hashing, formal con-  
547 cept analysis, and precision of data measurement. *P-Adic Num-*  
548 *bers Ultramet. Anal. Appl.* 2012, 4, 45–56.
- 549 [12] Contreras, P.; Murtagh, F. Fast, linear time hierarchical clus-  
550 tering using the Baire metric. *J. Classif.* 2012, 29, 118–143.
- 551 [13] Vladimirov, V.S.; Volovich, I.V.; Zelenov, E.I. *P-Adic Analysis*  
552 *and Mathematical Physics*; WSP: Singapore, 1994.
- 553 [14] Kochubei, A. N.: *Parabolic Equations over the Field of  $p$ -Adic*  
554 *Numbers*, *Math. USSR Izvestiya* 39( 1992), 1263-1280
- 555 [15] S. Albeverio and X. Zhao, Measure-valued branching processes  
556 associated with random walks on  $p$ -adics. *Ann. Probab.* 28,  
557 (2000), 1680-1710.
- 558 [16] Kochubei, A.N. *Pseudo-Differential Equations and Stochastics*  
559 *over Non-Archimedean Field*; CRC Press: New York, NY, USA,  
560 2001
- 561 [17] V. A. Avetisov, A. H. Bikulov, S. V. Kozyrev and V. A. Osipov,  
562  $p$ -adic models of ultrametric diffusion constrained by hierarchi-  
563 cal energy landscapes. *J. Phys. A: Math. Gen.* 35, 2002, 177-190.
- 564 [18] Kozyrev, S.V. Ultrametric dynamics as a model of interbasin  
565 kinetics. *J. Comput. Math. Anal.* 2006, 41, 38–48.
- 566 [19] Kozyrev, S.V. Ultrametric analysis and interbasin kinetics. *AIP*  
567 *Conf. Proc.* 2006, 826, 121–128.
- 568 [20] S. Albeverio, A. Yu Khrennikov, V. M. Shelkovich, *Theory of*  
569 *P-adic Distributions: Linear and Nonlinear Models*. Cambridge  
570 *Univ. Press, Cambridge*, 2010.

- 571 [21] Casas-Sanchez, O.F.; Zuniga-Galindo, W.A. P-adic elliptic  
572 quadratic forms, parabolic-type pseudodifferential equations  
573 with variable coefficients and Markov processes. *P-Adic Num-*  
574 *bers Ultramet. Anal. Appl.* 2014, 6, 120–139.
- 575 [22] Volovich, I.V. p-Adic string. *Class. Quantum Gravity* 1987, 4,  
576 83–87.
- 577 [23] Dragovich, B.G. Adelic harmonic oscillator. *Int. J. Mod. Phys.*  
578 *A* 1995, 10, 2349–2359. [CrossRef]
- 579 [24] Khrennikov, A.Y. *P-Adic Valued Distributions in Mathematical*  
580 *Physics*; Kluwer: Dordrecht, The Netherlands, 1994.
- 581 [25] R. M. Anderson, R. M. May, *Infectious Diseases of Humans:*  
582 *Dynamics and Control* (Oxford Univ. Press, 1991).
- 583 [26] H. Andersson, T. Britton, *Stochastic Epidemic Models and*  
584 *Their Statistical Analysis* (Springer, 2000).
- 585 [27] O. Diekmann, H. Heesterbeek, T. Britton, *Mathematical Tools*  
586 *for Understanding Infectious Disease Dynamics* (Princeton  
587 Univ. Press, 2013).
- 588 [28] D. Smith and L. Moore, *The SIR Model for Spread*  
589 *of Disease - The Differential Equation Model.*  
590 [https://www.maa.org/press/periodicals/loci/joma/the-sir-](https://www.maa.org/press/periodicals/loci/joma/the-sir-model-for-spread-of-disease-the-differential-equation-model)  
591 [model-for-spread-of-disease-the-differential-equation-model.](https://www.maa.org/press/periodicals/loci/joma/the-sir-model-for-spread-of-disease-the-differential-equation-model)
- 592 [29] K. I. Kim, Zh. Lin, Q. Zhang, An SIR epidemic model with  
593 free boundary. *Nonlinear Analysis: Real World Appl.*, 14, 2013,  
594 1992-2001.
- 595 [30] S. Flaxman, S. Mishra, A. Gandy, H. J. T. Unwin, H. Coup-  
596 land, T. A. Mellan, H. Zhu, T. Berah, J. W. Eaton, P. N. P.  
597 Guzman, N. Schmit, L. Cilloni, K. E. C. Ainslie, M. Baguelin,  
598 I. Blake, A. Boonyasiri, O. Boyd, L. Cattarino, C. Ciavarella,  
599 L. Cooper, Z. Cucunubá, G. Cuomo-Dannenburg, A. Dighe, B.  
600 Djaafara, I. Dorigatti, S. van Elsland, R. FitzJohn, H. Fu, K.  
601 Gaythorpe, L. Geidelberg, N. Grassly, W. Green, T. Hallett, A.  
602 Hamlet, W. Hinsley, B. Jeffrey, D. Jorgensen, E. Knock, D. Lay-  
603 don, G. Nedjati-Gilani, P. Nouvellet, K. Parag, I. Siveroni, H.  
604 Thompson, R. Verity, E. Volz, C. Walters, H. Wang, Y. Wang,  
605 O. Watson, P. Winskill, X. Xi, C. Whittaker, P. G. T. Walker, A.  
606 Ghani, C. A. Donnelly, S. Riley, L. C. Okell, M. A. C. Vollmer,  
607 N. M. Ferguson, S. Bhatt, Report 13: Estimating the number of  
608 infections and the impact of non-pharmaceutical interventions  
609 on COVID-19 in 11 European countries (Imperial College Lon-  
610 don, 2020); .doi:10.25561/77731

- 611 [31] N. M. Ferguson, D. Laydon, G. Nedjati-Gilani, N. Imai, K.  
612 Ainslie, M. Baguelin, S. Bhatia, A. Boonyasiri, Z. Cucunubá,  
613 G. Cuomo-Dannenburg, A. Dighe, I. Dorigatti, H. Fu, K.  
614 Gaythorpe, W. Green, A. Hamlet, W. Hinsley, L. C. Okell, S.  
615 van Elsland, H. Thompson, R. Verity, E. Volz, H. Wang, Y.  
616 Wang, P. G. T. Walker, C. Walters, P. Winskill, C. Whittaker,  
617 C. A. Donnelly, S. Riley, A. C. Ghani, Report 9: Impact of non-  
618 pharmaceutical interventions (NPIs) to reduce COVID-19 mor-  
619 tality and healthcare demand (Imperial College London, 2020);  
620 [10.25561/77482](https://doi.org/10.25561/77482).doi
- 621 [32] T. Britton, Basic estimation-prediction techniques for Covid-  
622 19, and a prediction for Stockholm. Preprint, April 2020 DOI:  
623 [10.1101/2020.04.15.20066050](https://doi.org/10.1101/2020.04.15.20066050)
- 624 [33] T. Britton, Basic estimation-prediction techniques  
625 for Covid-19, and a prediction for Stockholm.  
626 <https://www.medrxiv.org/content/10.1101/2020.04.15.20066050v2>
- 627 [34] T. Britton, P. Trapman, F.G. Ball, The disease-  
628 induced herd immunity level for Covid-19 is substan-  
629 tially lower than the classical herd immunity level.  
630 <https://www.medrxiv.org/content/10.1101/2020.05.06.20093336v2>
- 631 [35] W. Bock, B. Adamik, M. Bawiec, V. Bezborodov, M. Bodych,  
632 J. P. Burgard, T. Goetz, T. Krueger, A. Migalska, B. Pab-  
633 jan, T. Ozanski, E. Rafajlowicz, W. Rafajlowicz, E. Skubalska-  
634 Rafajlowicz, S. Ryfczynska, E. Szczurek, P. Szymanski, Mit-  
635 igation and herd immunity strategy for COVID-19 is likely  
636 to fail. medRxiv 2020.03.25.20043109 [Preprint]. 5 May 2020;  
637 .doi:10.1101/2020.03.25.20043109 Abstract/FREE Full Text-  
638 Google Scholar
- 639 [36] H. Salje, C. T. Kiem, N. Lefrancq, N. Courtejoie, P. Bosetti,  
640 J. Paireau, A. Andronico, N. Hozé, J. Richet, C.-L. Du-  
641 bost, Y. Le Strat, J. Lessler, D. Levy-Bruhl, A. Fontanet, L.  
642 Opatowski, P.-Y. Boelle, S. Cauchemez, Estimating the bur-  
643 den of SARS-CoV-2 in France. *Science* 10.1126/science.abc3517  
644 (2020). doi:10.1126/science.abc3517
- 645 [37] J. Wallinga, P. Teunis, M. Kretzschmar, Using data on so-  
646 cial contacts to estimate age-specific transmission parameters  
647 for respiratory-spread infectious agents. *Am. J. Epidemiol.* 164,  
648 936–944 (2006).
- 649 [38] R. Pastor-Satorras, A. Vespignani, Epidemic spreading in scale-  
650 free networks. *Phys. Rev. Lett.* 86, 3200–3203 (2001).

- 651 [39] M. J. Ferrari, S. Bansal, L. A. Meyers, O. N. Bjørnstad, Network frailty and the geometry of herd immunity. *Proc. Biol. Sci.*  
652 273, 2743–2748 (2006).  
653
- 654 [40] T. Britton, F. Ball, P. Trapman, A mathematical model reveals  
655 the influence of population heterogeneity on herd immunity to  
656 SARS-CoV-2. *Science* 23 Jun 2020: eabc6810
- 657 [41] M. Mezard, G. Parisi, N. Sourlas, G. Toulouse, and M. Virasoro,  
658 *Phys. Rev. Lett.* 52, 1156 (1984).
- 659 [42] R. G. Palmer, *Adv. Phys.* 31, 66a (1982); G. Parisi, *Phys. Rev.*  
660 *Lett.* 50, 1946 (1983).
- 661 [43] A. Ansari, J. Berendzen, S. F. Bowne, H. Frauenfelder, I. E. T.  
662 Iben, T. B. Sauke, E. Shyamsunder, and R. D. Young, *Proc.*  
663 *Natl. Acad. Sci. USA* 82, 5000 (1985).
- 664 [44] R. G. Palmer, D. L. Stein, E. Abrahams, and P. W. Anderson,  
665 *Phys. Rev. Lett.* 53, 958 (1984).
- 666 [45] B. A. Huberman and M. Kerszberg, *J. Phys. A* 18, L331 (1985).
- 667 [46] Parisi, *Phys. Rev. Lett.* 43, 1754 (1979).
- 668 [47] Parisi, G.; Sourlas, N. *p*-Adic numbers and replica symmetry  
669 breaking. *Eur. Phys. J. B* 2000, 14, 535–542.
- 670 [48] A. T. Ogielski, Dynamics on Ultrametric Spaces. *Phys. Rev.*  
671 *Lett.* 55, 1634-1637.
- 672 [49] Public Health Institute of Sweden, Estimates of the  
673 peak-day and the number of infected individuals dur-  
674 ing the covid-19 outbreak in the Stockholm region,  
675 Sweden February–April 2020 [in Swedish] (2020);  
676 [www.folkhalsomyndigheten.se/contentassets/2da059f90b90458d8454a04955d1697f/skattning-  
677 peakdag-antal-infekterade-covid-19-utbrottet-stockholms-lan-  
678 februari-april-2020.pdf](http://www.folkhalsomyndigheten.se/contentassets/2da059f90b90458d8454a04955d1697f/skattning-peakdag-antal-infekterade-covid-19-utbrottet-stockholms-lan-februari-april-2020.pdf).
- 679 [50] Public Health Institute of Sweden: Antikroppstester avviker  
680 fran prognoserna – matematikern “ser tva förklaringar”.  
681 <https://www.svt.se/nyheter/inrikes/antikroppstester>
- 682 [51] Public Health Institute of Sweden: Yngre personer har  
683 högre andel antikroppar. *Sverige Radion*, June 2, 2020;  
684 <https://sverigesradio.se/sida/artikel.aspx?programid=83artikel=7487102>
- 685 [52] Tegnell: “Vi får oroande rapporter om utelivet”. *SVT, Ny-*  
686 *heter*, 20-04-2020; [https://www.svt.se/nyheter/inrikes/tegnell-  
687 vi-far-oroande-rapporter-om-utelivet](https://www.svt.se/nyheter/inrikes/tegnell-vi-far-oroande-rapporter-om-utelivet)
- 688 [53] Se hur matematikprofessorerna räknar ut när Stockholm uppnår  
689 flockimmunitet. *SVT Nyheter*, 20-04-2020.

- 690 [54] G. Holm, Hoppfulla teorin: Sa när vi flockim-  
691 munitet redan i juni. Expressen, 10.05.2020.  
692 [https://www.expressen.se/nyheter/coronaviruset/hoppfulla-](https://www.expressen.se/nyheter/coronaviruset/hoppfulla-teorin-sa-nar-vi-flockimmunitet-redan-i-juni/)  
693 [teorin-sa-nar-vi-flockimmunitet-redan-i-juni/](https://www.expressen.se/nyheter/coronaviruset/hoppfulla-teorin-sa-nar-vi-flockimmunitet-redan-i-juni/)
- 694 [55] A. Obminska, Det här vet vi om coronaviruset. Ny  
695 Teknik, 30-06-2020; [https://www.nyteknik.se/samhalle/det-](https://www.nyteknik.se/samhalle/det-har-vet-vi-om-coronaviruset-6985117)  
696 [har-vet-vi-om-coronaviruset-6985117](https://www.nyteknik.se/samhalle/det-har-vet-vi-om-coronaviruset-6985117)
- 697 [56] Public Health Institute of Sweden, 18-06-2020;  
698 [https://www.folkhalsomyndigheten.se/nyheter-och-](https://www.folkhalsomyndigheten.se/nyheter-och-press/nyhetsarkiv/2020/juni/forsta-resultaten-om-antikroppar-efter-genomgangen-covid-19-hos-blodgivare/)  
699 [press/nyhetsarkiv/2020/juni/forsta-resultaten-om-antikroppar-](https://www.folkhalsomyndigheten.se/nyheter-och-press/nyhetsarkiv/2020/juni/forsta-resultaten-om-antikroppar-efter-genomgangen-covid-19-hos-blodgivare/)  
700 [efter-genomgangen-covid-19-hos-blodgivare/](https://www.folkhalsomyndigheten.se/nyheter-och-press/nyhetsarkiv/2020/juni/forsta-resultaten-om-antikroppar-efter-genomgangen-covid-19-hos-blodgivare/)
- 701 [57] L. A. Demetrius, V. M. Gundlach, Directionality Theory and  
702 the Entropic Principle of Natural Selection. *Entropy* 2014, 16,  
703 5428-5522.
- 704 [58] H. Streeck, So far, no transmission of the virus  
705 in supermarkets, restaurants or hairdressers has  
706 been proved. [https://today.rtl.lu/news/science-and-](https://today.rtl.lu/news/science-and-environment/a/1498185.html)  
707 [environment/a/1498185.html](https://today.rtl.lu/news/science-and-environment/a/1498185.html), 14.04.2020.
- 708 [59] Podcast “Coronavirus-Update” mit Christian Drosten.  
709 [https://www.ndr.de/nachrichten/info/14-Coronavirus-Update-](https://www.ndr.de/nachrichten/info/14-Coronavirus-Update-Vorsicht-vor-Vereinfachungen,podcastcoronavirus132.html)  
710 [Vorsicht-vor-Vereinfachungen,podcastcoronavirus132.html](https://www.ndr.de/nachrichten/info/14-Coronavirus-Update-Vorsicht-vor-Vereinfachungen,podcastcoronavirus132.html)
- 711 [60] J. Howard, Coronavirus spread by asymptomatic peo-  
712 ple appears to be rare,“ WHO official says. CNN,  
713 [https://edition.cnn.com/2020/06/08/health/coronavirus-](https://edition.cnn.com/2020/06/08/health/coronavirus-asymptomatic-spread-who-bn/index.html)  
714 [asymptomatic-spread-who-bn/index.html](https://edition.cnn.com/2020/06/08/health/coronavirus-asymptomatic-spread-who-bn/index.html)
- 715 [61] A. Azad, CDC estimates that 35% of coronavirus pa-  
716 tients don’t have symptoms. CNN, May 22, 2020,  
717 [https://edition.cnn.com/2020/05/22/health/cdc-coronavirus-](https://edition.cnn.com/2020/05/22/health/cdc-coronavirus-estimates-symptoms-deaths/index.html)  
718 [estimates-symptoms-deaths/index.html](https://edition.cnn.com/2020/05/22/health/cdc-coronavirus-estimates-symptoms-deaths/index.html)
- 719 [62] Technology Review, What’s a coronavirus superspreader?  
720 [https://www.technologyreview.com/2020/06/15/1003576/whats-](https://www.technologyreview.com/2020/06/15/1003576/whats-a-coronavirus-superspreader/)  
721 [a-coronavirus-superspreader/](https://www.technologyreview.com/2020/06/15/1003576/whats-a-coronavirus-superspreader/) 15.06.2020.
- 722 [63] A. Khrennikov, Social Laser. Jenny Stanford Publ., Singapore,  
723 2020.