Water, Sanitation, Hygiene (WASH) or others? - a global analysis on determinants of

Covid-19 pandemic

Ajishnu Roy [a], Aman Basu [b], Kousik Pramanick [a, *]

[a] Integrative Biology Research Unit, Department of Life Sciences, Presidency University, 86/1,

College Street, Kolkata - 700073, India

Email: ajishnuroy1990@gmail.com (A.R.)

ORCID: 0000-0001-9494-3963 (A.R.)

Email: kousik.dbs@presiuniv.ac.in (K.P)

ORCID: 0000-0003-1822-4646 (K.P)

[b] Department of Environmental Studies, Siksha Bhavana (Institute of Science), Visva-Bharati,

West Bengal - 731235, India

Email: amansantiniketan@gmail.com (A.B)

ORCID: 0000-0001-6814-4615 (A.B)

*Corresponding author

Declaration of competing interest: The authors declare that they have no known competing

financial interests or personal relationships that could have appeared to influence the work

reported in this paper.

Funding: This research did not receive any specific grant from funding agencies in the public,

commercial, or not-for-profit sectors.

Dedication: We salute and dedicate our work to all the individuals who are working tirelessly to

control and mitigate this Covid-19 pandemic.

CRediT authorship contribution statement:

Ajishnu Roy: Conceptualization, Methodology, Data curation, Analysis, Visualization,

Interpretation, Writing - original draft, review & editing.

Aman Basu: Formal analysis, Visualization, Writing - review & editing.

Kousik Pramanick: Writing – review, Guidance.

Abstract:

Coronavirus (SARS Covid-19) has become a global public health concern due to its

unpredictable nature and lack of adequate pre-existing conditions. Achievement of WASH

services is being acknowledged as indispensable in safeguarding health. However, on a global

scale, it is currently not clear whether deprivation or non-obtainability of which of the factors are

closely related to Covid-19 dynamics and up to which degree. We have analysed 6 months' data

related to five Covid-19 indicators for most of the countries in the world with three groups of

indicators of WASH, socio-economic factors and mobility & stringency. Four successive steps

were followed to carry out the analysis: (a) identification of relevant key explanatory variables of

Covid-19, (b) identification of indicators (n=103) for other 5 sub-groups of factors (viz. WASH,

economy, health, society, mobility & stringency) through literature review, (c) utilizing

Spearman's rank-order correlation for measuring the association of the possible explanatory

variables with those of Covid-19 (of spatial nature), and then (d) continuing the same for 6

consecutive months (from March to August 2020) until we get an almost unchanging trend. We

have found a strong positive correlation between lesser effects (i.e. either less confirmed case or

higher recovery rate) of Covid-19 and better access to WASH as well as socioeconomic factors

throughout this time for a significant amount of the indicators. Since a handful of research is

available to discuss the association between Covid-19 with other probable determinants along

with the nature and degree of their relationship, this study should be perceived as an expanded

view on the complexities of Covid-19 interrelationships towards understanding determinants of

Covid-19 dynamics, which could help to shape an agenda for research into some unanswered

questions.

Keywords: socioeconomy; WASH; stringency; mobility; covid-19; global;

1. Introduction:

Severe acute respiratory syndrome-coronavirus (SARS-CoV-2), emerged in China in December

2019, is causing an outbreak of respiratory disease (COVID-19 disease by WHO). The new

SARS-CoV-2 virus is known to spread by person-to-person contact (through respiratory droplets

over a short distance) or via faecal-oral routes (hypothesised by Heller et al. 2020). Studies have

shown that coronaviruses exist and can maintain their viability in sewage and hospital

wastewater, originating from the faecal discharge of infected patients. Concerns have been raised

over inequity in access to various prevention and control measures for slum dwellers, refugees

etc. (Singh et al. 2020), even though Tedros Adhanom Ghebreyesus (DG, WHO) has urged a

"whole-of-government, whole-of-society approach" for Covid-19 (Lau et al. 2020). According to

Lau et al. (2020), one of the important reasons for this might be limited access to safe water and

sanitation. Connection of control of covid-19 and global access to handwashing facilities has also

been established for low-income countries (Brauer et al. 2020). The insecurity of water may also

act as a deterrent for covid-19 mitigation, especially in developing areas (Stoler et al., 2020).

Odith et al. (2020) have also emphasized probable induction of Covid-19 transmission rate from

the shortfall in water and sanitation, using Nigeria as a case study. Amankwaa & Fischer (2020)

and Jiwani & Antiporta (2020) have also emphasised on the effects of poor WASH services on

Covid-19 fatalities in sub-Saharan African countries. Caruso & Freeman (2020) have argued on

the effects of inequality of sanitation facility with relation to the spread of Covid-19. Mushi &

Shao (2020) have stated the possible role of WASH services regarding the prevention of the further spread of covid-19, especially for lower- and middle-income countries. Ray (2020) have opined on the importance of hygiene about Covid-19. All of these works indicate a possible significant level of connection between inequality of WASH services and Covid-19. WHO and UNICEF have long been suggested about the importance of WASH in itself (UNICEF 2019) and also related to Covid-19 (WHO, 2020 a, b). Thus, these works indicate towards shortfalls WASH may relate to higher Covid-19 (occurrence and transmission).

Some socio-economic and demographic parameters were closely associated with COVID-19 cases-fatality rate. These include - per capita gross national income, net migration, voters' turnout ratio for Asian countries (Varkey et al. 2020), average age, the population density and density of doctors in Germany (Ehlert, 2020), tourism (Farzanegan et al. 2020; Lapointe, 2020; Gössling et al. 2020), household size, use of public transport, aged population and self-reported health for England and Wales (Sá, 2020), mean income in the 10 districts of the city of Barcelona – Spain (Baena-Díez et al., 2020), socioeconomic characteristics in neighbourhood community in 7 states of USA (Hatef et al., 2020), early life environment, life trajectory and socioeconomic status (Holuka et al. 2020), income and population density (Jani & Mavalankar, 2020), morbidity rate, risky health behaviours, crowding, and population mobility in South Korea (Weinstein et al. 2020), poor healthcare infrastructure, high population and room density, and informal job markets in low-income countries (UN Habitat, 2020; Mishra et al., 2020), poverty and income inequality in ten Latin America and the Caribbean (LAC) cities (Bolaño-Ortiz et al., 2020), working age population (i.e. demographic composition) in Italy and South Korea (Dowd et al., 2020), total population, poverty and income for some of the 31 countries in Europe (Sannigrahi et al., 2020), population, GDP and population density for Wuhan, China (Xiong et al., 2020) etc.

These studies indicate a varied relationship between social, economic, demographic influencing factors and Covid-19.

Apart from these, there are, at least 2 groups of real-time indicators which are supposed to have intervened with the dynamic of Covid-19, one is government measures through lockdowns and containment protocols and another is people's daily behaviour and activities. First, has mostly been interpreted through Oxford COVID-19 Government Response Tracker (OxCGRT) (Hale et al. 2020) and the second through Google community mobility reports (Google, 2020). Some works have suggested in support of their association with Covid-19 (Carlitz and Makhura, 2020; Castex et al., 2020; Yang et al., 2020).

There are some drawbacks to these works. Either some studies have incorporated a selectively few arrays of indicators, or their operational boundary is one or a group of countries of a region. Also, most of them deal with Covid-19 dataset of one single date, whereas it is well known that various parameters of this pandemic are very spatiotemporally dynamic i.e., changing with time as well as space (Sahin et al., 2020). For these reasons, we have conceptualized this work.

2. Research Questions:

There are some features that we have tried to encapsulate in this study.

(a) Are the various indicators of Covid-19 and indicators of WASH-related, at the global scale?

(b) If they are related, how much is their degree of association?

(c) Does their relationship remain similar throughout Covid-19 pandemic? i.e. Do the WASH conditions are affecting covid-19 conditions similarly from the onset of the pandemic?

(d) If the effect of WASH on indicators of Covid-19 have decreased over time, then what

about other socioeconomic factors?

(e) Are the various indicators of socioeconomic dimensions and indicators of WASH-related,

at the global scale?

(f) If socioeconomic factors and Covid-19 are related, how much is their degree of

association?

(g) Do the socioeconomic factors are affecting covid-19 conditions similarly from the onset

of the pandemic?

(h) If the effects of socioeconomic factors (excluding WASH) on indicators of Covid-19

have decreased over time, then what about stringency and mobility factors?

(i) If the stringency and mobility factors are related to Covid-19, how much is their degree

of association?

(j) Do the stringency and mobility factors affect covid-19 conditions similarly from the onset

of the pandemic?

3. Method and data:

We have collected data of water, sanitation and hygiene from WHO/UNICEF JMP (2017)

dataset and WDI (2020). We have used the data from the latest available year in this work. These

set of indicators have been used as indicators of socioeconomic status following the framework

used by Roy and Pramanick (2019). We have collected data of Covid-19 from for 6 different

dates (30[th] of March to 30[th] August, 2020) from JHU CCSE (2020). We have used data for 5

dimensions of water, 5 dimensions of sanitation, 3 dimensions of hygiene (i.e. 63 indicators of

WASH, suppl. table 1-3) and 5 dimensions (with 5 indicators) of Covid-19. Also, we have used

data for 21 dimensions (via 33 indicators) of socio-economy (except – WASH, suppl. table 4)

and 2 dimensions (with 7 indicators, suppl. table 5) of stringency and mobility. List of indicators

is given in table 1. More details about sub-indicators are provided in the supplementary file.

The statistical analysis has been conducted using R 3.6.2, (R Core Team. 2019) and 'Hmisc' (v.

4.4-0) package for performing correlation. Data for worldwide coronavirus cases are taken from

package 'coronavirus' (v. 0.2.0) from Johns Hopkins University Center for Systems Science and

Engineering (JHU CCSE) Coronavirus repository and analysed for cumulative cases for 6

different dates of consecutive 6 months (30-03-2020, 30-04-2020, 30-05-2020, 30-06-2020, 30-

07-2020 and 30-08-2020). Though this Covi-19 pandemic started in 31st Dec. 2019, we have

taken up March as our starting phase of consideration. Because, the spread of the SARS-CoV2

virus is asymmetrical for the countries of the world, and we can see that from March-April 2020,

it had spread to most of the countries of the world with varying degree. We have also selected

the span of the duration of study as 6 months (March-August, 2020), because – we think if

nothing severely disturbs the dynamics of pandemic (as we can see so far, Nov. 2020), six

months is sufficient to convey information about changing influence of various factors (WASH

or others) on Covid-19 pandemic. Spearman's rank-order correlation has been used for finding

the association between the variables because the data is not normally distributed. Datasets, used

for analysis, is provided in the supplementary files.

Table 1: List of indicators used related to various dimensions & Covid-19. (See suppl. file for

calculation formula used for RR & CFR)

Covid-19
Total confirmed cases per million (TC),
Total recovered cases per million (TR),

Total deaths per million (TD), Recovery rate (RR), Case fatality rate (CFR),		
Socioeconomy of Water	**Socioeconomic dimensions**	**Stringency and Mobility trends**
Unimproved water services,	Connectivity,	Change in mobility,
Limited water services (not more than 30 min),	Crude death rate,	Government Response Stringency Index,
Basic drinking water services,	Democracy,	
Improved water source,	Demography,	
Safely managed drinking water service,	Employment,	
Socioeconomy of Water	Globalization,	
	Health expenditure,	
Unimproved water services,	Health personnel density,	
Limited water services (not more than 30 min),	Health security,	
Basic drinking water services,	Human capital,	
Improved water source,	Human development,	
Safely managed drinking water service,	Hunger,	
Socioeconomy of Hygiene	Income,	
	Inequality,	
	Life expectancy,	
	Literacy,	
	Out-of-pocket expenditure on health,	
	Social progress,	

Basic handwashing facilities, Limited handwashing facilities, No facilities,	Tourism, Urbanization, WASH-related deaths,	

4. Results:

4.1. WASH and Covid-19:

4.1.1. Water and Covid-19:

Most of the indicators that represent good socioeconomic condition related to water, like - basic

drinking water, piped services, on-premises services, available when needed services, safely

managed drinking water services etc. are strongly positively related to total confirmed, recovered

and death. They show a lesser degree of positive correlation with recovery rate and case fatality

rate. Another group of indicators that represent not so good socioeconomic condition related to

water, like – non-piped services, unimproved water services, limited water services etc. have a

strongly negative correlation to total confirmed, recovered and death. They show a lesser degree

of negative correlation with recovery rate and case fatality rate.

However, if we delve deeper into each indicator, the see some apparent conflict in results, for all

6 dates (i.e. total span under consideration of the study, 6 months), especially concerning total

confirmed (TC) and total death (TD). Some of the indicators that represent good (BDWS) or

better (IWS, IWS – P, IWS – AN, IWS - AP) conditions of safe and better access to water are

positively related to total confirmed and total death. Also, some of the indicators that represent

poor (UWS, LWS) of safe and better access to water are negatively related to total death.

4.1.2. Sanitation and Covid-19:

Most of the indicators that represent good socioeconomic condition related to sanitation, like –

basic sanitation services, improved sanitation facilities, sewer connection facilities, wastewater

treated facilities, septic tank facilities etc. are a higher degree of positive correlation to total

confirmed, recovered and death. They show a lesser degree of positive correlation with recovery

rate and even lesser with case fatality rate. Another group of indicators that represent not so good

socioeconomic condition related to sanitation, like – limited sanitation facilities, open defecation,

unimproved sanitation facilities etc. have a strongly negative correlation to total confirmed,

recovered and death. They show a less strong negative correlation with recovery rate and even

lesser with case fatality rate.

For all 6 dates (i.e. total span under consideration of the study, 6 months), some of the indicators

that represent poor (OD, USF, LSF) conditions of safe and better access to sanitation facilities

are negatively related to total death and confirmed. Also, indicators that represent good (BSS) or

better (ISF, ISF – SC, ISF – ST, ISF – WT, ISF - SM) conditions of safe and better access to

water are positively related to total confirmed and total death.

Indicators that depict poor (OD, USF, LSF) conditions of safe and better access to sanitation

facilities are negatively related to CFR; whereas indicators that represent good (BSS) or better

(ISF, ISF – SC, ISF – WT) conditions of safe and better access to water are positively related to

CFR.

4.1.3. Hygiene and Covid-19:

Basic handwashing facility has a higher degree of positive correlation to total confirmed,

recovered, death and recovery rate. However, it has a lesser degree of positive correlation with

the case fatality rate. Another group of hygiene indicator, that represent not so good

socioeconomic condition, like – limited and no handwashing facilities have a higher degree of

negative correlation with total confirmed, recovered, death and recovery rate. These have a lesser

degree of negative correlation with the case fatality rate.

Indicators that represent good (BHF) conditions of safe and better access to hygiene facilities are

positively correlated to total confirmed (TC) and total death (TD).

Area under the red box is of interest and magnified bellow

30-03-2020 30-04-2020 30-05-2020 30-06-2020 30-07-2020 30-08-2020

Deceasing overall correlation

Fig 1. Correlogram from Spearman's correlation of Covid-19 indicators (n=5) and indicators of

water, sanitation and hygiene, WASH access (n=63) for countries (n=175) in the world (March-

August, 2020).

The area marked in red box from the complete correlogram is the interest of this study. Hence,

these selected portions, for 6 consecutive months have been displayed in the lower part of this

figure.

4.1.4. Trends in WASH- Covid-19 relationships:

We can see from Fig 1 that the level of correlation, be it either positive or negative, has

decreased over time, i.e. from March to August 2020. This is similar to 3 indicators of Covid-19,

namely – total confirmed, recovered and death. Especially, from June 2020 onwards, this is very

distinct.

From the dendrogram (Suppl. Figure 1) of WASH-Covid-19, it is visible that there have 2

distinct groups throughout the study, one with case fatality and recovery and another with total

confirmed, recovered and death. Most of the indicators of WASH have remained polarized in

heatmap i.e., indicators of good and bad WASH conditions have remained in two opposite

correlation groups in case of one group (with total confirmed, recovered and death). But, for the

other group (containing case fatality rate and recovery rate), this is not distinctly different related

to WASH indicators.

4.2. Socioeconomic dimensions and Covid-19:

This study has identified a few contributory elements which have exhibited high association with

Covid-19 dynamics across the countries. Among health-related indicators, the share of health

expenditure, health security, life expectancy, physician-nurse density and per capita out-of-

pocket health expenditure have a higher degree of positive correlation with total confirmed,

recovered and death related to Covid-19. Two other health-related indicators have a lesser degree

of positive correlation with the same, namely – per capita share of health expenditure and crude

death rate. Share of per capita out-of-pocket health expenditure has a higher degree of negative

correlation with the same 3 indicators related to Covid-19.

Among economy-related indicators, globalization, real GDP and connectedness have a higher

degree of positive correlation with total confirmed, recovered and death related to Covid-19. But

the Gini coefficient has a lesser degree of negative correlation with the same.

Among demographic indicators, the median age of the population and aged population have a

higher degree of positive correlation than population density with total confirmed, recovered and

death; whereas the total population is negatively correlated with them.

Among societal indicators, literacy rate, democracy level, human capital and development,

international tourism arrival, the share of urban population and social progress have a higher

degree of positive correlation than with total confirmed, recovered and death; whereas

employment to population ratio, hunger level, the share of vulnerable employment,

unemployment and prevalence of deaths from water, sanitation and handwashing facilities have a

negative correlation with the same.

Area under the red box is of interest and magnified bellow

30-03-2020   30-04-2020   30-05-2020   30-06-2020   30-07-2020   30-08-2020

Deceasing overall correlation

Fig 2. Correlogram from Spearman's correlation of Covid-19 indicators (n=5) and indicators of socio-economic situations (n=33) for countries (n=175) in the world (March-August, 2020).

The area marked in red box from the complete correlogram is the interest of this study. Hence, these selected portions, for 6 consecutive months have been displayed in the lower part of this figure.

4.2.1. Trends in Socioeconomy- Covid-19 relationship:

From the dendrogram (Suppl. Figure 2) of socioeconomy-Covid-19, it is clearly visible that there have 2 distinct groups throughout the study, one with case fatality and recovery and another with the rest (i.e. total confirmed, recovered and death).

Mostly, the indicators of socioeconomic conditions have remained polarized in heatmap i.e., indicators of improved and poor socioeconomic conditions have remained in two opposite correlation groups in case of one group (with total confirmed, recovered and death). But, for the other group (containing case fatality rate and recovery rate), this is not distinctly different related to socioeconomic indicators.

4.3. Stringency, mobility and Covid-19:

Among these indicators, time spent in residential areas (i.e. Rsd) has a higher degree of positive correlation with total confirmed, recovered and death related to Covid-19, than stringency index (SnI). On the other hand, the density of visitors in workplaces (WkP), transit stations (TnS) and retail & recreation places (RnR) have a higher degree of negative correlation to those indicators of Covid-19, than the density of visitors in grocery, pharmacy (GnP) and parks (Pks). Primarily (i.e. March 2020), the case fatality rate is more correlated to these indicators that recovery rate, and both have a lesser degree of correlation that aforementioned 3 indicators regarding Covid-19.

265   Excluding the first month (March 2020), the recovery rate has been negatively correlated to

266   stringency.

30/03/2020

30/04/2020

30/05/2020

30/06/2020

30/07/2020

30/08/2020

Fig 3. Correlogram from Spearman's correlation of Covid-19 indicators (n=5) and indicators of

socio-economic situations (n=7) for countries (n=175) in the world (March-August, 2020).

4.3.1. Trends in Stringency and mobility - Covid-19 relationships:

From the dendrogram (Suppl. Figure 3) of stringency-mobility-Covid-19, it is clearly visible that

there have 2 distinct groups during the earlier stage of study (March-May 2020), one with case

fatality and another with the rest (i.e. recovery, total confirmed, recovered and death). However,

its nature has changed in the following months (June – August 2020), one group with case

fatality and recovery and another group with the rest (i.e. total confirmed, recovered and death).

Mostly, the indicators of stringency and mobility conditions have not remained polarized in

heatmap i.e., the nature and degree of correlation are changing with time.

The overall time wise (here, month) change of number of significantly correlated associations

between Covid-19 and other 3 groups of indicators (viz. WASH, socioeconomic factors and

stringency & mobility) are shown in Fig 4.

Fig 4. Temporal change (month wise) in the number of significantly correlated indicators in

association with Covid-19 pandemic. (See Suppl. Table 6 for underlying data from calculation)

5. **Discussion:**

From this study, there are some basic understanding that can be inferred. For the WASH sphere,

providing basic as well as improved drinking water, sanitation and hygiene facilities are directly

positively connected to the recovery rate of Covid-19. Likewise, reducing unimproved drinking

water, sanitation and open defecation is negatively connected to recovery rate. This means, not

only for the specific domain of WASH but inclusive access to these facilities are also connected

to the health sector as well as disaster prevention (like – a pandemic connected to water). The

hassle-free access of purified water (at least not associated to wastewater, Lapolla et al., 2020;

Bogler et al, 2020) at home premises (Frumkin et al., 2020; Kassem and Jaafar, 2020; Staddon et

al., 2020), access to improved sanitation facilities at household level as well as the availability of

household hygiene measures (in form of soaps, hand sanitizers etc.) (Schmidt, 2020; Yu et al.,

2020) have become the frontier force of precautionary prevention.

The other socio-economic factors also ascribe to similar perception regarding the covid-19

pandemic. Among the health-related factors, better health security, a higher density of physicians

and nurses, better life expectancy, higher per capita out of pocket expenditure and the lower

crude death rate is positively associated with better recovery rate. These results are in line with

Adams & Walls, 2020 (for healthcare workforce), Kandel et al., 2020 (for health security) etc.

Among the economic factors, higher real GDP, connectedness, globalization and lower economic

inequality are positively associated with a better rate of recovery. These outcomes are in line

with Makridis & Hartley, 2020 (for real GDP), McKibbin & Fernando, 2020 (for

macroeconomy) etc. Among the societal factors, higher literacy, social progress, democracy

score, human capital and development along with lower unemployment, employment

vulnerability and huger are associated with better recovery. These findings are also in line with

UNDP report (for human development), Khemraj & Yu, 2020 (for human capital), Kawohl &

Nordt, 2020 (for unemployment) etc (see Fig 5).

Fig 5. An overall global pandemic preparedness as well as mitigation actions that need to be given significance as the outcome established from this study.

This new pandemic has undoubtedly emphasised the frivolity of the present condition as well as the significance of the global WASH access system. These are the bare minimum requirements which have been either neglected or not properly implemented (sometimes due to lack of awareness). Other socioeconomic factors, though of varying degree, has a high level of correlation with various indicators of the covid-19 pandemic. This entails towards the importance of deliverance of socio-economic development globally.

There are some possible drawbacks in our work. Firstly, WASH data is from 2017, not immediate pre-pandemic data. It is because WHO-UNICEF JMP dataset is most robust and

320 uniform till date. However, recently, there have been some issues regarding the applicability of

321 WASH data towards predicting the WASH-Covid19 relationship accurately (Quispe-Coica and

322 Pérez-Foguet, 2020). But we don't have any better alternative. Second, the socio-economic

323 indicators are also not of immediately pre-pandemic time (see Suppl. Table 5). This is due to the

324 unavailability of the latest data (2019-20) for all of the socioeconomic indicators. Third, this

325 analysis has not been done on the sub-national or lower scale. Because the objective was to

326 understand the determinants of the covid-19 pandemic in general, for large scale. Also, the sub-

327 national data are not comprehensive and uniformly available for all countries. Fourth, the study

328 period (March-August 2020, i.e. 6 months) is odd. Though the onset and spread of covid-19

329 pandemic are asymmetric for different countries, we think from March 2020 onwards, it had

330 started in most of the major countries of the world. Also, we have taken 6 months (up to August

331 2020) because the study also tries to understand and lingering association of determinants with

332 Covid-19 pandemic, and as we can see from the data that this duration is long enough to serve

333 the purpose. Lastly, we have chosen only one date (30^{th} of each month) which is not continuous.

334 We have taken nearly equidistant dates from each month as we think this is enough to give us a

335 broad outline of the role of determinants.

336 We see whatever kind of association do the determining factors have with those of Covid-19, the

337 degree is lessening through time (except – those related to mobility and stringency). This means

338 two things, (a) other factors (which are outside the operational boundary of this study) might be

339 getting superior control over the dynamics of Covid-19 than those included in this study, and/or

340 (b) the data of aforementioned determinants are of pre-pandemic time, means they are not being

341 updated daily or monthly (like – Covid-19). From this we can infer, these factors have been

342 determining the trajectory of the covid-19 pandemic in the old normal (pre-pandemic) as well as

will continue to do so in the new normal (post-pandemic). We think once robust data are

available of these determinants after the pandemic, we might see a similar level of association.

The present study has advocated the utility of interpreting determinants in epidemiological

research, which can be diverse, with this Covid-19 pandemic as a case of example. The present

work has explored the association between the WASH, social, demographic, mobility, economic

as well as health parameters and Covid-19, extracting insightful tales of dynamics of Covid-19

pandemic. Therefore, we hope, this study could be a reference for future health research and their

controlling factors towards synthesizing a multidisciplinary approach for either prevention or

control or both (Ross et al., 2020). Additionally, all the data used in this work are open source

and freely available (we have also provided the raw data and results in supplement), in so doing,

reproducibility, as well as scientific replicability, can be achievable.

References

Adams, J. G., Walls, R. M., 2020. Supporting the health care workforce during the Covid-19

global epidemic. JAMA.; 323 (15):1439-1440. https://doi.org/10.1001/jama.2020.3972

Amankwaa, G., Fischer, C., 2020. Exploring the correlation between COVID-19 fatalities and

poor   WASH   (Water,   Sanitation   and   Hygiene)   services.   medRxiv,

https://doi.org/10.1101/2020.06.08.20125864

Baena-Díez, J. M., Barroso, M., Cordeiro-Coelho, S. I., Díaz, J. L., Grau, M., 2020. Impact of

COVID-19 outbreak by income: hitting hardest the most deprived. Journal of Public Health, 1–6.

https://doi.org/10.1093/pubmed/fdaa136

Bogler, A., Packman, A., Furman, A., Gross, A., Kushmaro, A., Ronen, A.,...Morgenroth, E.,

2020. Rethinking wastewater risks and monitoring in light of the COVID-19 pandemic. Nature

Sustainability, 1–10. https://doi.org/10.1038/s41893-020-00605-2

Bolaño-Ortiz, T. R., Camargo-Caicedo, Y., Puliafito, S. E., Ruggeri, M. F., Bolaño-Diaz, S.,

Pascual-Flores, R., Saturno, J., Ibarra-Espinosa, S., Mayol-Bracero, O. L., Torres- Delgado, E.,

Cereceda-Balic, F., 2020. Spread of SARS-CoV-2 through Latin America and the Caribbean

region: a look from its economic conditions, climate and air pollution indicators. Environmental

Research, 191, 109938. https://doi.org/10.1016/j.envres.2020.109938

Brauer, M., Zhao, J. T., Bennitt, F. B., Stanaway, J. D., 2020. Global access to handwashing:

implications for COVID-19 control in low-income countries. Environmental Health

Perspectives, 128 (5), 1-9. https://doi.org/10.1289/EHP7200

Carlitz, R. D., Makhura, M. N., 2021. Life under lockdown: Illustrating tradeoffs in South

Africa's response to COVID-19. World Development, 137, 105168.

https://doi.org/10.1016/j.worlddev.2020.105168

Caruso, B. A., Freeman, M. C., 2020. Shared sanitation and the spread of COVID-19: risks and

next steps. Lancet Planetary Health, 4 (5), e173. https://doi.org/10.1016/S2542-5196(20)30086-3

Castex, G., Dechter, E., Lorca, M., 2020. COVID-19: The impact of social distancing policies,

cross-country analysis. Economics of Disasters and Climate Change,

https://doi.org/10.1007/s41885-020-00076-x

Dowd, J. B., Andriano, L., Brazel, D. M., Rotondi, V., Block, P., Ding, X., Liu, Y., Mills, M. C.,

2020. Demographic science aids in understanding the spread and fatality rates of COVID-19.

Proc. Natl. Acad. Sci. 117, 18. https://doi.org/10.1073/pnas.2004911117

Ehlert, A., 2020. The socioeconomic determinants of COVID-19: A spatial analysis of German

county level data. medRxiv, https://doi.org/10.1101/2020.06.25.20140459

Farzanegan, M. R., Gholipour, H. F., Feizi, M., Nunkoo, R., Andargoli, A. E., 2020.

International Tourism and Outbreak of Coronavirus (COVID-19): A Cross-Country Analysis.

Journal of Travel Research, 1–6, https://doi.org/10.1177/0047287520931593

Frumkin, H., Das, M. B., Negev, M., Rogers, B. C., Bertollini, R., Dora, C., Desai, S., 2020.

Protecting health in dry cities: considerations for policy makers. BMJ; 371: m2936.

https://doi.org/10.1136/bmj.m2936

Google, 2020. Google LLC "Google COVID-19 Community Mobility Reports". Available from

https://www.google.com/covid19/mobility/

Gössling, S., Scott, D., Hall, C. M., 2020. Pandemics, tourism and global change: a rapid

assessment of COVID-19. Journal of Sustainable Tourism, 29:1, 1-20.

https://doi.org/10.1080/09669582.2020.1758708

Hale, T., Petherick, A., Phillips, T., Webster, S., 2020. Variation in Government Responses to

COVID-19. BSG-WP-2020/032. Version 6.0. Blavatnik School of Government Working Paper.

May 25, 2020. Available: www.bsg.ox.ac.uk/covidtracker

Hatef, E., Chang, H. Y., Kitchen, C., Weiner, J. P., Kharrazi, H., 2020. Assessing the Impact of

Neighborhood Socioeconomic Characteristics on COVID-19 Prevalence Across Seven States in

the United States. Frontiers in Public Health, 8:571808.

https://doi.org/10.3389/fpubh.2020.571808

Heller, L., Mota, C. R., Greco, D. B., 2020. COVID-19 faecal-oral transmission: Are we asking

the right questions? Science of the Total Environment, 729, 138919.

https://doi.org/10.1016/j.scitotenv.2020.138919

Holuka, C., Merz, M. P., Fernandes, S. B., Charalambous, E. G., Seal, S. V., Grova, N., Turner,

J. D., 2020. The COVID-19 Pandemic: Does Our Early Life Environment, Life Trajectory and

Socioeconomic Status Determine Disease Susceptibility and Severity? International Journal of

Molecular Sciences, 21, 5094. https://doi.org/10.3390/ijms21145094

Jani, V., Mavalankar, D., 2020. COVID-19 and Socioeconomic Factors: Cross-country

Evidence. medRxiv, https://doi.org/10.1101/2020.10.22.20217430

Jiwani, S. S., Antiporta, D. A., 2020. Inequalities in access to water and soap matter for the

COVID-19 response in sub-Saharan Africa. International Journal for Equity in Health, 19:82.

https://doi.org/10.1186/s12939-020-01199-z

Kandel, N., Chungong, S., Omaar, A., Xing, J., 2020. Health security capacities in the context of

COVID-19 outbreak: an analysis of International Health Regulations annual report data from 182

countries. Lancet, 395, 1047-1053. https://doi.org/10.1016/S0140-6736(20)30553-5

Kassem, I. I., Jaafar, H., 2020. The potential impact of water quality on the spread and control of

COVID-19 in Syrian refugee camps in Lebanon, Water International,

https://doi.org/10.1080/02508060.2020.1780042

Kawohl, W., Nordt, C., 2020. COVID-19, unemployment, and suicide. Lancet Psychiatry, 7 (5),

389-390. https://doi.org/10.1016/S2215-0366(20)30141-3

Khemraj, T., Yu, S., 2020. Human capital and the COVID-19 pandemic. MPRA Paper 101262,

University Library of Munich, Germany.

Lapointe, D., 2020. Reconnecting tourism after COVID-19: the paradox of alterity in tourism

areas. Tourism Geographies, https://doi.org/10.1080/14616688.2020.1762115

Lapolla, P., Lee, R., Mingoli, A., 2020. Wastewater as a red flag in COVID-19 spread. Public

Health, 185, 26. https://doi.org/10.1016/j.puhe.2020.05.045

Lau, L. S., Samari, G., Moresky, R. T., Casey, S. E., Kachur, S. P., Roberts, L. F., Zard, M.,

2020. COVID-19 in humanitarian settings and lessons learned from past epidemics. Nature

Medicine, https://doi.org/10.1038/s41591-020-0851-2

Makridis, C., Hartley, J., 2020. The Cost of COVID-19: A Rough Estimate of the 2020 U.S.

GDP (March 22, 2020). http://dx.doi.org/10.2139/ssrn.3559139

McKibbin, W. J., Fernando, R., 2020. The Global Macroeconomic Impacts of COVID-19: Seven

Scenarios   (March   2,   2020).   CAMA   Working   Paper   No.   19/2020.

http://dx.doi.org/10.2139/ssrn.3547729

Mishra, S.V., Gayen, A., Haque, S.M., 2020. COVID-19 and urban vulnerability in India.

Habitat International, 103, 102230. https://doi.org/10.1016/j.habitatint.2020.102230

Mushi, V., Shao, M., 2020. Tailoring of the ongoing water, sanitation and hygiene interventions

for   prevention   and   control   of   COVID-19.   Tropical   Medicine   and   Health,   48:47.

https://doi.org/10.1186/s41182-020-00236-5

Odith, E. E., Afolayan, A. O., Akintayo, I., Okele, I. N., 2020. Could Water and Sanitation

Shortfalls Exacerbate SARS-CoV-2 Transmission Risks? American Journal of Tropical

Medicine and Hygiene, 00(0), (1–4), https://doi.org/10.4269/ajtmh.20-0462

Quispe-Coica, A., Pérez-Foguet, A., 2020. Preprocessing alternatives for compositional data

related to water, sanitation and hygiene. Science of the Total Environment, 743, 140519.

https://doi.org/10.1016/j.scitotenv.2020.140519

R Core Team, 2019. R: A language and environment for statistical computing. R Foundation for

Statistical Computing, Vienna, Austria. https://www.R-project.org/

Ross, A. G. P., Crowe, S. M., Tyndall, M. W., 2020. Planning for the Next Global Pandemic.

International Journal of Infectious Diseases, 38, 89-94. https://doi.org/10.1016/j.ijid.2015.07.016

Roy, I., 2020. Viewpoint | Handwashing and COVID-19: Simple, right there…? World

Development, 135: 105086. https://doi.org/10.1016/j.worlddev.2020.105086

Sa, F., 2020. Socioeconomic Determinants of Covid-19 Infections and Mortality: Evidence from

England and Wales (May 2020). IZA Policy Paper No. 159, Available at SSRN:

https://ssrn.com/abstract=3612850

Sahin, O., Salim, H., Suprun, E., Richards., R., MacAskill, S., Heilgeist, S., Rutherford, S.,

Stewart, R. A., Beal, C. D., 2020. Developing a Preliminary Causal Loop Diagram for

Understanding the Wicked Complexity of the COVID-19 Pandemic. Systems, 8 (2), 20.

https://doi.org/10.3390/systems8020020

Sannigrahi, S., Pilla, F., Basu, B., Basu, A.S., Molter, A., 2020. Examining the Association

Between Socio-demographic Composition and COVID-19 Fatalities in the European Region

Using Spatial Regression Approach. Sustainable Cities and Society, 62, 102418. https://doi.org/10.1016/j.scs.2020.102418

Schmidt, C. W., 2020. Lack of Handwashing Access: A Widespread Deficiency in the Age of COVID-19. Environmental Health Perspectives, https://doi.org/10.1289/EHP7493

Singh, L., Singh, N. S., Maldonado, B. N, Tweed, S., Blanchet, K., Graham, W. J., 2020. What does 'leave no one behind' mean for humanitarian crises-affected populations in the COVID-19 pandemic? BMJ Global Health, 5: e002540. https://doi.org/10.1136/bmjgh-2020-002540

Staddon, C., Everard, M., Mytton, J., Octavianti, T., Powell, W., Quinn, N., Uddin, S. M. N., Young, S. L., Miller, Budds, J. D., Geere, J., Meehan, K., Charles, K., Stevenson, E. G. J., Vonk, J., Mizniak, J., 2020. Water insecurity compounds the global coronavirus crisis, Water International, https://doi.org/10.1080/02508060.2020.1769345

Stoler, J., Jepson, W. E., Wutich, A., 2020. Beyond handwashing: Water insecurity undermines COVID-19 response in developing areas. Journal of Global Health, 10 (1), 010355. https://doi.org/10.7189/jogh.10.010355

UNDP, 2020. COVID-19 and Human Development: Assessing the Crisis, Envisioning the Recovery. Available from http://hdr.undp.org/sites/default/files/covid-19_and_human_development_0.pdf

UN-Habitat, 2020. UN-Habitat COVID-19 Response Plan 1–16.

UNICEF 2019. Progress on Household Drinking Water, Sanitation and Hygiene, 2000–2017: special Focus on Inequalities. https://data.unicef.org/resources/progress-drinking-watersanitation-hygiene- 2019/

Varkey, R. S., Joy, J., Sarmah, G., Panda, P. K. 2020. Socioeconomic determinants of

COVID☐19 in Asian countries: An empirical analysis. Journal of Public Affairs, e2532.

https://doi.org/10.1002/pa.2532

Weinstein, B., da Silva, A. R., Kouzoukas, D. E., Bose, T., Kim, G. J., Correa, P. A., Pondugula,

S., Kim, J., Carpenter, D. O., 2020. A methodological blueprint to identify COVID-19

vulnerable locales by socioeconomic factors, developed using South Korean data. medRxiv,

https://doi.org/10.1101/2020.10.26.20218842

WHO, 2020a. Water, sanitation, hygiene and waste management for COVID-19. Technical brief.

https://www.who.int/publications/i/item/water-sanitation-hygiene-and-wastemanagement-for-

covid-19

WHO, 2020b. State of the World's Sanitation: An urgent call to transform sanitation for better

health, environments, economies and societies. New York.

WHO/UNICEF JMP (WHO/UNICEF Joint Monitoring Programme for Water Supply, Sanitation

and Hygiene). 2020. https://washdata.org/

Xiong, Y., Wang, Y., Chen, F., Zhu, M., 2020. Spatial statistics and influencing factors of the

COVID-19 epidemic at both prefecture and county levels in Hubei Province. China. Int. J.

Environ. Res. Public Health 17. https://doi.org/10.3390/ijerph17113903

Yang, C., Sha, D., Liu, Q., Li, Y., Lan, H., Guan, W. W., Hu, T., Li, Z., Zhang, Z., Thompson, J.

H., Wang, Z., Wong, D., Ruan, S., Yu, M., Richardson, D., Zhang, L., Hou, R., Zhou, Y., Zhong,

C., Tian, Y., Beaini, F., Carte, K., Flynn, C., Liu, W., Pfoser, D., Bao, S., Li, M., Zhang, H., Liu,

C., Jiang, J., Du, S., Zhao, L., Lu, M., Li, L., Zhou, H., Ding, A., 2020. Taking the pulse of

COVID-19: a spatiotemporal perspective. International Journal of Digital Earth, 13: 10, 1186-1211. https://doi.org/10.1080/17538947.2020.1809723

Yu, W., Bain, R. E. S., Yu, J., Alegana, V., Dotse-Gborgbortsi, W., Lin, Y., Wright, J. A., 2020. Mapping access to basic hygiene services in low- and middle-income countries: A cross-sectional case study of geospatial disparities. medRxiv, https://doi.org/10.1101/2020.08.07.20169995