

1 Health Disparities and COVID-19: A Retrospective Study Examining Individual and Community
2 Factors Causing Disproportionate COVID-19 Outcomes in Cook County, Illinois, March 16-
3 May 31, 2020

4 **Authors:**

5 Unruh, Larissa H, MD, MPH¹, Dharmapuri, Sadhana, MD^{2,3}, Xia, Yinglin, PhD, MS⁴, Soyemi,
6 Kenneth, MD, MPH, MBA^{2,3}

7 **Affiliations:**

8 ¹ Department of Emergency Medicine John H. Stroger Jr. Hospital of Cook County Health

9 ² Cermak Health Services, Cook County Juvenile Temporary Detention Center, Chicago, Illinois

10 ³ Department of Pediatrics, John H. Stroger Jr. Hospital of Cook County, Chicago, Illinois.

11 ⁴ Department of Medicine, University of Illinois at Chicago, Chicago, Illinois

12

13 **Contact Information:**

14 Larissa H. Unruh

15 Department of Emergency Medicine, John H. Stroger Jr. Hospital of Cook County Health

16 1950 W Polk St., 7th floor, Chicago, IL 60612, United States; Telephone: (541) 914-6896

17 Email: larissa.unruh@cookcountyhhs.org

18 Word count: Abstract: 245; Text: 2698

19 **Competing Interests:** Authors have no competing interests

20 **Keywords:** COVID-19, SARS-CoV-2, Health Disparities, Mortality, Zip code analysis

21 **Author Contributions:** All authors wrote and edited the manuscript

22 **Conflicts of Interest:** None declared by all authors

23 Abstract:

24 **Background:** Early data from the COVID-19 pandemic suggests that the disease has had a
25 disproportionate impact on communities of color causing higher infection and mortality rates
26 within those communities.

27 **Methods:** This study used demographic data from the 2018 US census estimates, mortality data
28 from the Cook County Medical Examiner's office, and testing results from the Illinois
29 Department of Public Health to perform both bivariate and multivariate regression analyses to
30 explore the role race plays in COVID-19 outcomes at the individual and community levels.

31 **Results:** Principal findings show that: 1) while Black Americans make up 22% of Cook
32 County's population, they account for 36% of the county's COVID-19 related deaths; 2) the
33 average age of death from COVID-19 is seven years younger for minorities compared to Non-
34 Hispanic White (White) decedents; 3) minorities were more likely than Whites to have seven of
35 the top 10 co-morbidities at death; 4) residents of predominantly minority areas were twice as
36 likely to test positive for COVID-19 ($p = 0.0001$, IRR 1.94, 95% CI 1.50, 2.50) than residents of
37 predominantly White areas; and 5) residents of predominantly minority areas were 1.43 times
38 more likely to die of COVID-19 than those in predominantly White areas ($p = 0.03$).

39 **Conclusions:** There are notable differences in COVID-19 related outcomes between racial and
40 ethnic groups at individual and community levels. We hope that this study will scientifically
41 illustrate the health disparities experienced by communities of color and help to address the
42 underlying systemic inequalities still prevalent within our country.

43 **Key words:** COVID-19, SARS-CoV-2, Health Disparities, Mortality Data, Zip Code Analysis

44

45 **Background:**

46 On March 11, 2020, the World Health Organization officially declared the COVID-19
47 respiratory illness caused by the SARS-CoV-2 virus a pandemic. As of June 30, the virus had
48 infected over 10.25 million people worldwide and caused approximately 507,000 deaths. The
49 United States has become the epicenter of this pandemic with an incidence of 2.6 million, or
50 25% of the estimated global infections, and approximately 126,000, or 25% of the reported
51 global deaths¹.

52 Recent data from the CDC suggests that the burden of COVID-19 morbidity and
53 mortality is not uniformly distributed throughout the US population^{2,3}. People of color, especially
54 those within Black and Latinx communities, are disproportionately affected by the disease. These
55 disparities have been widely discussed by media outlets, medical journals, health associations,
56 and acknowledged by political leaders^{2,4-6}. The resulting attention has refocused public
57 awareness on the health inequalities experienced by communities of color in the US. Despite the
58 wide media coverage, the amount of objective research analyzing the disparate outcomes
59 between racial and ethnic groups remains lacking.

60 In “Racial Health Disparities and Covid-19 – Caution and Context,” recently published in
61 *The New England Journal of Medicine*, Chowkwanyun and Reed discuss the need for careful
62 data analysis before making blanket statements about racial differences in COVID-19 morbidity
63 and mortality⁷. In keeping with Chowkwanyun and Reed’s recommendations, the current study
64 describes the demographic distribution of mortality and explores whether there is a causal
65 relationship between race, neighborhood factors, and COVID-19 in Cook County, Illinois.

66

67

68 **Methods:**

69 We performed retrospective analyses to explore COVID-19 outcomes between March 16
70 and May 31, 2020. We used three data sources to create two master spreadsheets to investigate
71 individual and community (zip code level) aspects of COVID-19 morbidity and mortality for
72 people of color. First, the Cook County Medical Examiner's website provided COVID-19
73 mortality data⁸. Data elements included decedent demographics, primary and secondary causes
74 of death, and date and location of death. Second, the Illinois Department of Public Health
75 (IDPH) provided zip code-level data about the number of COVID-19 tests and positive cases⁹.
76 Third, the 2018 US Census Bureau's 5-year estimate for Cook County, Illinois, provided zip
77 code level demographic data including total population, population density, average household
78 size, income, racial/ethnic group composition, poverty, language, and education data¹⁰.

79 Secondary comorbidities were aggregated for supplementary analysis. Decedent's zip
80 codes were converted to Zip Code Tabulation Areas (ZCTAs), which are spatial representations
81 of US Postal Service zip code service areas¹¹. Mortality data was then aggregated by ZCTA and
82 merged with ZCTA-level census data to create the community-level data set. Minority was
83 defined as any race or ethnic group other than Non-Hispanic White (White). Minority
84 predominant ZCTAs were defined as those in which the minority population was greater than the
85 White population. For the preliminary analysis we calculated excess mortality by racial/ethnic
86 groups as the number of mortalities above that expected if mortality was distributed evenly
87 between races. We calculated and compared the average age at death for all decedents and the
88 average age of death for every racial and ethnic group. Using those averages, we compared
89 trends between the top 20 ZCTAs in Chicago for testing and mortality data and the top ZCTAs
90 for poverty and household size.

91 Descriptive statistics for continuous variables were presented as means \pm standard
92 deviations (SDs). Categorical variables were presented as frequencies and proportions. All
93 statistical tests were two sided, and p-values <0.05 were considered statistically significant. Data
94 was tested for normality by the Shapiro-Wilk test. For baseline characteristics, ANOVA was
95 used to calculate parametric p-values, the Kruskal-Wallis test was used for non-parametric p-
96 values, and the Fisher's exact test was used for categorical covariates. Wilcoxon rank-sum tests
97 were used as appropriate for continuous variables. Chi-square tests was used for categorical
98 variable analysis to determine the differences between two groups.

99 To explore the relationship between COVID-19 mortality and contributing neighborhood
100 factors, we used generalized linear modeling with the number of deaths as the dependent variable
101 modeled against independent covariates (risk factors). Generalized linear modeling is a family of
102 models (e.g., Poisson, negative binomial (NB), zero-inflated Poisson (ZIP), and zero-inflated
103 negative binomial (ZINB)) that allow the linear regression model to be linked to the response
104 variable by a link function using a backward elimination procedure. We then conducted a model
105 comparison using criteria based on previous research¹²⁻¹⁴. In general, nested models are
106 compared using a likelihood or a score test, while non-nested models are evaluated using the
107 Vuong test. We compared the predictive performance of Poisson, NB, ZIP, and ZINB models
108 using various indices, such as likelihood ratio, Akaike's information criterion (AIC), Bayesian
109 information criterion (BIC), standardized Pearson residual, and the standardized deviance
110 residuals. In addition, differences between the predicted and actual counts were compared based
111 on the mean squared error (MSE) performance measure. To compare the differences of the top
112 10 comorbidities among White, Black, Latinx, and other races, we fitted a generalized logit

113 model using White as the reference. The figures were created using Microsoft Excel™ and
 114 statistical analysis was performed using SAS version 9.4 (SAS Inc., Cary, NC, USA).

115 **Results:**

116 Mortality case sample size included 3,762 COVID-19 related mortalities of which 201
 117 cases without Cook County zip codes were removed. Of the 3,561 deaths, 1,281(36%) were
 118 Black, 1,387 (39%) were White, 656 (18%) were Latinx, and the rest were classified as Other.
 119 Males made up 2,060 (58%) of mortalities. Overall, mean (SD) age at death was 73.8 years
 120 (14.73). Hypertension was found to be the most frequent comorbidity and occurred in 2,403
 121 (67%) of the decedents, 1,444 (40.5%) had diabetes (Table 1).

122 Table 1: Population and COVID-19 Mortality: Cook County, IL: March 15-May 31, 2020.

COOK COUNTY GENERAL INFORMATION		TOTAL
TOTAL POPULATION	5,569,118	
TOTAL HOUSEHOLDS	2,084,482	
AVERAGE HOUSEHOLD SIZE	2.67	
LAND AREA (MILES)	1,118.31	
POPULATION DENSITY (PEOPLE PER SQ MILE)	4,979.94	
AVERAGE PER CAPITA INCOME	\$37,538	
MEDIAN AGE (YEARS)	37	
COOK COUNTY POPULATION BY SEX		5,569,118
FEMALE	2,864,819	
MALE	2,704,299	
UNKNOWN		
COOK COUNTY POPULATION BY RACE		5,569,118
BLACK	1,227,577	
LATINX	1,354,630	
WHITE	2,469,254	
OTHER	517,657	
MORTALITY BY AGE		TOTAL
AGE RANGE	12-108	
AVERAGE AGE	73.77	
MEDIAN AGE	75.00	
MORTALITY BY SEX		3561
FEMALE	1,496	
MALE	2,060	
UNKNOWN	5	

BLACK	1,281
LATINX	656
WHITE	1,387
OTHER	237

**TOP 10
COMORBIDITIES**

HYPERTENSION	2,403
DIABETES MELLITUS	1,444
COPD	531
HYPERTENSIVE CVD	242
CORONARY ARTERY DISEASE	455
DEMENTIA	408
ATRIAL FIBRILLATION	331
CONGESTIVE HEART FAILURE	338
CHRONIC KIDNEY DISEASE	363
OBESITY	315

123

124 Mean age at death was lower for minorities compared with white. Minority decedents had

125 higher prevalences of diabetes, obesity, hypertension, coronary heart disease, and chronic kidney

126 disease etc. compared with white decedents. Univariable analysis showed that the proportions of

127 minority versus white were statistically significant for all the comorbidities minus hypertension

128 and chronic kidney disease. Overall, the proportion of minorities with one or more co morbidity

129 ranged from 41% to 67.7 % compared with 33% to 51.2% for whites. For both minorities and

130 whites, males recorded higher proportion of deaths 1282 of 2173 (59%) vs 777 of 1387 (56%)

131 respectively (Table 2).

132 Table 2: White vs. Minority Mortality: Cook County, IL, March 15 – May 31, 2020.

Covariate	Level	Minority N=2,173	White N=1,387	Parametric P-value*
Sex	Female	887 (59.3)	609 (40.7)	0.073
	Male	1282 (62.3)	777 (37.7)	
Age (Mean SD)		71.4 (15.2)	77.5 (13.2)	<0.001
Hypertension	No	691 (59.7)	466 (40.3)	0.264

	Yes	1,482 (61.7)	921 (38.3)	
Diabetes Mellitus	No	1196 (56.5)	920 (43.5)	<0.001
	Yes	977 (67.7)	467 (32.3)	
Chronic Obstructive Pulmonary Disease	No	1,878 (62.0)	1,151 (38.0)	0.005
	Yes	295 (55.6)	236 (44.4)	
Hypertensive Coronary Vascular Disease	No	2,012 (60.6)	1,306 (39.4)	0.070
	Yes	161 (66.5)	81 (33.5)	
Coronary Artery Disease	No	1,921 (61.9)	1,184 (38.1)	0.008
	Yes	252 (55.4)	203 (44.6)	
Dementia	No	1,974 (62.6)	1,178 (37.4)	<0.001
	Yes	199 (48.8)	209 (51.2)	
Atrial Fibrillation	No	2,035 (63.0)	1,194 (36.9)	<0.001
	Yes	138 (41.7)	193 (58.3)	
Congestive Heart Failure	No	1,996 (61.9)	1,226 (38.1)	<0.001
	Yes	177 (52.4)	161 (47.6)	
Chronic Kidney Disease	No	1,963 (61.4)	1234 (38.6)	0.189
	Yes	210 (57.9)	153 (42.1)	
Obesity	No	1,943 (59.9)	1,302 (40.1)	<0.001
	Yes	155 (49.2)	160 (50.8)	

133 * The parametric p-value is calculated by ANOVA for numerical covariates and chi-square test
 134 for categorical covariates.

135 ** The non-parametric p-value is calculated by the Kruskal-Wallis test for numerical covariates
 136 and Fisher's exact test for categorical covariates.

137

138 The ZCTA data set included 176 Cook County ZCTAs. Of the top 20 ZCTAs with the
 139 highest rates of COVID-19 infection, 15 (75%) were in predominantly minority areas. Residents
 140 of predominantly minority ZCTAs were two times as likely to test positive than people living in
 141 predominantly White ZCTAs [1.94 (1.50, 2.50) p = 0.0001]. We tested various models using NB
 142 regression which demonstrated that residents in predominantly minority ZCTAs were 58% or 1.4
 143 times more likely to die compared with those in predominantly White areas. Of the risk factors

144 analyzed, only the minority ZCTA variable was significantly associated with the number of
 145 COVID-19 deaths [1.42 (1.02, 1.97) $p = 0.0361$]. Poverty, however, was marginally significant
 146 ($p = 0.0691$). (See Table 3)

147 Table 3: Regression model outputs

148

Model	IRR	95% CI Lower Limit	95% CI Upper Limit	Standard Error	<i>P</i> value
Model 1	1.35	1.06	1.72	0.12	0.02*
Model 2	1.94	1.50	2.51	0.13	<.00*
Model 3	1.42	1.02	1.98	0.17	0.04*
Model 4	1.29	0.88	1.90	0.20	0.19
	1.24	0.79	1.95	0.23	0.36
Model 5	1.44	0.97	2.13	0.20	0.07*
Model 6	1.66	1.00	2.74	0.26	0.05*

149

	Dependent Variable	Independent Variable(s)
Model 1:	Number of Residents Tested	Minority Zip
Model 2:	Number of Positive Results	Minority Zip
Model 3:	Number of Deaths	Minority Zip
Model 4:	Number of Deaths	Minority Zip and Poverty
Model 5:	Number of Deaths	Poverty
Model 6:	Number of Deaths	Average Household Size
IRR:	Incident Rate Ratio	
*	Statistically significant, $P < 0.05$	
Minority Zip:	Zip codes where minority population > white	
Poverty:	Zip codes with > 20 percent of the population income is below the federal poverty level	

150
 151
 152 Using White decedents as a reference groups and simultaneously adjusting for other co-
 153 morbidities, our multivariate analysis revealed several notable results. Of decedents with
 154 diabetes, Black individuals were 64% more likely to die of COVID-19 [Odds Ratio OR = 1.36
 155 (1.15, 1.62)], Latinx decedents were over two times as likely to die [OR = 2.10 (1.71, 2.59)], and
 156 other races were 63% more likely to die compared with White individuals. Of obese decedents,

157 Black individuals were 49% more likely to die from COVID-19 [OR = 1.51 (1.08, 2.213)],
 158 Latinx individuals were again over two times as likely to die [OR = 2.17 (1.43, 3.28)], but other
 159 races were 80% less likely to die compared with obese White individuals [OR = 0.19 (0.02,
 160 1.43)]. Of decedents with hypertension, Black individuals were 62% more likely to die of
 161 COVID-19 [OR = 1.38 (1.15,1.65)], other combined races were 70% more likely to die [OR =
 162 1.29 (0.86, 1.92)], but Latinx individuals were 38% less likely to die than White individuals [OR
 163 = 0.62 (0.5, 0.77)]. (See Table 4)

164

165 Table 4: Co-Morbidities by Race

Effect	Race	Odds Ratio	95% CI	Estimate	SE	Wald Chi-Square	P Value
Atrial Fibrillation	White Vs Black	0.41	0.31 0.54	-0.90	0.14	39.33	<.001*
	White Vs LatinX	0.53	0.37 0.77	-0.63	0.19	11.48	<.001*
	White Vs Other	0.57	0.31 1.06	-0.56	0.32	3.16	0.08
Chronic Obstructive Pulmonary Disease	White Vs Black	1.06	0.86 1.31	0.06	0.11	0.33	0.57
	White Vs LatinX	0.44	0.31 0.61	-0.83	0.17	23.53	< .001*
	White Vs Other	0.58	0.33 1.00	-0.56	0.28	3.83	0.05*
Chronic Kidney Disease	White Vs Black	0.99	0.77 1.28	-0.01	0.13	0.01	0.94
	White Vs LatinX	0.69	0.48 0.98	-0.38	0.18	4.19	0.04*
	White Vs Other	1.40	0.85 2.29	0.33	0.25	1.71	0.19
Congestive Heart Failure	White Vs Black	0.90	0.69 1.17	-0.11	0.14	0.63	0.43
	White Vs LatinX	0.50	0.33 0.74	-0.70	0.21	11.63	<.001*
	White Vs Other	0.62	0.32 1.20	-0.48	0.34	2.04	0.15
Coronary Artery Disease	White Vs Black	0.74	0.58 0.94	-0.31	0.12	6.05	0.01*
	White Vs LatinX	0.93	0.69 1.27	-0.07	0.16	0.19	0.66
	White Vs Other	0.99	0.60 1.63	-0.01	0.25	0.001	0.97
Dementia	White Vs AA	0.64	0.50 0.82	-0.45	0.12	12.97	<.001*
	White Vs LatinX	0.52	0.37 0.72	-0.66	0.17	14.76	<.001*
	White Vs Other	0.80	0.48 1.33	-0.22	0.26	0.73	0.39
Diabetes	White Vs Black	1.37	1.16 1.62	0.31	0.09	13.14	<.001*
	White Vs LatinX	2.11	1.72 2.60	0.75	0.11	49.91	<.001*
	White Vs Other	1.38	0.96 1.98	0.32	0.18	2.99	0.08
Diabetes	White Vs Black	1.20	0.68 2.14	0.18	0.29	0.39	0.53

Hypertension and Obesity	White Vs LatinX	0.75	0.39	1.48	-0.28	0.34	0.68	0.41
	White Vs Other	3.28	0.32	33.60	1.19	1.19	1.00	0.32
Hypertension	White Vs Black	1.38	1.15	1.66	0.32	0.09	12.20	<.001*
	White Vs LatinX	0.63	0.51	0.77	-0.47	0.11	18.64	<.001*
	White Vs Other	1.29	0.87	1.93	0.26	0.20	1.60	0.21
Hypertensive Cardiovascular Disease	White Vs Black	1.27	0.93	1.73	0.24	0.16	2.32	0.13
	White Vs LatinX	0.77	0.49	1.20	-0.26	0.23	1.33	0.25
	White Vs Other	0.69	0.31	1.55	-0.37	0.41	0.80	0.37
Obesity	White Vs Black	1.52	1.04	2.21	0.42	0.19	4.63	0.03*
	White Vs LatinX	2.17	1.43	3.29	0.78	0.22	13.37	<.001*
	White Vs Other	0.20	0.03	1.43	-1.63	1.01	2.58	0.11

166 White= Referent Group
 167 *Statistically Significant
 168

169 Discussion:

170 As of June 1, 2020, Cook County, Illinois, had identified over 78,000 positive SARS-
 171 CoV-2 cases and over 3,561 COVID-19 related deaths¹⁵. As with national COVID-19 trends,
 172 data from Cook County initially suggested that the burden of disease has fallen
 173 disproportionately upon communities of color. Although Black Americans make up 22% of
 174 Cook County's population, they accounted for 36% of the county's COVID-19 related deaths
 175 This finding suggests that the Black community is suffering a disproportionate amount of
 176 COVID-19 mortality. As outlined in other studies, our data showed that minorities are dying of
 177 COVID-19 at significantly younger ages than Whites (median minority age = 72, median White
 178 age = 79; $p < 0.001$). (Figure 1)

179 We further explored the differences in average age at death by separating the data by
 180 race, which showed that Latinx decedents were, on average, more than 10 years younger than
 181 White decedents (Latinx = 67.3, White = 77.5)^{16,17}. Additionally, minorities who died of
 182 COVID-19 were significantly more likely to have seven of the top 10 co-morbidities, including

183 diabetes, chronic obstructive pulmonary disease, coronary artery disease, congestive heart
184 failure, obesity, atrial fibrillation, and dementia.

185 Of the many reasons for COVID-19 disparities between races, we explored five: 1) lower
186 socioeconomic status (SES), 2) increased comorbidities, 3) multigenerational living conditions,
187 4) high population density in predominantly Black and Latinx neighborhoods, and 5) minority
188 overrepresentation in correctional facilities^{6,18-21}.

189 Socioeconomic Status: Khalatbari-Soltani *et al.* suggest that socioeconomic position plays a
190 crucial role in COVID-19 outcomes and that these factors may be related to the differences in the
191 COVID-19 burden observed between minority and White decedents¹⁵. While it may be true that
192 certain factors, such as decreased access to nutritious food, less sanitary living conditions, or
193 limited access to health care, affect all people with fewer economic resources, our analysis
194 showed that poverty by itself was not a statistically significant factor for COVID-19 related
195 death ($p = 0.0691$) indicating that there are likely other reasons for higher mortality among
196 minorities. Of the factors explored, living in a predominantly minority ZCTA was the only
197 statistically significant variable related to death from COVID-19. However, poverty may be
198 confounded with living in a predominantly minority zip code. When poverty was analyzed in the
199 same model as minority, neither variable was statistically significant (MZIP: $p = 0.1880$,
200 POVERTY: $p = 0.3592$). In ZCTAs where over 20% of the population lived below the poverty
201 line residents were 56% or 1.4 times more likely to die from COVID-19 than those in areas
202 where less than 20% of the population lived below the poverty line (IRR = 1.44 (0.97, 2.13)].

203 Increased Co-Morbidities: Other research has shown that people with certain co-morbidities
204 (e.g., hypertension, diabetes, obesity) have suffered poorer COVID-19 health outcomes than
205 people without underlying conditions¹⁸. As we compared comorbidities between ethnic/racial

206 groups, we found that minority COVID-19 decedents had statistically significant chances of
207 having seven of the top 10 comorbidities at the time of death. (Table 3).

208 Multigenerational Living: In a study from Italy published in *Eurosurveillance*, Sjödin *et al.*
209 explored factors necessary to mitigate the COVID-19 pandemic. The authors found that small
210 household size was necessary for limiting the spread of the disease²². In Chicago, the areas with
211 higher household density are primarily located in low density Black and Latinx neighborhoods.
212 Our data showed that of the top 20 ZCTAs with the highest average number of people per
213 household, 16 (80%) of them were in predominantly minority ZCTAs, and 12 (60%) of them
214 were also in the top 20 for numbers of COVID-19 positive cases per 100,000 decedents. Our
215 analysis confirms that larger household size is a statistically significant cause of COVID-19
216 mortality. Among all combined cases, for each one person increase in household size there is a
217 65.75% increase in mortality ($p = 0.04$).

218 Densely Populated Urban Areas: Given that the virus spreads primarily through
219 respiratory/droplet transmission, close contact with an infected individual is required for the
220 virus to spread. It seems logical to assume that more highly populated ZCTAs have higher rates
221 of infection and worse outcomes^{23,24}. In Cook County, however, the more densely populated
222 areas are the city center areas that are predominantly inhabited by wealthy, White individuals. Of
223 the 20 ZCTAs with the highest population density, 12 are predominantly White, and 15 are
224 above the average household income for Illinois. Additionally, these areas had lower infection
225 rates with only one ZCTA in the top 20 for positive tests and lower mortality with two ZCTAs in
226 the top 20 for mortality rate. At least in Chicago, infection and mortality rates seem to be more
227 related to the density within households than overall population density.

228 Overrepresentation in Correctional Facilities: Earlier in the pandemic, the Cook County
229 Department of Corrections, one of the largest jail systems in the country, gained media attention
230 about a large COVID-19 outbreak among both the facility's employees and inmates²⁵⁻²⁸. As with
231 many prisons, it has an over-representation of minority inmates. As of July 1, 2020, the Cook
232 County Sheriff's Department estimated that around 75% of Cook County inmates are Black²⁹.

233 The demographics of the ZCTA that houses the Cook County Jail (60608) show that
234 55.4% of its inhabitants are male. This over-representation of the male population may be due to
235 the presence of the prison system. The average number of people per household is 3.09, and the
236 median age is 32.4 years. The population of the ZCTA is largely Latinx (50.7%) and Black
237 (17.24%) with an average income of \$21,447 (well below Illinois average household income).
238 The COVID-19 data for the 60608 ZCTA shows that it ranks 26th out of 176 for the most
239 COVID-19 deaths and 9th for the most positive cases in Cook County. Incidence analysis showed
240 that of the deaths in the 60608 ZCTA, 24 of the 42 mortalities (57%) were Latinx, and 7 (16.6%)
241 were Black. Therefore, although there is an over-representation of Black individuals within the
242 jail, and the ZCTA had one of the highest incidents of COVID-19 positives, mortality data does
243 not show that this ZCTA was an outlier area for COVID-19 mortality.

244 **Limitations:**

245 This study had several limitations. First, because we had data about individual mortality
246 cases and broad ZCTA demographic data but lacked information about the demographics of
247 those who did not die or who never tested positive for COVID-19, we were unable to perform a
248 case-control analysis. Second, we used zip code demographic data as a proxy for an individual's
249 circumstances. Because that data was essentially an average, not everyone in that ZCTA was
250 accurately represented. Third, because the study focused on Cook County, it may be

251 generalizable only to large urban counties with high levels of racial and ethnic diversity. Fourth,
252 census data is never fully able to capture the entirety of a population and may especially miss
253 undocumented individuals. Fifth, because all death data was obtained from the Cook County
254 Medical Examiner's office, the completeness of that data depended on the Examiner's reporting.
255 Sixth, since the analysis relied on zip code level data, and zip codes do not remain constant over
256 time, it was subject to the inherent issues associated with small area analyses. Seventh, we do not
257 currently have data to indicate whether some ZCTAs with high mortalities had an
258 overrepresentation of congregate care facilities such as long-term care or rehabilitation facilities
259 which might skew the data.

260 **Conclusion:**

261 While we agree that caution is important when making statements about race and disease
262 outcomes, our data indicate that the public health crisis created by inbuilt barriers within
263 minority communities has contributed to the disproportionate mortality burden in Black and
264 Latinx communities. It is time to not only to address the disparities that exist between
265 racial/ethnic groups as they relate to COVID-19 but also the underlying structural issues that
266 permit these disparities.

267 Our study shows that race, more than SES, is the only statistically significant factor for
268 COVID-19 related mortality in Cook County. Other factors being equal, Black individuals are
269 significantly more likely to die from COVID-19 overall, and Latinx individuals are dying at
270 significantly younger ages than Whites. The question of why people of color suffer
271 disproportionate COVID-19 mortality is more complicated than simply identifying that
272 disproportionality. These data indicate that many of the deaths were not inevitable but were the
273 byproducts of ingrained structural inequality resulting in diminished opportunities. We hope that

274 the lessons from this study can help illuminate the persistent inequalities in our country so that,
275 as a society, we can better address these issues. As we brace for a second wave of coronavirus
276 outbreaks and a possible third wave, we must acknowledge who within our society suffers the
277 most and find ways to focus our efforts to keep those populations safe and healthy.

278

279 Acknowledgments: Special thanks to Mary and Gail Unruh, Jeff Nogaj, and Dr. Mark Mycyk for
280 their unwavering help and support.

281

282 References:

- 283 1. Pettersson H, Manley B, Hern S, ez, CNN. Tracking coronavirus’ global spread [Internet].
284 CNN. [cited 2020 Jun 30];Available from:
285 <https://www.cnn.com/interactive/2020/health/coronavirus-maps-and-cases>
- 286 2. CDC. Coronavirus Disease 2019 (COVID-19) [Internet]. Centers for Disease Control and
287 Prevention. 2020 [cited 2020 Jun 30];Available from:
288 [https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/racial-ethnic-](https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/racial-ethnic-minorities.html)
289 [minorities.html](https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/racial-ethnic-minorities.html)
- 290 3. Stokes EK. Coronavirus Disease 2019 Case Surveillance — United States, January 22–May
291 30, 2020. *MMWR Morb Mortal Wkly Rep* [Internet] 2020 [cited 2020 Jul 1];69. Available
292 from: <https://www.cdc.gov/mmwr/volumes/69/wr/mm6924e2.htm>
- 293 4. Yancy CW. COVID-19 and African Americans. *JAMA* 2020;323(19):1891–2.
- 294 5. Laurencin CT, McClinton A. The COVID-19 Pandemic: a Call to Action to Identify and
295 Address Racial and Ethnic Disparities. *J Racial Ethn Health Disparities* 2020;1–5.
- 296 6. Dyer O. Covid-19: Black people and other minorities are hardest hit in US. *BMJ* [Internet]
297 2020 [cited 2020 Jun 30];369. Available from:
298 <https://www.bmj.com/content/369/bmj.m1483>
- 299 7. Chowkwanyun M, Reed AL. Racial Health Disparities and Covid-19 — Caution and
300 Context. *New England Journal of Medicine* 2020;0(0):null.
- 301 8. Cook County Medical Examiner COVID-19 Related Deaths [Internet]. [cited 2020 Jun
302 30];Available from: <https://maps.cookcountyil.gov/medexamcovid19/>
- 303 9. COVID-19 Statistics | IDPH [Internet]. [cited 2020 Jun 30];Available from:
304 <http://www.dph.illinois.gov/covid19/covid19-statistics>
- 305 10. Census profile: Cook County, IL [Internet]. *Census Reporter*. [cited 2020 Jun 30];Available
306 from: <http://censusreporter.org/profiles/05000US17031-cook-county-il/>
- 307 11. Bureau UC. ZIP Code Tabulation Areas (ZCTAs) [Internet]. The United States Census
308 Bureau. [cited 2020 Jun 30];Available from: [https://www.census.gov/programs-](https://www.census.gov/programs-surveys/geography/guidance/geo-areas/zctas.html)
309 [surveys/geography/guidance/geo-areas/zctas.html](https://www.census.gov/programs-surveys/geography/guidance/geo-areas/zctas.html)
- 310 12. Xia Y, Morrison-Beedy D, Ma J, Feng C, Cross W, Tu X. Modeling Count Outcomes from
311 HIV Risk Reduction Interventions: A Comparison of Competing Statistical Models for
312 Count Responses [Internet]. *AIDS Research and Treatment*. 2012 [cited 2020 Jul
313 1];2012:e593569. Available from: <https://www.hindawi.com/journals/art/2012/593569/>
- 314 13. Xia Y, Sun J, Chen D-G. Modeling Over-Dispersed Microbiome Data [Internet]. In: Xia Y,
315 Sun J, Chen D-G, editors. *Statistical Analysis of Microbiome Data with R*. Singapore:

- 316 Springer; 2018 [cited 2020 Jul 1]. p. 395–451. Available from: [https://doi.org/10.1007/978-](https://doi.org/10.1007/978-981-13-1534-3_11)
317 981-13-1534-3_11
- 318 14. Xia Y, Sun J, Chen D-G. Modeling Zero-Inflated Microbiome Data [Internet]. In: Xia Y,
319 Sun J, Chen D-G, editors. *Statistical Analysis of Microbiome Data with R*. Singapore:
320 Springer; 2018 [cited 2020 Jul 1]. p. 453–96. Available from: [https://doi.org/10.1007/978-](https://doi.org/10.1007/978-981-13-1534-3_12)
321 981-13-1534-3_12
- 322 15. Illinois COVID-19 Cases & Deaths by County [Internet]. [cited 2020 Jun 30]; Available
323 from:
324 [https://univofillinois.maps.arcgis.com/apps/opsdashboard/index.html#/488249e280bf4821a](https://univofillinois.maps.arcgis.com/apps/opsdashboard/index.html#/488249e280bf4821ae9d5c70b80a6163)
325 [e9d5c70b80a6163](https://univofillinois.maps.arcgis.com/apps/opsdashboard/index.html#/488249e280bf4821ae9d5c70b80a6163)
- 326 16. Elo IT, Preston SH. Racial and Ethnic Differences in Mortality at Older Ages [Internet].
327 National Academies Press (US); 1997 [cited 2020 Jul 6]. Available from:
328 <https://www.ncbi.nlm.nih.gov/books/NBK109843/>
- 329 17. Reeves TF Sarah Reber, and Richard V. Race gaps in COVID-19 deaths are even bigger
330 than they appear [Internet]. Brookings. 2020 [cited 2020 Jul 6]; Available from:
331 [https://www.brookings.edu/blog/up-front/2020/06/16/race-gaps-in-covid-19-deaths-are-](https://www.brookings.edu/blog/up-front/2020/06/16/race-gaps-in-covid-19-deaths-are-even-bigger-than-they-appear/)
332 [even-bigger-than-they-appear/](https://www.brookings.edu/blog/up-front/2020/06/16/race-gaps-in-covid-19-deaths-are-even-bigger-than-they-appear/)
- 333 18. Who’s Hit Hardest By COVID-19? Why Obesity, Stress And Race All Matter [Internet].
334 KJZZ. 2020 [cited 2020 Jun 30]; Available from: [https://kjzz.org/content/1534426/whos-hit-](https://kjzz.org/content/1534426/whos-hit-hardest-covid-19-why-obesity-stress-and-race-all-matter)
335 [hardest-covid-19-why-obesity-stress-and-race-all-matter](https://kjzz.org/content/1534426/whos-hit-hardest-covid-19-why-obesity-stress-and-race-all-matter)
- 336 19. Patel JA, Nielsen FBH, Badiani AA, et al. Poverty, inequality and COVID-19: the forgotten
337 vulnerable. *Public Health* 2020;183:110–1.
- 338 20. Shah M, Sachdeva M, Dodiuk-Gad RP. COVID-19 and racial disparities. *J Am Acad*
339 *Dermatol* 2020;83(1):e35.
- 340 21. Hooper MW, Nápoles AM, Pérez-Stable EJ. COVID-19 and Racial/Ethnic Disparities.
341 *JAMA* 2020;323(24):2466–7.
- 342 22. Sjödin H, Wilder-Smith A, Osman S, Farooq Z, Rocklöv J. Only strict quarantine measures
343 can curb the coronavirus disease (COVID-19) outbreak in Italy, 2020. *Eurosurveillance*
344 2020;25(13):2000280.
- 345 23. Rocklöv J, Sjödin H. High population densities catalyse the spread of COVID-19. *J Travel*
346 *Med* 2020;27(3).
- 347 24. Bialek S, Bowen V, Chow N, et al. Morbidity and Mortality Weekly Report (MMWR)
348 Geographic Differences in COVID-19 Cases, Deaths, and Incidence -United States,
349 February 12-April 7, 2020. 2020;68(17). Available from:
350 <https://stacks.cdc.gov/view/cdc/86672>

- 351 25. Chase B. Cook County Jail releases could be spreading COVID-19 in community, study
352 suggests [Internet]. Chicago Sun-Times. 2020 [cited 2020 Jun 30];Available from:
353 [https://chicago.suntimes.com/coronavirus/2020/6/4/21280984/cook-county-jail-covid-19-](https://chicago.suntimes.com/coronavirus/2020/6/4/21280984/cook-county-jail-covid-19-tom-dart-health-affairs)
354 [tom-dart-health-affairs](https://chicago.suntimes.com/coronavirus/2020/6/4/21280984/cook-county-jail-covid-19-tom-dart-health-affairs)
- 355 26. The COVID-19 Struggle In Chicago’s Cook County Jail [Internet]. NPR.org. [cited 2020
356 Jun 30];Available from: [https://www.npr.org/2020/04/13/833440047/the-covid-19-struggle-](https://www.npr.org/2020/04/13/833440047/the-covid-19-struggle-in-chicagos-cook-county-jail)
357 [in-chicagos-cook-county-jail](https://www.npr.org/2020/04/13/833440047/the-covid-19-struggle-in-chicagos-cook-county-jail)
- 358 27. CNN OJ. Chicago’s biggest jail has released almost a fourth of its population over
359 coronavirus fears [Internet]. CNN. [cited 2020 Jun 30];Available from:
360 <https://www.cnn.com/2020/04/17/us/cook-county-jail-coronavirus/index.html>
- 361 28. Williams T, Ivory D. Chicago’s Jail Is Top U.S. Hot Spot as Virus Spreads Behind Bars
362 [Internet]. The New York Times. 2020 [cited 2020 Jun 30];Available from:
363 <https://www.nytimes.com/2020/04/08/us/coronavirus-cook-county-jail-chicago.html>
- 364 29. CCSO_BIU_CommunicationsCCDOC_v1_2020_07_01.pdf [Internet]. [cited 2020 Jul
365 6];Available from: [https://www.cookcountysheriff.org/wp-](https://www.cookcountysheriff.org/wp-content/uploads/2020/07/CCSO_BIU_CommunicationsCCDOC_v1_2020_07_01.pdf)
366 [content/uploads/2020/07/CCSO_BIU_CommunicationsCCDOC_v1_2020_07_01.pdf](https://www.cookcountysheriff.org/wp-content/uploads/2020/07/CCSO_BIU_CommunicationsCCDOC_v1_2020_07_01.pdf)
- 367 30. Smith S. Small-Area Analysis. :12.
- 368
- 369

Percent of COVID-19 Deaths vs. Percent of Population by Race: Cook County, IL, March 16-May 31, 2020

