Evaluating the design and implementation fidelity of an adapted Plan-Do-Study-Act approach to improve health system performance in a Nigerian state

*Ejemai Amaize Eboreime[1,2], John Olajide Olawepo[3,4], Aduragbemi Banke-Thomas[5], Rohit

Ramaswamy[6]

 *Corresponding Author: eboreime@ualberta.ca

Authors' Affiliations:

1. Department of Medicine, Faculty of Medicine and Dentistry, University of Alberta, Edmonton, AB, Canada
2. Department of Planning, Research and Statistics, National Primary Healthcare Development Agency, Abuja, Nigeria
3. Department of Environmental and Occupational Health, School of Public Health, University of Nevada Las Vegas, USA
4. Department of Health Sciences, Bouve College of Health Sciences, Northeastern University, Boston, USA
5. Department of Health Policy, London School of Economics and Political Science, London, UK
6. Gillings School of Global Public Health, University of North Carolina at Chapel Hill, Chapel Hill NC, USA

Abstract

Background: The Plan-Do-Study-Act (PDSA) cycle is fundamental to many quality improvement (QI) models. For the approach to be effective in the real-world, variants must align with standard elements of the PDSA. This study evaluates the alignment between theory, design and implementation fidelity of a PDSA variant adapted for Nigeria's health system performance improvement.

Methods: An iterative consensus building approach was used to develop a scorecard evaluating new conceptual indices of design and implementation fidelity of QI interventions (design and implementation index, defects and gaps) based on Taylor's theoretical framework.

Results: Design (adaptation) scores were optimal across all standard features indicating that design was well adapted to the typical PDSA. Conversely, implementation fidelity scores were only optimal with two standard features: prediction-based test of change and the use of data over time. The

other features, use of multiple iterative cycles and documentation had implementation gaps of 17% and 50% respectively.

Conclusion: This study demonstrates how both adaptation and implementation fidelity are important for success of QI interventions. It also presents an approach for evaluating other QI models using Taylor's PDSA assessment framework as a guide, which might serve to strengthen the theory behind future QI models and provide guidance on their appropriate use.

Keywords: Quality Improvement; Implementation Science, PDSA, Health System, Nigeria, program design

Introduction

The Plan-Do-Study-Act (PDSA) cycle (and its concept of iterative tests of change) is fundamental to both the fields of Quality Improvement (QI) and Implementation Science. Whereas Implementation Science is primarily concerned with promoting the "integration of evidence-based interventions into health care policy and practice", QI science concentrates on "systematically and rigorously exploring 'what works' to improve quality in healthcare" (Health Foundation, 2011). Both disciplines place an emphasis on improving care using a systems-level approach. Both also overlap by considering concepts such as context, the organizational and system actors (providers, staff, patients, and administrators), processes and outcomes (Williams, 2019).

Many popular QI models such as the Model for Improvement, Lean and Six Sigma (Schroeder *et al.*, 2008; Norman *et al.*, 2013; Taylor *et al.*, 2013; Reed and Card, 2016) incorporate some version of PDSA in their methodologies to test improvement solutions on a small scale before scaling up. In the field of Implementation Science, PDSA is similarly used to adapt implementation strategies to local contexts (Fixsen *et al.*, 2005; Powell *et al.*, 2015). Whereas Implementation Science considers the

PDSA as a method or strategy, the approach is viewed as an intervention in the science of improvement (Koczwara *et al.*, 2018). A recently proposed model integrating QI and implementation science, called the Model for Improvement and Implementation (Ramaswamy, Johnson and Hirschhorn, 2018) explicitly situates PDSA as a process at the intersection of both fields, necessary for both context specific intervention development (QI) and adaptation of IS strategies.

Moreover, PDSA cycles align well with models for decision-making in complex systems with non-linear processes that are unpredictable and that display emergent behaviour (WHO, 2009). In such systems, a "probe, sense, respond" approach is recommended, where decision makers initiate small experiments to test how the system behaves before engaging in large scale analysis and intervention (Snowden and Boone, 2007). As organizations such the World Health Organization and the World Bank recommend QI to address larger scale problems such as health systems strengthening to improve global quality of care (Kieny *et al.*, 2018), the use of PDSA is likely to continue to expand.

The use of PDSA to find local solutions to solve complex improvement and implementation problems offers great promise (Muczyk, 2004; Sales *et al.*, 2006), and this approach can be considered to be a best practice in developing quality improvement interventions. However, even though PDSA provides a rigorous experimental approach to improvement, it has not been always been used effectively to bring about outcomes (Reed and Card, 2016). The reason for this is there is no standard protocol or formula for using PDSAs. This in itself is not a shortcoming – by definition, since PDSA cycles are intended to drive learning based on generating hypotheses about how to change a system, a PDSA approach should be deeply embedded in the systems in which implementation and improvement work takes place and its particular application should depend on the context of the system as several researchers have pointed out (Øvretveit, 2011; Leis and Shojania, 2017; Ramaswamy *et al.*, 2018). However, this assumes that those engaged in improvement or implementation adhere to the primary principles of the PDSA such as developing change hypothesis, designing multiple tests of increasing complexity, collecting and analysing data and making

appropriate updates to the change hypothesis. As demonstrated by Taylor and colleagues (Taylor *et al.*, 2013) who applied an evaluation framework to assess gaps in the use of PDSA cycles to improve health care, this is not often the case. Despite the theoretical promise of PDSA, it often fails in execution.

That being said, the PDSA approach still remains the best theoretical model for designing quality improvement interventions, and therefore it is appropriate to test other models designed to improve quality, against the PDSA approach as a standard. While any quality improvement approach needs to be implemented well, there is an additional barrier to success if the theory underlying the approach is untested or flawed. At the same time, as mentioned above, PDSA is not an inviolable formula, and therefore needs to be adapted for use in various settings. In this paper, we evaluate a quality improvement model called Diagnose-Intervene-Verify-Adjust (DIVA), adopted in Nigeria and other low and middle-income countries (LMICs) to improve planning processes in health systems.

DIVA was developed, introduced, tested and implemented in several LMICs by United Nations Children's Fund (UNICEF) (UNICEF, 2012). The model seeks to improve processes such as routine planning cycles and the use of data by local stakeholders and policy/decision makers as suggested by the Lancet Global Health Commission on High Quality Health Systems (HQSS) (UNICEF, 2012; O'Connell and Sharkey, 2013). Typically, operational planning occurs annually. DIVA strengthens the annual planning cycles by introducing quarterly iterations for monitoring and improvement of the annual plan. Further, outputs from DIVA (such as proposed implementation strategies for health interventions) feed into subsequent operational planning cycles. DIVA also builds the capacity of district/local government health teams, communities and other local stakeholders to identify bottlenecks and barriers to the planning process. The model provides tools to address these barriers, take action and be accountable for service delivery within their jurisdiction towards improving effective coverage, quality and impact of health interventions (UNICEF, 2012; O'Connell and Sharkey, 2013).

Operationally, DIVA is a four-step model in which 'Diagnose' identifies bottlenecks to health interventions; 'Intervene' develops and implements action plans to resolve identified constraints; while 'Verify/Adjust' tracks the results of the action plans and recommends real-time data driven adjustments to the plan (Figure 1). DIVA uniquely doubles as a Quality Improvement method as well as an implementation strategy for evidence informed planning of interventions in complex health systems. The model was developed in response to the observation that district health planning in many LMICs is commonly fragmented across various actors and vertical programmes, and often not informed by contextual evidence. The theory of change behind the model is that evidence-informed bottleneck analysis and integrated intervention planning using DIVA, will improve efficiency of resource allocation and utilization as well as health system performance indices (UNICEF, 2012, 2016).

Research, published elsewhere (Eboreime, Nxumalo, *et al.*, 2019) showed that the DIVA model can potentially improve health system performance, but that effective implementation is critical. Other evaluations in Nigeria, Ghana and Uganda have also demonstrated that the tools and methods of DIVA are effective in evidence-informed planning of health interventions (O'Connell and Sharkey, 2013; Baker, Okuga, *et al.*, 2015; Baker, Peterson, *et al.*, 2015; Henriksson *et al.*, 2017; Eboreime, Nxumalo, *et al.*, 2018) but outcomes have exhibited significant variability (Eboreime, Eyles, *et al.*, 2018; Eboreime, Nxumalo, *et al.*, 2018). To provide guidance to countries seeking to enhance the effectiveness of DIVA, it would be useful to assess both the theoretical underpinning and the implementation fidelity of DIVA. This will help practitioners and policy/decision makers evaluate whether the failure of DIVA to achieve outcomes results from a failure in its design (i.e. the underlying premise of DIVA is flawed) or whether DIVA is a context-appropriate adaptation of the principles of PDSA, and failures in its performance can be attributed to poor implementation fidelity. If the latter is the case, strategies to improve the implementation of DIVA can be informed by the substantial body of knowledge that already exists about how to conduct PDSAs well. Specifically, in this paper, we seek to answer the following research questions:

1. To what extent can DIVA be considered to be an adaptation of PDSA?

2. To what extent does the implementation of DIVA in Kaduna state, Nigeria exhibit fidelity to its design?

Materials and Methods

Study context

Nigeria operates a decentralized three-tier health system governance structure. The federal level is responsible for overarching policy thrusts including programme design, the state ministries of health are largely responsible for subnational coordination and translation, while the local governments are mostly the implementers (FMOH, 2016; E. A. Eboreime *et al.*, 2017). DIVA was introduced nationwide in 2012, most states experienced implementation failure with only Kaduna sustaining implementation as at the time of this study (Eboreime, Eyles, *et al.*, 2018; Eboreime, Nxumalo, *et al.*, 2018).

Theoretical Framework

To answer the first research question, we used the theoretical framework developed by Taylor and colleagues (3) mentioned earlier to assess the quality of implementation of PDSA cycles in 47 studies in healthcare settings. This framework uses five features to test the theory and the practice of the approach. These features are the use of Iterative cycles; prediction-based test of change, small-scale testing; use of data over time, and documentation of processes and outcomes for learning (Table 1). Given the use of the DIVA implementation for adjusting the annual plan on a quarterly basis, one of these characteristics (small scale testing) was not relevant for DIVA, because the steps of the DIVA process were applied to the same plan every quarter. We adapted this framework first to evaluate whether the design guidelines for DIVA include these key features. We used our findings from this evaluation to develop the assessment questions to evaluate the fidelity of implementation.

Table 1: Taylor's theoretical framework based on key features of the plan–do–study–act (PDSA) cycle(Source: (Taylor et al., 2013))

Feature of PDSA	Description of feature

Iterative cycles	To achieve an iterative approach, multiple PDSA cycles must occur. Lessons learned from one cycle link and inform cycles that follow. Depending on the knowledge gained from a PDSA cycle, the following cycle may seek to modify, expand, adopt or abandon a change that was tested.
Prediction-based test of change	A prediction of the outcome of a change is developed in the 'plan' stage of a cycle. This change is then tested and examined by comparison of results with the prediction.
Small-scale testing	As certainty of success of a test of change is not guaranteed, PDSAs start small in scale and build in scale as confidence grows. This allows the change to be adapted according to feedback, minimises risk and facilitates rapid change and learning.
Use of data over time	Data over time increases understanding regarding the variation inherent in a complex healthcare system. Use of data over time is necessary to understand the impact of a change on the process or outcome of interest.
Documentation	Documentation is crucial to support local learning and transferability of learning to other settings.

Data collection

Data for the overall implementation research of which this work is a component were obtained from content analyses of 39 policy documents, 15 in-depth interviews and an embedded process observation between 2012 and 2016 to identify the design and implementation processes of DIVA in Nigeria. The documents were identified from the researchers' knowledge (one author was an embedded researcher) and interviews of four national level subject matter experts who contributed to the initial design and implementation processes. The documents include policy guidelines, a DIVA implementation guide and implementation reports obtained at both the design phase (national) and implementation phases (subnational). This sub-study uses data related to the implementation of DIVA in Kaduna state because this is the only state still sustaining the implementation of DIVA since its design and deployment in 2012 (Eboreime, Eyles, *et al.*, 2018; Eboreime, Nxumalo, *et al.*, 2018).

Analytic parameters

We developed the following indicators to perform our evaluation:

1. *Adaptation score/index:* This is a measure of the extent to which the steps of DIVA is consistent with the applicable elements of PDSA. It assesses the conceptual similarity between the standard improvement model and its local adaptation.

2. *Implementation score/index:* This is a measure of the extent to which the adapted model was implemented in the real world. The implementation index may be considered to be a measure of adherence to how DIVA was intended to be used, which is a dimension of implementation fidelity (James Bell Associates, 2009).

Figure 2 is an illustration of these concepts.

Taylor's framework used 13 questions to assess the implementation fidelity of PDSAs, which are paraphrased in Table 2. To apply this framework to the design of DIVA, an adapted guide was created. The design evaluation helped to clarify the key features of the DIVA model and the extent to which these features were aligned with the key steps of a PDSA approach. Based on the results, an implementation fidelity evaluation questionnaire was developed. This questionnaire is shown in Table 3.

Table 2: Taylor's PDSA assessment questions

Feature of PDSA	Assessment questions
Iterative cycles	• Were multiple cycles used? • Were multiple cycles linked to one another (i.e., does the 'act' stage of one cycle inform the 'plan' stage of the cycle that follows)? • When isolated cycles were used were future actions postulated in the 'act' stage?
Prediction-based test of change	• Was a change tested? • Was an explicit prediction articulated?
Small-scale testing	• Sample size per cycle • Temporal duration of cycles • Number of changes tested per cycle • Did sequential cycles increase scale of testing?
Use of data over time	• Was data collected over time? • Were statistics used to test the effect of changes and/or understand variation?

Documentation	• How thoroughly was the application of the PDSA method detailed in the reports? • Was each stage of the PDSA cycles documented?

Table 3: Data analysis tool

Feature of PDSA	Analysis criteria		Response scale for each question (Scores: 0/1/2)
	Design evaluation	Implementation evaluation	
Iterative cycles	• Does the DIVA model incorporate the principle of multiple cycles? • Are multiple cycles linked to one another (i.e., does the 'adjust' stage of one cycle inform the 'diagnose' stage of the cycle that follows)?	• Were multiple cycles used? • Were multiple cycles linked to one another (i.e., does the 'adjust' stage of one cycle inform the 'diagnose' stage of the cycle that follows)?	No/partly/yes
Prediction-based test of change	• Does DIVA depend on well-defined theory of change? • Does the use of the model require explicit predictions that are tested in the "intervene" step?	• Was a theory of change articulated prior to the implementation? • Was an explicit prediction made in each step?	No/partly/yes
Small-scale testing	• Sample size per cycle • Temporal duration of cycles • Number of changes tested per cycle	• Not applicable	Decrease/ same/ increase
Use of data over time	• Does the DIVA model require the collection and display of data over time?	• Was data collected over time?	No/partly/yes
Documentation	• Does the design require detailed reporting of the application of the DIVA model in each quarter? • Does the design require detailed reporting of each step of the DIVA process in each quarter?	• Was the application of the DIVA method detailed in the reports? • Was each stage of the DIVA cycle(s) documented?	No/partly/yes

Data analysis

To assess the level of alignment between the data and standard features, we created a scorecard.

The scorecard assigned quantitative scores that measured the extent to which the reported or

documented design or implementation activity aligned with the theoretical framework. An iterative

consensus building approach was used to discuss and finalize scores. Fowles' Delphi process guided

the analysis(Van Wyk, 1980). This process mirrors the approach used in evaluating the deployment

and installation processes of DIVA in the other studies (Eboreime, Eyles, *et al.*, 2018; Eboreime,

Nxumalo, *et al.*, 2018).

A team of three PDSA/ DIVA subject matter experts was constituted and a process facilitator was

appointed. The first round of questionnaires was developed using the questions from Taylor's

framework. These questions were tested and adapted to the study context.

Each question in the design and implementation was evaluated on a 3-point ordinal scale (No = 0,

Partly = 1, Yes = 2). 'No' and 'Yes' were attributed to absolute non-compliance and absolute

compliance respectively, whereas a 'partly' was assigned to partial compliance. The three evaluators

with expertise and knowledge of the PDSA and DIVA independently reviewed the qualitative data

and assigned a score to each question. Inter-rater variances were resolved using a consensus

building discussions. The rules were that disparities between each rater's scores on any question

must not exceed one point. Thus, any rating disparity greater than one point was discussed and re-

evaluated in the next round. The underlying assumption was that a one-point difference may

represent random variation which could be harmonized by calculating a mean. However, a two-point

disparity may be indicative of a significant interpreter difference which may need more clarification.

The mean was used as the final score for each question. Each question carried an equal weight per

standard feature. The mean score for each feature was computed and composite scores for each

feature were created by dividing by a factor of 2 expressed in percentage values ranging from 0%

(Zero implementation) to 100% (full implementation/full design alignment).

Results

Table 4 presents the scores for design and implementation fidelity of DIVA on each evaluation criterion. Our design evaluation indicated that all the applicable characteristics of PDSA were part of the DIVA design, and therefore DIVA can be considered an adaptation of the PDSA model. We could therefore use the same questions we used to evaluate the design for the assessment of the implementation fidelity. The design of DIVA was assessed as being 100% compliant with three out of five PDSA features (Iterative cycles, Prediction-based test of change, Small scale tests of change, Use of data over time). However, documentation was assessed to be 92% compliant and small-scale tests of change were omitted from the DIVA design. On the other hand, Table 5 also shows the gaps on each respective feature. Both tables highlight where design failure and/or implementation failure may exist, which have implications on the effectiveness of the intervention.

Table 4: Scores on analyses criteria

PDSA Feature	Analyses criteria	Response score (mean) for each question	
		Design	*Implementation*
		(Adaptation Score)	*(Fidelity score)*
Iterative cycles	Multiple cycles	2.00	2.00
	Cycles linked to one another	2.00	1.33
	Composite score (%)	*100*	*83*
Prediction-based test of change	Test of change	2	2
	Explicit prediction articulated	2	2
	Composite score (%)	*100*	*100*
Small scale tests of change	Sample size per cycle	**0**	Not applicable
	Temporal duration of cycles		
	Number of changes tested per cycle		
	Composite score (%)	**0**	**Not applicable**
Use of data over time	Data collected over time	2	2
	Composite score (%)	*100*	*100*
Documentation	Application of the PDSA method detailed in the reports	2	1
	Documentation of each stage of the PDSA cycles	1.67	1

Composite score (%)	92	50

Table 5: Summary of findings and assessments

Feature of PDSA	DIVA Design	Design gap (%)	DIVA implementation	Implementation gap (%)	Assessment
Iterative cycles	DIVA is intended to be implemented using multiple iterative cycles which are interlinked such that the 'Verify/Adjust' phases of one cycle feed into the 'Diagnose' phase of the next.	0	DIVA is implemented using multiple (quarterly) cycles which are linked. However, in practice, we observed that while in many cycles the 'Verify/Adjust' phases of one cycle feed into the 'Diagnose' phase of the next, there were occasions where such interlinks were interrupted. This is often due to contextual influences such as donor interests, leadership and administrative deficiencies(Eboreime, Nxumalo, *et al.*, 2018) .	17	Optimal theory-design consonance with mild implementation gap
Prediction-based test of change	The model tests changes in six supply and demand side determinants of health system performance. It includes tools and measures for explicitly predicting change in these determinants(NPHCDA, 2013)..	0	During the 'Diagnose/Intervene' phases, action plans to address health system bottlenecks are made which include quantified coverage improvement targets to be met following implementation.	0	Optimal theory-design-implementation consonance
Small scale tests of change	DIVA was designed to be integrated into and implemented across the existing health system. Consequently, it was not practicable to build in small tests of change as that will imply a parallel health system.	100	Given that the intervention was introduced and implemented at scale ab initio, the sample size remains the same in every DIVA cycle. Thus, implementation aligns with the adapted design but not with the PDSA theory.	Not applicable	Design defect, implementation fidelity not applicable
Use of data over time	The design of DIVA is to build on existing data systems. Thus, routine data from the Health Management Information System is used over time to analyse change. Given the capacity of implementers (mostly district health managers and other stakeholders from the local community), DIVA guidelines recommend use of simple descriptive statistical evaluations rather than complex analytic processes such as statistical control charts	0	Data was collected over time and analysed using time series charts and bar graphs. The implementation wholly complies with design.	0	Zero design defect with optimal implementation fidelity
Documentation	The implementation guide contains processes and tools for documenting activities, plans and lessons learned from implementation for each stage of the implementation.	8	There was detailed documentation of the 'Diagnose/Intervene' phases. This was less so with the 'Verify/Adjust' phases which were observed to be the weakest link in the implementation chain.	50	Good theory-design consonance with poor implementation fidelity

1   Conversely, implementation fidelity scores were only optimal with prediction-based test of change

2   and the use of data over time. Multiple cycles were implemented but not appropriately linked to

3   each other. Further the application of the PDSA methods, including the four stages, were not well

4   documented in the reports. This may imply that any observed poor performance of DIVA may have

5   been caused by implementation failure.

Discussion

This study interrogates the conceptual underpinnings of DIVA and its implementation fidelity in a

subnational health system in Nigeria. The implementation science literature recognizes that

interventions are successful only, when adapted to the local contexts (McKleroy *et al.*, 2006;

Galbraith *et al.*, 2009). However, the process of modifying an intervention must not compromise its

core features (theory and internal logic), which are most likely to produce the main expected

outcomes. The adaptation therefore must preserve the mechanism through which the desired

change in outcomes is achieved, while at the same time assuring that the interventions is a good fit

to the problem being addressed (McKleroy *et al.*, 2006; Pérez *et al.*, 2015; Sundell *et al.*, 2016).

Design gaps occur when the core components of the intervention are compromised during the

adaptation. Implementation gaps occur when implementers fail to adhere to the execution of the

design as specified by guidelines. This gap in implementation fidelity commonly results from

unstable implementation environment such as evolving policies and discretionary action of

implementers, among others (Eboreime, Eyles, *et al.*, 2018; Eboreime, Nxumalo, *et al.*, 2018).

Our principal finding in this study is that DIVA remains true to the principles of the PDSA approach,

while excluding some components that are not germane to the objective of strengthening the

planning process. One such component is the PDSA hallmark of conducting small tests of change.

This is mainly because typical PDSAs are used within an organizational context such as to improve

services within a clinic. DIVA, however, was designed for higher (systems) level improvement such as

complex district health systems which coordinate governance and services across several

communities and facilities located within defined geographical boundaries(UNICEF, 2012; Reed and

Card, 2016; Eboreime, Idika, *et al.*, 2019; Eboreime, Nxumalo, *et al.*, 2019). Typically, in

organizational contexts, PDSAs start small in scale and expand scale as confidence grows. However,

DIVA, in Nigeria, was designed to review healthcare processes that had already been implemented

and changes in each cycle were intended to address reallocation of resources or priorities rather

than making changes to the processes themselves. In fact, small tests of change may disrupt existing

routine systems, compromising the goal of integrated health system strengthening with implications

for sustainability of the intervention (UNICEF, 2012; Eboreime et al., 2017; Eboreime, Nxumalo, et

al., 2018). This being said, there may be potential value in applying small tests of change should DIVA

be implemented in a newly designed health system or as part of holistic reforms of an existing

system. That way lessons learned from these tests can inform strategies and interventions that could

sustainably improve health system performance.

Another variation in DIVA compared to PDSA is the method of analysing data over time. While

temporal trends are reviewed the method of analysis is descriptive, primarily using before and after

bar charts. This prevents a more rigorous analysis of process variation. The adaptation was

necessary because DIVA is designed to be an easy-to-use tool for decision making by health care

managers/policymakers who are not trained in rules for interpreting run charts.

We also found that the implementation of DIVA varied partly from the design. Complete

implementation fidelity (adherence to design) was observed in two of the five features of PDSA

(prediction-based tests of change and the use of data over time). Implementation gaps were

observed in two features: iterative cycles and documentation. The remaining PDSA feature, small

scale tests of change, was not applicable to assess as it was omitted from the DIVA design, as

discussed above. Typical PDSA cycles are iterative, with lessons learned from one cycle feeding into

the 'Plan' phase of the cycle that follows. While this is also the design of DIVA, in practice,

interruptions to these cycle linkages were observed.

In an another article (Eboreime, Nxumalo, *et al.*, 2018), using Kaplan's Model for Understanding

Success in Quality (MUSIQ) (Kaplan *et al.*, 2012), the authors described how contextual factors such

as weak political will, administrative inefficiencies and donor interests partly compromised the

implementation of DIVA, particularly the 'Verify/Adjust' phases. These deficiencies had implications

on linkages between cycles on some occasions. The detailed documentation observed with the

'Diagnose/Intervene' phases, was not replicated with the 'Verify/Adjust' phases, thus reinforcing the

untoward effect of these contextual factors with implications on effectiveness.

As noted in previous studies (Eboreime *et al.*, 2017; Eboreime, Nxumalo, *et al.*, 2018, 2019), DIVA is

potentially effective as it was able to improve isolated performance indicators of vertical

programmes such as malaria management and measles vaccination, but did not significantly

improve integrated health system performance due to poor implementation of the model. This

study provides further insights into possible reasons for suboptimal effectiveness of DIVA. First, a

smaller 17% gap in implementing iterative cycles, then the larger 50% gap in documentation. The

poor attention given to documentation could have compromised the quality of other processes,

given that lessons learned from one cycle may not completely feed into subsequent cycles. This

phenomenon may potentially create some form of cyclical redundancies, compromising the

effectiveness of the intervention. Thus, to improve the effectiveness of DIVA in this context, more

attention must be paid to documentation of processes, outcomes and lessons learned. Beyond the

context in which this research was carried out, this study demonstrates that the standard principles

of quality improvement interventions should inform both the design and implementation of the

interventions in order to ensure effective outcomes.

The design of this study may subject the findings to some interpreter bias and subjectivity. Despite

these apparent biases, we view the measures and approaches used here as practical proxies for

evaluating the alignment of theory, design and implementation in the real-world.

Conclusion

This study demonstrates how both adaptation and implementation are important for success of QI interventions (Borrelli *et al.*, 2005; Carroll *et al.*, 2007; Stirman *et al.*, 2013; El-Sadr, Philip and Justman, 2014). It also presents an approach for evaluating other QI models using Taylor's PDSA assessment framework as a guide, which might serve to strengthen the theory behind future QI models and provide guidance on their appropriate use. This will be particularly important for improvement models like DIVA, designed for multi-contextual improvements, where different adaptations may be necessary in different countries and where implementation challenges may vary by setting.

References

Baker, U., Okuga, M., *et al.* (2015) 'Bottlenecks in the implementation of essential screening tests in antenatal care: Syphilis, HIV, and anemia testing in rural Tanzania and Uganda', *International Journal of Gynecology & Obstetrics*, 130, pp. S43–S50.

Baker, U., Peterson, S., *et al.* (2015) 'Identifying implementation bottlenecks for maternal and newborn health interventions in rural districts of the United Republic of Tanzania', *Bull World Health Organ*, 93, pp. 380–389.

Borrelli, B. *et al.* (2005) 'A new tool to assess treatment fidelity and evaluation of treatment fidelity across 10 years of health behavior research.', *Journal of Consulting and Clinical Psychology*, 73(5), pp. 852–860. doi: 10.1037/0022-006X.73.5.852.

Carroll, C. *et al.* (2007) 'A conceptual framework for implementation fidelity', *Implementation Science*. BioMed Central, 2(1), p. 40. doi: 10.1186/1748-5908-2-40.

Eboreime, E. *et al.* (2017) 'Implementing a Model for Improving Integrated Primary Healthcare Planning and Performance: An Effectiveness Evaluation of DIVA in Kaduna, Nigeria.', in *Cochrane Database of Systematic Reviews*. doi: 10.1002/14651858.CD201702.

Eboreime, E. A. *et al.* (2017) 'Evaluating the sub-national fidelity of national Initiatives in decentralized health systems: Integrated Primary Health Care Governance in Nigeria', *BMC Health Services Research*. BioMed Central, 17(1), p. 227. doi: 10.1186/s12913-017-2179-2.

Eboreime, E. A., Eyles, J., *et al.* (2018) 'Implementation process and quality of a primary healthcare system improvement initiative in a decentralized context: A retrospective appraisal using the Quality Implementation Framework', *Int J Health Plann Mgmt.*

Eboreime, E. A., Nxumalo, N., *et al.* (2018) 'Strengthening decentralized primary healthcare planning in Nigeria using a quality improvement model: how contexts and actors affect implementation', *Health Policy and Planning*, pp. 1–14. doi: 10.1093/heapol/czy042.

Eboreime, E. A., Nxumalo, N., *et al.* (2019) 'Effectiveness of the Diagnose-Intervene-Verify-Adjust

(DIVA) model for integrated primary healthcare planning and performance improvement: An
embedded mixed methods evaluation in Kaduna state, Nigeria', *BMJ Open*, In Press. doi:
http://dx.doi.org/10.1136/bmjopen-2018-026016.

Eboreime, E. A., Idika, O., *et al.* (2019) 'Primary healthcare planning, bottleneck analysis and
performance improvement: An evaluation of processes and outcomes in a Nigerian context',
Evaluation and Program Planning. Pergamon, 77, p. 101712. doi:
10.1016/J.EVALPROGPLAN.2019.101712.

El-Sadr, W. M., Philip, N. M. and Justman, J. (2014) 'Letting HIV Transform Academia — Embracing
Implementation Science', *New England Journal of Medicine*, 370(18), pp. 1679–1681. doi:
10.1056/NEJMp1314777.

Fixsen, D. L. *et al.* (2005) 'Implementation Research: A Synthesis of the literature'. The National
Implementation Research Network,: University of South Florida, Louis de la Parte Florida Mental
Health Institute. Available at: https://nirn.fpg.unc.edu/sites/nirn.fpg.unc.edu/files/resources/NIRN-
MonographFull-01-2005.pdf (Accessed: 29 June 2019).

FMOH (2016) *National Health Policy*. Abuja, Nigeria: Federal Ministry of Health.

Galbraith, J. S. *et al.* (2009) 'Exploring implementation and fidelity of evidence-based behavioral
interventions for HIV prevention: Lessons learned from the focus on kids diffusion case study',
Health Education and Behavior. doi: 10.1177/1090198108315366.

Health Foundation (2011) *Evidence scan: Improvement science*. London.

Henriksson, D. K. *et al.* (2017) 'Bottleneck analysis at district level to illustrate gaps within the district
health system in Uganda', *Glob Health Action*, 10(1), p. 1327256.

James Bell Associates (2009) *Evaluation brief: Measuring Implementation Fidelity*. Arlington, VA.
Available at: https://www.jbassoc.com/wp-content/uploads/2018/03/Measuring-Implementation-
Fidelity.pdf (Accessed: 10 November 2018).

Kaplan, H. C. *et al.* (2012) 'The Model for Understanding Success in Quality (MUSIQ): building a
theory of context in healthcare quality improvement', *BMJ Qual Saf.*, 21(1), pp. 13–20.

Kieny, M.-P. *et al.* (2018) *Delivering quality health services: a global imperative for universal health*
coverage. Geneva, Switzerland: World Health Organization, OECD, and International Bank for
Reconstruction and Development/The World Bank. Available at: http://apps.who.int/bookorders.
(Accessed: 8 April 2019).

Koczwara, B. *et al.* (2018) 'Harnessing the Synergy Between Improvement Science and
Implementation Science in Cancer: A Call to Action', *Journal of Oncology Practice*. American Society
of Clinical Oncology (ASCO), 14(6), pp. 335–340. doi: 10.1200/jop.17.00083.

Leis, J. A. and Shojania, K. G. (2017) 'A primer on PDSA: executing plan-do-study-act cycles in
practice, not just in name.', *BMJ quality & safety*. BMJ Publishing Group Ltd, 26(7), pp. 572–577. doi:
10.1136/bmjqs-2016-006245.

McKleroy, V. S. *et al.* (2006) 'Adapting evidence-based behavioral interventions for new settings and
target populations', *AIDS Education and Prevention*. doi: 10.1521/aeap.2006.18.supp.59.

Muczyk, J. P. (2004) 'A Systems Approach to Organizational Effectiveness: The Alignment of Critical
Organizational Dimensions with Selected Business/Competitive Strategies', *Journal of Comparative*
International Management, 7(1). Available at:
https://journals.lib.unb.ca/index.php/JCIM/article/view/454.

Norman, C. L. *et al.* (2013) *The improvement guide: a practical approach to enhancing*

organizational performance. Jossey-Bass. Available at:
https://books.google.ca/books/about/The_Improvement_Guide.html?id=kE4aEnZgBO8C&printsec=f
rontcover&source=kp_read_button&redir_esc=y#v=onepage&q&f=false (Accessed: 7 November
2018).

O'Connell, T. S. and Sharkey, A. (2013) *Reaching Universal Health Coverage through District Health*
System Strengthening: Using a Modified Tanahashi Model Sub-nationally to Attain Equitable and
Effective Coverage. New York: UNICEF.

Øvretveit, J. (2011) 'Understanding the conditions for improvement: research to discover which
context influences affect improvement success.', *BMJ quality & safety*, 20 Suppl 1(Suppl 1), pp. i18-
23. doi: 10.1136/bmjqs.2010.045955.

Pérez, D. *et al.* (2015) 'A modified theoretical framework to assess implementation fidelity of
adaptive public health interventions', *Implementation Science*. BioMed Central, 11(1), p. 91. doi:
10.1186/s13012-016-0457-8.

Powell, B. J. *et al.* (2015) 'A refined compilation of implementation strategies: results from the
Expert Recommendations for Implementing Change (ERIC) project', *Implementation Science*. BioMed
Central, 10(1), p. 21. doi: 10.1186/s13012-015-0209-1.

Ramaswamy, R. *et al.* (2018) 'Unpacking the black box of improvement.', *International journal for*
quality in health care⍰: journal of the International Society for Quality in Health Care. Oxford
University Press, 30(suppl_1), pp. 15–19. doi: 10.1093/intqhc/mzy009.

Ramaswamy, R., Johnson, J. K. and Hirschhorn, L. R. (2018) 'Intergrating implementation science
approaches into continuos quality improvement', in Johnson, J. K. and Sollecito, W. A. (eds)
McLaughlin & Kaluzny's Continuous Quality Improvement in Health Care. 5th edn. Burlington, MA:
Jones & Bartlett Learning.

Reed, J. E. and Card, A. J. (2016) 'The problem with Plan-Do-Study-Act cycles', *BMJ Qual Saf*, 25, pp.
147–152.

Sales, A. *et al.* (2006) 'Models, strategies, and tools', *Journal of General Internal Medicine*. Springer-
Verlag, 21(S2), pp. S43–S49. doi: 10.1007/s11606-006-0274-x.

Schroeder, R. G. *et al.* (2008) 'Six Sigma: Definition and underlying theory', *Journal of Operations*
Management. Elsevier, 26(4), pp. 536–554. doi: 10.1016/J.JOM.2007.06.007.

Snowden, D. J. and Boone, M. E. (2007) 'A leader's framework for decision making. A leader's
framework for decision making.', *Harvard business review*, 85(11), pp. 68–76, 149. Available at:
http://www.ncbi.nlm.nih.gov/pubmed/18159787 (Accessed: 29 June 2019).

Stirman, S. W. *et al.* (2013) 'Development of a framework and coding system for modifications and
adaptations of evidence-based interventions', *Implementation Science*. BioMed Central, 8(1), p. 65.
doi: 10.1186/1748-5908-8-65.

Sundell, K. *et al.* (2016) 'Novel Programs, International Adoptions, or Contextual Adaptations? Meta-
Analytical Results From German and Swedish Intervention Research', *Journal of Clinical Child &*
Adolescent Psychology. Routledge, 45(6), pp. 784–796. doi: 10.1080/15374416.2015.1020540.

Taylor, M. J. *et al.* (2013) 'Systematic review of the application of the plan–do–study–act method to
improve quality in healthcare', *BMJ Quality & Safety*, 14(23), pp. 290–298.

UNICEF (2012) *The guidebook: Strengthening district management capacity for planning,*
implementation and monitoring for results with equity. New York: UNICEF.

UNICEF (2016) *The UNICEF Health Systems Strengthening Approach*. New York.

WHO (2009) *Systems Thinking for Health Systems Strengthening*. Geneva. doi: World Health
Organization.

Williams, D. M. (2019) *Improvement Science and Implementation Science*. Available at:
http://www.dmwaustin.com/2019/07/26/improvement-science-and-implementation-science/
(Accessed: 6 May 2020).

Van Wyk, R. J. (1980) 'Handbook of Futures Research', *Technological Forecasting and Social Change*.
doi: 10.1016/0040-1625(80)90077-3.

Acknowledgements

204 We acknowledge the support (including permission to use data) of Nigeria's National Primary Health

205 Care Development Agency and the Kaduna State Primary Healthcare Development Agency, Nigeria.

206 **Conflict of interest statement:** All authors declare no conflict of interests

A Typical PDSA cycle

- Evaluate
- Apply lessons learned
- Modify as necessary

- Establish baseline
- Identify priorities
- Set improvement goals and standards

ACT   **PLAN**

STUDY   **DO**

- Monitor and measure
- Find and fix
- Document results

- Implement action plans to achieve goals

The DIVA cycle

- Who are the most deprived?
- Where are they?
- Why?

- Micro-planning
- Management
- Partnerships

DIAGNOSE   **INTERVENE**

ADJUST   **VERIFY**

- What strategic changes?
- Recommendations for higher levels

Real-time monitoring

Key

Standard design

Adaptive design

Real-world implementation

Zero implementation