Title

Passive surveillance assesses compliance with COVID-19 behavioral restrictions in a rural US county

Authors

Christina L Faust[1], Brian Lambert[1], Cale Kochenour[1], Anthony C. Robinson[2], Nita Bharti[1+]

Affiliations

[1]Center for Infectious Disease Dynamics, Department of Biology, Eberly College of Science,

Pennsylvania State University, University Park, PA, USA

[2]GeoVISTA Center, Department of Geography, College of Earth and Mineral Sciences, Pennsylvania

State University, University Park, PA, USA

ORCID iDs

Christina L. Faust http://orcid.org/0000-0002-8824-7424

Brian Lambert http://orcid.org/0000-0002-8595-2726

Cale Kochenour http://orcid.org/0000-0002-1919-7216

Anthony C. Robinson http://orcid.org/0000-0002-5249-8010

Nita Bharti http://orcid.org/0000-0003-1940-7794

Correspondence to

[+] W-253 Millennium Science Complex, University Park, PA 16802 nita@psu.edu

Word count: 3930

Key words: SARS-CoV-2, rural health, contacts, movement, behavioral restrictions

Summary

Following the emergence of SARS-CoV-2, early outbreak response relied on behavioral interventions. In the United States, local governments implemented restrictions aimed at reducing movements and contacts to limit viral transmission. In Pennsylvania, restrictions closed schools and businesses in the spring of 2020 and interventions eased later through the summer. In a rural Pennsylvania county, we use passive monitoring of vehicular traffic volume and mobile device derived visits to points of interest as proxies for movements and contacts. Rural areas have limited health care resources, which magnifies the importance of disease prevention. These data show the lowest levels of movement occurred during the strictest phase of restrictions, indicating high levels of compliance with behavioral intervention. We find that increases in movement correlated with increases in SARS-CoV-2 cases 9-18 days later. The methodology used in this study can be adapted to inform outbreak management strategies for other locations and future outbreaks that use behavioral interventions to reduce pathogen transmission.

Introduction

Sudden Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2), the virus that causes Coronavirus Disease 2019 (COVID-19) was first detected in Wuhan, China, in December 2019 [1]. The WHO declared COVID-19 was a pandemic in March 2020 (Figure 1) [2]. COVID-19 is a respiratory disease in humans and clinical presentation can include a variety of secondary symptoms, including gastrointestinal and neurological, that range from mild to severe or fatal [3,4]. The virus is spread by respiratory droplets, which can occur through close contacts [5]. Infectious individuals can be asymptomatic or mildly symptomatic [3]. Similar to early stages of other novel emerging pathogens, targeted pharmaceutical interventions for SARS-CoV-2 were limited. Large scale outbreak management efforts focused on behavioral interventions to reduce transmission [6–8]. Assessing changes in movement levels, contacts, and potential transmission events can help establish early warnings, implement adaptive control strategies, and disseminate preventative public health messaging to slow transmission.

There are many ways to measure human populations and movement to inform disease transmission. Data resolution varies across spatiotemporal scales, from targeted individual surveys and censuses [9] to large-scale passive surveillance data generated by satellites [10] and mobile devices [11]. Estimates of human movement and contacts for disease management have included tracking currency [12], commercial air traffic to model long distance flows [13], anthropogenic illumination to quantify seasonal or long-term population changes [10,14,15], and mobile devices for mobility traces [7,16,17]. Privately owned mobile device data are highly confidential and can't be shared with policy makers. Researchers can obtain deidentified device data from third parties, which may be expensive or rely on opaque, proprietary algorithms. To overcome limitations on data sharing and increase replicability, we pair mobile device-derived data [18] with publicly available traffic camera images to measure human movement.

Early in the pandemic in the United States, county-level reporting showed that large cities and well-

connected metro areas were hit the hardest. As the outbreak progressed, it characteristically moved

into smaller towns and rural areas across the country [19]. Connectivity *between* locations loosely

determines how early an infectious agent will arrive in a place and movement *within* a location

determines how rapidly it can spread locally [20]. To reduce transmission, many states within the

US introduced large scale quarantines targeting connectivity and movement. Understanding

movement and pathogen transmission in rural areas is important because rural movement patterns

differ from those found in urban areas [21,22] and residents in rural areas experience barriers to

health care access that are different from barriers in urban areas [23]. Rural residents in the US have

lower median household incomes and often rely on under-resourced health care services [24].

Centre County is located in rural valley in central Pennsylvania. It is home to The Pennsylvania

State University's (PSU) University Park (UP) campus, the largest campus of the state's largest

public institute of higher education. PSU is one of 112 land grant universities in the country. These

institutions were established with a focus on agricultural education and improvement and, like PSU,

many are still surrounded by suburban and rural areas. In 2019, the median US household income

was $68,703 while the median Centre County, PA, household income was about 15% lower -

$58,055 [25].

Prior to COVID-19, Centre County had 12 intensive care unit (ICU) beds, which increased to 24

during the pandemic [26]. Testing capacity remained severely limited throughout the US in 2020,

including in Centre County. Test results were returned with delays of days or weeks, which

hindered contract tracing efforts [27] and broad scale restrictions remained necessary.

Centre County, Pennsylvania, first implemented policies to minimize virus spread and transmission

in March, in the form of travel restrictions and stay at home orders (Figure 1; Table 1). We

monitored indicators of human moment in response to COVID-19 restrictions and the resulting

outbreak trajectories from March through mid-August 2020, focusing on times when the university

was not holding in-person classes and most students were not residing in the county. Our analysis

begins six weeks prior to the strictest restrictions and ends during 2020's most lenient county-level

restrictions.

We measured two proxies for movement within Centre County: vehicle volumes during the

pandemic from publicly accessible traffic cameras and two years of mobile device derived visits to

points of interest (POI) from SafeGraph [28]. Traffic volumes provide a good indication of

movement in rural areas, which lack public transit and rely on private vehicles, but likely

underrepresent movement in denser, pedestrian-heavy areas. Mobile device data likely under

sample the elderly and residents in areas with poor network coverage or speed but are likely to

adequately represent movement in the pedestrian-heavy areas on and surrounding university

campuses. An advantage of SafeGraph's ongoing passive surveillance is a long period of

observation that precedes the perturbations caused by the pandemic.

Using these two data sources and official case reports, we compared movement across restriction

phases to measure compliance and detect changes in confirmed SARS-CoV-2 cases. Overall, we

found that movement measured by traffic volumes and mobile device derived visits to POI

increased as restrictions eased, indicating compliance. We also found that cases increased as

movements increased with a 9- to 18- day lag, suggesting that compliance with behavioral

interventions was effective in reducing SARS-CoV-2 transmission.

The ongoing emergence of increasingly transmissible or virulent variants emphasizes the

importance of accurately measuring the uptake of behavioral interventions and estimating the

resulting impact on transmission dynamics. Our methods are broadly applicable across rural areas

that are managing transmissible pathogens with behavioral interventions. The approaches presented

here can inform outbreak management strategies on the effectiveness of strategies surrounding

around behavioral interventions going forward.

Methods

Study area

Centre County has an estimated population size of 162,000 residents [25] and approximately 38,000

of these residents are undergraduate students enrolled at PSU's UP campus [29]. Most

undergraduate students do not reside in the county year-round, leading to declines in student

population during the summer and winter breaks between semesters.

Study period

We used traffic cameras and mobile device-derived visits to POI to detect changes in movement,

with a focus on responses to restriction policies from 14 February 2020 to 14 August 2020 (Figure

1). We defined six temporal phases that align with events and policies that impacted movement and

behavior at PSU's UP campus and across Centre County in 2020 (Table 1, Figure 1):

      1) **Baseline (14 February – 6 March)**: before restrictions were in effect and while

            undergraduate students were on campus

2) **Population Decline (7 March – 18 March)**: before local restrictions were in effect, after students left campus for spring break, and encompassing the transition to online instruction on March 16[th]

3) **Local Restrictions (19 March – 27 March)**: Mandated closure of all non-essential businesses (no county-wide restrictions)

4) **Red (28 March– 7 May)**: County-wide Red restriction phase

5) **Yellow (8 May 8 – 28 May)**: County-wide Yellow restriction phase

6) **Green (29 May 29 – 14 August)**: County-wide Green restriction phase

The calendar dates defining the Baseline (1), Local Restrictions (3), and Red (4) phases in 2020 occurred during the spring semester, which correspond to dates in 2019 when undergraduate students were in residence in Centre County. The Population Decline (2), Yellow (5), and Green (6) phases of 2020 coincided with times when semester classes were not in session in 2019 (spring break or summer session) and the student population in Centre County was drastically smaller. In 2020, students left campus during the Population Decline phase for spring break and were instructed not to return because the university implemented COVID-19 prevention policy to transition to online instruction from 16 March 2020.

To measure changes in movement through the restriction phases of 2020, we collected traffic data from 26 April 2020 to 14 August 2020. To measure changes in movement between years, we used SafeGraph mobile device derived counts of visits to POI from 14 February 2020 to 14 August 2020 and the corresponding periods in 2019 [28]. Pennsylvania began reporting confirmed SARS-CoV-2 cases on 1 March 2020 [30].

Traffic Cameras

We collected images from 19 traffic cameras across Centre County to quantify numbers of vehicles

on roads beginning on 26 April 2020 (Figure 2A). Twelve of these cameras surveil interstates, state

highways, or other roads that link towns in Centre County, which we refer to as 'connector' roads

(Table S1). The remaining seven cameras capture 'internal' roads for travel within towns. Cameras

produce 24-hour live streams that are publicly accessible online but are not archived. We captured

and stored images from these live streams approximately every 20 seconds. Using the Python

package *cvlib* as a high-level interface to OpenCV [31,32] and Google's open source TensorFlow

software stack [33], we identified and counted all vehicles in each image. Parked vehicles were

identified and excluded. The hourly number of vehicles captured by each camera was standardized

by the number of images captured within that hour (see SM for details).

We fit a series of generalized additive models (GAMs) to the standardized hourly vehicle counts.

The effect of hour of the day in local time was modelled as a cyclic cubic regression spline to

account for the continuity of the variable, meaning the same smoother operated at the 12:00 am

'start' of a day and the 11:00 pm 'end' of a day (Figure S1). We included the following predictor

variables, with interactions between variables: day of week, weekday/weekend (binary variable),

restriction phase (red/yellow/green), camera identity, number of lanes visible in camera image, and

road type (internal or connector road). We fit multivariate GAMs using the package *mgcv* in R

version 3.6.2 [34,35]. Most of the traffic cameras experienced at least one short gap in image

acquisition (Figure S2). Missing hourly data were predicted using the best fit GAM. The combined

data (both observed and predicted) were used to estimate vehicle traffic volumes and assess changes

between restriction phases.

Mobile device derived data

SafeGraph, a data company, provides aggregated anonymized location data from numerous

applications in order to provide insights about physical places, here referred to as points of interests

(POIs), via the Placekey Community. These data include mobile device derived counts of daily

visits to POI (businesses, offices, university buildings, etc.). They sample visits from 45 million

mobile devices across the United States to 3.6 million points of interest and their sampling

correlates with census-derived population sizes [28]. In 2020, SafeGraph collected data in Centre

County on 3,248,064 visit counts to 2,188 POI from a weekly mean of 5,165 mobile devices (range

2,993-7,831).

We used data collected in Centre County from 2019 and 2020. We used daily visit counts from

early in 2020 before any COVID-19 restrictions were imposed, to establish expected visit counts

during times when students were present and absent, in the Baseline and Population Decline phases,

respectively. We used the differences to establish expected visits for comparison to observed visit

counts while accounting for annual growth in SafeGraph data collection. These expectations help us

quantify the changes in movements that were caused by the pandemic. To quantify the changes in

movement through the restriction phases, we subtracted 2020 visit counts from 2019 visit counts.

We aligned dates from 2019 to the corresponding academic periods in 2020 to account for

differences in calendar dates (Table S1; [36]). We compared the differences in visit counts between

years to the expected visit counts from early 2020 to quantify the observed different in visit counts

due to behavioral interventions.

COVID-19 diagnostic testing results

We acquired total daily confirmed cases of COVID-19 in Centre County and the surrounding

counties from the Pennsylvania Department of Health's version of the National Electronic Disease

Surveillance System [30]. Cases are confirmed using CDC-approved diagnostic reverse

transcriptase polymerase chain reaction (RT-PCR) tests, which detect viral RNA in active

infections. The case data included here extend to 27 August 2020, two weeks past the last date of

inclusion for movement data and transmission events in this study. We included this two week lag

to account for a 5 to 8 day incubation period [37] and 5.5 to 10.93 day delay from the onset of

symptoms to case confirmation [3]. We used cross correlation analyses to identify significant time-

lagged correlations between movement measurements and the 7-day moving average of reported

cases. We used the 7-day moving average of incidence because large numbers of positive test

results reported on a single day may be due to tests that were processed in batches, which do not

necessarily reflect a single-day increase in cases.

Results

Changes in traffic volume through restriction phases

Throughout restriction phases, from 26 April 2020 forward, daily traffic volume followed a bell-

shaped pattern, with minimal traffic at 02:00 h and peaks between 12:00 and 18:00 h (Figure 2B,

Figure S1). The best-fit Poisson GAM included splines fit to hourly average vehicle counts per

camera, a binary weekend predictor, intervention phase, and an interaction between phase and road

type (connector or local). This model explained 87.3% of deviance observed in vehicle traffic.

From April to August, Pennsylvania's county-level behavioral restriction phases eased twice and

traffic volume increased significantly. We observed greater increases in numbers of vehicles during

weekdays and on connector roads than during weekends or on local roads (Figure 2B,C). During the

Red phase, we calculated a daily weekday mean of 10,772 vehicles on internal roads and 7,397

vehicles on connector roads (Table S3). After Centre County eased to the Yellow phase of

restrictions, mean daily weekday traffic totals increased by 23.2% on internal roads (an increase of

2,495 vehicles on weekdays) and 31.5% on connector roads (an increase of 2,331 vehicles on

weekdays). When the county transitioned from the Yellow to the Green phase of restrictions, we

saw an additional 15.4% increase in daily weekday traffic on internal roads (an increase of 2,042

vehicles on weekdays), and a 27.8% increase in vehicles on connector roads (an additional 2,697

vehicles on weekdays).

Changes in mobile device derived visit counts between years and through 2020 restriction phases

Visit counts in 2020 were highest during the Baseline phase, when students were present (median

daily visit count = 18,220) (Figure S3). When compared to the same period in 2019, there were

more visits in 2020 (median difference = +4,613 in 2020)(Figure 3). Visit counts in 2020 began to

decrease after the Baseline phase, during the Population Decline phase in March. This decline

occurred when students departed for spring break and was matched by declines in 2019 (daily

median differential of +464 visits in 2020). In 2019, visit counts increased immediately following

spring break due to the return of students, while in 2020 the visit counts continued to decline due to

the university's pandemic protocol.

The largest negative differential between 2019 and 2020 visit counts occurred during the Red phase,

reflecting the combined effects of the strictest restrictions in Centre County and the 2020 deficit of

the student population (Figure 3, Figure 4B). Visit counts increased, reducing visit differentials

during the Yellow and Green phases of restrictions. However, 2020 summer visit counts never

reached 2019 values or expected visit counts based on pre-pandemic behavior from 2020, indicating

ongoing and sustained changes in movement as measured by mobile devices in Centre County.

Correlations between reported cases and movement

Daily COVID-19 case totals were low in Centre County throughout the summer of 2020 compared

to urban and more populous counties in Pennsylvania [30]. Through 27 August 2020, Centre

County confirmed a total of 448 cases, or 358.6 cases per 100,000 [30]. Daily incidence showed

asynchronous outbreaks among neighboring counties in central Pennsylvania (Figure 1). In Centre

County, increases in movement preceded reported cases (Figure 4). We find a significant correlation

between traffic and a 7-day moving average of cases, with a 9-day lag in cases showing the greatest

significance (ACF = 0.344, p <0.05; Fig 4a, d,). Additionally, we find a significant lagged

correlation with mobile device visits to POI to reported cases. There is a significant lag from 28- to

7-days prior to cases, but the greatest correlation occurs at a 19-day lag (ACF = 0.518, p <0.05)

(Figure 4b, e).

Discussion

Overview

Behavioral interventions were the primary large-scale public health tool available for preventing

SARS-CoV-2 transmission throughout most of 2020. Behavioral interventions are most effective

when implemented early and broadly. They are particularly important in areas where supportive

care and medical resources are insufficient. Measuring levels of uptake of behavioral interventions

is considerably more challenging than measuring uptake of pharmaceutical interventions but is

critical for assessing current effectiveness and planning future outbreak response efforts. We used

publicly available traffic volume and mobile device derived visits to POI to measure behavioral

responses to COVID-19 restrictions in a rural county in central Pennsylvania. These data sources

can be used to monitor movement, compliance with behavioral interventions, and adapt mitigation

strategies in the future.

Traffic and mobile devices

Data collected passively from traffic cameras measured movement in response to phased restriction

policies. In Centre County, local roads provide access to essential businesses, which remained open

throughout all restriction phases, while connector roads are used for travel between locations and

may reflect movements to return to business, childcare and in-person work (i.e. during County

Green phase). As restrictions eased, both local and connector vehicle volume increased, with greater

increases on connector roads, particularly in the later Green phase. Although changes in restriction

phases were announced approximately one week in advance, traffic volumes increased on the date

that restrictions officially eased, and were not observed earlier. These results suggest that Centre

County residents largely complied with county-level restrictions. However, this region did not

transition from a less restrictive phase to a more restrictive phase during the period studied so

compliance with enforcing stricter restriction phases cannot be assessed.

Daily SafeGraph mobile device derived visit counts and traffic volume showed similar patterns:

movement gradually increased from the Red phase to the Yellow phase and Green phase.

SafeGraph data were also critical in providing movement data from 2020 for dates prior to the

implementation of restrictions phases as well as for corresponding dates from 2019. Data prior to

the Red phase are not available for traffic volumes.

In the Red Phase of 2020, mobile device visit counts decreased by 81% compared to the baseline

period of 2020. While some of this is due to the absence of students following spring break, these

visit counts are still lower than visit counts from 2020 during pre-pandemic times when students

were not in residence as well as the corresponding dates for 2019. The Green phase brought an

increase in daily visit counts but the median daily visit count was still 11% lower than expected

based on 2020 visit counts that preceded pandemic restrictions and lower than the corresponding

time period in 2019. With SafeGraph's longitudinal data, we were able to highlight compliance with

restriction policies and calculate that visit counts in Centre County did not return to pre-pandemic

levels during the summer of 2020, even as restrictions eased.

In Centre County, we collected data on more cars per day (mean for Red and Green phases) than

mobile devices per day (mean for Red and Green phases), indicating the traffic data provide a better

representation of the total county population than SafeGraph data. However, the differences in

mobile device counts between the baseline and population decline periods of 2019 and 2020 show

that SafeGraph data represent better students than residents. From March to August of 2019, the

maximum mobile device visit counts from Centre County reflected known academic calendar

events and university or community events near or on PSU's UP campus (Figure S3).

Movement and cases

Increases in movement following easing restrictions likely led to increased contacts and contributed

to the subsequent uptick in cases during the green phase in Centre County. The bimodal pattern of

infections in the summer most likely reflects increased SARS-CoV-2 transmission. We demonstrate

a significant lag between movement measured by traffic and SafeGraph data and reported cases.

Traffic data show significant lags and leads with reported COVID-19 cases. This is likely because

the study period of the initial phase of the outbreak included increases in movement and cases and

no decreases. SafeGraph data, which covered periods of declining and increasing movement only

showed significant lags with cases. The significant lags between movement and cases highlight that

movement underlies increases in transmission and precedes increases in reported cases by about two

weeks. This provides an actionable metric for proactive policy, preventive actions, and modifying

behavioral restrictions.

Rural health

Many methods that are commonly used to track population movements are more effective in urban

areas than in rural areas. Some methods rely on high smartphone usership and wireless network

penetration or widespread and equitable access to high speed internet. Satellite based surveillance

performs best on dense settlements with minimal cloud days. Due to high numbers of cloud days

and small, sparse settlements, we could not measure these rural population dynamics with serial

satellite imagery. However, we expect that any single data source cannot adequately represent a

population, particularly a rural settlement. We intentionally used multiple, independently collected

datasets to measure local movement patterns.

Urban population dynamics are often easier to measure that rural populations. Overall, urban

populations also have greater access to health care, despite inequities within populations. They also

have better-resourced, higher capacity health care centers when compared to rural areas throughout

the United States, which improves pathogen surveillance and diagnostics. Rural populations

experience vulnerabilities and uncertainties in health care that must be uniquely assessed and

addressed. The COVID-19 pandemic has highlighted the necessity of locally responsive

interventions. Due to reduced connectivity to populous locations, small towns experienced delayed

SARS-CoV-2 introductions and lagged local outbreaks compared to urban centers [38]. Statewide

regulations largely responded to urban outbreak fluctuations, which were not synchronized with

rural outbreaks. When paired with effective federal response and relief, local oversight can most

effectively serve outbreak response, management, and planning efforts.

Conclusion

Early responses to the SARS-CoV-2 pandemic in the United States were managed by local

governments implementing policies at state and county levels with insufficient resources or

enforcement authority. COVID-19 spread widely through the nation's big cities and small towns.

Moving forward, it will be important to monitor local outbreaks and movement to design and

implement locally responsive interventions. In addition to pharmaceutical interventions, measuring

local population movements through passive approaches can help estimate uptake of behavioral

interventions and adapt policies that target transmission prevention. Monitoring local movements

and contacts is necessary to assess the impact of behavioral interventions intended to reduce

pathogen transmission. Informed current and future uses of movement restrictions can help avoid

overwhelming health care capacity, particularly in rural areas.

Supplementary material

The supplementary material for this article includes supplementary methods, figures S1-S3, and

tables S1-S3.

Acknowledgements

We thank the Pennsylvania Department of Transportation and the Pennsylvania Department of Health

for providing publicly available data. We acknowledge financial support from Penn State University's

Huck Institutes of the Life Sciences and the Institute for Computational and Data Sciences. The

funding sources had no role in the design, execution or interpretation of the results presented here.

Conflicts of Interest: None

Ethics Statement

No ethical approval was required. The research used datasets that were freely available in the public

domain. SafeGraph data are anonymized and aggregated.

Data availability statement

All data used for this study are available from publicly available sources and are attributed in the

methods section. No additional data has been generated by this study. Code to process raw data,

generate models and figures are available at: https://github.com/bhartilab/covid_movement_centre

References

1. **Zhu N, *et al.*** A novel coronavirus from patients with pneumonia in China, 2019. *New England*
Journal of Medicine 2020; **382**: 727-733.

2. **Cucinotta D, Vanelli M**. WHO Declares COVID-19 a Pandemic. *Acta Biomed* 2020; **91**: 157–
160.

3. **Li R, *et al.*** Substantial undocumented infection facilitates the rapid dissemination of novel
coronavirus (SARS-CoV-2). *Science* 2020; **368**: 489–493.

4. **Guan W, *et al.*** Clinical characteristics of coronavirus disease 2019 in China. *New England*
Journal of Medicine 2020; **382**: 1708–1720.

5. **World Health Organization**. *Modes of transmission of virus causing COVID-19: implications*
for IPC precaution recommendations. 2020; https://www.who.int/news-
room/commentaries/detail/modes-of-transmission-of-virus-causing-covid-19-implications-for-
ipc-precaution-recommendations

6. **Hatchett RJ, Mecher CE, Lipsitch M**. Public health interventions and epidemic intensity
during the 1918 influenza pandemic. *Proceedings of the National Academy of Sciences* 2007;
104: 7582–7587.

7. **Kraemer MU, *et al.*** The effect of human mobility and control measures on the COVID-19
epidemic in China. *Science* 2020; **368**: 493–497.

8. **Zhang J, *et al.*** Changes in contact patterns shape the dynamics of the COVID-19 outbreak in
China. *Science* 2020; **368**: 1481.

9. **Tatem AJ, *et al.*** Mapping populations at risk: improving spatial demographic data for
infectious disease modeling and metric derivation. *Population Health Metrics* 2012; **10**: 1–14.

10. **Sutton P, *et al.*** Census from Heaven: An estimate of the global human population using night-
time satellite imagery. *International Journal of Remote Sensing* 2001; **22**: 3061–3076.

11. **Gonzalez MC, Hidalgo CA, Barabasi A-L**. Understanding individual human mobility
patterns. *Nature* 2008; **453**: 779–782.

12. **Brockmann D, Hufnagel L, Geisel T**. The scaling laws of human travel. *Nature* 2006; **439**:
462–465.

13. **Colizza V, *et al.*** The role of the airline transportation network in the prediction and
predictability of global epidemics. *Proceedings of the National Academy of Sciences* 2006; **103**:
2015–2020.

14. **Bharti N, *et al.*** Explaining seasonal fluctuations of measles in Niger using nighttime lights
imagery. *Science* 2011; **334**: 1424–1427.

15. **Bharti N, *et al.*** Measuring populations to improve vaccination coverage. *Scientific Reports*
2016; **6**: 34541.

16. **Bengtsson L, *et al.*** Improved Response to Disasters and Outbreaks by Tracking Population
Movements with Mobile Phone Network Data: A Post-Earthquake Geospatial Study in Haiti.
Gething PW, ed. *PLoS Medicine* 2011; **8**: e1001083.

17. **Tatem AJ, *et al.*** The use of mobile phone data for the estimation of the travel patterns and
imported P. falciparum rates among Zanzibar residents. *Malaria Journal* 2009; **8**: 12.

18. **Chang S, *et al.*** Mobility network models of COVID-19 explain inequities and inform
reopening. *Nature* 202; **589**: 82-87

19. **Viboud C, *et al.*** Synchrony, waves, and spatial hierarchies in the spread of influenza. *Science*
2006; **312**: 447–451.

20. **Grenfell BT, Bolker B**. Cities and villages: infection hierarchies in a measles metapopulation.
Ecology Letters 2008; **1**: 63–70.

21. **Li Q, *et al.*** Disparate patterns of movements and visits to points of interest located in urban hotspots across US metropolitan cities during COVID-19. *Royal Society Open Science*, 2021; **8:** 201209.

22. **Rajput AA, *et al.*** Revealing Critical Characteristics of Mobility Patterns in New York City during the Onset of COVID-19 Pandemic. *arXiv* 2021; *preprint arXiv:2102.01918.*

23. **Douthit N, *et al.*** Exposing some important barriers to health care access in the rural USA. *Public Health* 2015; **129**: 611–620.

24. **Strasser R**. Rural health around the world: challenges and solutions. *Family Practice* 2003; **20**: 457–463.

25. **United States Census Bureau**. *QuickFacts: Centre County, Pennsylvania*. 2019. https://www.census.gov/quickfacts/centrecountypennsylvania

26. **Department of Health**. *COVID-19 Aggregate Hospitalizations Current Daily County Health*. https://data.pa.gov/Health/COVID-19-Aggregate-Hospitalizations-Current-Daily-/kayn-sjhx

27. **Kretzschmar ME, *et al.*** Impact of delays on effectiveness of contact tracing strategies for COVID-19: a modelling study. *The Lancet Public Health* 2020; **5**: e452–e459.

28. **SafeGraph**. *SafeGraph Data for Academics*. 2021. https://www.safegraph.com/academics

29. **Penn State University**. *Penn State Undergraduate Admissions*. *Admissions Statistics*. 2020. https://admissions.psu.edu/apply/statistics/

30. **Pennsylvania National Electronic Disease Surveillance S**. COVID-19 Data for Pennsylvania. https://data.pa.gov/Health/COVID-19-Aggregate-Cases-Current-Daily-County-Heal/j72v-r42c

31. **Ponnusamy A**. *cvlib - high level Computer Vision library for Python*. 2018. https://www.cvlib.net/

32. **Bradski G**. *The OpenCV Library*. Dr. Dobb's Journal of Software Tools, 2000.

33. **Abadi M, *et al.*** TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems. *arXiv* 2016; *preprint arXiv:1603.04467v2.*

34. **Wood SN**. Fast stable restricted maximum likelihood and marginal likelihood estimation of semiparametric generalized linear models. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)* 2011; **73**: 3–36.

35. **R Core Team**. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing, 2019. https://www.r-project.org/

36. **PennState University Registrar**. *Academic Calendars*. 2020. https://registrar.psu.edu/academic-calendars/

37. **Backer JA, Klinkenberg D, Wallinga J**. Incubation period of 2019 novel coronavirus (2019-
nCoV) infections among travellers from Wuhan, China, 20–28 January 2020. *Eurosurveillance*
2020; **25**: 2000062.

38. **Oster AM, *et al.*** Trends in Number and Distribution of COVID-19 Hotspot Counties - United
States, March 8-July 15, 2020. *MMWR. Morbidity and mortality weekly report* Centers for
Disease Control and Prevention, 2020; **69**: 1127–1132.

Tables

Table 1. Details of Pennsylvania COVID-19 Restriction Phases (dates for Centre County)

Restriction Phase	Length of phase	Work & congregate settings	Social settings
Red	40 days (28 March– 7 May)	• Life-sustaining businesses only • Schools closed for in-person teaching • Most childcare closed	• Stay at home order • Large gatherings prohibited • Travel limited to life-sustaining purposes • Restaurants/ bars limited to carry-out and delivery
Yellow	20 days (8 May – 28 May)	• Telework where feasible • Businesses with in-person operations must follow safety guidelines • Schools closed for in-person teaching • Some childcare open with safety orders	• Full stay at home restrictions lifted • In person retail allowed, but curbside/delivery preferred
Green	78 days (29 May– 14 August for this study; though restrictions	• Businesses reopen with CDC and PA Department of Health (DOH) guidelines (reduced	• Gyms, spas, entertainment reopen pending guidelines • Aggressive mitigation orders lifted (individuals

	were in place until 12 December)	capacity, distancing, mask wearing)	must follow CDC and PA DOH guidelines)

	Figure Legends

Figure 1. Timeline of policy interventions and cases in Centre County and adjacent counties.

Left inset maps: location of Pennsylvania in the United States with locations of Centre County

(blue) and surrounding counties (grey). Right: Daily case reports by county, color bars indicate

onset of restriction phases. Below: Colors for all temporal phases for Centre County. Bottom:

Timeline of relevant events.

Figure 2. Traffic camera locations and volume throughout containment phases. (A) Locations

of traffic cameras. Internal road traffic cameras (yellow) were concentrated around the PSU campus

and surrounding boroughs, the connector road cameras (blue) covered a larger spatial extent. The

direction of each arrow points to the direction the image was captured. (B) Centre County hourly

vehicle volumes during Red and Green phases. Traffic during all phases peaked between 12:00 and

18:00 h EST. Vehicle volume was significantly greater in the green phase with the greatest

increases on connector roads. Typical rush hours (07:00-09:00 and 16:00-18:00) are shaded in grey.

(C) Traffic increased through each phase of easing of restrictions. The size of each point indicates

the number of days of data collection. The smallest sample size collected was during weekends in

the Red phase (2 days) and the largest number of observations was during weekdays in the Green

phase (55 days).

Figure 3. Aggregated mobile device visit counts. Summary of daily differences in visit counts

between 2020 and 2019 within each phase. The width of boxplots within violin plots corresponds to

the total number of days in each phase: minimum 8 days in Local Restrictions, maximum 78 days in

the Red phase. The two horizontal lines indicate the median expected visit differential for 2020

compared to 2019 for students and residents combined (4,167) and for full-time residents only

(464).

Figure 4. Estimated SARS-CoV-2 cases align with movement across phases. (A) 7-day rolling

mean of daily total traffic volume increases as restriction phases ease. (B) 7-day rolling mean of

daily differences in mobile device visit data between 2020 and 2019. (C) 7-day rolling mean of

daily confirmed COVID-19 cases. (D) Autocorrelation function of daily traffic volume compared to

7-day mean of cases. Significant positive lags and leads are above the dotted blue line. (E)

Autocorrelation function of visit differentials compared to 7-day mean of cases. Significant lags

occur above the dotted blue line.

***Passive surveillance assesses compliance with COVID-19 behavioral restrictions in a
rural US county***
Christina L Faust, Brian Lambert, Cale Kochenour, Anthony C. Robinson, Nita Bharti

SUPPLEMENTARY MATERIAL

Supplementary Methods

Supplementary Tables

Supplementary Figures

Supplementary Methods

I. Detailed timeline of events

Figure 1 in the main text details many of the key disease and policy events that are relevant to changes in policies and movement at the Penn State University Park campus and throughout Centre County. We provide more detail and citations for information in Figure 1 to give additional context to the policies and messaging from March through August of 2020.

Timeline of important disease and policy events local study periods:
> Dec 31, 2019: China reports to WHO new pneumonia
> Jan 20, 2020: 1st case in US

[BASELINE PERIOD: Feb 18 – March 6]
> February 12: first death in US (Santa Clara, CA, retrospectively identified)[1]
> March 6: first 2 reported cases of COVID-19 in PA

[LOCAL POPULATION DECLINE: Feb 1 – March 6]
> March 9: PSU spring break begins[2]
> March 11: WHO declares COVID-19 a pandemic[3]; PSU announces no resident instruction following spring break[4]
> March 16: PSU begins remote instruction
> March 19: all non-life-sustaining businesses ordered to close statewide by PA Governor[5]
> March 21: enforcement of closure of non-life-sustaining businesses statewide[5]

[RED PHASE: Feb 1 – March 6]
> March 28: Centre County receives stay at home order from PA Governor [6]
> April 3: PA Governor calls for "universal masking"
> April 9: PA schools officially closed through end of academic year
> May 1: announcement from PA Governor that on May 8 PA will lift some restrictions in 24 counties in the Northcentral and Northwest health districts; all counties will remain in "red" until May 8, these counties will move to "yellow" on May 8 [6]

[YELLOW PHASE: Feb 1 – March 6]
> May 8: PA lifts some restrictions in 24 counties in the Northcentral and Northwest health districts as determined by PA Governor in moving from "red" (Stay-at-home) to "yellow" (aggressive mitigation) [6]
> May 28: US death toll from COVID-19 passes 100,000

[GREEN PHASE: May 29 – August 14]
> May 29: Some of Northcentral and Northwest health districts (Fig S2) move from "yellow" to "green"
> June 30: First PSU student death from COVID-19
> July 1: Order of face coverings in public places in Pennsylvania [7]

II. Details of traffic camera acquisition, standardization, and cleaning

We captured images every 20 seconds from each of 19 cameras. To standardize variation in images captured per hour, with variation due to timing mismatches or missing images (see below), the sum of vehicles counted each hour is divided by the number of images captured each hour and scaled by the number of expected images if we captured one image per minute. This avoids overcounting cars at traffic lights but likely underestimates total vehicle volume on interstates. Therefore, count data should be interpreted as relative increases rather than absolute.

Occasionally, live stream traffic cameras would fail to capture images correctly, resulting in missing images. The standardized hourly counts were cleaned to remove strings of zeros or integers, which were the result of frozen images or occasionally, parked cars. None of the cameras capture legal parking zones when they are in the correct position. Incorrect vehicle counts from missing or erroneous images were replaced with NAs and predicted with the best fit generalized additive model (see Methods in Main Text; Fig S2).

Table S1. Traffic camera locations and descriptions

ID	Latitude	Longitude	Ownership	Number of lanes	Road Type	Description
CAM02001CCTV2	40.810961	-78.075259	PennDOT (Pennsylvania Department of Transportation)	5	connector	Port Matilda US-322 By-Pass Westbound
CAM02002CCTV3	40.817144	-77.939841	PennDOT	7	connector	Grays Woods
CAM02003CCTV4	40.828613	-77.840339	PennDOT	6	connector	I-99/US-322 Interchange
CAM02005CCTV9	40.955477	-77.773749	PennDOT	3	connector	Milesburg Interchange West I-80 Exit 158 Eastbound / Alt US-220
CAM02006CCTV10	40.956061	-77.766277	PennDOT	3	connector	Milesburg Interchange East I-80 Exit 158 Westbound / PA-150
CAM02007CCTV13	40.795773	-77.820937	PennDOT	4	connector	US-322 E/O PA-26
CAM02009CCTV7	40.944571	-77.720918	PennDOT	2	connector	I-80 Eastbound Exit 161 Bellefonte Interchange (I-80 & I-99)
CAM02010CCTV11	40.80388	-78.063664	PennDOT	6	connector	Port Matilda I-99 Exit 61 Median
CAM02020CCTV24	40.829048	-77.804817	PennDOT	6	internal	Benner Pike
CAM02028CCTV32	40.812073	-77.9225	PennDOT	6	connector	Atherton and Valley Vista
CAM02033CCTV38	41.022703	-77.933981	PennDOT	4	connector	Snowshoe I-80 Exit 147
CAM02037CCTV43	40.807936	-77.895204	PennDOT	5	internal	Atherton and Vairo
CAM02038CCTV44	40.805031	-77.886886	PennDOT	5	internal	Atherton and North Hills
CAM02039CCTV45	40.796522	-77.872549	PennDOT	5	internal	Atherton and Park
CAM02040CCTV46	40.791787	-77.864971	PennDOT	4	internal	Atherton and W.College
CAM02042CCTV49	40.790894	-77.863812	PennDOT	4	internal	Atherton and W.Beaver
CAM02046CCTV52	40.817953	-77.900271	PennDOT	4	connector	I-99 at Exit 71 (Toftrees)
collegeTwp	40.811564	-77.830719	State College Township	4	connector	College Township Traffic camera
parkArboretum	40.804483	-77.864219	Penn State University	3	internal	Penn State University Park Ave.

Table S2. Calendar dates for phases between 2020 and 2019 for SafeGraph data. The timing of Spring Break and Commencement at Penn State determine large scale movement events in State College and surrounding areas in Centre County. The timing of these events was matched across 2019 and 2020 so events during the pandemic year would be accurately compared to the same events/timing in previous year. All phases have the same number of days and number of weekdays. For the Population Decline period, the dates included the Friday before spring break through the last Sunday of spring break. Dates are from the Office of the Registrar at Penn State [2].

Year	Baseline	Population Decline (Spring Break)	Local Restrictions	Red	Yellow (corresponds to commencement)	Green
2019	Feb 8	March 1	March 11	March 22	May 3	May 24
2020	Feb 14	March 6	March 18	March 27	May 8	May 29

Table S3. Summary of daily traffic data. Estimates of daily means of vehicle counts using observed and predicted counts from best-fit GAM.

Weekday/ Weekend	Road type	Mean daily traffic by Restriction Phase		
		County Red	County Yellow	County Green
Weekday	Internal	10772	13267	15309
Weekday	Connector	7397	9729	12425
Weekend	Internal	12678	10455	12083
Weekend	Connector	6367	6367	8113

Supplementary Figures

Figure S1. Splines fit to hourly traffic volume by individual cameras. The y- axes show the estimates of the best-fit GAM and x-axes show the hour of the day (range 0-23).

Figure S2. Observed and predicted hourly count data per camera through time. Predicted counts from the best-fit GAM are used to fill in gaps in observed data and are shown in open circles. Phases are indicated with vertical colored lines for Red, Yellow and Green Phases. Colors for each camera are consistent with Fig 2 in the main text; shades of blue represent connector roads and orange shades represent internal roads. The range of the y-axis varies by camera.

estimated hourly vehicles

timepoint (hourly)

Figure S3. Visit counts for Centre County, Spring and Summer 2019-2020

Supplementary References

1. **Fuller T, Baker M**. *Coronavirus death in California came weeks before first known US death. NY Times.* 2020; Published online: 22 April 2020.

2. **PennState University Registrar**. *Academic Calendars.* 2020.

3. **World Health Organization,**. *WHO Director-General's opening remarks at the media briefing on COVID-19.* 2020 Nov.

4. **Barron E**. *All Penn State classes to take place remotely beginning March 16. Penn State University.* 2020; Published online: 11 March 2020.

5. **Wolf T**. *Order of the Govenor of the Commonwealth of Pennsylvania regarding the closure of all businesses that are not life sustaining.* Commonwealth of Pennsylvania, 2020.

6. **Wolf T**. *Process to Reopen Pennsylvania.*

7. **Levine R**. *Order of the Secretary of the Pennsylvania Department of Health Requiring Universal Face Coverings.* 2020.