

1 **Coding Complete Genome Sequences of Twenty-three SARS-CoV-2 Strains Isolated in the Philippines**

2

3 John Mark Velasco,^{a,c}# Piyawan Chinnawirotisan,^a Khajohn Joonlasak,^a Wudtichai Manasatienkij,^a Angkana Huang,^a Ma..

4 Theresa Valderama,^a Paula Corazon Diones,^a Susie Leonardia,^a Ma. Leanor Timbol,^a Fatima Claire Navarro,^b Vicente Villa

5 II,^b Henry Tabinas Jr.,^b Domingo Chua Jr,^b Stefan Fernandez,^a Anthony Jones,^a Chonticha Klungthong,^a

6

7 ^a Department of Virology, U.S. Army Medical Directorate – Armed Forces Research Institute of Medical
8 Sciences, Bangkok, Thailand

9 ^b V Luna Medical Center, Armed Forces of the Philippines Health Service Command, Quezon City, Philippines

10 ^c University of the Philippines Manila, Ermita, Manila, Philippines

11

12 Running Head: Twenty-three SARS-CoV-2 from the Philippines

13

14 #Address correspondence to John Mark S. Velasco, VelascoJM@afrims.org; JSVelasco@up.edu.ph

15

16

17

18

19

20

21

22

23

24 **Coding Complete Genome Sequences of Twenty-three SARS-CoV-2 Strains Isolated in the Philippines**

25 **Abstract**

26 Here, we report the coding complete genome sequences of 23 severe acute respiratory syndrome coronavirus
27 2(SARS-CoV-2) strains from the Philippines. Sequences were obtained from nasopharyngeal and oropharyngeal
28 swabs from COVID-19 positive patients. Mutation analysis showed the presence of the D614G mutation in the spike
29 protein in 22 of 23 genomes.

30

31 Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) belonging to the family *Coronaviridae* and genus
32 *Betacoronavirus* is the causative agent of COVID-19(1). In the Philippines, the first confirmed SARS-CoV-2 case was
33 reported on 30 January 2020(2) and as of 31 Aug 2020, more than 200,000 cases had been reported(3). Here, we
34 announce the coding complete genome sequences of 23 SARS-CoV-2 strains collected from 3 April-18 July 2020 from
35 COVID-19 RT-PCR positive Filipino patients(4). Viral RNA was extracted from nasopharyngeal/oropharyngeal swabs
36 using QIAamp viral RNA Mini kit (Qiagen) and used as template for amplicon sequencing using ARTIC SARS-CoV-2 V3
37 primers(4). DNA libraries were constructed and multiplexed using Illumina DNA prep, and then pooled before sequencing.
38 Sequencing was performed on MiSeq using the MiSeq reagent kit V 2(Illumina). Reference mapping was performed by
39 BWA-MEM aligner using Wuhan-Hu-1 genome sequence(GenBank Accession number NC_045512.2) as the reference
40 sequence(5). Primer regions trimming and call variants ($Q \geq 25$) were performed using iVAR v.1.2.2(6) and samtools
41 (7), respectively. Consensus sequences were generated by iVAR v.1.2.2(6) ($Q \geq 25$ and depth of coverage ≥ 10). Gaps,
42 deletion, and ambiguous bases were identified and confirmed by genome-guided assembly with the reference
43 sequence(NC_045512.2) using Trinity v2.8.5(8) and Sanger sequencing. Lineage and clade were determined using
44 Pangolin v.2.0.4(9), GISAID clade nomenclature(10), and phylogenetic analysis(11, 12, 13). We used MEGA 7.0(14)
45 to examine nucleotide and amino acid substitutions. All tools were run with default parameters. Raw reads yielded a
46 total of 8.4 gigabases (94% of the clusters with Phred quality score ($Q \geq 30$)). The length of reads obtained were 35-251
47 nucleotides and the range of number of reads obtained per library was 0.87 – 1.48 million reads. Consensus sequences
48 lengths were similar to the Wuhan-Hu-1 strain(NC_045512.2) with mean coverage ranging from 2,361X to 7,177X.

49 Table 1 shows strain details and mutations. 20/23 genomes collected between 25 June-18 July 2020 were classified under

50 clade GR/lineage B.1.1, a major lineage frequently found in Europe and exported to the rest of the world(9, 10). Two
51 genomes(2/23) from 6 and 7 July 2020 were classified under clade GR/lineage B.1.1.28, found in Brazil(89%),
52 UK(8%), and China(2%) (https://cov-lineages.org/lineages/lineage_B.1.2.html). A single genome (1/23) was classified
53 under clade O/lineage B.6, a global lineage mostly found in Singapore and India (<https://cov-lineages.org>). Four amino
54 acid substitutions (ORF1b-P314L,S-D614G,N-R203K, and N-G204R), unique to clade GR (both lineages B.1.1 and
55 B.1.1.28), were seen in all our sequences in this clade. Two sequences of lineage B.1.1 had a 21-nucleotide deletion in
56 the N gene region. Five substitutions (ORF1a-R226K,ORF1a-E1126K,ORF1a-L3930F,S-V1176F, and ORF7b-V21I)
57 were observed uniquely in 2 sequences of lineage B.1.1.28.

58 None of the Philippine SARS-CoV-2 sequences in GISAID (accessed 22 August 2020) with collection date before 25
59 June 2020(15, 16) contained the D614G mutation. From the same set of data, lineage B.1.1 containing D614G was found
60 in a sample collected on 25 June 2020. This observation coincides with our findings that the D614G mutation was
61 observed from samples collected in June 2020(16). Our findings show the presence of lineages B.6, B.1.1 and B1.1.28,
62 with the latter being first reported in the Philippines in this study.

63 The D614G mutation is currently the most prevalent variant worldwide and is associated with higher viral RNA
64 levels and titers of pseudo viruses(17). In this study, all patients had no history of travel outside the country and
65 acquired the disease in the National Capital Region, Region 3 and 4A(Table 1), providing evidence of local
66 transmission. Multiple lineages and strains could have been introduced by travelers and Filipino repatriates(18).
67 The D614G mutation is replacing and rapidly surpassing in prevalence the original strain circulating prior to June
68 2020 and may partially explain the rapid rise of cases in the Philippines.

69 **Data availability.** The SARS-CoV-2 genomes from the Philippines were deposited in the GenBank database (accession
70 nos. [MT919768-90](#)). The raw reads have been deposited in the NCBI Sequence Read Archive (SRA accession nos.
71 [SRS7273360-82](#)). The Bio Project accession no. is [PRJNA659293](#). The Bio Sample accession nos. are [SAMN15903138-](#)
72 [60](#).

73 Acknowledgments

74 The authors acknowledge the support of the Department of Research and Training, Department of Pathology and
75 Laboratories and Hospital Infection Control Committee of the V. Luna Medical Center (Quezon City, Philippines) for
76 support with specimen collection. Informed consent for was obtained from the patients for SARS-CoV-2 testing. Sample

77 collection was considered as a public health effort and did not require an Institutional Review Board approved human use
78 protocol. This study was funded by the Armed Forces Health Surveillance Branch (AFHSB) and its Global Emerging
79 Infections Surveillance (GEIS) Section, USA under grant number P0128_20_AF_13 for FY 2020. Material has been
80 reviewed by the Walter Reed Army Institute of Research. There is no objection to its presentation and/or publication. The
81 opinions or assertions contained herein are the private views of the author, and are not to be construed as official, or as
82 reflecting true views of the Department of the Army or the Department of Defense. The investigators have adhered to the
83 policies for protection of human subjects as prescribed in AR 70-25.

84 Competing interests

85 None declared.

86 References

- 87 1. Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, Zhao X, Huang B, Shi W, Lu R, Niu P, Zhan F, Ma X, Wang
88 D, Xu W, Wu G, Gao GF, Tan W, China Novel Coronavirus I, Research T. 2020. A Novel Coronavirus from
89 Patients with Pneumonia in China, 2019. *N Engl J Med* 382:727-733.
- 90 2. Edrada EM, Lopez EB, Villarama JB, Salva Villarama EP, Dagoc BF, Smith C, Sayo AR, Verona JA, Trifalgar-
91 Arches J, Lazaro J, Balinas EGM, Telan EFO, Roy L, Galon M, Florida CHN, Ukawa T, Villanueva AMG, Saito
92 N, Nepomuceno JR, Ariyoshi K, Carlos C, Nicolasora AD, Solante RM. 2020. Correction to: First COVID-19
93 infections in the Philippines: a case report. *Trop Med Health* 48:30.
- 94 3. WHO. 2020. Coronavirus disease 2019 (COVID-19) situation reports: World Health Organization;
95 <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports>. Accessed 8 Aug 2020.
- 96 4. al. DPRDe. 2020. COVID-19 ARTIC v3 Illumina library construction and sequencing protocol V.4, *on*
97 Wellcome Sanger Institute. <https://www.protocols.io/view/covid-19-artic-v3-illumina-library-construction-an-bgxjjxkn>. Accessed 25 August 2020.
- 99 5. Li H. and Durbin R. 2009. Fast and accurate short read alignment with Burrows-Wheeler Transform.
100 Bioinformatics 25:1754-60. <https://doi.org/10.1093/bioinformatics/btp324>.
- 101 6. Grubaugh ND, Gangavarapu K, Quick J, Matteson NL, De Jesus JG, Main BJ, Tan AL, Paul LM, Brackney DE,
102 Grewal S, Gurfield N. 2019. An amplicon-based sequencing framework for accurately measuring intrahost virus
103 diversity using PrimalSeq and iVar. *Genome biology* 20(1): 1-19.
<https://genomebiology.biomedcentral.com/articles/10.1186/s13059-018-1618-7>.
- 104 7. Li H, Handsaker B, Wysoker A, Fennell T, Ruan J, Homer N, Marth G, Abecasis G, Durbin R. 2009. The
105 sequence alignment/map format and SAMtools. *Bioinformatics* 25(16): 2078-2079.
<https://doi.org/10.1093/bioinformatics/btp352>.
- 108 8. Grabherr MG, Haas BJ, Yassour M, Levin JZ, Thompson DA, Amit I, Adiconis X, Fan L, Raychowdhury R,
109 Zeng Q, Chen Z. 2011. Trinity: reconstructing a full-length transcriptome without a genome from RNA-Seq data.
110 *Nature biotechnology* 29(7): 644-652. <https://www.nature.com/articles/nbt.1883>.
- 111 9. Rambaut A, Holmes EC, O'Toole Á, Hill V, McCrone JT, Ruis C, Plessis L, Pybus OG. 2020. A dynamic
112 nomenclature proposal for SARS-CoV-2 lineages to assist genomic epidemiology. *Nature Microbiology* (online
113 ahead of print). <https://doi.org/10.1101/2020.04.17.2046086>.
- 114 10. Alm E, Broberg EK, Connor T, Hodcroft EB, Komissarov AB, Maurer-Stoh S, Melidou A, Neher RA, Toole AO,
115 Pereyaslov D. 2020. Geographical and temporal distribution of SARS-CoV-2 clades in the WHO European
116 Region, January to June 2020. *Eurosurveillance* 25(32):2001410. <https://doi.org/10.2807/1560-7917.ES.2020.25.32.2001410>.
- 118 11. Katoh K, Standley DM, 2013. MAFFT multiple sequence alignment software version 7: improvements in
119 performance and usability. *Molecular biology and evolution* 30(4): 772-780.
<https://doi.org/10.1093/molbev/mst010>.

- 121 12. Nguyen L-T, Schmidt HA, Haeseler A, Minh BQ. 2015. IQ-TREE: A fast and effective stochastic algorithm for
122 estimating maximum likelihood phylogenies. Molecular biology and evolution 32:268-274.
<https://doi.org/10.1093/molbev/msu300>.
- 123 13. Rambaut A. 2014. Figtree, a graphical viewer of phylogenetic trees. <http://tree.bio.ed.ac.uk/software/figtree>.
- 124 14. Kumar S, Stecher G, Tamura K. 2016. MEGA7: Molecular Evolutionary Genetics Analysis Version 7.0 for
125 Bigger Datasets. Molecular biology and evolution 33(7):1870-1874. <https://doi.org/10.1093/molbev/msw054>.
- 126 15. RITM. 2020. RITM releases first 17 sets of SARS-CoV-2 genome sequences from PH cases through Third
127 Generation Sequencing Technology. <http://ritm.gov.ph/ritm-releases-first-17-sets-of-sars-cov-2-genome-sequences-from-ph-cases-through-third-generation-sequencing-technology/>. Accessed 22 August 2020.
- 128 16. PGC. 2020. PGC SARS-CoV-2 Bulletin No.1: Philippine Genome Center Reports Detection of the D614G
129 Variant of SARS-CoV-2 Virus in the Philippines. <https://pgc.up.edu.ph/pgc-sars-cov-2-bulletin-no-1-philippine-genome-center-reports-detection-of-the-d614g-variant-of-sars-cov-2-virus-in-the-philippines/>. Accessed 22
130 August 2020.
- 131 17. Korber B, Fischer WM, Gnanakaran S, Yoon H, Theiler J, Abfaluterer W, Hengartner N, Giorgi EE, Bhattacharya
132 T, Foley B, Hastie KM, Parker MD, Partridge DG, Evans CM, Freeman TM, de Silva TI, Sheffield C-GG,
133 McDanal C, Perez LG, Tang H, Moon-Walker A, Whelan SP, LaBranche CC, Saphire EO, Montefiori DC. 2020.
134 Tracking Changes in SARS-CoV-2 Spike: Evidence that D614G Increases Infectivity of the COVID-19 Virus.
135 Cell doi:10.1016/j.cell.2020.06.043.
- 136 18. Ramos CM. 2020. Over 124,000 overseas Filipinos flown home amid COVID-19 pandemic — DFA, p In
137 Philippine Daily Inquirer. Inquirer, Manila. <https://globalnation.inquirer.net/190171/over-124000-overseas-filipinos-flown-home-amid-covid-19-pandemic-dfa>.
- 138
- 139
- 140
- 141
- 142

Table 1. Genome features of twenty-three strains of SARS-CoV-2 from the Philippines

Sequence name	Collection date	Ct Value	City/Town, Region (province)	Initial Clinical Presentation/Classification/Clinical Outcome	Genome size (bp)	GC content (%)	Mean Depth of coverage (x)		Clade	Lineage	Nucleotide substitution	Gene region:Amino acid substitution	
							Coverage (%)	Clade					
SAR-CoV-2/Philippines/AFRIMS-COVID-GS	MT919768 SRS7273360	3-Apr-20	25.27	Makati City, National Capital Region	Moderate/Admitted/Recovered	29903	37.9	4508	99.8	O	B.6	C6312A G11083T C13730T C23929T C26224T C28311T	ORF1a: T2016K ORF1a: L3606F ORF1b: A88V S: Synonymous mutation Non-translation region N: P13L
SAR-CoV-2/Philippines/AFRIMS-COVID-3304	MT919769 SRS7273361	25-Jun-20	18.80	Quezon City, National Capital Region	Unknown/Admitted/ Recovered	29903	38.0	4958	99.7	GR	B.1.1	C3037T G11083T C13051T C14408T C16726T C21597T A23403G A27224C G28881A, G28882A G28883C C29144T	ORF1a: Synonymous mutation ORF1a: L3606F ORF1a: Synonymous mutation ORF1b: P314L ORF1b: H1087Y S: S12F S: D614G ORF6: Q8P N: R203K N: G204R N: Synonymous mutation
SAR-CoV-2/Philippines/AFRIMS-COVID-3353	MT919770 SRS7273362	26-Jun-20	18.93	Quezon City, National Capital Region	Mild/Admitted/ Recovered	29903	38.0	4134	99.7	GR	B.1.1	C3037T A3938C C14408T A23403G G28881A, G28882A G28883C G28908T	ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1b: P314L S: D614G N: R203K N: G204R N: G212V
SAR-CoV-2/Philippines/AFRIMS-COVID-3477	MT919771 SRS7273363	29-Jun-20	24.74	Taguig City, National Capital Region	Moderate/Admitted/ Recovered	29903	38.0	3856	99.7	GR	B.1.1	C3037T C6726T C14408T G14414T C21597T A23403G C26607T G28881A, G28882A G28883C C29144T G29543T G29654A	ORF1a: Synonymous mutation ORF1a: T2154I ORF1b: P314L ORF1b: S316I S: S12F S: D614G M: L29F N: R203K N: G204R N: Synonymous mutation Non-translation region ORF10: V33I
SAR-CoV-2/Philippines/AFRIMS-COVID-3493	MT919772 SRS7273364	29-Jun-20	20.97	Quezon City, National Capital Region	Mild/Admitted/ Recovered	29903	38.0	4448	99.7	GR	B.1.1	C3037T A3938C C14408T A23403G G28881A, G28882A G28883C	ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1b: P314L S: D614G N: R203K N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-3563	MT919773 SRS7273365	29-Jun-20	23.29	Pasay City, National Capital Region	Unknown/Quarantine Facility/Recovered	29903	38.0	5154	99.7	GR	B.1.1	C3037T G11083T C13051T C14408T C16726T C21597T	ORF1a: Synonymous mutation ORF1a: L3606F ORF1a: Synonymous mutation ORF1b: P314L ORF1b: H1087Y S: S12F

SAR-CoV-2/Philippines/AFRIMS-COVID-3593	MT919774 SRS7273366	29-Jun-20	22.11	Quezon City, National Capital Region	Mild/Admitted/ Recovered	29903	38.0	5987	99.7	GR	B.1.1	C21597T A23403G C23934T A27224C G28881A, G28882A G28883C C29144T	S: S12F S: D614G S: T79I ORF6: Q8P N: R203K N: G204R N: Synonymous mutation			
SAR-CoV-2/Philippines/AFRIMS-COVID-4149	MT919775 SRS7273367	6-Jul-20	27.40	Quezon City, National Capital Region	Moderate/Unknown/ Unknown	29903	37.9	5774	99.8	GR	B.1.1	C3037T C7086T C9474T G11083T C13051T C14408T C21597T A23403G C23934T A27224C G28881A, G28882A G28883C C29144T	ORF1a: Synonymous mutation ORF1a: T2274I ORF1a: A3070V ORF1a: L3606F ORF1a: Synonymous mutation ORF1b: P314L S: S12F S: D614G S: T79I ORF6: Q8P N: R203K N: G204R N: Synonymous mutation			
SAR-CoV-2/Philippines/AFRIMS-COVID-4281	MT919776 SRS7273368	6-Jul-20	18.01	Pasay City, National Capital Region	Mild/Quarantine Facility/ Recovered	29903	38.0	4402	99.7	GR	B.1.1.28	G942A C3037T G3641A C12053T C14408T C21597T A23403G G25088T G27816A G28881A, G28882A G28883C	ORF1a: R226K ORF1a: Synonymous mutation ORF1a: E1126K ORF1a: L3930F ORF1b: P314L S: D614G S: V1176F ORF7b: V21I N: R203K N: G204R			
SAR-CoV-2/Philippines/AFRIMS-COVID-4282	MT919777 SRS7273369	6-Jul-20	17.81	Pasay City, National Capital Region	Asymptomatic/Quarantine Facility/ Recovered	29903	38.0	5454	99.7	GR	B.1.1	C2973T C3037T C3411T C10138T C14408T C20312T C21597T A23403G C28308G G28881A, G28882A G28883C 21-nucleotide deletion (28890-28910)	ORF1a: A903V ORF1a: Synonymous mutation ORF1a: A1049V ORF1a: Synonymous mutation ORF1b: P314L ORF1b: A2282V S: S12F S: D614G N: A12G N: R203K N: G204R N: S206Y and 7-amino acid deletion (207-PARMAGN-213)			
												C29144T	N: Synonymous mutation			

medRxiv preprint doi: <https://doi.org/10.1101/2020.09.29.20203695>; this version posted September 29, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

SAR-CoV-2/Philippines/AFRIMS-COVID-4402	MT919778 SRS7273370	7-Jul-20	24.84	Pasay City, National Capital Region	Asymptomatic/Admitted/ Recovered	29903	38.0	6836	99.7	GR	B.1.1.28	G942A C3037T G3641A C12053T C14408T C20133T A23403G G25088T G27816A G28881A, G28882A G28883C	ORF1a: R226K ORF1a: Synonymous mutation ORF1a: E1126K ORF1a: L3930F ORF1b: P314L ORF1b: Synonymous mutation S: D614G S: V1176F ORF7b: V21I N: R203K N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-4650	MT919779 SRS7273371	10-Jul-20	26.60	Cavite City, Region 4A (Cavite)	Severe/Admitted/ Recovered	29903	38.0	4987	99.7	GR	B.1.1	C3037T A3938C C5575T C14408T A19767G A23403G G28881A, G28882A G28883C G28908T	ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1b: P314L ORF1b: Synonymous mutation S: D614G N: R203K N: G204R N: G212V
SAR-CoV-2/Philippines/AFRIMS-COVID-4792	MT919780 SRS7273372	10-Jul-20	17.74	Calamba City, Region 4A (Laguna)	Asymptomatic/ Quarantine Facility/ Recovered	29903	37.9	6351	99.8	GR	B.1.1	C2973T C3037T C3411T G11083T C14408T C20312T C21597T A23403G C28308G G28881A, G28882A G28883C 21-nucleotide deletion (28890-28910) C29144T	ORF1a: A903V ORF1a: Synonymous mutation ORF1a: A1049V ORF1a: L3606F ORF1b: P314L ORF1b: A2282V S: S12F S: D614G N: A12G N: R203K N: G204R N: S206Y and 7-amino acid deletion (207-PARMAGN-213) N: Synonymous mutation
SAR-CoV-2/Philippines/AFRIMS-COVID-4837	MT919781 SRS7273373	13-Jul-20	28.30	Taguig City, National Capital Region	Asymptomatic/Self-quarantine/ Recovered	29903	38.0	2361	99.7	GR	B.1.1	C539T C3037T C8818T A10912G C14408T G17347T T21198C C22120T A23403G G28881A, G28882A G28883C G29540T	ORF1a: L92F ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1b: P314L ORF1b: V1294F ORF1b: Synonymous mutation S: Synonymous mutation S: D614G N: R203K N: G204R Non-translation region
SAR-CoV-2/Philippines/AFRIMS-COVID-5127	MT919782 SRS7273374	14-Jul-20	30.22	Taguig City, National Capital Region	Severe/Unknown/ Unknown	29903	38.0	6780	99.7	GR	B.1.1	C3037T C4039T C14408T C16559A G16808A C19983T C21575T A23403G	ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1b: P314L ORF1b: A1031E ORF1b: S1114N ORF1b: Synonymous mutation S: L5F S: D614G

														G28881A, G28882A	N: R203K
														G28883C	N: G204R
														G28899T	N: R209I
														C3037T	ORF1a: Synonymous mutation
														G5924A	ORF1a: V1887I
														G6943T	ORF1a: Synonymous mutation
														C14408T	ORF1b: P314L
SAR-CoV-2/Philippines/AFRIMS-COVID-5524	MT919783 SRS7273375	15-Jul-20	24.04	Caloocan City, National Capital Region	Unknown/Self-quarantine/ Recovered	29903	38.0	7110	99.7	GR	B.1.1		C18877T	ORF1b: Synonymous mutation	
														T21775G	S: Synonymous mutation
														A23403G	S: D614G
														G28881A, G28882A	N: R203K
														G28883C	N: G204R
														C2973T	ORF1a: A903V
														C3037T	ORF1a: Synonymous mutation
														C11572T	ORF1a: Synonymous mutation
														C14408T	ORF1b: P314L
														C18828T	ORF1b: Synonymous mutation
SAR-CoV-2/Philippines/AFRIMS-COVID-5658	MT919784 SRS7273376	16-Jul-20	20.85	Rodriguez, Region 4A (Rizal)	Moderate/Admitted/ Recovered	29903	37.9	5351	99.8	GR	B.1.1		C20312T	ORF1b: A2282V	
														C21597T	S: S12F
														A23403G	S: D614G
														C26464T	E: Synonymous mutation
														G28881A, G28882A	N: R203K
														G28883C	N: G204R
														C29144T	N: Synonymous mutation
														C593T	ORF1a: H110Y
														C3037T	ORF1a: Synonymous mutation
														G5924A	ORF1a: V1887I
														C6525T	ORF1a: T2087I
														G6943T	ORF1a: Synonymous mutation
CSAR-CoV-2/Philippines/AFRIMS-OVID-5698	MT919785 SRS7273377	16-Jul-20	19.37	San Juan City, National Capital Region	Unknown/Quarantine Facility/ Recovered	29903	38.0	6330	99.7	GR	B.1.1		C14408T	ORF1b: P314L	
														G17278T	ORF1b: V1271L
														C18395T	ORF1b: A1643V
														T21775G	S: Synonymous mutation
														A23403G	S: D614G
														G28881A, G28882A	N: R203K
														G28883C	N: G204R
														C3037T	ORF1a: Synonymous mutation
														C6726T	ORF1a: T2154I
														G11083T	ORF1a: L3606F
														C13051T	ORF1a: Synonymous mutation
														C14408T	ORF1b: P314L
														C21597T	S: S12F
SAR-CoV-2/Philippines/AFRIMS-COVID-5918	MT919786 SRS7273378	17-Jul-20	27.90	Taguig City, National Capital Region	Severe/Admitted/ Died	29903	37.9	6038	99.8	GR	B.1.1		A23403G	S: D614G	
														A27224C	ORF6: Q8P
														G27632C	ORF7a: R80T
														G28378A	N: Synonymous mutation
														G28881A, G28882A	N: R203K
														G28883C	N: G204R
														C29144T	N: Synonymous mutation
														C3037T	ORF1a: Synonymous mutation
														G11083T	ORF1a: L3606F
														C13051T	ORF1a: Synonymous mutation
														C14408T	ORF1b: P314L
														C21597T	S: S12F
SAR-CoV-2/Philippines/AFRIMS-COVID-5976	MT919787	10-Jul-20	20.22	Quezon City, National Capital	Asymptomatic/Admitted/	29903	29.0	65075	99.7	GR	B.1.1				

SAR-CoV-2/Philippines/AFRIMS-COVID-5980	SRS7273379	18-JUL-20	20.52	Region	Recovered	29903	38.0	6974.4	99.7	GR	B.1.1	A23403G	S: D614G
medRxiv preprint doi: https://doi.org/10.1101/2020.09.29.20203695 ; this version posted September 29, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.													
SAR-CoV-2/Philippines/AFRIMS-COVID-5983	MT919788 SRS7273380	18-Jul-20	22.27	Pasay City, National Capital Region	Mild/Quarantine Facility/ Recovered	29903	38.0	6974.4	99.7	GR	B.1.1	G28881A, G28882A G28883C C29144T C3037T A3938C G7042T C7735T A9782G C14408T A23403G C28093T G28881A, G28882A G28883C	N: R203K N: G204R N: Synonymous mutation ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1a: M225I ORF1a: Synonymous mutation ORF1a: S3173G ORF1b: P314L S: D614G ORF8: S67F N: R203K N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-5984	MT919789 SRS7273381	18-Jul-20	22.96	Quezon City, National Capital Region	Unknown/Quarantine Facility/ Recovered	29903	38.0	7177	99.7	GR	B.1.1	C3037T A3938C G7042T C7735T A9782G C14408T A23403G C28093T G28881A, G28882A G28883C	ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1a: M225I ORF1a: Synonymous mutation ORF1a: S3173G ORF1b: P314L S: D614G ORF8: S67F N: R203K N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-6009	MT919790 SRS7273382	18-Jul-20	26.55	San Jose del Monte City, Region 3 (Bulacan)	Mild/Self-quarantine/ Recovered	29903	38.0	6970	99.7	GR	B.1.1	C3037T A3938C G7042T C7735T A9782G C14408T A23403G C26305T C28093T G28881A, G28882A G28883C	ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1a: M225I ORF1a: Synonymous mutation ORF1a: S3173G ORF1b: P314L S: D614G E: L21F ORF8: S67F N: R203K N: G204R