

1 **The implications of religious event and holidays on the**
2 **transmission of SARS-CoV2 : the impact of behavioral changes**
3 **on transmission**

4
5
6 Abdulkarim Abdulrahman^{1,2}, Muath AlMajthoob³, Abdulla I AlAwadhi^{1,4}, Manaf M
7 AlQahtani^{1,3,4} *

8
9 ¹ National Taskforce for Combating the Coronavirus (COVID-19), Bahrain

10 ² Mohammed Bin Khalifa Cardiac Centre, Bahrain

11 ³ Royal College of Surgeons in Ireland, Bahrain

12 ⁴ Bahrain Defence Force hospital, Bahrain

13
14 *Corresponding author: Manaf M AlQahtani. Email:drmanaf@gmail.com

15 Phone: +973 3976 6000

16
17 Conflict of interest Disclosures. The authors have declared that no conflict of interest exists.

18 Funding/Support: None

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83

Abstract

Introduction: The risk factors for transmission of SARS-CoV2 have been widely studied and it was evident that a population’s behavior has a direct effect on the risk of transmission. Public health measures and regulation are largely kept to control and direct these behaviors. In this study, we describe the change in transmission in SARS-CoV2 in relation to demographics before and after two major religious events: “Eid Alfitr” and “Ashura”

Methods: This is a national observational study conducted in Bahrain in September 2020 to compare the number and demographics of all newly diagnosed cases before and after Eid Alfitr (religious holiday) and Ashura religious event. A 10 day period before the event was compared to a 10 day period after the event by ten days. Data on the number of tests, number of new cases, their demographics (age, gender, nationality) and presence of symptoms were collected and analyzed.

Results: There was significant increase in the number of COVID-19 cases after both Eid Alfitr (1997 more cases, with a 67% increase) and Ashura (4232 more cases with 2.19 times more cases). The majority of new cases after the religious events were found in local Bahrainis, from 472 cases to 2169 cases after Eid, and from 2201 to 6639 cases after Ashura. The rise was most notable in females (increased by 4.89 times after Eid and by 2.69 times after Ashura), children (increased by 4.69 times after Eid and by 5 times after Ashura) and elderly above the age of 60 years (increased by 5.7 times after Eid and by 3.23 times after Ashura).

Conclusion: It is evident that religious events and holidays have important implications on the transmission of SARS-CoV2. This increased in transmission is related mainly to the behavior of the population in those days. Children, female, and elderly were the most affected categories due to these events. A thorough public health plan to limit the spread of the infection at these events should be planned and implemented ahead of time.

Keywords: SARS-CoV2 ; coronavirus ; transmission ; risk ; religious ; events ; holiday

84

85 **Introduction**

86 Since the outbreak of COVID-19 pandemic different studies have looked on the transmission
87 pattern and risks for transmission of SARS-CoV2. Different risk factors were studied,
88 including biological, demographic, and behavioral factors. SARS-CoV2 is transmitted
89 through respiratory droplets ⁽¹⁾, hence it was evident that behavioral factors were correlated
90 with increased transmission risk, with large in-person gatherings with no social distancing or
91 public health measures carrying the highest risk ⁽²⁾.

92 Risk of transmission from an infected case increases with the closeness and duration of
93 contact and is highest with prolonged contact in indoor settings. It has been observed that
94 most local transmissions occur in household contacts, healthcare setting and whenever
95 individuals are in proximity. Risk of transmission also appears high in gatherings ^(3,4,5,6,7).
96 Bahrain has recorded the first case in February 24 and the number of new cases have
97 increased since then ⁽⁸⁾. The authorities soon placed multiple public health regulations to limit
98 the spread, including banning gatherings, restriction of travel, mandatory face mask wearing,
99 working from home, online schooling and a national testing plan ^(9,10,11,12,13,14). The daily
100 recorded cases were noticed to have a correlation with public holidays and social events,
101 especially with Eid and Ashura.

102

103 Eid Alfitr is a three-day public holiday in Bahrain. All Muslims celebrate the holiday by
104 having large group prayers in the morning, followed by multiple social gatherings at homes.
105 Like Christmas, it is a festive holiday, and it is common for individuals to visit their families,
106 neighbors, and friends. They would gather for breakfast, lunch, dinner, and short visits to
107 extended family in between. Due to the pandemic, the group prayer was stopped and a public
108 campaign to raise awareness of the importance of staying at home was started.

109

110 Ashura is a religious two-day holiday in Bahrain and an event for Muslims. A subset of
111 Muslims has holy religious ceremonies that extend for up to 10 days. Ceremonies are done in
112 large groups and in proximity. However due to the pandemic and banning of indoor
113 gatherings, these ceremonies could continue in small groups outdoors with public health
114 measures.

115

116 In this manuscript we study the change in cases and demographics of the newly diagnosed
117 cases before and after two main religious events and holidays in Bahrain: “Eid AlFitr” and
118 “Ashura”.

119

120 **Methods**

121

122 Study design

123 This is a national observational study conducted in Bahrain in September 2020 to compare
124 the number and demographics of all newly diagnosed cases before and after Eid Holiday
125 (religious holiday) and Ashura religious event. A 10 days period before the event was
126 compared to a 10 days period after the event by ten days. This period was allowed for the
127 effect of the event to appear on the population. **Figure 1** shows the selected time frames.

128

129 Testing and diagnosis

130 A newly diagnosed COVID-19 case was defined as an individual who tested positive for
131 SARS-CoV-2 Envelope (E), RNA-dependent RNA Polymerase (RdRP) and Nucleocapsid
132 (N) genes. The test was conducted by taking a nasopharyngeal (NP) swab. The NP sample
133 was tested for the presence of SARS-CoV-2 by polymerase chain reaction (PCR) analysis.
134 The assay followed the World Health Organization (WHO) approved protocol by Charité
135 Virology⁽¹⁵⁾ and measured the viral E gene. If the E gene was detected, the sample was
136 subsequently analysed for the SARS-CoV-2 RdRP and N genes. When measuring the initial
137 E gene, a Cycle threshold (Ct) value of >40 was considered negative. Positive and negative
138 controls were included for quality control purposes.

139 The national testing plan involved testing all suspected cases. All symptomatic individuals
140 and close contacts to a confirmed case were tested. Random community testing was also
141 conducted on high risk areas with potential outbreaks.

142

143 Data collection and Statistical analysis

144 Data was collected from the National COVID-19 Task Force. Data on the number of tests,
145 number of new cases, case demographics (age, gender, nationality) and presence of
146 symptoms were collected and analyzed. Change in cases was reported as a ratio of the cases

147 after compared to the cases before the event. Ratio above 1 indicate an increase in cases,
148 ratios between 0 and 1 indicated a decrease in cases
149 Tests of proportion was used to compare proportion of positive tests before and after the
150 events. P-values were considered statistically significant at $p < 0.05$. Data handling, statistical
151 analysis and graphs were done on Microsoft excel (Version 16.4) and STATA (Version 15.1)
152

153 Ethical considerations

154 Ethical and research approval was obtained from the National COVID19 research and
155 ethics committee (approval code: CRT-COVID2020-081). All methods and analysis
156 of data was approved by the National COVID-19 Research and Ethics Committee and
157 carried out in accordance with the local guideline and ethical guidelines of the
158 Declaration of Helsinki 1975. Informed consent was waived by the Research and
159 Ethical Committee for this study due to the absence of any patient identifying
160 information and the nature of the study design.

161

162 **Results**

163

164 There was significant increase in the number of cases of COVID-19 after both Eid Alfitr and
165 Ashura. Most new cases were found in local Bahrainis. The rise was most notable in females,
166 children, and elderly. There was also a significant increase in symptomatic compared to
167 asymptomatic cases.

168

169 Eid Alfitr

170 Before Eid Alfitr, the number of tests conducted was 71,553 PCR tests which resulted in
171 2990 cases with a 4.17% proportion of positive tests. Majority of cases were community
172 acquired infection (98.7%, 2950 cases), while travelers represented a minority (1.3%, 40
173 cases). Most cases were non-Bahraini (84.2%, 2518 cases) and Males (90.4%, 2703 cases).
174 Asymptomatic cases represented 82.8% of the cases, while symptomatic cases were only
175 17.2%. Most cases were between the age 20 and 49 years old (84.1%, 2516 cases), while
176 children were 153 cases (5.1% of cases).

177

178 After Eid Alfitr, the number of tests conducted was 76,384 PCR tests which resulted in 4987
179 cases (67% more) with a 6.5% proportion of positive tests. Cases were mainly due to local
180 community transmission (96.9%, 4831 cases). Cases of Bahraini nationals increased by 4.6
181 times (from 472 cases to 2169 cases) to represent 43.5% of cases. Non-Bahraini cases had a
182 12% increase in cases. Males continued to represent most cases (71.9% of cases). Female
183 cases increased by 4.8 times (from 287 female cases to 1400 female cases). Symptomatic
184 cases increased by 3.8 times, representing 40% of cases (1995 cases) in that period. The
185 increase in cases was prevalent across all age groups in Bahraini nationals. The most notable
186 increase was in children aged 0 to 9 years old, who increased by 5.5 times from 64 cases to
187 355 cases) . The elders aged more than 60 years old increased by 5.7 times from 35 cases to
188 202 cases) . Table 1 summarizes the finding related to Eid AlFitr

189

190 The proportion of positive tests was significantly higher after Eid ($z = -19.86$, $p < 0.001$)

191

192 Ashura

193 Before Ashura, the number of tests conducted was 97,560 PCR tests which resulted in 3571
194 cases with a 3.66% proportion of positive tests. The majority of the cases were community
195 acquired infections (99.1%, 3539 cases). The number of cases was 3539 cases, and Bahraini
196 cases constituted 61.6% of the cases (2201 cases). This is a notable rise when compared to
197 Bahraini cases before Eid Alfitr (15.8%) and after Eid Alfitr (43.5%). The male gender
198 represented most cases (60.2%, 2151 cases). Asymptomatic cases represented 73.2%, while
199 symptomatic patients were 26.8%. Cases in Bahrainis were almost evenly spread over all age
200 groups, with children aged 0 to 9 years representing 19.6% of the Bahraini cases.

201

202 After Ashura, the number of tests conducted was 118,548 PCR tests which resulted in 7803
203 cases (2.19 times more) with a 6.58% proportion of positive tests. Cases were almost
204 exclusively due to local transmission (99.3%, 7751 cases). Cases of Bahraini nationals
205 increased by 3.02 times (from 2201 to 6639 cases) to represent 85.1% of cases. Non-Bahraini
206 cases decreased after Ashura (from 1370 to 1164 cases). Female cases increased by 2.69
207 times, representing 48.9% of all cases almost equivalent to male cases (51.1%). Symptomatic
208 cases increased by 3.37 times, representing 41.3% of cases (3219 cases). The increase in
209 Bahraini cases was close in all age groups, but the major increase was in children aged 0-19

210 which increased by 5.06 times (from 471 to 2383 cases). Table 2 summarizes the finding
211 related to Ashura.

212

213 The proportion of positive tests was significantly higher after Ashura ($z = -30.26, p < 0.001$)

214

215

216

217 **Discussion**

218

219 After COVID-19 emerged in Bahrain, the government placed multiple public health
220 regulations to contain the outbreak ⁽¹⁴⁾. Due to these precautionary measures, many Bahrainis
221 stayed at home before Eid Alfitr ⁽¹⁶⁾. This could explain the low number of Bahraini cases
222 (472 cases) back then.

223

224 Because of the cultural nature of Eid Alfitr and Ashura, it is no surprise to see the increase in
225 incidence after each event. In both events, the increase in cases was more prominent in
226 Bahrainis because they partake in these events much more than non-Bahrainis. Eid have
227 resulted in 1697 new cases within Bahraini nationals (3.6 times more) and Ashura have
228 resulted in 4438 cases more (3.02 times more)

229

230 Both events resulted in an increase in the number of cases across all age groups. The largest
231 margin of increase was witnessed in the extremes of age: 0-19 years old and elderly above 60
232 years old. With the implementation of “staying at home” and closure of schools, mosques and
233 majlis (indoor gatherings with majority of attendees being elders) children aged 0 to 19 and
234 elders 60 years and older spent most, if not all, of their time at home. This greatly limited the
235 number of cases in these age groups before Eid Alfitr: (153) children and (82) elderlies. At
236 that time, most Bahraini cases were aged 20 to 49. These were working people who still had
237 to attend work and encounter different people, leading them to have a higher risk of COVID-
238 19.

239

240 When Eid Alfitr came, it was observed that many families and friends gathered indoors,
241 despite advice to quarantine. Furthermore, it is common for smaller families to gather with
242 similar sized families and visit each other in one big gathering that is usually centered around
243 the elderly of the family. This led to a prominent increase in Bahraini cases. The greatest rise

244 observed was in children, females' elders aged 60 and above. This is likely due to the
245 abstinence of children, females, and the elderly from much social interaction before Eid
246 Alfitr.

247

248 Both Eid Alfitr and Ashura increased the number of cases for both genders greatly. Females
249 exhibited a more drastic increase in percentage of total cases when compared in the before
250 and after periods of both events. Which may suggest that the increase of infection rate cannot
251 attributed to a single gender, since both participated in the events. The general higher number
252 in males could be explained by the higher male to female ration in Bahrain ⁽¹⁷⁾. This could
253 also be explained by gender differences in perceived risk- and risk-taking behaviors
254 described by Byrnes et al ⁽¹⁸⁾.

255

256 At all times observed, most non-Bahraini cases were aged between 20 and 49. Most of the
257 non-Bahrainis infected were migrant labor workers, typically in the age group mentioned ⁽¹⁹⁾.
258 The large number of cases in the labor workers could be attributed to poor health education
259 and crowded living conditions. Bahraini cases were the minority of the cases during the
260 beginning of the pandemic. Eid Alfitr could be described as the turning point, where cases
261 distribution in Bahrain tipped towards the Bahraini population. Due to the closeness and
262 nature of the Bahraini culture this tip in the scales escalated and created the increase between
263 Bahraini and Non-Bahrainis cases observed. The increase in proportion of Bahraini to non-
264 Bahraini cases remained consistent until the present day.

265

266

267 It is important to note that both after Eid Alfitr and after Ashura the number of tests has
268 increased by (7%) and (22%), respectively. The number of total cases also increased at both
269 time periods at a much larger extent. Eid holidays have resulted in 1697 cases more when
270 compared to the period before that (1.67 times more). Ashura have resulted in 7803 cases in a
271 10 days period (2.19 times more). The small increase in testing accompanied by the high
272 increase in total cases indicate that Eid Alfitr and Ashura directly affected the incidence and
273 resulted in higher transmission, and that these results could not have been simply due to more
274 testing alone. This was more apparent when the proportion of positive tests was compared.
275 The increase in number of tests after these events was due to an increase in testing demand.
276 As it was evident that the number of symptomatic cases increased, which also led to an
277 increase in contact tracing and testing too.

278

279

280 The increase in cases and the proportion of positive tests observed in the period after Eid
281 Alfitr was brought down with the measures enforced by a campaign aimed to increase the
282 general awareness and change the behavior in the Bahraini population as a whole. The
283 campaign included posting comparison of cases before and after Eid and posting anonymized
284 contract tracing result which showed the extent of infections in household members ⁽²⁰⁾. This
285 decrease was clear, as it can be observed by the number of cases before the events of Ashura
286 (Table 2). As the period of Ashura started, it contributed greatly to increasing the number of
287 cases and increasing outbreaks in different parts of the country

288

289 Before Ashura, the total cases diagnosed were 3539. This was an increase compared to cases
290 before Eid Alfitr (2990 cases). This is a new baseline in cases which can be explained by the
291 change in people's behavior, especially following reopening measures. However, cases after
292 Eid Alfitr were still higher (4831 cases), implying the significant effect Eid Alfitr had on
293 increasing transmission.

294

295 In Ashura, the participation in ceremonies were separated by gender. However, this
296 separation resulted in many small indoor gatherings in proximity with a preacher reciting
297 speeches and chants. These ceremonies extend from two to ten hours per day for two to ten
298 days Tang et al ⁽²¹⁾ stated that indoor gatherings with a person performing or in this case
299 reciting speeches and chants may enable the transmission of the virus through aerosolization
300 and not only droplets. Making such events as superspreading events. This was also reported
301 in a choir rehearsal where 53 out of 61 attendees were infected despite adequate precaution for
302 fomite and droplet transmission taken and none of the attendees exhibited symptoms ^(22,23).
303 Miller et al also stated that "this indoor transmission risk may have been increased because of
304 high occupancy, long duration, loud vocalization, and poor ventilation" ⁽²²⁾.

305

306 Eid Alfitr effect on the number of cases was largely due to the festive nature of the holiday,
307 where many individuals visit their families, extended families, and friends. Eid Alfitr is
308 celebrated by all Muslim. In comparison, only a subset of Muslims holds religious
309 ceremonies and gatherings in Ashura. The fact that Ashura resulted in such increase in the
310 number of cases among all age groups, especially children and females, can be attributed to
311 the nature of the ceremonies conducted during Ashura.

312

313 After both events, symptomatic cases have increased. This could be explained by the higher
314 incidence of COVID-19 in older individual, as it has been reported that younger patients were
315 more likely to be asymptomatic ⁽²⁴⁾. The more severe and symptomatic cases could also be
316 due to different viral strains that have emerged from different clusters due to gatherings, and
317 this might be worth exploring with genomic sequencing.

318

319 Public health measures and guidance such as: banning indoor gatherings, online ceremonies
320 and limiting capacity in the participation in the ceremonies were put in place to limit the
321 effect of the religious event. As new cases emerged and contact tracing was done, it was
322 found that people did not adhere to recommended public health safety measures. Many
323 gatherings in proximity were conducted which increased the risk for transmission between
324 the population. Moreover, during these gatherings meals were exchanged between gatherings
325 and individuals which have contributed to the increase in infection rate.

326

327 Furthermore, it was observed that due to the decision of limiting the Ashura ceremonies and
328 conducting them online, this has caused many of the small gatherings. As people could not
329 participate in person, many decided to gather in houses of relatives and friends to attend the
330 ceremonies and share the spirituality of Ashura. Which may suggest that providing an online
331 option for something that required a large social gathering may result in many smaller
332 gatherings. One of the large contributors to the spread of infection in these gatherings were
333 individuals that visited multiple gatherings. Such individuals would visit one small gathering
334 for a few hours and then leave to attend a different gathering. This has resulted in gatherings
335 that are at extremely high risks for transmission. Another factor that needs to be considered is
336 the duration of events. Each gathering would last for a minimum of 2 hours and could last up
337 to 6-10 hours on daily bases for the whole period of Ashura. Thus, creating an environment
338 where one positive case could infect more than it can under normal circumstances.

339

340 Such events are of extreme importance to people, whether they are ceremonies or family
341 gatherings. Implementing rules and regulation to limit these gatherings is required, however
342 not sufficient. A pre-planned public health plan should be started in advance of these events
343 to raise the public awareness on the risk of gatherings and to improve the public compliance.
344 Moreover, it is also equally important to raise awareness on how to decrease transmission in
345 such events or gatherings, as it is evident that a large number of the population will continue

346 to gather. Personal hygiene, physical distancing, wearing face masks, time limitation and
347 proper ventilation are all measures that can help reduce the risk of transmission in such
348 events and gatherings. ^(22, 25). This could be a crucial measure to decrease the transmission
349 and help fight the pandemic.

350

351 **Conclusion**

352

353 It is evident that religious events and holidays have important implications on the
354 transmission of SARS-CoV2. This increased in transmission is related mainly to the behavior
355 of the population in those days. Children, female, and elderly were the most affected
356 categories due to these events. Symptomatic individuals increased after these events. These
357 events are considered high risk for transmission and should be included in models forecasting
358 the number of cases. A thorough public health plan to limit the spread of the infection at
359 these events should be planned and implemented ahead of time. The plan should include
360 raising public awareness prior to the event, limiting the events, proposing a safer substitute,
361 involving religious leaders, and enhancing measures to decrease the risk of transmission
362 within an event.

363

364 **Declaration**

365 Funding: None

366 Conflicts of interest/Competing interests: The authors declare that they have no conflict of
367 interest

368 Ethics approval: Approval granted after review from National COVID-19 Research and Ethics
369 Committee

370 Consent to participate: Not applicable

371 Consent for publication: All author approved to publish this data

372 Availability of data and material: Available on reasonable request

373 Code availability: All data were entered in Microsoft excel

374 Authors' contributions: AIA, AA, MAM involved in data collection, analysis of the data and
375 initial manuscript preparation. MAQ reviewed the manuscript. MAQ, AA developed the idea
376 and final drafting of the manuscript.

377

378 **References:**

379

380 1. COVID-19 Overview and Infection Prevention and Control Priorities in non-US
381 Healthcare Settings: Centers for Disease Control and Prevention; 2020 [Available from:
382 <https://www.cdc.gov/coronavirus/2019-ncov/hcp/non-us-settings/overview/index.html>].

383 2. People With Certain Medical Conditions: Centers for Disease Control and Prevention;
384 2020 [Available from: [https://www.cdc.gov/coronavirus/2019-ncov/need-extra-
385 precautions/people-with-medical-conditions.html](https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/people-with-medical-conditions.html)].

386 3. Wang D, Hu B, Hu C, Zhu F, Liu X, Zhang J, et al. Clinical Characteristics of 138
387 Hospitalized Patients With 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China.
388 JAMA. 2020;323(11):1061-9.

389 4. Luo L, Liu D, Liao X, Wu X, Jing Q, Zheng J, et al. Contact Settings and Risk for
390 Transmission in 3410 Close Contacts of Patients With COVID-19 in Guangzhou, China : A
391 Prospective Cohort Study. Ann Intern Med. 2020.

392 5. Bi Q, Wu Y, Mei S, Ye C, Zou X, Zhang Z, et al. Epidemiology and transmission of
393 COVID-19 in 391 cases and 1286 of their close contacts in Shenzhen, China: a retrospective
394 cohort study. Lancet Infect Dis. 2020;20(8):911-9.

395 6. COVID-19 National Emergency Response Center EaCMT, Korea Centers for Disease
396 Control and Prevention. Coronavirus Disease-19: Summary of 2,370 Contact Investigations
397 of the First 30 Cases in the Republic of Korea. Osong Public Health Res Perspect.
398 2020;11(2):81-4.

399 7. Karami M, Doosti-Irani A, Ardalan A, Gohari-Ensaf F, Berangi Z, Massad E, et al.
400 Public Health Threats in Mass Gatherings: A Systemic Review. Disaster Medicine and Public
401 Health Preparedness. 2019;13(5-6):1035-46.

402 8. Ministry of Health: Patient with Coronavirus (COVID-19) isolated and receiving
403 treatment: Ministry of Health; 2020 [Available from:
404 <https://www.moh.gov.bh/COVID19/Details/3753>].

405 9. All public and private schools and kindergartens to be closed for two weeks Ministry
406 of Health; 2020 [Available from: <https://www.moh.gov.bh/COVID19/Details/3879>].

407 10. All Universities and Higher Education institutions closed for two weeks: Ministry of
408 Health 2020 [Available from: <https://www.moh.gov.bh/COVID19/Details/3874>].

- 409 11. Civil Aviation Affairs suspends all flights from Dubai, Sharjah for 48 hours: Ministry
410 of Health 2020 [Available from: <https://www.moh.gov.bh/COVID19/Details/3820>].
- 411 12. The Ministry of Health to arrange medical examinations for all who have visited Iran
412 during February: Ministry of Health 2020 [Available from:
413 <https://www.moh.gov.bh/COVID19/Details/3788>].
- 414 13. Foreign Ministry calls upon all citizens not to travel during this period unless
415 absolutely necessary: Ministry of Health; 2020 [Available from:
416 <https://www.moh.gov.bh/COVID19/Details/3924>].
- 417 14. Coronavirus TNMTFtCt. The Decisions of the Government Executive Committee
418 chaired by HRH the Crown Prince, Deputy Supreme Commander and First Deputy Prime
419 Minister 2020 [Available from:
420 <https://www.moh.gov.bh/Content/Upload/File/637202407881866000-DecisionsGECEn.pdf>].
- 421 15. Corman V, Bleicker T, Brünink S, Drosten C, Landt O, Koopmans M, et al.
422 Diagnostic detection of 2019-nCoV by real-time RT-PCR2020. Available from:
423 <https://www.who.int/docs/default-source/coronaviruse/protocol-v2-1.pdf>.
- 424 16. COVID-19 Mobility Report2020. Available from:
425 https://www.gstatic.com/covid19/mobility/2020-06-07_BH_Mobility_Report_en.pdf.
- 426 17. Bahrain in Figures: Information and eGovernment Authority; 2017. Available from:
427 https://www.iga.gov.bh/Media/Pdf-Section/Bahrain_in_figures_Booklet.pdf.
- 428 18. Byrnes JP, Miller DC, Schafer WD. Gender differences in risk taking: A meta-
429 analysis. Psychological Bulletin. 1999;Vol 125(3):367-83.
- 430 19. Bahrain Labour Market Indicators2019; (Issue 46). Available from:
431 [http://lmra.bh/portal/files/cms/shared/file/Newsletter/Newsletter\(Q2_2019\)-English.pdf](http://lmra.bh/portal/files/cms/shared/file/Newsletter/Newsletter(Q2_2019)-English.pdf).
- 432 20. Contact Tracing2020. Available from:
433 <https://www.moh.gov.bh/COVID19/ContactTracing1>.
- 434 21. Tang S, Mao Y, Jones RM, Tan Q, Ji JS, Li N, et al. Aerosol transmission of SARS-
435 CoV-2? Evidence, prevention and control. Environ Int. 2020;144:106039.
- 436 22. Miller SL, Nazaroff WW, Jimenez JL, Boerstra A, Buonanno G, Dancer SJ, et al.
437 Transmission of SARS-CoV-2 by inhalation of respiratory aerosol in the Skagit Valley
438 Chorale superspreading event2020. Available from:
439 <https://www.medrxiv.org/content/10.1101/2020.06.15.20132027v2>.
- 440 23. Read R. Coronavirus Choir Outbreak2020. Available from:
441 <https://www.latimes.com/world-nation/story/2020-03-29/coronavirus-choir-outbreak>.

- 442 24. Li Y, Shi J, Xia J, Duan J, Chen L, Yu X, et al. Asymptomatic and Symptomatic
443 Patients With Non-severe Coronavirus Disease (COVID-19) Have Similar Clinical Features
444 and Virological Courses: A Retrospective Single Center Study. *Front Microbiol.*
445 2020;11:1570.
- 446 25. Sugano N, Ando W, Fukushima W. Cluster of SARS-CoV-2 infections linked to
447 music clubs in Osaka, Japan: asymptotically infected persons can transmit the virus as
448 soon as 2 days after infection. *J Infect Dis.* 2020.
449
450

	13 to 22 May		6 to 15 June		Change
	Before Eid Alfitr		After Eid Alfitr		
Number of tests	71553		76384		1.06x
Proportion of positive tests	4.18%		6.53%		
Total cases	2990		4987		1.67x
Transmission source					
Local cases	2950	98.7%	4831	96.9%	1.64x
Imported cases	40	1.3%	156	3.1%	3.90x
Symptomatic	514	17.2%	1995	40.0%	3.88x
Asymptomatic	2476	82.8%	2992	60.0%	1.21x
Bahraini	472	15.8%	2169	43.5%	4.60x
Non Bahraini	2518	84.2%	2818	56.5%	1.12x
Male	2703	90.4%	3587	71.9%	1.33x
Female	287	9.6%	1400	28.1%	4.88x
Children 0-19	153	5.1%	711	14.3%	4.65x
Total Non-Bahraini Cases	2518		2818		1.12x
Non Bahraini Age Groups					
0-9	13	0.5%	72	2.6%	5.54x
10-19	14	0.6%	50	1.8%	3.57x
20-29	522	20.7%	591	21.0%	1.13x
30-39	1130	44.9%	1210	42.9%	1.07x
40-49	600	23.8%	602	21.4%	1.00x
50-59	191	7.6%	238	8.4%	1.25x
60+	48	1.9%	55	2.0%	1.15x
Total Bahraini Cases	472		2169		3.60x
Bahraini Age Groups					
0-9	64	13.6%	355	16.4%	5.55x
10-19	62	13.1%	292	13.5%	4.71x
20-29	101	21.4%	431	19.9%	4.27x
30-39	105	22.2%	405	18.7%	3.86x
40-49	58	12.3%	268	12.4%	4.62x
50-59	47	10.0%	216	10.0%	4.60x
60+	35	7.4%	202	9.3%	5.77x

451
452

453 **Table (1):** The table demonstrates COVID-19 cases before and after Eid Alfitr.
454 Cases are divided by: transmission source, symptomatic status, gender, nationality,
455 and age. The column on the far right shows the change comparing before and after
456 Eid Alfitr.

	18 to 27 August		9 to 18 September		Change
	Before Ashura		After Ashura		
Number of tests	97560		118548		1.22x
Proportion of positive tests	3.66%		6.58%		
Total cases	3571		7803		2.19x
Transmission Source					
Local cases	3539	99.1%	7751	99.3%	2.19x
Imported cases	32	0.9%	52	0.7%	1.63x
Symptomatic	956	26.8%	3219	41.3%	3.37x
Asymptomatic	2615	73.2%	4582	58.7%	1.75x
Bahraini	2201	61.6%	6639	85.1%	3.02x
Non Bahraini	1370	38.4%	1164	14.9%	0.85x
Male	2151	60.2%	3986	51.1%	1.85x
Female	1420	39.8%	3817	48.9%	2.69x
Children 0-19	471	13.2%	2383	30.5%	5.06x
Total Non-Bahraini Cases	1370		1164		0.85x
Non Bahraini Age Groups					
0-9	62	4.5%	49	4.2%	0.79x
10-19	40	2.9%	23	2.0%	0.58x
20-29	297	21.7%	225	19.3%	0.76x
30-39	542	39.6%	436	37.5%	0.80x
40-49	319	23.3%	261	22.4%	0.82x
50-59	87	6.4%	136	11.7%	1.56x
60+	23	1.7%	34	2.9%	1.48x
Total Bahraini Cases	2201		6639		3.02x
Bahraini Age Groups					
0-9	431	19.6%	1158	17.4%	2.69x
10-19	372	16.9%	1153	17.4%	3.10x
20-29	415	18.9%	1163	17.5%	2.80x
30-39	353	16.0%	1064	16.0%	3.01x
40-49	269	12.2%	855	12.9%	3.18x
50-59	197	9.0%	717	10.8%	3.64x
60+	164	7.5%	529	8.0%	3.23x

458 **Table (2):** The table demonstrates COVID-19 cases before and after Ashura. Cases
 459 are divided by: transmission source, symptomatic status, gender, nationality, and
 460 age. The column on the far right shows the change comparing before and after
 461 Ashura.
 462

Choosing Time Periods Reperesenting 'Before' and 'After' Eid Alfitr



Choosing Time Periods Reperesenting 'Before' and 'After' Ashura

