medRxiv preprint doi: https://doi.org/10.1101/2020.10.19.20215681; this version posted August 11, 2021. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

Title: Discussion of Mental Illness and Mental Health By NBA Players on Twitter

Authors: Shaan Kamal*, M.D.[1], Osama El-Gabalawy*, M.D.[2], Shahan Kamal, B.S.[3], Mohammed H. Malik, B.S.[4]

**Equal contributions*

[1]University of Texas at Austin Dell Medical School, Department of Psychiatry & Behavioral Sciences, 1601 Trinity Street, Stop Z0600, Austin, TX 78712
[2]Department of Psychiatry, Columbia University Medical Center and New York State Psychiatric Institute, 1051 Riverside Drive, New York, NY 10032, USA
[3]University of Connecticut, Storrs, CT 06269
[4]University of Connecticut School of Medicine, 263 Farmington Avenue, Farmington CT, USA 06030

Corresponding Author:
Shaan Kamal
University of Texas at Austin Dell Medical School
Department of Psychiatry & Behavioral Sciences
1601 Trinity Street, Stop Z0600
Austin, TX 78712
Tel: 845-857-9746
Email: shaan.kamal@ascension.org

Word Count: 600

medRxiv preprint doi: https://doi.org/10.1101/2020.10.19.20215681; this version posted August 11, 2021. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

Abstract:

In 2019, the National Basketball Association (NBA) expanded its mental health rules to include mandating that each team have at least one mental health professional on their full-time staff and to retain a licensed psychiatrist to assist when needed. In this work, we investigate the NBA players' discussion of mental health using historical data from players' public Twitter accounts. All current and former NBA players with Twitter accounts were identified, and each of their last 800 tweets were scraped, yielding 920,000 tweets. A list of search terms derived from the DSM5 diagnoses was then created and used to search all of the nearly one million tweets. In this work, we present the most common search terms used to identify tweets about mental health, present the change in month-by-month tweets about mental health, and identify the impact of players discussing their own mental health struggles on their box score statistics before and after their first tweet discussing their own mental health struggles.

Introduction:

Although sports psychiatry is not a new area within psychiatry, athlete mental health has become a more prevalent topic of discussion as many successful, world renowned athletes have discussed their own mental health struggles.[1–3] Despite the ongoing discussions of mental health in this population, there is little in the way of literature on the topic or any research quantifying such disclosures by athletes. Furthermore, the literature on psychiatric treatment of athletes in professional organizations is also limited.[4] In 2020, the National Basketball Association (NBA) expanded its mental health policy to include mandating that each team have at least one mental health professional on their full-time staff, to retain a licensed psychiatrist to assist when needed, maintain confidentiality, and provide services that are culturally competent.[5] These measures were a response to increasing player discussions of mental health on social media platforms.[5] In January of 2021, the NBA enacted policy requiring teams to provide telehealth services in light of the ongoing COVID-19 pandemic for mental health. In this

medRxiv preprint doi: https://doi.org/10.1101/2020.10.19.20215681; this version posted August 11, 2021. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

work, we investigate the NBA players' discussion of mental health using historical data from players' public Twitter accounts.

Methods

All current and former NBA players with Twitter accounts were identified using BasketballReference, and each of their last 800 tweets were scraped in June 2020 via the official Twitter API. This included players' own tweets as well as retweets from other accounts. A list of search terms derived from mental health terms and DSM5 diagnoses was used to search all of the collected tweets (Supplemental Figure 1). All tweets were read to determine if players were disclosing any personal mental health struggles. We present the most common search terms used to identify tweets about mental health, the monthly change in such tweets, and identify the impact of players' disclosure on their box score statistics.

Results

In total, 1374 active Twitter accounts were found for current and former NBA players, with a total of 902,454 tweets collected. Using the designated search terms, 1,293 tweets were found to contain at least one mental health term. Of the players with a Twitter account, 508 players (37%) tweeted about mental health. The average number of likes for all collected tweets was 6,484 and for mental health related tweets was 16,533. There is a clear trend of an increasing number of positive tweets each year with a large increase in 2018, coinciding with the first NBA player mental health Twitter disclosure (Figure 1).

The tweets were then analyzed to determine which search terms were most common within the subset of tweets about mental health (Figure 2). The five most common terms found (mental health, autism, anxiety, suicide, and depression) accounted for 80% of all mental health tweets.

medRxiv preprint doi: https://doi.org/10.1101/2020.10.19.20215681; this version posted August 11, 2021. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

Tweets disclosing personal mental health struggles were used to examine any potential correlation between disclosure and performance. Two players were found to fit this criteria. These players' performance in the 10 games before and after their disclosure was compared using BasketballReference's boxscores (Supplemental Figure 2). Both players had better performance in the 10 games after in almost all statistical categories, although both also had increases in personal fouls and turnovers.

Discussion

Sports psychiatry is a growing field, with increasing literature on psychiatrists working with professional organizations. Twitter has become a leading platform for public figures, such as professional athletes, to voice opinions. This work adds to the literature in showing quantitatively how the discussion amongst professional athletes regarding mental health has changed over time and that tweets about mental health show more engagement with the general public. In addition, there appears to be a positive correlation between disclosure and player performance.

Disclosure Statement:
The authors declare no competing interests.

References

1. Begel D. An overview of sport psychiatry. *Am J Psychiatry*. 1992;149(5):606-614.
2. Arvinen-Barrow M. Commentary: The Experience of Depression during Careers of Elite Male Athletes. *Front Psychol*. 2016;7:1609.
3. Ströhle A. Sports psychiatry: mental health and mental disorders in athletes and exercise treatment of mental disorders. *Eur Arch Psychiatry Clin Neurosci*. 2019;269(5):485-498.
4. McDuff DR, Garvin M. Working with sports organizations and teams. *Int Rev Psychiatry*. 2016;28(6):595-605.
5. Reynolds T. NBA Updates Mental Health Policies Amid Ongoing Pandemic. Published January 6, 2021. https://www.nba.com/news/nba-updates-mental-health-policies-amid-ongoing-pandemic

medRxiv preprint doi: https://doi.org/10.1101/2020.10.19.20215681; this version posted August 11, 2021. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

Author Contributions: Shaan Kamal and Osama El-Gabalawy both developed the methodology, analyzed results, and wrote and edited the final manuscript. Shahan Kamal and Mohammed Malik assisted in methodology and manuscript review.

Figures

Figure 1: Number of Mental Health Related Tweets by Year



Figure 2: Top Five Most Commonly Found Search Terms

medRxiv preprint doi: https://doi.org/10.1101/2020.10.19.20215681; this version posted August 11, 2021. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.



Supplemental Figures

Supplemental Figure 1: DSM5 and Mental Health Derived Search Terms

```
['autism', 'autistic', 'attention-deficit/hyperactivity', 'adhd', 'attention deficit disorder', 'ad/hd', 'attention d
eficit hyperactivity', 'schizophrenia', 'schizophrenic', 'schizotypal', 'schizophreniform', 'schizoaffective', 'psych
otic', 'delusional disorder', 'catatonia', 'catatonic', 'bipolar', 'cyclothymic', 'cyclothymia', 'depressive disorde
r', 'depression', 'depressed', 'disruptive mood', 'mood dysregulation', 'major depressive', 'persistent depressive',
'depressive disorder', 'dysthymia', 'dysthymic', 'anxiety', 'anxiety disorder', 'social anxiety', 'separation anxiet
y', 'mutism', 'phobia', 'social phobia', 'panic disorder', 'panic attack', 'agoraphobia', 'generalized anxiety', 'sub
stance/medication-induced anxiety disorder', 'obsessive-compulsive', 'obsessive compulsive', ' ocd', 'body dysmorphi
c', 'body dysmorphia', 'hoarding disorder', 'hoarder', 'trichotillomania', 'hair-pulling', 'hair pulling', 'excoriati
on', 'skin-picking', 'skin picking', 'reactive attachment', 'disinhibited social engagement', 'posttraumatic stress',
'ptsd', 'post traumatic stress', 'acute stress disorder', 'adjustment disorder', 'dissociative identity disorder', 'd
issociative amnesia', 'depersonalization', 'derealization', 'somatic symptom', 'somatic disorder', 'illness anxiety d
isorder', 'conversion disorder', 'functional neurological symptom disorder', 'neurological disorder', 'neurological s
ymptom disorder', 'factitious disorder', 'pica rumination', 'avoidant food intake', 'restrictive food intake', 'anore
xia nervosa', 'anorexia', 'anorexic', 'bulimia nervosa', 'bulimia', 'bulimic', 'binge eat', 'binge-eat', 'sleep terro
r', 'nightmare disorder', 'sexual dysfunction', 'delayed ejaculation', 'erectile disorder', 'erectile dysfunction',
'orgasmic disorder', 'sexual interest disorder', 'sexual arousal disorder', 'genito-pelvic pain', 'penetration disord
er', 'hypoactive sexual desire', 'gender dysphoria', 'oppositional defiant', 'intermittent explosive', 'conduct disor
der', 'personality disorder', 'antisocial personality', 'pyromania', 'kleptomania', 'alcoholism', 'alcoholic', 'alcoh
ol use disorder', 'alcohol intoxication', 'alcohol withdrawal', 'alcoholic seizures', 'phencyclidine use disorder',
'opioid use disorder', 'opioid intoxication', 'opioid withdrawal', 'gambling disorder', 'delirium', 'delirious', 'par
anoid personality', 'antisocial personality', 'borderline personality', 'histrionic personality', 'narcissistic perso
nality', 'avoidant personality', 'dependent personality', 'obsessive-compulsive personality', 'voyeuristic', 'exhibit
ionistic', 'frotteuristic', 'sexual masochism', 'sexual sadism', 'pedophilic', 'pedophilia', 'pedophile', 'fetishisti
c', 'transvestic', 'drug addict', 'heroin addict', 'crack addict', 'meth addict', 'cocaine addict', 'weed addict', 'c
annabis addict', 'marijuana addict', 'alcohol addict', 'opiate addict', 'hallucinogen addict', 'substance use disorde
r', 'substance abuse', 'heroin intoxication', 'crack intoxication', 'meth intoxication', 'cocaine intoxication', 'wee
d intoxication', 'marijuana intoxication', 'alcohol intoxication', 'opiate intoxication', 'cannabis intoxication', 'h
allucinogen intoxication', 'mental disorder', 'alcoholic', 'suicide', 'suicidal', 'psychiatrist', 'lobotomy', 'mental
illness', 'mentally ill', 'mental institution', 'psych ward', 'narcissistic', 'mentalhealth', 'mental health', 'menta
lillness']
```

Supplemental Figure 2: Players' performance difference in the 10 games after disclosing personal mental health struggles compared to the 10 games afterwards

medRxiv preprint doi: https://doi.org/10.1101/2020.10.19.20215681; this version posted August 11, 2021. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

	Player 1	Player 2
FG	1.424242	1.416667
FGA	2.636364	0.083333
FG%	0.042818	0.097167
3P	1.409091	0.166667
3PA	2.030303	0.75
3P%	0.183909	0.042
FT	1.287879	1.916667
FTA	1.583333	2.416667
FT%	0.040727	0.069667
ORB	0.234848	0.083333
DRB	1.5	1.25
TRB	1.734848	1.333333
AST	1.106061	0.833333
STL	0.159091	0
BLK	0.05303	0.25
TOV	1.136364	1
PF	0.272727	0.25
PTS	5.545455	4.583333
GAME_SCOR	4.634848	3.466667
+/	1.606061	4.166667


120
100
80
60
40
20
0
# of Mental Health Related Tweets
2009
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
Year


# of Tweets Containg Search Term
300
250
200
150
100
50
0
mental health
autism
anxiety
suicide
depression
DSM5 and Mental Health Derived Search Terms