

Decrease in Hospitalizations for COVID-19 after Mask Mandates in 1083 U.S. Counties

^{1,2}Dhaval Adjudah, ¹Karthik Dinakar, ³Samuel P. Fraiberger, ⁴George W. Rutherford, ⁴David V. Glidden, ⁵Monica Gandhi

¹Massachusetts Institute of Technology, Media Lab, Cambridge, MA

²Center of Complex Interventions, Inc., Boston, MA

³Development Data Group, World Bank, Washington, DC

⁴Department of Epidemiology and Biostatistics, University of California, San Francisco (UCSF)

⁵Division of HIV, Infectious Diseases, and Global Medicine, Department of Medicine, University of California, San Francisco (UCSF)

Withdrawal: The authors have withdrawn this manuscript because there are increased rates of SARS-CoV-2 cases in the areas that we originally analyzed in this study. New analyses in the context of the third surge in the United States are therefore needed and will be undertaken directly in conjunction with the creators of the publicly-available databases on cases, hospitalizations, testing rates. Etc. We will be performing this in conjunction with machine learning experts at UCSF. Therefore, the authors do not wish this work to be cited as reference for the project. We hope to have an updated analysis using data from the 2nd and now 3rd wave of SARS-CoV-2 in this country soon. If you have any questions, please contact the corresponding author.

Conflict of interests: The authors have no financial conflicts of interest to report

Corresponding author:

Monica Gandhi MD, MPH

Professor of Medicine, Division of HIV, Infectious Diseases and Global Medicine

Medical Director, Ward 86 HIV Clinic

995 Potrero Avenue, 4th floor

San Francisco, CA 94110

Monica.gandhi@ucsf.edu

Key words: Universal masking, mask mandates, SARS-CoV-2, COVID-19, viral inoculum, hospitalization rates, U.S. counties