

## **Spatial-temporal relationship between population mobility and COVID-19 outbreaks in South Carolina: A time series forecasting analysis**

Chengbo Zeng, MS<sup>a,b,c</sup> Jiajia Zhang, PhD<sup>a,c,d</sup> Zhenlong Li, PhD<sup>a,c,e</sup> Xiaowen Sun, MS<sup>a,c,d</sup>

Bankole Olatosi, PhD<sup>a,c,f</sup> Sharon Weissman, MD<sup>c,g</sup> Xiaoming Li, PhD<sup>a,b,c</sup>

- a) South Carolina SmartState Center for Healthcare Quality, Arnold School of Public Health, University of South Carolina, Columbia, SC, USA
- b) Department of Health Promotion, Education, and Behavior, Arnold School of Public Health, University of South Carolina, Columbia, SC, USA
- c) University of South Carolina Big Data Health Science Center, Columbia, SC, USA
- d) Department of Epidemiology and Biostatistics, Arnold School of Public Health, University of South Carolina, Columbia, SC, USA
- e) Geoinformation and Big Data Research Lab, Department of Geography, School of Art and Science, University of South Carolina, Columbia, SC, USA
- f) Department of Health Services, Policy, and Management, Arnold School of Public Health, University of South Carolina, Columbia, SC, USA
- g) School of Medicine, University of South Carolina, Columbia, SC, USA

**Corresponding author:**

Chengbo Zeng, MS, PhD Candidate

South Carolina SmartState Center for Healthcare Quality

University of South Carolina Big Data Health Science Center

Department of Health Promotion, Education, and Behavior

Arnold School of Public Health, University of South Carolina

Discovery I, 915 Greene Street, Columbia, SC 29208, United States

Phone: 803-477-5298

Email: [czeng@email.sc.edu](mailto:czeng@email.sc.edu)

**Word count:** 2,348

**Key points:** How did population mobility impact and predict the coronavirus disease 2019 (COVID-19) outbreaks in South Carolina (SC)?

**Findings:** This study leveraged disease surveillance data, Twitter-based mobility data, and Poisson time series model to investigate the relationship between population mobility and COVID-19 daily incidences at both state- and county- levels in SC. Population mobility was positively associated with the COVID-19 outbreaks and could provide an acceptable prediction of COVID-19 daily new cases within two-week window.

**Meaning:** These findings suggested that population mobility affects the COVID-19 transmission and using Twitter-based mobility data could provide acceptable prediction for further COVID-19 spread as well as inform proactive measures for disease control.

## Abstract

**Importance:** Population mobility is closely associated with coronavirus 2019 (COVID-19) transmission, and it could be used as a proximal indicator to predict future outbreaks, which could inform proactive non-pharmaceutical interventions for disease control. South Carolina (SC) is one of the states which reopened early and then suffered from a sharp increase of COVID-19.

**Objective:** To examine the spatial-temporal relationship between population mobility and COVID-19 outbreaks and use population mobility to predict daily new cases at both state- and county- levels in SC.

**Design, setting, and participants:** This longitudinal study used disease surveillance data and Twitter-based population mobility data from March 6 to November 11, 2020 to describe their changes, examine their correlation, and forecast daily COVID-19 new cases in two-week window in SC and its top five counties with the largest number of cumulative confirmed cases. Poisson count time series model was employed to carry out the research goals.

**Main outcome and measure:** The main outcome was daily new case which was calculated by subtracting the cumulative confirmed cases of previous day from the total cases. Population mobility was assessed using the number of users with travel distance larger than 0.5 mile which was calculated based on their geotagged twitters.

**Results:** Population mobility was positively associated with state-level daily COVID-19 incidence and those of the top five counties (i.e., Charleston, Greenville, Horry, Spartanburg, Richland). At the state-level, final model with time window within the last 7-day had the smallest prediction error, and the prediction accuracy was as high as 98.7%, 90.9%, and 81.6% for the next 3-, 7-, 14- days, respectively. Among Charleston, Greenville, Horry, Spartanburg, and Richland counties, the best predictive models were established based on their observations in

the last 9-, 14-, 28-, 20-, and 9- days, respectively. The 14-day prediction accuracy ranged from 60.3% to 74.5%.

**Conclusions and relevance:** Population mobility was positively associated with COVID-19 incidences at both state- and county- levels in SC. Using Twitter-based mobility data could provide acceptable prediction for COVID-19 daily new cases. Population mobility measured via social media platform could inform proactive measures and resource relocations to curb disease outbreaks and their negative influences.

**Keywords:** COVID-19; Mobility; Incidence; South Carolina

## Introduction

Since the first confirmed case of Coronavirus Disease 2019 (COVID-19) in the United States (US) on January 21, 2020, the countrywide COVID-19 outbreaks have surged quickly. As of December 29, there were 19,566,140 cumulative confirmed cases and 338,769 COVID-19 related deaths in US.<sup>1</sup> South Carolina (SC), a state located in Southeastern US, had the first confirmed cases on March 6, 2020. From March to May, the trends of daily new cases were flat with an average of daily increased cases less than 500. However, with the early implementation of reopening policies, the daily new cases in SC have risen sharply since June. On July 14, the COVID-19 cases in SC surpassed 60,000, with more than 2,200 daily new cases, the second highest increase in one day in US.<sup>2</sup> Between August and October, the transmission rate slowed down with the further implementation of non-pharmaceutical interventions (NPIs), such as dine-in service restriction and face-covering requirement, but increased steadily after October. By December 29, there were 300,602 reported cases and 5,198 deaths in SC.<sup>3</sup> Given the rapid transmission of COVID-19 in SC, more research is needed to identify potential early predictors of increasing transmission rates which could then be used to inform proactive NPIs to suppress statewide disease transmission.

Population mobility is a potential early indicator of COVID transmission as population mobility reflects the influences (both positive and negative) of NPIs, reopening actions, social distancing practices and public holidays.<sup>4-6</sup> For instance, at the early stage of COVID-19 epidemic, the SC Governor issued a series of NPIs, such as shelter-in-place and school and non-essential business closure, to reduce social interaction. These NPIs showed a positive effect in suppressing the statewide COVID-19 spread. Later in May, the reopening policies and public holidays diluted the implementation of NPIs leading to the increased social interactions and

statewide COVID-19 spread.<sup>7,8</sup> As it may be difficult to measure the real-time impact of reopening policies, public holidays and fidelity of NPIs implementation, population mobility could be a proximal indicator allowing for real-time COVID-19 transmission forecasting.

Social media platforms, such as Twitter, could collect geospatial information and closely monitor the change of population mobility.<sup>9,10</sup> Indeed, the tremendous volume of user-generated geoinformation from social media could promote the real-time or near real-time surveillance of population mobility and provide timely data of how population mobility respond to different phases of COVID-19 outbreak, policy reactions, and public holidays.<sup>11-13</sup> Several studies have leveraged mobility data from social media (e.g., Google, Facebook, Twitter) to investigate the relationship between population mobility and COVID-19 transmission.<sup>6,8,14-16</sup> These studies identified a consistently positive relationship between population mobility and COVID-19 incidence. However, few studies used population mobility as a predictor to forecast further outbreaks and to evaluate the prediction accuracy in addition to correlation analysis. One study by Wang and Yamamoto predicted COVID-19 daily new cases in Arizona using disease surveillance data, Google Community Mobility report, and partial differential equation. They found acceptable prediction for the next 3-day.<sup>16</sup> This study only classified Arizona into three regions (i.e., central, northern, southern of Arizona) and evaluated the prediction accuracy for the next 3-day which did not cover the duration of viral incubation (i.e., 14-day). More studies are needed to investigate the relationship between population mobility using social media data and COVID-19 transmission at both state- and county- levels and over longer timeframes.

Leveraging disease surveillance data and Twitter-based population mobility, the current study aimed to construct time series models of COVID-19 daily new cases, investigate the

relationship between them, and evaluate the prediction accuracy of daily new cases for the next two-week window at both state- and county- levels in SC.

## **Methods**

### *COVID-19 incidence data*

Cumulative confirmed cases of COVID-19 through November 11, 2020 at both state- and county-levels in SC were collected from The New York Times, which was deposited in Github (<https://github.com/nytimes/covid-19-data>). Within the study period (March 6, 2020 [date of 1<sup>st</sup> COVID diagnosis in SC] to November 11, 2020 [251<sup>st</sup> day]), daily new cases were calculated by subtracting the cumulative confirmed cases of previous day from the total cases for the entire state and its five counties with largest numbers of cumulative confirmed cases (i.e., Charleston, Greenville, Horry, Spartanburg, and Richland). The study protocol was approved by the Institutional Review Boards at the University of South Carolina.

### *Population mobility*

Population mobility was assessed using the number of people (Twitter users) with moving distance larger than 0.5 mile per day in SC and the selected counties. The methodology of extracting daily population movement (origin-destination flows) from geotagged tweets has been described in detailed elsewhere.<sup>17,18</sup> Briefly, geotagged tweets during the study periods were collected and used for calculation. Only users who post at least twice a day or posted tweets on at least two consecutive days were included in the calculation. Daily travel distance was calculated for each user based on the derived origin-destination flows and used to generate a variable of how many people moved each day (with travel distance larger than 0.5 mile). This method of capturing population mobility through Twitter had been validated by previous study.<sup>17</sup>

### *Statistical analysis*



First, daily new cases of COVID-19 and population mobility at both state- and county-levels were described using line charts in R version 3.6.3 (The R Foundation, “ggplot” package). Daily new cases and mobility were also described using five quantiles (i.e., minimum, 25<sup>th</sup> percentile, 50<sup>th</sup> percentile, 75<sup>th</sup> percentile, and maximum) by each month.

Second, Poisson count time series model was used to model the impact of population mobility on the daily new cases of COVID-19 at state-level. Time series models were built at the various time windows. At the first round selection, a total of 17 time windows (by a 7-day increment) were considered including 1 to 7 days, 1 to 14 days, ..., and 1 to 119 days. The daily new cases from the 1<sup>st</sup> to 234<sup>th</sup> days were used as the training dataset and those from the next 3-day (235<sup>th</sup> ~ 237<sup>th</sup>) were used as testing dataset for the purpose of model evaluation. With the smallest prediction error (Formula 1) and good interpretation, model with the best time window was selected. Once the best time window in the first round selection was determined, the second and third round selections would be conducted to narrow down the time window and obtain the final model with the smallest prediction error. The final model was used to predict the COVID-19 daily new cases for the next 3-, 7-, and 14- days (238<sup>th</sup> ~ 251<sup>st</sup> days). Cumulative difference (Formula 2) between observed and predicted cases and mean absolute percentage accuracy (Formula 3) by each timeframe were reported.<sup>16</sup>

$$\sqrt{\sum_{d=1}^3 \left( \frac{x_o - x_p}{x_o} \right)^2} \quad (\text{Formula 1})$$

$$\sum_{d=1}^n |x_o - x_p| \quad (\text{Formula 2})$$

$$1 - \frac{\sum_{d=1}^n |x_o - x_p|}{\sum_{d=1}^n x_o} \quad (\text{Formula 3})$$

**Notes:** *d*: day; *n*: next 3-, 7-, or 14- days; *o*: observed value; *p*: predicted value; *x*: daily new cases.

Finally, similar analytic procedure was performed to construct the final model at the county-level for each of the top five counties (i.e., Charleston, Greenville, Horry, Spartanburg, and Richland) in SC. Poisson count time series model was conduct using the R package (“tscount”).

## **Results**

### *Descriptive statistics*

Table 1 shows the descriptive statistics of COVID-19 new cases at both state- and county-levels. By October 31, there were 176,612 cumulative COVID-19 confirmed cases in SC. The cumulative confirmed cases in Charleston, Greenville, Horry, Spartanburg, and Richland were 17,384, 18,021, 12,591, 9,290, and 17,531, respectively. At the state-level, the daily new cases from March to the end of May were less than 500. From June to the middle of July, the daily new cases elevated, with 2,217 new COVID-19 patients on July 14. After that, the transmission rate decreased, with most of the daily new cases less than 1,500. After October, the daily new cases steadily increased.

At the county- level, the top five counties showed a similar trend of COVID-19 outbreaks and accounted for more than 40.0% of the total cases in SC. The daily new cases increased earlier in Greenville than the other four counties.

Regarding the population mobility, the trends at both state- and county- levels were similar. The numbers of people in SC (Twitter users in our data) with a moving distance of more than 0.5 mile decreased from 1,400 to 550 between March 6 and April 9, 2020. Although there were slight increases from the middle of April to that of June, the numbers were consistently around 1,000 after this timeframe. At the county-level, each of the five counties had less than 200 people with moving distance larger than 0.5 mile after the middle of March.

### *Model selection of time series analyses*

Following the model selection procedure, Poisson count time series model of COVID-19 incidence at the state-level was constructed using daily new cases and population mobility. Population mobility was positively associated with state-level COVID-19 daily new cases ( $\beta=0.818$ , 95% CI: 0.761~0.876), and model using the past 7- day (1~7 days) as time window had the smallest prediction error (Table 2). The prediction error of new cases in the next 3- day (235<sup>th</sup> ~ 237<sup>th</sup>) was 0.218.

At the county-level, similar modelling procedure was employed. Population mobility was consistently and positively associated with COVID-19 new cases across the top five counties. The best time windows for Charleston, Greenville, Horry, Spartanburg, and Richland were 9-, 14-, 28-, 20-, and 9- days, respectively. Table 2 presents the detailed results of final model, correlation analysis, and 3-day prediction error at both state- and county- levels.

### *COVID-19 daily new cases forecasting*

Table 2 also presents the results of forecasting and prediction accuracy. Using final models with the selected time windows, COVID-19 daily new cases were forecasted for the next 14-day at both state- and county- levels. At the state- level, the 3-day cumulative difference and prediction accuracy were 42 and 98.7%, respectively. As compared to the 3-day prediction accuracy, the 7- and 14- day accuracy reduced to 90.9% and 81.6%. At the county- level, among the top five counties, the 3-day prediction accuracy ranged from 69.0% to 99.3%. The prediction accuracy decreased in Charleston, Greenville, and Spartanburg with the increase of time span. In contrast, the prediction accuracy in Horry and Richland increased in 7-day prediction but reduced in 14-day prediction. The 14- day prediction accuracy among Horry and Richland were close to their values in 3-day prediction.

## Discussion

This study leveraged disease surveillance data and Twitter-based population mobility to test the relationship between mobility and COVID-19 daily new cases and forecast the future transmission rates during the next 14 days at both state- and county- levels in SC. Results revealed that population mobility was significantly and positively associated with COVID-19 daily new cases. Using the selected models to forecast COVID-19 transmission, we found that although the prediction accuracy at state- level and most of the selected counties decreased with the increase of time span, the prediction accuracy was acceptable. To the best of our knowledge, this is the first study that combined correlation analysis and forecasting together and investigated the impacts of population mobility on COVID-19 spread at both state- and county- levels.

Population mobility could reflect the impacts of NPIs, reopening policies, and public holidays and estimate the social movement during the current COVID-19 pandemic. It is closely related to the COVID-19 outbreaks, which is in accordance with that of prior research.<sup>6,8,14-16</sup> This study added values to previous studies by examining the impacts of population mobility on COVID-19 incidence and evaluate its prediction efficacy at both state- and county- levels in SC during the two-week window. Although this indicator could only reflect the mobility among people who used Twitter, the results still revealed the positive correlation between mobility and COVID-19 spread.

Additionally, using Twitter-based mobility data to predict COVID-19 daily new cases could provide acceptable accuracy, which could also justify the validity and prediction efficacy of this indicator. The high prediction accuracy at the state-level was consistent with Wang's finding in Arizona.<sup>16</sup> However, such a high prediction accuracy could not be found at the county-level. One possible explanation for these findings is that we did not capture the influences of

contextual factors (i.e., population density) and the roles of mitigating factors (e.g., wearing face mask, practicing social distancing).<sup>16,19,20</sup> Additionally, the Twitter-based mobility did not differentiate the social movement at different locations, such as movement around parks, workplace, and retail places, which showed different impacts on the COVID-19 incidence.<sup>6</sup> Furthermore, in this study, we only captured population mobility at state- and county- levels while population mobility at zip code level might provide more accurate prediction. Finally, compared with mobility data from other platforms (e.g., Facebook, Google, Safegraph, Apple), our Twitter-based mobility only estimated how many people with moving distance larger than a specific value. Nevertheless, the findings generating from this study confirmed the spatial-temporal relationship between Twitter-based mobility and COVID-19 outbreaks in SC as well as the prediction efficacy of population mobility.

Use of population mobility data has potential implications in future research and practices to curb COVID-19 outbreaks. From a research perspective, studies on mobility and COVID-19 could be studied at state-, county-, and/or zip code levels. In addition, mobility around different locations could provide detailed information regarding COVID-19 transmission, identify the most relevant mobility associated with daily new cases, and inform tailored interventions on social distancing by different locations to control disease outbreaks. Furthermore, the geospatial difference in the prediction accuracy of population mobility on daily new cases by county suggested that contextual factors, such as demographic characteristics and implementation fidelity of NPIs at county-level, should be accounted for in future research. Finally, as the incubation and transmission of COVID-19 are closely associated with time-varying factors, such as temperature and weather, their impacts are also need to be considered in forecasting studies.<sup>21</sup> Regarding the practice of disease control and prevention, leveraging social media platform to

monitor daily population mobility could be used to improve the predictions of further COVID-19 spread, inform proactive NPIs, and arrange healthcare resources to reduce disease morbidity and mortality.<sup>22,23</sup>

## **Conclusion**

Population mobility was positively associated with COVID-19 transmission at both state- and county- levels in SC. Using Twitter-based mobility data could provide acceptable prediction for COVID-19 daily new cases. The application of social media platforms to monitor population mobility and predict COVID-19 spread could inform proactive measures to curb disease outbreaks and buffer their negative influences.

## **Acknowledgement**

This study was supported by the National Institute of Health (NIH) Research Grant R01AI127203-01A by National Institute of Allergy and Infectious Diseases and National Science Foundation (NSF) Grant No. 2028791.

## Reference

1. Centers for Disease Control and Prevention. Coronavirus Disease 2019 (COVID-19): Cases & Deaths in the US. 2020. Retrived from: <https://www.cdc.gov/coronavirus/2019-ncov/index.html>
2. Bohatch E. SC sees more than 2,200 coronavirus cases, second highest increase in one day. *The State*. 2020. Retrived from: <https://www.thestate.com/news/coronavirus/article244215817.html>
3. South Carolina Department of Health and Environmental Control. SC Demographic Data (COVID-19). 2020. Retrived from: <https://www.scdhec.gov/infectious-diseases/viruses/coronavirus-disease-2019-covid-19/sc-demographic-data-covid-19>
4. Drake TM, Docherty AB, Weiser TG, Yule S, Sheikh A, Harrison EM. The effects of physical distancing on population mobility during the COVID-19 pandemic in the UK. *Lancet Digit Health*. 2020;2(8):e385-e387. doi: 10.1016/S2589-7500(20)30134-5
5. Wang S, Liu Y, Hu T. Examining the change of human mobility adherent to social restriction policies and its effect on COVID-19 cases in Australia. *Int J Environ Res Public Health*. 2020;17(21). doi: 10.3390/ijerph17217930
6. Sulyok M, Walker M. Community movement and COVID-19: A global study using Google's Community Mobility Reports. *Epidemiol Infect*. 2020;148:e284. doi: 10.1017/S095026882002757
7. Gibbs H, Liu Y, Pearson CAB, et al. Changing travel patterns in China during the early stages of the COVID-19 pandemic. *Nat Commun*. 2020;11(1):5012. doi: 10.1038/s41467-020-18783-0



8. Xiong C, Hu S, Yang M, Luo W, Zhang L. Mobile device data reveal the dynamics in a positive relationship between human mobility and COVID-19 infections. *Proc Natl Acad Sci USA*. 2020;117(44):27087-27089. doi: 10.1073/pnas.2010836117
9. Hawelka B, Sitko I, Beinat E, Sobolevsky S, Kazakopoulos P, Ratti C. Geo-located Twitter as proxy for global mobility patterns. *Cartogr Geogr Inf Sc*. 2014;41(3):260-271. doi: 10.1080/15230406.2014.890072
10. Martin Y, Li Z, Ge Y. Towards real-time population estimates: introducing Twitter daily estimates of residents and non-residents at the county level. *arXiv preprint* 2020. arXiv:2011.13482
11. Yang C, Sha D, Liu Q, et al. Taking the pulse of COVID-19: A spatiotemporal perspective. *International Journal of Digital Earth*. 2020;13(10):1186-1211. doi: 10.1080/17538947.2020.1809723
12. Li Z, Li X, Porter D, et al. Monitoring the spatial spread of COVID-19 and effectiveness of the control measures through human movement using big social media data: A study protocol. *JMIR Res Protoc*. 2020. doi: 10.2196/24432
13. Huang X, Li Z, Jiang Y, et al. The characteristics of multi-source mobility datasets and how they reveal the luxury nature of social distancing in the US during the COVID-19 pandemic. *medRxiv*. 2020. doi: 10.1101/2020.07.31.20143016
14. Bisanzio D, Kraemer MUG, Bogoch, II, Brewer T, Brownstein JS, Reithinger R. Use of Twitter social media activity as a proxy for human mobility to predict the spatiotemporal spread of COVID-19 at global scale. *Geospat Health*. 2020;15(1). doi: 10.4081/gh.2020.882.

15. Gatalo O, Tseng K, Hamilton A, Lin G, Klein E. Associations between phone mobility data and COVID-19 cases. *Lancet Infect Dis.* 2020. doi: 10.1016/S1473-3099(20)30725-8
16. Wang HY, Yamamoto N. Using a partial differential equation with Google Mobility data to predict COVID-19 in Arizona. *Math Biosci Eng.* 2020;17(5):4891-4904. doi: 10.3934/mbe.2020266
17. Huang X, Li Z, Jiang Y, Li X, Porter D. Twitter reveals human mobility dynamics during the COVID-19 pandemic. *PLoS One.* 2020;15(11):e0241957. doi: 10.1371/journal.pone.0241957
18. Li Z, Huang X, Ye X, Li X. ODT flow explorer: Extract, query, and visualize human mobility. *ArXiv [Preprint] 2020 Nov 26:arXiv:201112958v1* 2020.
19. Badr HS, Du H, Marshall M, Dong E, Squire MM, Gardner LM. Association between mobility patterns and COVID-19 transmission in the USA: A mathematical modelling study. *Lancet Infect Dis.* 2020;20(11):1247-1254. doi: 10.1016/S1473-3099(20)30553-3
20. Gatalo O, Tseng K, Hamilton A, Lin G, Klein E, Program CDCM-H. Associations between phone mobility data and COVID-19 cases. *Lancet Infect Dis.* 2020. doi: 10.1016/S1473-3099(20)30725-8
21. Carlson CJ, Gomez ACR, Bansal S, Ryan SJ. Misconceptions about weather and seasonality must not misguide COVID-19 response. *Nat Commun.* 2020;11(1):4312. doi: 10.1038/s41467-020-18150-z
22. Kurian SJ, Bhatti AUR, Ting HH, Storlie C, Shah N, Bydon M. Utilization of mobility data in the fight against COVID-19. *Mayo Clin Proc Innov Qual Outcomes.* 2020. doi: 10.1016/j.mayocpiqo.2020.10.003

23. Buckee CO, Balsari S, Chan J, et al. Aggregated mobility data could help fight COVID-19. *Science*. 2020;368(6487):145-146. doi: 10.1126/science.abb8021

Table 1. Descriptive statistics of population mobility and COVID-19 new cases at both state- and county- levels

	Minimum	25 <sup>th</sup> percentile	50 <sup>th</sup> percentile	75 <sup>th</sup> percentile	Maximum
<b>Population mobility</b>					
<b>State-level</b>					
March	658	809	1,010	1,109	1,438
April	554	617	670	697	786
May	630	754	812	848	940
June	756	848	871	910	993
July	818	870	896	937	1,039
August	767	828	863	884	1,035
September	784	831	875	907	1,021
October	789	843	898	965	1,085
<b>County-level</b>					
<b>Charleston</b>					
March	81	104	126	142	195
April	62	75	83	92	98
May	73	93	104	121	140
June	96	109	116	126	154
July	95	109	117	121	133
August	88	99	109	120	134
September	94	110	116	126	150
October	95	113	122	132	142
<b>Greenville</b>					
March	103	115	139	156	177
April	82	93	106	114	134
May	100	113	119	127	132
June	104	117	124	133	162
July	107	124	135	140	153
August	111	129	140	146	168
September	114	128	140	144	158
October	104	133	138	149	169
<b>Horry</b>					

	March	77	84	87	116	158
	April	53	64	71	80	97
	May	76	87	100	128	151
	June	103	113	125	133	162
	July	100	116	123	140	171
	August	89	112	118	137	160
	September	79	96	107	117	143
	October	71	99	105	116	151
<b>Spartanburg</b>						
	March	40	67	82	89	106
	April	34	43	47	50	61
	May	47	51	56	62	72
	June	50	62	65	72	78
	July	51	67	76	85	101
	August	50	65	70	77	94
	September	55	62	65	70	74
	October	52	59	67	79	92
<b>Richland</b>						
	March	58	76	82	93	120
	April	53	68	73	78	84
	May	61	69	77	84	115
	June	65	77	86	93	105
	July	59	76	82	95	105
	August	72	79	89	95	109
	September	72	82	89	97	125
	October	72	84	92	100	119
<b>COVID-19 new cases</b>						
<b>State-level</b>						
	March	0	3	18	74	158
	April	62	131	154	204	275
	May	82	129	164	228	467
	June	236	476	757	1,115	1,755
	July	972	1,520	1,726	1,855	2,374

	August	456	722	937	1,214	1,583
	September	301	624	863	1,190	2,665
	October	381	789	912	1,057	1,706
<b>County-level</b>						
<b>Charleston</b>						
	March	0	0	1	8	32
	April	0	3	5	12	48
	May	0	1	6	8	23
	June	11	34	69	200	373
	July	85	164	221	303	418
	August	25	53	95	105	218
	September	0	35	46	65	425
	October	13	34	50	61	89
<b>Greenville</b>						
	March	0	1	5	11	18
	April	0	9	19	28	54
	May	7	14	21	33	150
	June	47	71	115	147	245
	July	49	129	167	196	276
	August	14	40	53	95	184
	September	6	41	75	113	289
	October	27	87	107	140	197
<b>Horry</b>						
	March	0	1	2	3	5
	April	0	2	5	9	18
	May	0	4	5	10	26
	June	17	47	99	133	221
	July	63	103	145	189	358
	August	16	30	41	56	115
	September	4	20	30	46	70
	October	15	48	73	90	139
<b>Spartanburg</b>						
	March	0	0	0	2	7

	April	1	4	6	11	32
	May	1	4	7	14	61
	June	5	18	34	44	72
	July	18	48	63	84	125
	August	11	25	44	62	92
	September	2	18	50	99	215
	October	0	46	78	96	147
<b>Richland</b>						
	March	1	3	6	14	37
	April	3	15	25	32	56
	May	5	15	19	26	33
	June	12	44	67	81	155
	July	57	108	138	165	234
	August	39	79	93	124	408
	September	34	77	96	142	766
	October	24	51	67	78	130

Table 2. The impacts of population mobility on COVID-19 outbreaks in SC

	State- level		County- level			
		Charleston	Greenville	Horry	Spartanburg	Richland
<b>Model training</b>						
Time windows	1-7	1-9	1-14	1-28	1-20	1-9
Coefficient of population mobility (95% <i>CI</i> )	0.818 (0.761,0.876)	0.486 (0.338,0.634)	0.278 (0.165,0.390)	0.395 (0.275,0.515)	0.220 (0.118,0.422)	0.167 (0.067,0.246)
<b>Model evaluation</b> (3-day prediction error)	0.218	1.752	0.217	2.778	0.363	0.435
<b>Forecasting</b>						
Prediction						
238 <sup>th</sup> day	1,097	64	128	71	86	64
239 <sup>th</sup> day	1,031	68	135	43	102	78
240 <sup>th</sup> day	1,029	69	130	53	58	77
241 <sup>st</sup> day	1,091	67	142	51	80	77
242 <sup>nd</sup> day	1,034	74	160	34	79	72
243 <sup>rd</sup> day	1,073	73	130	67	65	78
244 <sup>th</sup> day	1,049	79	149	41	69	77
245 <sup>th</sup> day	1,096	82	138	44	97	80
246 <sup>th</sup> day	1,085	85	149	48	87	86
247 <sup>th</sup> day	1,096	88	140	39	80	88
248 <sup>th</sup> day	1,105	91	146	47	77	88
249 <sup>th</sup> day	1,104	94	150	38	71	89
250 <sup>th</sup> day	1,113	98	149	35	62	91
251 <sup>st</sup> day	1,114	101	147	48	78	92
Observation						
238 <sup>th</sup> day	1,100	78	133	47	89	92
239 <sup>th</sup> day	1,003	54	155	42	86	122
240 <sup>th</sup> day	1,018	71	127	39	101	76
<b>Cumulative difference</b>	<b>42</b>	<b>30</b>	<b>28</b>	<b>40</b>	<b>66</b>	<b>81</b>
<b>3-day accuracy (%)</b>	<b>98.7</b>	<b>85.1</b>	<b>99.3</b>	<b>69.0</b>	<b>76.0</b>	<b>72.2</b>
241 <sup>st</sup> day	1,411	96	186	49	124	123
242 <sup>nd</sup> day	894	49	138	36	48	62
243 <sup>rd</sup> day	1,035	67	92	67	61	72
244 <sup>th</sup> day	918	59	164	43	45	76



<b>Cumulative difference</b>	<b>670</b>	<b>110</b>	<b>147</b>	<b>45</b>	<b>175</b>	<b>144</b>
<b>7-day accuracy (%)</b>	<b>90.9</b>	<b>76.7</b>	<b>85.2</b>	<b>85.9</b>	<b>68.3</b>	<b>76.8</b>
245 <sup>th</sup> day	769	57	63	51	22	87
246 <sup>th</sup> day	1,233	63	159	54	152	73
247 <sup>th</sup> day	1,870	101	299	94	165	124
248 <sup>th</sup> day	946	77	121	47	69	65
249 <sup>th</sup> day	703	49	107	36	55	43
250 <sup>th</sup> day	1,347	63	200	101	59	83
251 <sup>st</sup> day	1,257	93	177	86	60	148
<b>Cumulative difference</b>	<b>2,858</b>	<b>272</b>	<b>541</b>	<b>217</b>	<b>452</b>	<b>329</b>
<b>14-day accuracy (%)</b>	<b>81.6</b>	<b>72.1</b>	<b>74.5</b>	<b>72.6</b>	<b>60.3</b>	<b>73.6</b>

*Note:* CI: Confidence interval.



Figure 1. Daily COVID-19 new cases at both state- and county-levels in SC

*Note:* SC: South Carolina.




Figure 2. Daily population mobility at both state- and county-levels in SC

*Note:* SC: South Carolina.