

1 Education Research International

2 **COVID-19 and Medical Education in Ghana: Assessing the Impact**

3 Edward Asumanu: easumanu@yahoo.com

4 Postgraduate Unit, 37 Military Hospital, Neghelli Barracks, Accra, Ghana

5 Linda Tsevi: ltsevi@ug.edu.gh

6 School of Continuing and Distance Education, College of Education, University of Ghana,

7 P.O. Box LG 1181, Legon, Ghana

8 Correspondence should be addressed to Edward Asumanu: easumanu@yahoo.com

9 **ABSTRACT**

10 Medical education in Ghana has been affected in many ways by the onslaught of the COVID-
11 19 pandemic. Though the pandemic has affected both preclinical and clinical segments of
12 medical education, the effect has been felt more at the clinical stage. Medical students on
13 vacation who started their clinical training abroad could not return to their destination of
14 study to complete their programme because of COVID-19 linked travel restrictions. This
15 qualitative study examined how COVID-19 impacted on teaching and learning at a public
16 higher education institution offering clinical medical education in Ghana for over 200
17 medical students. These medical students were from three different higher education
18 institutions with varied curriculum outcomes. Thus, for them to be considered as a single
19 group required innovativeness on the part of administrators. Open-ended interviews were
20 held with administrators and the outcome indicated that salient aspects of the clinical training
21 process had been impacted. These included administration of clinical education, curriculum,
22 student learning, student assessment and code of practice. As a result of the pandemic,
23 student learning shifted from traditional face to face interaction to online learning at the
24 beginning. Some of the administrative challenges that ensued included the need for reduced
25 number of students per tutor and introduction of afternoon sessions with a limited budget.
26 The paper concludes that COVID-19 has been disruptive to traditional medical education in
27 Ghana. However, the novel learning processes may provide opportunities to increase access
28 to medical education using a phased system of learning. The findings from this study should
29 have implications for policy and contribute to the discourse on blended learning in medical
30 education in Ghana while ensuring that quality is maintained in all instances.

31 **Introduction**

32 COVID-19 pandemic has precipitated a number of transformations in the education sector
33 globally and the medical education unit has not been spared [1]. Clinical and practical
34 components of medical education that had been handled on a face-to-face basis for decades
35 had to be suddenly revised and transformed into a blend of online and limited face-to-face
36 programmes while ensuring that COVID-19 protocols were observed to guarantee faculty and
37 student safety. Suffice it to say that in the Sub-Saharan African country of Ghana, the global
38 COVID-19 pandemic has disrupted the traditional model of medical education which, over a
39 long period of time has been very conservative in its structure and function [2].
40 Overall, the COVID-19 pandemic has caused an overhaul of medical school orthodoxy that
41 whilst disruptive, may serve to expose institutions to novel means of teaching and assessment
42 which may ultimately improve medical education in the future [3]. In Ghana, COVID-19 has
43 interrupted the clinical aspect of medical education in many ways. During a three-week
44 lockdown in Ghana which ended on April 19, 2020 clinical medical education was suspended
45 just like any other educational activity. After the lifting of the three-week lockdown and
46 easing of some restrictions, medical students in higher education institutions undertaking
47 clinical components, transitioned to a blended form of learning. Initially, medical students
48 were reluctant to attend classes for fear of contracting the virus even with all the safety
49 protocols in place, and this affected teaching and learning. However, with counselling and
50 assurance from administrators of these institutions, the students gradually eased into the
51 learning mode. The students also attended classes with new codes of dressing proffered by
52 the administration. Findley [4] notes that when students returned to clinical rotation
53 eventually, all didactic teaching have evolved to online formats. Moreover, clinical
54 experiences of students had to come with the wearing of personal protective equipment and

55 maintenance of social distance. Faculty members and administrators also had to be creative in
56 their clinical supervision of students.

57 In line with safety protocols, there were fewer number of cases for teaching the clinical
58 component in Ghana's higher education institutions. In addition to merging some of the
59 lessons, administrators ensured that class sizes were reduced to prevent infection while e-
60 learning was rapidly deployed as a means of teaching. Research indicate that the beginning of
61 the pandemic led to a suspension of didactic teaching to be replaced by live-stream
62 synchronous or recorded lectures which negatively impacted collaborative experiences and
63 communication skills of students [5, 4, 6].

64 Medical education in Ghana is a five and a half year programme consisting of preclinical and
65 clinical stages. The clinical stage of training includes in-hospital clinical rotations, theoretical
66 lectures and at the same time revolves around patient interaction which aids in understanding
67 the pathology of diseases. Traditionally it was structured on face-to-face communication
68 (history taking) and physical contact (physical examination). This method of teaching thus
69 required close contact with patients whose diseases were not predetermined. Indeed the
70 essence of the clinical training stage is for the student to interact, determine the disease and
71 plan an appropriate management. Since COVID -19 has been known to have a direct human
72 to human transmission as well as a high morbidity and mortality rate the traditional clinical
73 training mode was affected. One key mode of transmission is contact with an infected person
74 in an unprotected manner. However, as most infected persons may be asymptomatic,
75 preventive measures required distancing and reduced contact. The combination of the disease
76 transmission, its fatality and preventive measures have greatly impacted the clinical stage of
77 medical education. According to Findley [4] classes for medical students in clinical training
78 in Texas, U.S.A. who were inured to the hands-on nature of clinical medical education, were
79 suspended to among others, protect students and ensure social distance in clinical settings.

80 Notably, the transition to a blend of both online and limited face-to-face contact was not
81 without its challenges as students needed this fusion to enable the efficient practical
82 application of theories learnt [5, 4, 6].
83 Invariably, the COVID-19 pandemic has obliged administrators of higher education
84 institutions to be innovative in their ability to replicate some of the face-to-face clinical
85 contact and engagement into a virtual environment. Thus, this paper aims to describe and
86 explain the experiences of a higher education institution offering clinical medical education
87 during the COVID-19 pandemic in Ghana. These experiences have come with challenges and
88 opportunities for administrators, faculty members and students. It is worthy of note that a
89 number of publications have examined student experiences in this pandemic (5, 4, 7] but
90 there is a dearth of papers on how institutions offering medical education have coped with the
91 pandemic [8] especially in the Sub-Saharan African region generally and Ghana in particular.
92 This paper therefore attempts to bridge this gap by offering a Ghanaian perspective about
93 innovative practices adapted in teaching and learning in view of resource challenges that
94 higher educational institutions in developing countries are encountering in the midst of the
95 pandemic. Three research questions guided this study: (a) How has departmental
96 administrators of a higher education institution offering clinical medical education in Ghana
97 adapted teaching and learning to the COVID-19 pandemic? (b) How did the administrators
98 overcome challenges associated with the shift to a blend of online learning and limited face to
99 face interaction? (c) How were the clinical rotations of three different groups of students
100 managed simultaneously?

101 **Method**

102 This qualitative study purposefully selected and interviewed six departmental administrators
103 from a Ghanaian public higher education institution that has provided clinical training to
104 undergraduate medical students for a number of decades. The study employed an in-depth

105 unstructured open-ended interview protocol. The objective of the interview method was to
106 obtain salient information from the administrators regarding the processes that had gone into
107 the provision of blended learning to medical students undergoing clinical training in the era
108 of COVID-19. Interviewing is an effective means to gain insights into experiences and
109 perspectives of administrators in a higher education institution [9]. Similarly, according to
110 Rubin and Rubin [10] interviews are very beneficial because they enable the researcher to
111 decipher what has happened, why and what it largely means. The 37 Military hospital was
112 selected for the study because it is a tertiary facility that provides final year clinical training
113 for undergraduate medical students in surgery, obstetrics and gynaecology, paediatrics and
114 internal medicine trained both in and outside the country. It is significant to note that during
115 the COVID-19 pandemic in 2020, the hospital had over 200 students from three higher
116 education institutions (namely a public, private and a foreign medical school) undertaking
117 clinical rotations simultaneously and at various stages of training. Students from the public
118 and private medical schools were taking their regular clinical courses while the foreign
119 medical students were included due to air travel restrictions during the pandemic. Previously
120 these rotations were staggered such that each category had its own period of clinical rotation.
121 The 37 Military hospital coordinated with all three institutions and adapted its own situation
122 to facilitate the provision of clinical training programmes. The clinical programme is
123 supervised by the undergraduate unit of the hospital and implemented by six clinical
124 departments namely Anaesthesia and Intensive Care Units, Obstetrics and Gynaecology,
125 Medicine, Paediatrics, Public Health and Surgery. The Department of Surgery is made up six
126 core units namely Cardiothoracic, General Surgery, Orthopedics and Trauma, Plastic and
127 Reconstructive, Urology and Neurosurgery. Other associated units are Ophthalmology,
128 Ortholaryngology and Maxillofacial. The Medical Department has subspecialty units
129 including Cardiology, Nephrology, Diabetes and Endocrinology, Respiratory, Nephrology,

130 Dermatology, Psychology, General Medicine and the Haematology unit. The Paediatric unit
131 has a Neonatal Intensive Care unit and a Paediatric emergency unit. It runs specialist clinics
132 in Cardiovascular, Sickle Cell, and General Paediatrics. The Obstetrics and Gynaecology
133 Department has separate Gynaecological and Obstetrics emergency units. The Public Health
134 Department has all the components of preventive health and has clinics and programmes
135 from mother and child welfare as well as infectious disease clinics. This unit is involved in
136 community health and public health education campaigns

137 In this study, all six participants were recruited by the lead researcher in October 2020 from
138 the departments that constitute the undergraduate unit. Telephone and face-to-face interviews
139 as the situation demanded were conducted while obeying all the COVID-19 safety protocols.
140 These contacts with participants were made after the clinical training sessions for final year
141 students had ended. The study was also approved by the lead researcher's Institutional
142 Review Board (IRB) with reference number 37MH-IRB/NF/IPN/467/2020. An unstructured
143 open-ended interview protocol served as a guide for the data collection. The lead researcher
144 conducted all interviews in person and permission was sought from the participants to audio
145 record. When interviews are recorded, it offers an accurate data capture [11]. In order to
146 maintain confidentiality, actual participant names were not included in the study. The
147 duration of each interview ranged from 50 minutes to about an hour and a half. Copies of the
148 interview protocols, which were informed by the research questions guiding the study, were
149 given to the participants prior to the interview date. Essentially, the interview schedule for the
150 administrators focused on how they have adapted teaching and learning to the era of COVID-
151 19 and addressed challenges encountered among others.

152 The transcripts from the interviews with each participant were coded separately through the
153 application of content analysis by using both inductive and deductive approaches [12]. The
154 coding was done manually by reading through the interview transcripts several times to look

155 for repeating ideas that were relevant to the research questions among others. Each interview
156 transcript was read at least three times to acquaint the researchers with the themes that would
157 emerge from the coding process. The researchers also undertook open coding of the
158 transcripts to be followed by axial coding by developing categories. The researchers
159 examined themes that emerged from the interviews both deductively and inductively and
160 looked for linkages and patterns among themes. Descriptive categories were identified and
161 copies of the interview transcripts and emergent themes were sent to participants by email.
162 The participants acknowledged that the interpretation of the data was accurate after reviewing
163 the transcripts. To further ensure reliability and validity of data analysed, there was member
164 checking thus, a peer reviewer reviewed all the codes to eliminate possible research bias.

165 **Results**

166 The outcomes of the study are reported under the following thematic areas namely:
167 administration of clinical education, student learning, curriculum, student assessment, code of
168 practice, opportunities and challenges

169 *Administration of Clinical Education*

170 The participants noted that they had to think outside the box to enable the smooth running of
171 the clinical component of education as well as address some of the challenges that this
172 pandemic has brought about. The clinical part of medical education is indicated as a very
173 critical component of the training process, without which a medical student will not be able to
174 graduate and practice. A participant from the undergraduate unit noted that discussions were
175 held with stakeholder establishments regarding the clinical rotation of medical students and
176 the need for those in their final year to complete their rotations and graduate. However, there
177 were challenges associated with the attainment of this objective. One participant that we will
178 call Kodjo stated:

179 The common theme among all the schools was the need to complete rotations and
180 graduate their final year group. The challenge for our institution was the aggregate

181 large number of students from the beneficiary institutions..... The 37 Military hospital
182 had adequate infrastructure and technology backbone to mitigate the impact of the
183 COVID -19 but there were still challenges with inter and intradepartmental
184 implementation of programmes. A centralised planning was done for the overall
185 implementation of programmes.
186

187 For very valid reasons, participants indicated that they had to find ways of balancing the need
188 to complete the academic calendar despite the substantial time lost because of the pandemic,
189 while incorporating social distance into the programmes. Student groups had to be reduced
190 from an average of 10 per tutor to five for clerkship rotation. Afternoon sessions which were
191 not the norm, were introduced to accommodate the increased student groups created as a
192 result of the pandemic. Another administrative concern that had to be addressed was
193 recruiting tutors on short term basis to meet the demands of COVID-19 protocols. This had
194 to be undertaken without an increase in either departmental or institutional administrative
195 budget. Some of the innovative activities that participants had to implement include ensuring
196 reduced face-to-face interactions and long hours of screen time [13]. Majority of the
197 participants agreed that the success of this blended form of clinical education may continue to
198 be the new normal for a while. However, it was imperative that the preliminary challenges
199 encountered were addressed efficaciously so that medical students get the best out of this
200 experience and eventually contribute their quota to the health field in the long run. Though
201 there is no clarity on the overall impact of COVID-19 on medical education and how the
202 current adaptations may influence its future, participants were of the view that the innovative
203 ways had yielded positive results [14]. Kwaku, a participant stated: *Staggering the different*
204 *groups' clinical rotation times was a useful approach to managing the large number of*
205 *students while adhering to the COVID-19 safety protocols.*

206 ***Student Learning***

207 Student learning has changed drastically in the era of COVID-19. As earlier indicated the
208 common mode of learning in clinical years in Ghana is by clerkship rotation at various

209 clinical wards, outpatient departments and theatres. The participants noted a need for
210 modification to two components of clinical teaching consisting of practical sessions and
211 classroom lectures/tutorials. Practical sessions were modified to have reduced numbers while
212 aspects of the classroom sessions were changed from face to face to online teaching.
213 However, the student numbers for the online teaching were kept unchanged. Before COVID-
214 19 struck, faculty members had to contend with large class sizes in didactic lectures and
215 clinical rotations. There was also institutional adoption of the creative use of video
216 conferencing, social media platforms, and usage of free open access medical tools. These
217 were used to maximum effect at departmental levels with Zoom video conferencing being the
218 most common method adopted [15, 16] according to majority of participants. Effecting
219 technology into medical education in Ghana, though distinct, had its challenges. Some of the
220 challenges encountered by students included bandwidth issues and reliable and stable internet
221 connectivity [16]. On a significant note, participants also observed that student attendance
222 and utilisation of library facilities increased during this COVID era.

223 Kwame (not his real name), a participant, made an important observation about faculty
224 members' usage of technology. He stated: *Younger faculty members found online learning*
225 *exciting and quickly adapted. On the other hand, older faculty members had initial*
226 *difficulties adapting.* Further, there were limited clinical experiences sessions for students
227 mainly because of the imposed nationwide restrictions. These restrictions required medical
228 educators to outline priorities for the limited clinical experiences and design different
229 approaches to competency attainment [17]. Kwame further noted that: *During the pre-*
230 *COVID era, practical sessions for medical students were held mainly in the morning but with*
231 *the onset of the pandemic, afternoon clinical training sessions were added to cater for the*
232 *increased numbers in student groupings.*

233 The COVID-19 protocols that had to be adhered to included social distancing rules and the
234 wearing of personal protective equipment (PPE). Since the disease can cause life threatening
235 conditions instructors must deliver lectures safely, while ensuring the integrity and continuity
236 of the medical education process [18]. Consequently, participants were of the view that
237 emergency units that used to be a critical site for training, should be excluded because of
238 COVID-19, and this limited the number of cases for learning. They also note that before the
239 pandemic, students were expected to have daily contacts with patients but this was reduced
240 and replaced by tutor-led demonstration of clinical signs of diseases. During these
241 demonstrations, the tutors directed students on what to do and what to find on a patient.
242 In the pre-COVID era, students were to elicit their own findings based on lessons taught in
243 the classroom that encouraged a more hands-on process while the tutor corrects mistakes. The
244 present system under COVID, uses observation of patients by students to acquire the skill
245 needed for practice which is not desirable. It has been reported that in teaching by
246 observation, clinical learners are passive observers which indicates a low yield use of an
247 invaluable resource [19]. As an alternative to hands-on procedures, the institution introduced
248 the use of dummies and mannequins as replacement for live patients. During the clinical
249 training process, medical institutions in Ghana needed to ensure that students are exposed to a
250 wide range of cases including those that present as emergencies. But COVID-19 changed this
251 traditional learning trajectory as exposure to all emergencies was drastically reduced. Thus
252 medical students did not encounter many emergencies such as heart failure and ectopic
253 pregnancies. Moreover, administrators of medical institutions in Ghana had to ensure that
254 switching partly to online learning would not adversely affect student learning outcomes.

255 ***Curriculum***

256 Data from the study indicates that the curriculum in clinical medical education in Ghana was
257 modified because of COVID-19. Sani [8] in examining the consequences of the pandemic on

258 curriculum delivery and student assessment in the UK, noted that many of the written
259 assessments were changed to open-book examinations by medical schools in response to the
260 COVID-19 pandemic. This raised a possible issue of examination being an inadequate
261 measure of students' theoretical knowledge due to ease of access to online resources.
262 Overwhelmingly, the participants believed that as a result of COVID-19, curricula for the
263 clinical stages had to be redesigned to highlight the essential requirements that meets the
264 minimum standards of training. Changes had to be made to both content and duration
265 components of the course structure. It was a challenging task striking a balance between the
266 different curriculum requirements for the three groups of students. A participant that we will
267 call Ama noted:

268 The institutions made changes to curriculum used for training medical students. At
269 our Department, the mode of delivery of the curriculum content varied and changed
270 from online to demonstration teaching. The different institutions had varied
271 curriculum for the same clinical rotation.
272

273 In most instances about a quarter of the proposed programme had to be omitted according to
274 majority of the participants. This was to make up for time lost in the academic calendar. As
275 part of the innovations, lectures were done online at the beginning of the clinical rotation and
276 the practical sessions followed. This was intended to keep students away from the patients as
277 much as possible. Previously, lectures and practical sessions were held concurrently but with
278 this innovation, contact between students as well as the risk element was reduced by half. It is
279 anticipated that ingenuities of medical education will emerge out of the COVID-19 pandemic
280 [20]. Ultimately, curriculum revision resulted in reduced duration of contact and content.
281 Research further indicates that the beginning the pandemic led to suspension of didactic
282 teaching to be replaced by live-streams or recorded lectures. And this negatively impacted
283 collaborative experiences and communication skills of students [5, 4, 6].

284 ***Student Assessment***

285 The goal of student assessment during clinical years is to meet requirements of the Medical
286 and Dental Council in Ghana and the universities of training. Prior to the onset of the
287 pandemic medical students' assessment in Ghana was gradually shifting from the traditional
288 long case and short case type of assessment to the Objective Structured Clinical Examination
289 (OSCE). Notably, the participants were of the view that pandemic has accelerated the
290 introduction of OSCE into student assessment in medical education in Ghana. While OSCE
291 was suitable for the pandemic, a participant (Ama) stated: *...it had its drawback in difficulty*
292 *with implementation and maintenance of high standards set by most medical schools.*
293 As a result of COVID-19, practical assessments had to be rescheduled; the implication being
294 that students had longer periods to prepare adequately for the practical component. The
295 participants further noted that clinical students' end of rotation assessment took the form of
296 multiple choice questions and short answer clinical-based questions. Practical clinical
297 examinations and oral interviews were excluded.

298 ***Code of Practice***

299 Data from this study indicates that the advent of COVID-19 has brought swift changes in the
300 code of practice for medical education in Ghana. The code of practice comprises student
301 dressing and preparation for clinical sessions among others. Participants noted that they had
302 to be creative in their supervision of students both theoretically and during practical sessions.
303 Previously, the dress code of medical students had traditionally been orthodox and
304 conservative where the student is expected to be attired in a formal dressing with a white
305 overcoat. But with the advent of the pandemic it meant that students have to appear in
306 "scrubs" (short sleeve dresses used for surgical operations) to protect them from infection. In
307 order for stakeholders to accept the current reality of new dress modes, they had to be
308 formally informed. One participant called Abena intimated that: *It needed internal*
309 *communication to have all stakeholders accept the current reality.* The reason being that this

310 was an alien practice to faculty members, hospital staff and clients attending hospitals. It thus
311 portrayed a sociocultural phenomenon of how society perceived medical students in training
312 as well as doctors.

313 It is significant to note that the use of the open book method of learning in wards and clinical
314 settings was not part of the traditional way of teaching and learning in Ghana. Students were
315 expected to have undertaken their reading before an outpatient ward or theatre session and
316 apply this knowledge acquired to practical scenarios but the pandemic changed this tradition.
317 COVID-19 also provided students with the opportunity to use technology to find information
318 during practical sessions. While the use of technology made some sessions disruptive because
319 students were online searching for answers, other tutors used the opportunity to motivate
320 students to research and stimulate self-directed learning at practical sessions. But some of the
321 participants indicated that students had difficulties with older faculty in this instance because
322 they regarded the use of gadgets in clinical sessions as inappropriate behaviour. There was
323 also a challenge regarding patients voluntarily offering themselves to be used for practical
324 sessions during this COVID-19 period. A participant that we will call Kofi stated: *Patients*
325 *were not used to medical students searching for information online during clinical training*
326 *sessions. This affected their willingness to volunteer for teaching purposes.*

327 Majority of the participants noted that privacy, a key component of medical interaction,
328 became a challenge due to fewer number of available patients. Therefore, students had to be
329 paired and patients had to be reused multiple times for training sessions. Providing medical
330 and personal history to more than one student for multiple times compromised privacy of
331 patients. The situation worsened when patients have to be subjected to physical examination
332 in the same manner. Eventually, the consequences were that parts of the examination were
333 excluded from the teaching sessions. A participant (called Kodjo) noted: *It is yet to be*

334 *determined the effect of these practical sessions on the ability of trainees to perform these*
335 *examinations and make interpretations appropriately.*

336 The elimination of some aspects of clinical education as a consequence of COVID-19 led to a
337 feeling of vulnerability among students as they could not be of immediate assistance to their
338 faculty members in the discharge of their clinical duties. The students did not partake in
339 frontline service provision perhaps from the fear of contracting COVID-19. However, the
340 students found ingenious ways of assisting medical personnel and were not directly involved
341 in the frontline service provision. In Singapore, medical students were involved in the design
342 of workflows for patient management [7]. Findley [4] also indicates that when students
343 returned to clinical rotation eventually, all didactic teaching have evolved to online formats.
344 Students had to wear personal protective equipment while maintaining social distance and
345 obeying all the safety protocols.

346 ***Opportunities and Challenges***

347 The COVID-19 pandemic has brought about opportunities as well as challenges in clinical
348 medical education in Ghana. Research indicates that the establishment of small groups or
349 interactive learning communities through leverages in technology such as webinars and
350 videoconferences has enhanced student learning experiences in this era while quality is not
351 sacrificed [5, 7, 8]. This was largely the observation in this study. Another major impact that
352 COVID-19 had on medical education is the cancellation of face-to-face conferences which
353 has affected medical students who require it in their applications for residency. This has
354 resulted in the demand for online conferences to enable prospective students participate. The
355 pandemic has therefore provided a need for leveraging technology such as
356 videoconferencing, teleconferencing, webinars and the usage of e-learning platforms for both
357 undergraduate and postgraduate medical education [5, 4, 6].

358 Nonetheless, Jaideep [6] is of the view that though teaching online during the pandemic is
359 now the new normal, it comes with challenges such as students' inability to sufficiently meet
360 their learning goals in relation to internal assessment examinations and clinical ward rounds
361 among others. A participant indicated that some sessions were merged and others were not
362 completed as a result of the pandemic. This was done to enable final year medical students to
363 graduate. The suspension of in-person didactic class sessions among others, negatively
364 impacted on the capability of students to develop collaborative, clinical and communication
365 skill sets as well as group learning [5, 4, 7, 6]. Equally, a number of noticeable challenges
366 surfaced during this period. Majority of the participants indicated that as a result of multiple
367 student sessions at the clinical stage, there was the need for increased numbers of faculty
368 members and support staff though funding was not readily available. Also, it was sometimes
369 difficult to track student attendance online and attitude to practical sessions as there was
370 noticeable fatigue among faculty members resulting in cancelled lectures and practical
371 sessions. There was additional financial strain on the departments as administrative staff who
372 shared a common office had to relocate to a new building so that social distancing protocols
373 could be followed to prevent the spread of COVID-19. This required the use of additional
374 resources and finances that had not been budgeted for. Financial constraints and work output
375 of support staff continue to be some of the pressing challenges in managing medical
376 education [21]. Kwame, a participant stated: *One other noticeable issue was that the*
377 *work output of administrative staff working from home in alternate weekly fashion decreased*
378 *when compared to work output in the pre-COVID era.*

379 **Discussion**

380 This study examined the impact of COVID-19 on clinical medical education in Ghana from
381 the perspective of administrators of a higher education institution in Ghana, a country in Sub-
382 Saharan Africa. The outcome of the study noted themes such as administration of clinical

383 education, student learning, curriculum, student assessment, code of practice, opportunities
384 and challenges in the assessment of COVID-19's impact on medical education in Ghana.
385 Some of the perspectives noted in this study aligned with what pertains globally [22]. The
386 participants generally noted that they had to think outside the box regarding clinical rotations
387 as well as determining innovative ways of completing the academic calendar to enable
388 medical students graduate and complement the national health workforce. The participants
389 for the first time, had to tussle with three student groups of varied backgrounds concurrently.
390 Thus they had to run three different curricula simultaneously in a midst of a global pandemic.
391 The study further indicated that student learning changed from a face to face didactic
392 component to a blend with online and expansive use of technology. Younger faculty
393 members seamlessly adapted to technology usage as opposed to older faculty members who
394 had issues during the transitioning process. Students' challenges with technology usage had
395 to do more with bandwidth issues, reliable and stable internet for online classes rather than
396 skill. Participants further noted that the regular class sizes also had to be reduced to ensure
397 that COVID-19 safety protocols such as social distancing and wearing of personal protective
398 equipment were adhered to. The reduction in class sizes however, came with faculty fatigue
399 as they had to do more sessions than they were previously accustomed to.
400 Emergency cases were also reduced in clinical training and this impacted on the collaborative
401 learning skills of students [5, 4, 6]. The adaption in practice where students have to appear in
402 protective equipment and scrubs aggregating around a patient was new to our sociocultural
403 practices. The absence of emergency cases for clinical education needs to be studied further
404 to determine its impact on performance in practice. This study highlights the need for a
405 harmonised curriculum among medical schools for effective administration of course content
406 during clinical years. The content should meet the minimum standard of care while preparing
407 students for new and unanticipated global emergency.

408 Student assessment also shifted from the traditional long case assessment to the Objective
409 Structured Clinical Examination (OSCE). This was a rapid paradigm shift that students,
410 faculty members and administrators adapted to. The data suggests that though administrators
411 were ill prepared in terms of resources and training to undertake the OSCE but were able to
412 achieve the desired objective. OSCE is an expensive method for clinical assessment and the
413 cost must be adjusted in medical education funding. The use of OSCE as an assessment tool
414 is suitable in times of emergencies and provides a practical method in the absence of patients.
415 Findings from the study also indicate opportunities and challenges that participants had to
416 address. Some of the opportunities included the leveraging of technology for
417 videoconferencing, webinars and e-learning platforms for medical education as a result of the
418 pandemic [5, 4, 6]. Technology also had to be leveraged by the institution to foster
419 synchronous teaching and a limited face-to-face component, though it did not come without
420 its challenges such as quality of internet streaming [5, 4, 6, 23]. The code of practice relating
421 to student dressing changed as a result of COVID-19. The surge in technology usage in
422 clinical medical education has become the new normal. There is now a rise in online
423 conferences, interactive learning communities, webinars and video-conferences among others
424 through leverages in technology usage. These have enhanced student learning experiences in
425 the era of the pandemic while quality is not totally sacrificed [5, 7, 8]. There is an anticipated
426 prolonged lifespan of physical infrastructure from reduced usage and subsequent wear and
427 tear.

428 Challenges that participants indicated included inability to track student attendance since
429 some class sessions were held online. There was also limited opportunity to evaluate attitude
430 to practical sessions. Other challenges were inadequate funding and resources, and faculty
431 fatigue emanating from numerous class sessions scheduled to make up for lost time. The
432 participants noted that they had to find ways of balancing the need to complete the academic

433 calendar despite time gone, while incorporating all the needed safety protocols into the
434 clinical programmes. There were reported long hours of screen time and reduced face-to-face
435 interactions [13, 14]. Primarily before the onset of the pandemic, medical education in Ghana
436 had traditionally been a structured face-to-face communication. However, this structure has
437 changed in the COVID-19 era as administrators had to be innovative to continue the clinical
438 component of medical education. Moreover, the clinical experiences of students had to come
439 with the wearing of personal protective equipment and maintenance of social distance [14].
440 Some older faculty members were not too happy with the opportunity given to students to
441 look for answers online during clinical sessions since they felt it was interrupting its smooth
442 flow.

443 **Limitations of Study**

444 This study has several limitations in that the participants were purposefully selected from one
445 public institution providing clinical training for medical students from three higher education
446 institutions. Thus the findings may not be entirely generalizable. Second the number of
447 participants was small and the study only focused on experiences and perspectives from
448 administrators. Future studies could investigate student and faculty member experiences and
449 perspectives from both public and private institutions. The experiences of student and faculty
450 member could be compared with that of administrators' to determine if there were any
451 similarities and differences. These findings could also aid institutions offering clinical
452 medical education in Sub-Saharan Africa as to what will work best in Africa's peculiar
453 environment.

454 **Conclusion**

455 This paper has examined innovative ways adopted by a public higher education institution in
456 Ghana offering clinical medical education to three higher education institutions during the
457 COVID-19 pandemic using a blended format. A number of innovations had to be
458 implemented to ensure student graduation. Though some of the implemented programmes

459 were not without challenges, the incorporation of technology greatly enhanced the training
460 process and aided in completion and graduation while taking cognizance of student
461 assessment, curriculum and administration among others. As students, faculty members and
462 administrators adapt during this pandemic, technology continues to be leveraged and novel
463 initiatives improved on while quality is not sacrificed. This paper has shown that COVID-19
464 has been disruptive to traditional medical education in Ghana. However, the innovative
465 learning processes may provide the opportunity to increase access to medical education
466 through the introduction of a phased system of learning. An alternative to foreign medical
467 training will also have to be evaluated if part of training can be undertaken in-country. The
468 findings from this study should have implications for policy and contribute to the discourse
469 on blended learning in medical education in Ghana while ensuring that excellence is
470 maintained in all instances. It is believed that the discussions in this paper may be of
471 significance to other medical institutions in the Sub-Saharan African region.

472 **Data Availability**

473 The data used to support the findings of this study are included in the article.

474 **Conflict of Interest**

475 The authors declare they have no conflict of interest.

476 **Acknowledgement**

477 The authors acknowledge the invaluable responses from the administrators of undergraduate
478 units of Departments in the 37 Military Hospital during the study period.

479 **References**

- 480 [1] A. A. Samaraee, "The impact of COVID-19 pandemic on medical education," *British*
481 *Journal of Hospital Medicine*, vol.81, no. 7, pp.1-4, 2020.
- 482 [2] R. Khalil, A.E. Mansour and W.A. Fadda, et al. "The sudden transition to
483 synchronized online learning during the COVID-19 pandemic in Saudi Arabia: A
484 qualitative study exploring medical students' perspectives," *BMC Med Educ*, vol. 20,
485 no. 285, pp.1-10, 2020. <https://doi.org/10.1186/s12909-020-02208-z>

- 486 [3] A. M. Monaghan. “Medical teaching and assessment in the era of COVID-19.”
487 *Journal of Medical Education and Curricular Development*, vol. 7, pp. 1-3, 2020.
488 <https://doi.org/10.1177/2382120520965255>
- 489 [4] C. H. Findley, “Medical school education remains strong during COVID-19
490 pandemic,” 2020. Retrieved from [https://med.uth.edu/psychiatry/2020/06/26/medical-](https://med.uth.edu/psychiatry/2020/06/26/medical-school-education-remains-strong-during-covid-19-pandemic/)
491 [school-education-remains-strong-during-covid-19-pandemic/](https://med.uth.edu/psychiatry/2020/06/26/medical-school-education-remains-strong-during-covid-19-pandemic/)
- 492 [5] M. N. Ferrel and J. J. Ryan, “The impact of COVID-19 on medical education,”
493 *Cureus*, vol.12, no. 3, 2020. e7492. DOI 10.7759/cureus.7492
- 494 [6] G. Jaideep, “Reimagining medical education in India at the time of the COVID-19
495 crisis,” 2020. Retrieved from [https://www.expresshealthcare.in/blogs/guest-blogs-](https://www.expresshealthcare.in/blogs/guest-blogs-healthcare/reimagining-medical-education-in-india-at-the-time-of-the-covid-19-crisis/425310/)
496 [healthcare/reimagining-medical-education-in-india-at-the-time-of-the-covid-19-](https://www.expresshealthcare.in/blogs/guest-blogs-healthcare/reimagining-medical-education-in-india-at-the-time-of-the-covid-19-crisis/425310/)
497 [crisis/425310/](https://www.expresshealthcare.in/blogs/guest-blogs-healthcare/reimagining-medical-education-in-india-at-the-time-of-the-covid-19-crisis/425310/)
- 498 [7] C. Z. Liang, S. B. S. Ooi, and W. Wang, “Pandemics and their impact on medical
499 training: Lessons from Singapore,” *Acad Med*. vol. 95, no. 9, pp. 1359-1361. 2020
500 doi: 10.1097/ACM.0000000000003441.
- 501 [8] I. Sani, Y. Hamza, and Y. Chedid, et al. “Understanding the consequence of COVID-
502 19 on undergraduate medical education: Medical students’ perspective,” *Annals of*
503 *Medicine and Surgery*, vol. 58, pp.117–119, 2020.
- 504 [9] I. E. Seidman, *Interviewing as qualitative research: A guide for researchers in*
505 *education and the Social Sciences*. (Second Edition) New York: Teachers College
506 Press. 1998.
- 507 [10] H. J. Rubin and I. S. Rubin. *Qualitative interviewing: The art of hearing data*.
508 (Second Edition). Thousand Oaks: Sage Publications. 2005.
- 509 [11] D. L. Morgan and H. Guevara. “Audiorecording.” In Lisa M. Given (Ed.), *The Sage*
510 *Encyclopedia of Qualitative Research Methods*, Volumes 1 and 2. SAGE
511 Publications, 2008.
- 512 [12] S. Lauri and H. Kyngas. *Developing Nursing Theories (Finnish: Hoitotieteen Teorian*
513 *Kehittaminen)*. Werner Soderstrom, Dark Oy, Vantaa. 2005.
- 514 [13] M. Adnan and K. Anwar, “Online learning amid the COVID-19 pandemic: Students’
515 perspectives,” *Online Submission*, vol. 2, no. 1, pp. 45 – 51, 2020.
- 516 [14] M. H. Shehata, E. Abouzeid and N.F. Wasfy et al. “Medical education adaptations
517 post COVID-19: An Egyptian reflection,” *Journal of Medical Education and*
518 *Curricular Development*. January 2020. doi:10.1177/2382120520951819
- 519 [15] R. Hilburg, N. Patel, and S. Ambruso et al. “Medical education during the
520 coronavirus disease -2019 pandemic: Learning from a distance,” *Advances in Chronic*
521 *Kidney Disease*, Advance online publication. 2020.
522 <https://doi.org/10.1053/j.ackd.2020.05.017>

- 523 [16] S. Rose. “Medical student education in the time of COVID-19.” *JAMA*, vol. 323, no.
524 21, pp. 2131–2132. 2020, doi:10.1001/jama.2020.5227.
- 525 [17] C. R. Lucey and S.C. Johnston. “The transformational effects of COVID-19 on
526 medical education,” *JAMA*, vol. 324, no. 11, pp. 1033–1034. 2020,
527 doi:10.1001/jama.2020.14136
- 528 [18] A. Alsoufi, A. Alsuyihili and A. Msherghi et al. “Impact of the COVID-19 pandemic
529 on medical education: Medical students’ knowledge, attitudes, and practices regarding
530 electronic learning,” *PLoS ONE*, vol. 15, no. 11, 2020, e0242905.
531 <https://doi.org/10.1371/journal.pone.0242905>
- 532 [19] C. Macdougall, P. Dangerfield and D. Katz et al. “The impact of COVID-19 on
533 medical education and medical students: How and when can they return to
534 placements?”, *MedEdPublish*, vol. 9, no. 1, pp. 159, 2020.
535 <https://doi.org/10.15694/mep.2020.000159.1>
- 536 [20] H. Ahmed, M. Allaf, and H. Elghazaly, “COVID-19 and medical education,” *The
537 Lancet. Infectious diseases*, vol. 20, no. 7, pp. 777–778. 2020.
538 [https://doi.org/10.1016/S1473-3099\(20\)30226-7](https://doi.org/10.1016/S1473-3099(20)30226-7)
- 539 [21] S. Lekamwasam. “Clinician-administrator; challenges associated with changing
540 roles,” *MedEdPublish*, vol. 6, no. 2, pp. 37, 2017,
541 <https://doi.org/10.15694/mep.2017.000099>
- 542 [22] A. Adjei-Nkansah, P. Adjei, and K. Torpey. “COVID-19 and medical education: an
543 opportunity to build back better,” *Ghana Med J*, vol. 54, no. 4, 113-116, 2020, doi:
544 <http://dx.doi.org/10.4314/gmj.v54i4s.18>
- 545 [23] M. Al-Balas, H. I. Al-Balas, and H. M. Jaber, et al. “Distance learning in clinical
546 medical education amid COVID-19 pandemic in Jordan: current situation, challenges,
547 and perspectives,” *BMC Medical Educ*, vol. 20, no. 341, 2020,
548 <https://doi.org/10.1186/s12909-020-02257-4>