

Injuries and fatalities in Colombian mining emergencies (2005 - 2018)

Running title: Colombian mining emergencies (2005 - 2018)

Authors:

Gloria C. Gheorghe, MSc,^{1,2} Edgar F. Manrique-Hernández, MD,³ Alvaro J. Idrovo, MD, PhD.³

Institutional Affiliations:

¹ Safety and Rescue Mining Group, Agencia Nacional de Minería. Bogotá DC, Colombia

² Safety and Health in Work Program, Medicine and Health Sciences School, Universidad del Rosario. Bogotá DC, Colombia

³ Public Health Department, School of Medicine, Universidad Industrial de Santander. Bucaramanga, Colombia

Correspondence:

Alvaro J. Idrovo. Departamento de Salud Pública, Facultad de Salud, Universidad Industrial de Santander. Carrera 32 #29-31, Bucaramanga, Santander, Colombia.

E-mail: idrovoaj@yahoo.com.mx

ABSTRACT

Background. During the last decades several developed countries reported a decrease in the occurrence of mining injuries. Mining is a very important sector of Colombia's economy without analyses of injuries and fatalities in mining emergencies.

Objective. This study describes the occurrence of mining emergencies in Colombia between 2005 and 2018, and their principal characteristics.

Methods. An ecological study was performed with the mining emergencies registered by the National Mining Agency between 2005 and 2018. The study described the place of occurrence, type of event, legal status and type of mines, mineral extracted, and number of injuries and fatalities. Benford's law was used to explore the quality of the data.

Results. A total of 1,235 emergencies occurred, with 751 injured workers and 1,364 fatalities. The majority of emergencies were from collapses, polluted air, and explosions, most of which occurred in coal (77.41%), gold (18.06%), and emerald (1.38%) mines. Many emergencies occurred in illegal mines (27.21%), most of which were gold, construction materials, emerald, and coal. Illegal mines had a higher relative proportion of injuries and fatalities than legal mines ($p < 0.05$). Mining disasters are likely to be underreported given that Benford's Law was not satisfied.

Conclusions. Colombia is a country with increasing mining activity, where the occurrence of mining emergencies, injuries, and fatalities is growing. This is the first one full description of mining emergencies in Colombia with the few available data.

Key words: occupational health; injuries; mortality; mining; Colombia.

INTRODUCTION

Although injuries and fatalities are a frequent occurrence in the mining industry ¹, several developed countries have seen a decrease in the occurrence of mining injuries over recent decades. Some of the best examples include several countries in the European Union as well as Canada and the United States ². In contrast, injuries and fatalities in low- and middle-income countries have mostly occurred in informal high-hazard work with unsafe environments ³, such as a variety of mining activities. In addition, historical analyses indicate that large open-pit mining has improved working conditions, while the environmental sustainability of mining has decreased ⁴.

Mining has become a key income-generating industry in Colombia over recent decades, surpassing agricultural activities and industries that had previously been dominant ⁵. The largest operations involve the extraction of coal, ferronickel, and gold, followed by building materials, salt, silver, and platinum ⁶. In spite of the growing importance of mining to Colombia's economy, occupational health and environmental studies of the mining sector are scarce. In 2018, roughly 12% of miners were injured, and the rate of fatality was 73 cases per 100,000 workers, with the mining sector having the largest number of deaths ⁷. Given this context, the objective of the present study was to describe the occurrence of injuries and fatalities caused by mining emergencies from 2005 to 2018.

MATERIALS AND METHODS

An ecological study was performed with mining emergencies in Colombia as the unit of analysis ⁸. The study reviewed emergency statistics that were registered between 2005 and 2018 by the National Mining Agency (NMA, Agencia Nacional Minera). The NMA is the

mining authority in Colombia, whose functions include: granting mining contracts to private entities, managing mining land registries, monitoring mining owners' compliance with contractual obligations, including technical, legal, and financial obligations (royalties payments and other financial compensations), mining health and safety, and coordinating the National Mining Rescue System. Thus, the NMA registers and is responsible for only the most serious mining emergencies.

The variables included in the analysis were date of occurrence of the emergency, mineral extracted, location (department, municipality, and town), type of mine (open-pit or underground), legal status of the mine (legal or illegal), type of event (falling from another level, collapse, electrical, mechanical, explosion, slope instability, fire, flood, polluted air, or events involving heavy machinery), and people affected (injuries and deaths).

The statistical methods consisted of using percentages to describe the categorical variables and measures of central tendency and dispersion to describe quantitative variables, based on evaluating the distribution with the Shapiro-Wilk test. The Mann-Whitney test was used to explore possible differences in the occurrence of injuries and fatalities in legal versus illegal mines. In addition, the quality of the data was evaluated by applying Benford's Law (for first and second digits) to the injury and fatality data. For the analysis of first digits, data with zeroes were excluded^{9,10}. The *digdis* macro developed by Ben Jann (ETH Zurich) was used for that purpose, and Pearson's χ^2 and log likelihood ratio were used to evaluate the goodness-of-fit of the distributions. The Stata 14 statistical program (Stata Corporation, College Station, TX, USA) was used for these analyses.

RESULTS

A total of 1,235 mining emergencies occurred in Colombia between 2005 and 2018, with 751 injured workers and 1,364 fatalities. Thus, a mining worker was injured approximately every 6.8 days, and a miner died from a mining emergency every 3.75 days. Figure 1 lists the sites where the mining emergencies occurred. As can be seen, the municipalities with the most number of mining emergencies were Cucunuba (n=68), Lenguaque (n=61), and Guacheta (n=52) in Cundinamarca; Marmato (n=55) in Caldas; Amagá (n=49) and Angelópolis (n=40) in Antioquia; and Tasco (n=41) in Boyacá.

Figure 2 presents the occurrence of mining emergencies by month, which shows large monthly variability in the number of emergencies (median 7, min 0, max 20), injuries (median 3, min 0, max 34), and fatalities (median 7, min 0, max 78). Table 1 presents the evaluation of the data quality, which shows a deviation from Benford's Law of first digits. An evaluation of the second digits resulted in a similar finding (data not shown), which suggests an underreporting of workers affected by mining emergencies.

Table 2 summarizes the main characteristics of the mining emergencies in Colombia between 2005 and 2018, most of which had few injured workers (97.81%). Fatalities had a similar distribution, with the majority of the emergencies having less than 5 deaths (97.49%). Most of the emergencies were due to collapses, polluted air, and explosions, which together represented 59.59% of total emergencies. The largest number of emergencies occurred on Wednesdays and the least number on Saturdays and Sundays, two days that typically are not workdays in Colombia. The mines where the emergencies occurred were coal, gold, and emerald, which together represented 96.85% of the total.

With regard to the legal status of the mines where emergencies occurred, the majority were legal. Nevertheless, it is of interest that 56.50% of gold, 52.94% of construction material, 33.33% of emerald, and 20.71% of coal mines were not legal. In terms of the type of emergency in illegal mines, 57.14% were from slope instability, 48.15% from flood, 34.32% from polluted air, and 31.80% from collapses. The relative frequency of injuries and fatalities was greater at illegal mines than at legal mines ($p < 0.05$, Mann-Whitney test).

Table 3 shows the types of emergencies according to the mineral extracted from the mines. Most notably, all types of emergencies were more frequent in coal and gold mines. Collapses were most frequent (33.36%), followed by polluted air (oxygen-deficient atmosphere from oxygen being displaced by methane and carbon monoxide) (13.68%), explosions (most of which were associated with methane and/or dust in coal mines) (12.55%), mechanical failure (9.64%), and fires (7.94%). Unstable slopes were important in alluvial gold mining, and especially in illegal extraction.

DISCUSSION

The findings from this study suggest a high occurrence of mining emergencies in Colombia, with no clear decreasing trend over time. This is related with the increase in the amount of mines in Colombia as a result of the mining-energy boom over the past two decades⁶. At first glance, the fact that there were more fatalities than injuries may seem contradictory. One explanation is that the data that was analyzed corresponded exclusively to mining emergencies; our study did not include occupational injuries occurred in mining context non-related with emergencies. Nevertheless, the data's deviation from the distribution described by Benford suggests an underreporting of cases¹¹.

This type of result cannot be separated from other findings related with occupational health in Colombian mines. The concentration of suspended particles in air is a good indicator of industrial safety in coal mines. In the case of open-pit mines, which by definition have a lower concentration than underground mines, the findings indicate wide variability in Colombia, from complying with international standards to very high values such as average annual PM₁₀ concentrations over 70 µg/m³ ¹². In underground coal mining, an association has been reported between levels of polluted air and pneumoconiosis, which has reached a prevalence of as much as 35.9% for those with more than 10 years working in mining ¹³. Spirometric signs, symptoms, and findings also suggest respiratory problems ¹⁴. The coal mining costs that are associated with moral, legal, and economic responsibilities are greater than the economic benefits generated by extracting and exporting the mineral ¹⁵.

Gold mining has been related with serious environmental and social problems, including problems for human health, especially from the extended use of mercury that is pervasive in many regions of the country ¹⁶. Various effects have been seen in diverse populations of workers and the general community ¹⁷. With regard to underground gold mining, a lack of control over the use of mercury has led to excessively high levels in urban air, which have been registered as the highest worldwide, with up to 1 million ng/m³ inside gold shops ¹⁸. With regard to emerald mining, this has been strongly linked with violence in Colombia ¹⁹, which has impeded the study of safety and health conditions in those mines. A relationship with violence has also been seen in illegal gold mining ²⁰.

When considering the findings presented herein, limitations due to the data that was used should be taken into account. Although official records were used from the institution responsible for addressing mining emergencies in Colombia, the evaluation of the data's

quality and the fact that there were more fatalities than injuries strongly indicate underreporting, as was also observed during the H1N1 influenza epidemic²¹. The evidence presented in this study suggests that the majority of unreported emergencies would have been related with illegal mining, the extraction of gold, or problems with slope stability.

CONCLUSIONS

The occurrence of mining emergencies in Colombia is high, and they affect a significant number of workers. A joint effort is needed among governmental agencies, mine owners, companies that provide employer's liability insurance, and academic institutions in order to bring about cultural changes that prevent mining accidents and promote legal mining and compliance with occupational health and safety laws, as well as environmental protection. Mining rescue will continue to pose a challenge as long as economies are based on the extraction of materials. It is highly advisable for the Colombian mining authority to design and manage a system, which enables it to consolidate data on all serious and deadly accidents, as well as the causality analysis results of all investigations conducted. Future efforts should prioritize training and research to control the principal mining risks, including underground mine ventilation, geomechanics, hydrogeology, control of explosions associated with methane and coal dust, and the evaluation of risks and hazards.

ACKNOWLEDGES

All authors contributed in the study (data collection and/or analysis), and participated in the writing of the final manuscript. This study is part of the master thesis of GCG and was supported by the authors.

CONFLICT OF INTERESTS

None

REFERENCES

1. Donoghue AM. Occupational health hazards in mining: an overview. *Occup Med (Lond)*. 2004;54(5):283-289. doi: <http://10.1093/occmed/kqh072>
2. Löow J, Nygren M. Initiatives for increased safety in the Swedish mining industry: Studying 30 years of improved accident rates. *Saf Sci*. 2019;117:437-446. doi: <https://doi.org/10.1016/j.ssci.2019.04.043>
3. Abdalla S, Apramian SS, Cantley LF, Cullen MR. Occupation and risk for injuries. In: Mock CN, Nugent R, Kobusingye O, Smith R, editors. *Injury Prevention and Environmental Health*. Washington (DC): The International Bank for Reconstruction and Development / The World Bank; 2017.
4. Dore E. Environment and society: long-term trends in Latin American mining. *Environ Hist*. 2000;6(1):1-29. doi: <https://doi.org/10.3197/096734000129342208>
5. Buendía-Pastrana JC, Osorio-Mass RC, Rangel-Bolaños JE, Miranda-Villera MR. La desindustrialización en Colombia desde la apertura económica. *Revista CIFE: Lecturas de Economía Social* 2016;18(28):71-89. doi: <https://doi.org/10.15332/s0124-3551.2016.0028.03>

6. Arango-Aramburo S, Jaramillo P, Olaya Y, Smith R, Restrepo OJ, Saldarriaga-Isaza A, et al. Simulating mining policies in developing countries: the case of Colombia. *Socio-Econ Plan Sci.* 2017;60:99-113. doi: <https://doi.org/10.1016/j.seps.2017.04.002>
7. Consejo Colombiano de Seguridad. Cómo le fue a Colombia en accidentalidad, enfermedad y muerte laboral en 2018; 2019. Available from: <https://ccs.org.co/como-le-fue-a-colombia-en-accidentalidad-enfermedad-y-muerte-laboral-en-2018/>
8. Blanco-Becerra LC, Pinzón-Flórez CE, Idrovo AJ. Estudios ecológicos en salud ambiental: más allá de la epidemiología. *Biomédica.* 2015;35(Supl.2):191-206. doi: <http://10.1590/S0120-41572015000500019>
9. De Vocht F, Kromhout H. The use of Benford's law for evaluation of quality of occupational hygiene data. *Ann Occup Hyg.* 2013;57(3):296-304. doi: <http://10.1093/annhyg/mes067>
10. Goodman W. The promises and pitfalls of Benford's law. *Significance* 2016;13(3):38-41. doi: <https://doi.org/10.1111/j.1740-9713.2016.00919.x>
11. Daniels J, Caetano SJ, Huyer D, et al. Benford's law for quality assurance of manner of death counts in small and large databases. *J. Forensic Sci.* 2017;62(5):1326-1331. doi: <http://10.1111/1556-4029.13437>
12. Huertas JI, Huertas ME, Izquierdo S, Gonzalez ED. Air quality impact assessment of multiple open pit coal mines in northern Colombia. *J Environ Manag.* 2012;93(1):121-129. doi: <http://10.1016/j.jenvman.2011.08.007>
13. Torres-Rey CH, Ibañez-Pinilla M, Briceño-Ayala L, Checa-Guerrero DM, Morgan-Torres G, Groot de Restrepo H, et al. Underground coal mining: relationship between coal

- dust levels and pneumoconiosis, in two regions of Colombia, 2014. *Biomed Res Int.* 2015;647878. doi: <http://10.1155/2015/647878>
14. Garrote-Wilches CF, Malagón-Rojas JN, Morgan G, Combariza D, Varona M. Caracterización de las condiciones de salud respiratoria de los trabajadores expuestos a polvo de carbón en minería subterránea en Boyacá, 2013. *Salud UIS.* 2014;46(3):237-247. doi: <http://10.18273/revsal>
15. Cardoso A. Behind the life cycle of coal: Socio-environmental liabilities of coal mining in Cesar, Colombia. *Ecol Econ.* 2015;120:71–82. doi: <https://doi.org/10.1016/j.ecolecon.2015.10.004>
16. Marrugo-Negrete J, Pinedo-Hernández J, Díez S. Geochemistry of mercury in tropical swamps impacted by gold mining. *Chemosphere.* 2015;134:44-51. doi: <http://10.1016/j.chemosphere.2015.03.012>
17. Palma-Parra M, Muñoz-Guerrero MN, Pacheco-García O, Ortiz-Gómez Y, Díaz-Criollo SM. Niños y adolescentes expuestos ambientalmente a mercurio, en diferentes municipios de Colombia. *Salud UIS.* 2019;51(1):43-52. doi: <http://dx.doi.org/10.18273/revsal.v51n1-2019005>
18. Cordy P, Veiga MM, Salih I, Al-Saadi S, Console S, Garcia O, et al. Mercury contamination from artisanal gold mining in Antioquia, Colombia: The world's highest per capita mercury pollution. *Sci Total Environ.* 2011;410-411:154-160. doi: <http://10.1016/j.scitotenv.2011.09.006>
19. Brazeal B. The history of emerald mining in Colombia: An examination of Spanish-language sources. *Extract Ind Soc.* 2014;1:273-283. doi: <https://doi.org/10.1016/j.exis.2014.08.006>

20. Idrobo N, Mejía D, Tribin AM. Illegal gold mining and violence in Colombia. *Peace Economics, Peace Science and Public Policy* 2014;20(1):83–111. doi: <https://doi.org/10.1515/peps-2013-0053>
21. Idrovo AJ, Fernández-Niño JA, Bojórquez-Chapela I, et al. Performance of public health surveillance systems during the influenza A(H1N1) pandemic in the Americas: testing a new method based on Benford's law. *Epidemiol Infect.* 2011;139(12):1827-1234. doi: <http://10.1017/S095026881100015X>

Table 1. Expected and observed frequencies of digits based on Benford’s law for the occurrence of injuries and fatalities in Colombian mining emergencies (2005-2018).*

Digit	Expected (%)	Observed			
		Injuries (%)	P value	Fatalities (%)	P value
1	30.103	58.228	<0.0001	77.966	<0.0001
2	17.609	22.152	0.3840	13.559	0.0019
3	12.494	10.127	0.2332	4.479	<0.0001
4	9.691	4.747	0.0016	1.211	<0.0001
5	7.918	1.266	<0.0001	0.847	<0.0001
6	6.695	1.266	<0.0001	0.605	<0.0001
7	5.799	1.582	0.0004	0.605	<0.0001
8	5.115	0.316	<0.0001	0.484	<0.0001
9	4.576	0.316	<0.0001	0.242	<0.0001
Pearson's X^2		$p < 0.0001$		$p < 0.0001$	
Log likelihood ratio		$p < 0.0001$		$p < 0.0001$	

* mining emergencies with zero occurrences were excluded.

Table 2. Characteristics of mining emergencies in Colombia (2005-2018)

Variable	n	%	95% CI
Injured workers			
Zero	919	74.41	71.88 – 76.83
One	175	14.17	12.27 – 16.24
Two	67	5.43	4.23 – 6.84
Three	32	2.59	1.78 – 3.64
Four	15	1.21	0.68 – 2.00
Five to 28	27	2.19	1.45 – 3.17
Fatalities			
Zero	409	33.12	30.49 – 35.82
One	639	51.74	48.91 – 54.56
Two	110	8.91	7.38 – 10.64
Three	36	2.91	2.05 – 4.01
Four	10	0.81	0.39 – 1.48
Five to 73	31	2.51	1.71 – 3.54
Type of emergency			
Fall from different level	46	3.72	2.74 – 4.94
Collapse	412	33.36	30.73 – 36.07
Electrical	34	2.75	1.91 – 3.83
Mechanical	119	9.64	8.05 – 11.42
Explosion	155	12.55	10.75 – 14.23
Slope instability	49	3.97	2.95 – 5.21
Fire	98	7.94	6.49 – 9.59
Flood	27	2.19	1.45 – 3.17
Polluted air	169	13.68	11.82 – 15.73
Heavy machinery-related	2	0.16	0.02 – 0.58

	Other	50	4.05	3.02 – 5.30
	No data	74	5.99	4.73 – 7.46
<hr/>				
Day of week				
	Sunday	42	3.40	2.46 – 4.57
	Monday	170	13.77	11.89 – 15.81
	Tuesday	222	17.98	15.87 – 20.23
	Wednesday	239	19.35	17.18 – 21.67
	Thursday	220	17.81	15.72 – 20.06
	Friday	212	17.17	15.10 – 19.39
	Saturday	99	8.02	6.56 – 9.67
	No data	31	2.51	1.71 – 3.54
<hr/>				
Mineral				
	Coal	956	77.41	74.97 – 79.71
	Gold	223	18.06	15.95 – 20.32
	Emerald	17	1.38	0.80 – 2.19
	Phosphoric rock	6	0.49	0.17 – 1.05
	Limestone	5	0.40	0.13 – 0.94
	Sand	5	0.40	0.13 – 0.94
	Construction materials	4	0.32	0.08 – 0.83
	Hydrocarbon	2	0.16	0.02 – 0.58
	Sulfur	2	0.16	0.02 – 0.58
	Gravel	1	0.08	0.00 – 0.45
	Drag material	1	0.08	0.00 – 0.45
	Copper	1	0.08	0.00 – 0.45
	Salt	1	0.08	0.00 – 0.45
	No data	11	0.89	0.45 – 1.59
<hr/>				
Legal status				

Legal	828	67.04	64.34 – 9.66
Illegal	336	27.21	24.74 -29.78
No data	71	5.75	4.51 – 7.20

Table 3. Occurrence of mining emergencies and extracted minerals in Colombia (2005-2018).

Mineral	Type of emergency												Total
	differential level from Fall	Collapse	Electrical	Mechanical	Explosion	Slope instability	Fire	Flood	Polluted air	Heavy machinery	Other	No data	
Coal	31	321	27	105	121	5	93	21	139	2	39	52	956
Gold	13	79	7	11	32	30	3	6	25		7	10	223
Emerald		4			1	1							6
Phosphoric rock	1			1	1	1	1						5
Limestone		1				2					1		4
Sand						1					1		2
Construction materials	1	7				4			4		1		17

Hydrocarbon				1					1				2
Sulfur						4						1	5
Gravel						1							1
Drag material				1									1
Copper													1
Salt								1			1		2
No data												11	11
Total	46	412	34	119	155	49	98	27	169	2	50	74	1235

Figure 1. Map of sites with mining emergencies in Colombia (2005 - 2018)




Figure 2. Temporal trend of injuries and fatalities in mining emergencies in Colombia (2005 – 2018)

