

1 Black and Native Overdose Mortality Overtook that of 2 White Individuals During the COVID-19 Pandemic

3
4
5
6
7
8
9

Joseph Friedman, MPH^{1,2}, Helena Hansen, MD, PhD²

¹Medical Scientist Training Program, University of California, Los Angeles

²Center for Social Medicine and Humanities, University of California, Los Angeles

10 Abstract

11 Drug overdose mortality rates have increased sharply during the COVID-19 pandemic. In recent
12 years, overdose death rates were rising most rapidly among racial/ethnic minority
13 communities. The pandemic has disproportionately affected communities of color in a wide
14 swath of health, social, and economic outcomes. Careful attention is therefore warranted to
15 trends in overdose mortality by race/ethnicity during COVID-19. We calculated total drug
16 overdose death rates per 100,000 population by race/ethnicity for the 1999-2020 time period.
17 We find that Black overdose mortality overtook that of White individuals in 2020 for the first
18 time since 1999. Between 2019 and 2020 Black individuals had the largest percent increase in
19 overdose mortality, of 48.8%, compared to 26.3% among White individuals. In 2020, Black
20 overdose death rates rose to 36.8 per 100,000, representing 16.3% higher than the rate for
21 White individuals for the same period. American Indian and Alaska Native (AI/AN) individuals
22 experienced the highest rate of overdose mortality in 2020, of 41.4 per 100,000, representing
23 30.8% higher than the rate among White individuals. Our findings suggest that drug overdose
24 mortality is increasingly becoming a racial justice issue in the United States and appears to have
25 been exacerbated by the COVID-19 pandemic. Providing individuals with a safer supply of
26 drugs, closing gaps in access to MOUD and harm reductions services, and ending routine
27 incarceration of individuals with substance use disorders represent urgently needed, evidence-
28 based strategies that can be employed to reduce rising inequalities in overdose.

29
30
31
32
33
34
35
36
37
38
39
40
41
42

43 **Introduction**

44 Drug overdose mortality rates have increased sharply during the COVID-19 pandemic¹. In recent
45 years, overdose death rates were rising most rapidly among racial/ethnic minority
46 communities². The pandemic has disproportionately affected communities of color in a wide
47 swath of health, social, and economic outcomes. Careful attention is therefore warranted to
48 trends in overdose mortality by race/ethnicity during COVID-19.

49 **Methods**

50 We calculated total drug overdose death rates per 100,000 population by race/ethnicity for the
51 1999-2020 time period, using data obtained from the National Center for Health Statistics³.
52 Records from 2020 were provisional and may underestimate the final level of drug overdose
53 related mortality. Drug overdose deaths were classified as those assigned with the underlying
54 cause of death in the ICD-10 categories pertaining to unintentional, suicide, homicide, or
55 undetermined intent drug overdose deaths, (X40-44, X60-64, X85, or Y10-14, respectively). We
56 calculated annual percent change in a race/ethnicity specific fashion for the 2000-2020 period.
57 All analyses were conducted using R version 4.0.3. See appendix for more details.

58 **Results**

59 We find that Black overdose mortality overtook that of White individuals in 2020 for the first
60 time since 1999. In 2020, Black overdose death rates rose to 36.8 per 100,000, representing
61 16.3% higher than the rate for White individuals for the same period. This is a sharp reversal of
62 the Black-White overdose mortality gap noted in 2010, when the rate among White individuals
63 was double (100.1% higher) than that seen among Black individuals. These shifts reflect that

64 Black communities have experienced higher annual percent increases in overdose deaths
65 compared to their White counterparts each year since 2012. In 2020 Black individuals had the
66 largest percent increase in overdose mortality, of 48.8%, compared to 26.3% among White
67 individuals.

68 American Indian and Alaska Native (AI/AN) individuals experienced the highest rate of overdose
69 mortality in 2020, of 41.4 per 100,000, representing 30.8% higher than the rate among White
70 individuals. Between 1999 and 2017 AI/AN overdose mortality rates were close to those
71 experienced by White individuals, with rates among AI/AN first overtaking those of Whites by a
72 large margin in 2019. In 2020 overdose mortality increased by 43.3% for AI/AN individuals.

73 Drug overdose rates among Latinx individuals remained the lowest among the 4 race/ethnicity
74 groups assessed throughout the study period, however they also experienced a large percent
75 increase in 2020 of 40.1%.

76 For all race/ethnicity groups assessed, the relative increases observed in 2020 were higher than
77 any prior percent change observed between 1999-2019.

78 **Discussion**

79 The overdose crisis in the United States is increasingly driven by a toxic illicit drug supply
80 characterized by polysubstance use of potent synthetic opioids and benzodiazepines, as well as
81 high-purity methamphetamine. The high—and unpredictably variable—potency of the illicit
82 drug supply may be disproportionately harming communities of color for various reasons.

83 Deep-seated inequalities in living conditions including stable housing and employment, policing

84 and arrests, preventive care, harm reduction, telehealth, medications for opioid use disorder
85 (MOUD) and naloxone, are likely playing a key role^{4,5}.

86 Further, the increasing toxicity of the drug supply has increased the lethality of recent
87 incarceration—which disproportionately affects Black and Native individuals due to structural
88 racism in the criminal justice system—as a risk factor for overdose mortality. Recently
89 incarcerated individuals have reduced opioid tolerance and less knowledge of shifts in drug
90 potency⁶.

91 Drug overdose mortality is increasingly becoming a racial justice issue in the United States and
92 appears to have been exacerbated by the COVID-19 pandemic. Providing individuals with a
93 safer supply of drugs, closing gaps in access to MOUD, health care, and harm reduction
94 services, and ending routine incarceration of individuals with substance use disorders represent
95 urgently needed, evidence-based strategies that can be employed to reduce rising inequalities
96 in overdose.

97

98

99

100

101

102

103

104

105

106
107
108
109
110
111
112
113
114
115
116

Drug Overdose Mortality By Race/Ethnicity, 1999–2020




Figure 1. Drug Overdose Mortality by Race/Ethnicity, 1999–2020

Year-to-year percent change in drug overdose mortality by race/ethnicity (top). Drug overdose mortality per 100,000 population by race/ethnicity (bottom). A vertical dashed line separates the COVID-19 pandemic period from prior trends.

117 **References**

- 118 1. Friedman J, Akre S. COVID-19 and the Drug Overdose Crisis: Uncovering the Deadliest Months in the
119 United States, January–July 2020. *Am J Public Health*. Published online April 15, 2021:e1-e8.
120 doi:10.2105/AJPH.2021.306256
- 121 2. James K, Jordan A. The Opioid Crisis in Black Communities. *J Law Med Ethics*. 2018;46(2):404-421.
122 doi:10.1177/1073110518782949
- 123 3. National Center for Health Statistics. Provisional Drug Overdose Deaths by Quarter and
124 Demographics - 2019 to 2020. Published online 2021. Accessed October 23, 2021.
125 [https://www.cdc.gov/nchs/data/health_policy/Provisional-Drug-Overdose-Deaths-by-Quarter-and-](https://www.cdc.gov/nchs/data/health_policy/Provisional-Drug-Overdose-Deaths-by-Quarter-and-Demographic-Characteristics-2019-to-2020.pdf)
126 [Demographic-Characteristics-2019-to-2020.pdf](https://www.cdc.gov/nchs/data/health_policy/Provisional-Drug-Overdose-Deaths-by-Quarter-and-Demographic-Characteristics-2019-to-2020.pdf)
- 127 4. Lagisetty PA, Ross R, Bohnert A, Clay M, Maust DT. Buprenorphine Treatment Divide by
128 Race/Ethnicity and Payment. *JAMA Psychiatry*. 2019;76(9):979-981.
129 doi:10.1001/jamapsychiatry.2019.0876
- 130 5. Park JN, Rouhani S, Beletsky L, Vincent L, Saloner B, Sherman SG. Situating the Continuum of
131 Overdose Risk in the Social Determinants of Health: A New Conceptual Framework. *The Milbank*
132 *Quarterly*. 2020;98(3):700-746. doi:10.1111/1468-0009.12470
- 133 6. Brinkley-Rubinstein L, Macmadu A, Marshall BDL, et al. Risk of fentanyl-involved overdose among
134 those with past year incarceration: Findings from a recent outbreak in 2014 and 2015. *Drug and*
135 *Alcohol Dependence*. 2018;185:189-191. doi:10.1016/j.drugalcdep.2017.12.014

136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158

159 **Methods Appendix**

160 **Data Preparation and Definitions**

- 161 1. Total drug overdose mortality counts for the 1999-2019 period were obtained from the CDC
162 WONDER platform (<https://wonder.cdc.gov/controller/saved/D76/D243F427>) stratified by race,
163 ethnicity, and year of occurrence. Both population counts, and counts of overdose fatalities
164 were provided, and used as the denominator and numerator, respectively.
- 165 2. Overdose mortality rates for 2020 were calculated using provisional race/ethnicity stratified
166 drug overdose mortality counts released by the National Center for Health Statistics
167 ([https://www.cdc.gov/nchs/data/health_policy/Provisional-Drug-Overdose-Deaths-by-Quarter-
168 and-Demographic-Characteristics-2019-to-2020.pdf](https://www.cdc.gov/nchs/data/health_policy/Provisional-Drug-Overdose-Deaths-by-Quarter-and-Demographic-Characteristics-2019-to-2020.pdf)).
- 169 3. Mid-year population estimates by race/ethnicity for the year 2020 were obtained from the CDC
170 Wonder platform (<https://wonder.cdc.gov/single-race-single-year-v2020.html>).
- 171 4. Total drug overdoses were defined by the following ICD-10 codes:

X40 (Accidental poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics)
X41 (Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified)
X42 (Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified)
X43 (Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system)
X44 (Accidental poisoning by and exposure to other and unspecified drugs, medicaments and biological substances)
X60 (Intentional self-poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics)
X61 (Intentional self-poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified)
X62 (Intentional self-poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified)
X63 (Intentional self-poisoning by and exposure to other drugs acting on the autonomic nervous system)
X64 (Intentional self-poisoning by and exposure to other and unspecified drugs, medicaments and biological substances)
X85 (Assault by drugs, medicaments and biological substances)
Y10 (Poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics, undetermined intent)
Y11 (Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified, undetermined intent)
Y12 (Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent)
Y13 (Poisoning by and exposure to other drugs acting on the autonomic nervous system, undetermined intent)
Y14 (Poisoning by and exposure to other and unspecified drugs, medicaments and biological substances, undetermined intent)

- 172
- 173 5. 'Latinx' individuals were defined as any persons for which ethnicity was defined as Hispanic or
174 Latino, regardless of race. "American Indian or Alaska Native, Non-Hispanic," "Black or African
175 American, Non-Hispanic," and "White, Non-Hispanic" individuals were defined as individuals of
176 each race, who had their ethnicity listed as "non-Hispanic."
- 177 6. Rates were calculated as total drug overdose deaths per 100,000 population, according to mid-
178 year population.
- 179 7. Year-to-year percent change values were calculated for each year t in a race/ethnicity group-
180 specific fashion according to the following formula:
- 181
$$((\text{Overdose Death Rate}_t / \text{Overdose Death Rate}_{t-1}) - 1) * 100\%$$
- 182 8. Data were visualized using R version 4.0.3.

183 **Methodological Consideration**

- 184 1. Records from 2020 were provisional and may underestimate the final level of drug
185 overdose related mortality.
- 186 2. Race/ethnicity may be incorrectly assigned in some overdose deaths. This is a known
187 issue especially for Native individuals.

- 188 3. It was not possible to age-standardize the race/ethnicity stratified results given the
189 format of the provisional records from 2020. This is an important area of consideration
190 for future work.
- 191 4. This work is descriptive, not causal in nature, and it was not possible to show causally
192 what percent of increases in overdose death rates between 2019 and 2020 stem from
193 the COVID-19 pandemic directly.