Web and social media searches highlight menstrual irregularities

as a global concern in COVID-19 vaccinations

Ariel Katz[1*], Yoav Tepper, Ohad Birk[2¶], Alal Eran[1,3¶*]

[1] Department of Life Sciences, Ben-Gurion University of the Negev, Beer Sheva, Israel

[2] Genetics Institute at Soroka Medical Center and Faculty of Health Sciences, Ben-Gurion

University of the Negev, Beer Sheva, Israel

[3] Computational Health Informatics Program, Boston Children's Hospital, Boston, MA, USA

[¶] These authors contributed equally to this work

* Corresponding authors
E-mails: alal@bgu.ac.il (AE), katzari@post.bgu.ac.il (AK)

Keywords: COVID-19 vaccination, menstrual cycle

Abstract

Background: Delineation of public concerns that prevent vaccine compliance is a major step

in generating assurances and enhancing the success of COVID-19 prevention programs. We

therefore sought to identify public concerns associated with COVID-19 vaccines, as reflected

by web and social media searches, with a focus on menstrual irregularities.

Methods: We used trajectory analyses of web and social media search data in combination

with global COVID-19 data to reveal time-dependent correlations between vaccination rates

and the relative volume of vaccine and period related searches.

Results: A surge of *period and vaccine* related Google searches followed the introduction of

Covid vaccines around the world, and the commencement of vaccination programs in English

speaking countries and across the United States. The relative volume of searches such as

"Covid vaccine menstrual irregularities", "Covid vaccine menstrual period", "Pfizer vaccine

menstruation", and "Moderna vaccine menstruation" was each significantly correlated with

vaccination rates (Spearman r = 0.42-0.88, P = 4.33 x 10^{-34}-1.55 x 10^{-5}), and significantly

different before and after the introduction of COVID vaccines (Mann-Whitney P = 2.00 x 10^{-21}

$^{-21}$-7.10 x 10^{-20}). TikTok users were more engaged in period problems in 2021 than ever

before.

Conclusions: International, national, and state-level correlations between COVID-19

vaccinations and online activity demonstrate a global major concern of vaccine-related

menstrual irregularities. Whether it is a potential side effect or an unfounded worry,

monitoring of web and social media activity could reveal the public perception of COVID-19

prevention efforts, which could then be directly addressed and translated into insightful

public health strategies.

Introduction

Women around the world have reported a link between COVID-19 vaccinations and changes in their menstrual cycle regularity and intensity[1]. One of the early reports was a tweet by Kathryn Clancy, a Professor of Anthropology at the University of Illinois, which was followed by hundreds of responses of women identifying with her concerns, and in many cases reflecting on having similar menstrual irregularities following vaccination. Later reports on menstrual irregularities following vaccination were met with criticism[2], some suggesting that pandemic-related stress might be the cause of irregularities. Antivaxxers later highlighted the worries regarding possible vaccine-induced menstrual irregularities, expanding unverified and often manipulative concerns, and promoting fears of vaccine–associated abortions and infertility[3,4]. Recent studies have examined the effects of COVID-19 disease[5] and vaccines[6–8] on menstrual irregularities, suggesting lack of adequate reporting of such irregularities due to women's reluctance to discuss these matters with their physicians[9]. Yet the public perception of a potential link between COVID-19 vaccines and menstrual irregularities remains largely unknown. To examine the spread and magnitude of this concern we mined web and social media search data and its relation to the specific timing of national and state-level COVID-19 vaccination drives.

In doing so, we utilized Google Trends[10], a powerful tool for analyzing population behavior and search trends[11]. Google Trends is capable of summarizing time and location-specific searches, enabling integrative spatiotemporal analyses, including those related to health[12]. For example, recent infodemiological studies have leveraged Google Trends to model disease prevalence[13] and symptomatology[14], especially in the context of COVID-19[15-17].

Methods

71   We used Google Trends to examine the relative volume of searches for "Covid

72 vaccine menstrual irregularities", "Covid vaccine menstruation", "Covid vaccine menstrual

73 period", "vaccine and period", "Pfizer vaccine menstruation", and "Moderna vaccine

74 menstruation" worldwide, in English speaking countries and across the US between January

75 2020 and November 2021. Specifically, we used the "search term" functionality of Google

76 Trends with no category. The settings of all analyses are recorded in all results files available

77 at https://bit.ly/covid_vaccine_period_search_data.

78   We also mined TikTok, a social network serving more than a billion users, 53% of

79 whom are female and 78% of whom are under the age of 24[18] . Using Analisa.io

80 (https://analisa.io), we examined the activity of "#periodproblems" from January 2019 to

81 October 2021.

82   We integrated the search data with COVID-19 vaccination data obtained from Our

83 World In Data (https://ourworldindata.org/covid-vaccinations) and other COVID-19

84 aggregated statistics, including the number of cases and deaths, obtained from

85 https://github.com/CSSEGISandData/COVID-19/tree/master/csse_covid_19_data. Our

86 python code that performs and visualizes all analyses is freely available at

87 https://github.com/SgtTepper/CovidTrends. Specifically, it mines Google Trends via

88 pytrends, integrates the results with COVID statistics using pandas, computes Spearman

89 correlations and Mann Whitney U tests using SciPy stats, plots co-occurring multimodal data

90 on the same timeline using seaborn, and plots relative search volume by state using plotly.

91   Our statistical analyses focused on assessing the relations between The Google

92 Trends search volume index (SVI) and the normalized vaccination rate (NVR) for each

93 search term of interest. SVI measures the relative popularity of a certain search at specific

94 locations and during specific times. This relative index is normalized from 0 to 100, all with

95 respect to the prespecified time interval and locations. NVR reflects the daily total of

vaccinated individuals in the studied location, normalized such that the maximal number in

the examined time interval is 100. In other words, it is 100*daily total of vaccinated

individuals / maximal daily total of vaccinated individuals in the studied period. We utilized

two complementary analytical approaches. First, we used Spearman correlation between SVI

and NVR across the entire studied period to assess the monotonic relationships between SVIs

of interest and the NVR for Covid in the studied location. Second, we used Mann-Whitney U

tests to examine the significance of the difference in the distribution of SVI before and after

the introduction of Covid vaccines in the studied location.

Results

108   Around the world, the relative volume of Google searches for "Covid vaccine

menstrual irregularities", "Covid vaccine menstrual period", "vaccine and period", "Pfizer

vaccine menstruation", "Moderna vaccine menstruation", and similar phrases grew

dramatically following the initiation of COVID-19 vaccination drives (**Figure 1**). There was

a significant correlation between the global NVR and the worldwide relative SVI of "Covid

vaccine menstrual irregularities" (Spearman r = 0.86, P = 2.70 x 10^{-20}), and a significant

difference in SVI distributions of this term before and after the commencement of

vaccination programs (Mann-Whitney U P = 7.10 x 10^{-20}). Top related queries show that

Google users were mostly concerned with menstrual irregularities after a Covid vaccine

(**Figure 1a**). Similarly, we found a significant correlation with the global NVR and a

significant difference in SVI distributions before and after the introduction of vaccines for the

term "vaccine and period" (Spearman r = 0.86, Spearman P = 2.01 x 10^{-30}, Mann-Whitney U

P = 7.10 x 10^{-20}, **Figure 1b**). We specifically used such non-medical term to reflect common

language used by young females, which represent much of our target population, namely

women of reproductive age authorized to receive a COVID vaccine (i.e. between 16 and 50

years of age). The top related queries show that users are referring to covid vaccines and

period after such vaccine (**Figure 1b**). We also examined the relative search dynamics of

"Covid vaccine menstrual period" as a more specific term (**Figure 1c**). Its SVI was similarly

correlated with the global NVR (Spearman r = 0.86, Spearman P = 2.78 x 10^{-30}) and

significantly different before and after the introduction of vaccines (Mann-Whitney U P =

7.10 x 10^{-20})

Next, focusing on leading COVID vaccine manufacturers, we found a significant

correlation with the NVR and a significant difference in SVI distributions before and after the

commencement of vaccination drives for the searches "Pfizer vaccine menstruation"

(Spearman r = 0.86, Spearman P = 2.10 x 10^{-30}, Mann-Whitney U P = 7.10 x $10^{-20,}$ **Figure 1d**)

and "Moderna vaccine menstruation" (Spearman r = 0.66, Spearman P = 1.08 x 10^{-13}, Mann-

Whitney U P = 7.10 x 10^{-20}, **Figure 1e**). Of note, the vaccination data used was blind to the

manufacturer and included all COVID vaccines recorded. A head-to-head comparison of the

SVIs of "Pfizer vaccine menstruation" and "Moderna vaccine menstruation" showed that the

Pfizer search term was more common than the Moderna one, consistent with the wider use of

Pfizer's BNT162b2 as compared to Moderna's mRNA-1273 around the world (**Figure 1f**).

Figure 1: Relative volume of Google searches and their temporal relation to global vaccination rates for the terms (**a**) "Covid vaccine menstrual irregularities", (**b**) "Vaccine and period", (**c**) "Covid vaccine menstrual period", (**d**) "Pfizer vaccine menstruation", and (**e**) "Moderna vaccine menstruation". (**f**) A direct comparison of "Pfizer vaccine menstruation" and "Moderna vaccine menstruation" search behavior and their relations to the global NVR. For each search term, the Spearman correlation between the search volume index (SVI) and normalized vaccination rate (NVR) is shown, as well as the significance of the difference in SVI distributions before and after the introduction of vaccines. Top related queries are also shown for context. The full lists of related queries and entities for each search term is available at https://bit.ly/covid_vaccine_period_search_data

To ensure that no one country accounts for the observed global relations in search behavior and vaccination rates, we next repeated the same analyses in four English speaking countries. For example, the relative volume of Google searches for the combination of terms "period" and "vaccine" peaked following the initiation of COVID-19 vaccination drives, with a later 3-5-fold further increase once ~50% of the population has been vaccinated (**Figure 2**). Country-specific timing of surges in "vaccine and period" related searches and its temporal relation to the local vaccination drive control for possible effects of geographic location and the local culture. Note that the analyses focused on countries sharing English as the main language, ensuring the searches were done mostly with similar wording and adequate spelling. Figure 2 also shows the top related queries in each country, demonstrating that users were mainly concerned with period after Covid vaccine.

Figure 2: Relative volume of Google searches for the combination of terms "period" and "vaccine", and their

temporal relation to national vaccination rates in English speaking countries. (**a**) Australia, (**b**) Canada, (**c**)

United Kingdom, (**d**) United States. The volume of "vaccine" searches is shown as a positive control. The

Spearman correlation between the relative search volume and national normalized vaccination rates is shown for

each country, as is the significance of the difference in SVI distributions before and after the country-specific

commencement of vaccination drives. (**e**) The top related queries in each country demonstrate the relevance of

this non-medical, common search term. The full lists of related queries and entities for each search term is

available at https://bit.ly/covid_vaccine_period_search_data.

Another demonstration of the ubiquitous change in search behavior and its temporal

relation to country-specific vaccination drives is exemplified by the dynamics of the more

specific term "Covid vaccine menstruation" in four English-speaking countries (**Figure 3**).

Its related queries demonstrate that users were mostly concerned with the impact of Covid

vaccines on menstruation (**Figure 3e**).

Figure 3: Search behavior for "Covid vaccine menstruation" and its temporal relation to national vaccination

rates in English speaking countries. (**a**) Australia, (**b**) Canada, (**c**) United Kingdom, (**d**) United States. The

Spearman correlation between the relative search volume (SVI) and national normalized vaccination rates

(NVR) is shown for each country, as is the significance of the difference in SVI distributions before and after

the country-specific commencement of vaccination drives. (**e**) The top related queries in each country

demonstrate the search context of this term. Note that no related queries were found in Australia. The full lists

of related queries and entities for each search term is available at

https://bit.ly/covid_vaccine_period_search_data.

Similar relations were detected within the United States (**Figure 4**). Overall, Google

searches for the combination of "period" and "vaccine" were frequent between October 2020

and October 2021, to a somewhat lesser extent in the mid-U.S (**Figure 4a**). As exemplified in

Figure 4b-4m, searches for the combined terms "period" and "vaccine" became extremely

prominent with the initiation of COVID-19 vaccines in each state. Notably, further major

peaks in searches for the terms "period" and "vaccine" appeared 2-6 months following

initiation of vaccines, suggesting that searches did not only reflect worries, but were possibly

triggered by menstrual irregularities following vaccines.

Relative volume of *vaccine and period* searches
Relative number of vaccinated individuals
Relative number of COVID-19 deaths

Figure 4. State-level "vaccine and period" searches and their temporal relation to vaccination rates. (**a**) Relative

volume of "vaccine and period" related searches across the United States between October 1st 2020 and October

1st 2021. (**b-m**) Temporal relations of "vaccine and period" searches and state-specific vaccinations and deaths,

normalized to their maxima within the studied period, namely 10/1/2020 – 10/1/2021 in (**b**) California, (**c**)

Colorado, (**d**) Connecticut, (**e**) Illinois, (**f**) Kentucky, (**g**) Massachusetts, (**h**) Michigan, (**i**) Missouri, (**j**) New

Hampshire, (**k**) New Mexico, (**l**) North Carolina, (**m**) South Carolina. Similar timelines for all 50 states are

available at https://bit.ly/covid_vaccine_period_search_data. Of note, COVID-19 vaccinations started in

December 2020 in California, while state-level vaccination statistics are available from January 2021. A

possible explanation for the minor increase in search volume in November 2020 in California is the Phase III

clinical trial of COVID-19 vaccine by both Pfizer and Moderna, which included thousands of California

residents[19-21].

Moreover, analysis of worldwide use and reactions to "#periodproblems" in the

video-focused social network TikTok between January 2019 and October 2021 (**Figure 5**)

demonstrated an initial significant peak of this hashtag in March 2020 (both in the number of

exposures and the number of responses to the term), possibly reflecting pandemic stress. Yet

this peak subsided and dramatically re-emerged in January 2021with several major peaks,

coinciding with the timing of initiation of vaccination programs around the world.

Figure 5. Worldwide TikTok use of the hashtag #periodproblems between January 2019 and October 2021.

There is an initial dramatic peak of this hashtag (both in number of exposures to this term and number of

responses to the term) in March 2020, possibly reflecting pandemic stress, yet this peak subsided and

dramatically re-emerged as of January 2021with several peaks, possibly reflecting timing of initiation of

vaccines in different countries. Note the massive engagement in this topic during worldwide vaccination drives.

(**a**) Exposures to TikTok videos containing "#periodproblems". (**b**) Responses to TikTok videos containing

"#periodproblems".

Discussion

This study finds a surge of Google searches related to COVID vaccine and the

menstrual cycle following the initiation of national and state-level COVID-19 vaccination

drives. While it may suggest that women of reproductive age vaccinated for COVID-19

might have experienced menstrual irregularities, it could also reflect the mere concerns of

those not yet vaccinated. In either case this study does not support any link between COVID-

19 vaccines and menstrual irregularities; Rather it documents the evolving public perception

of such potential link. We also find that TikTok hashtag #periodproblems peaked at the

beginning of the pandemic in March 2020, and again with the initiation of vaccination

programs, early in 2021. This reflects menstrual irregularities being a significant worry

associated with COVID-19 vaccinations, yet practically rules out claims that concerns about

the menstrual cycle are merely an effect of pandemic-related stress.

One important limitation of this study is that it measures changes in relative search

volumes, and not absolute values of users showing concerns. Third-party verification

methods such as questionnaires and health care providers'-initiated surveys could be used to

obtain a better understanding of the public perception of relations between COVID

vaccination and menstrual irregularities.

The safety of COVID-19 vaccines in pregnancy and lack of discernable effects on

fertility have been recently shown in several reports[22,23]. Studies of the possible effects of

COVID-19 vaccines on menstruation have been initiated through questionnaires, doctors'

reports and other experimental strategies[24]. However, these studies encompass limited

amounts of data in comparison to that available by monitoring web and social media activity.

Moreover, studies based on physicians' reports are lacking since women do not often report

menstrual irregularities to their physicians, because of discomfort or inconvenience of going

to the doctor, especially during the pandemic[9]. Our findings reflect menstrual cycle

irregularities as a major worry of women in considering compliance with vaccination

programs, suggesting possible effects of the vaccine on such irregularities, and highlight a

clear need for scientifically sound studies testing possible effects of the vaccines on

menstruation. Of note, our analysis deals with relative search volumes. Thus, significant

changes in other searches at the same time and place might mask or distort the results.

This study highlights the use of an array of social media big data analyses, combining

Google Trends and TikTok (representing a significantly younger cohort), in identifying

public trends preventing vaccine compliance across different states and countries. Prior

studies proved retrospectively through Google trends facts that were previously known, such

as the initiation of the pandemic or effects of COVID-19 disease on smell. In contrast, this

study highlights social media big data analysis as an effective massive-scale tool in the initial

identification and determination of adverse effects (as well as positive effects) of the

COVID-19 vaccine. Moreover, it verifies the findings across various states in the U.S. and

other countries, ruling out effects of local trends, climates, publicities and regulations, as well

as enables delineation of different effects of the various COVID-19 vaccines given in

different states or countries. Thus, web and social media analyses enable improved strategies

in identifying public health concerns and determining public health policies to improve

vaccine compliance.

References

1. Male, V. Menstruation and covid-19 vaccination. *BMJ* **376**, o142 (2022).

2. Women Say COVID Vaccine Side Effects Impact Their Periods, So Why Don't Doctors
Care? *Haaretz*.

3. Lu-Culligan, A. & Iwasaki, A. Opinion | The False Rumors About Vaccines That Are
Scaring Women. *The New York Times* (2021).

4. Butler, K. Social media influencers are spreading wild rumors about COVID-19 vaccines
and periods. *Mother Jones* https://www.motherjones.com/politics/2021/04/social-media-
influencers-are-spreading-wild-rumors-about-covid-19-vaccines-and-periods/.

5. Li, K. *et al.* Analysis of sex hormones and menstruation in COVID-19 women of child-
bearing age. *Reprod Biomed Online* **42**, 260–267 (2021).

6. Alvergne, A. *et al. COVID-19 vaccination and menstrual cycle changes: A United*
Kingdom (UK) retrospective case-control study. 2021.11.23.21266709
https://www.medrxiv.org/content/10.1101/2021.11.23.21266709v3 (2021)
doi:10.1101/2021.11.23.21266709.

7. Edelman, A. *et al.* Association Between Menstrual Cycle Length and Coronavirus
Disease 2019 (COVID-19) Vaccination: A U.S. Cohort. *Obstetrics & Gynecology*
10.1097/AOG.0000000000004695 (2022) doi:10.1097/AOG.0000000000004695.

8. Lee, K. M. N. *et al.* Investigating trends in those who experience menstrual bleeding
changes after SARS-CoV-2 vaccination. *Science Advances* **8**, eabm7201 (2022).

9. Seear, K. The etiquette of endometriosis: Stigmatisation, menstrual concealment and the
diagnostic delay. *Social Science & Medicine* **69**, 1220–1227 (2009).

10. Google Trends. *Google Trends* https://trends.google.com/trends/explore.

11. Hartnett, K. P. *et al.* Syndromic Surveillance for E-Cigarette, or Vaping, Product Use–
Associated Lung Injury. *New England Journal of Medicine* (2019)
doi:10.1056/NEJMsr1915313.

12. Carneiro, Herman Anthony, and Eleftherios Mylonakis. "Google trends: a web-based tool
for real-time surveillance of disease outbreaks." *Clinical infectious diseases* 49.10
(2009): 1557-1564.

13. Mavragani, S. & Ochoa, G. Google Trends in Infodemiology and Infoveillance:
Methodology Framework. *JMIR Public Health Surveill 5(2):e13439, (2019).*
doi:10.2196/13439

14. Hassid, Benjamin G., et al. "Using search engine query data to explore the epidemiology
of common gastrointestinal symptoms." *Digestive diseases and sciences* 62.3 (2017): 588-
592.

15. Lu, T. & Reis, B. Y. Internet search patterns reveal clinical course of COVID-19 disease
progression and pandemic spread across 32 countries. *npj Digit. Med.* **4**, 1–9 (2021).

16. Springer, S., Zieger, M. & Strzelecki, A. The rise of infodemiology and infoveillance
during COVID-19 crisis. *One Health* **13**, 100288 (2021).

17. Mavragani, A. & Gkillas, K. COVID-19 predictability in the United States using Google
Trends time series. *Sci Rep* **10**, 20693 (2020).

18. TikTok global creators by age 2021. *Statista*
https://www.statista.com/statistics/1257721/tiktok-creators-by-age-worldwide/.

19. San Diego to take part in Moderna's massive COVID-19 vaccine trial - The San Diego
Union-Tribune. https://www.sandiegouniontribune.com/business/biotech/story/2020-07-
24/san-diego-to-take-part-in-modernas-massive-covid-19-vaccine-trial.

20. Moderna's Fully Enrolled Phase 3 COVE Study of mRNA-1273 | Moderna, Inc.
https://www.modernatx.com/cove-study.

21. Choi, K. R. A Nursing Researcher's Experience in a COVID-19 Vaccine Trial. *JAMA*
Internal Medicine **181**, 157–158 (2021).

22. Male, V. Are COVID-19 vaccines safe in pregnancy? *Nat Rev Immunol* **21**, 200–201
(2021).

23. Morris, R. S. SARS-CoV-2 spike protein seropositivity from vaccination or infection
does not cause sterility. *F&S Reports* **2**, 253–255 (2021).

24. Petri, A. E. Researchers will study whether the vaccines affect women's periods. *The*
New York Times (2021).

334   **Data availability:** All data and its visualizations generated as part of this study are available

335   at https://bit.ly/covid_vaccine_period_search_data.