Title: The dramatic surge of excess mortality in the United States between 2017 and 2021

Author: Patrick Heuveline, PhD

Faculty Associate Director, California Center for Population Research at UCLA

4284 Public Affairs Bldg, MC 723603
PO Box 957236
Los Angeles, CA 90095, U.S.A

heuveline@ucla.edu

310-825-6380

Title: The dramatic surge of excess mortality in the United States between 2017 and 2021

Key Points

Question

How many fewer deaths would the United States experience with the same mortality rates as comparable European countries?

Findings

Using death counts from the United States and five large European countries, this cross-sectional study estimates 711,109 to 744,783 fewer US deaths in 2021 if the United States could achieve the average sex- and age-specific mortality rates of these five countries. This is an 80.0% to 82.7% increase relative to the same figure for 2017.

Meaning

The dramatic surge in excess mortality in the United States during the pandemic demonstrates chronic societal vulnerabilities rooted in the fundamental determinants of mortality.

Abstract

Importance

Previous studies have shown the pre-pandemic emergence of a gap in mortality between the United States and other high-income nations. This gap was estimated to account for nearly one in seven US deaths in 2017.

Objective

The number and proportion of US deaths that can be attributed to this gap is expected to have grown during the pandemic. This study aims at quantifying this growth at the end of 2021.

Design

This cross-sectional study uses publicly available 2017 to 2021 data on deaths from all causes and 2020-2021 Covid-19 death counts in the United States and five European countries. Number of deaths are combined with publicly available estimates of population size by sex and age group in these European countries to produce sex- and age-specific mortality rates. These rates are averaged and applied to the US population by sex and age-group to compare the resulting and actual US death counts.

Setting

The United States and the five most populous countries in Western Europe.

Participants

All deceased individuals in these countries are included in the death counts. This study does not use individual records.

Intervention

None.

Main Outcome and Measure

Total number of US deaths and their counterfactuals when substituting average sex- and age-specific mortality rates for the European countries to those that prevailed in the United States.

Results

The counterfactuals reveal 711,109 to 747,783 excess deaths in the United States in 2021, amounting to 20.8% to 21.7% of all US deaths that year (3,426,249). Excess deaths increased by 320,436 to 331,477 between 2017 and 2021, 80.0% to 82.7% more than the 2017 estimate. A decomposition of the lower figure showed that population change contributed little to the 2017-2021 increase in excess deaths (33,545 additional deaths). Covid-19 mortality alone continue contributed 230,672 excess deaths in 2021, more than 2020, whereas other causes of deaths contributed 56,219 more excess deaths in 2021 than in 2017.

Discussion

The proportion of US deaths that would be avoided if the United States could achieve the mortality of its West European counterparts surged to more than one in five during the pandemic. The large and still growing contribution of Covid-19 to excess mortality in the United States is consistent with vaccination rates plateauing at lower levels than in European countries. The overall increase in mortality from other causes during the pandemic increasingly separates the United States from West European countries as well.

Statements and acknowledgements

Funding Statement

The author benefited from facilities and resources provided by the California Center for Population Research at UCLA (CCPR), which receives core support (P2C-HD041022) from the Eunice Kennedy Shriver National Institute of Child Health and Human Development (NICHD).

Conflict of Interest Disclosure

The author has no conflict of interest.

Ethics Approval Statement

The study has no human subjects. All data are publicly available and contain no identifying information.

Patient Consent Statement

The study was conducted without patient involvement. Patients were not invited to comment on the study design and were not consulted to develop patient relevant outcomes or interpret the results. Patients were not invited to contribute to the writing or editing of this document for readability or accuracy.

Permission to Reproduce Material from Other Sources

All materials from other sources are publicly available.

Acknowledgments

The author thanks Samuel Preston for insightful comments on and suggestions an earlier draft. The author benefited from facilities and resources provided by the California Center for Population Research at UCLA (CCPR), which receives core support (P2C-HD041022) from the Eunice Kennedy Shriver National Institute of Child Health and Human Development (NICHD).

Introduction

The pre-pandemic emergence of a gap in mortality between the United States and other high-income nations is well documented. Arguably the most salient measure of that gap is the annual number of "excess deaths" in the United States. This number refers to the difference between the actual number of deaths in the United States one year and a counterfactual number derived by applying the sex- and age-specific death rates observed in other countries to the US population by age and sex. Using a weighted average of the five largest West European countries, this number was shown to have increased from 226,165 in 2000 to 400,732 in 2017, one in seven deaths that year (14.2%).[1]

Partial evidence suggested this gap has grown at an accelerated pace during the pandemic. Data for the first 12 months of the pandemic show higher sex- and age-specific death rates from Covid-19 in the United States than in the same five countries. The difference translated to 132,173 more deaths in 2020, growing, by the end of March 2021, to 190,867 more deaths over the previous 12 months.[2] This study expands these estimates using both all-cause and Covid-19 mortality data for all of 2020 and 2021.

Methods

This study first estimates excess deaths from all causes in the United States from the Human Mortality Database's Short-Term Fluctuation Series.[3] These data include death counts and death rates for every week up to the end of 2021 in the same countries, by sex and five large age groups (0-14, 15-64, 65-74, 75-84 and 85+). To compare with an earlier estimate for 2017 that benefited from disaggregated data by single year of age[1] (still unavailable for 2020 and 2021 at this writing), excess deaths were estimated for each year since 2017. Two sets of annual estimates were derived. The first one used as counterfactual death rates for the US the arithmetic (unweighted) average of the year, sex, and age-group specific death rates in each of the five European countries. The second one used a population-weighted average, that is, deaths and population size for each year, sex, and age-group in the five European countries were added separately, and a corresponding death rate was obtained by dividing total deaths by total population size.

To assess the contribution of population changes to the 2017-2021 trend in excess deaths, another set of annual estimates was derived by holding the US sex and age groups to their 2017 sizes. To assess the specific contribution of Covid-19 mortality in 2020 and 2021 and its dynamics, counterfactual numbers of Covid-19 deaths in the United States were also estimated for each of five four-quarter periods ranging from calendar year 2020 to calendar year 2021. Because countries report their Covid-19 deaths by age using different age groupings, the previous approach was modified as follows.

The US sex- and age-specific rates of death attributed to Covid-19 for each period was derived from Covid-19 death counts from the Centers for Disease Control and Prevention's National Center for Health Statistics (NCHS)[4] and mid-year US population estimates by age and sex from the United Nations (UN) Population Division.[5] These rates were then combined with mid-year population estimates by age and sex from the UN to estimate a counterfactual number of Covid-19 deaths for France, Germany, Italy, Spain, the United Kingdom and the United States in each of these periods. Comparative Mortality Ratios (CMR) of deaths attributed to Covid-19, as reported on the Johns Hopkins University (JHU) dashboard,[5]

to the corresponding counterfactual numbers above were then calculated for the US and the aggregate of the five European countries in each period. Due to slight differences between the US numbers reported by NCHS and JHU, the US CMR are not exactly equal to unity. To account for these reporting differences, the European CMRs was divided by the corresponding US CMR in each period. This CMR ratio was taken to represent the fraction of deaths attributed to Covid-19 deaths in the United States that would have occurred in the absence of international differences in Covid-19 mortality and completeness of reporting Covid-19 deaths. The remainder are considered excess deaths attributed to Covid-19 in each period.

Results

From 2017 to 2021, both the absolute number of excess deaths and the proportion of all US deaths that are excess deaths have increased. Based on the arithmetic average of the rates for each of the European countries, excess deaths are estimated to have increased from 413,316 (14.7%) in 2017 to 744,783 (21.7%) in 2021 (Table 1). Based on the weighted average of the rates, they are estimated to have increased from 390,673 (13.9%) to 711,109 (20.8%) in 2021. Population changes only accounted for a small fraction of the 2017-2021 increase in excess deaths. Holding US age groups at their 2017 sizes only reduces the 2017-2021 increase by 33,545 out of 320,436 excess deaths (10.5%, with the weighted average of European rates).

By contrast, differences in Covid-19 mortality between the United States and the European countries accounted for 230,672 of the 2021 excess-death total, 72.0% of the 2017-2021 increase, and substantially more than in 2020. As shown in Figure 1, excess deaths attributable to Covid-19 grew between 2020 and 2021 both due to an increase in the annual number of deaths attributed to Covid-19 and to growing Covid-19 mortality differentials between the US and European countries. The estimated fraction of the Covid-19 deaths reported in the United States that would not have occurred in the absence of international differences in Covid-19 mortality and reporting initially appears stable over time (from 34.6% for 2020 to 37.2% for the mid-2020 to mid-2021 period, Figure 1). The fraction subsequently decreases to 29.2%, before soaring back to 48.2% for 2021. Meanwhile the total number of deaths attributed to Covid-19 peaked during the first 12 months of the pandemic (April 1st, 2020, to April 1st, 2021), but the larger fraction meant more excess deaths among those attributed to Covid-19 in 2021 than in any previous 12-month period.

Discussion

This study suggests that the 77.2% increase in the number of excess deaths in the United States relative to peer West European countries, from 226,165 in 2000 to 400,732 in 2017,[1] was followed by another 80.0 to 82.7% increase in only four years (2017-2021). While death data by single year of age are not yet available to fully extend the analysis from 2017 up to the present, data by large age groups provide a close approximation and demonstrate an unambiguous trend. For 2017, results based on these data by large age groups are within half a percentage point (relative to total US deaths in 2017) of the estimate based on data by single-year age groups (14.2%): 13.9% and 14.7%. There is no reason to expect that the estimates for 2021, 20.8% and 21.7%, would fail to bracket an estimate based on data by single-year age

groups had these data been available. We can thus conclude that the proportion of US deaths that would have been avoided had there been no difference in sex- and age-specific death rates between the United States and these peer countries has surged from roughly one in seven in 2017 (14.2%)[1] to more than one in five in 2021, and that excess deaths reached that year a record number upward of 700,000 deaths.

Several factors contributed to the surge. If population change played a relatively small role, higher rates of death attributed to Covid-19 in the United States than in the comparison countries contributed the bulk of the 2017-2021 increase in excess deaths. Through mid-2021, these higher rates might be attributed in part to comorbidities known to increase Covid-19 case fatality rate. The gap in Covid-19 death rates remained relatively stable, and the contribution to excess deaths of deaths attributed to Covid-19 largely followed trends in the total number of such deaths.[2] For the second half of the year, differences in vaccination likely contributed to trend shown in Figure 1. The gap in Covid-19 death rates first narrowed as vaccines became available to the general population earlier in the United States than in Europe, except for the United Kingdom. By the end of 2021, however, vaccination rates in the United States were plateauing at lower levels than those achieved in the West European countries,[7] and the contribution of Covid-19 mortality to overall excess mortality had grown substantially larger than in 2020.

However, population change and differences in rates of death attributed to Covid-19 do not fully account for the 2017-2021 increase in the number of excess deaths, suggesting increasing differences in mortality from other causes as well. Even though the contribution of these changes in mortality from other causes declined to 56,219 excess deaths in 2021, from 89,956 the previous year, those still represented 19.6% of the total 2017-2021 increase in excess deaths. Early in the pandemic, the increased contribution of other-cause mortality might have reflected the under-reporting of Covid-19 deaths in the United States,[8] to a degree similar to that observed only in the most affected West European countries (Italy and Spain). Over time, however, trends in mortality from other causes appeared to diverge indeed. Mitigating policies could as plausibly be expected to result in fewer deaths from some causes (e.g., from reduction in motor-vehicle traffic)[9] as in more deaths from other causes (e.g., from impacted hospital care).[10] While the net effect has been a substantial reduction in deaths from other causes in the five European countries, making up some of the excess death toll attributable to Covid-19 alone there,[11] the United States has experienced an overall increase in deaths from other causes.[12]

The dramatic surge in excess mortality in the United States during the pandemic is, in Eileen Crimmins' words, "an acute demonstration of our chronic problem."[13] Both these international differences and the pandemic's disproportionate impact on minority populations in the United States[14] highlight social conditions as fundamental causes of diseases and deaths.[15]

References

1. Preston SH, Vierboom YC. Excess mortality in the United States in the 21[st] century. *Proc Natl Acad Sci U S A*. 2021;118(16):e2024850118.

2. Heuveline P. The COVID-19 pandemic adds another 200,000 deaths (50%) to the annual toll of excess mortality in the United States. *Proc Natl Acad Sci U S A*. 2021;118(36):e2107590118.

3. Jdanov DA, Alustiza-Galarza A, Shkolnikov VM, Jasilionis D, Németh L et al. 2021. The short-term mortality fluctuations data series, monitoring mortality shocks across time and space. *Scientific Data* 2021,8:235.

4. NCHS. Provisional COVID-19 deaths by age and sex. https://data.cdc.gov/NCHS/Provisional-COVID-19-Death-Counts-by-Sex-Age-and-S/9bhg-hcku

5. United Nations. World Population Prospects 2019, online edition. https://population.un.org/wpp/Download/Standard/Interpolated/

6. Johns Hopkins University. Coronavirus Resource Center. https://coronavirus.jhu.edu

7. Our World In Data (OWID). Coronavirus (COVID-19) vaccinations. https://ourworldindata.org/covid-vaccinations

8. Ackley CA, Lundberg DJ, Ma L, Elo IT, Preston SH, Stokes AC. County-level estimates of excess mortality associated with COVID-19 in the United States. *SSM Popul Health* 2022;17:101021.

9. Yasin YJ, Grivna M, Abu-Zidan FM. Global impact of covid-19 pandemic on road traffic collisions. *World J Emerg Surg* 2021;16:51.

10. Mansfield KE, Mathur R, Tazare J et al. Indirect acute effects of the COVID-19 pandemic on physical and mental health in the UK: a population-based study. *Lancet Digit Health* 2021;3:e217-30.

11. Pison G, Meslé F. France 2020: 68,000 excess deaths attributable to COVID-19. *Population & Societies* 2021;587:3.

12. Ahmad FB, Anderson RN. The leading causes of death in the US for 2020. *JAMA* 2021;325(18):1829-1830.

13. Crimmins E. Life expectancy and health expectancy in the 21st century: the unthinkable, the inconceivable, and the unknowable. *PAA Presidential Address* 2022. https://www.youtube.com/watch?v=yItaGA4GpNE&t=1364s.

14. Andrasfay T, Golman N. Association of the COVID-19 pandemic with estimated life expectancy by race/ethnicity in the United States, 2020. *JAMA Network Open* 2021;4(6):e2114520.

15. Link BG, Phelan J. Social conditions as fundamental causes of diseases. *J Health Soc Behav.* 1995; 35(Spec):80-94.

Table

Table 1: Annual estimates of excess deaths and proportion of all deaths in the United States, by estimation type

Estimate, and estimation type	Year				
	2017	2018	2019	2020	2021
Excess deaths from all causes					
Estimated from one-year age groups, arithmetic mean of European countries	400,732 (14.2%)				
Estimated from five age groups, arithmetic mean of European countries	413,316 (14.7%)	409,070 (14.4%)	435,007 (15.3%)	639,138 (19.1%)	744,783 (21.7%)
Estimated from five age groups, population-weighted mean of European countries	390,673 (13.9%)	382,542 (13.5%)	403,729 (14.2%)	626,315 (18.7%)	711,109 (20.8%)
Cumulative post-2017 change (with five-year age groups, weighted mean)		-8,131	13,056	235,642	320,436
Same holding US age groups at 2017 size		-13,117	2,920	211,322	286,891
Contribution to cumulative post-2017 change of population change		4,985	10,136	24,319	33,545
Contribution of Covid-19 mortality		---	---	121,366	230,672
Contribution of other-cause mortality		-13,117	2,920	89,956	56,219

Notes: Estimate using all-cause death data in one-year age groups (from Human Mortality Database), with arithmetic mean of European countries as counterfactual is from Preston and Vierboom.[1]

Other estimates are author's calculations. See text for estimation details.

Figure

Figure 1: US deaths attributed to COVID-19 and their contribution to excess deaths, by 12-month period

Note: 2020Q4 refers to the 12-month period ending in the 4th quarter of 2020 (i.e., the calendar year 2020)