

# Impact of the Russian invasion of Ukraine on the COVID-19 pandemic dynamics

Igor Nesteruk

Institute of Hydromechanics, National Academy of Sciences of Ukraine, Kyiv, Ukraine

Igor Sikorsky Kyiv Polytechnic Institute, Kyiv, Ukraine.  
[inesteruk@yahoo.com](mailto:inesteruk@yahoo.com)

## ABSTRACT

Full-scale invasion of Ukraine by Russian troops, which began on February 24, 2022, caused an unprecedented number of refugees, which in the ongoing COVID-19 pandemic could increase the number of patients. The recent pandemic dynamics in Ukraine, Poland, Germany and in the whole world was compared with the previous epidemic waves simulated with the use of the generalized SIR-model and corresponding parameter identification procedure. Since before the war the estimation of the number of infectious persons per capita in Ukraine 3.6 times exceeded the global figure, the increase of the number the new cases and the pandemic duration is expected. From the beginning of March 2022 the increase of the averaged number of new cases in Germany and worldwide is visible.

**Keywords:** COVID-19 pandemic, epidemic waves, epidemic dynamics in Ukraine, Poland and Germany, global pandemic dynamic, mathematical modeling of infection diseases, SIR model, parameter identification, statistical methods.

## Introduction

Russia's full-scale criminal war in Ukraine has caused a real humanitarian catastrophe, the scale of which deserves appropriate assessment and punishment. As of March 23, 2022, more than 3.5 million Ukrainians have been forced to flee their homes and seek refuge abroad [1]. Such mass migration can lead to a significant increase in the number of COVID-19 cases.

In this paper we will try to reveal this trend by comparing the recent averaged numbers of new cases in Poland, Germany and the world with the relationships predicted for the previous epidemic waves with the use of generalized SIR-model [2], and a corresponding parameter identification procedure [3]. In particular, results of SIR simulations for 14<sup>th</sup> epidemic wave in Ukraine [4, 5], 7<sup>th</sup> global pandemic wave [4, 5], 4<sup>th</sup> wave in Poland [6] and 5<sup>th</sup> wave in Germany [6] will be used for comparison.

## Data, smoothing procedure and generalized SIR model

We will use the data set regarding the accumulated numbers of laboratory-confirmed COVID-19 cases  $V_j$  in Ukraine, Poland, Germany and the whole world from the COVID-19 Data Repository by the Center for Systems Science and Engineering (CSSE) at Johns Hopkins University (JHU), [7] (see

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

Tables 1-4). It must be noted the JHU figures for Ukraine [7] are approximately 3% higher than the values reported by Ukrainian national sources [8, 9]. Due to the war the figures for Ukraine have not been updated after February 24, 2022 (see Table 1). The corresponding moments of time  $t_j$  (measured in days) are shown in Tables 1-4 for the period of November 2021 to March 2022. The JHU periodically updates its data sets for the previous moments of time. Here we will use the version of JHU file, corresponding to March 23, 2022. In particular, we will use the global data set presented in Table 2 which is slightly different from the previous version used in [4, 5].

**Table 1. Cumulative numbers of laboratory-confirmed Covid-19 cases in Ukraine for the period of November 1, 2021 to February 24, 2022 according to JHU report on March 23, 2022, [7].**

Day in corresponding month of 2021 and 2022	Number of cases in November 2021, $V_j$	Number of cases in December 2021, $V_j$	Number of cases in January 2022, $V_j$	Number of cases in February 2022, $V_j$
1	3073125	3619223	3852397	4287117
2	3093661	3633386	3854405	4323009
3	3118140	3647777	3856359	4363754
4	3146617	3661583	3858248	4408776
5	3174223	3668794	3862959	4452612
6	3200411	3673839	3869728	4481918
7	3218967	3683044	3877032	4506669
8	3233178	3692939	3880371	4542568
9	3253327	3705823	3883316	4582137
10	3277772	3717640	3885416	4625614
11	3303694	3728246	3890974	4668581
12	3328934	3733967	3898240	4708604
13	3353694	3738390	3908469	4735258
14	3369387	3746106	3919151	4753922
15	3381399	3754567	3929950	4785138
16	3398913	3764485	3936582	4818112
17	3418792	3773700	3941923	4853339
18	3440602	3781506	3950774	4890332
19	3461873	3785395	3963917	4923680
20	3481347	3788209	3982738	4943428
21	3493203	3794490	4003280	4959461
22	3501815	3801079	4026198	4986161
23	3515641	3808612	4042152	5012980
24	3530969	3815440	4055643	5040518
25	3548842	3820891	4075351	No data
26	3565644	3823879	4100292	No data
27	3580671	3825917	4133396	No data
28	3588916	3828336	4168560	No data
29	3595410	3833952	4206731	No data
30	3606622	3840041	4232143	No data
31	-	3847226	4255206	No data

**Table 2. Cumulative numbers of laboratory-confirmed Covid-19 cases in the world for the period of November 1, 2021 to March 22, 2022 according to JHU report on March 23, 2022, [7].**

Day in corresponding month of 2021 and 2022	Number of cases in November 2021, $V_j$	Number of cases in December 2021, $V_j$	Number of cases in January 2022, $V_j$	Number of cases in February 2022, $V_j$	Number of cases in March 2022, $V_j$
1	247861854	263889719	289933905	382299452	438729232
2	248285819	264595861	290853823	385517611	440402821
3	248824382	265313142	293243463	388702973	442305215
4	249347990	265827599	295774478	391613541	444024074
5	249868870	266267879	298356951	393822977	445417573
6	250296481	266856872	301009468	395644279	446578954
7	250646490	267554327	303949573	398195810	448089716
8	251125070	268225326	306104961	401031723	449944357
9	251611936	268955015	308126442	403489136	451829923
10	252200453	269640522	311304268	406257339	453652969
11	252720115	270140464	314409815	408645179	455486874
12	253314581	270580682	317868825	410471795	457144094
13	253745142	271204631	321059669	411926999	458350633
14	254109339	271864323	324360279	413724219	460085135
15	254646560	272609345	326824415	415507791	461950527
16	255173747	273346817	328983101	417927182	464203918
17	255808066	274079144	331690684	419963810	466258201
18	256423122	274662171	335494877	421905788	468133052
19	257043551	275144793	339610692	423458977	469713452
20	257525406	275886668	343323721	424728142	470737068
21	257929555	276684579	347152734	426187929	472116383
22	258547892	277593721	349889102	427995572	474114550
23	259161029	278589936	352316289	429938984	
24	259834033	279450592	355809402	431697291	
25	260431579	280147825	359513666	433290944	
26	261030829	280727880	363240730	434650622	
27	261492296	282000616	366954227	435736709	
28	261901725	283336850	370568546	437165670	
29	262553270	285063022	373234356	-	
30	263176553	287004720	375503393	-	
31	-	288731494	379089774	-	

**Table 3. Cumulative numbers of laboratory-confirmed Covid-19 cases in Poland for the period of November 1, 2021 to March 22, 2022 according to JHU report on March 23, 2022, [7].**

Day in corresponding month of 2021 and 2022	Number of cases in November 2021, $V_j$	Number of cases in December 2021, $V_j$	Number of cases in January 2022, $V_j$	Number of cases in February 2022, $V_j$	Number of cases in March 2022, $V_j$
1	3030151	3569137	4120248	4925270	5680034
2	3034668	3596491	4127428	4981321	5694767
3	3045102	3623452	4133851	5035796	5708827
4	3060613	3649027	4145518	5083332	5721316
5	3076518	3671421	4162715	5129080	5734041
6	3091713	3684671	4179292	5163780	5741739
7	3104220	3704040	4191193	5188184	5747322
8	3111534	3732589	4202090	5223507	5760498
9	3125179	3760048	4213197	5270363	5774938
10	3143725	3785036	4220984	5312450	5788363
11	3162804	3808798	4232386	5348224	5799996
12	3175769	3828248	4248559	5379551	5811109
13	3190067	3839625	4265433	5401615	5818687
14	3204515	3857085	4281482	5415088	5823982
15	3214023	3881349	4298375	5437343	5836672
16	3230634	3903445	4313036	5466198	5851147
17	3254875	3923472	4323482	5495432	5863414
18	3279787	3942864	4343130	5519411	5875072
19	3303046	3958840	4373718	5540302	5885446
20	3326464	3968450	4406553	5553989	5891140
21	3345388	3982257	4443217	5563446	5895304
22	3357763	4000270	4484095	5582217	5905463
23	3377698	4017420	4518218	5602680	
24	3406129	4032796	4547315	5620946	
25	3434272	4043585	4584360	5637646	
26	3461066	4049838	4637776	5651596	
27	3487254	4054865	4695435	5660493	
28	3507828	4064715	4752700	5667054	
29	3520961	4080282	4804390	-	
30	3540061	4094608	4852677	-	
31	-	4108215	4886154	-	

**Table 4. Cumulative numbers of laboratory-confirmed Covid-19 cases in Germany for the period of November 1, 2021 to March 22, 2022 according to JHU report on March 23, 2022, [7].**

Day in corresponding month of 2021 and 2022	Number of cases in November 2021, $V_j$	Number of cases in December 2021, $V_j$	Number of cases in January 2022, $V_j$	Number of cases in February 2022, $V_j$	Number of cases in March 2022, $V_j$
1	4619273	5999020	7196154	10236740	14974722
2	4649964	6072299	7208790	10474992	15174376
3	4684462	6134492	7258803	10723644	15531240
4	4722102	6177992	7320708	10938030	15713953
5	4755887	6200937	7388045	11065146	15830112
6	4779675	6219259	7447155	11147509	15897578
7	4792463	6312346	7499776	11198886	16065024
8	4816177	6339828	7531904	11579518	16326087
9	4857463	6442846	7553743	11832331	16588872
10	4908540	6496142	7570361	12068411	16814429
11	4957374	6528894	7690632	12274653	17051518
12	5002730	6546010	7776864	12391463	17198365
13	5037039	6581433	7866784	12454304	17271708
14	5056242	6633666	7943959	12628843	17470663
15	5091200	6690568	7988210	12692053	17732946
16	5144827	6741968	8021339	13093881	18027870
17	5213193	6757684	8104157	13309040	18325720
18	5271961	6813287	8222262	13491802	18585957
19	5329263	6812746	8361262	13605445	18717682
20	5374446	6834488	8502132	13667353	18809998
21	5400687	6899437	8635461	13805197	18810035
22	5448574	6943750	8716804	14026675	19058757
23	5516623	6978170	8773030	14252200	
24	5595674	6982238	8909503	14458827	
25	5670253	6999476	9088672	14626315	
26	5735837	7009648	9317280	14732722	
27	5780814	7028398	9477603	14779825	
28	5804139	7059396	9661657	14912626	
29	5854884	7129352	9774847	-	
30	5923564	7171422	9846032	-	
31	-	7193186	10025463	-	

The generalized SIR-model relates the numbers of susceptible  $S(t)$ , infectious  $I(t)$  and removed persons  $R(t)$  versus time  $t$  for a particular epidemic wave  $i$ , [2]. The exact solution of the set of non-linear differential equations uses the function  $V(t) = I(t) + R(t)$ , corresponding to the number of victims

or the cumulative laboratory-confirmed number of cases [2]. Its derivative  $dV/dt$  yields the estimation of the average daily number of new cases. When the registered number of victims  $V_j$  is a random realization of its theoretical dependence, the exact solution presented in [2] depends on five parameters. The details of the optimization procedure for their identification can be found in [3].

Since daily numbers of new cases are random, we will use the smoothed number of accumulated cases and its numerical derivative to estimate the smoothed number of new daily cases (see details in [10]).


## Results and discussion

**Table 5. Optimal values of parameters and other characteristics of the COVID-19 pandemic waves in Ukraine, Poland, Germany and the world**

Characteristics	14 <sup>th</sup> epidemic wave in Ukraine, $i=14$ , [4, 5]	4 <sup>th</sup> epidemic wave in Poland, $i=4$ , [6]	5 <sup>th</sup> epidemic wave in Germany, $i=5$ , [6]	7 <sup>th</sup> epidemic wave in the whole world, $i=7$ , [4, 5]
Time period taken for calculations, $T_{ci}$	January 22 – February 4, 2022	November 22 – December 5, 2021	November 22 – December 5, 2021	January 22 – February 4, 2022
$I_i$	64,676.7037685832	182,880.050730977	175,036.042911984	11,190,879.9375884
$R_i$	3,956,648.86765999	3,181,514.23498331	5,301,466.81423087	337,916,505.348126
$N_i$	5,678,291.86675200	5,410,976	10,300,000	815,388,678.72
$V_i$	1,064,719.47680477	1,574,583.94143908	4,370,737.14176735	453,226,448.070179
$\alpha_i$	1.7392861614679e-7	5.96394337877141e-08	6.8098348012594e-08	6.51375439773073e-10
$\rho_i$	0.185185185185185	0.0939072947186539	0.297639978951643	0.295220576928501
$1/\rho_i$	5.4	10.6488	3.35976371024561	3.38729776360470
$r_i$	0.998361163644707	0.998395644300319	0.996581480894305	0.999439451877399
$S_{i\infty}$	552,746	854,850	3,186,419	359,119,917
$V_{i\infty}$	5,125,546	4,556,126	7,113,581	456,268,762
Final day of the epidemic wave	December 2023	September 2025	April 2023	April 2085

The optimal values of the general SIR model and other characteristics of the 14th epidemic wave in Ukraine [4, 5], the 4<sup>th</sup> wave in Poland [6], the 5<sup>th</sup> wave in Germany [6] and the 7<sup>th</sup> wave in the whole world [4, 5] are listed in Table 5. Corresponding SIR curves are shown in Figs. 1 and 2. The laboratory confirmed accumulated numbers of COVID-19 cases  $V_j$  (Tables 1-4) are shown by “circles”

(data used for SIR simulations) and “stars” (data used for control the results of calculations). “Crosses” represent the averaged daily numbers of new COVID-19 cases calculated with the use of the  $V_j$  values.



**Fig. 1. The omicron waves and further pandemic dynamics in Ukraine and in the whole world.** The results of SIR simulations of the 14th wave in Ukraine are shown by black lines. Blue lines represent the 7<sup>th</sup> pandemic wave in the world. Numbers of victims  $V(t)=I(t)+R(t)$  – solid lines (for the world divided by 60); numbers of infected and spreading  $I(t)$  (multiplied by 5 for Ukraine) – dashed; derivatives  $dV/dt$ , multiplied by 100 for Ukraine and by 2 for the world) – dotted. “Circles” correspond to the accumulated numbers of cases registered during the periods of time taken for SIR simulations (for the world divided by 60). “Stars” corresponds to  $V_j$  values beyond these time periods (for the world divided by 60). “Crosses” show the numerical first derivative multiplied by 100 for Ukraine and by 2 for the world. Black markers correspond to Ukraine ([7], Table 1), blue and brown “crosses” - for the world (different versions of JHU datasets [7], Table 2).


“Stars” and “crosses” in Fig. 1 illustrate that before the war the accumulated number of cases (“stars”) and the averaged daily numbers of new cases (“crosses”) followed the corresponding theoretical solid and dotted lines. In March 2022 the real global dynamics started to deviate from the theoretical blue solid and dotted curves. In particular, the saturation level of the 7<sup>th</sup> pandemic wave  $V_{i\infty} = 456,268,762$  (see the last column of Table 5) is already exceeded. The increase in the global daily numbers of new cases (see brown “crosses”) can be explained by the mass migration from Ukraine. As of March 23, 2022, more than 3.5 million Ukrainians were forced to flee abroad [1].

To estimate the possible impact of this humanitarian disaster, let us calculate the probability of meeting an infectious person in Ukraine with the use of simple formula, [10]:

$$p(t) = \frac{I(t)}{N_{pop}} \quad (1)$$

where  $N_{pop}$  is the volume of population. As of February 24, 2022 the numbers of people spreading the infection  $I(t)$  were around 100, 000 in Ukraine and 5 million in the whole world (see dashed lines in Fig. 1). Since before the war, the population of Ukraine was 178 times less than global figure, the probability of meeting an infected person in Ukraine was 3.6 times higher (according to eq. (1)). It means that forced mass emigration of Ukrainians could cause an increase in the number of new cases in the world. Brown crosses in Fig. 1 illustrate this fact. It is worth noting that after March 15, 2022 the growth stopped, which can be explained by a decrease in the flow of refugees.

Let us consider the situation in the Poland, which has accepted more than 2 million Ukrainian refugees [1]. In March 2022, the decline in the number of new cases slowed down (see red “crosses” in Fig. 2). The lack of an increase in the number of new cases in Poland can be explained by the approximately same probability of meeting an infected person with Ukraine.



**Fig. 2 The COVID-19 pandemic waves in Poland (red) and Germany (black) in 2021 and 2022.** The results of SIR simulations of the 4th wave in Poland and the 5th wave in Germany are shown by red and black lines, respectively. Numbers of victims  $V(t)=I(t)+R(t)$  – solid lines; numbers of infected and spreading  $I(t)$  multiplied by 10 – dashed; derivatives  $dV/dt$  (multiplied by 100) – dotted. “Circles” correspond to the accumulated numbers of cases registered during the period of time taken for SIR simulations. “Stars” correspond to  $V_j$  values beyond this time period. “Crosses” show the averaged daily number of new cases (calculated with the use of datasets presented in Tables 3, 4 and multiplied by 100).



Unfortunately, we have results of SIR simulations only for the 4<sup>th</sup> wave in Poland (shown by red lines in Fig. 2, [6]). In January 2022 a new Omicron wave started in this country and the daily numbers of new cases (red “crosses” in Fig.2) became much higher than the theoretical estimation for the previous wave (the red dotted line). The maximum values of  $I(t)$  were approximately 200,000 both for Ukraine and Poland (see the black dashed line in Fig.1 and the red dashed line in Fig.2). Since the populations of these countries are also close, we can expect the close values for the probabilities of meeting of an infectious person (according to eq. (1)). Thus, the huge number of Ukrainian refugees did not change much the epidemic dynamics in Poland.

In early 2022, when a new powerful epidemic wave began in Germany, the number of infected in this country was about 4 times less than in Poland (compare black and red dashed lines in Fig. 2). Taking into account the difference in population size, one can expect about eight times less chance of meeting an infected person in Germany. Therefore, refugees from Ukraine could significantly increase the number of new cases in Germany in March 2022. Black “crosses” in Fig. 2 illustrate this fact.

## Conclusions

The huge number of Ukrainian refugees has increased the global number of new COVID-19 cases. Deterioration of epidemic dynamics should be expected in countries with a small number of infected per capita.

## Acknowledgement

The author is grateful to Oleksii Rodionov for his help in collecting and processing data.

## References

1. <https://www.ukrinform.ua/rubric-ato/3436732-kilkist-bizenciv-z-ukraini-perevisila-35-miljona-on.html>
2. Nesteruk I. General SIR Model and Its Exact Solution. In book: COVID-19 Pandemic Dynamics, Springer Nature, 2021. DOI: 10.1007/978-981-33-6416-5\_9. [https://link.springer.com/content/pdf/10.1007%2F978-981-33-6416-5\\_9.pdf](https://link.springer.com/content/pdf/10.1007%2F978-981-33-6416-5_9.pdf)
3. Nesteruk I. Procedures of Parameter Identification for the Waves of Epidemics. In book: COVID-19 Pandemic Dynamics, Springer Nature, 2021. DOI: 10.1007/978-981-33-6416-5\_10. [https://link.springer.com/chapter/10.1007%2F978-981-33-6416-5\\_10](https://link.springer.com/chapter/10.1007%2F978-981-33-6416-5_10)
4. Nesteruk I. SIR simulations of omicron waves and pessimistic forecasts of their duration. Preprint. Research Gate. February 2022. DOI: [10.13140/RG.2.2.17526.88649](https://doi.org/10.13140/RG.2.2.17526.88649)
5. Nesteruk I. Epidemic waves caused by SARS - CoV - 2 omicron (B.1.1.529) and pessimistic forecasts of the COVID - 19 pandemic duration. March 2022. *MedComm* 3(1). DOI: [10.1002/mco2.122](https://doi.org/10.1002/mco2.122)
6. Nesteruk I. Final sizes and durations of new COVID-19 pandemic waves in Poland and Germany predicted by generalized SIR model. Preprint. MedRxiv. December 2021. DOI: [10.1101/2021.12.14.21267771](https://doi.org/10.1101/2021.12.14.21267771)
7. COVID-19 Data Repository by the Center for Systems Science and Engineering (CSSE) at Johns Hopkins University (JHU). <https://github.com/owid/covid-19-data/tree/master/public/data>

8. Coronavirus in Ukraine - Statistics - Map of infections, graphs [Internet]. Index.minfin.com.ua. 2021. <https://index.minfin.com.ua/ua/reference/coronavirus/ukraine/>
9. Cabinet of Ministers of Ukraine – Home [Internet]. <https://www.kmu.gov.ua/>
10. Nesteruk I. *COVID-19 pandemic dynamics*. Springer Nature. 2021. DOI: 10.1007/978-981-33-6416-5. <https://link.springer.com/book/10.1007/978-981-33-6416-5>