1	Adherence to and enforcement of non-pharmaceutical interventions (NPIs) for COVID-19
2	prevention in Nigeria, Rwanda, and Zambia: A mixed-methods analysis
3	Hiwote Solomon <sup>1</sup> , Donald M. Thea <sup>2</sup> , Sandro Galea <sup>3</sup> , Lora L. Sabin <sup>2</sup> , Daniel R. Lucey <sup>4</sup> , Davidson
4	H. Hamer <sup>2,5</sup>
5	
6	<sup>1</sup> Doctor of Public Health Program, Boston University School of Public Health, Boston,
7	Massachusetts, USA
8	<sup>2</sup> Department of Global Health, Boston University School of Public Health, Boston,
9	Massachusetts, USA
10	<sup>3</sup> Department of Epidemiology, Boston University School of Public Health, Boston,
11	Massachusetts, USA
12	<sup>4</sup> Department of Medicine, Georgetown University Medical Center, Washington, D.C., USA
13	<sup>5</sup> Department of Medicine, Boston University School of Medicine, Boston, Massachusetts, USA
14	
15	Corresponding author
16	Hiwote Solomon
17	Boston University School of Public Health
18	801 Massachusetts Avenue
19	Boston, MA 02119

20 solomohi@bu.edu

## 21 Abstract

22 Introduction: In the early parts of the COVID-19 pandemic, non-pharmaceutical interventions 23 (NPIs) were implemented worldwide, including in sub-Saharan Africa, to prevent and control 24 SARS-CoV-2 transmission. This mixed-methods study examines adherence to and enforcement 25 of NPIs implemented to curb COVID-19 in Nigeria, Rwanda, and Zambia, leading up to the 26 10,000<sup>th</sup> case of laboratory-confirmed COVID-19 in each country. Additionally, we aim to 27 evaluate the relationship between levels and changes of NPIs over time and changes in COVID-28 19 cases and deaths. Methods: This mixed-methods analysis utilized semi-structured interviews and a quantitative 29 30 dataset constructed using multiple open data sources, including the Oxford COVID-19 31 Government Response Tracker. To understand potential barriers and facilitators in implementing 32 and enforcing NPIs qualitative data were collected from those involved in the COVID-19 response 33 and analyzed using NVivo. Quantitative results were analyzed using descriptive statistics, plots, 34 ANOVA, and post hoc Tukey.

35 **Results:** Individual indicator scores varied with the COVID-19 response in all three countries. 36 Nigeria had sustained levels of strict measures for containment and closure NPIs, while in 37 Rwanda there was substantial variation in NPI score as it transitioned through the different case 38 windows for the same measures. Zambia implemented moderate stringency throughout the 39 pandemic using gathering restrictions and business/school closure measures but maintained low 40 levels of strictness for other containment and closure measures. Rwanda had far more consistent 41 and stringent measures compared to Nigeria and Zambia. Rwanda's success in implementing 42 COVID-related measures was partly due to strong enforcement and having a population that 43 generally obeys its government.

- 44 Conclusion: Various forces either facilitated or hindered adherence and compliance to COVID-
- 45 19 control measures. This research highlights important lessons, including the need to engage
- 46 communities early and create buy-in, as well as the need for preparation to ensure that response
- 47 efforts are proactive rather than reactive when faced with an emergency.

## 48 Introduction

49

50 In a pandemic, non-pharmaceutical interventions (NPIs) are crucial in curbing disease 51 spread, especially in the absence of vaccines and other pharmaceutical interventions (1). It is 52 widely accepted in public health that early interventions are an important step to halting the 53 progression of a new communicable disease threat (2). Prior to the COVID-19 pandemic, the 54 impact of NPIs has been largely studied in controlling influenza outbreaks, including the 55 1918/1919 influenza pandemic (1,3). NPIs include actions that can be taken by individuals and the 56 larger community. These include frequent hand washing, covering coughs and sneezes, isolating 57 sick persons, contact tracing, quarantining exposed persons, and physical/social distancing 58 measures for the general population (1,4,5). The latter includes containment strategies such as the 59 closing of schools and workplaces, restricting public gatherings, curfews, quarantine, and 60 maximizing telework (when applicable) (5-8).

61 The success of NPIs is dependent on enforcement, political governments, and citizens' 62 willingness to comply with the measures. Until recently, the effectiveness of NPIs has not been 63 tested systematically. Early measures of efficacy were explored mainly through the use of 64 mathematical models, while few published studies have reviewed the historical evidence on NPI 65 adoption during past pandemics (1,3,9). A small number of studies have explored the impact of 66 public health interventions and NPIs during the 1918-1919 influenza pandemic, in which NPIs 67 played a critical role in delaying the temporal effects of the pandemic, in addition to reducing the 68 overall and peak attack rate and the number of cumulative deaths (3,9). How successful NPIs were 69 in limiting disease spread in Africa, especially in the first year of the COVID-19 pandemic has 70 been underexplored in the literature. The degree of implementation and the impact of these NPIs 71 during the COVID-19 pandemic has largely been studied in high-income countries, and there has

been limited data in the literature focused on low- and middle-income countries, especially in
Africa (10–15).

74 In the absence of treatment beyond supportive care and vaccination for the early parts of 75 the COVID-19 pandemic, NPIs were implemented across the world to prevent and control the 76 transmission and spread of SARS-CoV-2. By early March 2020, several countries in Africa 77 (affected and unaffected by COVID-19) began mobilizing in response to the pandemic. This 78 included prompt case identification, information campaigns to sensitize citizens, and building 79 laboratory capacity (16.17). Some countries relied on innovative strategies such as using locally 80 produced cloth masks, soaps, and hand sanitizers, developing inexpensive diagnostic tests, testing 81 pooled COVID-19 samples, and using drones to transport test kits and samples to and from hard-82 to-reach areas (18–20). By the end of March 2020, many African Union Member States had 83 imposed travel bans on flights arriving from certain Asian and European countries (20). In the 84 following two months, almost two-thirds of African Union Member States had closed their borders to all international travelers, except for cargo, freight, and expatriation of foreign nationals (19,20). 85 86 Fifteen countries, including Nigeria and Rwanda, implemented border closures before any 87 COVID-19 cases were confirmed (21). Other NPIs, such as restrictions of movement and public 88 gathering, and closure of schools and workplaces were also implemented across the region.

The present study focuses on three countries in Africa: Nigeria in West Africa, Rwanda in East Africa, and Zambia in southern Africa. These countries were selected to provide variety in geopolitical structures, population size, region, and World Bank income classification. This mixedmethods study aims to examine adherence and enforcement of NPIs implemented to curb COVID-19 in Nigeria, Rwanda, and Zambia, leading up to the 10,000<sup>th</sup> recorded case of COVID-19 in each

94 country. Additionally, we aim to broadly evaluate the relationship among the levels/changes in
95 NPIs implemented and changes in COVID-19 cases and deaths.

- 96 Methods and Materials
- 97 Study design

98 This mixed-methods study utilized a mix of semi-structured interviews and a quantitative
99 dataset constructed using multiple open data sources.

100 **Qualitative method** 

101 To understand the potential barriers and facilitators in implementing and enforcing NPIs 102 and how other epidemics within the countries may have affected compliance in NPIs, qualitative 103 data were collected from decision-makers and experts involved in the COVID-19 response using 104 key informant interviews (KIIs). KIIs were conducted with officials of Ministries of Health, Africa 105 CDC Regional Collaborating Centers, and WHO African Regional Office (AFRO). Recruitment 106 utilized purposive and convenience sampling, including a snowball sampling approach. All KIIs 107 provided verbal consent before the start of the interview. Each KII took on average 30 minutes to 108 complete using Zoom. The audio recordings were downloaded from Zoom and then immediately 109 uploaded to a secure database and deleted from the computer. Transcription took place upon 110 completion of the interviews. Data were collected and analyzed using a grounded theory approach 111 (22). Thematic analysis using inductive coding was used to systematically extract key themes in 112 an iterative process as they emerged through the analysis process. An iterative process was used 113 to develop a comprehensive codebook. During the initial coding phase, first-order codes were 114 developed, while secondary coding allowed for the grouping of first-order codes into themes. 115 Quotes attributed to specific themes were extracted. Both coding and analysis were conducted 116 using NVivo Release 1.6 Mac Edition (23).

## 117 Quantitative Methods

118 A time-series dataset was constructed using multiple open data sources. Observations for 119 each variable were recorded daily beginning on January 1st, 2020, for each of the three countries 120 (Nigeria, Rwanda, and Zambia) and ending on the date when each country surpassed its 10,000<sup>th</sup> 121 case. While most studies exploring the effect of NPIs have focused on 100 cases as the outbreak 122 threshold, this study uses four case windows to gain a broader picture: no cases ( $W_0$ ), 1-100 cases 123  $(W_1)$ , >101-1,000 cases  $(W_2)$ , and >1,001-10,000+ cases  $(W_3)$ ). New and cumulative cases during 124 this period were obtained from the COVID-19 data repository by the Center for Systems Science 125 and Engineering at Johns Hopkins University (24). In addition to COVID-19 case and death 126 aggregates, the dataset also includes variables from the University of Oxford COVID-19 127 Government Response Tracker (OxCGRT), which collects publicly available information on 20 128 indicators in different areas, such as containment policies, economic policies, and health policies 129 in more than 150 countries since January 2020 (25). Data are collected in real-time and from 130 publicly available sources in each country. The OxCGRT dataset utilized in this paper was 131 downloaded in March 2021.

132 This paper focuses on two policy indices calculated by the OxCGRT, the stringency index 133 (SI) and the containment and health index (CHI). Table 1 shows which variables were included in 134 each index. The SI records the strictness of closure and containment policies using 9 indicators, 135 which include lockdown policies, primarily aimed at restricting certain behaviors, while the CHI 136 includes all the variables from the stringency index and additional variables focused on mitigating 137 the health consequences of COVID-19 (e.g., testing, use of facial coverings outside the home, and 138 contact tracing) (25). The methods and calculation of indices are described elsewhere by Hale et 139 al (25). Broadly, both indices aggregate the data of individual policy measures into a single

- 140 number, between 0 to 100, that reflects the level of a government's response along certain
- 141 dimensions to measure the indicators upon which a government has acted, and to what degree.

Variable	Description	SI	CHI
C1	Record closings of schools and universities	X	X
C2	Record closings of workplaces	X	X
C3	Record canceling public events	X	Х
C4	Record limits on gatherings	X	Х
C5	Record closing of public transport	X	Х
C6	Record orders to "shelter-in-place" and otherwise confine to the home	X	Х
C7	Record restrictions on internal movement between cities/regions	X	X
C8	Record restrictions on international travel (this records policy for	X	X
	foreign travelers, not citizens)		
H1	Record presence of public info campaigns	X	X
H2	Record government policy on who has access to testing		X
	Note: this records policies about testing for current infection (PCR		
	tests) not testing for immunity (antibody test)		
H3	Record government policy on contact tracing after a positive diagnosis		x
	Note: Policies include only those that would identify all people		
	potentially exposed to COVID-19		
H6	Record policies on the use of facial coverings outside the home		X
H7	Record policies for protecting elderly people (as defined locally) in		X
	Long Term Care Facilities and/or the community and home setting		

Table 1. Non-pharmaceutical policy variables used in OxCGRT index calculation

142

To examine the degree of implementation of NPIs relative to the four case windows, we used plots and descriptive statistics (means and standard deviations) stratified by the case windows. Indices were compared across case windows using analysis of variance (ANOVA) models with post-hoc comparisons (p-values adjusted using Tukey's method). All analyses were performed using SAS statistical software version 9.4 (SAS Institute Inc., Cary, NC) (26).

- 148 **Ethical Considerations**
- 149 IRB exemption was granted on May 5, 2021, by the Boston University Medical Center 150 Institutional Review Board (IRB number: H-41329). All key informant interviewees were 151 informed that participation was voluntary. All participants provided verbal consent to being 152 recorded before the start of the interview.

### 153 Results

## 154 **Quantitative findings**

155 It took Rwanda less time to surpass the first 100 cases (21 days) compared to Nigeria (30 156 days) and Zambia (43 days); however, it took Rwanda substantially longer to surpass 10,000 157 cases (379 days) than Nigeria and Zambia (152 and 232 days, respectively). All three countries 158 experienced an exponential rise in cases after surpassing 1,000 cases of COVID-19. 159 An examination of SI scores from January 1st, 2021, until each country surpassed 10,000 160 cases, reveals several important differences across countries (Tables 2a-2c). In Rwanda, the 161 average score of the SI from January 1st, 2020, until it surpassed 10,000 cases was 61.1 out of 100 162 (SD = 26.6, median=73.2) indicating sustained moderate stringency on measures. In contrast, 163 Nigeria and Zambia had average scores of 42.1 (SD = 37.1, median=11.1) and 34.3 (SD = 22.3, 164 median=43.5), respectively. In Nigeria, a Tukey post hoc test shows the mean SI scores in case 165 windows W<sub>2</sub> (SI=83.0) and W<sub>3</sub> (SI=84.6) were statistically significantly different (p<0.0001) when 166 compared to  $W_0$  (SI=6.2). However, there was no difference between the mean SI scores between 167  $W_2$  and  $W_3$  (p=0.85), indicating stringency scores stayed relatively around the same level after the 168 100<sup>th</sup> case. In contrast, in Zambia, the mean SI scores in case windows  $W_1$  (SI= 49.5),  $W_2$ 169 (SI=51.2), and W<sub>3</sub> (SI=47.4) were significantly different (p<0.0001) than W<sub>0</sub> (SI=5.6), indicating 170 that Zambia's stringency levels varied post-identification of the index case compared to pre-171 identification. However, there was no difference between the mean SI scores across case windows 172 W<sub>1</sub>, W<sub>2</sub>, and W<sub>3</sub>, suggesting that the stringency levels in how the measures were implemented 173 stayed relatively stable despite cases increasing. In Rwanda, mean SI scores in  $W_1$  (SI=73.2) and 174  $W_3$  (SI=70.3) were statistically significantly different (p<0.05) when compared to  $W_2$  (SI=79.5). 175 However, there was no difference between the mean SI scores between  $W_1$  and  $W_3$  (p=0.53)

176 suggesting that the stringency levels were similar in terms of which measures were implemented

177 during  $W_1$  and  $W_3$ .

# 178 Table 2a. One-Way Analysis of Variance of the Stringency Index Score by Case Window, Nigeria

					ukey's Post	-hoc Compa	risons
Case Window	n	Mean	SD	$\mathbf{W}_{0}$	$\mathbf{W}_{1}$	$\mathbf{W}_2$	<b>W</b> <sub>3</sub>
Pooled	152	42.1	37.1	-	-	-	-
W <sub>0</sub>	58	6.2	5.1		< 0.0001	< 0.0001	< 0.000
$\mathbf{W}_{1}$	30	22.3	16.3	< 0.0001		< 0.0001	< 0.000
$W_2$	26	83.0	0.6	< 0.0001	< 0.0001		0.85
$W_3$	38	84.6	0.6	< 0.0001	< 0.0001	0.85	
Note: W <sub>0</sub> :	0 cases	, W <sub>1</sub> : 1-100	+ cases, W	<i>v</i> <sub>2</sub> : >101-1,00	0+ cases, V	W <sub>3</sub> : >1,001-1	0,000+
<i>n:</i> number	r of days	s, SD: stand	lard deviati	ion			

185

186

187

## Table 2b. One-Way Analysis of Variance of the Stringency Index by CaseWindow, Rwanda

				]	Fukey's HS	D Comparis	sons
Case Window	п	Mean	SD	W <sub>0</sub>	$\mathbf{W}_{1}$	$W_2$	W <sub>3</sub>
Pooled	379	61.1	26.6	-	-	-	-
W <sub>0</sub>	73	10.9	7.6		< 0.0001	< 0.0001	< 0.0001
$\mathbf{W}_1$	21	73.2	25.6	< 0.0001		0.04	0.54
$W_2$	86	79.5	8.6	< 0.0001	0.04		< 0.0001
W <sub>3</sub>	199	70.3	7.5	< 0.0001	0.54	< 0.0001	

Note:  $W_0$ : 0 cases,  $W_1$ : 1-100+ cases,  $W_2$ : >101-1,000+ cases,  $W_3$ : >1,001-10,000+ cases *n*: number of days, *SD*: standard deviation

188

189

Tukey's HSD Compariso						ons	
Case Window	п	Mean	SD	W <sub>0</sub>	<b>W</b> <sub>1</sub>	W <sub>2</sub>	W <sub>3</sub>
Pooled	232	34.3	22.3	-	-	-	-
W <sub>0</sub>	77	5.6	7.9		< 0.0001	< 0.0001	< 0.0001
$W_1$	43	49.5	14.7	< 0.0001		0.87	0.63
W <sub>2</sub>	27	51.2	12.1	< 0.0001	0.87		0.25
W <sub>3</sub>	85	47.4	5.1	< 0.0001	0.63	0.25	

Table 2c. One-Way Analysis	of Variance	of the Stringency	Index by Case
Window, Zambia			

Note:  $W_0$ : 0 cases,  $W_1$ : 1-100+ cases,  $W_2$ : >101-1,000+ cases,  $W_3$ : >1,001-10,000+ cases *n*: number of days, *SD*: standard deviation

190

191 There were also major differences between countries when examining the degree of 192 implementation of the CHI which measured all eight containment and closure NPIs and eight 193 health system NPIs. In Rwanda, the overall average score for the CHI was 58.5 (SD = 25.3, 194 median=71.4) (Table 3a). In contrast, the average scores in Nigeria and Zambia were 38.3 (SD = 195 32.2, median=16.7) and 31.1 (SD = 20.8, median=40.5), indicating lower stringency and levels of 196 implementation compared to Rwanda. When looking at differences in implementation between 197 case windows, there were significant differences between the CHI scores across case windows in 198 Nigeria indicating varying levels of implementation between the case windows. By comparison, 199 in Rwanda, the mean containment and health index scores in case windows W<sub>1</sub> (CHI=65.3) and 200  $W_3$  (CHI=68.7) were significantly different (p<0.001) compared to  $W_2$  (CHI=74.7). However, 201 there was no difference between the mean CHI scores in W<sub>1</sub> and W<sub>3</sub>, indicating that the 202 implementation of measures calculated in the CHI were similar during W<sub>1</sub> and W<sub>3</sub>. Lastly, in 203 Zambia, there was a statistically significant difference between the mean containment and health 204 index scores in case windows W1 (CHI=41.7), W2 (CHI=47.8), and W3 (CHI=45.3). However, 205 there was no difference in the mean containment and health index scores between W1 and W2

206 compared to  $W_3$  (p>0.05), which again indicates similar implementation of the measures calculated

in the containment and health index during  $W_1$ ,  $W_2$ , and  $W_3$ .

				Tukey's Post-hoc Comparisons					
Case Window	п	Mean	SD	W <sub>0</sub>	$W_1$	<b>W</b> <sub>2</sub>	<b>W</b> <sub>3</sub>		
Pooled	152	38.3	32.2	-	-	-	-		
W <sub>0</sub>	58	5.1	4.4		< 0.0001	< 0.0001	< 0.0001		
$W_1$	30	26.5	13.8	< 0.0001		< 0.0001	< 0.0001		
$W_2$	26	70.5	1.0	< 0.0001	< 0.0001		0.0065		
W <sub>3</sub>	38	76.1	0.4	< 0.0001	< 0.0001	0.0065			

Table 3a. One-Way Analysis of Variance of the Containment and Health Index by Case Window, Nigeria

Note:  $W_0$ : 0 cases,  $W_1$ : 1-100+ cases,  $W_2$ : >101-1,000+ cases,  $W_3$ : >1,001-10,000+ cases *n*: number of days, *SD*: standard deviation

208

 Table 3b. One-Way Analysis of Variance of the Containment and Health Index by

 Case Window, Rwanda

				Tukey's HSD Comparisons				
Case	п	Mean	SD	W <sub>0</sub>	W <sub>1</sub>	W <sub>2</sub>	<b>W</b> <sub>3</sub>	
Window								
Pooled	379	58.5	25.3	-	-	-	-	
W <sub>0</sub>	73	9.7	8.0		< 0.0001	< 0.0001	< 0.0001	
$W_1$	21	65.3	21.0	< 0.0001		< 0.0001	0.24	
$W_2$	86	74.7	4.6	< 0.0001	< 0.0001		< 0.0001	
$W_3$	199	68.7	6.2	< 0.0001	0.24	< 0.0001		
Note: W <sub>0</sub> :	0 cases,	W <sub>1</sub> : 1-100	+ cases, W	2:>101-1,00	0+ cases, V	$V_3: >1.001-1$	0.000 + cases	

Note:  $W_0$ : 0 cases,  $W_1$ : 1-100+ cases,  $W_2$ : >101-1,000+ cases,  $W_3$ : >1,001-10,000+ cases *n*: number of days, *SD*: standard deviation

## Table 3c. One-Way Analysis of Variance of the Containment and Health Index by Case Window, Zambia

				Tukey's HSD Comparisons					
Case Window	n	Mean	SD	W <sub>0</sub>	$\mathbf{W}_1$	W <sub>2</sub>	<b>W</b> <sub>3</sub>		
Pooled	232	31.1	20.8	-	-	-	-		
W <sub>0</sub>	77	3.6	5.1		< 0.0001	< 0.0001	< 0.0001		
$W_1$	43	41.7	13.7	< 0.0001		0.005	0.05		
$W_2$	27	47.8	7.8	< 0.0001	0.005		0.43		
W <sub>3</sub>	85	45.3	3.3	< 0.0001	0.05	0.43			

Note:  $W_0$ : 0 cases,  $W_1$ : 1-100+ cases,  $W_2$ : >101-1,000+ cases,  $W_3$ : >1,001-10,000+ cases *n*: number of days, *SD*: standard deviation

210

209

#### **Qualitative Findings** 211

240 241

242

3, Rwanda

212	A total of ten (n=10) KIIs were conducted. Interviewees represented different agencies
213	involved in the response including Ministries of Health, WHO AFRO, academic institutions, and
214	non-governmental organizations. Several themes emerged regarding challenges in implementing
215	NPIs from participants. The socioeconomic impact of the NPIs was a major theme. Other
216	challenges included lack of adherence and compliance to measures and perceived severity of
217	COVID-19 by the community. Several notable sub-themes were also identified. These are
218	discussed below in more detail, along with illustrative statements
219	Nearly all participants commented on the economic hardships that certain NPIs such as
220	lockdowns and business closures have created.
220	lockdowns and business closures have created.
221	" overall, the economy was affected, when businesses were closed, everywhere was
222	closed, the economy was affected. Like we said earlier, there was also impact in accessing
223	the services by the general population because of the movement restrictions. So, there are
224	some of the things that were negatively impacted and has put the countries in a tight corner
225	and made them start re-opening the economy and lifting some of those measures." –
226	Participant 1, WHO AFRO
227	
228	"Businesses really suffered. All nightclubs are completely shut down now, they're
229	completely out of the picture. Many restaurants shut down. And right after the lockdown
230	was lifted, restaurants became very expensive. They had to compensate for the last one full
231	year. That has been a challenge." – Participant 3, Rwanda
232	
233	Social determinants of health such as poverty, lack of access to water, overcrowding, and food
234	insecurity were major sub-themes that emerged. Poverty was mentioned by nearly all participants
235	as a major challenge in both implementation and adherence to NPIs.
236	"the challenges have been number one poverty. There are several people in Africa,
237	Rwanda included, that depend on day-to-day wages. Take the earnings of motorcycle
238	drivers, taxi drivers, day-laborers, farmers. Quarantine for them has been a huge, huge
239	blow, a huge blow. Vis-a-vi other African countries did not implement quarantine. I think
240	it was only Uganda and Kenya that did so. So that has been a big challenge." – Participant
241	

"And then you also want to look at the fact that when you tell me wash your hands, and
there's no running water in your area, how are you going to wash your hands? Or when
you say keep a safe distance and then you have a family of 6 living in a room, how are they
going to keep a safe distance? And you have the whole block of single room apartments
which is packed with so many people. Or in the marketplace, how do you keep distance in
the market? So, some of the non-pharmaceutical interventions were not implementable
because of the environment we are in." – Participant 1, WHO AFRO

- 251 An additional theme was perceived severity of disease. Several noted that media outlets, especially
- in the West, had emphasized that when COVID-19 reached Africa, it would create complete
- 253 catastrophe. When this was not the case in the first and second wave, KII participants noted that
- citizens did not perceive COVID-19 to be a major threat and did not find the strict measures to be
- 255 justified. KII participants mentioned that this view was further intensified by misinformation, and,
- 256 in the case of Nigeria, major distrust in the government.

250

263

270

257 "First of all, I'm sad to say that the major challenge was the people didn't trust the
258 government. Two, they didn't believe there was COVID because people were not dying
259 because the wrong impression was created that when COVID came to Africa it was going
260 to kill everybody, and so when they didn't see any dead bodies then they just assumed that
261 there was no COVID. And there was a lot of fake information and things about COVID,
262 which people took as truth." – Participant 1, Nigeria

"...the number one challenge is the people's perception of the disease itself because despite
all the government did to make people understand how the disease is caught, you will hear
people say it is a scam, that it is an attempt for government to just make money out of
donors, that there's no such disease as COVID... there was buy-in initially but because of
these fear ...the fear that the government cannot be trusted, because people think they had
what they call "hidden agenda." – Participant 2, Nigeria

- 271 Lack of compliance and adherence to NPIs was also a major theme that emerged. In Zambia, the
- 272 pandemic also coincided with a particularly tense election year, which brought its own challenges
- in terms of adherence to measures.

"... it's been an election year for Zambia. This is unique to us so we had political
gatherings that I think needed time...they didn't really adhere to us under our
recommendations, or they said in principle they would accept that, and then just went
ahead and did whatever they wanted to do. So, it was rather a challenging time. And we
had large gatherings, political gatherings, that was a big challenge for us to manage

adherence to COVID-19 regulations, as well as ensure that there is a democratic electoral
process running side by side." – Participant 1, Zambia

280 281

281 282 Enforcement was a common theme among participants. In Rwanda, enforcement was mentioned

- as a success several times, and it was attributed to both the malleability of the Rwandese people
- as a population that respects its government and strict enforcement by the government.
- "Rwandans obey the rule of law. Obey their government. If there's a policy, it's respected,
  generally. Even without an enforcer, without the involvement of the police, of law
  enforcement, it is generally accepted. That's the main thing. The second thing is they're
  very strict. Walking without a mask is I think \$30. I've seen several people getting penalized
  right in front of my eyes in Kigali. So, they don't joke around. If you are caught past the
  curfew, you will be taken to the national stadium, you'll be kept there throughout the
  night—that's punishment in addition to \$100 payment." Participant 3, Rwanda
- 293 "Like everyone had to be home at 7pm. Right now, the time is 7:45pm and if you go on the
  294 road, you won't find anybody. Just that move of respecting the guidelines and the level of
  295 cooperation is why I think we're successful." Participant 1, Rwanda
- 296
- 297 "...the enforcement piece I could say that there were radio talks about any of the measures
  298 that were put in place by the government and local entities were in charge of making sure
  299 these measures are respected by the general population." Participant 2, Rwanda
  300
- 301 Whereas enforcement was a success in Rwanda, enforcement was a major challenge in Nigeria

302 and Zambia. KII participants noted that the length and protracted nature of the response have had

303 major consequences in terms of compliance and adherence to several public health and social

- 304 measures that were being implemented at various points throughout the pandemic, not only by the
- 305 community but some KIIs mentioned government figures themselves were not adhering to
- 306 precisely the measures they were responsible for enforcing.
- 307 "...there were not really [consequences for lack of adherence] ...well they put it there ...but
  308 complying with the law and enforcing is one thing...on a few cases here and there they did.
  309 But it didn't last. In about a week or two everybody had forgot, and they went back...even
  310 the guy who is supposed to be enforcing it is not wearing a mask \*laughs\*" Participant
  311 1, Nigeria
  312
- 313 *"For places of worship, they are now back to their old, crowded form despite the* 314 *regulations. Because the latest law was no gathering of 50 or more people, but I was in*

315 church on Sunday, and I think we were more than 2,000 in that gathering so that's how it 316 is. So, there is no consistency or uniformity in the enforcement. Like every state or local 317 government can do whatever they felt like implementing."- Participant 2, Nigeria 318 319 "...in some of the large density populations in the peri urban areas, if you went there, they 320 would just see blatant disregard of the regulations despite posters being around or motor 321 vehicles with the speakerphone going around announcing what to do. You would 322 essentially see nobody wearing for instance a mask, and that just shows you the defiance 323 levels people had, and because we didn't really have people going around arresting you 324 for not putting on a mask for instance, so that was some of the challenges we saw." – 325 Participant 1, Zambia 326 327 In the opinion of KII participants, political structures and dynamics also played a factor as a barrier 328 in the implementation of NPIs. In countries like Nigeria and Zambia, where there is a decentralized 329 government, enforcement was much more difficult than in a country like Rwanda, which has a 330 very centralized government. 331 "Over time, there was no consistency in the enforcement and no uniformity between States. 332 Some States tended to take it more seriously than other States. But on the part of the 333 Federal Government of Nigeria, the government had been the one really wielding the big 334 stick. The States were left to do what they felt like doing because at first when the [federal] 335 government tried to send down regulations right from the country's capital, some State 336 governments saw it as [an] affront to their own rights because the body governance and 337 the president were elected so they didn't like the idea of a [federal] government official 338 trying to decide what happens at the State level. So, the States were left to do what they 339 wanted to do." – Participant 2, Nigeria 340 341 "It also depends on the political structure of the country. Nigeria is a very complex country 342 where it has federal [territories] and states. The states have very much power in terms of 343 dealing with the local issues, so the application and implementation of these measures at 344 the local level was a little bit not much uniform in the country. Whereby in countries like 345 Rwanda, it's most centralized, of course with good leadership, the implementation of these 346 measures was very much uniform across the country." – Participant 2, WHO AFRO 347 348 Discussion

- To the best of our knowledge, this study is the first to focus on understanding the degree
- 350 of implementation and facilitators and barriers to enforcement in sub-Saharan Africa. In the early
- 351 stages of the pandemic, many countries in sub-Saharan Africa including Nigeria, Rwanda, and
- 352 Zambia replicated NPIs, such as travel restrictions and shelter-in-place orders, as implemented by

353 Western countries in Europe and the United States. However, approaches that were effective in 354 countries outside of Africa were not necessarily appropriate for the African region. Given the 355 heterogeneity in populations, health systems, and governments in the region, blanket NPI measures 356 such as restrictions on movement proved challenging to implement. Almost three-fourths (71%) 357 of Africans work in the informal sector and thus encountered severe economic hardship with the 358 enforcements of lockdowns and border closures (18, 27, 28). With the implementation of certain 359 measures, some countries had food shortages, social unrest, and economic instability (18,19). 360 Economic instability was felt across the African continent; however, Zambia became the first 361 African country to default on its Eurobond national debt during the pandemic (29). The pandemic 362 caused the Zambian economy to enter its deepest recession in history with the economy shrinking 363 by 4.2% in 2020 (30–32). An assessment of the Zambian economy a year into the pandemic claimed that the "recession goes beyond the containment measures (which were moderate) and 364 365 reflects vulnerabilities to external shocks and unfavorable internal macroeconomic decisions, with 366 potential long-term implications" (33).

367 Additionally, as key informants noted, enforcement of NPIs was met with resistance and 368 noncompliance in countries where governmental authority was weak or contested, or 369 misinformation was high (34–37). Similarly, physical or social distancing measures were also 370 difficult to enforce and implement. Aside from the high population density in many communities 371 in Africa, social interaction is a key aspect of life. In urban areas in Africa, public transportation 372 systems are often overcrowded, dense shanty towns and informal settlements are part of the 373 physical infrastructure, and many people do not have the luxury to self-isolate even if they are 374 positive, as many homes face overcrowding. For example, Makoko in Lagos, Nigeria has 300,000 375 people whose homes are built on stilts in a lagoon (35). In rural areas, many households share

376 sanitation facilities and have only access to water from a communal tap. Ekumah et al. (2020) used 377 demographic and health survey data from 25 countries in sub-Saharan Africa to explore how 378 vulnerability to COVID-19 was affected by access to basic necessities (sanitation, water, and food) 379 within a household (38). They found that 46% of sampled households (except South Africa) lacked 380 access to any of these three basic necessities, and only 8% had access to all three (38). Thus, 381 physical distancing measures, including shelter-in-place measures, were unrealistic in 382 overcrowded areas with inadequate sanitation as pointed out by KIIs.

383 In addition to several long-term effects of implementing NPIs, timing plays a crucial role 384 in the implementation of NPIs. Several KIIs including those at WHO AFRO pointed out early 385 measures undertaken by countries. However, experts may find it challenging to determine the 386 optimal time to implement different interventions. If governments wait too long, this may lead to 387 the proliferation of disease at a rapid rate and overwhelm health systems quickly. Consequently, 388 the roll-out of NPIs that are too premature or uniform across an entire country may also increase 389 the risk of a "second wave" of infections once the initial measures are halted or pandemic fatigue 390 sets in (39,40). The implementation of NPIs, especially over a prolonged time period, can have 391 significant detrimental consequences in terms of social and economic costs as was the case in 392 Nigeria, Rwanda, and Zambia. While NPIs are generally effective in reducing the burden of 393 disease and alleviating pressure on health infrastructures, studies have found that a longer duration 394 of NPI implementation may have consequences such as increased unemployment, economic 395 hardship, and social disruption (11). Resource-poor settings are at an especially increased risk, 396 with some data showing income reduction as great as 70% and reduction in consumption 397 expenditure by 30% (11,41,42). The Africa Research, Implementation Science, and Education 398 (ARISE) Network conducted a telephone survey in Burkina Faso, Ethiopia, and Nigeria between

July and November 2020 to understand COVID-19 knowledge, attitudes, practices, and their impacts on health, nutrition, and education (43,44). The education sector was profoundly affected by school closures. Food shortages and insecurity were rampant across the three sites in the study. Consumption of a range of staple foods in all three countries declined, while the prices of staples, legumes, vegetables, fruit, and animal-source foods rose (43,45). Additionally, with increased unemployment and decreased crop production, respondents described reductions in general food intake and dietary diversity (43,45).

406 Compliance is also a major factor in NPI implementation. NPIs are dependent on 407 enforcement and citizens' willingness to comply with the measure. Compliance generally wanes 408 the longer measures are in effect (10). Poverty and economic dislocation also reduce compliance 409 especially with NPIs focused on containment (i.e., shelter-in-place) which again was supported by 410 KIIs in our study (46). In Rwanda, compliance with public health measures, including mask-411 wearing, was governed strictly by police and an anti-corona task force. Anecdotal reports detailed 412 police pulling over cars with unmasked drivers and/or passengers, hand-washing stations and 413 sanitizer dispensers were monitored for use before entering businesses, and arrests were made of 414 those violating the country-wide curfew (47). The strictness with which measures were 415 implemented in Rwanda was supported by claims made by KIIs. This was also supported by the 416 quantitative data where the pooled average SI and CHI scores for Rwanda were much higher than 417 that of Nigeria and Zambia. Additionally, despite a robust public information campaign to dispel 418 misinformation, many residents in Nigeria did not initially adhere to the recommendations aimed 419 at reducing the spread of COVID-19. This caused high tension between the civilians and armed 420 forces who became violent when trying to enforce certain protocols (48,49). To enforce lockdown 421 and curfew measures, policy, paramilitary, and military personnel were deployed to various areas

422 in the country. Among the challenges in this implementation were persistent corruption and 423 political distrust (48,49). There were also multiple reports of unlawful use of force and misconduct 424 of the Nigerian police while enforcing COVID-19 measures (50,51). Implementation and 425 enforcement were marred by a lack of compliance from the public, which limited the outcomes of 426 the government response to COVID-19. An article in The Guardian described Nigerians defying 427 the stay-at-home orders which some attributed to distrust in the government and rising reports of 428 hunger (34). There were also reports of security operatives being susceptible to bribes from those 429 choosing to defy lockdown measures (48). This weakened the impact of travel restrictions and 430 lockdown measures on the slowing down of COVID-19 in the country which was also supported 431 by KIIs.

432 The study has several limitations. First, given the fluidity of the COVID-19 pandemic and 433 the time it took each of the three countries to get there, external factors such as variants, holiday 434 season, etc., could have affected the degree of implementation. For example, Nigeria reached 435 10,000 cases in May 2020 while Rwanda reached that point in January 2021. The state of the 436 pandemic and global guidance had changed significantly in between that time. There are also 437 specific limitations in the OxCGRT dataset itself. The dataset does not measure implementation 438 or compliance, nor does it provide subnational measures for almost all countries apart from adding 439 a flag denoting whether the restriction was national or subnational (25). Thus, our nation-focused 440 analysis may miss some variation of policies implemented at the sub-national level. Additionally, 441 our sample size of KIIs is relatively small, therefore there may be other diverse opinions about 442 what worked and what did not during NPI implementation, that were not captured here.

443 During pandemics, apart from effective vaccine strategies, NPIs are one of the most 444 important tools that individuals and communities can utilize to limit disease spread and reduce

deaths. In addition, the timing of NPI implementation is crucial. Delayed implementation of NPIs
will lead to unchecked proliferation of disease in the community and overwhelm health systems
(4,8,39). However, in addition to timing, the success of NPIs depends critically on the fidelity of
implementation and the willingness of individuals to comply with the NPIs (52–55). Careful
consideration of tailored NPI measures for the specific community context may lead to less
resistance and improved compliance.

### 451 References

452 Aledort JE, Lurie N, Wasserman J, Bozzette SA. Non-pharmaceutical public health 1. 453 interventions for pandemic influenza: an evaluation of the evidence base. BMC Public 454 Health [Internet]. 2007 Aug 15 [cited 2021 Jul 27];7(1):208. Available from: 455 https://doi.org/10.1186/1471-2458-7-208 456 Institute of Medicine (US) Forum on Microbial Threats. Strategies for Disease Containment 2. 457 [Internet]. Ethical and Legal Considerations in Mitigating Pandemic Disease: Workshop 458 Summary. National Academies Press (US); 2007 [cited 2020 Apr 16]. Available from: 459 https://www.ncbi.nlm.nih.gov/books/NBK54163/ 460 Markel H, Lipman HB, Navarro JA, Sloan A, Michalsen JR, Stern AM, et al. 3. 461 Nonpharmaceutical Interventions Implemented by US Cities During the 1918-1919 462 Influenza Pandemic. JAMA. 2007 Aug 8;298(6):644-54. 463 4. Centers for Disease Control and Prevention. Nonpharmaceutical Interventions (NPIs) 464 [Internet]. 2019 [cited 2020 Apr 16]. Available from: 465 https://www.cdc.gov/nonpharmaceutical-interventions/index.html 466 Bo Y, Guo C, Lin C, Zeng Y, Li HB, Zhang Y, et al. Effectiveness of non-pharmaceutical 5. 467 interventions on COVID-19 transmission in 190 countries from 23 January to 13 April 468 2020. International Journal of Infectious Diseases. 2021 Jan 1;102:247-53. 469 Flaxman S, Mishra S, Gandy A, Unwin H, Coupland H, Mellan T, et al. Report 13: 6. 470 Estimating the number of infections and the impact of non-pharmaceutical interventions on 471 COVID-19 in 11 European countries [Internet]. 35. 2020 Mar [cited 2021 Jul 27]. Available 472 from: http://spiral.imperial.ac.uk/handle/10044/1/77731 473 Lai S, Ruktanonchai NW, Zhou L, Prosper O, Luo W, Floyd JR, et al. Effect of non-7. 474 pharmaceutical interventions for containing the COVID-19 outbreak in China [Internet]. 475 Infectious Diseases (except HIV/AIDS); 2020 Mar [cited 2020 Apr 16]. Available from: 476 http://medrxiv.org/lookup/doi/10.1101/2020.03.03.20029843 477 8. Banholzer N, Weenen E van, Lison A, Cenedese A, Seeliger A, Kratzwald B, et al. 478 Estimating the effects of non-pharmaceutical interventions on the number of new infections 479 with COVID-19 during the first epidemic wave. PLOS ONE. 2021 Jun 2;16(6):e0252827. 480 Hatchett RJ, Mecher CE, Lipsitch M. Public health interventions and epidemic intensity 9. 481 during the 1918 influenza pandemic. Proceedings of the National Academy of Sciences. 482 2007;104(18):7582-7. 483 10. Briscese G, Lacetera N, Macis M, Tonin M. Compliance with COVID-19 social-distancing 484 measures in Italy: the role of expectations and duration. 2020; 485 11. Chowdhury R, Heng K, Shawon MSR, Goh G, Okonofua D, Ochoa-Rosales C, et al. 486 Dynamic interventions to control COVID-19 pandemic: a multivariate prediction modelling 487 study comparing 16 worldwide countries. Eur J Epidemiol. 2020 May 1;35(5):389-99.

- 488 12. Hallas L, Hatibie A, Majumdar S, Pyarali M, Hale T. Variation in US States' Responses to
  489 COVID-19. University of Oxford. 2021;
- 490 13. Akter S. The impact of COVID-19 related 'stay-at-home'restrictions on food prices in
  491 Europe: findings from a preliminary analysis. Food Security. 2020;12(4):719–25.
- 492 14. Cameron-Blake E, Tatlow H, Wood A, Hale T, Kira B, Petherick A, et al. Variation in the
  493 response to COVID-19 across the four nations of the United Kingdom. Blavatnik School of
  494 Government, University of Oxford. 2020;
- Koh WC, Naing L, Wong J. Estimating the impact of physical distancing measures in
   containing COVID-19: an empirical analysis. International Journal of Infectious Diseases.
   2020;100:42–9.
- 498 16. Africa Centres for Disease Control and Prevention. Recommendations for Stepwise
  499 response to COVID-19 [Internet]. 2020 Mar [cited 2020 Apr 18]. Available from:
  500 https://africacdc.org/download/recommendations-for-stepwise-response-to-covid-19/
- 501 17. Ohia C, Bakarey AS, Ahmad T. COVID-19 and Nigeria: putting the realities in context.
   502 International Journal of Infectious Diseases. 2020 Jun 1;95:279–81.
- 18. Lancet T. COVID-19 in Africa: no room for complacency. Lancet (London, England).
   2020;395(10238):1669.
- 505 19. Ihekweazu C, Agogo E. Africa's response to COVID-19. BMC Med. 2020 Dec;18(1):151.
- Massinga Loembé M, Tshangela A, Salyer SJ, Varma JK, Ouma AEO, Nkengasong JN.
  COVID-19 in Africa: the spread and response. Nat Med. 2020 Jul;26(7):999–1003.
- 508 21. Frank Hartwich, Massoud Hedeshi. COVID-19 effects in sub-Saharan Africa and what
  509 local industry and governments can do | UNIDO [Internet]. 2020 [cited 2021 Sep 10].
  510 Available from: https://www.unido.org/news/covid-19-effects-sub-saharan-africa-and511 what-local-industry-and-governments-can-do
- 512 22. Glaser BG, Strauss AL. Discovery of grounded theory: Strategies for qualitative research.
   513 Routledge; 2017.
- 23. QSR International. NVivo qualitative data analysis software. NVivo Release 1: QSR
   international Pty ltd. 2021.
- 516 24. Miller M. 2019 Novel Coronavirus COVID-19 (2019-nCoV) Data Repository: Johns
  517 Hopkins University Center for Systems Science and Engineering. Bulletin-Association of
  518 Canadian Map Libraries and Archives (ACMLA). 2020;(164):47–51.
- 519 25. Hale T, Angrist N, Goldszmidt R, Kira B, Petherick A, Phillips T, et al. A global panel
  520 database of pandemic policies (Oxford COVID-19 Government Response Tracker). Nat
  521 Hum Behav. 2021 Apr;5(4):529–38.

522 523	26.	SAS Institute. SAS University Edition [Internet]. Cary, NC; 2020 [cited 2021 Jan 9]. Available from: https://support.sas.com/en/software/university-edition-support.html
524 525 526	27.	Abdalla S, Galea S. Africa and Coronavirus—Will Lockdowns Work?   Think Global Health [Internet]. Council on Foreign Relations. 2020 [cited 2020 Apr 16]. Available from: https://www.thinkglobalhealth.org/article/africa-and-coronavirus-will-lockdowns-work
527 528 529 530 531	28.	Nina Sun, Livio Zilli. COVID-19 Symposium: The Use of Criminal Sanctions in COVID- 19 Responses – Enforcement of Public Health Measures, Part II [Internet]. Opinio Juris. 2020 [cited 2021 Sep 7]. Available from: http://opiniojuris.org/2020/04/03/covid-19- symposium-the-use-of-criminal-sanctions-in-covid-19-responses-enforcement-of-public- health-measures-part-ii/
532 533 534 535	29.	Smith E. Zambia becomes Africa's first coronavirus-era default: What happens now? [Internet]. CNBC. 2020 [cited 2021 Oct 7]. Available from: https://www.cnbc.com/2020/11/23/zambia-becomes-africas-first-coronavirus-era-default- what-happens-now.html
536 537 538	30.	KPMG. Zambia - KPMG Global [Internet]. KPMG. 2020 [cited 2021 Sep 28]. Available from: https://home.kpmg/xx/en/home/insights/2020/04/zambia-government-and-institution-measures-in-response-to-covid.html
539 540 541 542	31.	Ernst & Young. Zambia issues additional fiscal measures to mitigate the impact of COVID- 19 [Internet]. 2020 [cited 2021 Sep 28]. Available from: https://taxnews.ey.com/news/2020-1113-zambia-issues-additional-fiscal-measures-to- mitigate-the-impact-of-covid-19?uAlertID=Sd%2FG8rua10j6%2F158EZ2AiA%3D%3D
543	32.	Zeidy IA. Fiscal Policy Responses Limit COVID 19's Economic Damage. 2020;18.
544 545 546	33.	Twivwe Siwale. One year on: Zambian economy during COVID-19 [Internet]. International Growth Centre. 2021 [cited 2021 Sep 28]. Available from: https://www.theigc.org/blog/one-year-on-zambian-economy-during-covid-19/
547 548 549 550 551	34.	Maria Diamond, Adetayo Adeowo, Onyinye Ezeilo. Hunger obeys no order, say Nigerians defying stay-at-home directive. The Guardian Nigeria News - Nigeria and World News [Internet]. 2020 Apr 25 [cited 2021 Aug 24]; Available from: https://guardian.ng/saturday-magazine/covid-19-lockdown-hunger-obeys-no-order-say-nigerians-defying-stay-at-home-directive/
552 553 554	35.	Noko K. In Africa, social distancing is a privilege few can afford [Internet]. [cited 2021 Sep 10]. Available from: https://www.aljazeera.com/opinions/2020/3/22/in-africa-social-distancing-is-a-privilege-few-can-afford
555 556 557	36.	Verani A, Clodfelter C, Menon AN, Chevinsky J, Victory K, Hakim A. Social distancing policies in 22 African countries during the COVID-19 pandemic: a desk review. Pan Afr Med J. 2020 Dec 14;37(Suppl 1):46.

37. Isabel Gunther. Why social distancing is a big challenge in many African countries
[Internet]. 2020 [cited 2021 Sep 10]. Available from: https://phys.org/news/2020-04-socialdistancing-big-african-countries.html

- 561 38. Ekumah B, Armah FA, Yawson DO, Quansah R, Nyieku FE, Owusu SA, et al. Disparate
  562 on-site access to water, sanitation, and food storage heighten the risk of COVID-19 spread
  563 in Sub-Saharan Africa. Environ Res. 2020 Oct;189:109936.
- Sebhatu A, Wennberg K, Arora-Jonsson S, Lindberg SI. Explaining the homogeneous diffusion of COVID-19 nonpharmaceutical interventions across heterogeneous countries.
  PNAS [Internet]. 2020 Sep 1 [cited 2021 Jul 27];117(35):21201–8. Available from: https://www.pnas.org/content/117/35/21201
- 40. Davies NG, Kucharski AJ, Eggo RM, Gimma A, Edmunds WJ, Jombart T, et al. Effects of
  non-pharmaceutical interventions on COVID-19 cases, deaths, and demand for hospital
  services in the UK: a modelling study. The Lancet Public Health. 2020;5(7):e375–85.
- 41. Lora Jones, Daniele Palumbo, David Brown. Coronavirus: How the pandemic has changed
  the world economy BBC News [Internet]. 2021 [cited 2021 Sep 7]. Available from:
  https://www.bbc.com/news/business-51706225
- 42. Lora Jones, David Brown, Daniele Palumbo. Coronavirus: A visual guide to the economic impact - BBC News [Internet]. Diplomatic Academy. 2020 [cited 2021 Sep 7]. Available from: https://www.unic.ac.cy/da/2020/05/08/coronavirus-a-visual-guide-to-the-economicimpact-bbc-news/
- 43. Hamer DH. Short-term and Potentially Long-term Negative Impacts of COVID-19 in SubSaharan Africa: Evidence from the Africa Research, Implementation Science, and
  Education Network Rapid Monitoring Survey. The American Journal of Tropical Medicine
  and Hygiene. 2021 Aug 11;105(2):269–70.
- 44. Hemler EC, Korte ML, Lankoande B, Millogo O, Assefa N, Chukwu A, et al. Design and
  Field Methods of the ARISE Network COVID-19 Rapid Monitoring Survey. The American
  Journal of Tropical Medicine and Hygiene. 2021 Aug 11;105(2):310–22.
- 45. Madzorera I, Ismail A, Hemler EC, Korte ML, Olufemi AA, Wang D, et al. Impact of
  COVID-19 on Nutrition, Food Security, and Dietary Diversity and Quality in Burkina Faso,
  Ethiopia and Nigeria. Am J Trop Med Hyg. 2021 Jun 23;tpmd201617.
- 46. Wright AL, Sonin K, Driscoll J, Wilson J. Poverty and economic dislocation reduce
  compliance with COVID-19 shelter-in-place protocols. Journal of Economic Behavior &
  Organization. 2020;180:544–54.
- 47. Bethany Murphy. Safer in Rwanda: Other Countries Are Taking COVID-19 Seriously, and It Shows - Ms. Magazine [Internet]. 2020 [cited 2021 Sep 22]. Available from: https://msmagazine.com/2020/10/29/safer-in-rwanda-other-countries-are-taking-covid-19seriously-and-it-shows/

- 595 48. Okolie-Osemene J. Nigeria's Security Governance Dilemmas During the Covid-19 Crisis.
  596 Politikon. 2021 Apr 3;48(2):260–77.
- 597 49. Ezeibe CC, Ilo C, Ezeibe EN, Oguonu CN, Nwankwo NA, Ajaero CK, et al. Political
  598 distrust and the spread of COVID-19 in Nigeria. Global Public Health. 2020 Dec
  599 1;15(12):1753–66.
- 600 50. Philip Obaji Jr. Women 'abused' by police enforcing COVID-19 rules in Nigeria [Internet].
  601 2020 [cited 2021 Oct 13]. Available from: 602 https://www.aljazeera.com/features/2020/9/9/women-abused-by-police-enforcing-covid-19-
- 602 https://www.aljazeera.com/features/2020/9/9/women-abused-by-police-enforcing-covid-19-603 rules-in-nigeria
- 604 51. Aborisade RA. Accounts of Unlawful Use of Force and Misconduct of the Nigerian Police
  605 in the Enforcement of COVID-19 Measures. J Police Crim Psych. 2021 Sep 1;36(3):450–
  606 62.
- 52. Yapi RB, Houngbedji CA, N'Guessan DKG, Dindé AO, Sanhoun AR, Amin A, et al.
  Knowledge, Attitudes, and Practices (KAP) Regarding the COVID-19 Outbreak in Côte
  d'Ivoire: Understanding the Non-Compliance of Populations with Non-Pharmaceutical
  Interventions. International Journal of Environmental Research and Public Health. 2021
  Jan;18(9):4757.
- 53. Fellows IE, Slayton RB, Hakim AJ. The COVID-19 Pandemic, Community Mobility and
  the Effectiveness of Non-pharmaceutical Interventions: The United States of America,
  February to May 2020. arXiv:200712644 [q-bio, stat] [Internet]. 2020 Jul 9 [cited 2021 Jul
  27]; Available from: http://arxiv.org/abs/2007.12644
- 54. Harling G, Gómez-Olivé FX, Tlouyamma J, Mutevedzi T, Kabudula CW, Mahlako R, et al.
  Protective behaviours and secondary harms from non-pharmaceutical interventions during
  the COVID-19 epidemic in South Africa: a multisite prospective longitudinal study.
  medRxiv [Internet]. [cited 2021 Jul 27]; Available from:
- 620 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7668759/
- 55. Kantor BN, Kantor J. Non-pharmaceutical Interventions for Pandemic COVID-19: A
  Cross-Sectional Investigation of US General Public Beliefs, Attitudes, and Actions.
  Frontiers in Medicine. 2020;7:384.
- 624