1	Gender differences in perceived health in relation to working conditions and socio-
2	economic status in Spain, 2014-2017.
3	Short title: Health status of Spanish working women
4	
5	Amanda Godoy ¹ , Araceli Rojo ^{1*} , Luisa Delgado ¹ , José J Martín ¹ , M. Teresa Sánchez ¹
6	and M. Puerto López del Amo ¹
7	
8	¹ Applied Economics Department, University of Granada, Granada, Spain
9	
10	* Corresponding author
11	e-mail: gallegoburin@ugr.es (AR)
12	
13	[¶] These authors contributed equally to this work.
14	
15	
16	

17 Abstract

18

19

20

21

22

23

24

25

26

27

A gender perspective was used to analyze how socio-economic status and per capita public health expenditure are associated to perceived health among the Spanish population between the years 2014 and 2017. Using multilevel methodologies (looking at year, individual, and region) and linear specification, the longitudinal microdata files from the Survey on Living Conditions were analyzed. The results point at low educational levels being a factor for worse perceived health among women, while for the same group income appears to have a protective influence. On the other hand, women are not negatively affected by unemployment, unlike men. Regional per capita public health expenditure is not associated with perceived health in either men nor women.

28

29 Keywords

30 Perceived health, Gender, Unemployment, Poverty, Longitudinal multilevel analysis.

31

32

Introduction

- 33 The theoretical framework concerning the social determinants of health posits that
- 34 variables such as working status, educational attainment level, and socio-economic
- 35 context are unequally linked to health [1-5]. In that frame of reference, gender appears as
- a particularly influential axis of inequality [6, 7].
- 37 Biological differences between sexes are insufficient to explain diverging health trends,
- 38 which have been proven to be preventable and avoidable. Unlike sex, i. e. a set of
- 39 biological attributes, the concept of gender derives from socially constructed cultural

40 conventions, roles, and behaviors ascribed to people of the female, male, or other sexes 41 [8]. Socially and culturally constructed gender norms determine the roles and opportunities afforded to all individuals and arise as strong structural determinants of 42 43 health with major yet different implications for women and men [6, 9]. Such differences 44 become problematic when they give rise to inequality and discrimination, which are 45 particularly detrimental to women. Gender power dynamics, which are among the main 46 causes of gender inequality, are also some of the strongest social determinants of health, 47 with an undeniable effect on how people are born, grow up, live, work, get old, and finally die [10]. 48 49 The main goal of the present work is to analyze, from a gender perspective, the association 50 between perceived health and socio-economic status. Additionally, this study examines 51 the extent to which regional public health expenditure affects the perceived health of men 52 and women in a given region. For the purposes of this study, socio-economic status is defined along three dimensions: educational level, economic status, and working status. 53 54 A set of instrumental variables have been selected for each dimension in order to provide 55 a well-rounded description of the position each individual occupies. 56 For the most part, the relevant literature consists of partial analyses of the relation between 57 health and certain social and economic variables, such as the role of unemployment or 58 poverty on health [11-17]. In contrast, the present study considers the link between socio-59 economic status and health from a global point of view, by simultaneously contemplating 60 the influence of educational level, economic status, and the individual's working status 61 as the three key dimensions of general socio-economic status. 62 Educational level has been proven to be a major social determinant of health. Most 63 analyses confirm that high educational attainment is commonly linked to improved health 64 and increased longevity with good health, when comparisons are drawn with individuals

65 with low levels of education [18-20]. However, the specifics of how the benefits of 66 education are unevenly distributed among women and men are not sufficiently explained. 67 and the conclusions attained are far from unanimous. Given that women are generally at 68 a disadvantage in the distribution of socio-economic resources such as power, authority, 69 earnings, household income, and general wealth, their health and survival might be more 70 dependent on their education than in the case of men. This study examines whether the 71 beneficial influence of education on health is particularly strong for women, and whether 72 education by itself may suffice to overcome gender differences in perceived health. 73 Previous research has concluded that lower educational levels are particularly detrimental 74 to the perceived health of women when compared with similarly characterized men [19, 75 21-23]. 76 A recent analysis carried out in Spain among an adult population established that the 77 association between low educational level and poor self-perceived health was particularly 78 strong among women [20]. However, an analysis of the active population in Spain failed 79 to find gender disparities concerning the effect of education on health, although it showed 80 that women's health is lower among less educated individuals, mainly due to job 81 insecurity and the specific characteristics of households [18]. 82 Some research on psychological welfare suggests that education is more beneficial to 83 women than men [24, 25], maybe because the lack of other resources makes women 84 particularly dependent on their own education to achieve certain levels of welfare. Thus, 85 poorly educated women may suffer from more and worse health problems because they 86 have less resources to draw from [25-28]. The theory of resource substitution, according 87 to which the absence of one or several socio-economic resources may be offset by 88 drawing more intensely from the existing ones, predicts that the benefits of education on health and survival are larger for women, with physical deterioration being more intensely 89

90 reduced for women than for men as their educational level increases. Thus, the gender 91 gap in physical status essentially vanishes as individuals reach college levels of education. 92 In contrast, the theory of resource multiplication implies precisely the opposite, that 93 education should be more beneficial to men than women as they are able to derive greater 94 rewards from it in the labor market, such as increased authority and income [25, 26]. 95 The critical link between women's education and health has been emphasized even more 96 by evidence concerning the discrimination faced by women who attempt to access the 97 labor market and the gender pay gap, which has increased as a result of the latest financial 98 recession [29]. 99 Individual economic status is a major social determinant of health, with all evidence pointing at income levels, poverty, and inequality being associated with worsened 100 101 perceived health [30]. Sarti et al. (2019) found that in Italy decreased socio-economic 102 status is associated to poorer self-perceived health [31], while Akanni et al. (2022) 103 concluded that, in Germany, the increase and stability of household income had beneficial 104 effects on health [32]. Income inequality has increased sharply over the last few decades, 105 which may have contributed to perpetuate or exacerbate health disparities. In turn, poor 106 health reduces income, which creates a negative feedback loop commonly known as the 107 health-poverty trap [33]. The financial crisis modified working conditions and levels of 108 employment, increasing job insecurity and decreasing wage income, which raised the 109 share of those at risk of poverty and social exclusion [34]. In that regard, the World Health 110 Organization deems poverty to be the strongest determinant of poor health at the 111 individual level [35], with women being particularly vulnerable in that regard as the 112 effects of want are added to gender inequalities and the so-called feminization of poverty, 113 which affects women more commonly and intensely than men [36]. Generally speaking, 114 poor living conditions and material deprivation have a detrimental effect on people's

115 health [37]. Such circumstances, particularly when prolonged in time, undermine their 116 working status, erode their human and social capital, worsen their health, and brand them 117 with stigma [38]. 118 As far as social deprivation is concerned, the strong link between poverty and health is a 119 widely established fact, notwithstanding the complex nature of both concepts and their 120 relation [39]. As for material deprivation as a contributor to social deprivation, little 121 empirical evidence has been gathered. Amendola et al. (2020) found, for the period 2007-122 2011, that although social deprivation in absolute terms had increased for men as well as 123 women, the differences between both groups had been reduced: men had become more 124 socially deprived, but women remained in the lead in the same regard [40]. The latest 125 AROPE report (at risk of poverty and social exclusion) available for Spain [41] points at 126 women being more intensely affected than men by material deprivation, as well as by the 127 general AROPE score. These conclusions highlight the need to focus efforts on the female 128 population. 129 Working status, and in particular the employed-unemployed dichotomy, has traditionally 130 played a central role in the analysis of social inequalities concerning health. The intensity 131 and magnitude of the Great Financial Crisis had a profound effect on the Spanish labor 132 market, and the resulting landscape demands that we take a closer look at the experience 133 of unemployment and how it is able to affect the health of women and men in a different 134 way [42]. Previous analyses on the impact that unemployment has on health have 135 revealed, in most cases, a negative influence [21, 43-45]. However, there is no consensus 136 regarding the impact of unemployment on perceived health from a gender perspective. Norström et al. (2014) failed to find a clear, gender-determined inequality effect of 137 138 unemployment on health [46]. Meanwhile, Drydakis (2015) found that, during the intense 139 depression caused by the financial crisis in Greece, the detrimental effect of unemployment on health was stronger for women than for men [47]. In contrast with Drydakis, Antonakakis and Collins (2014) reached a different set of conclusions in their analysis of the Greek situation, as they found a starker effect of the financial recession and its austerity measures on male than on female suicide rates [48]. Other studies have similarly suggested that the effects of austerity, layoffs, and unemployment have had a stronger effect on the mental health of men than on that of women [49-52]. Along such lines, Calzón et al. (2017) found evidence of unemployment as a risk factor for bad selfrated health among men, but not women. However, the same study linked lower income levels to bad self-rated health to a greater extent in the case of women [22]. As for France, Ronchetti and Terriau (2019) did not find a negative link between long-term unemployment and self-perceived health for men nor for women [53]. Buffel et al. (2015), applying a multilevel framework to data extracted from the European Social Survey (2006) and 2012 rounds), looked into the relation between unemployment and mental health across 20 European countries, and found a larger increase in the likelihood of undergoing depression for men than for women [54]. In light of these studies, it becomes necessary to analyze how such effects may be modified by periods of economic recovery while keeping in mind the singularities of the Spanish economy, characterized by one of the highest unemployment rates in the European Union and a largely unstable and insecure labor market in which women experience higher rates of unemployment [34]. Lastly, we carried out an analysis of regional per capita health expenditure and perceived health, accounting for the significant differences in this variable across regions. The Public Health Expenditure Statistical Report published by the Spanish Ministry of Health (Estadística de Gasto Sanitario Público, 2022), reveals a 48% gap between the highest spending region (Basque Country) and the lowest (Andalusia) [55]. The differences are significant: even accounting for the Basque Country's disparate legislative and

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

administrative framework, the differences amount to 38%, only slightly less elevated. Among low-income countries, higher health expenditure seems to be linked to significant improvements in health status, which suggests that public policy may make a big difference in this regard [56, 57]. However, among high-income countries, additional health expenditure increases appear to be largely unrelated to health status improvements, which implies that increases in expenditure alone do not suffice to improve health to a significant degree [56-58]. Other studies, such as that carried out by Heijink et al. (2013) for 14 Western countries, did find a statistically significant link between health expenditure and avoidable mortality [59]. Nixon and Ulmann (2006) examined the relation between health care expenditure and health outcomes (average life expectancy at birth and infant mortality rate) to conclude that, although health expenditure has contributed significantly to ameliorate infant mortality, it has only caused marginal improvements to life expectancy in EU countries during the period under analysis [60]. Some researchers have been able to identify that women's educational attainment levels, technological improvements, per capita income, unequal distributions of income, and certain cultural differences are behind some of the strongest improvements in health outcomes, far beyond increases in health expenditure [61, 62]. To summarize, in Spain as well as internationally, the available evidence concerning the link between socio-economic status, gender, and perceived health is far from conclusive or unanimous. The present study takes a wide longitudinal database to explore how health gender differences are affected by educational attainment level, economic status, and working status. The results of this analysis may be useful to suggest specific public policies with the potential to reduce health status gaps caused by the disparate social and economic status of women and men. Additionally, the following pages also looks into

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

how the differences in public health expenditure of each region relate to the perceived health status of their citizens.

Materials and methods

192 Scope of the study

- A database was built using the microdata files from the Survey on Living Conditions (2014-2017), comprising 17,027 individuals aged between 16 and 60, and 41,111
- observations [63]. Per capita public health expenditure was extracted from the Public
- 196 Health Expenditure Statistical Report published by the Spanish Ministry of Health
- 197 (Estadística de Gasto Sanitario Público) [55].

198

199

191

Data analysis

- 200 Taking into account the chronological and hierarchical structure of the data, a multilevel
- 201 (three-level) longitudinal model was estimated. The first level was the year, the second
- the individual, and the third level was the region. Analytically:

203
$$y_{ijk} = \beta_0 + \sum_{h=1}^{H} \beta_h x_{hijk} + \sum_{m=1}^{M} \alpha_m x_{mik} + e_{ijk} + u_{jk} + c_k (1)$$

- where y_{ijk} is the dependent variable (perceived health), taking values 1-5, for the year i,
- being i= 2014, ..., 2017; the individual j, being j = 1,...,17,027; and region k, being k
- 206 = 1,...,17. β_0 represents the independent term; x_{hijk} are the individual explanatory
- variables; j and β_h their associated coefficients, with h = 1,...,H; x_{mik} are the explanatory
- variables at the ecological level, k and α_m their associated coefficients, with m = 1,...,M.
- The error term divides the unexplained part in three, one for each hierarchical level: c_k at
- 210 the ecological level, u_{jk} for the individual, and e_{ijk} for each year.

Multilevel models have been proven to be a good fit for hierarchical structures that include several levels of information, and in which individuals share certain features by virtue of belonging to the same higher level (the region). They are also a good choice when repeated measures exist, given that they allow for variance to be estimated at each level. Multilevel models thus avoid both the ecological fallacy (in which aggregated data are interpreted at the individual level) and the atomistic fallacy (in which individual data are interpreted at the aggregated level) [64]. The software employed to analyze the data was Stata 15. The dependent variable, perceived health, takes values 1-5, with 1 for very good health and 5 for very bad health. Perceived health is a proxy variable for morbi-mortality, commonly employed in health and living conditions surveys. It is one of the indicators of choice used to monitor gender inequalities and their determinants in matters of health [65-67]. Individually, the variables of interest are those characterizing the socio-economic status of subjects: educational attainment level, economic status, and working status. Educational level is defined as the amount of formal instruction successfully completed, and is divided into the primary, secondary, and college level. Economic status has been characterized by means of four instrumental variables. The first is income, on the one hand, and on the other are three indicators that describe social deprivation: the AROPE score and two of its components, severe material deprivation and low work intensity in the household (LWIH). Income was measured using the equivalent available per capita income of households at constant levels, for the last year of the per capita income series and logarithmically transformed.

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

The risk of poverty and social exclusion was measured through the AROPE score. This indicator expands on the traditional relative poverty score by combining it with severe material deprivation and low work intensity in the household. This provides a multidimensional picture of poverty and social exclusion. The AROPE score thus comprises three sub-indicators representing three distinct population sets: individuals at risk of poverty, individuals suffering from severe material deprivation, and individuals living in households characterized by low work intensity. Whenever one such indicator is present, an individual can be safely described as being at risk of poverty or social exclusion [41]. The variable *low work intensity* refers to individuals living in households in which those of working age did work less than 20% of their full potential in the year before the survey. As for severe material deprivation, this describes the share of the population living in households lacking in at least four out of nine specific quality-of-life items [68].

- 248 Finally, working status has been characterized using six categories: employed,
- 249 unemployed, student, homemaker, retired, and other inactive status.
- Age and chronic illness (dichotomous variable) were used as control variables.
- 251 For the third level, which deals with the region, per capita public health expenditure was
- used. A one-year delay was introduced in order to better reflect any potential link with
- 253 the perceived health of residents in the region.
- 254 All monetary variables, such as income and health expenditure, have been expressed
- using 2017 prices.

Results

Table 1 shows the frequency of each variable in the model, split by gender.

Table 1. Descriptive statistical values, according to gender, of the variables used to measure the relation of socio-economic and working status with perceived health for Spain between 2014 and 2017.

between 2014 and 201		WOMEN				MEN					
		2014	2015	2016	2017	Total	2014	2015	2016	2017	Total
	Categorical variables	n=2668	n=4997	n=7104	n=6087	n=20856	n=2573	n=4817	n=6966	n=5899	n=20255
	G	%	%	%	%	%	%	%	%	%	%
Perceived health	1	19.72	18.69	17.23	22.41	19.41	21.14	20.78	20.13	24.17	21.59
	2	60.31	63.18	64.20	61.00	62.52	63.04	62.40	63.58	60.91	62.45
	3	15.74	14.45	15.05	13.34	14.49	12.16	13.29	13.36	12.04	12.81
	4	3.26	2.94	2.83	2.73	2.88	2.99	2.70	2.41	2.29	2.52
	5	0.97	0.74	0.69	0.53	0.69	0.66	0.83	0.52	0.59	0.63
Chronic illness	1	23.61	24.13	23.10	21.24	22.87	21.53	23.87	21.60	19.33	21.47
	0	76.39	75.87	76.90	78.76	77.13	78.47	76.13	78.40	80.67	78.53
Educational level	Primary	12.29	10.51	9.87	8.00	9.79	13.84	11.86	11.25	9.26	11.14
	Secondary	54.39	55.03	54.89	54.51	54.75	58.09	58.39	58.73	58.92	58.63
	College	33.32	34.46	35.24	37.49	35.46	28.07	29.75	30.02	31.82	30.23
Working status	Employed	51.37	53.07	54.30	56.70	54.33	60.70	64.50	64.45	67.46	64.87
	Unemployed	21.62	20.50	19.27	15.75	18.83	23.22	19.44	18.03	15.45	18.27
	Student	10.46	11.04	11.20	11.06	11.01	10.42	10.31	11.67	10.91	10.96
	Homemaker	12.76	12.01	11.56	12.12	11.97	0.07	0.08	0.14	0.15	0.12
	Retired	0.25	0.15	0.26	0.51	0.31	0.87	0.76	0.87	1.30	0.97
	Other inactive	3.54	3.23	3.50	3.87	3.55	4.72	4.91	4.84	4.73	4.81
Severe material	1	6.35	4.67	4.30	3.05	4.29	5.70	4.59	3.98	3.10	4.09
deprivation	0	93.65	95.33	95.70	96.95	95.71	94.30	95.41	96.02	96.90	95.91
Low work intensity	1	20.90	17.11	16.16	14.39	16.48	19.44	16.65	15.20	12.94	15.43
in the household	0	79.10	82.89	83.84	85.61	83.52	80.56	83.35	84.80	87.06	84.57
(LWIH)											
AROPE	1	35.24	31.87	30.91	29.39	31.25	33.60	30.46	29.10	26.92	29.36
	0	64.76	68.13	69.09	70.61	68.75	66.40	69.54	70.90	73.08	70.64
	Continuous variables	mean (SD)				mean (SD)					
Age	Age	40.53	40.61	41.07	41.33	40.96	39.72	40.21	40.41	40.78	40.38
-	-	(12.43)	(12.58)	(12.68)	(12.83)	(12.67)	(12.50)	(12.65)	(12.79)	(12.93)	(12.77)
Household income	nldeflat equivincome	9.41	9.45	9.49	9.50	9.47	9.44	9.47	9.51	9.53	9.50
	- *	(0.74)	(0.76)	(0.76)	(0.75)	(0.76)	(0.71)	(0.74)	(0.72)	(0.72)	(0.72)
Per capita health	healthexp/pc	1293.42	1385.97	1412.39	1410.20	1390.16	1288.63	1387.39	1412.28	1411.84	1390.47
expenditure	• •	(150.23)	(146.46)	(159.10)	(156.12)	(158.89)	(149.44)	(145.69)	(159.10)	(156.43)	(159.15)

Source: Prepared by the authors using data from Instituto Nacional de Estadística (INE) (2020). Carencia Material. Carencia Material Severa [Material Deprivation. Severe Material Deprivation]. Recovered from <a href="https://www.ine.es/ss/Satellite?L=es_ES&c=INESeccion_C&cid=1259925456180&p=1254735110672&pagename=ProductosYServicios%2FPYSLayout¶m1=PYSDetalle¶m3=1259924822888, Instituto Nacional de Estadística (INE) (2022). Encuesta de condiciones de vida. Resultados. Available from:

https://www.ine.es/dyngs/INEbase/es/operacion.htm?c=Estadistica_C&cid=1254736176807&menu=resultados&idp=1254735976608#!tabs-1254736195153 and Ministerio de Sanidad del Gobierno de España (2022) Estadística de Gasto Sanitario Público (EGSP) 2019: Principales resultados. Available from: https://www.mscbs.gob.es/estadEstudios/estadisticas/docs/EGSP2008/egspPrincipalesResultados.pdf.

According to the analysis, the share of individuals describing their health as fair, bad, or very bad has increased between 2014 and 2016, and only slightly decreased in 2017. Such temporary respite affected women and men alike. As for the variables of interest, the prevailing educational level for women and men in the whole series under analysis is secondary education, followed by college-level studies. Regarding economic status, both women and men enjoyed higher income levels in the last year under analysis: 2017. The three indicators used to describe social deprivation successively decreased over the 2014-2017 period for both genders alike. Finally, and as far as working status is concerned, for the period under analysis a sustained increased was observed in the number of employed individuals, with a corresponding decrease in unemployment rates, also for women as well as men. The working status category displaying the largest gap is that of homemakers, which includes almost 12% of women but only 0.12% of men.

273 Table 2 displays the results of estimations.

Table 2. Results of applying the random intercept linear multilevel model to the exploration of associations between individual working and socio-economic status and perceived health.

		WOMEN		MEN			
	Null model	Explanatory model		Null model	Explanatory model		
Variable	Coefficient	p value	95% Conf.	Coefficient	p value	95% Conf.	
	(SE)		Interval	(SE)		Interval	
Constant	1.527 (0.123)	0.000	(1.287 1.768)	1.189 (0.220)	0.000	(0.757 1.620)	
Age	0.012 (0.001)	0.000	(0.010 0.013)	0.013 (0.001)	0.000	(0.011 0.014)	
Chronic illness	0.766 (0.014)	0.000	(0.738 0.794)	0.701 (0.022)	0.000	(0.659 0.744)	
Working status							
- Employed	Reference			Reference			
- Unemployed	0.013 (0.026)	0.617	$(-0.038\ 0.065)$	0.069 (0.016)	0.000	$(0.037\ 0.102)$	
- Student	-0.062 (0.019)	0.001	(-0.099 -0.024)	-0. 034 (0.014)	0.015	(-0.061 -0.006)	
- Homemaker	0.001 (0.012)	0.934	(-0.023 0.026)	0.045 (0.157)	0.776	(-0.264 0.353)	
- Retired	0.115 (0.097)	0.234	(-0.074 0.305)	0.164 (0.062)	0.008	$(0.043\ 0.285)$	
- Other inactive	0.428 (0.045)	0.000	(0.339 0.516)	0.563 (0.037)	0.000	$(0.490\ 0.635)$	
Education level							
- Primary	0.070 (0.013)	0.000	$(0.044\ 0.097)$	0.028 (0.017)	0.090	(-0.004 0.061)	
- Secondary	Reference			Reference			
- College	-0.077 (0.012)	0.000	(-0.100 -0.053)	-0.098 (0.019)	0.000	(-0.135 -0.060)	
Social deprivation:							
- LWIH	0.053 (0.025)	0.034	(0.004 0.103)	0.036 (0.014)	0.014	$(0.007\ 0.064)$	
- Severe material	0.129 (0.025)	0.000	$(0.081\ 0.178)$	0.158 (0.029)	0.000	(0.101 0.215)	
deprivation	0.046 (0.024)	0.052	$(-0.000\ 0.093)$	0.058 (0.016)	0.000	$(0.027\ 0.089)$	
- AROPE	. ,		,	, ,		,	
- nl_def_equiv. income	-0.028 (0.010)	0.006	(-0.048 -0.008)	-0.007 (0.015)	0.617	(-0.037 0.022)	
Per capita health	0.000 (0.000)	0.404	$(-0.000\ 0.000)$	0.000 (0.000)	0.208	$(-0.000\ 0.000)$	
expend.							

LWIH (Low Work Intensity in the Household) AROPE (At Risk of Poverty and Social Exclusion)

275

Source: Prepared by the authors using data from Instituto Nacional de Estadistica (INE) (2020). Carencia Material Severa [Material Deprivation. Severe Material Deprivation]. Recovered from <a href="https://www.ine.es/ss/Satellite?L=es_ES&c=INESeccion_C&cid=1259925456180&p=1254735110672&pagename=ProductosYServicios%2FPYSLayout¶m1=PYSDetalle¶m3=1259924822888, Instituto Nacional de Estadística (INE) (2022). Encuesta de condiciones de vida. Resultados. Recovered from

https://www.ine.es/dyngs/INEbase/es/operacion.htm?c=Estadistica_C&cid=1254736176807&menu=resultados&idp=1254735976608#!tabs-1254736195153 and Ministerio de Sanidad del Gobierno de España (2022) Estadística de Gasto Sanitario Público (EGSP) 2019: Principales resultados. Recovered from: https://www.mscbs.gob.es/estadEstudios/estadisticas/docs/EGSP2008/egspPrincipalesResultados.pdf.

- 277 Regarding the variables of interest that characterize socio-economic status, for women
- 278 statistically significant associations appeared with educational attainment level (for
- 279 education-related variables); income, severe material deprivation, and living in a
- 280 household with low work intensity (for economic status-related variables); and belonging
- 281 to the *other inactive* or *student* categories (for working status-related variables).
- Having successfully completed only a primary-level education is a risk factor for women
- $(\beta = 0.070, p=0.00)$, whereas having received a college-level education has a protective
- 284 effect (β = 0.077, p=0.00).
- 285 The following results have been observed with respect to the economic status of women:
- Income is a protective factor (β = 0.028, p < 0.05), whereas severe material deprivation
- 287 (β = 0.129, p = 0.00), living in a low work intensity household (β = 0.053, p < 0.05) and
- 288 the AROPE rating (β = 0.046, p < 0.10) are definite risk factors.
- Finally, as regards working status, only belonging to the *other inactive* (β = 0.428, p=0.00)
- 290 o student categories (β = 0.062, p < 0.05) yielded statistically significant results. It is
- 291 worth pointing out that all other working status categories lacked statistical significance,
- 292 notably being unemployed (β = 0.013, p=0.617) and being a homemaker (β = 0.001,
- 293 p=0.934).
- 294 The per capita public health expenditure variable was not statistically significant (β =
- 295 0.000, p=0.404) and therefore is not associated with better or worse perceived health
- among women.
- 297 In the case of men, the multilevel analysis shows that, as far as education is concerned,
- 298 only having received a college-level education has a statistically significant protective
- 299 effect (β = 0.098, p=0.00). As for economic status, risk factors include severe material
- deprivation, living in a low work intensity household, and the AROPE rating. Finally, as

- 301 regards working status, unlike in the case of women unemployment and retirement
- 302 appeared as risk factors.
- The analysis of the economic status of men yielded the following results:
- 304 Income did not reach statistical significance (β = 0.007, p = 0.617), whereas severe
- material deprivation (β = 0.158, p = 0.000), living in a household with low work intensity
- $(\beta = 0.036, p < 0.05)$, and the AROPE score ($\beta = 0.058, p = 0.000$) appeared as risk factors.
- Finally, and concerning working status, being unemployed (β = 0.069, p = 0.000) and
- retired (β = 0.164, p < 0.05) were definite risk factors for men.
- 309 The public health expenditure variable was not statistically significant (β = 0.000,
- 310 p=0.208), which implies that regional per capita public health expenditure is not
- 311 associated with the improved or worsened perceived health of men.
- 312 To summarize, the main differences observed by gender are the following:
- 313 In matters of educational level, for women having received only a primary
- education worsened their perceived health by 0.07 points (in contrast with being
- in possession of a secondary education). Conversely, for men a primary education
- 316 level was not a risk factor for health.
- 317 As regards economic status, income was a protective factor for the good health of
- 318 Spanish women. A 10% increase in income improves the health of women by two
- percentage points. In contrast, for men income did not have any noticeable effect.
- 320 As for working status, the perceived health of Spanish women does not appear to
- be affected by unemployment, whereas for men it decreases their self-rated
- health status. Unemployed men were, on average, 0.07 percentage points below
- their employed peers in perceived health. Similarly, being retired does not have
- any effect in the case of women, but for men it worsens their self-perceived

325	health. Retired men report a health status 0.16 percentage points below those
326	who are employed.
327	Therefore, it may be stated that variables describing economic status, be they severe
328	material deprivation, LWIH, or the AROPE score, have a deleterious effect on the health
329	of both women and men.
330	In the analysis of gender differences, for women a low educational level is a risk factor
331	and higher income has a protective effect, whereas retirement and unemployment are
332	negatively associated with the health of men and men alone. Regional per capita public
333	health expenditure is not statistically associated to the perceived health of women nor
334	men.
335	
336	

Discussion

337

338 The goal of this analysis was to provide a gender perspective on the association between 339 perceived the health and socio-economic status of the Spanish population between the 340 years of 2014 and 2017. 341 This multilevel analysis employed data from the Living Conditions Survey and from 342 several regional sources, and its results suggest that, although there are certain common 343 factors which affect the health of women and men alike, others have a differential effect. 344 This points at strong gender differences as far as health and its socio-economic 345 determinants are concerned. 346 Firstly, our results show that a low educational attainment level is a risk factor for women, 347 but not for men. In agreement with previous studies [20-22, 57], we found that women's 348 health is further improved by the intrinsic rewards of education, as they have fewer other 349 resources from which they can draw in the absence of a degree. Whenever women are 350 able to complete an education, their health is improved, often at a higher rate than for 351 men. This illustrates the point that women are especially reliant on their own education 352 in order to thrive, and therefore improvements in education may reduce their health-353 damaging behaviors further than those of men [25]. This result suggests that public 354 investments in women's education translate to a reduction in health-related gender 355 differences. 356 As for the effects of economic status, results show that income is a protective factor for 357 the health of women, but not for men. Generally speaking, people with higher income 358 levels enjoy improved health as they have access to the resources required to prevent and 359 treat a variety of conditions and are therefore better equipped to face critical and stressful events throughout their lives [30]. Women, however, are still at an economic 360

361 disadvantage, and for that reason higher income levels may be a stronger predictor of 362 their good health than of men's [69-71]. 363 Regarding the three dimensions of social deprivation under analysis (severe material 364 deprivation, low work intensity in the household, and the AROPE score), they appear to negatively affect the health of women and men alike, consistently with previous studies 365 366 such as López del Amo et al. (2018) [19]. 367 With respect to working status, unemployment does not have an effect on the perceived health of women, but it worsens that of men, as previously reported by Calzón et al. 368 369 (2017) [22]. The myth of the nuclear family and the concept of manhood as a function of 370 a man's ability to provide for their family still lie behind currently prevailing notions of 371 masculinity and patriarchy [50, 51, 72]. These misconceptions have failed to adapt to new 372 landscapes of family and work life, which may lead to increased physical and mental 373 health problems for men in times of economic turmoil and uncertainty [73]. As reported 374 by the World Bank (2011) men see access to the labor market as their only avenue for 375 empowerment, and any setback in that regard makes them vulnerable [49]. In that sense, 376 it must be noted that the collapse of the building industry at the beginning of the financial 377 crisis left many people unemployed for a long time, with male unemployment rates 378 increasing at a much faster pace than female rates. An analysis of national health surveys 379 shows that the mental health of such individuals was severely affected during that period. 380 Lastly, observations of per capita public health expenditure failed to reveal any effect on 381 the perceived health of women nor men. While it is widely understood that it should have 382 a strong effect on the health status of individuals, in developed countries additional 383 expenditure is often unrelated to improvements in perceived health, as previously 384 described in the literature [56-58]. This does not discount the fact that public policy

385 makers should always be on the lookout for new opportunities to improve health 386 outcomes through regionally distributed health expenditure and efficient policies. 387 Furthermore, statistics on health outcomes may be improved by a reassignment of 388 resources, from healthcare to social programs. This is particularly the case of policies 389 which have been proven to have a strong effect on the social determinants analyzed, such 390 as those of an educational nature. Education is able to create human capital and promote 391 the pre-distribution of income and wealth, remaining to this day the variable with the 392 strongest explanatory power regarding health status and gender differences. 393 To summarize, active employment policies, programs aimed at reducing poverty, and 394 initiatives that complement low income and improve educational opportunities may play 395 a central role in alleviating poverty and improving the population's health. 396 These results are particularly relevant in facing the current post-COVID crisis, as they 397 may help guide public policy in matters of education and income re-distribution with the 398 goal of promoting the post-pandemic recovery of our societies.

399

400

Acknowledgments

- 401 This work was supported by the Health Department of the Regional Andalusian
- 402 Government (2017–2019) under Grant PI-0457-2016.
- 403 We thank Professor Manuel Correa for his suggestions and contributions.

404 **Declaration of Interest**

405 None

406

408 References

- 409 1. Solar O, Irwin A. A Conceptual Framework for Action on the Social Determinants of Health.
 410 Report Document or other Monograph; 2007. Available from:
 411 http://www.who.int/social_determinants/resources/csdh_framework_action_05_07.pdf.
- Gueorguieva R, Sindelar JL, Falba TA, Fletcher JM, Keenan P, Wu et al. The Impact of Occupation on Self-Rated Health: Cross-Sectional and Longitudinal Evidence from the Health and Retirement Survey, The Journals of Gerontology. 2009; Series B, 64B(1):118–124. doi: 10.1093/geronb/gbn006
- 416 3. Alvarez-Galvez J, Rodero-Cosano ML, Motrico E, Salinas-Perez JA, Garcia-Alonso C, Salvador-Carulla L. The Impact of Socio-Economic Status on Self-Rated Health: Study of 29 Countries Using European Social Surveys (2002–2008). International Journal of Environmental Research Public Health. 2013;10(3):747-761. doi: 10.3390/ijerph10030747
- 420 4. Marmot M, Friel S, Bell R, Houweling TAJ, Taylor S. Closing the gap in a generation: health equity through action on the social determinants of health. The Lancet. 2008; 372(9650):1661-1669. doi: 10.1016/S0140-6736(08)61690-6
- 5. Braveman P, Gottlieb L. Los determinantes sociales de la salud: es hora de considerar las causas de las causas. Informes de salud pública. 2014;129(1_suppl2):19–31. doi: 10.1177/00333549141291S206
- 426 6. Solar O, Irwin A. A conceptual framework for action on the social determinants of health:
 427 debates, policy and practice. A Conceptual Framework for Action on the Social Determinants
 428 of Health: Debates, Policy & Practice, Case Studies. Geneva: WHO Document Production
 429 Services; 2010. Available from:
 420 http://epps.uba.int/iris/bitstroom/10665/44489/1/10789344509853.ppg.ndf
- 430 http://apps.who.int/iris/bitstream/10665/44489/1/9789241500852 eng.pdf.
- 431 7. World Health Organization (WHO). Gender, women and primary health care renewal. A discussion paper. 2010. Available from: http://apps.who.int/iris/bitstream/handle/10665/44430/9789241564038 eng.pdf?sequen
- 434 <u>ce=1.</u>
- 435 8. Coen S, Banister E, editors. What a difference sex and gender make: a gender, sex and health research casebook. Ottawa, Canada: Canadian Institutes of Health Research; 2012.
- 437 9. García-Calvente MM, Lozano M, Eguiguren A. Desigualdades de género en el cuidado informal a la salud. Inguruak: Soziologia eta zientzia politikoaren euskal aldizkaria. Revista vasca de sociología y ciencia política. 2007;44:291-308.
- 440 10. Sen G, Östlin P. Gender inequity in health: why it exists and how we can change it. Global Public Health. 2008;3(sup1):1-12. doi:10.1080/17441690801900795
- 442 11. Brzezinski M. What accounts for the rise of low self-rated health during the recent economic crisis in Europe?. Int J Equity Health. 2019;18(21). doi:10.1186/s12939-019-0926-1
- 444 12. Stuckler D, Basu S, Suhrcke M, Coutts A, McKee M. The Public Health Effect of Economic Crises and Alternative Policy Responses in Europe: An Empirical Analysis. Lancet (London, England). 2009;374(9686):315-23. doi: 10.1016/S0140-6736(09)61124-7
- 447 13. Stuckler D, Reeves A, Loopstra R, Karanikolos M, McKee M. Austerity and health: the impact
 448 in the UK and Europe, European Journal of Public Health. 2017;27(suppl_4, October):18–21.
 449 doi: 10.1093/eurpub/ckx167
- 450 14. Abebe DS, Tøge AG, Dahl E. Individual-level changes in self-rated health before and during 451 the economic crisis in Europe. Int J Equity Health. 2016;15:1. doi: 10.1186/s12939-015-0290-452 8
- 453 15. Tøge AG, Blekesaune M. Unemployment transitions and self-rated health in Europe: a longitudinal analysis of EU-SILC from 2008 to 2011. Soc Sci Med. 2015;143:171–8. doi: 10.1016/j.socscimed.2015.08.040
- 456 16. Suhrcke M, Stuckler D. Will the Recession Be Bad for Our Health? It Depends. Social Science 457 & Medicine. 2012;74(5):647-53. doi: 10.1016/j.socscimed.2011.12.011

- 458 17. Fornell B, Correa M, López del Amo MP, Martín JJ. Influence of changes in the Spanish labor market during the economic crisis (2007-2011) on perceived health. Quality of Life Research. 2018;1-11. doi: 10.1007/s11136-018-1824-5
- 461 18. Pinillos-Franco S, García-Prieto C. The gender gap in self-rated health and education in Spain.
 462 A multilevel analysis. PLoS One. 2017;Dec 7;12(12). doi: 10.1371/journal.pone.0187823
- 463 19. Gumà J, Solé-Auró A, Arpino B. Examining social determinants of health: the role of education, household arrangements and country groups by gender, BMC Public Health. 2019;19(1). doi: 10.1186/s12889-019-7054-0
- 466 20. Wärnberg J, Pérez-Farinós N, Ajejas-Bazán MJ, Pérez-López J, Benavente-Marín JC, Crespo 467 Oliva E et al. Lack of Social Support and Its Role on Self-Perceived Health in a Representative
 468 Sample of Spanish Adults. Another Aspect of Gender Inequality. Journal of Clinique
 469 Medicine. 2021;4;10(7):1502. doi: 10.3390/jcm10071502
- 470 21. López del Amo MP, Benítez V, Martín JJ. Long term unemployment, income, poverty, and 471 social public expenditure, and their relationship with self-perceived health in Spain (2007–2011). BMC Public Health. 2018;18 (1). doi: 10.1186/s12889-017-5004-2
- 473 22. Calzón S, Fernández A, López del Amo González MP, Martín Martín JJ. Diferencias por sexo de la salud percibida antes y durante la crisis económica (2007 y 2011). Revista Española de Salud Pública. 2017;91:201702019.
- 476 23. Solé-Auró A, Alcañiz M. Educational attainment, gender and health inequalities among older adults in Catalonia (Spain). International Journal for Equity in Health. 2016;15:1–12.
- 478 24. Ross CE, Masters, RK, Hummer RA. Education and the gender gaps in health and mortality.
 479 Demography. 2012;49:1157-1183. doi: 10.1007/s13524-012-0130-z
- 480 25. Ross CE, Mirowsky J. Sex differences in the effect of education on depression: resource 481 multiplication or resource substitution? Soc Sci Med. 2006;63(5):1400-13. doi: 10.1016/j.socscimed.2006.03.013
- 483 26. Ross C E, Mirowsky J. Gender and the Health Benefits of Education, The Sociological Quarterly. 2010;51:1:1-19. doi: 10.1111/j.1533-8525.2009.01164.x
- 485 27. Sen A. Human Capital and Human Capability. World Development. 1997;25:1959–1961.
- 486 28. Sen A. (1999) Development as Freedom. New York: Knopf; 1999.
- 487 29. Gumà J, Arpino B, Solé-Auró A. Determinantes sociales de la salud de distintos niveles por género: educación y hogar en España. Gaceta Sanitaria. 2019;33(2):127-133. doli: 10.1016/j.gaceta.2017.11.010
- 490 30. Karlsdotter K, Martín JJ, López del Amo MP. Multilevel analysis of income, income inequalities and health in Spain. Social Science & Medicine. 2012;74:1099-1106. doi: 10.1016/j.socscimed.2011.12.020
- 493 31. Sarti S, Biolcati-Rinaldi F, Vitalini A. The role of individual characteristics and municipalities in social inequalities in perceived health (Italy, 2010–2012): a multilevel study. J Public Health (Berl.). 2019;27:21–28. doi: 10.1007/s10389-018-0933-5
- 496 32. Akanni L, Lenhart O, Morton A. Income trajectories and self-rated health status in the UK, SSM Population Health. 2022;17, 101035. doi: 10.1016/j.ssmph.2022.101035
- 498 33. Khullar D, Chokshi DA. Health, income and poverty: where we are & what could help. Health 499 Affairs Health Policy Brief. 2018;October 4. doi: 10.1377/hpb20180817.901935
- 34. Anghel B, Basso H, Bover O, Casado JM, Hospido L, Izquierdo M et al. La desigualdad de la
 renta, el consumo y la riqueza en España [Inequality of income, consumption and wealth in
 Spain], Documentos Ocasionales. 2018;1806, Banco de España.
- 35. World Health Organization (WHO). The world health report 1999: Making a difference; 1999. Available from: https://apps.who.int/iris/bitstream/handle/10665/42167/WHR_1999.pdf.
- 505 36. Andersen J, Larsen JE. Gender, poverty and empowerment. Critical Social Policy. 1998; 506 18(55):241-258. doi: 10.1177/026101839801805507
- 37. Schütte S, Chastang JF, Parent-Thirion A, Vermeylen G, Niedhammer I. Association between Socio-Demographic, Psychosocial, Material and Occupational Factors and Self-Reported

- 509 Health among Workers in Europe. Journal of Public Health. 2014;36(2):194-204. doi: 10.1093/pubmed/fdt050
- 511 38. Ayllón S, Gábos A. The Interrelationships between the Europe 2020 Poverty and Social 512 Exclusion Indicators. Social Indicators Research. 2016;january,1-25. doi: 10.1007/s11205-015-1212-2
- 39. Oshio T, Kobayashi M. Income inequality, perceived happiness, and self-rated health: Evidence from nationwide surveys in Japan. Social Science & Medicine. 2010;70(9):1358-1366. doi: 10.1016/j.socscimed.2010.01.010
- 40. Amendola A, Dell'Anno R, Parisi L. How did Great Recession affect Gender Disparity in Europe? An analysis by a Multidimensional Deprivation Approach. Applied Economics. 2020;52(26):2780-2794. doi: 10.1080/00036846.2019.1696934
- 41. EAPN (European Anti Poverty Network)-España. El estado de la pobreza: seguimiento del indicador de pobreza y exclusión social en España 2008-2019; 2021. Available from: https://www.eapn.es/ARCHIVO/documentos/documentos/informe-AROPE-2021-contexto-nacional.pdf.
- 524 42. Bambra C. Work, worklessness and the political economy of health inequalities. Journal of Epidemiology & Community Health. 2011;65:746-750. doi: 10.1136/jech.2009.102103
- 43. Huijts T, McKee M, Reeves A, Stuckler D. Job Loss and Self-Rated Health during the Crisis: The Mitigating Effect of Social Protection Expenditure in 23 European Countries. Journal of Epidemiology and Community Health. 2014;68(Suppl 1):A65.1–A65. doi: 10.1136/jech-2014-204726.140
- 530 44. Shahidi VF, Siddiqi A, Muntaner C. Does Social Policy Moderate the Impact of Unemployment on Health? A Multilevel Analysis of 23 Welfare States. The European Journal of Public Health. 2016;26(6):1017–1022. doi: 10.1093/eurpub/ckw050
- 533 45. Urbanos-Garrido RM, González B. The Influence of the Economic Crisis on the Association 534 between Unemployment and Health: An Empirical Analysis for Spain. The European Journal of Health Economics. 2015;16(2):175–184. doi: 10.1007/s10198-014-0563-y
- 536 46. Norström F, Virtanen P, Hammarström A, Gustafsson PE, Janlert U. How does unemployment affect self-assessed health? A systematic review focusing on subgroup effects. BMC Public Health. 2014;14(1):1310. doi: 10.1186/1471-2458-14-1310
- 539 47. Drydakis N. The Effect of Unemployment on Self-Reported Health and Mental Health in
 540 Greece from 2008 to 2013: A Longitudinal Study before and during the Financial Crisis. Social
 541 Science & Medicine. 2015;128:43–51. doi: 10.1016/j.socscimed.2014.12.025
- 48. Antonakakis N, Collins A. The impact of fiscal austerity on suicide: On the empirics of a modern Greek tragedy. Social Science & Medicine. 2014;112,39–50.
- 544 49. World Bank. The Decline of the Breadwinner: Men in the 21st Century. In: World Development Report 2012: Gender Equality. Washington DC: World Bank; 2011. ch. 3. doi: 10.1596/9780821388105_spread2
- 547 50. Robertson S, Gough B, Robinson M. Masculinities and Health Inequalities Within Neoliberal 548 Economies. In: Walker C, Roberts S (editors). Masculinity, Labour, and Neoliberalism. Global 549 Masculinities. Switzerland: Palgrave Macmillan; 2018. pp. 311-334. doi: 10.1007/978-3-319-550 63172-1 14
- 551 Mossakowski KN. The influence of past unemployment duration on symptoms of depression among young women and men in the United States. American Journal of Public Health. 2009;99(10):1826–1832.
- 52. Artazcoz L, Benach J, Borrell C, Cortès I. Unemployment and Mental Health: Understanding the Interactions Among Gender, Family Roles, and Social Class American Journal of Public Health. 2004;94:82-88. doi: 10.2105/AJPH.94.1.82
- 53. Ronchetti J, Terriau A. Impact of unemployment on self-perceived health. European Journal of Health Economics. 2019;20:879–889. doi: 10.1007/s10198-019-01050-5

- 559 54. Buffel V, Van de Velde S, Bracke P. The mental health consequences of the economic crisis 560 in Europe among the employed, the unemployed, and the non-employed, Social Science 561 Research, 2015;54:263-288, doi: 10.1016/j.ssresearch.2015.08.003
- 562 55. Ministerio de Sanidad del Gobierno de España. Estadística de Gasto Sanitario Público (EGSP)
 563 2019: Principales resultados; 2022. Available from:
 564 https://www.mscbs.gob.es/estadEstudios/estadisticas/docs/EGSP2008/egspPrincipalesRes
 565 ultados.pdf.
- 566 56. Guptá S, Verhoeven M, Tiongson ER. Public spending on health care and the poor, Health Econ. 2003;12:685–696. doi: 10.1002/hec.759
- 568 57. Ray D, Linden M. Health expenditure, longevity, and child mortality: dynamic panel data approach with global data. Int J Health Econ Manag. 2020;20:99–119. doi: 10.1007/s10754-019-09272-z
- 571 58. Linden M, Ray D. Life expectancy effects of public and private health expenditures in OECD countries 1970–2012: Panel time series approach. Economic Analysis and Policy. 2017;56):101-113. doi: 10.1016/j.eap.2017.06.005
- 574 59. Heijink R, Koolman X, Westert GP. Spending more money, saving more lives? The relationship between avoidable mortality and healthcare spending in 14 countries. The European Journal of Health Economics. 2013;14(3):527-538. doi: 10.1007/s10198-012-0398-3
- 60. Nixon J, Ulmann P. The relationship between health care expenditure and health outcomes European Journal of Health Economics. 2006;7:7-18. doi: 10.1007/s10198-005-0336-8
- 580 61. Filmer D, Pritchett L. The impact of public spending on health: does money matter? Social Science & Medicine. 1999;49(10):1309-1323, doi: 10.1016/S0277-9536(99)00150-1
- 582 62. Martin S, Rice N, Smith PC. Does health care spending improve health outcomes? Evidence 583 from English programme budgeting data, Journal of Health Economics. 2008;27(4):826-842. 584 doi: 10.1016/j.jhealeco.2007.12.002
- 585 63. Instituto Nacional de Estadística (INE). Encuesta de condiciones de vida. Resultados. 2022.
 586 Available from:
 587 https://www.ine.es/dyngs/INEbase/es/operacion.htm?c=Estadistica_C&cid=12547361768
- 588 07&menu=resultados&idp=1254735976608#!tabs-1254736195153.
- 589 64. Rabe-Hesketh S, Skrondal A. Multilevel and longitudinal modeling using Stata (3rd edn.). College Station: Stata Press Publication; 2012.
- 591 65. García Calvente MM, Del Río Lozano M, Marcos Marcos J. Guía de indicadores para medir
 592 las desigualdades de género en salud y sus determinantes. Granada: Escuela Andaluza de
 593 Salud Pública (EASP); 2015.
- 594 66. De Bruin A. Health Interview Surveys: Towards International Harmonization of Methods and
 595 Instruments. WHO Regional Publications, European Series. 1996;58. Office of Publications,
 596 WHO Regional Office for Europe.
- 597 67. Bowling A. Research methods in health: investigating health and health services. Berkshire: 598 McGraw-hill education (UK); 2014.
- 599 68. Instituto Nacional de Estadística (INE). Carencia Material. Carencia Material Severa [Material 600 Deprivation. Severe Material Deprivation]; 2020. Available from: 601 https://www.ine.es/ss/Satellite?L=es ES&c=INESeccion C&cid=1259925456180&p=12547 602 35110672&pagename=ProductosYServicios%2FPYSLayout¶m1=PYSDetalle¶m3= 603 1259924822888.
- 604 69. Prus SG, Gee E. Gender Differences in the Influence of Economic, Lifestyle, and Psychosocial Factors on Later-life Health. Can J Public Health. 2003;94,306–309. doi: 10.1007/BF03403611
- 607 70. Denton M, Prus S, Walters V. Gender differences in health: a Canadian study of the psychosocial, structural and behavioural determinants of health. Social Science & Medicine. 2004;58(12):2585-2600. doi: 10.1016/j.socscimed.2003.09.008

- 71. Gomez-Baya D, Salinas-Perez JA, Rodero-Cosano ML, Gálvez-Álvarez J. Socioeconomic
 Inequalities in Health Through Lifestyles: Analysing Gender and Age Differences in
 Andalusia, Spain. J Community Health. 2020;45:836–845, doi: 10.1007/s10900-020-00800 4
- 72. Scott-Samuel A, Crawshaw P, Oakley A. Men behaving badly Patriarchy, public policy and health inequalities. International Journal of Men's Health. 2015;14(3):250–258.
- 73. Oliffe J, Han C. Beyond workers' compensation: Men's mental health in and out of work.
 American Journal of Mens' Health. 2013;8(1):45–53.