

Research Agenda

Online dashboards for SARS-CoV-2 wastewater data need standard best practices: an environmental health communication agenda

Colleen C. Naughton^a, Rochelle H. Holm^{b*}, Brooklyn P. James^a, Ted Smith^b

^aDepartment of Civil And Environmental Engineering, University of California Merced, 5200 Lake Rd., Merced, CA 95343, United States

^bChristina Lee Brown Envirome Institute, School of Medicine, University of Louisville, 302 E. Muhammad Ali Blvd., Louisville, KY 40202, United States

*Corresponding author: Rochelle H. Holm (rochelle.holm@louisville.edu)

Abstract

The rapid development of scientific communication approaches for environmental surveillance data with online information dashboards has been done in the absence of a global organizing body during the coronavirus disease 2019 pandemic. We aim to make a case for standardization of dashboards presenting SARS-CoV-2 wastewater data. The list of dashboards was compiled as of March 31, 2022. The 127 dashboards reviewed represented 27 countries using a range of line/bar graphs, maps, and tables with symbol presentation. We identified 96 separate units of measure for the wastewater SARS-CoV-2 data. There was also inconsistency in using linear or log scale. Twenty-five percent of dashboards presented SARS-CoV-2 variant monitoring. Only 30% (38/125) of dashboards provided downloadable source data. There is great opportunity to improve scientific communication through the adoption of uniform data presentation conventions or standards for this field.

Keywords: COVID-19; health communication; sewage; standards; technology; wastewater-based epidemiology

1. Introduction

Wastewater surveillance for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) has been used since early in the coronavirus disease 2019 (COVID-19) pandemic to complement clinical testing.¹⁻³ Online data dashboards are a one-way message from experts to both experts and nonexperts. Surveys of public awareness and perceptions of wastewater surveillance have reported strong support for wastewater data sharing.^{4,5} The current context for our research agenda is that risk communication problems may come from establishing and recognizing credibility, making messages understandable, rapidly preparing messages, capturing, and focusing attention, and getting data.⁶ Stakeholders including the World Health Organization^{3,7} have promoted online information dashboards for presenting SARS-CoV-2 wastewater viral concentration. Yet, the historical context of getting risk communication right for scientists has been evidenced when failing to evaluate and communicate to the public earthquake hazard data resulted in scientist and government officials going on trial for the 2009 L'Aquila, Italy, earthquake.⁸ The rapid development of scientific communication approaches for environmental surveillance data with online information dashboards has been done in the absence of a global organizing body during the COVID-19 pandemic despite efforts convene the field to address this issue among others.⁹

We reviewed 127 presentation formats of SARS-CoV-2 wastewater data on global online dashboards for communicating public health risk. Additionally, we critically reflect on the gaps in the underlying science to advocate for an improved environmental health communication agenda.

2. Surveying data landscape

Data were collected from the COVIDPoops19 global dashboard of wastewater monitoring for SARS-CoV-2^{10 11} as of March 31, 2022. For non-English dashboards, Google translate was used. This study was conducted prior to the United States Centers for Disease Control and Prevention¹² National Wastewater Surveillance System public dashboard. To determine country level income classifications, the World Bank¹³ guidelines were used. Dashboards used in the analysis are available online public records, links of which are provided in Supplement A. Data provided in Figure 1 is covered under the University of Louisville Institutional Review Board is classified as non-human subject research (reference #: 717950).

3. Current data presentation

The focus of this research agenda is advocacy for improved scientific communication in online dashboards presenting SARS-CoV-2 viral concentration in wastewater. From 127 dashboards identified, 125 were accessible at the time of this analysis (two websites previously tracked had been moved or were offline). More than half (58%; 72/125) provided SARS-CoV-2 wastewater and COVID-19 case data on the same dashboard.

3.1 Dashboard locations

Twenty-seven countries had COVID-19 wastewater dashboards, 94% (118/125) of which were high-income countries. While some high-income countries had a single dashboard, others had many; within the United States there are 66 unique dashboards alone, Canada has 22 dashboards, and Australia had five dashboards. The remaining dashboards (6%; 7/125) belonged to low- and middle-income countries, and still Brazil and South Africa had two unique dashboards,

respectively. Multiple dashboards within a country using different metrics suggests an opportunity for standards.

3.2 Units of measure

Data was presented across a range of formats including line/bar graphs, maps, and tables with symbols. We identified 96 separate ways SARS-CoV-2 wastewater units of measure were written (Table 1). Of these, some form of quantitative (in contrast to presence/absence or trend observation) wastewater units results were given in 85% (106/125) dashboards. The more common was a derivative of gene copies/L or gene copies/mL (27%; 34/125). Differences in units can be confusing. The [Erie County, PA](#), dashboard reported “COVID-19 Amounts in Wastewater” which confuses the resulting disease with the indicator cause.

Manipulation of the y-axis for presentation was also common. Population adjustment was done by the number of people served by the sewer service area sampled (for example, by 100,000 inhabitants) (15%; 15/102), less frequently by the positive control fecal indicator pepper mild mottle virus (PMMoV) (8%; 8/102), or by sewer system flow rate (2%; 2/102). Some dashboards, such as [Davis, CA](#), dashboard had a non-numeric y-axis attributed to the normalization ratio. Two other dashboards displayed data in the form of exponentially weighted moving average (EWMA) per day ([Bengaluru \(Bangalore\), India](#) and [Missouri](#)), which again may be difficult in data interpretation for the public. More pertinently is the absence of a y-axis unit, such as the dashboard by the [PA Department of Corrections](#).

Table 1. Select SARS-CoV-2 wastewater concentration unit groups as presented in online dashboards

Group	Example units
Viral concentration	cp/mL COVID-19 amounts in wastewater genome copies/L genome copies/L of sewage genome copies/mL wastewater genome per Liter log10 gene copies/L log10 RNA Copies/L mean virus copies/L relative SARS-CoV-2 levels SARS-CoV-2 RNA copies/mL SARS-CoV-2 (weighted mean; gc/L) standardized concentration of SARS-CoV-2 Gene Copies RNA copies/mL virus copies/L wastewater viral load (Log10 Copies)
Viral concentration normalized by population size sampled	# virus particles/100,000 inhabitants copies SARS-CoV-2 per 100K gene copies/day/100,000 people log10 Copies per day per person M copies/person/day SARS-CoV-2 RNA copies/day/100 000 eq. inhabitants µg/L per 100 thousand inhabitants viral gene copies/person
Viral concentration normalized by time	average covid million genes per day EWMA copies per day gc/day N1, N2, IP4 GC/Day SARS-CoV-2 RNA flux (copies/day)
Viral concentration normalized by a fecal indicator positive control	concentration of SARS-CoV-2/PMMoV copies/mL normalized to PMMoV copies/mL x 1000 copies/PMMoV N1 gene copy number to PMMoV ($\times 10^4$) normalized viral copies (to PMMoV) normalized viral copies (μ) PMMoV normalized N1 ($\times 1000$) ratio of gene N1 and PMMoV

3.3 Scaling

Where units were presented (Figure 1), a linear scale only was observed more often (63%; 64/102) than a logarithmic scale (27%; 28/102). Ten dashboards (10%; 10/102) presented both logarithmic and linear scales. Some (34%; 35/102) dashboards with line/bar graphs had a double y-axis, commonly with COVID-19 clinical, hospitalization, vaccine rate, or number of deaths thoughtfully scaled with wastewater data. However, wastewater concentration on the left y-axis and normalized data on the right y-axis was also present. Remaining dashboards had a non-numeric scale data presentation or used a trend indicator table with symbols.




Figure 1. Three time-series plots showing SARS-CoV-2 viral wastewater, August 2020 to April 2022: Left panel displays wastewater data on a linear scale; Middle panel displays wastewater data on a logarithmic scale; and Right panel displays wastewater data normalized by PMMoV.

Date was the most common scale of intersect, with sixty dashboards presenting data back to 2020, thirty-six back to 2021 and six starting in 2022. Not all dashboards use line/bar graph. For example, the New South Wales, Australia, dashboard uses symbols to denote stable, increasing, and decreasing in a table format for sample location by date while the Canadian Water Network

Wastewater Collection Maps uniquely presented a partnership dashboard on sample location lab processing samples (public lab or university lab), though with no wastewater data.

3.4 Variant monitoring

One quarter (25%; 31/125) of dashboards presented data on SARS-CoV-2 variant tracking, mostly (94%; 29/31) were from high-income countries. Variant monitoring was more typically displayed in a separate dashboard section, by comparing the percentage of each variant type. The variant tracking dashboard presented ranged for example from Switzerland using digital droplet polymerase chain reaction assays to present derived estimates of variants, to Jefferson County, KY, presenting results from genomic sequencing.

3.5 Data transparency

Although online dashboards could be viewed as a form of scientific communication, only 30% (38/125) provided a downloadable source file. This ranged from quantifiable data as a Microsoft Excel file in a variety of row and column formats to figures in a portable network graphic file format. In general, data transparency was observed to be low across the dashboards surveyed.

4. Discussion

The current landscape of data presentation for SARS-CoV-2 wastewater data through online dashboards found a lot of variation which could be addressed through standards. Environmental data dashboards have been shown to be a positive method for engaging stakeholders and supporting water and electricity sustainability methods, and a way to bridge between academics to communities being surveilled.¹⁴ For clinical samples, the real time dashboard by Johns Hopkins University is an example of individual diagnostic testing results aggregated from many global sources with a unified presentation;¹⁵ but the principles for rapid and responsible data sharing in epidemics have been focused on clinical testing results¹⁶ rather than wastewater analogs. Additionally, there remain more geographic areas where wastewater data collection is happening without an online dashboard.¹¹ If there is variability across dashboards within a country in the way the data are calculated or presented, it could hamper understanding of transmission dynamics within and across borders. A member of the public traveling for work or vacation wanting to know about community spread can easily look at clinical case data across geographic locations for comparable results, whereas looking across wastewater dashboards for another location is challenging and inconsistent. We found few common dashboard themes, take-aways, and how public health principles are woven throughout each. Even the different impressions of scale should be emphasized,^{17 18} where the doubling of values in a linear scale is muted on a log scale. This contrasts with other environmental surveillance data such as *Escherichia coli* in drinking water whereby the World Health Organization guideline is 0 colony-forming units (cfu) per 100 mL,¹⁹ and the y-axis would most commonly be in cfu/100 ml but the x-axis could routinely be date or sample location. In microbiology, log scales are the norm attributed to a dynamic range of multiplying organisms and being above a drinking water

guideline value is most important, whereas for SARS-CoV-2 wastewater trends over time is important. Changing between a log and linear scale of a progressively dynamic range of COVID-19 metrics has been shown to alter the public's perceptions and policy preferences.^{17 18}

We found 86% of the SARS-CoV-2 dashboards studied provided a quantitative wastewater result, this contrasts with risk communication around polio detection in wastewater, where presence/absence is the level of detail required.²⁰ When presented in line/charts, the predominate y-axis was a derivative of gene copies/L or gene copies/mL against an x-axis of date. Flexibility should be available for normalization due to industrial flow, but normalization should be clearly stated, and non-transformed data should still be available.

The extent of the data presentation problem may not be fully understood at present, reflecting on poor hazard data communication from scientist and government officials from the L'Aquila, Italy, earthquake⁸ gives both insight and motivation to get this right. While SARS-CoV-2 viral concentration could be considered the basic level of data transparency, variant monitoring has evolved over the pandemic frameworks.²¹ Variant monitoring requires higher level laboratory facilities which may not be available in all public health centers, and standardization may be more nuanced.

The broader science community is better served to promote accuracy and reduce bias when there is a capability of transforming source data as a post hoc means of arriving at comparable data, so our advocacy for downloadable machine-readable data should be valuable to support that mission. Provision of wastewater source data should also adhere to (Findability, Accessibility,

Interoperability, and Reusability) open data standards, and many countries have signed open data agreements.¹¹ Data presentation does not solely need to be presence of a viral concentration, there is also excellent value in indicating the absence (or a quantified result below detection). This is an area requiring thoughtful global standardization.

Key considerations for a new standard format for online dashboards presenting SARS-CoV-2 wastewater data:

- Standards should apply globally
- Units of measure: labeled y-axis as log gene copies/L or gene copies/mL and labeled x-axis as date. If normalization is used, add a toggle to source data
- Machine-readable downloadable quantified source data
- It is never too late to start; researchers should be continually encouraged to add online dashboards

5. In Conclusion

We urge those at the forefront of dashboards for SARS-CoV-2 wastewater concentrations to standardize. There is an important need for clear and consistent communication for the non-research audience and specifically the greater public health community. The clearest example from our review of the need for standardization in the current landscape is the ninety-six different units from 125 dashboards and no clear precedent to follow; this is a significant issue and opportunity. But, if the field is trying for data transparency, not only have we not made it easy for non-experts, but more importantly, it is showing the underlying science still does not have a rationale for how we should calculate and present viral concentration. There also remains potential work on co-creation with community, utilities, and public health department input. These standards can be useful for other wastewater-based epidemiology applications as the field continues to expand beyond COVID-19. Our ability to incorporate wastewater into public health decision making is potentially hampered by the inconsistencies in the way data are analyzed and presented, but will we ever have one uniform standard?

Funding This work was supported in part by The Rockefeller Foundation, the James Graham Brown Foundation, the Owsley Brown II Family Foundation, PATH, National Science Foundation (#2037834), Center for Information Technology Research in the Interest of Society (CITRIS) and the Banatao Institute. The funders had no role in the study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Contributors Conceptualization: CCN, RHH, TS; Methodology: CCN, RHH, BPJ, TS; Formal analysis: RHH and BPJ; Writing-original draft preparation: RHH; Writing-review and editing: CCN, RHH, BPJ, TS; Supervision: TS; Project administration: TS. All authors have read and agreed to the published version of the manuscript.

Competing interests None declared.

Patient consent for publication Not applicable.

Ethics approval This study does not involve human participants.

References

- 1 Medema G, Heijnen L, Elsinga G, Italiaander R, Brouwer A. Presence of SARS-Coronavirus-2 RNA in sewage and correlation with reported COVID-19 prevalence in the early stage of the epidemic in the Netherlands. *Environ Sci Tech Let* 2020;7(7):511–6. doi: 10.1021/acs.estlett.0c00357
- 2 Wu F, Zhang J, Xiao A, et al. SARS-CoV-2 titers in wastewater are higher than expected from clinically confirmed cases. *Msystems* 2020;5(4):e00614–20. doi: 10.1128/mSystems.00614-20
- 3 World Health Organization. Environmental surveillance for SARS-COV-2 to complement public health surveillance Interim Guidance. Geneva: World Health Organization; 2022.
- 4 Holm RH, Brick JM, Amraotkar AR, et al. Public awareness and support for use of wastewater for SARS-CoV-2 monitoring: a community survey in Louisville, Kentucky. *ACS EST Water* 2022. doi: 10.1021/acsestwater.1c00405
- 5 LaJoie AS, Holm RH, Anderson LB, Ness HD, Smith TR. Survey of nationwide public perceptions regarding acceptance of wastewater used for community health monitoring in the United States. *medRxiv* 2022. doi: 10.1101/2022.03.16.22272262
- 6 National Research Council. Improving risk communication. Committee on Risk Perception and Communication, National Research Council. Washington, D.C.: National Academies Press; 1989.
- 7 World Health Organization. Wastewater surveillance of SARS-CoV-2 questions and answers (Q&A). Geneva: World Health Organization; 2022.

- 8 Hall SS. At fault? In 2009, an earthquake devastated the Italian city of L'Aquila and killed more than 300 people. Now, scientists are on trial for manslaughter. *Nature* 2011;477(7364):264–70.
- 9 National Institute of Standards and Technology. DHS/NIST workshop: standards to support an enduring capability in wastewater surveillance for public health. 2022 [cited 8 June 2022] Available at: <https://www.nist.gov/news-events/events/2021/06/dhsnist-workshop-standards-support-enduring-capability-wastewater>
- 10 COVIDPoops19. Summary of global SARS-CoV-2 wastewater monitoring efforts by UC Merced researchers. 2022 [cited 31 March 2022] Available at: <https://arcg.is/1aummW>
- 11 Naughton CC, Roman FA, Alvarado AG, et al. Show us the data: global COVID-19 wastewater monitoring efforts, equity, and gaps. *medRxiv* 2021. doi: 10.1101/2021.03.14.21253564
- 12 Centers for Disease Control and Prevention. [cited 2 June 2022] Available at: <https://www.cdc.gov/healthywater/surveillance/wastewater-surveillance/wastewater-surveillance.html>
- 13 World Bank. World Bank Country and Lending Groups. [cited 20 April 2022]. Available at: <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519-world-bank-country-and-lending-groups>
- 14 Petersen JE, Rosenberg Daneri D, Frantz C, Shammin MR. Environmental dashboards: fostering pro-environmental and pro-community thought and action through feedback. *Handbook of theory and practice of sustainable development in higher education* 2017:149–68.

- 15 Dong E, Du H, Gardner L. An interactive web-based dashboard to track COVID-19 in real time. *Lancet Infect Dis* 2020;20(5):533–4. doi: 10.1016/S1473-3099(20)30120-1
- 16 Yozwiak NL, Schaffner SF, Sabeti PC. Data sharing: Make outbreak research open access. *Nature* 2015;518(7540):477–9.
- 17 Sevi S, Aviña MM, Péloquin-Skulski G, et al. Logarithmic versus linear visualizations of COVID-19 cases do not affect citizens’ support for confinement. *Can J Polit Sci* 2020;53(2):385–90. doi: 10.1017/S000842392000030X
- 18 Romano A, Sotis C, Dominiononi G, Guidi S. The scale of COVID-19 graphs affects understanding, attitudes, and policy preferences. *Health Econ* 2020;29(11):1482–94. doi: 10.1002/hec.4143
- 19 World Health Organization. Guidelines for drinking-water quality: fourth edition incorporating the first and second addenda. Geneva: World Health Organization; 2022. [cited 2 June 2022]. Available at: <https://www.who.int/publications/i/item/9789240045064>
- 20 World Health Organization. Guidelines for environmental surveillance of poliovirus circulation. Geneva: World Health Organization; 2003.
- 21 Smith TR, Holm R, Yeager R, et al. Combining community wastewater genomic surveillance with state clinical surveillance: A framework for SARS-CoV-2 public health practice. *medRxiv* 2021. doi: 10.1101/2021.12.06.21267150

Supplement A

List of online dashboards for SARS-COV-2 wastewater from COVIDPoops19 website as of March 31, 2022

#	Web Link	Country
1	https://data.covid-web.org/	United States
2	https://erin-wettstone.shinyapps.io/Dashboard_V6/	Bangladesh
3	https://lipplab-uga.github.io/covid_wastewater_lipplab_athens/	United States
4	https://yalecovidwastewater.com/	United States
5	https://www.clemson.edu/covid-19/testing/wastewater-dashboard.html	United States
6	https://deq.utah.gov/water-quality/sars-cov-2-sewage-monitoring	United States
7	https://covid19.tempe.gov/	United States
8	http://www.mwra.com/biobot/biobotdata.htm	United States
9	https://coronavirus.ohio.gov/wps/portal/gov/covid-19/dashboards/wastewater	United States
10	https://techimpact.shinyapps.io/ncco_wastewater/	United States
11	https://www.cityofboise.org/departments/mayor/coronavirus-covid-19-information/covid-19-data/wastewater-testing/	United States
12	https://www.healthygallatin.org/coronavirus-covid-19/wastewater-data/	United States
13	https://coronadashboard.rijksoverheid.nl/landelijk/rioolwater	Netherlands
14	https://613covid.ca/wastewater/#	Canada
15	https://www.nnk.gov.hu/index.php/koronavirus/szennyvizvizsgalato_k	Hungary
16	https://www.thl.fi/episeuranta/jatevesi/jatevesiseuranta_viikkoraportti.html	Finland
17	https://experience.arcgis.com/experience/19a447509ff44fcf922ad0892b7b2cce/page/page_21/	United States
18	https://informatics.sepa.org.uk/RNAmonitoring/	United Kingdom
19	https://www.eawag.ch/en/department/sww/projects/sars-cov2-in-wastewater/	Switzerland
20	https://www.dhhs.vic.gov.au/wastewater-monitoring-covid-19	Australia
21	https://www.samrc.ac.za/wbe/	South Africa
22	https://www.list.lu/en/covid-19/coronastep/	Luxembourg
23	https://www.indianaboro.com/news/categories/wastewater-surveillance	United States
24	https://sarsaigua.icra.cat/	Spain

25	https://nantucket-ma.gov/1864/Surfside-Wastewater-Treatment-Facility-C	United States
26	https://www.keene.edu/featured/fall2020/covid-19-dashboard/	United States
27	https://www.burlingtonvt.gov/covid-19/wastewater	United States
28	https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonsSARS-CoV-2WastewaterMonitoring/WastewaterDashboard	United States
29	https://loxahatcheeriver.org/wastewater-surveillance/	United States
30	https://www.qld.gov.au/health/conditions/health-alerts/coronavirus-covid-19/current-status/wastewater	Australia
31	https://www.dhs.wisconsin.gov/covid-19/wastewater.htm	United States
32	https://t.co/RY4D877qeW?amp=1	Brazil
33	https://eriecountypa.gov/tag/biobot/	United States
34	https://egle.maps.arcgis.com/apps/webappviewer/index.html?id=8e3cb66aca204876a1db0e1b663af805	United States
35	https://connect.chattanooga.gov/covid-biobot-analysis-reports/	United States
36	https://www.cor.pa.gov/Pages/COVID-19.aspx	United States
37	https://www.hrsd.com/HRSD-COVID-19-Surveillance	United States
38	https://cdphe.maps.arcgis.com/apps/opsdashboard/index.html#/d79cf93c3938470ca4bcc4823328946b	United States
39	https://portal.rjngroup.com/arcgisportal/apps/opsdashboard/index.html#/594d4b1b2dd840958cedb50b1381982b	United States
40	https://storymaps.arcgis.com/stories/f7f5492486114da6b5d6fdc07f81aacf	United States
41	https://cityofcambridge.shinyapps.io/COVID19/#shiny-tab-wastewater	United States
42	https://www.env.nm.gov/wastewater-surveillance-system-data-dashboard/	United States
43	https://wechu.org/cv/weekly-epidemiological-summary	Canada
44	https://returntolearn.ucsd.edu/dashboard/index.html	United States
45	https://www.lccountymt.gov/health/covid-19/local-covid-19-decision-making-dashboard.html	United States
46	https://covid-testing.uconn.edu/dashboard/	United States
47	https://www.reseau-obepine.fr/carte-des-tendances/	France
48	https://covid-tracker.chi-csm.ca/	Canada
49	https://www.canaldeisabelsegunda.es/mapa-vigia	Spain
50	https://nwt-covid.shinyapps.io/Testing-and-Cases/?lang=1	Canada
51	https://crush-covid.shinyapps.io/crush_covid/	Sweden
52	https://sanmiguelco.maps.arcgis.com/apps/opsdashboard/index.html#/56e682135d1d4128bee1a0426aed1d10	United States
53	http://www.metrovancouver.org/services/liquid-waste/environmental-management/covid-19-	Canada

	wastewater/Pages/default.aspx	
54	https://miteco.maps.arcgis.com/apps/opsdashboard/index.html#/a8c1f281dfc445169a78178b70774a62	Spain
55	http://smchd.org/covid-19-wastewater	United States
56	https://edarbens.es/covid19/	Spain
57	https://soe-wbe-pilot.wl.r.appspot.com/charts#page=overview	United States
58	https://healthydavistgether.org/wastewater-testing/	United States
59	https://covid19dataportal.se/data_types/environment/wastewater/	Sweden
60	https://southhadley.org/DocumentCenter/Index/604	United States
61	http://trams.chem.uoa.gr/covid-19/	Greece
62	https://covid-19.sledilnik.org/en/stats	Slovenia
63	https://coronavirus.berkeley.edu/dashboard/wastewater/	United States
64	https://www.kflaph.ca/en/healthy-living/covid-19-in-city-of-kingston-wastewater.aspx	Canada
65	https://www.sccgov.org/sites/covid19/Pages/dashboard-wastewater.aspx	United States
66	http://www.519covid.ca/	Canada
67	https://www.peelregion.ca/health-professionals/covid-19/#symptoms	Canada
68	https://www.coron-a.at/dashboard/	Austria
69	https://water.usask.ca/covid-19/#ResearchersandFunding	Canada
70	https://www.health.nsw.gov.au/Infectious/covid-19/Pages/sewage-surveillance.aspx	Australia
71	https://trace.oregonstate.edu/testing-results	United States
72	https://arcg.is/1KySSv	United States
73	https://www.centreau.ulaval.ca/donnees-du-projet-centreau-covid/	Canada
74	https://covidtracker.fr/covidexplorer/	France
75	https://www.palmspringsca.gov/government/departments/community-economic-development-department/wastewater-treatment-plant-covid-19-test-reports	United States
76	https://www.coronavirus.tas.gov.au/facts/covid-19-wastewater-testing/covid-19-wastewater-testing-results	Australia
77	https://wastewater.covid19.mathematica.org/	United States
78	https://louisville.edu/envirome/thecoimmunityproject/dashboard	United States
79	https://www.regionofwaterloo.ca/en/health-and-wellness/covid-19-wastewater-surveillance.aspx#	Canada
80	https://covid19.ncdhhs.gov/dashboard/wastewater-monitoring	United States
81	https://ww2.health.wa.gov.au/Articles/A_E/Coronavirus/COVID19-wastewater-testing	Australia
82	https://cwn-rce.ca/covid-19-wastewater-coalition/covid-19-wastewater-coalition-maps/	Canada

83	http://erie.gov/covid19-wastewater/	United States
84	https://bimsbstatic.mdc-berlin.de/akalin/AAkalin_pathogenomics/sarscov2_ww_reports/210528_wastewaterall_pigxsarscov2ww_default/index.html	Germany
85	https://covidwastewatermonitor.wyo.gov/	United States
86	https://storymaps.arcgis.com/stories/c42be68c85634d19a5d92873a10bda66	India
87	https://datastudio.google.com/embed/u/0/reporting/c14a5cfc-cab7-4812-848c-0369173148ab/page/p_ggbfgsqtmc	Belgium
88	https://experience.arcgis.com/experience/4456bae8a38f4b6180e008477382fff9/page/page_0/	United States
89	https://covidwwtp.spatialstudieslab.org/	United States
90	https://datastudio.google.com/u/0/reporting/430e67c8-acaf-4574-a2d4-48d0b665ab05/page/jMhOC	United States
91	https://www.esr.cri.nz/our-expertise/covid-19-response/wastewater-testing-results/	New Zealand
92	https://www.gov.nl.ca/ecc/waterres/wastewater-surveillance-for-covid-19-virus/	Canada
93	https://app.powerbi.com/view?r=eyJrIjoiMjU2MmEzM2QtNDliNS00ZmIxLWI5MzYtOTU0NTIiYmU5MjQ2IiwidCI6IjUyZDdjOWMyLWQ1NDktNDFiNi05YjFmLTlkYTE5OGRjM2YxNiJ9	Canada
94	https://www.nicd.ac.za/diseases-a-z-index/disease-index-covid-19/surveillance-reports/weekly-reports/wastewater-based-epidemiology-for-sars-cov-2-in-south-africa/	South Africa
95	https://www.simcoemuskokahealthstats.org/topics/infectious-diseases/a-h/covid-19/covid-19-wastewater-surveillance	Canada
96	https://corona.hydro-it.com/	Austria
97	https://app.powerbi.com/view?r=eyJrIjoiNzIxMjYyZDZjZDVjNy00NTMwLWIwZmItYmQwOWJhNzk3YmU1IiwidCI6IjE1NmU3MTC4LTA1ZmYtNGVmYy05OTY2LTU2ODFINjE2MjA3MCI9&pageName=ReportSectiond497bb36400a320db4c7	Brazil
98	https://covid19.tarimorman.gov.tr/	Turkey
99	https://www.michigan.gov/coronavirus/0,9753,7-406-98163_98173-573480--,00.html	United States
100	https://news.uoguelph.ca/2019-novel-coronavirus-information/u-of-g-covid-19-wastewater-report/	Canada
101	https://umich-wbe.shinyapps.io/sars-cov-2_dash/	United States

102	https://www.york.ca/wps/portal/yorkhome/health/yr/covid-19/covid19inyorkregion/01covid19inyorkregion/!ut/p/z1/tZJLT-MwFIV_C4suI187SW0vTeg0CTQtjz7iTZVJ09RMk5SMKTC_fhxUJISgMGLshV-6Plfn80ESLZC5s70qM62aOtuacyr7y0gMozA8h3jssQAEjEVMKIMBx2j-XAAfDAFifuX9kQJ5XH6GJJK7XK1QStyCspwzh4KfO16W9x2Of67MxNc-5-uMd3JI5rXe6Q1Kn9pl3tS6qHUPnpr2lzn81krfP19smqowc5Ft9aYH ebNXKwfwzww5zVXcv2qI0mHoA-J1rFH_m3cAl7SgYlcZBpjeOqtcNWrz0OuzeiC7e72Wk1O3dnRTGXufpUaOfbX_zDuZrh8Nr5kE0i6mY4TF4kXsoIMTrhziAGMIxg-gHnfhnLMRwTg4FR_43NfmgHOK8Imi-V8UDmtZnw5m8Xv9jHMKXDpQFlhRDmMDNIMLlgHqsFzGaXFzfb3b4xIBledeqPAW78sSu_P-BE0cQYNHF3x24IEgUsFM3Zklil3il3il3il3iN_ez78LZVdNpxVxWzLNol_u_rJZnp4mTxvs_R5eRODn5Cx0G6fA!/dz/d5/L2dBISEvZ0FBIS9nQSEh/#.Yd3nnYjMK3A?utm_source=newmarkettoday.ca&utm_campaign=newmarkettoday.ca%3A%20outbound&utm_medium=referral	Canada
103	https://www.wesparkhealth.com/covid-screening-platform#Dashboard	Canada
104	https://bior.lv/lv/par-mums/jaunumi/notekudenu-monitorings-covid-19-izplatibas-noteiksanai	Latvia
105	https://app.powerbi.com/view?r=eyJrIjoiNjY5ZjM2ZTctMGM5Mi00NTZmLTk0NjMtZWQ2OTkYhWZhMTA1IiwidCI6ImIzYzdlZDM0LWQxZjAtNDg5Zi05YzllWE0YmNlYTk0YmJlNCIsImMiOiJl9	Israel
106	https://mdewin64.mde.state.md.us/WSA/SSI/index.html	United States
107	https://metrotransitm.shinyapps.io/metc-wastewater-covid-monitor/	United States
108	https://covid19-sciencetable.ca/ontario-dashboard/#wastewatersignal	Canada
109	https://mbcolli.shinyapps.io/SARS2EWSP/#	United States
110	https://healthunit.org/health-information/covid-19/local-cases-and-statistics/dashboard/	Canada
111	https://www.district2framingham.com/2022/01/20/framingham-covid-19-update/	United States
112	https://engineering.utsa.edu/vkapoor/research/wastewater-covid/	United States
113	https://www.lsu.edu/roadmap/covid-dashboard/index.php	United States
114	https://www.ubcleanwater.org/pretreatment/pages/covid-19-wastewater-monitoring	United States
115	https://www.toronto.ca/home/covid-19/covid-19-pandemic-data/covid-19-wastewater-surveillance/	Canada
116	https://covid.cdc.gov/covid-data-tracker/#wastewater-surveillance	United States

117	https://www.cdph.ca.gov/Programs/CID/DCDC/Pages/COVID-19/CalSuWers-Dashboard.aspx	United States
118	https://www.tbdhu.com/coviddata	Canada
119	https://www.maine.gov/dhhs/mecdc/infectious-disease/epi/airborne/coronavirus/data.shtml	United States
120	https://experience.arcgis.com/experience/a8d269bd670a421e9fd45f967f23f13c	United States
121	https://www.tulsa-health.org/coronavirus-disease-2019-covid-19/tulsa-county-covid-19-data	United States
122	https://thenevadaindependent.com/coronavirus-data-nevada	United States
123	https://covid-pulse.cy/	Cyprus
124	https://covid19.ssi.dk/overvagningsdata/overvaagning-af-sarscov2-i-spildevand	Denmark
125	https://publichealth.verily.com/#Sunnyvale,%20TX	United States