PREPRINT: NOT PEER REVIEWED

InterMob: A 24-month randomised controlled trial comparing the effectiveness of an

intervention including behavioural change techniques and free transport versus an

intervention including air pollution awareness-raising on car use reduction among

regular car users living in Grenoble, France

Claudia Teran-Escobar [1,2*], Sarah Duché[2], Hélène Bouscasse[3], Sandrine Isoard-Gatheur[1],

Patrick Juen[2], Lilas Lacoste[1,2], Sarah Lyon-Caen[4], Sandrine Mathy[5], Estelle Ployon[2],

Anna Risch[5], Philippe Sarrazin[1], Rémy Slama[4], Kamila Tabaka[2], Carole Treibich[5],

Sonia Chardonnel[2], Aïna Chalabaev[1*]

[1] Univ. Grenoble Alpes, SENS, 38000 Grenoble, France

[2] Univ. Grenoble Alpes, CNRS, Sciences Po Grenoble, PACTE, 38000 Grenoble, France

[3] INRA, Centre d'Économie et de Sociologie appliquées à l'Agriculture et aux Espaces

Ruraux (CESAER)

[4] Univ. Grenoble Alpes, Inserm, CNRS, Team of Environmental Epidemiology

Applied to Reproduction and Respiratory Health, IAB, 38000, Grenoble, France

[5] Univ. Grenoble Alpes, CNRS, INRAE, Grenoble INP, GAEL, 38000 Grenoble, France

A randomised controlled intervention to reduce car use

25   free transport versus an intervention including air pollution awareness-raising on car use

26   reduction among regular car users living in Grenoble, France.

27
28

29   Author Note

[*] Corresponding authors: Claudia Teran-Escobar, Sonia Chardonnel, or Aïna

Chalabaev, Univ. Grenoble Alpes, SENS, 1741 Rue de la Piscine, 38400 Saint-Martin-

d'Hères or Univ. Grenoble Alpes, PACTE, 14 avenue Marie Reynoard, 38000 Grenoble (e-

mail : claudia.teran-escobar@univ-grenoble-alpes.fr, sonia.chardonnel@univ-grenoble-

alpes.fr, or aina.chalabaev@univ-grenoble-alpes.fr)

CTE is now at Univ. Grenoble-Alpes, CNRS, IRD, Grenoble INP, IGE, 38000 Grenoble,

France.

All the authors have read and approved this version of the manuscript. All the authours

agree to the sharing of this preprint on MedRχiv.

The authors can be reached on Twitter @ClaudiaTeranEs or @achalabaev
40

A randomised controlled intervention to reduce car use

42   Abstract

Background. Frequent car use contributes to health and environmental issues such as

air pollution, climate change and obesity. Active and sustainable mobility (bike, walk, public

transport, car sharing) may address these issues. Different strategies have been implemented

in past research, involving *hard* levers, aimed at modifying the economical or geographical

context (e.g., free public transport), and *soft* levers, aimed at modifying psychological

processes (e.g., personalised transport advice). However, few studies have combined both

hard and soft levers. In addition, few have used robust methodologies (e.g., randomised

controlled trials), followed behavioural changes in the long-term, and been anchored in

behaviour change theories. InterMob aims to address these limits by implementing a 24-

month randomised controlled trial including *hard* and *soft* levers. The objectives of InterMob

are to a) evaluate the effectiveness of an experimental arm versus an active controlled arm,

and b) identify the processes of mobility change.

Methods. Regular car users living in Grenoble (N = 300) will be recruited and

randomised to one of the two arms. The experimental arm consists in a six-month intervention

combining *hard* levers (free access to transport/bikes), and *soft* levers (e.g., personalised

transport advice). The control arm consists in a six-month intervention aimed at raising

awareness on air pollution and its health effects. Both arms will include eight evaluation

weeks (spread out over 24 months) based on a GPS, an accelerometer, and a pollution sensor.

Moreover, participants will complete mobility logbooks and surveys measuring psychological

constructs, socio-economical, and socio-spatial characteristics.

Discussion. InterMob will assess the effectiveness of two interventions aimed at

reducing car use within regular car users in the short-, mid- and long-term. Moreover,

InterMob will allow to better understand the psychological processes of behaviour change,

and the socio-economical and geographical conditions under which the intervention is

efficient in reducing car use. Finally, the benefits of mobility change in terms of physical

activity, quality of life, and exposure to pollution will be quantified.

Trial registration. ClinicalTrials.gov: NCT05096000

Keywords: daily mobility, spatial organisation, psychology, car use, active mobility,

sustainable mobility, behaviour change, health, air pollution, RCT

InterMob: A 24-month randomised controlled trial comparing the effectiveness

of an intervention including behavioural change techniques and free transport versus an

intervention including air pollution awareness-raising on car use reduction among

regular car users living in Grenoble, France

Background

Daily car use contributes to major health and environmental issues. Motorised

transport represents an important source of air pollution, noise and greenhouse gases

(CITEPA, 2020; van Schalkwyk & Mindell, 2018; WHO, 2018). Moreover, regular car users

present lower levels of physical activity (Chakrabarti & Shin, 2017), spend more time in

sedentary behaviours (Sugiyama et al., 2012), and have a higher risk of being obese or

overweight (Frank et al., 2004; Jacobson et al., 2011). In turn, air pollution, climate change

and physical inactivity represent important dangers to human health and life expectancy

(Fuller et al., 2022; Guthold et al., 2018; Kohl et al., 2012; Manisalidis et al., 2020).

Nevertheless, despite all the negative consequences of daily car use, the car remains the main

mode of transport in most countries (e.g., in France, 63% of daily trips are made by car,

SDES, 2020).

Active and sustainable mobility such as cycling, walking, public transport and

carpooling have in contrast positive effects on health and well-being. These modes of

transport are associated with higher levels of physical activity (Chaix et al., 2014, 2019;

Pucher et al., 2010; Rojas-Rueda et al., 2011), greater well-being (Martin et al., 2014), better

work performances (Ma & Ye, 2019), and a higher life expectancy (Cepeda et al., 2017). In

addition, these transport modes might represent an effective lever to tackle air pollution and

climate change (Bernard et al., 2021; Brand et al., 2021). Nevertheless, active and sustainable

mobility are less frequently used than the car for daily mobility (i.e., in France, 37% of daily

trips are made by using an active and sustainable mobility, SDES, 2020).

1.1 Strategies for car use reduction, active and sustainable mobility promotion

During the last years, many interventions have been developed to reduce car use and

promote active and sustainable mobility. They can be distinguished based on whether they

involve *hard* or *soft* levers (Bamberg et al., 2011).

Hard levers are strategies that target a change in the geographical and economic

context of individuals to encourage them to reduce car use and/or increase active mobility.

Hard-lever interventions include for example the implementation of low-emission zones (i.e.,

restricting the entry of polluting motorised transport into an established area), free public

transport, city tolls or new cycling and walking infrastructures (Gärling & Schuitema, 2007;

Kuss & Nicholas, 2022; Martin et al., 2012; Mölenberg et al., 2019). Results indicate that in

general, *hard* levers seem to increase the use of active and sustainable mobility and reduce car

use (e.g., implementing a payment for entering to the city centre reduces between 12 and 33%

of city-centre cars in European cities, Kuss & Nicholas, 2022; infrastructural interventions in

high-income countries increased in median relative, 22% of cycling behaviour compared to

the baseline, Mölenberg et al., 2019).

Soft levers are strategies that target a change in psychological factors associated with

mobility, such as individual's intention to use active modes of transport, self-efficacy and

attitudes towards active mobility, mobility habits, etc. In the behaviour change literature,

these levers refer to behaviour change techniques (Michie, Ashford, et al., 2011). In the field

of mobility, some examples of behaviour change interventions are those proposing

personalised transport advice, prompting mobility change goal setting and action planning,

furnishing maps, transport schedules and other written materials (for reviews, see Arnott et

al., 2014; Möser & Bamberg, 2008; Semenescu et al., 2020). The results concerning *soft*

levers are more heterogeneous. While a meta-analysis and some systematic reviews show a

lack of rigorous studies to allow a conclusion about the effects of these interventions (e.g.,

Arnott et al., 2014; Graham-Rowe et al., 2011; Semenescu et al., 2020).

While past interventions have shown promising results, most of them share the same

limitations. First, few studies rely on "robust" methodologies such as randomised controlled

trials comparing the effects of an experimental intervention *vs*. a control intervention (e.g.,

Graham-Rowe et al., 2011 identified only 14 studies among 77 studies considered as being

"robust"). Second, few studies were anchored in behaviour change theories, and few describe

the behaviour change techniques that were used to elaborate the intervention (e.g., Aittasalo et

al., 2012; Fujii & Taniguchi, 2005; Mutrie et al., 2002). Third, most of the studies use only

self-reported measures and no *in situ* sensors to measure behaviour (except from some

exceptions like Aittasalo et al., 2019; Ben-Elia & Ettema, 2009). Fourth, few studies have

mid- and long-term follow-ups (three months after the intervention or more, e.g., Aittasalo et

al., 2012; Cellina et al., 2019; Hemmingsson et al., 2009; Mutrie et al., 2002; Thøgersen,

2009). Fifth, most studies focused on only one type of lever, either *hard* or *soft* (e.g., In their

meta-analysis, Semenescu et al., 2020 found only five interventions among 30 studies having

combined soft and hard levers). InterMob study aims to address all of these limits.

1.2 InterMob Study

InterMob is a study that is part of the interdisciplinary Mobil'Air project that seeks to

reduce air pollution in Grenoble, France (Mathy et al., 2020). More precisely, InterMob study

combines concepts and methods from geography, psychology, economics, and epidemiology,

with the aim to reduce car use and promote active and sustainable mobility in the Grenoble

metropolitan area. InterMob seeks to address the aforementioned limitations by being

anchored in behaviour change theories (see Figure 1). It also relies on a rigorous methodology

(a randomised controlled study comparing an experimental and a control group). In addition,

it proposes a longitudinal follow-up (eight weeks of measurement spread over 24 months), the

experimental intervention contains *hard* and *soft* levers (e.g., free transport and behaviour

change techniques), and it combines *in situ* objective measures and self-reported

measurements, in order to collect data on mobility behaviours (e.g., through GPS sensors) as

well as on their correlates (e.g., through questionnaires assessing intentions, habits,

sociodemographic characteristics, etc.). Moreover, the content of the experimental group is

elaborated by mobilising evidence- and theory-based approaches. Indeed, interventions that

rely on a theoretical approach appear to be associated with larger effect sizes (Webb et al.,

2010) and more consistent effects (McEwan et al., 2019).

The objectives of the study are to:

a) Evaluate the effectiveness of the InterMob intervention in reducing car use in the

short- and in the long-term (one, three, seven, twelve, and twenty-four months after the

beginning of the intervention).

b) Identify the mechanisms underlying mobility behaviours and behaviour change

(e.g., psychological constructs such as intentions, self-efficacy, habits).

c) Identify the moderators of mobility change (i.e., the conditions and contexts under

which the intervention is effective such as family context, degree of cyclability, trip chaining,

work situation, activities organisation in space and time).

1.3 Procedure for elaborating, implementing, and evaluating a theory- and

evidence-base behavioural intervention

To ensure the theory- and evidence-based character of the study, we followed a

framework summarising the methodologies and recommendations already used in health

psychology (Bartholomew et al., 2016; Desrichard et al., 2016; Hankonen & Hardeman, 2020;

Michie, van Stralen, et al., 2011) (see Figure 1).

First, we reviewed the literature on the associations between air pollution, physical

inactivity, and mobility behaviours. Then, we undertook a literature review in psychology and

geography (e.g., De Witte et al., 2013; Ewing & Cervero, 2010; Lanzini & Khan, 2017; Van

Acker et al., 2010) on the factors underlying daily mobility behaviour. Third, we carried out

an interdisciplinary literature review to identify the strategies that have been successful in

reducing car use and increasing active and sustainable mobility (e.g., Arnott et al., 2014; Bird

et al., 2013; Martin et al., 2012; Semenescu et al., 2020). Fourth, we conceived a first version

of the InterMob intervention, and conducted a pilot study to test its feasibility. Finally, we

established the definitive version of InterMob that is detailed in this article. The present article

follows the SPIRIT 2013 Guidance for protocols of critical trials (Chan, Tetzlaff, Altman, et

al., 2013; Chan, Tetzlaff, Gotzsche, et al., 2013).

2. Methods

2.1 Ethics and data protection

The Figure 2 shows the details of the ethics and data protection process. First,

InterMob study received the ethic's approval from Grenoble Alpes Research Ethics

Committee (CERGA) in January 2019 (File CER Grenoble Alpes-Avis-2019-01-29-2).

Moreover, as part of the application to the Ethics Committee, we carried out a Privacy Impact

Assessment (PIA) to assess and avoid any potentially negative impacts of InterMob study on

participants' data privacy. This procedure involved setting a discussion group with the data

protection officer of the University, the people in charge of the data infrastructure at the

university, and relevant representatives of the target population (members of a car-sharing

platform, a local energy and climate agency, and a member of a pedagogical program about

air pollution). During the discussion group, we talked about the potential implications of the

data-collection tools (e.g., GPS sensors, detailed surveys that include data on psychological

constructs as well as the geographic and socio-demographic context), and we detailed the

proposed procedures and elements to ensure the respect of the General Data Protection

Regulation (GDPR).

2.2 Participants

2.2.1   Study Setting

To detect the effects of InterMob study on car use reduction, recruitment will be

restricted to individuals living and working in the Grenoble metropolitan area (see Figure 3),

an urban area of south-eastern France (in the Alps) with a population size of approximately

600,000 people. The topography of this area is characterised by being flat in the valleys

(especially the Grenoble city) and surrounded by mountains (suburban areas). Car is the main

transport mode for daily trips (53% of daily trips in the Grenoble metropolitan area are made

by car, SMMAG, 2021).

2.2.2   Eligibility criteria

To take part in the InterMob study, participants will need to meet the following

criteria:

• Being 18 years and older at the time of the eligibility interview;

• Living, working, studying, in the Grenoble metropolitan area;

• Having a car or motorbike as the main transport mode during the week (excluding the

weekends);

• Travelling at least three days a week (excluding the weekends) by car or motorbike;

• Motivated to reducing car use for daily trips, or having already started this reduction (i.e.,

being in the contemplation, preparation or action stages of change according to Prochaska

et al., 1994, 2008);

• Expecting to stay in the Grenoble metropolitan area for the duration of the study (24

months).

All the eligibility criteria have been established by considering theoretical and

practical aspects. For instance, theories in psychology suggest that participants who intend to

change their behaviours do not need the same behavioural techniques than those not having

such intention (e.g., Bamberg, 2013; Yang et al., 2010). More precisely, one of the main goals

of behaviour change approaches is to help people to overcome the intention-behaviour gap

(Sheeran & Webb, 2016).

2.3 Participant timeline

226   ### 2.3.1   Recruitment, allocation, and blinding

227   The participants will be recruited through different sources: mailing lists from former

studies conducted by the research team (QAMECS-SHS and EMC² 2019-2020, local travel

surveys, surveys from other laboratories and projects), publicity in local events related to

transport or environment, publicity in community newspapers, intervention with the mobility

referents of companies in the Grenoble region and, social networks (e.g., Facebook, LinkedIn

and Instagram). The people that will be interested to participate in the InterMob study will fill

up an online form in order to be contacted by a member of the implementation team (the

information in this form includes the first name, a telephone number, an email address,

municipality of residence, sex, age, educational attainment and the availability for receiving a

phone call). The implementation team will call interested people to explain the study

procedure and to administer the eligibility questionnaire. A few days later, the implementation

team will call again the eligible people to ask if they accept to participate in the study. If a

participant accepts, she/he will be randomly allocated to the experimental or active control

arm. For this allocation, a randomisation list for the whole study was created by blocks of six

before the beginning of the enrolment (i.e., it exists three possibilities to be in the

experimental arm and three possibilities to be in the active control arm). The list was

implemented in the management tool software developed by the team with WebDev for the

study. The management tool automatically assigns each eligible participant to a group (the n-

th participant is assigned to the group corresponding to the n-th position of the list).

Concerning blinding, the implementation team (programme implementers) will not be

aware of group allocation at baseline (S0), but blinding will be impossible afterward, as the

programme implementers deliver different contents to each arm through face-to-face

interviews with participants. The researchers will not be aware of group allocation at any

time, and the researchers responsible for analysing the data will be blinded to the treatment

allocation. Double blinding will not be possible given that allocation concealment is

impossible for participants in such an intervention.

2.3.2   Timeline of the Study

Participants enrolled in the study will have a first two hours with a programme

implementer ("Session 0" or S0, see Figure 4). At the beginning of this meeting, the participant

reads and signs an informed consent form (cf. Supplementary materials). She/he fills up a first

questionnaire assessing her/his quality of life, biometrics, mobility behaviours, the weekly

duration of moderate-to-vigorous physical activity, socio-demographic information and

psychological constructs 1, 2 and 3, as well as a mobility logbook assessing her/his last week

mobility (for more details about the tools and surveys, see Table 1). Then, the implementation

team explains how to correctly carry the Sensedoc^{TM} and MicroPem^{TM} sensors (see Figure 5),

and the participant is instructed to start carrying them from the next seven days. At the end of

the session, the sensors are collected by the programme implementer. Moreover, during this

session, the participants receive a daily survey on their telephones measuring psychological

constructs 4. Two weeks after S0, the participants have the first intervention appointment (S0+)

that will be described in the intervention subsection.

Approximately one month after the beginning of the study, participants have the second

meeting of the intervention (1 hour) and start a new session of measurement (S1). During this

session, they carry a Sensedoc^{TM} and answer the same surveys as in S0. Approximately 3.5

months after the start of the study, the participants have the third session (S2) containing the

same elements as in S0 except for the pollution sensor. Then, about seven months after the start

of the study, the intervention is finished and immediately after the end of the intervention, the

participants have the fourth session (S3) during which they carry the Sensedoc™ and the

MicroPem™ and answer the same surveys as in S0. Around nine months after the start of the

study, participants start the fifth session (S4), they do not carry any sensors but fill up a mobility

logbook and answer the same as in S0. Twelve months after the start of the study, participants

start the sixth session (S5) with the same protocol as S4. Eighteen months after starting the

study, participants start the seventh session (S6) following the same protocol as S0. Finally, 24

months after starting the study, participants start the eighth session (S7) and follow the same

protocol as S4 and S5 (see Figure 4).

All the sessions are scheduled with our management tool by considering the availability

of the programme implementers. This internal tool is central to implement and chart all steps

of the intervention.

2.3.3   Retention of participants

285 To limit the attrition risk, the implementation team will send a newsletter including

286 information about the study (e.g., recruitment ratios) and the research team (interviews,

287 recommended scientific articles) a few times a year. Moreover, participants taking part in

288 the study until the session 2 will be drawn to win a connected watch.

2.3.4   Power Analysis and Sample Size

Sample size is difficult to estimate when using multilevel modelling as in the present

study, given that sample size calculation is sensitive to the values of all the fixed and random

parameters included in the models. As such, we estimated the sample size based on the

expected effect size of the intervention at the end of the intervention only, which was an

expected difference of 17% of the trips made by car at the end of the intervention (Brockman

& Fox, 2011) between the experimental and the control group. With a significance level of

0.05 and a statistical power of 80%, the *a priori* power analysis conducted with G*Power

3.1.9.4 (Erdfelder et al., 2009; Faul et al., 2007) indicated that 150 participants per arm (a

total of 300 participants) are necessary for finding a difference of 17% between the

experimental and the control arms at the end of the intervention. We will therefore recruit

participants until exhaustion of our financial and human resources, with this ideal target of

150 participants per arm. Once recruitment is finished, we will compute the minimal

statistically detectable effect that can be observed based on the final number of participants

(Lakens, 2022).

2.4 Interventions

Eligible participants will be randomised in equal proportion to the experimental arm or

to the active control group. The duration of both interventions will be the six first months of

the 24-month study period (Figure 4). The detailed content of each arm will be described in

the next subsections.

2.4.1   Experimental Arm

The participants attributed to the experimental arm will receive a free six-month

transport pass and/or a six-month free access to a classic or electric bike (behavioural

technique classified as "12.5 Adding objects" according to Michie, Ashford, et al., 2011).

They will have two meetings with a programme implementer who will deliver behavioural

change techniques, including a discussion about the motivation to change (behavioural

techniques known as "motivational interviewing" and "5.2 salience of consequences"

according to Hardcastle et al., 2012; Michie, Ashford, et al., 2011), personalised transport

advice (behavioural technique classified as "4.1 Instructions on how to perform the

behaviour" according to Michie, Ashford, et al., 2011), a mobility change goal setting and

action planning (behavioural techniques classified as "1.1 Goal setting" and "1.4 Action

planning" according to Michie, Ashford, et al., 2011), and obstacles' prevention (behavioural

technique classified as "1.2 Problem solving" according to Michie, Ashford, et al., 2011).

More precisely, during the first intervention appointment with the programme

implementer called "S0+" (1.5 hours), the participant and the programme implementer will

discuss about the motivations to change, they will work together on a personalised transport

advice considering the participant's needs, constraints and preferences, the participant will set

some change goals and elaborate an action plan, and he/she will examine the possible

obstacles to change and how to prevent them. During the second meeting (1 hour, see

Figure 4), the programme implementer and the participant will assess and adapt the

previously established goals, they will work on an updated personalised transport advice (if

the participants ask for it), and on resolving any obstacles they met since the first meeting that

have not been resolved.

Following the first meeting of the intervention, participants will be prompt to fill up a

"goal notebook" during the six months of the intervention, by setting or reviewing their goals

every two weeks, and by taking notes of the experienced obstacles. In addition, they will

receive weekly SMS during the first three months of the intervention, and bimonthly SMS

during the last three months of the intervention, to a) prompt goal setting and try to keep the

same contexts for the goals like the same trips or the same transport modes (behavioural

techniques classified as "1.7 Review outcome" and "8.2 Habit formation" according to

Michie, Ashford, et al., 2011) and b) prompt self-monitoring related to the consequences of

mobility change (e.g., a more important well-being; behavioural technique classified as "2.4

Self-monitoring of outcomes" according to Michie, Ashford, et al., 2011).

2.4.2 Active Control Arm

The participants in the active control arm will also have two meetings with a programme

implementer, of the same duration as in the experimental arm. During the first 1.5 hour meeting

"S0+", the programme implementer and the participant will discuss about air pollution (i.e.,

definition of air pollution sources, population most impacted, air pollution levels in Grenoble,

health consequences of pollution and pollution peaks), about the association between air

pollution and mobility (i.e., participants and programme implementer discuss about the

exposure of car drivers and bike drivers to air pollution), and about the advantages of

commuting by car (behavioural technique classified as "5.2 Salience of consequences"

according to Michie, Ashford, et al., 2011). During the second 1-hour meeting, the participant

and the programme implementer will discuss of the air quality of the last weeks and check if

there were some pollution peaks during the last weeks (behavioural technique classified as 5.2

Salience of consequences, according to Michie, Ashford, et al., 2011).

Following the first meeting, participants will be prompt to fill up an "observation

notebook" during the six months of intervention, by taking notes of air quality and of every

announcement of pollution peak every two weeks. In addition, they will receive weekly SMS

during the first three months of the intervention, and bimonthly SMS during the last three

months of the intervention, to prompt taking notes of a) air quality and b) any pollution peak

announced in the television/radio/telephone (see Table 2 for a summary of the interventions for

the experimental and active control arms).

2.4.3   Adherence

To measure the adherence to each intervention arm, the programme implementer will

take notes of the duration of each meeting and of every situation that could disrupt the

planned content of the intervention (e.g., participants that do not receive any personalised

transport advice). Moreover, one item in the deployed surveys will assess whether the

participant sets goals (i.e., Intention implementation towards active mobility survey, see

Table 1).

2.5 Outcomes and data collection

2.5.1   Primary outcome and data collection methods

The main outcome of InterMob study will be the reduction of car use measured by

kilometres travelled by car and the modal share of the car. This outcome will be calculated from

segmented and enhanced GPS tracks obtained from a sensor containing a triaxial accelerometer

and a continuous GPS tracking MAX-M8 Global Navigation Satellite System receiver from u-

blox (Sensedoc^{TM} 2.0, see Figure 5), and by a mobility logbook (i.e., a paper notebook

collecting detailed information on the activities and trips made each day, such as departure and

arrival times, the address of the arrival point; the transportation mode, the number of people

making the trip with the participant). More precisely, The SenseDoc ^{TM} 2.0 acquires GPS data

each second et accelerometry with a frequency of 60hz.

2.5.2   Secondary outcomes and data collection methods

Secondary outcomes will include the following variables associated with mobility

behaviours: kilometres travelled by active and sustainable mobility, and the modal share of

active mobility, physical activity measured by the Sensedoc ^{TM} 2.0 sensor and the IPAQ (i.e.,

International Physical Activity Questionnaire, Craig et al., 2003), exposure to air pollution (i.e.,

concentration of fine particles $PM_{2.5}$ and oxidative potential) measured by an air pollution

sensor (MicroPem^{TM}), activity programme measured by the mobility logbook and, quality of

life measured by a survey (Ware et al., 1996) (see Figure 5).

2.5.3   Mediators, moderators, and collection methods

We will investigate whether the effects of the intervention on mobility-related outcomes

are mediated by several psychological constructs, including notably attitudes and self-efficacy

towards the car (Godin, 2012), active mobility habits (Gardner et al., 2012), motivational stages

of mobility change (Biehl et al., 2018) (see Table 1 for all the details), which will be collected

by online surveys, using the platform Sphinx iQ2 v 7.3.1.0 (this platform is located at the

university to ensure that the data remain in Europe as required by the European data protection

law). Self-control constructs, including subjective vitality (Ryan & Frederick, 1997),

temptation, conflict, and resistance (Hofmann et al., 2012), will be measured on a daily basis

during the data collection weeks, through online surveys on the platform Sphinx iQ2 v 7.3.1.0

as well.

We will also investigate if the efficacy of the intervention depends on several socio-

demographic and geographic variables, including the number of children, number of cars, trip

chaining, mobility biographies (Müggenburg et al., 2015), cyclability and density of home

address and destination address. They will be measured through the data collected by the online

surveys, on the platform Sphinx iQ2 v 7.3.1.0.

2.5.4   Reach and Quality of the Implementation

The reach of the intervention (i.e., the number of people contacted by the implementation

team, the number of eligible participants, and the enrolled participants) will be assessed by

collecting the data from the first contact to the enrolment of participants. Finally, the quality

of the implementation will be assessed by analysing a document filled up by the programme

implementer at every appointment related to the intervention (i.e., a checklist for every task to

be done during the S0+ and S1 appointments).

2.6 Data management and statistical methods

2.6.1   Data management, storage, and confidentiality

Data from the sensors (Sensedoc^{TM} and MicroPem^{TM}) are downloaded after each

session to an encrypted computer and stored on a secure and back-up online storage. Data

from the online surveys are downloaded twice a month on the same computer. Furthermore,

data from all devices (contact forms, sensors, mobility logbooks and online surveys) will be

structured and saved in two different blocks stored on distinct servers:

Block 1 will contain the contact file with the names, addresses and contact details of

participants for setting the appointments and sending/recovering material. This file will be in

the management tool, encrypted and kept separate from other data by the implementation

team coordinator. The correspondence table between the code of the participants and their

name will also remain in the management tool, a software as a service (SaaS) deployed on a

specific server of the university infrastructure accessible only by the implementation team.

Block 2 will contain all the collected data from surveys and sensors. They will be

stored locally, on the secured data centre of the university, with access restricted only to

InterMob faculty members and implementation team, in line with data protection law. The

raw data will be stored by the programme implementers. The data from the

GPS/accelerometer and pollution sensors will be downloaded at each return from the field.

The survey data, coming from the Sphinx platform, will be regularly uploaded to the storage

space. Only implementation team and informatician administrators will have read/write

access. The scientific team will only have read access to raw data. Moreover, they have

folders with data pre-processing and processing with read/write access, not accessible to the

implementation team. Finally, another folder will be created for sharing with external

partners.

2.6.2   Statistical methods

439   **2.6.2.1 Analysing the effects of the intervention on primary and**

440   **secondary outcomes by using multilevel modelling**

The analysis of the effectiveness of the intervention on the primary outcome

(reduction of car use, see section 2.5.1) and secondary outcomes (mobility-related variables

described in section 2.5.2) will be examined at the very short term (three months after the start

of the intervention: S2), the short term (seven months after the start of the intervention: S3),

the medium term (one year after the start of the intervention: S5) and the long term (18

months after the start of the intervention: S6). More precisely, we will test the differences in

car use reduction between the experimental arm and the active control arm, by using

multilevel modelling, which is appropriate when data are nested, as it is the case here with

several measurement times per participant (e.g., Boisgontier & Cheval, 2016). Moreover,

multilevel modelling offers the possibility to analyse incomplete data sets, which is

particularly relevant given the duration of the study, which makes likely the occurrence of

missing data (Judd et al., 2012). For this purpose, we will follow the steps recommended by

Field et al. (2012):

1) Prepare the data by differentiating between- and within-individual constructs.

2) Centre the within-individual variables by participant (i.e., "group centring").

3) Create a first "constraint" model (a model containing all the random and fixed

457   variables of the final model) and a "null" model including only the "intercept"

458   equal to 1 and only one random variable associated with the identity of the

459   participant (i.e., 1 | Id) to check the intraclass correlation coefficients (ICC).

4) Build the main model.

5) Evaluate the normal distribution of residuals, Cooks distance and influential cases.

The main model will include the following fixed effects: arm, time, and arm x time

interaction, with random intercepts for participants and random linear slopes for repeated

measures at the participant level.

Moreover, the statistical analysis will follow intention-to-treat principles. This means

that once a participant has been randomly assigned to an arm (i.e., experimental or control),

his/her data will be included in the analysis (McCoy, 2017). More precisely, even if a

participant has not adhered to the intervention or has not finished the study, his/her data will

be included to all the analysis.

In addition, we will carry attrition analysis by comparing the characteristics of the

participants that drop out the study and the participants that completed the study (e.g.,

compliance with eligibility criteria, sociodemographic and geographical characteristics).

2.6.2.2 Analysis of the mediatiors of the effects of the intervention

To analyse the mechanisms explaining potential effects of the intervention on car use

reduction and mobility-related variables, the investigators will use multilevel mediation

models to test the mediating role of psychological constructs (e.g., intention toward active and

sustainable mobility, active mobility habits, self-efficacy towards active mobility) in the

intervention mobility-related variables relationships.

2.6.2.3 Analysis of the moderators of the effects of the intervention

To analyse the possible moderators of the effects of the intervention on car use

reduction and mobility-related variables, the investigators will assess in multilevel models the

statistical interactions between socio-demographic, geographic and psychological variables

(e.g., number of children, travelled distances, accessibility of home and work, self-control

variables) and the allocation to the experimental or control arm. This will allow identifying to

what extent geographical, socio-demographic, and psychological variables moderate the

effects of the intervention on car use reduction and mobility-related variables.

2.6.3   Data availability statement

The anonymized and aggregated dataset and the codes used to analyse data will be

available after the end of the data analysis in the open science framework:

https://osf.io/9anpg/?view_only=240b64a24554468dbc4b5025aca18824

2.7 Declaration of interests

Free public transport and free access to conventional or electric bicycles will be

financed by Grenoble-Alpes Métropole, SMMAG and Région Auvergne-Rhône-Alpes that

are key players in mobility, health, and environmental issues.

3. Discussion

InterMob study is a 24-month randomised controlled trial aiming to reduce car use of

car and motorbike regular drivers. For this purpose, InterMob will include a two-arm

intervention of six months: an experimental arm that combines the use of behaviour change

techniques previously identified as being successful at changing mobility behaviour (e.g.,

personalised transport advice, goal setting, action planning) and free access to public transport

or/and to a bike; and an active control arm which will target raising awareness about the

consequences of air pollution and the link between air pollution and car use.

InterMob will aim to address the limitations of prior behaviour change interventions in

the field, including lack of theory-based intervention elaboration, long-term follow-ups, high-

quality methodologies (e.g., randomised controlled trial), and *in situ* measures (Arnott et al.,

2014; Dixon & Johnston, 2021; Hoffmann et al., 2014; Petrunoff et al., 2016; Yang et al.,

2010). By addressing these limitations, InterMob will allow deepening our knowledge of the

long-term effects of a theory-based intervention tested in a 2-arm randomised controlled trial

that combines *hard* and *soft* levers, with use of *in situ* measures of mobility and correlates.

Furthermore, we will aim to understand the psychological mechanisms that explain the

potential effects of the proposed intervention on mobility, as well as the moderating role of

geographical, socio-demographic, and psychological factors in this relationship, to better

understand the conditions under which the intervention is effective.

Finally, InterMob study will measure the effects of the intervention not only on

mobility change, but also on health-related outcomes such as physical activity and exposure to

air pollution. Therefore, the results of our study might imply supplementary arguments for

governments and politicians to promote car reduction and active and sustainable mobility, and

deepen what has been modelled in past studies (Bouscasse et al., 2022).

4. Funding

Intermob study is supported by the French National Research Agency in the

framework of the "Investissement d'avenir" IDEX programme (ANR-15-IDEX-02) for the

Mobil'Air program. It also received support from the funding partners of the IResP (Institute

for public health research) in the framework of the 2018 General call for projects - Prevention

and Health Promotion strand (LI-CHALABAEV-AAP18-PREV-002), the Ambition Research

Pack 2019 of the Auvergne-Rhône-Alpes Region, the SMAAG and, the Grenoble-Alpes

Metropole. The funding sources had no role in determining the design nor the execution,

analysis, or interpretation of the data.

5. Trial registration

ClinicalTrials.gov: NCT05096000 on 27/10/2021 (retrospectively registered).

https://clinicaltrials.gov/ct2/show/NCT05096000

6. Composition, roles, and responsibilities

AC and SC are the scientific coordinators of the project. LL is the coordinator of the

implementation of the study. CT-E elaborated and formulated the details of the intervention

under the supervision of AC, SD, and SC. All authors developed the study concept,

contributed to improving the study design and data collection, and approved the final version

of this study.

6.1 Contributorship

CT-E drafted the manuscript under the supervision of AC and SD. All the authors critically

appraised the manuscript, worked on its content, and approved the final version for

submission. AC and SC contributed equally to the conception and coordination of this article.

7. References

Aittasalo, M., Rinne, M., Pasanen, M., Kukkonen-Harjula, K., & Vasankari, T. (2012).

Promoting walking among office employees — evaluation of a randomized controlled

intervention with pedometers and e-mail messages. *BMC Public Health*, *12*(1), 403.

https://doi.org/10.1186/1471-2458-12-403

Aittasalo, M., Tiilikainen, J., Tokola, K., Suni, J., Sievänen, H., Vähä-Ypyä, H.,

Vasankari, T., Seimelä, T., Metsäpuro, P., Foster, C., & Titze, S. (2019). Socio-Ecological

Natural Experiment with Randomized Controlled Trial to Promote Active Commuting to

Work: Process Evaluation, Behavioral Impacts, and Changes in the Use and Quality of

Walking and Cycling Paths. *International Journal of Environmental Research and Public*

Health, *16*(9), 1661. https://doi.org/10.3390/ijerph16091661

Arnott, B., Rehackova, L., Errington, L., Sniehotta, F. F., Roberts, J., & Araujo-

Soares, V. (2014). Efficacy of behavioural interventions for transport behaviour change:

Systematic review, meta-analysis and intervention coding. *International Journal of*

Behavioral Nutrition and Physical Activity, *11*(1), 133. https://doi.org/10.1186/s12966-014-

0133-9

Bamberg, S. (2013). Applying the stage model of self-regulated behavioral change in a

car use reduction intervention. *Journal of Environmental Psychology*, *33*, 68-75.

https://doi.org/10.1016/j.jenvp.2012.10.001

Bamberg, S., Fujii, S., Friman, M., & Gärling, T. (2011). Behaviour theory and soft

transport policy measures. *Transport Policy*, *18*(1), 228-235.

https://doi.org/10.1016/j.tranpol.2010.08.006

Bartholomew, L. K., 1950-. (2011). *Planning health promotion programs: An*

intervention mapping approach / L. Kay Bartholomew ... [Et al.] (3rd ed..). San Francisco:

Jossey-Bass. http://data.rero.ch/01-R007006712/html?view=GE_V1

Bartholomew, L. K., Markham, C., Ruiter, R. A., Fernández, M. E., Kok, G., &

Parcel, G. S. (2016). *Planning health promotion programs: An intervention mapping*

approach, 2nd ed. (4th éd., p. xxiv, 765). Jossey-Bass.

Ben-Elia, E., & Ettema, D. (2009). Carrots versus sticks: Rewarding commuters for

avoiding the rush-hour—a study of willingness to participate. *Transport Policy*, *16*(2), 68-76.

https://doi.org/10.1016/j.tranpol.2009.03.005

Bernard, P., Chevance, G., Kingsbury, C., Baillot, A., Romain, A.-J., Molinier, V.,

Gadais, T., & Dancause, K. N. (2021). Climate Change, Physical Activity and Sport: A

Systematic Review. *Sports Medicine*. https://doi.org/10.1007/s40279-021-01439-4

Biehl, A., Ermagun, A., & Stathopoulos, A. (2018). Modelling determinants of

walking and cycling adoption: A stage-of-change perspective. *Transportation Research Part*

F: Traffic Psychology and Behaviour, *58*, 452-470. https://doi.org/10.1016/j.trf.2018.06.016

Bird, E. L., Baker, G., Mutrie, N., Ogilvie, D., Sahlqvist, S., Powell, J., & iConnect

Consortium. (2013). Behavior change techniques used to promote walking and cycling: A

systematic review. *Health Psychology*, *32*(8), 829-838. https://doi.org/10.1037/a0032078

Boiché, J., Gourlan, M., Trouilloud, D., & Sarrazin, P. (2019). Development and

validation of the 'Echelle de Motivation envers l'Activité Physique en contexte de Santé' : A

motivation scale towards health-oriented physical activity in French. *Journal of Health*

Psychology, *24*(3), 386-396. https://doi.org/10.1177/1359105316676626

Boisgontier, M. P., & Cheval, B. (2016). The anova to mixed model transition.

Neuroscience & Biobehavioral Reviews, *68*, 1004-1005.

https://doi.org/10.1016/j.neubiorev.2016.05.034

Bouscasse, H., Gabet, S., Kerneis, G., Provent, A., Rieux, C., Salem, N. B., Dupont,

H., Troude, F., Mathy, S., & Slama, R. (2022). Designing local air pollution policies focusing

on mobility and heating to avoid a targeted number of pollution-related deaths: Forward and

backward approaches combining air pollution modeling, health impact assessment and cost-

benefit analysis. *Environment International*, *159*, 107030.

https://doi.org/10.1016/j.envint.2021.107030

Brand, C., Dons, E., Anaya-Boig, E., Avila-Palencia, I., Clark, A., de Nazelle, A.,

Gascon, M., Gaupp-Berghausen, M., Gerike, R., Götschi, T., Iacorossi, F., Kahlmeier, S.,

Laeremans, M., Nieuwenhuijsen, M. J., Pablo Orjuela, J., Racioppi, F., Raser, E., Rojas-

Rueda, D., Standaert, A., … Int Panis, L. (2021). The climate change mitigation effects of

daily active travel in cities. *Transportation Research Part D: Transport and Environment*, *93*,

102764. https://doi.org/10.1016/j.trd.2021.102764

Brockman, R., & Fox, K. R. (2011). Physical activity by stealth? The potential health

benefits of a workplace transport plan. *Public Health*, *125*(4), 210-216.

https://doi.org/10.1016/j.puhe.2011.01.005

Buhler, T. (2012). *Eléments pour la prise en compte de l' habitude dans les pratiques

de déplacements urbains par* [PhD Thesis, Institut National des Sciences Appliquées de

Lyon]. http://theses.insa-lyon.fr/publication/2012ISAL0087/these.pdf

Cellina, F., Bucher, D., Mangili, F., Veiga Simão, J., Rudel, R., & Raubal, M. (2019).

A Large Scale, App-Based Behaviour Change Experiment Persuading Sustainable Mobility

Patterns : Methods, Results and Lessons Learnt. *Sustainability*, *11*(9), 2674.

https://doi.org/10.3390/su11092674

Cepeda, M., Schoufour, J., Freak-Poli, R., Koolhaas, C. M., Dhana, K., Bramer, W.

M., & Franco, O. H. (2017). Levels of ambient air pollution according to mode of transport: A

systematic review. *The Lancet Public Health*, *2*(1), e23-e34. https://doi.org/10.1016/S2468-

2667(16)30021-4

Chaix, B., Benmarhnia, T., Kestens, Y., Brondeel, R., Perchoux, C., Gerber, P., &

Duncan, D. T. (2019). Combining sensor tracking with a GPS-based mobility survey to better

measure physical activity in trips: Public transport generates walking. *International Journal of*

Behavioral Nutrition and Physical Activity, *16*(1), 84. https://doi.org/10.1186/s12966-019-

0841-2

Chaix, B., Kestens, Y., Duncan, S., Merrien, C., Thierry, B., Pannier, B., Brondeel, R.,

Lewin, A., Karusisi, N., Perchoux, C., Thomas, F., & Méline, J. (2014). *Active transportation*

and public transportation use to achieve physical activity recommendations? A combined

GPS, accelerometer, and mobility survey study. 11.

Chakrabarti, S., & Shin, E. J. (2017). Automobile dependence and physical inactivity :

Insights from the California Household Travel Survey. *Journal of Transport & Health*, *6*,

262-271. https://doi.org/10.1016/j.jth.2017.05.002

Chan, A.-W., Tetzlaff, J. M., Altman, D. G., Laupacis, A., Gøtzsche, P. C., Krleža-

Jerić, K., Hróbjartsson, A., Mann, H., Dickersin, K., Berlin, J. A., Doré, C. J., Parulekar, W.

R., Summerskill, W. S. M., Groves, T., Schulz, K. F., Sox, H. C., Rockhold, F. W., Rennie,

D., & Moher, D. (2013). SPIRIT 2013 Statement: Defining Standard Protocol Items for

Clinical Trials. *Annals of Internal Medicine*, *158*(3), 200. https://doi.org/10.7326/0003-4819-

158-3-201302050-00583

Chan, A.-W., Tetzlaff, J. M., Gotzsche, P. C., Altman, D. G., Mann, H., Berlin, J. A.,

Dickersin, K., Hrobjartsson, A., Schulz, K. F., Parulekar, W. R., Krleza-Jeric, K., Laupacis,

A., & Moher, D. (2013). SPIRIT 2013 explanation and elaboration: Guidance for protocols of

clinical trials. *BMJ*, *346*(jan08 15), e7586-e7586. https://doi.org/10.1136/bmj.e7586

CITEPA. (2020). *Gaz à effet de serre et polluants atmosphériques. Bilans des*

émissions en France de 1990 à 2018 (p. 1-459). CITEPA. https://www.citepa.org/fr/secten/

Craig, C. L., Marshall, A. L., Sjöström, M., Bauman, A. E., Booth, M. L., Ainsworth,

B. E., Pratt, M., Ekelund, U., Yngve, A., Sallis, J. F., & Oja, P. (2003). International physical

activity questionnaire: 12-Country reliability and validity. *Medicine and Science in Sports and*

Exercise, *35*(8), 1381-1395. https://doi.org/10.1249/01.MSS.0000078924.61453.FB

De Witte, A., Hollevoet, J., Dobruszkes, F., Hubert, M., & Macharis, C. (2013).

Linking modal choice to motility: A comprehensive review. *Transportation Research Part A:*

Policy and Practice, *49*, 329-341. https://doi.org/10.1016/j.tra.2013.01.009

Desrichard, O., Moussaoui, L., & Cantarella, M. (2016). *GIMME--5: Geneva*

Intervention Mapping: Model and Evaluation -5.

Erdfelder, E., FAul, F., Buchner, A., & Lang, A. G. (2009). Statistical power analyses

using G*Power 3.1: Tests for correlation and regression analyses. *Behavior Research*

Methods, *41*(4), 1149-1160. https://doi.org/10.3758/BRM.41.4.1149

Ettema, D., Gärling, T., Eriksson, L., Friman, M., Olsson, L. E., & Fujii, S. (2011).

Satisfaction with travel and subjective well-being: Development and test of a measurement

tool. *Transportation Research Part F: Traffic Psychology and Behaviour*, *14*(3), 167-175.

https://doi.org/10.1016/j.trf.2010.11.002

Ewing, R., & Cervero, R. (2010). Travel and the Built Environment: A Meta-Analysis.

Journal of the American Planning Association, *76*(3), 265-294.

https://doi.org/10.1080/01944361003766766

Faul, F., Erdfelder, E., Lang, A. G., & Buchner, A. (2007). G*Power 3: A flexible

statistical power analysis program for the social, behavioral, and biomedical sciences.

Behavior Research Methods, *39*(2), 175-191. https://doi.org/10.3758/BF03193146

Field, A., Miles, J., & Field, Z. (2012). *Discovering statistics using R*. SAGE.

https://doi.org/10.5860/CHOICE.50-2114

Frank, L. D., Andresen, M. A., & Schmid, T. L. (2004). Obesity relationships with

community design, physical activity, and time spent in cars. *American Journal of Preventive*

Medicine, *27*(2), 87-96. https://doi.org/10.1016/j.amepre.2004.04.011

Fujii, S., & Taniguchi, A. (2005). Reducing family car-use by providing travel advice

or requesting behavioral plans: An experimental analysis of travel feedback programs.

Transportation Research Part D: Transport and Environment, *10*(5), 385-393.

https://doi.org/10.1016/j.trd.2005.04.010

Fuller, R., Landrigan, P. J., Balakrishnan, K., Bathan, G., Bose-O'Reilly, S., Brauer,

M., Caravanos, J., Chiles, T., Cohen, A., Corra, L., Cropper, M., Ferraro, G., Hanna, J.,

Hanrahan, D., Hu, H., Hunter, D., Janata, G., Kupka, R., Lanphear, B., … Yan, C. (2022).

Pollution and health: A progress update. *The Lancet Planetary Health*, S2542519622000900.

https://doi.org/10.1016/S2542-5196(22)00090-0

Gardner, B., Abraham, C., Lally, P., & de Bruijn, G.-J. (2012). Towards parsimony in

habit measurement: Testing the convergent and predictive validity of an automaticity subscale

of the Self-Report Habit Index. *International Journal of Behavioral Nutrition and Physical*

Activity, *9*(1), 102. https://doi.org/10.1186/1479-5868-9-102

Gärling, T., & Schuitema, G. (2007). Travel Demand Management Targeting Reduced

Private Car Use: Effectiveness, Public Acceptability and Political Feasibility. *Journal of*

Social Issues, *63*(1), 139-153. https://doi.org/10.1111/j.1540-4560.2007.00500.x

Godin, G. (2012). *Les comportements dans le domaine de la santé : Comprendre pour*

mieux intervenir. Presses de l'Université de Montréal.

https://doi.org/10.4000/books.pum.8822

Graham-Rowe, E., Skippon, S., Gardner, B., & Abraham, C. (2011). Can we reduce

car use and, if so, how? A review of available evidence. *Transportation Research Part A:*

Policy and Practice, *45*(5), 401-418. https://doi.org/10.1016/j.tra.2011.02.001

Guthold, R., Stevens, G. A., Riley, L. M., & Bull, F. C. (2018). Worldwide trends in

insufficient physical activity from 2001 to 2016: A pooled analysis of 358 population-based

surveys with 1·9 million participants. *The Lancet Global Health*, *6*(10), e1077-e1086.

https://doi.org/10.1016/S2214-109X(18)30357-7

Hankonen, N., & Hardeman, W. (2020). Developing Behavior Change Interventions.

In M. S. Hagger, L. D. Cameron, K. Hamilton, N. Hankonen, & T. Lintunen (Éds.), *The*

Handbook of Behavior Change (1ʳᵉ éd., p. 300-317). Cambridge University Press.

https://doi.org/10.1017/9781108677318.021

Hardcastle, S., Blake, N., & Hagger, M. S. (2012). The effectiveness of a motivational

interviewing primary-care based intervention on physical activity and predictors of change in

a disadvantaged community. *Journal of Behavioral Medicine*, *35*(3), 318-333.

https://doi.org/10.1007/s10865-012-9417-1

Hemmingsson, E., Uddén, J., Neovius, M., Ekelund, U., & Rössner, S. (2009).

Increased physical activity in abdominally obese women through support for changed

commuting habits: A randomized clinical trial. *International Journal of Obesity*, *33*(6),

645-652. https://doi.org/10.1038/ijo.2009.77

Hofmann, W., Baumeister, R. F., Förster, G., & Vohs, K. D. (2012). Everyday

temptations: An experience sampling study of desire, conflict, and self-control. *Journal of*

Personality and Social Psychology, *102*(6), 1318-1335. https://doi.org/10.1037/a0026545

Jacobson, S. H., King, D. M., & Yuan, R. (2011). A note on the relationship between

obesity and driving. *Transport Policy*, *18*(5), 772-776.

https://doi.org/10.1016/j.tranpol.2011.03.008

Judd, C. M., Westfall, J., & Kenny, D. A. (2012). Treating stimuli as a random factor

in social psychology: A new and comprehensive solution to a pervasive but largely ignored

problem. *Journal of Personality and Social Psychology*, *103*(1), 54-69.

https://doi.org/10.1037/a0028347

Kohl, H. W., Craig, C. L., Lambert, E. V., Inoue, S., Alkandari, J. R., Leetongin, G.,

& Kahlmeier, S. (2012). The pandemic of physical inactivity: Global action for public health.

The Lancet, *380*(9838), 294-305. https://doi.org/10.1016/S0140-6736(12)60898-8

Kuss, P., & Nicholas, K. A. (2022). A dozen effective interventions to reduce car use

in European cities: Lessons learned from a meta-analysis and transition management. *Case*

Studies on Transport Policy, S2213624X22000281.

https://doi.org/10.1016/j.cstp.2022.02.001

Lakens, D. (2022). Sample Size Justification. *Collabra: Psychology*, *8*(1), 33267.

Lalot, F., Quiamzade, A., Falomir-Pichastor, J. M., & Gollwitzer, P. M. (2019). When

does self-identity predict intention to act green? A self-completion account relying on past

behaviour and majority-minority support for pro-environmental values. *Journal of*

Environmental Psychology, *61*, 79-92. https://doi.org/10.1016/j.jenvp.2019.01.002

Lanzini, P., & Khan, S. A. (2017). Shedding light on the psychological and behavioral

determinants of travel mode choice: A meta-analysis. *Transportation Research Part F:*

Traffic Psychology and Behaviour, *48*, 13-27. https://doi.org/10.1016/j.trf.2017.04.020

Ma, L., & Ye, R. (2019). Does daily commuting behavior matter to employee

productivity? *Journal of Transport Geography*, *76*, 130-141.

https://doi.org/10.1016/j.jtrangeo.2019.03.008

Manisalidis, I., Stavropoulou, E., Stavropoulos, A., & Bezirtzoglou, E. (2020).

Environmental and Health Impacts of Air Pollution: A Review. *Frontiers in Public Health*, *8*,

14. https://doi.org/10.3389/fpubh.2020.00014

Martin, A., Goryakin, Y., & Suhrcke, M. (2014). Does active commuting improve

psychological wellbeing? Longitudinal evidence from eighteen waves of the British

Household Panel Survey. *Preventive Medicine*, *69*, 296-303.

https://doi.org/10.1016/j.ypmed.2014.08.023

Martin, A., Suhrcke, M., & Ogilvie, D. (2012). Financial Incentives to Promote Active

Travel. *American Journal of Preventive Medicine*, *43*(6), e45-e57.

https://doi.org/10.1016/j.amepre.2012.09.001

Mathy, S., Bouscasse, H., Chardonnel, S., Chalabaëv, A., Gabet, S., Treibich, C., &

Slama, R. (2020). Protocol of an Interdisciplinary and Multidimensional Assessment of

Pollution Reduction Measures in Urban Areas: MobilAir Project. In W. Buchholz, A.

Markandya, D. Rübbelke, & S. Vögele (Éds.), *Ancillary Benefits of Climate Policy* (p.

325-345). Springer International Publishing. https://doi.org/10.1007/978-3-030-30978-7_18

McCoy, E. (2017). Understanding the Intention-to-treat Principle in Randomized

Controlled Trials. *Western Journal of Emergency Medicine*, *18*(6), 1075-1078.

https://doi.org/10.5811/westjem.2017.8.35985

McEwan, D., Beauchamp, M. R., Kouvousis, C., Ray, C. M., Wyrough, A., & Rhodes,

R. E. (2019). Examining the active ingredients of physical activity interventions underpinned

by theory versus no stated theory: A meta-analysis. *Health Psychology Review*, *13*(1), 1-17.

https://doi.org/10.1080/17437199.2018.1547120

Michie, S., Ashford, S., Sniehotta, F. F., Dombrowski, S. U., Bishop, A., & French, D.

P. (2011). A refined taxonomy of behaviour change techniques to help people change their

physical activity and healthy eating behaviours: The CALO-RE taxonomy. *Psychology &

Health*, *26*(11), 1479-1498. https://doi.org/10.1080/08870446.2010.540664

Michie, S., van Stralen, M. M., & West, R. (2011). The behaviour change wheel: A

new method for characterising and designing behaviour change interventions. *Implementation

Science*, *6*(1), 1-11. https://doi.org/10.1186/1748-5908-6-42

Mölenberg, F. J. M., Panter, J., Burdorf, A., & van Lenthe, F. J. (2019). A systematic

review of the effect of infrastructural interventions to promote cycling: Strengthening causal

inference from observational data. *International Journal of Behavioral Nutrition and Physical*

Activity, *16*(1), 93. https://doi.org/10.1186/s12966-019-0850-1

Möser, G., & Bamberg, S. (2008). The effectiveness of soft transport policy measures:

A critical assessment and meta-analysis of empirical evidence. *Journal of Environmental*

Psychology, *28*(1), 10-26. https://doi.org/10.1016/j.jenvp.2007.09.001

Müggenburg, H., Busch-Geertsema, A., & Lanzendorf, M. (2015). Mobility

biographies: A review of achievements and challenges of the mobility biographies approach

and a framework for further research. *Journal of Transport Geography*, *46*, 151-163.

https://doi.org/10.1016/j.jtrangeo.2015.06.004

Mutrie, N., Carney, C., Blamey, A., Crawford, F., Aitchison, T., & Whitelaw, A.

(2002). « Walk in to Work Out »: A randomised controlled trial of a self help intervention to

promote active commuting. *Journal of Epidemiology & Community Health*, *56*(6), 407-412.

https://doi.org/10.1136/jech.56.6.407

Nexøe, J., Kragstrup, J., & Søgaard, J. (1999). Decision on influenza vaccination

among the elderly: A questionnaire study based on the Health Belief Model and the

Multidimensional Locus of Control Theory. *Scandinavian Journal of Primary Health Care*,

17(2), 105-110. https://doi.org/10.1080/028134399750002737

Petrunoff, N., Rissel, C., & Wen, L. M. (2016). The effect of active travel

interventions conducted in work settings on driving to work: A systematic review. *Journal of*

Transport & Health, *3*(1), 61-76. https://doi.org/10.1016/j.jth.2015.12.001

Prochaska, J. O., Redding, C. A., & Evers, K. E. (2008). The transtheoretical model

and stages of change. In *Health behavior and health education: Theory, research, and*

practice, 4th ed. (p. 97-121). Jossey-Bass.

Prochaska, J. O., Velicer, W. F., Rossi, J. S., Goldstein, M. G., Marcus, B. H.,

Rakowski, W., Fiore, C., Harlow, L. L., Redding, C. A., Rosenbloom, D., & Rossi, S. R.

(1994). Stages of change and decisional balance for 12 problem behaviors. *Health*

Psychology, *13*(1), 39-46. https://doi.org/10.1037/0278-6133.13.1.39

Pucher, J., Buehler, R., Bassett, D. R., & Dannenberg, A. L. (2010). Walking and

Cycling to Health: A Comparative Analysis of City, State, and International Data. *American*

Journal of Public Health, *100*(10), 1986-1992. https://doi.org/10.2105/AJPH.2009.189324

Rojas-Rueda, D., de Nazelle, A., Tainio, M., & Nieuwenhuijsen, M. J. (2011). The

health risks and benefits of cycling in urban environments compared with car use: Health

impact assessment study. *BMJ*, *343*(aug04 2), d4521-d4521.

https://doi.org/10.1136/bmj.d4521

Ryan, R. M., & Frederick, C. (1997). On Energy, Personality, and Health: Subjective

Vitality as a Dynamic Reflection of Well-Being. *Journal of Personality*, *65*(3), 529-565.

https://doi.org/10.1111/j.1467-6494.1997.tb00326.x

SDES. (2020). *Comment les Français se déplacent-ils en 2019 ? Résultats de*

l'enquête mobilité des personnes | Données et études statistiques. SDES.

https://www.statistiques.developpement-durable.gouv.fr/comment-les-francais-se-deplacent-

ils-en-2019-resultats-de-lenquete-mobilite-des-personnes

Semenescu, A., Gavreliuc, A., & Sârbescu, P. (2020). 30 Years of soft interventions to

reduce car use – A systematic review and meta-analysis. *Transportation Research Part D:*

Transport and Environment, *85*, 102397. https://doi.org/10.1016/j.trd.2020.102397

Sheeran, P., & Webb, T. L. (2016). The Intention-Behavior Gap: The Intention-

Behavior Gap. *Social and Personality Psychology Compass*, *10*(9), 503-518.

https://doi.org/10.1111/spc3.12265

SMMAG. (2021). *L'enquête mobilité Grande Région Grenobloise : Premiers*

résultats. SMMA. https://www.aurg.fr/article/280/2205-mobilite-des-habitants-du-bassin-

grenoblois-les-premiers-resultats-de-la-grande-enquete-emc2.htm

Sugiyama, T., Merom, D., van der Ploeg, H. P., Corpuz, G., Bauman, A., & Owen, N.

(2012). Prolonged sitting in cars: Prevalence, socio-demographic variations, and trends.

Preventive Medicine, *55*(4), 315-318. https://doi.org/10.1016/j.ypmed.2012.07.026

Thøgersen, J. (2009). Promoting public transport as a subscription service: Effects of a

free month travel card. *Transport Policy*, *16*(6), 335-343.

https://doi.org/10.1016/j.tranpol.2009.10.008

Van Acker, V., Van Wee, B., & Witlox, F. (2010). When Transport Geography Meets

Social Psychology: Toward a Conceptual Model of Travel Behaviour. *Transport Reviews*,

30(2), 219-240. https://doi.org/10.1080/01441640902943453

van Schalkwyk, M. C. I., & Mindell, J. S. (2018). Current issues in the impacts of

transport on health. *British Medical Bulletin*, *125*(1), 67-77.

https://doi.org/10.1093/bmb/ldx048

Ware, J. E., Kosinski, M., & Keller, S. D. (1996). A 12-Item Short-Form Health

Survey: Construction of Scales and Preliminary Tests of Reliability and Validity. *Medical

Care*, *34*(3), 220-233. JSTOR.

Webb, T. L., Joseph, J., Yardley, L., & Michie, S. (2010). Using the Internet to

Promote Health Behavior Change: A Systematic Review and Meta-analysis of the Impact of

Theoretical Basis, Use of Behavior Change Techniques, and Mode of Delivery on Efficacy.

Journal of Medical Internet Research, *12*(1), e1376. https://doi.org/10.2196/jmir.1376

WHO. (2018). *Ambient (outdoor) air pollution*. World Health Organization.

https://www.who.int/fr/news-room/fact-sheets/detail/ambient-(outdoor)-air-quality-and-health

Yang, L., Sahlqvist, S., McMinn, A., Griffin, S. J., & Ogilvie, D. (2010). Interventions

to promote cycling: Systematic review. *BMJ*, *341*(oct18 2), c5293.

https://doi.org/10.1136/bmj.c5293

839
840

A randomised controlled intervention to reduce car use

841   Figures

843   *Figure 1.* Followed steps for the elaboration, implementation and evaluation of InterMob (the

844   proposed methodology summarises the methodologies proposed by Bartholomew et al., 2016;

845   Bartholomew, 2011; Desrichard et al., 2016; Michie, van Stralen, et al., 2011).

848   *Figure 2.* Procedure of the InterMob study since the ethics and data protection procedures to

849   the study enrolment and beginning of the study.

A randomised controlled intervention to reduce car use

Figure 3. Map of Intemob study area.

A randomised controlled intervention to reduce car use

Figure 4. Calendar of the intervention and the measurements. S = Session (seven-day measurement), M = Month, mt= appointment being part of the intervention. represents seven days of carrying a Sensedoc and a MicroPem (the air pollution sensor is only carried during the sessions 0, 3 and 6), represents seven days of filling up a mobility logbook, answering a long survey (one time) and a short daily survey.

Figure 5. Data collection tools. In the left side, Sensedoc[TM] sensor (Accelerometer and GPS) which should be worn in a belt around the waist. In the middle, MicroPem[TM] (pollution sensor) which should be worn in a bag or purse with the pipe as close to the airway as possible. In the right side, the MicroPem[TM] and the Sensedoc[TM].

A randomised controlled intervention to reduce car use

Tables

Table 1. Summary of the outcomes, tools and time measurements.

Outcome	Tool	Time measurement									
		R	**S0**	**S0+**	**S1**	**S2**	**S3**	**S4**	**S5**	**S6**	**S7**
Principal outcome											
Car use reduction (kilometers and modal share)	Sensedoc and/or mobility logbook		✓abc		✓abc	✓abc	✓abc	✓bc	✓bc	✓ab	✓bc
Secondary outcomes											
Use of active and sustainable mobility (kilometers and modal share)	Sensedoc and/or mobility logbook		✓c	✓c	✓c	✓c	✓c	✓c	✓c	✓c	✓c
Minutes of moderate and vigorous physical activity	Sensedoc and/or IPAQ (Craig et al., 2003)		✓a		✓a	✓a	✓a	✓	✓	✓a	✓
Exposure to air pollution	MicroPem		✓				✓		✓		
Carbon footprint related to transport	Calculation based on the travelled kilometers and the mode of transport		✓c		✓c	✓c	✓c	✓c	✓c	✓c	✓c
Quality of life	Survey SF-12 (Ware et al., 1996)		✓			✓	✓		✓	✓	✓
Biometrics	Biometrics survey (size and weight)		✓c		✓c	✓c	✓c			✓c	
Activity programme	Mobility logbook		✓c	✓c	✓c	✓c	✓c	✓c	✓c	✓c	✓c
Mobility diagnosis	Survey		✓								
Accessibility by public transport and bicycle	Calculation of spatial information through a survey		✓c								
Cyclability	Calculation of spatial information through a survey		✓c								
Socio-demographic information survey	Survey		✓								
Socio-demographic follow-up survey	Survey				✓	✓	✓	✓	✓	✓	✓
Psychological constructs survey part 1			✓				✓	✓	✓	✓	✓
Stage of mobility change	Adapted survey (Biehl et al., 2018)		✓				✓	✓	✓	✓	✓

A randomised controlled intervention to reduce car use

Outcome	Measure								
Associated mobility habits	Adaptated survey (Buhler, 2012)	✓			✓	✓	✓	✓	✓
Green identity	Survey (Lalot et al., 2019)	✓			✓	✓	✓	✓	✓
Psychological constructs survey part 2		✓	✓	✓	✓	✓	✓	✓	✓
Mobility habits	Adapted survey (Gardner et al., 2012)	✓	✓	✓	✓	✓	✓	✓	✓
Intention towards mobility	Adapted survey (Godin, 2012)	✓	✓	✓	✓	✓	✓	✓	✓
Mobility self-efficacy	Adapted survey (Godin, 2012)	✓	✓	✓	✓	✓	✓	✓	✓
Intention implementation towards active mobility	Adapted survey (Godin, 2012)	✓	✓	✓	✓	✓	✓	✓	✓
Mobility attitudes	Adapted survey	✓	✓	✓	✓	✓	✓	✓	✓
Perceived risks of COVID-19	(Nexøe et al., 1999)	✓	✓	✓	✓	✓	✓	✓	✓
Mobility subjectives norms	Adapted survey (Godin, 2012)	✓	✓	✓	✓	✓	✓	✓	✓
	Adapted survey	✓	✓	✓	✓	✓	✓	✓	✓
Psychological constructs survey part 3		✓							
Satisfaction with travel	Adapted survey (Ettema et al., 2011)								
Mobility motivation	Adapted survey (Boiché et al., 2019)								
Psychological constructs survey part 4		✓[b]	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]
Subjective vitality	Adapted survey (Ryan & Frederick, 1997)	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]
Tentation and conflict	Adapted survey (Hofmann et al., 2012)	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]	✓[b]
Reach of the intervention	Ratio of contacted people, eligible and enrolled people	✓[c]							
Quality of the implementation	Checklist for every intervention meeting (answered by the programme implementer)		✓[c]	✓[c]					

Note. By default, the outcomes were measured by using a survey that was filled in at the beginning of the session. S= Seven-day measurement session (except from S0+ that indicated the first intervention meeting), R= Recruitment and enrolment periods. [a] indicates that the outcome was measured with a sensor, [b] indicates that the outcome was measured on a daily basis, [c] indicates that the outcome was calculated by a member of the research team based on other data.

A randomised controlled intervention to reduce car use

Table 2. Summary of the elements of the experimental and the active control arms.

Element	Experimental arm	Active control arm
Material incentive	6 months of free transport and/or 6 months of free access to a classic or an electric bike	
2 appointments with a programme implementer	First appointment: Discussion about the motivations to reduce car use, co-construction of a personalised mobility advice, mobility change goals setting, development of an action plan, prevention of obstacles to change mobility behaviour. Second appointment: Evaluation and adaptation of change goals and resolution of obstacles	First appointment: Concept of air pollution, in-depth questions on pollution (sources of air pollution, health consequences, pollution levels in Grenoble metropolitan area), discussion about the association between air pollution and car use and discussion about the benefits and advantages of the frequent use of the car Second appointment: Evaluation and discussion of the air quality and the identified pollution peaks
Notebook to be filled up	Goals notebook: 1. Setting new goals or adapting goals every two weeks 2. Taking notes of the experienced obstacles and looking for solutions	Observation notebook: 1. Taking note of the air pollution every two weeks 2. Taking note of the announced air pollution peaks (if any)
2 kinds of SMS (1 SMS per week during the first 3 months and 1 SMS bimonthly during the last six months)	1. Prompting the Setting and the Adaptation of goals, action planning and, habit formation 2. Self-monitoring of positive consequences of mobility change (e.g., better physical state, feeling of well-being)	1. Taking notes of the air pollution indices and comments 2. Taking notes of the announced air pollution peaks and comments