Title: One Health Genomic Surveillance and Response to a University-Based Outbreak of the

SARS-CoV-2 Delta AY.25 Lineage, Arizona, 2021

Short Title: One Health Approach to University Outbreak of Delta

Hayley D. Yaglom[1,+,*], Matthew Maurer[2,+], Brooke Collins[2], Jacob Hojnacki[2], Juan Monroy-

Nieto[1], Jolene R. Bowers[1], Samuel Packard[2], Daryn E. Erickson[1,3,4], Zachary A. Barrand[1,3,4],

Kyle M. Simmons[1,3,4], Breezy N. Brock[1,3,4], Efrem S. Lim[5], Sandra Smith[6], Crystal M. Hepp[1,3,4],

David M. Engelthaler[1]

*Corresponding author

Email: hyaglom@tgen.org

+These co-first authors contributed equally to this work.

[1]Translational Genomics Research Institute, Flagstaff, AZ, USA

[2]Coconino County Health and Human Services, Flagstaff, AZ, USA

[3]School of Informatics, Computing, and Cyber Systems, Northern Arizona University, Flagstaff,

AZ, USA

[4]Pathogen and Microbiome Institute, Northern Arizona University, Flagstaff, AZ, USA

[5]Arizona State University, Tempe, AZ, USA

[6]Campus Health Services, Northern Arizona University, Flagstaff, AZ, USA

Keywords

SARS-CoV-2, Delta variant, genomic, wastewater surveillance, university

Abstract

Large scale outbreaks of the SARS-CoV-2 Delta variant have occurred in numerous settings,

including universities. An outbreak of the SARS-CoV-2 Delta AY.25 lineage associated with a

university campus with multiple transmission events was identified; genomic analyses

characterized this outbreak and complemented contract tracing and wastewater surveillance

strategies that strengthened overall public health response actions.

Epidemiologic and clinical data routinely gathered through contact tracing and public health

investigations were matched to genomic sequencing of SARS-CoV-2 positive samples

belonging to a suspect cluster identified through ongoing phylogenomic analyses. Continued

phylogenetic analyses were conducted to describe the AY.25 outbreak. Wastewater collected

twice weekly from sites across campus was tested for SARS-CoV-2 by RT-qPCR, and

subsequently sequenced to identify variants.

The AY.25 outbreak was defined by a single mutation (C18804T) and comprised 379 genomes

from SARS-CoV-2 positive cases associated with the university and community. Several

undergraduate student gatherings and congregate living settings on campus likely contributed to

the rapid spread of COVID-19 across the university with secondary transmission into the

community. The clade defining mutation was also found in wastewater samples collected from

around student dormitories during "move-in", a week before the semester began, and 9 days

before cases were identified.

Genomic, epidemiologic, and wastewater surveillance provided evidence that an AY.25 clone

was likely imported into the university setting just prior to the onset of the Fall 2021 semester,

rapidly spread through a subset of the student population, and then subsequent spillover

occurred in the surrounding community. The university and local public health department

worked closely together to facilitate timely reporting of cases, identification of close contacts,

and other necessary response and mitigation strategies. The emergence of new SARS-CoV-2

variants and potential threat of other infectious disease outbreaks on university campuses

presents an opportunity for future comprehensive One Health genomic data driven, targeted

interventions.

Introduction

Infectious disease threats faced by university campuses are well-documented, with

outbreaks of influenza, meningococcal disease, and other respiratory illnesses having been

reported in these settings over the past decade [1,2,3,4]. COVID-19 has now joined this list,

rapidly unfolding across universities throughout the United States (US) and globally [5, 6,7,8,9].

Increasing case counts of COVID-19 and large-scale outbreaks across universities and college

campuses, especially after the first year of the pandemic [10], resulted in shifts to online or

hybrid learning and the need for rapid implementation of routine testing as well as

isolation/quarantine programs [11,12,13]. The close contact of students in dormitories, dining

areas, and lecture halls, combined with common social-behavioral activities puts this population

at an increased risk. However, the high rates of COVID-19 transmission coupled with the

continual emergence of new variants (e.g., Delta and Omicron) presents unique challenges [5,

14] and requires multidisciplinary surveillance strategies (i.e., wastewater surveillance) and

collaboration amongst partners.

Wastewater monitoring, a re-emerging method of surveillance, has gained significant

traction during the COVID-19 pandemic. This type of surveillance has successfully provided an

early warning sign of the potential spread of COVID-19 within university settings, allowing for

rapid implementation of mitigation strategies [15,16,17,18,19,20,21]. While wastewater

surveillance methods have differed slightly, it is well-understood that viral shedding can be

detected in wastewater samples from both symptomatic and asymptomatic individuals. In

several instances of this type of surveillance on university campuses, SARS-CoV-2 has been

detected in wastewater collected around dormitories on average seven days before human

cases were identified [16,18].

The first cases of the Delta variant were identified in the US in July 2021 and Delta

quickly became the dominant SARS-CoV-2 variant across the nation. Surveillance data showed

that Delta was significantly more contagious, resulted in more severe infections, particularly in

unvaccinated individuals, and was associated with breakthrough infections [22,23,24]. Robust

genomic sequencing efforts in Arizona throughout the second year of the pandemic revealed

the establishment and circulation of several Delta sub-lineages (e.g., B.1.617.2, AY.3, AY.25,

AY.44, AY.103). One of these sub-lineages, AY.25, has mostly been seen in North America [25]

and comprised approximately 7% of sequenced genomes in Arizona during fall 2021

(https://pathogen.tgen.org/covidseq-tracker/arizona_trends.html).

Routine genomic surveillance and ongoing phylogenetic analysis of sequence data from

positive clinical samples identified an AY.25 clonal cluster associated with a university and the

surrounding community throughout August to December 2021. The identification and

characteristics of the outbreak are described here, with highlights on the integration of clinical,

epidemiologic, genomic, and wastewater surveillance data. This report demonstrates the

importance of implementing and maintaining one health surveillance strategies to strengthen

response actions.

Methods

University Infrastructure, Testing and Mitigation Efforts

Beginning the week of August 15, 2021, a moderate sized university in Arizona opened

its doors to the approximately 20,000 students for the Fall semester. The university hosted

various summer programs, including sports team trainings and an engagement and mentorship

program for first-generation college students (mid-June through mid-July). Individuals

participating in these summer programs were housed in dormitories throughout the campus.

Although several students remained in the area throughout the summer in off-campus housing,

the majority moved back to university dormitories August 19[th] through August 21[st] ("move-in

weekend").

The university had implemented several prevention strategies in the previous year of the

pandemic, including mask policies, social distancing, reduced dining hall capacity, hybrid

learning, encouraged vaccination, and mitigation testing. The mitigation testing was an ongoing

effort to identify asymptomatic cases among students, faculty, and staff, and involved a random

selection of 2,500 individuals (both vaccinated and unvaccinated) each week to participate in

voluntary COVID-19 screening. This self-collected saliva-based PCR testing was available 6

days a week at a designated on-campus location (through the end of the semester); testing for

the general community was also available at this location through appointments. Lastly, campus

health services provided rapid testing for symptomatic individuals.

Students living on and off campus were also encouraged to self-report positive SARS-

CoV-2 test results to the university. Based on CDC guidelines at this time, students who tested

positive for COVID-19 were required to isolate for 10 days and unvaccinated close contacts

were quarantined for at least 8 days in designated isolation dormitories or off-campus (home of

parent or friend). Mandatory dormitory-wide mitigation testing was triggered if more than 1% of

the population residing in that dormitory tested positive. The campus health services team

conducted extensive contact tracing to investigate close contacts and determine the need to

implement additional and targeted interventions.

Contact tracing for COVID-19 positives cases in the community was also regularly

conducted by the local public health officials. Detailed information was collected from the

Arizona Medical Electronic Disease Surveillance and Intelligence System (MEDSIS) including

demographics, university affiliation, on-campus residence if applicable, symptoms, travel

history, participation in social gatherings or activities, close contacts, and vaccination status.

SARS-CoV-2 Phylogenetic Analyses

Whole genome sequencing of SARS-CoV-2 PCR positive samples is routinely

performed by several laboratories in Arizona [26] and by the Centers for Disease Control and

Prevention, using similar methodologies [27]. SARS-CoV-2 genomes publicly available through

GISAID (Supplemental Table 1) from these sequencing efforts were utilized to build

phylogenetic trees using the SARS-CoV-2 specific workflows

(https://github.com/nextstrain/ncov/) in Nextstrain [28]. Genomes with less than 70% breadth of

coverage relative to the Wuhan reference genome (GISAID: EPI_ISL_402125, NCBI:

NC_045512.2) were excluded; the G142D site, known to be associated with sequencing error,

was also masked [23]. Maximum likelihood inference was executed with the IQ-TREE method

(http://www.iqtree.org).

A regular review of the phylogenetic assignments identified what appeared to be a clonal

cluster (i.e., multiple genomes with 0-2 single nucleotide polymorphisms (SNPs) between them

being identified within the same geographical area) within the AY.25 sub-lineage of Delta.

Genomic analyses for the distinct AY.25 outbreak sub-clade was shared with the local public

health department. Epidemiologic, clinical, and exposure information routinely gathered through

contact tracing and investigations was collated and matched with the available genomes.

Duplicate genomes for the same SARS-CoV-2 positive case (e.g., repeated positive samples for

same person that had been submitted for sequencing) were removed from the phylogeny. In

these cases, genomes with the earliest sample collection dates were included.

Ethics approval was not required as this work was conducted in collaboration with a local

public health agency as a public health surveillance activity, involving viral genomic sequencing

and analysis of de-identified remnant specimens. Therefore, this work is exempt from needing

human subjects research board approval.

Wastewater Monitoring

Wastewater surveillance at the university began in July 2020, and during the period of

August 13th through December 8th of 2021, samples were collected twice weekly from 16 sites

strategically selected to assess SARS-CoV-2 levels in different residence halls. Using a

modified Moore Swab style of approach [29], Tampax Pearl Ultra Absorbency tampons were

suspended in wastewater flows outside of residence halls for 48-72 hours. Subsequently,

tampons were pulled from the wastewater flow and placed into a contained filled with 20mL of

deionized water which was shaken vigorously for two minutes. One mL of liquid was

concentrated using the Zymo Research Water Concentrating Buffer, and extractions were

carried out using the Quick-DNA/RNA Miniprep Plus Kit. Extracted material was evaluated for

SARS-CoV-2 using the CDC N1 RT-qPCR assay. Samples with cycle threshold values less

than 35 were subsequently sequenced to identify variants of concern, using the xGen™ SARS-

CoV-2 Amplicon Panel (previously the Swift Normalase Amplicon SARSCoV-2 Panel) with

unique dual indices from Integrated DNA Technologies. Resulting sequencing reads were

aligned to the Wuhan reference genome (GISAID: EPI_ISL_402125, NCBI: NC_045512.2)

using Bowtie2 [30] and mutations of interest were called using Sam Refiner [31].

Results

Identification and Characteristics of AY.25 Outbreak Cases

From August 22nd to December 4th, 2021, a total of 1,299 COVID-19 cases were

identified among individuals affiliated with the university and 1,577 cases were individuals tested

from the general community. Approximately 70% of positive case samples from this testing were

submitted for whole genomic sequencing. Retrospective phylogenetic analysis of these publicly

available SARS-CoV-2 genomes combined with sequencing data from other Arizona

laboratories revealed several SARS-CoV-2 Delta variant sub-lineages (assigned by Pangolin)

circulating within the university setting and surrounding county, including B.1.617.2 (n=851),

AY.25 (n=451), AY.44 (n=339), and AY.103 (n=295) during the same timeframe. Of the 451

sequenced genomes characterized as AY.25, there was an even distribution of this lineage

among the community (n=228, 50.5%) and university (n=223, 49.5%).

Review of these Delta sub-lineages within the larger phylogeny (Figure 1) revealed a

distinct monophyletic clade of the AY.25 sub-lineage, comprising 379 total genomes

(Supplemental Table 1). Of these sequenced genomes, 49.8% (n=189) were from SARS-CoV-2

positive cases associated with the university (case rate of 5,883 per 100K) and 42.2% (n=160)

were associated with the community (case rate of 6,349 per 100K); the affiliations of the

remaining (n=31) were unknown. Additionally, when comparing the number of positive cases

associated with and reported by the university, 14.5% (189/1,299) were found to be a part of

this AY.25 outbreak.

Among just the AY.25 university associated cases, 91.0%, (172/189) were under 25

years of age, while the ages of the community cases were more evenly distributed across age

groups and ranged from 5-82 years. 51.9% (98/189) of the university cases were female and

62.4% were white, non-Hispanic (118/189). Table 1 further displays relevant demographic,

clinical, vaccination, and exposure characteristics of university and community associated

cases; however, it is important to note that complete epidemiologic data was not available for

every case associated with this outbreak.

89.9% (170/189) of university associated cases occurred among first and second-year

undergraduate students living on and off campus. On-campus students comprised 65.3%

(111/170) of the AY.25 university cases, with the vast majority (81.9%, 91/111) residing in four

freshman dormitories. These were co-ed traditional style campus dormitories with two students

per room, and a community bathroom, laundry room, kitchen, and lounge. 59/170 students

(34.7%) lived in off-campus housing within commuting distance from the university during the

semester. Only three individuals (1.6%) associated with the university were employees.

The first SARS-CoV-2 positive case associated with the outbreak for which a viral

genome was produced had a collection date of August 30th (7 days after the fall semester began

on August 23, 2021). During an interview with public health, this case named at least four other

individuals ("close group of friends") whom they had close contact with during their infectious

period; two of which resided in the same dormitory (Dormitory A) and one of whom resided in

Dormitory B. Contact tracing efforts further confirmed these linkages and identified what is

believed to be the index case of this epidemiologic cluster (first case in Dormitory A and the

university during this time) – a symptomatic student from out-of-state, whose SARS-CoV-2

positive sample collected on August 28[th], but was not sequenced (Figure 2). A total of 10 cases

associated with this outbreak were identified in Dormitories A and B throughout the Fall 2021

semester.

The AY.25 outbreak peaked in the university population during the week of September

19[th] – 25[th] (Calendar Week 38), and cases associated with the community peaked during the

week of October 17[th] – 23[rd] (Calendar Week 42). Of the interviewed university associated

cases, 36.1% (57/158) were aware they had close contact to a positive COVID-19 case. Various

events and social gatherings within the first few weeks of the semester, including welcome week

activities, sporting events, and house parties. While vaccination information was not available

for all outbreak associated cases, 17.7% (67/379) vaccine-breakthrough cases were identified

(Table 1).

Phylogenetic Analysis of AY.25 Outbreak

Throughout the academic semester, this particular AY.25 clone, genomically defined by

a single synonymous SNP, C18804T (Figure 1), became established and evolved, following its

importation into the university setting. 95 genomes are identical, and the remaining AY.25

sequences in this phylogeny include up to 12 total SNP mutations across the 379 genomes

identified during the outbreak from the ancestral genomes.

The maximum likelihood phylogeny indicates numerous instances of secondary spread

occurred, however, transmission of this AY.25 clone was generally sporadic throughout the

community and did not extensively impact overall COVID-19 trends in the region. One non-

university secondary transmission chain contained 37 viral genomes and was defined by an

amino acid in the Orf1a region. Twelve of these 37 genomes (nine were identical and three had

one additional SNP) were associated with individuals attending a local elementary school

(collection dates of SARS-CoV-2 positive samples ranged from October 13-20[th]).

Wastewater Surveillance Confirms AY.25 Outbreak Clone

As expected, wastewater sampling conducted as a baseline the week prior to students

moving into university dormitories yielded no SARS-CoV-2 positive campus sites. However, the

AY.25 outbreak clone, was detected in two wastewater samples collected between August 19[th]

through 21[st] (move-in weekend) (Figure 2). This sample was collected seven days prior to the

university's index case sample being collected, and in two different residence halls (Dormitory C

and D) than the initial human cases on campus were associated with. SARS-CoV-2 virus in

these wastewater samples, and seven others collected between August 30th through

September 23rd contained the clade-defining mutation (C18804T). The first human cases

associated with Dormitories C and D had samples collected September 3[rd] and 14[th] (neither of

which were sequenced), and a total of 34 cases associated with this outbreak were identified in

these two dormitories throughout the Fall semester.

Discussion

The introduction, establishment, and transmission of infectious diseases leading to

outbreaks on university and college campuses are inevitable, given the intimate interactions of

students in dormitories and involvement in various extracurricular activities. Therefore, the

integration of complementary one health approaches (e.g., contact tracing, genomic

epidemiology, and wastewater surveillance) is invaluable for early detection and response to

potential threats in these settings.

This report documents a clonal outbreak of the AY.25 Delta sub-lineage impacting a

local university and surrounding community identified through ongoing phylogenetic analysis,

while the outbreak was occurring. Genomic surveillance and extensive contact tracing by public

health and campus health services provided strong evidence that this outbreak clone was 1)

amplified by extensive interactions among students and 2) not maintained solely within the

university population. Genomic epidemiologic analyses confirmed several secondary

transmission chains to individuals throughout the community. However, while this distinct AY.25

sub-lineage reported here was well-established (and public health data indicates the AY.25

parent lineage was the second most common lineage circulating in the area), it is important to

note that this outbreak was not a driver of COVID-19 transmission in the community as a whole.

Furthermore, this outbreak did not influence patterns of how the virus was circulating in the

general community during the Fall 2021 timeframe. Although not detailed in this report,

reciprocal transmission events of other SARS-CoV-2 lineages from the community to individuals

affiliated with the university likely occurred given the nature of interactions among these two

sub-populations.

Most of the university affiliated cases were first-year undergraduate students living on

and off campus, but frequently interacting with each other in residence halls, at campus events

and parties during the early weeks of the semester. Previous analyses [13] found that COVID-

19 cases were not correlated with dormitory living and in-person classes, and that infections

have largely been acquired in off-campus settings. While this may be representative of the

nature of COVID-19 outbreaks amongst some universities, evaluation of this AY.25 outbreak

showed that at minimum, the initial rapid growth phase of the outbreak occurred among

students who had close interactions with each other in four dormitories (i.e., Dormitories A-D).

Continued transmission of the virus was then through additional student interactions once the

AY.25 clone was established in that population. Of interest, out of the 111 student cases living

on-campus, 47.7% (n=53) lived in the same dormitory. This could be a potential artifact of the

mitigation testing, but also a result of the close contact students had with each other in that

dormitory. The findings from this outbreak also demonstrate that there is limited risk of

transmission to staff and university faculty, providing further evidence that viral spread in a

classroom setting is not always a driver of university outbreaks.

Furthermore, unlike the report by Valesano, et al (2021) [32] which found that university

cases in Michigan did not contribute enhanced transmission in the community, the viral clone

discussed here was identified in more than 40% of cases with no known association with the

university (i.e., community). This may in part be due to the relatively small size of the

surrounding city (estimated population of ~75,000) and its tourism-based economy. Although

low levels of ongoing transmission occurred throughout the remainder of the semester, mostly

within the community, the AY.25 outbreak began to wane by the end of October 2021, likely in

part to the enhanced efforts deployed by the university.

Data from wastewater surveillance efforts, which had been in place across the university

for almost two years to provide an early warning for COVID-19 case clusters, adds an important

layer to this outbreak. Following the phylogenetic analysis of clinical samples, genomic

characterization of positive wastewater samples collected from multiple dormitory sites across

campus during move-in weekend and the subsequent weeks showed the presence of the clade

defining mutation. These findings thereby confirmed the presence of the AY.25 outbreak clone

in three different dormitories (including Dormitories C and D) prior to the initial identification of

human cases. The community had experienced a steady level of COVID-19 cases throughout

the summer, and limited activities occurred on campus, except for the previously mentioned

sports-related trainings and mentorship programs.

While hundreds of Delta variant sub-lineages were characterized throughout 2021,

AY.25 was not a dominant sub-lineage across the U.S.; however, in-depth phylogenetic analysis

of outbreak cases associated with large public summer gatherings in Massachusetts revealed

that AY.25 was responsible for a single cluster containing 84% of outbreak-associated genomes

[33]. A second analysis of Delta variant associated vaccine breakthrough infections in New York

identified a small cluster of AY.25 with a signature mutation in the spike protein, S112L [7].

According to Duerr et al (2022) [34], while S112L is not a Delta-defining mutation, it appears to

be more commonly found in genomes associated with vaccine breakthrough cases. None of the

viral sequences in the Arizona AY.25 university outbreak, including the 67 vaccine breakthrough

cases, contained that genomic signature.

There are some important limitations to address. First, the university reported an

adherence rate of 25-30% for weekly mitigation testing offered throughout the semester, and

further noted that students (mainly those living off-campus) who acquired COVID-19 testing

outside of campus health services may not have reported positive results, which could have

impacted case identification, contact tracing and further prevention efforts. Second, complete

epidemiologic information was not available for every positive case associated with this

outbreak. Although an extensive effort was made to by public health and campus health officials

to conduct thorough contact tracing, many cases are lost to follow-up. Lastly, the number of

individuals associated with this outbreak is likely an underestimate given that not every infected

patient was likely tested, and sequencing was not performed on every PCR-positive sample or

performed on any antigen-based or rapid PCR positive samples. Despite these limitations, there

is supporting evidence that the AY.25 clone was likely imported into the university setting just

prior to the onset of the Fall semester, rapidly spread through a subset of the student

population, and then subsequent spillover occurred in the surrounding community.

Public Health Implications

As we see promise of SARS-CoV-2 endemicity in the US, it is critical for universities to

have guidance and policies in place for future outbreaks of COVID-19 and other communicable

diseases. Implementation of multifaceted interventions has proven successful; these efforts

included a combination of university wide screening programs, vaccination requirements (where

applicable), social-behavioral policies (e.g., social distancing and masking), flexible education

delivery models (e.g., hybrid learning options), and enhanced contact tracing to minimize spread

before establishment in the campus community.

Additionally, collaboration and communication between universities and local public

health entities is an important component of timely outbreak response. In the case described

here, the university and public health department, having already worked closely throughout the

pandemic, were able to easily identify and investigate clusters of cases within the dormitories.

University testing data identified dormitories exceeding the 1% positivity threshold needed to

require mitigation testing. This information was sent by the university to local public health

workers who used case investigation data to verify that the potential outbreak met the

necessary criteria for mandatory mitigation testing. Once verified, the university began

dormitory-wide mitigation testing in combination with the other established prevention strategies.

Furthermore, increases in the presence of SARS-CoV-2 in wastewater samples resulted in the

university enhancing their mitigation testing procedures around the impacted campus areas.

The rapid spread of Omicron throughout universities [5, 35] highlights the continued need for

these efforts as well as ongoing surveillance programs to identify early infections before

symptomatic cases and widespread transmission occurs.

The incorporation of genomic epidemiology and wastewater surveillance can

complement the more routine activities and advance the state of public health surveillance.

Genomic surveillance and epidemiology provide the only empirical means for confirming the

presence of a clonal outbreak and identifying which individuals are and, importantly, which are

not part of an outbreak or cluster, especially, when multiple variants or pathogen strains are

circulating. Analysis of the information gathered from cases that are known to be part of the

same outbreak increases the ability to gain insight on how the virus was being spread among

this population. Inclusion of non-traditional samples sources, such as wastewater, in genomic

analyses can provide valuable early waring information or, at a minimum, provide additional

context on likely outbreak sources and scope of spread. Wastewater-based epidemiology can

also be applied to other infectious diseases of interest, such as influenza and enteric infections.

Understanding transmission patterns within the outbreak population helps identify

improved disease prevention and mitigation strategies, increasing community resilience for

future outbreaks. The potential threat of other infectious disease outbreaks on university

campuses and in other settings presents an opportunity for future comprehensive one health

data driven, targeted interventions.

References

1. Delahoy MJ, Mortenson L, Bauman L, et al. Influenza A(H3N2) Outbreak on a University

Campus - Michigan, October-November 2021. MMWR Morb Mortal Wkly Rep.

2021;70(49):1712-1714. 2021 Dec 10. doi:10.15585/mmwr.mm7049e1

2. Kujawski SA, Lu X, Schneider E, et al. Outbreaks of Adenovirus-associated Respiratory

Illness on 5 College Campuses in the United States, 2018-2019. Clin Infect Dis.

2021;72(11):1992-1999. doi:10.1093/cid/ciaa465

3. Shah M, Ferra G, Fitzgerald S, Barreira PJ, Sabeti PC, Colubri A. Containing the spread

of mumps on college campuses. R Soc Open Sci. 2022;9(1):210948.

doi:10.1098/rsos.210948

4. Soeters HM, McNamara LA, Blain AE, et al. University-Based Outbreaks of

Meningococcal Disease Caused by Serogroup B, United States, 2013-2018. Emerg

Infect Dis. 2019;25(3):434-440. doi:10.3201/eid2503.181574

390
5. Fowle N, Garrett B, Floyd OL, et al. University-Associated SARS-CoV-2 Omicron BA.2

Infections, Maricopa County, Arizona, USA, 2022. Emerg Infect Dis. 2022;28(7):1520-

1522. doi:10.3201/eid2807.220470

6. Doyle K, Teran RA, Reefhuis J, et al. Multiple Variants of SARS-CoV-2 in a University

Outbreak After Spring Break - Chicago, Illinois, March-May 2021. MMWR Morb Mortal

Wkly Rep. 2021;70(35):1195-1200. doi:10.15585/mmwr.mm7035a3

7. Fox MD, Bailey DC, Seamon MD, Miranda ML. Response to a COVID-19 Outbreak on a

University Campus - Indiana, August 2020. MMWR Morb Mortal Wkly Rep.

2021;70(4):118-122. doi:10.15585/mmwr.mm7004a3

8. Wilson E, Donovan CV, Campbell M, et al. Multiple COVID-19 Clusters on a University

Campus - North Carolina, August 2020. MMWR Morb Mortal Wkly Rep.

2020;69(39):1416-1418. doi:10.15585/mmwr.mm6939e3

9. Schultes O, Clarke V, Paltiel AD, Cartter M, Sosa L, Crawford FW. COVID-19 Testing

and Case Rates and Social Contact Among Residential College Students in Connecticut

During the 2020-2021 Academic Year. JAMA Netw Open. 2021;4(12):e2140602.

doi:10.1001/jamanetworkopen.2021.40602

10. New York Times. Tracking Coronavirus Cases at U.S. Colleges and Universities. The

New York Times. 021 Feb 25. [Cited 2022 Feb 3]. Available from:

https://www.nytimes.com/interactive/2021/us/college-covid-tracker.html 2

11. Walke HT, Honein MA, Redfield RR. Preventing and Responding to COVID-19 on

College Campuses. JAMA. 2020;324(17):1727-1728. doi:10.1001/jama.2020.20027

12. Paltiel AD, Zheng A, Walensky RP. Assessment of SARS-CoV-2 Screening Strategies to

Permit the Safe Reopening of College Campuses in the United States. JAMA Netw

Open. 2020;3(7):e2016818. doi:10.1001/jamanetworkopen.2020.16818

13. Hamer DH, White LF, Jenkins HE, et al. Assessment of a COVID-19 Control Plan on an

Urban University Campus During a Second Wave of the Pandemic. JAMA Netw Open.

2021;4(6):e2116425. doi:10.1001/jamanetworkopen.2021.16425

14. van Oosterhout C, Hall N, Ly H, Tyler KM. COVID-19 evolution during the pandemic -

Implications of new SARS-CoV-2 variants on disease control and public health policies.

Virulence. 2021;12(1):507-508. doi:10.1080/21505594.2021.1877066

15. Betancourt WQ, Schmitz BW, Innes GK, et al. COVID-19 containment on a college

campus via wastewater-based epidemiology, targeted clinical testing and an

intervention. Sci Total Environ. 2021;779:146408. doi:10.1016/j.scitotenv.2021.146408

16. Gibas C, Lambirth K, Mittal N, et al. Implementing building-level SARS-CoV-2

wastewater surveillance on a university campus. Sci Total Environ. 2021;782:146749.

doi:10.1016/j.scitotenv.2021.146749

17. Harris-Lovett S, Nelson KL, Beamer P, et al. Wastewater Surveillance for SARS-CoV-2

on College Campuses: Initial Efforts, Lessons Learned, and Research Needs. Int J

Environ Res Public Health. 2021;18(9):4455. doi:10.3390/ijerph18094455

18. Karthikeyan S, Nguyen A, McDonald D, et al. Rapid, Large-Scale Wastewater

Surveillance and Automated Reporting System Enable Early Detection of Nearly 85% of

COVID-19 Cases on a University Campus. mSystems. 2021;6(4):e0079321.

doi:10.1128/mSystems.00793-21

19. Scott LC, Aubee A, Babahaji L, Vigil K, Tims S, Aw TG. Targeted wastewater

surveillance of SARS-CoV-2 on a university campus for COVID-19 outbreak detection

and mitigation. Environ Res. 2021;200:111374. doi:10.1016/j.envres.2021.111374

20. Vo V, Tillett RL, Chang CL, Gerrity D, Betancourt WQ, Oh EC. SARS-CoV-2 variant

detection at a university dormitory using wastewater genomic tools. Sci Total Environ.

2022;805:149930. doi:10.1016/j.scitotenv.2021.149930

21. Wang Y, Liu P, Zhang H, et al. Early warning of a COVID-19 surge on a university

campus based on wastewater surveillance for SARS-CoV-2 at residence halls

[published online ahead of print, 2022 Jan 25]. Sci Total Environ. 2022;821:153291.

doi:10.1016/j.scitotenv.2022.153291

22. Bian L, Gao Q, Gao F, et al. Impact of the Delta variant on vaccine efficacy and

response strategies. Expert Rev Vaccines. 2021;20(10):1201-1209.

doi:10.1080/14760584.2021.1976153

23. Christensen PA, Olsen RJ, Long SW, et al. Delta Variants of SARS-CoV-2 Cause

Significantly Increased Vaccine Breakthrough COVID-19 Cases in Houston, Texas. Am

J Pathol. 2022;192(2):320-331. doi:10.1016/j.ajpath.2021.10.019

24. Lin L, Liu Y, Tang X, He D. The Disease Severity and Clinical Outcomes of the SARS-
CoV-2 Variants of Concern. Front Public Health. 2021;9:775224.
doi:10.3389/fpubh.2021.775224

25. Latif AA, Mullen JL, Alkuzweny M, et.al. AY.25 Lineage Report. outbreak.info. [Cited
2022 May 3]. Available from: https://outbreak.info/situation-reports?pango=AY.25.

26. Ladner JT, Larsen BB, Bowers JR, et al. An Early Pandemic Analysis of SARS-CoV-2
Population Structure and Dynamics in Arizona. mBio. 2020;11(5):e02107-20.
doi:10.1128/mBio.02107-20

27. Folkerts ML, Lemmer D, Pfeiffer A, et al. Methods for sequencing the pandemic: benefits
of rapid or high-throughput processing. F1000Res. 2021;10:ISCB Comm J-48.
doi:10.12688/f1000research.28352.2

28. Hadfield J, Megill C, Bell SM, et al. Nextstrain: real-time tracking of pathogen evolution.
Bioinformatics. 2018;34(23):4121-4123. doi:10.1093/bioinformatics/bty407

29. Moore B. The detection of enteric carriers in towns by means of sewage examination. J
R Sanit Inst. 1951;71(1):57-60. doi:10.1177/146642405107100109

30. Langmead B, Salzberg SL. Fast gapped-read alignment with Bowtie 2. Nat Methods.
2012;9(4):357-359. doi:10.1038/nmeth.1923

31. Gregory DA, Wieberg CG, Wenzel J, Lin CH, Johnson MC. Monitoring SARS-CoV-2

Populations in Wastewater by Amplicon Sequencing and Using the Novel Program SAM

Refiner. Viruses. 2021;13(8):1647. doi:10.3390/v13081647

32. Valesano AL, Fitzsimmons WJ, Blair CN, et al. SARS-CoV-2 Genomic Surveillance

Reveals Little Spread From a Large University Campus to the Surrounding Community.

Open Forum Infect Dis. 2021;8(11): ofab518. doi:10.1093/ofid/ofab518

33. Siddle KJ, Krasilnikova LA, Moreno GK, et al. Evidence of transmission from fully

vaccinated individuals in a large outbreak of the SARS-CoV-2 Delta variant in

Provincetown, Massachusetts. Preprint. medRxiv. 2021;2021.10.20.21265137.

doi:10.1101/2021.10.20.21265137

34. Duerr R, Dimartino D, Marier C, et al. Clinical and genomic signatures of rising SARS-

CoV-2 Delta breakthrough infections in New York. Preprint. medRxiv.

2021;2021.12.07.21267431. doi:10.1101/2021.12.07.21267431

35. Petros BA, Turcinovic J, Welch NL, et al. Early introduction and rise of the Omicron

SARS-CoV-2 variant in highly vaccinated university populations. Preprint. medRxiv.

2022; 10.1101/2022.01.27.22269787.

Acknowledgements

The authors wish to acknowledge the public health efforts of the local county health department and university campus health services during this pandemic to ensure the safety and well-being of the university population and community. We also wish to thank the NARBHA Institute and the Arizona Department of Health Services (AZDHS) for funding support for this work. The authors extend full gratitude to the executive team and administrative staff at the local university for their support of this work, review of the manuscript and collegial collaborations. We also would like to thank Taylor Martins from AZDHS for his assistance in acquiring epidemiological data for cases associated with this outbreak. Lastly, we are extremely grateful to the GISAID Initiative and all its data contributors, specifically those from Arizona State University, Centers for Disease Control and Prevention, and Translational Genomics Research Institute laboratories responsible for obtaining SARS-CoV-2 positive specimens and generating viral genetic sequence data.

Tables and Figures

Table 1: Characteristics[+] of university and community cases associated with the AY.25

outbreak, Arizona, August - December 2021

Characteristic	University (189) N (%)	Community (160) N (%)
Age (N=266)		
≤24 years	172 (91.0)	37 (23.1)
25-44 years	6 (3.2)	37 (23.1)
≥45 years	1 (0.5)	13 (8.1)
Gender (N=266)		
Male	80 (42.3)	55 (34.4)
Female	98 (51.9)	31 (19.4)
Symptom Status (N=158) Asymptomatic Symptomatic	12 (6.3) 103 (54.4)	3 (1.9) 40 (25.0)
Hospitalization Status (N=168)		
Not Hospitalized	116 (61.4)	50 (31.3)
Hospitalized	1 (0.5)	1 (0.6)
Vaccination Status		
Vaccine Received (N=76)	43 (22.8)	33 (20.6)
≥2 Doses Vaccine Received (N=76)	36 (19.0)	24 (15.0)
Missing Vaccine Data (N=190)	136 (72.0)	54 (33.8)
Vaccine Breakthrough (N=67)	39 (20.6)	28 (17.5)
Type of Residence/Congregate Setting (N=170)		
On Campus (Dormitory Living)	111 (58.7)	N/A
Off-Campus	59 (31.2)	N/A
Exposure History Close Contact w/ Positive Case (N=158)	57 (30.2)	23 (14.4)

[+] Proportions are summarized by affiliation. Demographic and exposure data was not available

for every case associated with the outbreak. The "N" listed next to each characteristic is

reflective of known data from public health interviews for both university and community

associated cases.

Figure 1: Maximum likelihood phylogenetic tree of the AY.25 SARS-CoV-2 genomes (n=379) associated with the university outbreak, highlighting the clade-defining mutation (C18804T). The Wuhan-1 genome was used as a reference (EPI_ISL_402125, NCBI: NC_045512.2) and SARS-CoV-2 genomes (publicly available through GISAID) of the AY.25 lineage in Arizona are shown for context.

Figure 2: COVID-19 cases (N=380) associated with AY.25 outbreak by original specimen collection date, Arizona, August - December 2021

Supplemental Table 1: GISAID Accession ID numbers for the AY.25 SARS-CoV-2 genomes (n=379) associated with the university outbreak.

GISAID Accession ID	Date of Collection	Affiliation
EPI_ISL_4052586	8/30/2021	University
EPI_ISL_4052499	8/31/2021	University
EPI_ISL_4090897	9/2/2021	University
EPI_ISL_4090972	9/4/2021	Community
EPI_ISL_4410585	9/8/2021	Community
EPI_ISL_4410573	9/8/2021	University
EPI_ISL_4410637	9/9/2021	University
EPI_ISL_4410586	9/9/2021	University
EPI_ISL_4469488	9/10/2021	University
EPI_ISL_4469501	9/10/2021	University
EPI_ISL_4410427	9/11/2021	University
EPI_ISL_4469400	9/13/2021	University
EPI_ISL_4469357	9/13/2021	University
EPI_ISL_4469509	9/13/2021	University
EPI_ISL_4469428	9/13/2021	Community
EPI_ISL_5079080	9/13/2021	Community
EPI_ISL_4469301	9/13/2021	University
EPI_ISL_4469334	9/13/2021	University
EPI_ISL_4469441	9/13/2021	University
EPI_ISL_4469498	9/14/2021	University
EPI_ISL_4469280	9/14/2021	University
EPI_ISL_4469526	9/14/2021	Community
EPI_ISL_4469332	9/14/2021	Community
EPI_ISL_4469518	9/14/2021	University
EPI_ISL_4469500	9/14/2021	University
EPI_ISL_4469289	9/14/2021	University
EPI_ISL_4469286	9/14/2021	University
EPI_ISL_4469304	9/14/2021	University
EPI_ISL_4469281	9/14/2021	University
EPI_ISL_4469453	9/14/2021	University
EPI_ISL_4513287	9/15/2021	University
EPI_ISL_4513149	9/15/2021	University
EPI_ISL_4513130	9/15/2021	Community
EPI_ISL_4513025	9/15/2021	University
EPI_ISL_4513046	9/15/2021	University
EPI_ISL_4513029	9/15/2021	University
EPI_ISL_4513160	9/16/2021	Community
EPI_ISL_4512987	9/16/2021	University
EPI_ISL_4513145	9/16/2021	University
EPI_ISL_4513048	9/16/2021	University
EPI_ISL_4513178	9/16/2021	University
EPI_ISL_4513180	9/16/2021	University

EPI_ISL_4513100	9/16/2021	University
EPI_ISL_4513063	9/16/2021	University
EPI_ISL_4513106	9/17/2021	Community
EPI_ISL_4513193	9/17/2021	Community
EPI_ISL_4513127	9/17/2021	University
EPI_ISL_4513310	9/17/2021	University
EPI_ISL_4513077	9/17/2021	University
EPI_ISL_4513173	9/17/2021	University
EPI_ISL_4513097	9/17/2021	University
EPI_ISL_4513224	9/17/2021	Community
EPI_ISL_4513062	9/18/2021	University
EPI_ISL_6254573	9/18/2021	Unknown
EPI_ISL_4557360	9/20/2021	University
EPI_ISL_4557327	9/20/2021	University
EPI_ISL_5165658	9/20/2021	Community
EPI_ISL_4557445	9/20/2021	University
EPI_ISL_4557372	9/20/2021	University
EPI_ISL_4557490	9/20/2021	University
EPI_ISL_4557368	9/21/2021	University
EPI_ISL_4557370	9/21/2021	University
EPI_ISL_4557379	9/21/2021	Community
EPI_ISL_4557351	9/21/2021	Community
EPI_ISL_4557354	9/21/2021	University
EPI_ISL_4557371	9/21/2021	University
EPI_ISL_4557355	9/21/2021	University
EPI_ISL_4557373	9/21/2021	University
EPI_ISL_4557346	9/21/2021	University
EPI_ISL_4557358	9/21/2021	University
EPI_ISL_4744364	9/22/2021	University
EPI_ISL_4744292	9/22/2021	University
EPI_ISL_4744370	9/22/2021	University
EPI_ISL_4744352	9/22/2021	University
EPI_ISL_4744392	9/22/2021	University
EPI_ISL_4744377	9/22/2021	University
EPI_ISL_4744363	9/22/2021	University
EPI_ISL_4744353	9/22/2021	University
EPI_ISL_4744384	9/22/2021	University
EPI_ISL_4744391	9/22/2021	University
EPI_ISL_4744341	9/22/2021	University
EPI_ISL_4744367	9/22/2021	Community
EPI_ISL_4744357	9/22/2021	University
EPI_ISL_4744351	9/22/2021	University
EPI_ISL_4744210	9/22/2021	University

EPI_ISL_4744175	9/22/2021	University
EPI_ISL_4744239	9/22/2021	University
EPI_ISL_4744344	9/22/2021	University
EPI_ISL_4744337	9/22/2021	University
EPI_ISL_4744141	9/23/2021	University
EPI_ISL_4744360	9/23/2021	University
EPI_ISL_4744309	9/23/2021	University
EPI_ISL_4744390	9/23/2021	University
EPI_ISL_4744355	9/23/2021	University
EPI_ISL_4744362	9/23/2021	University
EPI_ISL_7379237	9/23/2021	Community
EPI_ISL_4744125	9/23/2021	Community
EPI_ISL_4744358	9/23/2021	Community
EPI_ISL_4744331	9/23/2021	University
EPI_ISL_4744354	9/23/2021	University
EPI_ISL_4744140	9/23/2021	University
EPI_ISL_4744396	9/23/2021	University
EPI_ISL_4744366	9/23/2021	University
EPI_ISL_4744203	9/24/2021	University
EPI_ISL_4744211	9/24/2021	University
EPI_ISL_4744192	9/24/2021	University
EPI_ISL_4744142	9/24/2021	University
EPI_ISL_4744330	9/24/2021	University
EPI_ISL_4744395	9/24/2021	University
EPI_ISL_4744348	9/24/2021	University
EPI_ISL_4744342	9/24/2021	University
EPI_ISL_4744381	9/24/2021	University
EPI_ISL_4744343	9/24/2021	University
EPI_ISL_8365525	9/24/2021	Community
EPI_ISL_4744356	9/24/2021	Community
EPI_ISL_4744394	9/24/2021	Community
EPI_ISL_4744197	9/24/2021	University
EPI_ISL_4744131	9/24/2021	University
EPI_ISL_4744365	9/24/2021	University
EPI_ISL_4968359	9/24/2021	University
EPI_ISL_4744371	9/24/2021	University
EPI_ISL_4744368	9/24/2021	University
EPI_ISL_4968136	9/25/2021	University
EPI_ISL_7379252	9/25/2021	Community
EPI_ISL_4968090	9/25/2021	University
EPI_ISL_4968335	9/25/2021	University
EPI_ISL_4968267	9/25/2021	University
EPI_ISL_5170422	9/26/2021	Community

EPI_ISL_4968114	9/27/2021	University
EPI_ISL_4968208	9/27/2021	University
EPI_ISL_4968279	9/27/2021	University
EPI_ISL_4968143	9/27/2021	University
EPI_ISL_7379249	9/27/2021	Community
EPI_ISL_7379250	9/27/2021	Community
EPI_ISL_5170630	9/27/2021	Community
EPI_ISL_4902130	9/27/2021	Community
EPI_ISL_4968285	9/27/2021	Community
EPI_ISL_4902159	9/27/2021	Community
EPI_ISL_4968225	9/27/2021	University
EPI_ISL_4968349	9/27/2021	University
EPI_ISL_4968302	9/27/2021	University
EPI_ISL_4968348	9/27/2021	University
EPI_ISL_4968230	9/27/2021	University
EPI_ISL_4968346	9/27/2021	University
EPI_ISL_4968381	9/27/2021	University
EPI_ISL_4968185	9/27/2021	University
EPI_ISL_4968198	9/27/2021	University
EPI_ISL_5059500	9/28/2021	University
EPI_ISL_4968352	9/28/2021	University
EPI_ISL_4968089	9/28/2021	University
EPI_ISL_4968398	9/28/2021	Community
EPI_ISL_4968241	9/28/2021	University
EPI_ISL_5059633	9/28/2021	University
EPI_ISL_4968170	9/28/2021	University
EPI_ISL_5059661	9/28/2021	University
EPI_ISL_5059118	9/28/2021	Community
EPI_ISL_5059634	9/28/2021	University
EPI_ISL_4968328	9/28/2021	University
EPI_ISL_5059665	9/28/2021	University
EPI_ISL_5059156	9/29/2021	University
EPI_ISL_5059694	9/29/2021	University
EPI_ISL_5082888	9/29/2021	Community
EPI_ISL_5059468	9/29/2021	University
EPI_ISL_5059451	9/29/2021	University
EPI_ISL_5059685	9/29/2021	University
EPI_ISL_5059682	9/29/2021	Community
EPI_ISL_5059609	9/30/2021	University
EPI_ISL_5059624	9/30/2021	University
EPI_ISL_7455920	9/30/2021	Community
EPI_ISL_5059671	9/30/2021	Community
EPI_ISL_5091546	9/30/2021	Community

EPI_ISL_5059583	9/30/2021	University
EPI_ISL_5059268	9/30/2021	Community
EPI_ISL_5059654	9/30/2021	University
EPI_ISL_5059059	10/1/2021	University
EPI_ISL_5059394	10/1/2021	University
EPI_ISL_5059600	10/1/2021	University
EPI_ISL_5059449	10/1/2021	University
EPI_ISL_5059107	10/1/2021	Community
EPI_ISL_5091882	10/1/2021	Community
EPI_ISL_5091881	10/1/2021	Community
EPI_ISL_5059536	10/1/2021	Community
EPI_ISL_5059676	10/1/2021	University
EPI_ISL_8365613	10/2/2021	Community
EPI_ISL_5418284	10/3/2021	Community
EPI_ISL_5193299	10/4/2021	University
EPI_ISL_5328573	10/4/2021	University
EPI_ISL_5193327	10/4/2021	Community
EPI_ISL_5193291	10/4/2021	University
EPI_ISL_5193359	10/4/2021	University
EPI_ISL_5193349	10/4/2021	University
EPI_ISL_5193294	10/4/2021	University
EPI_ISL_5193287	10/4/2021	University
EPI_ISL_5193289	10/4/2021	Community
EPI_ISL_5193282	10/4/2021	University
EPI_ISL_6650054	10/4/2021	Unknown
EPI_ISL_6058716	10/4/2021	Unknown
EPI_ISL_5193423	10/4/2021	University
EPI_ISL_5193401	10/5/2021	University
EPI_ISL_5328579	10/5/2021	University
EPI_ISL_5193308	10/5/2021	University
EPI_ISL_5328665	10/6/2021	University
EPI_ISL_5328760	10/6/2021	University
EPI_ISL_5328694	10/6/2021	University
EPI_ISL_5328672	10/6/2021	University
EPI_ISL_5328761	10/6/2021	Community
EPI_ISL_5328602	10/6/2021	University
EPI_ISL_5872308	10/6/2021	Unknown
EPI_ISL_5328559	10/6/2021	University
EPI_ISL_5328606	10/7/2021	University
EPI_ISL_5328663	10/7/2021	University
EPI_ISL_5328584	10/7/2021	University
EPI_ISL_5328784	10/8/2021	University
EPI_ISL_5875053	10/10/2021	Unknown

EPI_ISL_5928622	10/10/2021	Unknown
EPI_ISL_5461710	10/11/2021	Community
EPI_ISL_5928904	10/11/2021	Community
EPI_ISL_5308481	10/11/2021	Community
EPI_ISL_5461661	10/11/2021	University
EPI_ISL_6072970	10/11/2021	Unknown
EPI_ISL_5461692	10/12/2021	University
EPI_ISL_5461623	10/12/2021	Community
EPI_ISL_6077336	10/12/2021	Unknown
EPI_ISL_5628793	10/13/2021	Community
EPI_ISL_5628667	10/13/2021	University
EPI_ISL_5628771	10/13/2021	University
EPI_ISL_5628798	10/13/2021	Community
EPI_ISL_5628858	10/13/2021	Community
EPI_ISL_5628821	10/13/2021	University
EPI_ISL_5628840	10/13/2021	University
EPI_ISL_5628730	10/14/2021	Community
EPI_ISL_5628778	10/14/2021	Community
EPI_ISL_5628761	10/14/2021	University
EPI_ISL_5628696	10/14/2021	University
EPI_ISL_5628679	10/14/2021	University
EPI_ISL_5628731	10/14/2021	Community
EPI_ISL_5628809	10/14/2021	Community
EPI_ISL_6077970	10/14/2021	Unknown
EPI_ISL_8365799	10/15/2021	Community
EPI_ISL_5644184	10/15/2021	Community
EPI_ISL_5644508	10/15/2021	Community
EPI_ISL_5644384	10/15/2021	Community
EPI_ISL_7658986	10/15/2021	Community
EPI_ISL_7659086	10/15/2021	Unknown
EPI_ISL_7659247	10/15/2021	Unknown
EPI_ISL_7659339	10/15/2021	Unknown
EPI_ISL_5644381	10/18/2021	University
EPI_ISL_5644468	10/18/2021	Community
EPI_ISL_5644515	10/18/2021	Community
EPI_ISL_5644512	10/18/2021	Community
EPI_ISL_5644507	10/18/2021	Community
EPI_ISL_5644506	10/18/2021	Community
EPI_ISL_5644178	10/18/2021	Community
EPI_ISL_5644488	10/18/2021	University
EPI_ISL_5644485	10/18/2021	Community
EPI_ISL_5644119	10/18/2021	Community
EPI_ISL_5644352	10/18/2021	Community

EPI_ISL_5644203	10/18/2021	University
EPI_ISL_5644236	10/18/2021	University
EPI_ISL_5644471	10/18/2021	University
EPI_ISL_5644346	10/18/2021	University
EPI_ISL_5779352	10/19/2021	University
EPI_ISL_5644514	10/19/2021	Community
EPI_ISL_5644454	10/19/2021	Community
EPI_ISL_5779254	10/19/2021	Community
EPI_ISL_5779180	10/19/2021	Community
EPI_ISL_5779193	10/19/2021	Community
EPI_ISL_5644495	10/19/2021	Community
EPI_ISL_5644145	10/19/2021	Community
EPI_ISL_5779248	10/20/2021	Community
EPI_ISL_5779408	10/20/2021	Community
EPI_ISL_5779190	10/20/2021	Community
EPI_ISL_5779175	10/20/2021	Community
EPI_ISL_5779234	10/20/2021	Community
EPI_ISL_5779229	10/21/2021	Community
EPI_ISL_5779169	10/21/2021	University
EPI_ISL_5779170	10/21/2021	University
EPI_ISL_6088861	10/22/2021	Unknown
EPI_ISL_5779237	10/23/2021	Community
EPI_ISL_5779311	10/23/2021	Community
EPI_ISL_5779309	10/23/2021	Community
EPI_ISL_5932751	10/23/2021	University
EPI_ISL_5779279	10/23/2021	Community
EPI_ISL_6409546	10/23/2021	Unknown
EPI_ISL_6385920	10/24/2021	Community
EPI_ISL_6419202	10/24/2021	Community
EPI_ISL_7658570	10/25/2021	Community
EPI_ISL_7455973	10/25/2021	Community
EPI_ISL_7745632	10/25/2021	Unknown
EPI_ISL_6389186	10/25/2021	Unknown
EPI_ISL_6075088	10/26/2021	Community
EPI_ISL_7660662	10/26/2021	Community
EPI_ISL_6075064	10/26/2021	Community
EPI_ISL_6403949	10/26/2021	Community
EPI_ISL_6386984	10/26/2021	Community
EPI_ISL_5932871	10/26/2021	Community
EPI_ISL_5932722	10/26/2021	Community
EPI_ISL_5932865	10/26/2021	Community
EPI_ISL_6074999	10/27/2021	Community
EPI_ISL_6390891	10/27/2021	Unknown

EPI_ISL_6074818	10/28/2021	Community
EPI_ISL_6074876	10/28/2021	Community
EPI_ISL_6545612	10/30/2021	Unknown
EPI_ISL_6228210	11/1/2021	Community
EPI_ISL_7379256	11/1/2021	Community
EPI_ISL_6228239	11/1/2021	Community
EPI_ISL_6561174	11/1/2021	Unknown
EPI_ISL_6558701	11/1/2021	Unknown
EPI_ISL_6562721	11/1/2021	Unknown
EPI_ISL_8366075	11/2/2021	Community
EPI_ISL_6228241	11/2/2021	Community
EPI_ISL_6228204	11/2/2021	Community
EPI_ISL_6535423	11/3/2021	Community
EPI_ISL_6584160	11/3/2021	University
EPI_ISL_6535455	11/3/2021	Community
EPI_ISL_6584187	11/4/2021	Community
EPI_ISL_9040177	11/8/2021	Community
EPI_ISL_7660721	11/8/2021	Community
EPI_ISL_6573153	11/8/2021	Community
EPI_ISL_6573042	11/8/2021	Community
EPI_ISL_6666945	11/9/2021	University
EPI_ISL_8366091	11/9/2021	Community
EPI_ISL_7660660	11/9/2021	Community
EPI_ISL_7660657	11/9/2021	Community
EPI_ISL_6666982	11/9/2021	Community
EPI_ISL_6666961	11/9/2021	Community
EPI_ISL_6666830	11/9/2021	Community
EPI_ISL_6666829	11/9/2021	Community
EPI_ISL_6666918	11/9/2021	Community
EPI_ISL_6666825	11/9/2021	University
EPI_ISL_7911193	11/9/2021	Unknown
EPI_ISL_6792129	11/10/2021	Unknown
EPI_ISL_6792105	11/10/2021	Unknown
EPI_ISL_7660714	11/12/2021	Community
EPI_ISL_7410697	11/12/2021	Community
EPI_ISL_7931526	11/12/2021	Community
EPI_ISL_6863159	11/13/2021	Community
EPI_ISL_6901039	11/13/2021	Community
EPI_ISL_6901037	11/13/2021	Community
EPI_ISL_6863133	11/15/2021	Community
EPI_ISL_6863214	11/15/2021	Community
EPI_ISL_6863155	11/15/2021	Community
EPI_ISL_6863247	11/15/2021	Community

EPI_ISL_6863288	11/15/2021	Community
EPI_ISL_6863278	11/15/2021	Community
EPI_ISL_7247988	11/15/2021	Unknown
EPI_ISL_7660735	11/16/2021	Community
EPI_ISL_7120434	11/16/2021	Community
EPI_ISL_7120437	11/16/2021	Community
EPI_ISL_7286078	11/18/2021	University
EPI_ISL_7660790	11/19/2021	Community
EPI_ISL_7499104	11/20/2021	Unknown
EPI_ISL_7269450	11/21/2021	Community
EPI_ISL_7983645	11/23/2021	Community
EPI_ISL_7983791	11/23/2021	Community
EPI_ISL_7945198	11/26/2021	Unknown
EPI_ISL_7735419	11/27/2021	Community
EPI_ISL_7191953	11/27/2021	Community
EPI_ISL_7191950	11/27/2021	Community
EPI_ISL_7192028	11/27/2021	Community
EPI_ISL_8319566	11/29/2021	Unknown
EPI_ISL_7767632	11/29/2021	Unknown
EPI_ISL_8319353	11/29/2021	Unknown
EPI_ISL_7462503	12/1/2021	Community
EPI_ISL_7462655	12/1/2021	Community
EPI_ISL_7495910	12/1/2021	Community
EPI_ISL_7642342	12/2/2021	Community
EPI_ISL_7495926	12/3/2021	Community
EPI_ISL_7495845	12/3/2021	Community
EPI_ISL_7495771	12/3/2021	Community
EPI_ISL_7642844	12/4/2021	Community
EPI_ISL_7642487	12/4/2021	Community
EPI_ISL_7644243	12/6/2021	University
EPI_ISL_7644091	12/6/2021	Community
EPI_ISL_7776757	12/9/2021	University
EPI_ISL_7776764	12/9/2021	Community
EPI_ISL_7776796	12/9/2021	Community
EPI_ISL_8077231	12/11/2021	Unknown
EPI_ISL_7898209	12/13/2021	Community