A consolidated and geolocated facility list in Senegal: outputs from triangulating secondary data

Daouda M Gueye[1], Alioune Badara Ly,[2] Babacar Gueye[3], Papa Ibrahima Ndour[3,4], Nancy Fullman[5,6*],
Patrick Y Liu[5], Khadim Mbaye[4], Aliou Diallo[7], Ibrahima Diatta,[2] Saly Amos Diatta[1], Mouhamadou
Moustapha Mane[1], Gloria Ikilezi[5], Moussa Sarr[1]

[1]Institut de Recherche en Santé de Surveillance Epidémiologique et de Formations (IRESSEF), Dakar,
Senegal
[2]Centre des Opérations d'Urgence Sanitaire (COUS), Ministère de la Santé et de l'Action Sociale (MSAS),
Dakar, Senegal
[3]Direction de la Planification, de la Recherche et des Statistiques (DPRS), MSAS, Dakar, Senegal
[4]Agence Nationale de la Démographie et de la Statistique (ANSD), Dakar, Senegal
[5]Exemplars in Global Health, Gates Ventures, Seattle, Washington, USA
[6]Department of Global Health, University of Washington, Seattle, Washington, USA
[7]Expanded Programme on Immunisation Unit, WHO Country Office Senegal, Dakar, Senegal

*Corresponding author: Nancy Fullman: nancy.fullman@gatesventures.com

Abstract

Having a geolocated list of all facilities in a country – a "master facility list" (MFL) – can provide critical
inputs for health program planning and implementation. To the best of our knowledge, Senegal has
never had a centralized MFL, though many data sources currently exist within the broader Senegalese
data landscape that could be leveraged and consolidated into a single database – a critical first step
toward building a full MFL. We collated 12,965 facility observations from 16 separate datasets and lists
in Senegal, and applied matching algorithms, manual checking and revisions as needed, and verification
processes to identify unique facilities and triangulate corresponding GPS coordinates. Our resulting
consolidated facility list has a total of 4,685 facilities, with 2,423 having at least one set of GPS
coordinates. Developing approaches to leverage existing data toward future MFL establishment can help
bridge data demands and inform more targeted approaches for completing a full facility census based
on areas and facility types with the lowest coverage. Going forward, it is crucial to ensure routine
updates of current facility lists, and to strengthen government-led mechanisms around such data
collection demands and the need for timely data for health decision-making.

Key words: master facility list, health facility data, secondary data use, data triangulation, Senegal

Background and Summary

Having comprehensive, routinely updated data on how many health facilities exist – and where they are – is critical for health agency's planning and programming operations. From determining investments for new or modified service provision and how to optimally reach underserved communities to supporting efficient medical supply chain and delivery logistics to facility providers,[1–3] numerous components of health system functioning and performance at least benefit from – if not rely upon – granular health facility data. Furthermore, gaps in such facility information can hinder effective coordination across and within health systems. Beyond important financial and broader resource losses associated with inadequate health system coordination, consequences can quickly escalate when undertaking emergency responses to natural disasters (e.g., 2010 Haiti earthquake[4]) and infectious disease outbreaks.[5] Nonetheless, many countries have not yet established comprehensive health facility registries, or what is often referred to as a master facility list (MFL),[1,3] or have done so with corresponding geolocation data (e.g., GPS) and identifiers to support direct linkages across national health information and data systems. This gap between a recognized need – national health facility registries or digitized MFLs – and widespread implementation may not be surprising. After all, the investment case for comprehensive facility data collection and maintenance may often be viewed as less than clear-cut, especially given the high cost and time required to conduct health facility censuses (arguably the 'gold standard' for establishing an MFL) and challenges in ensuring full representation across public, private, and informal health sectors with regular updates. Accordingly, efforts to leverage and triangulate existing health facility data sources offer a vital bridge toward building a full national health facility registry or MFL.

Past work demonstrates the utility of triangulating various data sources and supplementary inputs to establish geolocated databases of health facilities.[6–9] In many ways, Maina and colleagues initially pioneered this approach by assembling a range of government-established MFLs, facility data portals, reports, and other lists to generate a spatial database of publicly managed health facilities for 50 countries in sub-Saharan Africa.[6] This spatial database offered many strengths, including its well-documented data synthesis process and standardized outputs; at the same time, its comprehensiveness understandably varied by country. For countries where formal MFLs existed as of 2019, this geospatial database directly reflected the equivalent of a national registry for publicly managed facilities. For Senegal, a country with a reported 3,967 health facilities in 2018,[10] only 1,347 facilities were included and no *case de santés* (health huts), a key publicly managed facility type which offers basic primary care services at the community level, were expressly listed. Country-specific initiatives have drawn from routine health information systems, such as the DHIS2, and sought to harmonize parallel or duplicate facility lists being maintained by disparate entities with formal centralization and verification processes.[11–13] Data-focused organizations including GRID3 and Bluesquare have both directly supported such triangulation work streams, and then augmented identified gaps or discrepancies in reported GPS coordinates with primary data collection.[8] Each of these approaches also have strengths, particularly in terms of jumpstarting infrastructure for updating and adding new health facility data over time; however, they require upfront – and longer-term – financial and political commitments to fully implement. Lastly, global platforms such as Human Data Exchange (HDX) and healthsites.io have sought to provide open-sourced health facility data repositories, combining OpenStreetMap functionalities with volunteer-provided information on health facilities.[14,15] This open-source data approach has various advantages, especially its potential use cases for a wide set of audiences; at the same time, its

comprehensiveness is strongly affected by volunteer engagement and participation. A recent WHO
endeavor, the Geolocated Health Facility Data (GHFD) initiative, aims to draw from these various
approaches and support the establishment of geolocated MFLs for each of the 194 WHO member states
by 2027.[16] To achieve this ambition, particularly for countries without a formal MFL to date, it is
important to document approaches used and lessons learned across different resource settings and data
contexts.
92
Senegal has demonstrated regular use of facility-level information and cultivated strong demand for
data use in health service planning; however, to the best of our knowledge, Senegal has never had a
centralized MFL or comprehensive database of health facilities with directly linkable geolocated
information.[6,7] Many potential use cases and applications for such a consolidated facility list have
already been identified, such as strengthening strategic planning and monitoring of health program
activities, optimizing resource deployment and logistics to health facilities, and streamlining health
service referral systems. Total facility counts, by health region and/or facility type are routinely updated
through the Annual Health Map Monitoring Report (*Rapport Annuel de Suivi de la Carte Sanitaire*), as
produced by Cellule de la Carte sanitaire et sociale, de la Santé digitale et de l'Observatoire de la Santé
(CSSDOS).[17,18] Furthermore, facility lists known as facility frames have been updated at various times
between 2012 and 2019 for Senegal's continuous Service Provision Assessment (SPA) series to support
survey sampling procedures.[10,19–24] Myriad facility data are publicly available, as well as supported and
updated within the country (e.g., COUS facility survey regional facility lists); however, few efforts have
occurred to systematically identify and triangulate this range of secondary data into a consolidated
facility list. As highlighted by the WHO GHFD initiative and others,[6,8,16] this first step of data triangulation
against existing sources is a critical for paving pathways toward a full MFL or registry equivalent in the
future.
110
111 Here we describe the approach and process used to triangulate 16 different secondary data sources to
112 build a consolidated and, where possible, geolocated facility list in Senegal from March 2021 to May
113 2023. These results can serve as a contemporary foundation toward a future MFL in Senegal, identifying
114 areas or facility types with higher levels of georeferencing and those where further (but more targeted)
115 data collection efforts may be most beneficial.
116

Methods

Overview

Our overall approach involved four main steps: 1) identify and collate available facility lists and facility
data with GPS; 2) standardize each facility observation across sources and match facilities found in more
than one list to each other, with the aim of generating a consolidated list of unique facility observations
through a combination of fuzzy-name and geolocation matching, and then manual matching and
revision where needed; 3) where available, assign GPS coordinates to each unique facility observation
based on existing sources; and 4) conduct additional verification, including review by regional focal
points. From January 31-February 1, 2023, a facility list workshop was co-hosted in Dakar by the Institut
de Recherche en Santé de Surveillance Epidémiologique et de Formations (IRESSEF) and Centre des
Opérations d'Urgence Sanitaire (COUS) to garner feedback and next steps toward establishing a MFL or
equivalent facility database in Senegal.
129

Going forward, we refer to the resulting facility list from our triangulation and collation procedures as a
consolidated facility list, or CFL. Such a designation is meant to reflect the extensive efforts made to
consolidate facility information into a list of unique observations while recognizing that the output
should not be classified as a formalized MFL. For this CFL, we focus on four main types of health facilities
in the formal health sector in Senegal:[25] hospitals, health centers, health posts, and health huts (Table
1). Facilities classified as "other" – as reported by original sources or designated as "doctors" or an
unspecified clinic – are included resulting datasets[26,27] but do not contribute to the total counts for the
CFL reported here.
138
139   **Table 1. Summary of main facility types in the formal health system in Senegal: hospitals, health**
140   **centers, health posts, and health huts.**
141

Facility type	Summary of key facility functions and attributes
Hospitals	- Provides range of services, from primary to tertiary care - Within the public system, there are national and regional hospitals
Health centers	- Main point of service for secondary care, with each health district having at least one health center
Health posts	- Main point of service for primary care, serving as the main point of health system contact with most populations - In more rural areas, provides direct oversight and support for health hut service provision - In more urban areas, may be referred to as clinics
Health huts	- Provides a subset of basic primary care services as means to extend service access in communities with lower service availability (e.g., rural, remote populations) - Typically linked to a health post or health center for direct supervision and provision of supplies and equipment

142
Data sources
From March 2021 to May 2022, facility-level data were identified and collated from a combination of
publicly available data sources, data initiatives such as the Demographic and Health Survey (DHS)
program[10,20–24] or ESRI,[28] published facility-level datasets such as those by Maina and colleagues,[6] and
data files shared by Senegalese government entities such as COUS and Agence Nationale de Statistique
et de la Démographie (ANSD) (Table 2). 13 datasets were identified and collated during this time, with
Table 2 providing more information on each source, GPS availability and coverage, date of data access,
and any additional relevant information. An additional three datasets were incorporated after the
facility workshop in Dakar, bringing the total input facility lists or datasets to 16 by May 2023.

Table 2. Data sources used for triangulation for a consolidated facility list in Senegal. ANSD=Agence Nationale de la Démographie et de la Statistique.

COUS=Centre des Opérations d'Urgence Sanitaire. DGES=Direction Générale des Etablissements de Santé. DHS=Demographic and Health Survey.

GPS=Global positioning system. HDX=Human Data Exchange. MSAS=Ministère de la santé et de l'Action Sociale. SPA=Service Provision Assessment.

Data	Year of representation	Total facilities*	Total facilities with GPS**	Time of access	Mode of access	Additional notes
ANSD	2017-2018	3,962	N/A	March 2022	Data file shared via personal communication	This data file was reported being used for the SPA 2017-2018 sampling frame.
MSAS	Unknown	1,555	N/A	May 2021	Data file shared via personal communication	This data file included health centers and health posts
COUS	2021	1,488	1,481	March 2021	Data file shared via personal communication	
HDX[14]	Unknown	1,270	322	April 2021	Downloaded data from https://data.humdata.org/dataset/senegal-healthsites	
ESRI[28]	Unknown	241	241	July 2021	Downloaded data from https://esrisenegal-esrisenegal.opendata.arcgis.com/datasets/carte-sanitaire-kaolack	Data were for Kaolack region only
Maina et al 2019[6]	Unknown	1,347	1,256	April 2021	Downloaded data from https://www.nature.com/articles/s41597-019-0142-2	These data included hospitals, health centers, and health posts, and was reported to be limited to public facilities.
SPA 2014[20]	2014	464	422	March 2021; April 2023	Applied for from DHS program	Facility names were included in facility district files, which were requested separately from the original DHS application.
SPA 2015[21]	2015	483	434	March 2021; April 2023	Applied for from DHS program	Facility names were included in facility district files, which were requested separately from the original DHS application.

Data	Year of representation	Total facilities*	Total facilities with GPS**	Time of access	Mode of access	Additional notes
SPA 2016[22]	2016	484	448	March 2021; April 2023	Applied for from DHS program	Facility names were included in facility district files, which were requested separately from the original DHS application.
SPA 2017[23]	2017	794	783	March 2021; April 2023	Applied for from DHS program	Facility names were included in facility district files, which were requested separately from the original DHS application.
SPA 2018[10]	2018	466	N/A	March 2021; April 2023	Applied for from DHS program	Facility names were included in facility district files, which were requested separately from the original DHS application.
SPA 2019[24]	2019	454	N/A	March 2021; April 2023	Applied for from DHS program	Facility names were included in facility district files, which were requested separately from the original DHS application.
Tambacounda region	2022	268	N/A	May 2022	Data file shared via personal communication	This regional data file included health centers, health posts, and health huts.
Louga region	2023	550	N/A	February 2023	Data file shared via personal communication after the Dakar facility data workshop (January 31-February 1)	This regional data file included health centers, health posts, and health huts.
Sedhiou region	Unknown	180	N/A	February 2023	Data file shared via personal communication after the Dakar facility data workshop (January 31-February 1)	This regional data file included hospitals, health centers, health posts, and health huts, as well as other facility types (e.g., pharmacies).
DGES	Unknown (potentially 2023)	41	N/A	February 2023	Data file shared via personal communication after the Dakar facility data workshop (January 31-February 1)	This document included a list of hospitals in Senegal.

157 *Total facilities reported here do not account for facility duplicates or facilities that were excluded due to being facility types outside of scope for this work

158 (e.g., pharmacies, laboratories); reported values here reflect facility totals as presented in the original data. **Total facilities with GPS reported here only

159 include facility types within scope of the CFL: hospitals, health centers, health posts, and health huts.

Data processing, matching, and verification steps

Fig. 1 provides an overview of the key steps involved in data processing, facility matching, and verification steps undertaken for this CFL.

For each data source, we extracted and standardized the following facility attributes: facility name, facility type, facility ownership, and first-level administrative unit (region). When not provided in the original dataset, facility type was identified by the facility name string (e.g., "PS Nemataba" or "Nemataba Poste de Santé" in Kolda). Duplicate facilities within sources were removed.

We then combined all facility observations into a pooled database (n=12,965 facility observations). Within the pooled, de-duplicated facility database, we used a fuzzy-matching algorithm to group facility names within each region as potential matches. This algorithm was operationalized as a Jaro-Winkler distance,[29] with a threshold score of 0.2. To optimize the matching process, we first pre-processed the facility name string by removing non-Latin characters, removing facility type strings (e.g., "CS", "Case de Santé), expanding common acronyms (e.g., "St." to "Saint"), and standardizing facility numbering (e.g., "Facility iii" to "Facility 3"). Matches that met the fuzzy-string threshold were then manually verified and corrected for any false positive and false negative matches.

The matched lists underwent additional technical and manual verification. For the technical verification, we identified and reviewed all facility matches where the implied distance between observations, as defined by the Haversine distance between GPS points,[30] exceeded 1 kilometer, as well as matches with multiple or conflicting facility types across sources. The entire database was then carefully reviewed to assess the accuracy of matches and identify facilities where additional verification was needed by national and/or regional health system experts in Senegal. While identified verification needs varied, the most common areas for further confirmation included:

- *Same facility name with different facility types in a given region (and often department and health district)* Facilities with the same name but different facility types can be distinct facilities that should be treated as unique observations in a CFL (e.g., CS Fatick and Hôpital de Fatick in the region of Fatick). However, more frequently these facilities were once classified as a lower-level facility that have been subsequently upgraded to a higher level facility type (e.g., a health hut being upgraded to a health post). Accordingly, they are technically the same facility (with the same GPS), and should be treated as a single facility observation for the CFL.

- *Same facility name and type in a given region but different departments and/or health districts.* Facilities with the same name and facility type but are listed under different second-level administrative units usually fall into one of two scenarios. First, they are in fact distinct facilities and a given region has more than one of the same facility type with the same name (e.g., PS Mlomp in the health districts of Oussouye and Thionk Essyl in the region of Ziguinchor); subsequently these facilities should be treated as unique observations in a CFL. Second, differences in second-level administrative unit names may actually reflect different administrative categorizations that both technically comprise the "second-level" geographic groupings after Senegal's 14 regions: departments (n=45) and health districts (n=77 to 79). Departments are the formal second-level administrative boundaries in Senegal, whereas health districts reflect the geographies at which peripheral health authorities operate the country's

205 health system structure.[25] Although we mapped health districts to corresponding departments
206 for 98% facility observations, further reconciliation is needed.
207

● *Same facility type in a given region (and often department and/or health district) with similar*
but 'different enough' names. Facilities with similar but 'different enough' names usually are not
matched via algorithms. When GPS are available for a set of facilities in question, manual
matches can be ascertained based on how similar their locations are. However, unless additional
triangulation can be done, these facilities are flagged for further verification.

The next step involved assigning available GPS coordinates for each 'unique' facility observation. If a
singular facility had linked GPS coordinates or a matched group of facilities across sources only had one
set GPS associated with them, the corresponding GPS coordinates were used. If multiple GPS
coordinates were reported across sources for a given facility group, we applied a preferential algorithm
for source-specific GPS: COUS, and if no GPS from COUS, then non-2017 SPA (2016, 2015, 2014), then
SPA 2017, then ESRI, then HDX, and then Maina and colleagues. This hierarchy was based on the degree
to which source-specific GPS coordinates appeared to vary and prioritizing government-associated
sources (COUS and then SPA, which was co-implemented by ANSD) over external datasets. Last, we
supplemented GPS assignment with Google Maps for 9 hospitals from DGES, most of which had opened
since 2020. No additional geolocation activities occurred.

Three rounds of additional data verification occurred by sharing the CFL and corresponding inquiries to
regional focal points for each of Senegal's 14 medical regions and health system experts. All regions
participated in the first round of verification, which occurred from June 2022 to August 2022. After
incorporating the initial feedback provided by regional focal points, we sought to conduct follow-up
verification efforts to address the remaining flagged facilities. Four regions (Dakar, Diourbel, Fatick, and
Thies) provided second-round feedback from November to December 2022. The initial version of this
CFL was disseminated by IRESSEF, COUS, and Direction de la Planification, de la Recherche et des
Statistiques (DPRS) at a two-day workshop in Dakar, Senegal from January 31-February 1, 2023; the
workshop report is available in Supplementary file 1. Nine out of 14 medical regions were in attendance,
with Sedhiou and Louga focal points providing additional feedback and facility lists for verification
purposes. A representative from the Direction Générale des Etablissements de Santé (DGES) also
provided an up-to-date list of hospitals in Senegal; in combination, these three additional data sources
were used as a third round of verification.

After data processing and verification procedures, we generated a CFL of 4,685 unique facility
observations (Supplementary table 1),[26] with 2,423 of these facilities having at least one set of linked
GPS. Fig 2a shows the distribution of all geolocated facilities in Senegal, while Fig 2b-e reflect these
distributions by facility type (hospitals, health centers, health posts, and health huts).

Data Records

The CFL and full facility list described here are available publicly and freely at the following repository
through both the figshare repository[26,27] and GitHub: https://github.com/iressef-egh/senegal-cfl The
datasets available through figshare will remain in their original form, while the data hosted at GitHub
will be updated as further data validation or updates occur. Table 3 details variables in the CFL data file,

while Table 4 lists variables and descriptions in the full facility list dataset, both of which are available in
.csv formats; equivalent codebooks in French and English are on GitHub.
251
The CFL and full facility list data files are meant to be complementary to each other, with the CFL
providing a more streamlined dataset with the most internally consistent variables across input data.
The full facility list dataset, which is linkable to the CFL with the match_id variable, provides more
granular information that can be directly transported to the CFL based on user decisions or preferences.
For instance, health facility ownership varies substantially across matched facilities (i.e., 1,899 facilities
[40.5%] had different managing authorities or ownership associated within a unique facility group
[Supplementary table 2]. Accordingly, using the match_id variable, users can determine which sources
they view as more accurate to assign facility ownership.
260
In terms of geographic characteristics, both datasets include region – the first-level administrative unit
for Senegal – and GPS coordinates are rounded off to five decimal points for consistency. All coordinates
are reported in decimal degrees format, per the World Geodetic System 1984 (WGS84) coordinate
system. Departments (second-level administrative unit) and health districts are provided in the full
facility list file, as they are not as consistently available across all facilities. More localized administrative
units in Senegal – arrondissements and communes – were not included for most input data sources;
furthermore, to the best of our knowledge, corresponding shapefiles are not available at such
geographic granularity.
269
270   **Table 3. Variable descriptions for the consolidated facility list in Senegal.**
271

Consolidated facility list dataset	
File name	senegal_consolidated_facilitylist.csv
Total observations	4,685
Consolidated facility list variables	
Variable name	**Variable description**
region	Region in Senegal.
match_id	Facility id assigned for each unique facility grouping identified in the consolidated facility list. This identifier links the unique observations found in this dataset to the 'full' version of this dataset where all facilities for a given match_id have been matched into match groups. *Note*: this id does not correspond with a particular data source or formal health information system (e.g., DHIS2).
match_name	This is the processed version of health facility name used for matching, excluding special characters and variations found across sources. Original facility names, as included by source, can be found under "fac_name_orig" in the "senegal_full_facilitylist.xlsx" dataset.
group_fac_type	This is the facility type assigned to a unique facility observation. Original facility types may vary by source, of which are listed under "fac_type_orig" in the "senegal_full_facilitylist.xlsx" dataset. Facility types included in this dataset are as follows in French (without special characters), with English translations: - hopital= hospital - centre de esante = health center - poste de esante = health post - case de sante= health hut - autre = other
group_latitude	Assigned latitude coordinates.
group_longitude	Assigned longitude coordinates.

group_gps_source	Source of assigned facility GPS.
n_gps	Number of linked sources with GPS for a unique facility observation.
n_source	Number of linked sources for a unique facility observation.
source_list	List of sources for a unique facility observation.
data_flagged	Variable whereby "1" indicates outstanding verification needs or follow-up questions.
data_notes	Further detail about outstanding verification needs or follow-up questions about the given facility. *All notes are in English at present.*

273   **Table 4. Variable descriptions for the full facility list in Senegal.**

Full facility list dataset	
File name	senegal_full_facilitylist_full.csv
Total observations	12,965
Full facility list variables	
Variable name	**Variable description**
region	Region in Senegal.
department	Formal second-level administrative unit for Senegal, with n=45. *Note:* Data sources varied in their reporting of departments or health districts (and did not always specify which was included). Mapping capturing department information and accounting for inaccuracies occurred where possible, but some facility-source observations may not have a department included.
health_district	The peripheral level of Senegal's health sector, with an n=77 to 79. *Note:* Data sources varied in their reporting of departments or health districts (and did not always specify which was included). Mapping from district to department and accounting occurred where possible, but some facility-source observations may not have a health district included.
match_id	Facility id assigned for each unique facility grouping identified in the consolidated facility list. This identifier links facility groups in this dataset to unique observations found in the consolidated facility list. *Note:* this id does not correspond with a particular data source or formal health information system (e.g., DHIS2).
match_name	Processed version of the health facility name used for matching, excluding special characters, variations found across sources.
fac_name_orig	Original health facility name, as found in a given facility data source.
group_fac_type	This is the facility type assigned to a unique facility observation. Original facility types may vary by source, of which are listed under "fac_type_orig." Facility types included in this dataset are as follows in French (without special characters), with English translations: English translations: - hopital= hospital - centre de esante = health center - poste de esante = health post - case de sante= health hut - autre = other
fac_type_orig	Original facility type, as provided in a given facility data source.
group_fac_own	Processed version of the managing authority for a given facility. Types included in this dataset are as follows in French (without special characters), with English translations: - publique = public - prive = private - ong ou mission/confessionnel = NGO or mission/faith-based - paramilitaire = paramilitary
fac_own_orig	Managing authority for the health facility, as provided in a given facility data source.
latitude	Latitude coordinates, as provided in a given data source.
longitude	Longitude coordinates, as provided in a given data source.

max_gps_dist	Maximum Haversine distance in kilometers between GPS coordinates for each unique facility grouping. If a facility has only set of GPS coordinates (n_gps==1), this variable is blank
source	Facility data source.
data_flagged	Variable whereby "1" indicates outstanding verification needs or follow-up questions.
data_notes	Further details about outstanding verification needs or follow-up questions about the given facility. All notes are in English at present. If there is information in "data_notes" but the facility is not flagged (data_flagged==1), these notes are meant to provide additional detail or information about a given facility without immediate action items or follow-up.
decision_notes	Further detail about decisions made for matching facilities and feedback from regional focal points. *All notes are in English at present.*
last_updated	Date of last update in YYYYMMDD format. For instance, 20230518 is 18 May 2023. These updates are meant to reflect changes to previous facility matches since the Dakar facility list workshop that occurred from 31 January to 1 February 2023.
update_notes	Further details on the updates that occurred for a unique facility observation. *All notes are in English at present.*
n_gps	Number of linked sources with GPS for each matched facility group.
n_source	Number of linked sources for each matched facility group.
source_list	List of sources for each matched facility group.
fac_id	Unique facility id, either directly provided from its original data source or generated in order to provide a unique identifier for each facility observation
fac_id_orig	Original facility id, as provided in a given facility data source. *Note*: most non-survey data sources did not have an original facility id, and thus this variable is blank for them
fac_id_orig_var	Variable name in which facility ids are contained, as found in a given facility data source. *Note:* most non-survey data sources did not have an original facility id, and thus this variable is blank for them.
n_geos	Number of department-health district combinations within a matched facility group. This variable was included to more easily identify which matched facilities need further geographic variation, such that: - If n_geos==0, then no department or health district information were included for these facilities. - If n_geos==1, department-health district combinations for a matched facility group exist and are consistent. - If n_geos >1, department-health district combinations vary within a matched facility group and further verification is needed.

275
276

Technical validation

Geolocation of facilities

Nationally, 51.7% of these unique facility observations had at least one set of linked GPS coordinates, though the relative percentage of GPS representation varied by region (Supplementary table 1). By facility type, hospitals and health centers generally had the highest proportion of GPS coverage. For hospitals, 9 out of 14 regions had 100% GPS coverage, while Kaolack was the main exception (with 25% of reported hospitals had GPS); this low coverage may be a function of facility type discrepancies between ESRI Kaolack and other sources. For health centers, 88.3% of facilities had GPS assigned through the triangulation process. Seven regions had 100% of identified health centers as also geolocated while five regions had GPS coverage for health centers at less than 80%: Louga (56.7%), Kaffrine (66.7%), Sedhiou (71.4%), and Diourbel (72.7%). For Louga and Sedhiou, at least some of the lower GPS coverage is likely related to the availability of very recent facility data sources without

geolocation (e.g., 2023 for Louga). Across health posts nationally, 67.9% had GPS coverage; such
coverage was largely skewed by Dakar, where only 32.5% of facilities designated as health posts had GPS
coordinates. This is likely associated with the high prevalence of private clinics in Dakar,[31] for which
more granular facility information can be more challenging to access. Outside of Dakar, GPS coverage
ranged from 91.9% in Saint-Louis to 72.8% in Tambacounda; it is worth noting that the lower GPS
coverage for Tambacounda is likely associated with the inclusion of a non-geolocated regional facility list
of health centers, health posts, and health huts for 2022. For health huts, GPS coverage was
comparatively low nationwide (26.8%); the exception was Diourbel, where 28 of the 33 identified health
huts had at least one set of GPS.
298
299   Among facility matches with GPS (n=2,423), 1,438 had multiple GPS coordinates linked to the unique
300   facility observations (Supplementary table 3). Among facilities with multiple potentially viable GPS,
301   27.1% had GPS coordinates exceeding a 2 km distance from each other – a potential marker for
302   additional verification (Supplementary table 3).
303

Number of health facilities, by type and geographically

In addition to the verification processes described earlier, we identified five sources against which to
cross-reference CFL's total numbers of facilities, nationally and by region (and facility type): reported
facility frame numbers as extracted from the SPA 2012-2013, SPA 2017, and SPA 2019 reports,[19,23,24] and
the CSSDOS Health Map reports for 2019 and 2021 (public facilities only).[17,18] Since the SPA facility
frames were used to select facilities ultimately surveyed, these extracted metadata could serve as proxy
"MFL" envelope against which to compare the CFL outputs.
311
312   At the national level, the CFL had more total facilities that of all other previously published lists (Table
313   5); however, the Health Map 2021 report only reported on public facilities. There was more variation
314   across previous lists by facility type (Table 5; Supplementary table 4), which likely reflects differences or
315   changes in facility classifications over time.
316

317   **Table 5. Comparing number of facilities in the consolidated facility list with facility numbers reported**
318   **in previously published facility lists by facility type at the national level.**
319

Data source	All facilities	Hospitals	Health centers	Health posts	Health huts
Consolidated facility list	**4,685**	**81**	**257**	**2,349**	**1,998**
SPA 2012-2013 facility frame	3,084	86	242	1,250	1,506
SPA 2017 facility frame	3,764	68	148	1,853	1,695
SPA 2019 facility frame	3,967	80	153	1,859	1,875
Health Map 2019		39	293	2,563	
Health Map 2019 (public only)		36	99	1,478	
Health Map 2021 (public only)	3,964	40	110	1,531	2,283

320
Regionally, and then by facility type within regions, greater variation emerged (Supplementary table 4).
Such differences likely reflect a combination of data considerations and challenges, including
propagation of facility duplicates through published data sources (e.g., not systematically accounting for
facility upgrades or changes and thus potentially including the same facility twice under different facility

types in a given year) and inconsistent classification across facility types, especially among regions with
larger urban centers (and potentially higher prevalence of private facilities). For instance, 487 facilities
(10.4% of the total CFL) originally at more than one associated facility type within a unique match across
sources (Supplementary table 2). This was particularly prevalent among health centers (27.2% of 257)
and health posts (15.2% of 2,349), with the latter being largely due to facilities being upgraded from
health huts. For other cases, having multiple original facility types may be related to earlier
misclassification or potential errors in original data entry. For instance, many health centers were
reported as hospitals by SPA surveys, and 11 facilities classified as health posts in Maina and colleagues
– which did not report on health huts – were categorized as health huts by other sources. In rare cases,
higher-level facilities were reclassified or reopened as a lower-level facility. For instance, PS Ninefecha in
Kedougou was originally a hospital from 2002 to 2013, but was reopened as a health post in 2014.[32,33]
SPA surveys conducted in 2014, 2015, and 2016 classified the facility as a hospital, as did the SPA 2018
survey; the SPA 2017 survey, the COUS survey, and a MSAS facility list all reported Ninefecha as a health
post. Of note, 203 of the 487 facilities (41.7%) with more than one associated facility type had their
facility type resolved via further triangulation or verification by regional focal points.
340

Number of geolocated facilities compared with other published databases
Lastly, we compared the number and distribution of health facilities with GPS from the CFL to those
compiled in a spatial database of public facilities by Maina and colleagues (Supplementary table 5).[6] At
the national level, the CFL provides nearly twice as many geolocated facilities (n=2,423) than facilities
with GPS in Maina and colleagues (n=1,256). The inclusion of health huts, with 530 geolocated, accounts
for a substantive portion of these differences. Another main contributor to these differences was the
exclusive focus on public facilities. For instance, in Dakar, the CFL included 797 total facilities, with 328
having GPS; in contrast, only 121 facilities with GPS were included for Dakar in the Maina and
colleagues' database.
350

Usage Notes
With these data, we offer consolidated list of health facilities in Senegal across 16 facility data sources
and thus offer an important first step toward building a full MFL in the future. With 52% of facilities with
at least one set of GPS coordinates, there is ample need for further prioritizing geolocation efforts if
more geospatially targeted health service planning and delivery is to be better supported nationwide.
This is particularly important for health huts, which serve as critical connectors between rural
communities and higher levels of care. We view this CFL as not only a data product on its own, but also a
potential tool that can inform future efforts around where (and which types of facilities) likely have the
lowest GPS coverage to date. In looking to the future, an essential next step likely involves augmenting
government infrastructure and processes around developing – and routinizing – a MFL.
361

This CFL has a number of potential applications and use cases in Senegal, of which would only be
bolstered by the establishment of a full MFL. At a high level, more targeted and responsive planning
could occur, as well as more coordinated public health programming. As highlighted elsewhere,[8,34]
building a geolocated MFL or registry equivalent can provide vital inputs into more geospatially tailored
service provision and delivery, such as optimizing community care site placements and microplanning
for vaccination services. Another example could involve addressing physical access barriers for antenatal
or delivery care; with over 60% of in-facility births occurring at health posts in 2019,[35] having a more

precise understanding of how close – or how far away – maternal health services are could augment
models of care and referral networks. By establishing more formalized linkages between a geolocated
MFL and health information systems like DHIS2, more granular assessments of facility capacity relative
to population need can be performed. For instance, this CFL and eventual MFL in Senegal could inform
estimates of COVID-19 vaccination administration capacity, per Africa CDC targets of vaccinating 60-70%
of currently eligible populations.[36] This CFL also can serve as an important input into onward
assessments of disease risk (e.g., malaria risk stratification maps[37]), as well as analyses quantifying
proximity or access to the nearest facility.[38] In addition, linking estimates of maternal and neonatal
mortality relative to facility-level variations and measures of quality could further inform national efforts
around meeting Sustainable Development Goal (SDG) targets for maternal and child health.[39–41]
379
Beyond the Senegal context, it is possible that other groups – regionally, within sub-Saharan Africa,
and/or more globally – could foster cross-country learning opportunities to learn about different
approaches to triangulating existing data and implementing more targeted geolocation efforts. This kind
of knowledge exchange could facilitate adaptations or innovations in the ways that facility data are
routinely collected, verified, and updated for MFLs or registries. Lastly, the confluence of these work
streams could support WHO's GFHD initiative,[16] including inputs into the GHFD's global facility database.
386
In addition to the more discrete obstacles to establishing a MFL (e.g., geolocating the full range of health
facility types and managing authorities), it is vital to determine the best ways to routinize MFL data
collection, maintenance, and linkages to current health data infrastructure. Establishing formal data
governance mechanisms and leadership by governmental department(s) or agencies are likely among
the most crucial steps in this process. In additional, parallel collaboration at the national and subnational
levels around health facility list verification and updating is essential, particularly in more decentralized
health systems and settings where a mixture of data systems operate (e.g., some combination of digital
or centrally databased health information and individual or paper-based file systems). This may be
particularly relevant for Senegal and potential strategies around integrating a consolidated list and
eventual MFL with DHIS2, given the country's decentralized data processes at regional or health district
levels and harmonization with community-level health platforms (e.g., DHIS2 does not directly connect
with health huts, which channel paper-based data up to their supervising facilities).[42]
399

Limitations and future improvements
The current version of this CFL is subject to several limitations, of which can be considered areas for
future improvements. First, this dataset should not be viewed as an MFL, contemporaneously or at a
given time in the past. This CFL could not be calibrated against a full facility sampling frame, facility
census, or documentation of currently (or ever) operational facilities. While we sought to conduct such
benchmarking with the ANSD 2017-2018 dataset, the facility file did not match facility counts by type or
region for either the SPA 2017 or SPA 2018 facility frames.[23,24] As such, the CFL presented here should be
viewed as a first step toward establishing a future MFL in Senegal and can help identify key areas where
further investment in geolocation may be needed.
409
Second, it is likely that the private sector remains under-represented in this CFL, both in terms of total
facilities and those with GPS. This is at least partly due to the composition of available facility data inputs
(i.e., several data inputs included only public facilities), as well as higher missingness or non-reporting of

GPS among private facilities in facility surveys. We sought to derive GPS locations based on facility
addresses provided through a 2016-2017 assessment of private facilities in Senegal;[31] however, nearly
all of the addresses included insufficient information for Google-based tools to appropriately assign
reasonable GPS coordinates. Progress toward a full MFL with GPS will require improving the health data
landscape for the private sector, particularly in areas with a higher prevalence of private health service
delivery (e.g., Dakar).
419

Third, this CFL does not systematically track the evolution of facility type changes and/or name changes
over time. Since this endeavor sought to identify unique facility observations across datasets, merged
facilities that were reported as having been upgraded or changed facility types were assigned their most
recent facility type in the CFL. Original facility types, when available, were retained in the 'full' version of
the CFL.[27] In terms of name changes, we sought to account for these instances wherever possible;
however, they were opportunistic adjustments rather than a systematic undertaking of revisions.
426

Fourth, the current CFL does not comprehensively capture the opening and closures of facilities over
time. Such information would be important to incorporate into future efforts to routinize such facility
data. Master facility registries in Malawi[43] and Ethiopia[44], as well as prior facility data collected in
Ethiopia,[40] include information on facility opening dates; accordingly, facility cohorts can be constructed
over time and support more granular tracking of facility service availability and their contributions to
intervention coverage.[40]
433

Fifth, 347 facilities are still flagged for further review or confirmation. Most of these facilities are either
facilities with different facility types with the same name or facilities with the same name associated
with different second administrative units; in the absence of GPS to cross-reference a potential match,
they are being treated as separate facilities at present. Further engagement with focal points in five
regions (Dakar, Diourbel, Fatick, and Thies) from November-December 2022 supported additional
reconciliation for at least some flagged facilities, as did the sharing of regional datasets from Louga and
Sedhiou after the Dakar-based workshop. In the datasets published alongside this paper,[26,27] we have
sought to clearly identify facilities for which further review should occur.
442

443   Sixth, further reconciliation is needed for discordant GPS coordinates across data sources in the CFL. At
444   present, when multiple GPS coordinates are linked to a facility, we use a fairly subjective algorithm to
445   assign GPS. The 'full' version of the facility list provides all GPS associated for a given facility,[27] which
446   could support more sophisticated geospatial testing and verification of discordant GPS coordinates.
447

Last, subjective decisions were made throughout this work, including data availability, inclusion, and
processing. While we have sought to provide as much documentation as possible around each step, it is
possible that errors or miscoding of information occurred (especially around manual revisions and re-
matching). In the 'full' version of the facility list,[26] we provide additional information on decisions made
and original facility names and sources so that onward revisions or updates can occur based on the
source inputs.
454

455   With this CFL, we provide a foundation from which a more comprehensive, geolocated MFL could be

456   developed in Senegal – an important first step toward strengthening data-informed health planning and

457   programs throughout the country.

Code Availability

460   Matching algorithms were developed in R,[45] while manual review and verification occurred using MS

461   Excel (Microsoft, Redmond, USA). Figures were also created in R. All code can be found on GitHub,

462   under ~/resources/code: https://github.com/iressef-egh/senegal-cfl

References

1.   McFarlane, T. D., Teesdale, S. & Dixon, B. E. Chapter 12 - Facility Registries: Metadata for Where

Care Is Delivered. in *Health Information Exchange* (ed. Dixon, B. E.) 183–201 (Academic Press, 2016).

doi:10.1016/B978-0-12-803135-3.00012-8.

2.   Noor, A. M., Gikandi, P. W., Hay, S. I., Muga, R. O. & Snow, R. W. Creating spatially defined

databases for equitable health service planning in low-income countries: the example of Kenya.

Acta Trop **91**, 239–251 (2004).

3.   World Health Organization (WHO). *Master facility list resource package: guidance for countries*

wanting to strengthen their master facility list: facilitator guide for the MFL training. (WHO, 2019).

4.   Rose-Wood, A. *et al.* Development and use of a master health facility list: Haiti's experience during

the 2010 earthquake response. *Global Health: Science and Practice* **2**, 357–365 (2014).

5.   Noor, A. M. *et al.* Mapping the distribution and risk of epidemics in the WHO African

Region/Cartographie de la distribution et des risques d'epidemie dans la Region africaine de l'OMS.

Weekly Epidemiological Record **93**, 251–257 (2018).

6.   Maina, J. *et al.* A spatial database of health facilities managed by the public health sector in sub

Saharan Africa. *Sci Data* **6**, 134 (2019).

7.   South, A. *et al.* A reproducible picture of open access health facility data in Africa and R tools to

support improvement. *Wellcome Open Res* **5**, 157 (2020).

8.   Geo-referenced Infrastructure and Demographic Data for Development (GRID3). *Mapping Health*

Facilities. https://academiccommons.columbia.edu/doi/10.7916/d8-v5kc-5227/download (2021).

9.   Burstein, R. Mapping child health: statistical applications for high-resolution estimation of child

mortality and healthcare utilization. (2018).

10.   Agence Nationale de la Statistique et de la Démographie (ANSD) & ICF. *Senegal: Enquête Continue*

sur la Prestation des Services de Soins de Santé (ECPSS) 2018.

https://dhsprogram.com/publications/publication-SPA32-SPA-Final-Reports.cfm (2020).

11.   Darcy, N. *et al.* Case Study: The Tanzania Health Facility Registry. in *Healthcare Policy and Reform:*

Concepts, Methodologies, Tools, and Applications 339–368 (IGI Global, 2019). doi:10.4018/978-1-

5225-6915-2.ch017.

12.   Makinde, O. A. *et al.* Development of a Master Health Facility List in Nigeria. *Online J Public Health*

Inform **6**, e184 (2014).

13.   Mishra, A. & Sahay, S. Building a master health facility list: innovative Indian experience. *BMJ*

Innovations **7**, (2021).

14.   Humanitarian Data Exchange (HDX). https://data.humdata.org/.

15.   healthsites.io. https://healthsites.io/.

16.   World Health Organization (WHO). Geolocated Health Facilities Data initiative.

https://www.who.int/data/GIS/GHFD.

17.   Cellule de la Carte sanitaire et sociale, de la Santé digitale et de l'Observatoire de la Santé (CSSDOS).

Rapport Annuel de Suivi de la Carte Sanitaire 2019.

https://www.sante.gouv.sn/sites/default/files/Carte%20sanitaire%20Senegal%20Rapport%20annue

l%20de%202019_0.pdf (2020).

18.   Cellule de la Carte sanitaire et sociale, de la Santé digitale et de l'Observatoire de la Santé (CSSDOS).

Rapport Annuel de Suivi de la Carte Sanitaire 2021.

https://www.sante.gouv.sn/sites/default/files/RAPPORT%20ANNUEL%20DE%20SUIVI%20DE%20LA

%20CARTE%20SANITAIRE%202021.pdf (2022).

19. Agence Nationale de la Statistique et de la Démographie (ANSD) & ICF. *Sénégal Enquête Continue*

sur la Prestation des Services de Soins de Santé (ECPSS) 2012-2013.

https://dhsprogram.com/publications/publication-SPA18-SPA-Final-Reports.cfm (2013).

20. Agence Nationale de la Statistique et de la Démographie (ANSD) & ICF. *Sénégal Enquête Continue*

sur la Prestation des Services de Soins de Santé (ECPSS) 2014.

https://dhsprogram.com/publications/publication-SPA21-SPA-Final-Reports.cfm (2015).

21. Agence Nationale de la Statistique et de la Démographie (ANSD) & ICF. *Senegal Enquête Continue*

sur la Prestation des Services de Soins de Santé (ECPSS) 2015.

https://dhsprogram.com/publications/publication-SPA25-SPA-Final-Reports.cfm (2016).

22. Agence Nationale de la Statistique et de la Démographie (ANSD), Ministère de la Santé et de l'Action

Sociale (MSAS), & ICF. *Sénégal Enquête Continue sur la Prestation des Services de Soins de Santé*

(ECPSS) 2016. https://dhsprogram.com/publications/publication-SPA26-SPA-Final-Reports.cfm

(2017).

23. Agence Nationale de la Statistique et de la Démographie (ANSD), Ministère de la Santé et de l'Action

Sociale (MSAS), & ICF. *Senegal: Enquête Continue sur la Prestation des Services de Soins de Santé*

(ECPSS) 2017. https://dhsprogram.com/publications/publication-SPA27-SPA-Final-Reports.cfm

(2018).

24. Agence Nationale de la Statistique et de la Démographie (ANSD) & ICF. *Senegal: Enquête Continue*

sur la Prestation des Services de Soins de Santé (ECPSS) 2019.

https://dhsprogram.com/publications/publication-SPA33-SPA-Final-Reports.cfm (2020).

25. Ministère de la Santé et de l''Action sociale (MSAS). *Plan National de Développement Sanitaire et*

Social (PNDSS) 2019-2028.

https://www.sante.gouv.sn/sites/default/files/1%20MSAS%20PNDSS%202019%202028%20Version

%20Finale.pdf (2019).

26. Gueye, D. M. *et al.* A consolidated and geolocated list of health facilities in Senegal: consolidated

list. doi:XXXXXX.

27. Gueye, D. M. *et al.* A consolidated and geolocated list of health facilities in Senegal: full list.

doi:XXXXXX.

28. ESRI Sénégal. Carte sanitaire Kaolack. https://esrisenegal-

esrisenegal.opendata.arcgis.com/datasets/carte-sanitaire-kaolack.

29. Jaro, M. A. Advances in Record-Linkage Methodology as Applied to Matching the 1985 Census of

Tampa, Florida. *Journal of the American Statistical Association* **84**, 414–420 (1989).

30. Robusto, C. C. The Cosine-Haversine Formula. *The American Mathematical Monthly* **64**, 38–40

(1957).

31. Diop, I. L., Touré, I. D., Koita, M., Diop, M. & El-Khoury, M. *Cartographie du secteur privé de la santé*

au Sénégal 2016-2017.

https://shopsplusproject.org/sites/default/files/resources/Cartographie%20du%20secteur%20priv%

C3%A9%20de%20la%20sant%C3%A9%20au%20S%C3%A9n%C3%A9gal%202016-2017_0.pdf (2018).

32. FERMETURE ANNONCEE DE L'HOPITAL NINEFECHA : VIVIANE WADE RECLAME SES CLEFS. *SenePlus*

https://www.seneplus.com/article/fermeture-annoncee-de-l%E2%80%99hopital-ninefecha-viviane-

wade-reclame-ses-clefs (2013).

33. Kédougou : L'hôpital de Ninéfécha transformé en poste de santé. *Seneweb.com*

https://www.seneweb.com/news/Sante/kedougou-l-rsquo-hopital-de-ninefecha-tr_n_344829.html

(2023).

34. Clinton Health Access Initiaitve (CHAI). *Exemplars in geospatial data use for primary healthcare:*

cross-cutting lessons. https://clintonhealth.app.box.com/s/5ei753zgwz08njk8es6ttecq1xuuorim

(2023).

35. Agence Nationale de la Statistique et de la Démographie (ANSD) & ICF. *Senegal: Enquête*

Démographique et de Santé Continue (EDS- Continue) 2019.

https://dhsprogram.com/publications/publication-FR368-DHS-Final-Reports.cfm (2020).

36. Africa CDC Annual Report 2021. *Africa CDC* https://africacdc.org/download/africa-cdc-annual-

report-2021/.

37. Nguyen, M. *et al.* Mapping malaria seasonality in Madagascar using health facility data. *BMC*

Medicine **18**, 26 (2020).

38. Liu, P. Y. *et al.* Quantifying drivers of childhood vaccination in Senegal: a modeling analysis based on

the Exemplars in Vaccine Delivery framework. *Working paper*.

39. Loquiha, O. *et al.* Mapping maternal mortality rate via spatial zero-inflated models for count data: A

case study of facility-based maternal deaths from Mozambique. *PLoS One* **13**, e0202186 (2018).

40. Croke, K., Mengistu, A. T., O'Connell, S. D. & Tafere, K. The impact of a health facility construction

campaign on health service utilisation and outcomes: analysis of spatially linked survey and facility

location data in Ethiopia. *BMJ Global Health* **5**, e002430 (2020).

41. Gage, A. D., Fink, G., Ataguba, J. E. & Kruk, M. E. Hospital delivery and neonatal mortality in 37

countries in sub-Saharan Africa and South Asia: An ecological study. *PLOS Medicine* **18**, e1003843

(2021).

42. Muhoza, P. *et al.* Key informant perspectives on the challenges and opportunities for using routine

health data for decision-making in Senegal. *BMC Health Services Research* **21**, 594 (2021).

43. Ministry of Health Malawi. Master Health Facility Registry of Malawi.

https://zipatala.health.gov.mw/.

44. Federal Ministry of Health of Ethiopia. Master Facility Registry (MFR).

https://mfrv2.moh.gov.et/#/dashboard.

45. R Core Team. R: A language and environment for statistical computing. (2021).

Acknowledgments

We are grateful to all MSAS departments and affiliated agencies, whose overall support and willingness
to facilitate data access made this work possible. We especially thank the regional focal points who
provided feedback at various points in this work, including attending the 2023 facility list workshop. We
thank health facilities and their staff, who gave of their time to complete the health facility surveys used
in this dataset. We appreciate the guidance and assistance provided by the DHS program around facility
data applications. We acknowledge Audrey Ihler of the Institute for Health Metrics and Evaluation
(IHME) for work on geolocating private facilities, as well as IHME team members who gave feedback on
this work as part of the Exemplars in Vaccine Delivery project in Senegal. We thank the following
individuals from Gates Ventures, for their programmatic support and assistance: Niranjan Bose, David
Phillips, Jordan-Tate Thomas, Rowan Hussein, and Ryan Fitzgerald.

Author contributions

594   DMG, ABL, PIN, NF, PYL, KM, and AD were involved in identifying, applying for, and/or sharing data.
595   DMG, NF, PYL, and KM were involved in data collation, analysis, and review, with DMG leading regional
596   focal point verification. DMG, NF, and PYL were involved in conceptualizing the database. DMG, NF, PYL,
597   GI, and MS were involved in writing the initial draft of the manuscript. All authors were involved in the
598   revision of the manuscript. All authors read and approved the final version of the manuscript.

Corresponding author

601   Correspondence to Nancy Fullman (nancy.fullman@gatesventures.com)

Competing interests

604   NF, PYL, and GI are paid employees of Gates Ventures. NF, PYL, and GI previously worked at the Institute
605   for Health Metrics and Evaluation (IHME): September 2008-2011 and February 2013-June 2022 for NF;
606   June 2014-September 2017 and January-June 2022 for PYL; and August 2014-July 2020 for GI. NF reports
607   funding from WHO between June and September 2019 for consulting unrelated to this work.

Fig. 1 Overview of facility list data processing, matching and verification steps.

Fig. 2 Distribution of geolocated health facilities in Senegal.

a All geolocated facilities. **b** All geolocated hospitals. **c** All geolocated health centers. **d** All geolocated health posts. **e** All geolocated health huts. Facility counts and percentages with GPS, nationally and by region, for all facilities and by facility type can be found in Supplementary table 1.