

Scoping Review of One-Dimension Statistical Parametric Mapping in Lower Limb Biomechanical Analysis

Tomer Yona¹, Netanel Kamel², Galya Cohen-Eick¹, Inbar Ovadia³, Arielle Fischer¹

¹ Department of Biomedical Engineering, Technion, Israel Institute of Technology, Haifa, Israel

² The Ruth and Bruce Rappaport Faculty of Medicine, Technion, Israel Institute of Technology, Haifa, Israel

³ Department of Mechanical Engineering, Technion, Israel Institute of Technology, Haifa, Israel

ABSTRACT

Background: Biomechanics is crucial in enhancing sports performance and preventing injury. Traditionally, discrete point analysis is used to analyze important kinetic and kinematic data points, reducing continuous data to a single point. One-dimensional Statistical Parametric Mapping (spm1d) offers a more comprehensive approach by assessing entire movement curves instead of isolated peak values. Nevertheless, spm1d is still underutilized in various sports and sports-related injuries.

Purpose: To summarize the existing literature on the application of spm1d in sports biomechanics, including the kinetics and kinematics of the hip, knee, and ankle joints, as well as to identify gaps in the literature that may require further research.

Methods: A scoping review was conducted, searching PubMed, Embase, Web of Science, and ProQuest databases. English peer-reviewed studies using SPM to assess lower limb kinetics or kinematics in different sports or sports-related injuries were included. In contrast, reviews, meta-analyses, conference abstracts, grey literature, and studies focusing on non-kinetic or kinematic outcomes were excluded.

Results: The review yielded 129 papers, with an increased number of studies published in the last three years. Of these studies, 81 examined healthy individuals (63%), and 48 focused on injured populations (37%). Running (n=28), cutting (n=21), and jumping/landing (n=14) were the most common activities. The most prevalent sport-related injuries examined were anterior cruciate ligament rupture (n=21), chronic ankle instability (n=16), and hip-related pain (n=9). Research gaps include the underrepresentation of common sports and movements, small sample size, lack of studies in non-laboratory settings and varied active age groups, and absence of evaluations on the effects of protective sports gear other than shoes.

Conclusion: The application of spm1d in sports biomechanics demonstrates diverse uses in sports performance, injury reduction, and rehabilitation. While spm1d shows promise in improving our understanding of sports biomechanics, there are still significant gaps in the literature that present future research opportunities.

Keywords: One-Dimensional Statistical Parametric Mapping, Lower Limb Biomechanics, Sports Medicine, Sports Injuries, Scoping Review.

INTRODUCTION

From enhancing performance to preventing injury, biomechanics plays a pivotal role in the field of sports and sports-related injuries.^{1,2} Traditionally, kinetics and kinematics are collected as continuous signals and analyzed using discrete point analysis, which reduces the data to isolated points, such as the minima and maxima of the signal. However, this approach may overlook important information within the continuous signal under analysis, such as the range of a joint's movement, ground reaction forces, and moments acting on a joint during different activities.

Statistical Parametric Mapping (SPM) has been widely used in neuroimaging as it allows us to see changes across the entire brain, not just in specific areas.³ This approach has advantages over simpler, point-by-point methods, which might miss these widespread changes. Pataky (2010)⁴ introduced one-dimensional statistical parametric mapping (spm1d) as a method for biomechanical analysis, enabling the assessment of entire movement curves for statistical significance. By employing spm1d, researchers can gain a more comprehensive understanding of movement biomechanics instead of solely focusing on the peak values of specific movements.

This review focuses on the biomechanics of the lower limbs due to their crucial role in most sports activities and their susceptibility to injury. Through the application of spm1d, researchers can analyze simple and complex movements of the hip, knee, and ankle joints, identifying subtle patterns that may not be evident through traditional discrete point analysis. This improved understanding can lead to enhanced performance, effective treatment approaches for sports injuries, precise strength and conditioning programs, and improved rehabilitation strategies. Furthermore, it can improve the development and design of sports equipment and protective gear.

Given the early stages of spm1d in biomechanics, this scoping review offers a unique opportunity to uncover research trajectories and address knowledge gaps. Unlike systematic reviews focusing on synthesizing conclusive evidence for specific questions, scoping reviews are better suited for exploring broad research areas.

Through this scoping review, we aim to examine the existing literature in sports medicine and sports biomechanics utilizing spm1d, describe the studies characteristics, identify knowledge gaps, and propose future research directions. This approach is particularly suitable given the wide-ranging applications of spm1d in biomechanics.⁵ Specifically, our focus will be on the lower limbs, including the kinetics and kinematics of the hip, knee, and ankle joints.

METHODS

To comprehensively review the applications of SPM in biomechanics, we conducted a scoping review of the literature. We performed a search in PubMed, Embase, Web of Science, and ProQuest, with the following search string: “(((knee) OR (hip)) OR (ankle)) AND (statistical parametric mapping)”. The specific search strategy for each database is detailed in Appendix 1.

We included peer-reviewed studies written in English that utilized spm1d as the main outcome to assess lower limb kinetics or kinematics in different sports or common sports injuries. Studies comparing different measurement tools or assessing electromyography as the primary outcome were excluded. Additionally, studies unrelated to sports or sport-related injuries were excluded, along with reviews, meta-analyses, conference abstracts, and grey literature. There were no restrictions on the publication date. The database search was conducted in March 2023.

Two authors independently screened the titles and abstracts of the identified papers using the Rayyan online system.⁶ Subsequently, using a custom-written Excel file, two authors independently reviewed the full text of the included studies and extracted the following information from each study: Study design, number of participants, population (healthy/injured), sport played by the participants, activity and joints assessed in the study, measurement tools, and outcome measures. Any discrepancies were solved through discussion. Before commencing the review, all the authors piloted the system and the screening process and established a consensus.

This study adheres to the PRISMA Extension for Scoping Reviews (PRISMA-ScR) Checklist.⁷ The protocol for this study was registered in the Open Science Framework before initiating the review and is available online.⁸

RESULTS

The initial search identified 1305 records. After removing duplicates, 531 papers underwent title and abstract screening. Subsequently, the full text of 132 studies was screened, resulting in one study being excluded due to a wrong primary outcome, one due to the wrong population, and one not available to the authors (Figure 1). Finally, 129 papers were included in this review, with over half published in the last three years (Figure 2). Most studies assessed healthy populations (n=81), and 48 involved injured participants. The median number of participants in the studies among healthy participants was 19 [9-90], and the median among injured participants was 27.5 [9-357].

Running

A total of 28 studies assessed running, 13 involving treadmill running and 15 surface running. Among these studies, ten focused on the effects of different shoes on running biomechanics,⁹⁻¹⁸ three studies examined specific physical interventions,¹⁹⁻²¹ three studies assessed various gait modifications,²²⁻²⁴ three evaluated foot biomechanics,²⁵⁻²⁷ two explored the effects of fatigue,^{28,29} and two investigated studies the effects of sex.^{30,31} Additionally, single studies examined the effects of different surfaces,³² hamstring flexibility,³³ perturbations,³⁴ running with different loads,³⁵ and the differences between transition running and isolated running in triathlon (Table 1).³⁶ The median number of participants was 17.5 [9-87].

Cutting

A total of 21 studies assessed cutting/change of direction activities. Among them, five studies evaluated the effect of foot-strike and movement patterns on cutting maneuvers,³⁷⁻⁴¹ four focused on the influence of anticipation and uncertainty,⁴²⁻⁴⁵ four assessed the influence of external factors such as fatigue,^{46,47} footwear⁴⁸ and surface,⁴⁹ and two looked at the influence of training and movement strategies.^{50,51} Single studies evaluated the effects of sex,⁵² speed,⁵³ lab versus field,⁵⁴ limb differences,⁵⁵ cutting on a softball base

compared to a flat surface,⁵⁶ and the joint contact forces of the medial versus the lateral tibiofemoral joint (table 2).⁵⁷ The median number of participants was 24 [12-50].

Jumping and Landing

Fourteen studies investigated jumping or landing tasks. Among these, four examined single-leg vs. double-leg landings and landings direction,⁵⁸⁻⁶¹ and two evaluated the effects of different interventions: the effects of a video task on volleyball jump,⁶² and the effects of a new shoe on drop-landing.⁶³ Two studies explored the effects of limb dominance,^{64,65} and another two explored the difference between males and females.^{30,52} Single studies investigated the effects of fatigue,⁴⁶ anticipation,⁶⁶ different foot areas during landing,⁶⁷ and different landing biomechanics among different jumping athletes (Table 3).⁶⁸ The median number of participants was 20 [9-90].

Squatting

Six studies focused on squatting, with five assessing the traditional back squat.⁶⁹⁻⁷³ One study examined a lunge squat,⁷⁴ and one evaluated a half squat.⁷¹ Three studies investigated different load conditions,^{69,72,74} squat depth,⁷¹ and heel height⁷³ on the biomechanics of the lower limbs. Additionally, one study evaluated the inter-individual and intra-individual variability during a squat (Table 4).⁷⁰ The median number of participants was 15 [9-20].

Isokinetic

Three studies assessed the quadriceps or hamstrings muscle force curve produced by an isokinetic machine; They examined the influence of fatigue⁷⁵ and sex⁷⁶ on force production, as well as the kinetics and kinematics of eccentric, quasi-isometric loading (Table 4).⁷⁷ The median number of participants was 17 [14-28].

Other Activities

A total of 12 studies assessed other sports activities. Three studies focused on different aspects of cycling: the first examined the impact of fatigue,⁷⁸ the second investigated the influence of saddle height,⁷⁹ and the third evaluated the biomechanical implications of crank length.⁸⁰ Three studies evaluated kicking; The first study compared the differences between male and female soccer players.⁸¹ The second study examined the effects

of technique refinement intervention on soccer kick performance.⁸² The third study describes the biomechanical differences between rugby kickers with performance outcomes.⁸³

Two studies were conducted on kayaking: The first evaluated the effects of fatigue on kayaking,⁸⁴ while the second compared on-ergometer and on-water kayaking movements.⁸⁵

Lastly, one study evaluated sex differences in hurdling,⁸⁶ while another investigated how the duration of a cricket match impacts lower limb biomechanics.⁸⁷ Additional study explored the correlations between the hip-ankle and knee-ankle movements during Irish dancing.⁸⁸ Another study assessed how different types of unanticipated stimuli affect the biomechanics of sidestepping (Table 4).⁸⁹ The median number of participants was 12 [9-33].

Anterior Cruciate Ligament Injuries

A total of 21 studies analyzed the movements of individuals after an ACL injury. Two studies assessed walking on a treadmill,^{90,91} one assessed walking overground⁹², and two evaluated the effects of functional resistance training on gait asymmetries.^{93,94} Two studies assessed stairs ambulation: one assessed stairs descent and the other ascent. Both studies used a custom-built 3-step staircase.^{92,95}

Six studies looked at different jumping/landing activities, including two that assessed the effects of a knee sleeve on jumping and landing biomechanics,^{96,97} one that assessed the effect of fatigue,⁹⁸ and three that reported on between-limb differences.⁹⁹⁻¹⁰¹ Lastly, three studies evaluated cutting activities.¹⁰¹⁻¹⁰³ Additional seven studies have used isokinetic devices to evaluate the isokinetic strength of the quadriceps and hamstrings (Table 5).¹⁰⁴⁻¹¹⁰ The median number of participants was 30 [12-357].

Ankle Injuries

Sixteen studies evaluated people with chronic ankle instability (CAI). Three studies assessed overground walking,¹¹¹⁻¹¹³ two assessed treadmill walking,^{114,115} and one study examined the effects of taping on the foot and ankle biomechanics.¹¹⁶ Additionally, five studies focused on running biomechanics, with three being observational studies,^{113,117,118} and two evaluating the effects of taping.^{119,120} Furthermore, five studies evaluated jumping/landing activities, with two assessing the effects of taping on the ankle and foot,^{121,122} and

three being observational.¹²³⁻¹²⁵ Lastly, a single study examined the kinematics of cutting (Table 6).¹²⁶ The median number of participants was 19.5 [13-66].

Hip Related Pain

Nine studies examined people with hip related pain. Among these studies, two focused on overground walking,^{127,128} and one assessed walking on a treadmill.¹²⁹ Another two studies investigated the effects of exercise programs on walking biomechanics.^{130,131} Furthermore, one study examined overground running,¹³² while another explored stair ambulation before and after hip osteochondroplasty and labral-chondral debridement.¹³³ In addition, two studies assessed jumping/landing activities,^{127,134} and two additional studies evaluated the biomechanics of squatting. One of these studies was observational,¹³⁵ while the other assessed the effects of a targeted exercise program (Table 7).¹³¹ The median number of participants was 36 [9-88].

Other Sport-Related Injuries

Three studies assessed other sport-related injuries. One investigated the effects of patellofemoral pain during squatting and walking overground.¹³⁶ Additional two studies evaluated the impact of a hamstring injury on strength using an isokinetic device (Appendix 2).^{104,137} The median number of participants for the above studies was 31 [25-56].

DISCUSSION

Our systematic scoping review aimed to provide an overview of the sports and sport-injuries literature regarding using sprints in lower limb biomechanics and identify possible research gaps. Our review identified 129 studies, 76 (59%) published in the last three years. Among the included studies, 81 (63%) focused on healthy individuals, while 48 (37%) examined injured individuals. Additionally, we found that while specific movements and sports are common in the sprints literature, others are considerably lacking. Additionally, the median sample size of the studies was low. Next, most studies were conducted only in a laboratory setting and on young adults, ignoring other active age groups. Lastly, while some studies assessed the effects of different shoes, we found no studies assessing any protective gear.

The increasing use of sPM1d over the last three years suggests a growing recognition of this method's potential in sports biomechanics. However, the relatively low number of papers utilizing sPM1d also indicated existing knowledge gaps. Furthermore, there is a lack of standardization of reporting sPM1d only or together with discrete analysis; This could be attributed to researchers' limited familiarity with sPM1d and the requirement of basic coding skills, as sPM1d is primarily used with MATLAB or Python.

Furthermore, the median sample size of the studies included in the analysis was relatively low, with 19 for studies involving healthy participants and 28 for studies among injured populations. It is important to note that sPM1d analysis typically requires a larger sample size than discrete analysis. Consequently, many studies using sPM1d may be underpowered and susceptible to type II errors (false negatives).¹³⁸ In 2017, Pataky et al. introduced a tool to estimate the sample size for sPM1d studies, but none of the studies in this review used it to calculate their sample size.¹³⁹ This lack of methodological consistency may impact the comparability of study outcomes. To address these challenges, it is crucial to disseminate knowledge about the applications of sPM1d and provide coding training to researchers within the sports science community. By increasing familiarity and understanding of sPM1d's capabilities, its adoption, and utilization are likely to broaden, leading to improved study design and more robust research findings in sports biomechanics.

Our findings revealed a diverse range of movements investigated using sPM1d, both in healthy and injured populations. However, the utilization of sPM1d varied across different movements and sports. Running, cutting, jumping/landing, and squatting were the most commonly examined activities among healthy participants, while running, soccer, and handball were the most frequently studied sports. This discrepancy highlights the need to explore other areas that have received less attention.

Most studies were conducted in controlled laboratory environments, leading to low ecological validity and may not fully replicate real-world conditions. With the emergence of wearable technologies, such as smart clothing, inertial sensing, and fitness trackers, researchers have the opportunity to extend the scope of applications to various sports and activities, incorporating more realistic conditions to represent real-world environments.

Additionally, our review underscored the imbalance between studies on healthy populations and those involving injured individuals. Future research on injured people could provide valuable insights into injury mechanisms, prevention, and rehabilitation strategies. While studies on ACL injuries, CAI, and hip-related pain were relatively common, other types of injuries, such as patellofemoral pain syndrome and hamstring injuries, common among athletes, have received less attention within the spm1d framework. Broadening the scope of research to encompass a broader range of injuries would enhance the utility of spm1d in sports medicine.

The included studies predominantly focused on adult populations, leaving gaps in our understanding of active pediatrics and older adults. Moreover, most of the studies did not focus specifically on gender. Considering the unique biomechanical profiles of different demographic and age groups, future studies should strive for inclusivity and account for these differences in their analyses. By extending the use of spm1d to these populations, our understanding of lower limb biomechanics across genders and the lifespan can be enriched.

While many studies in our review concentrated on footwear design and development, broader use of spm1d can inform sports equipment design and protective gear development. Evaluating the impact of different shoes, clothing, and protective gear on sports biomechanics can assist manufacturers in optimizing their designs for enhanced performance and injury prevention.

Several limitations should be considered in our study. Firstly, to make it more feasible, we have only included studies that evaluated lower limb movements in common sports injuries and sports activities. Secondly, we focused exclusively on English and peer-reviewed studies. Lastly, our review was limited to publications in peer-reviewed journals, potentially overlooking relevant works in grey literature.

CONCLUSIONS

Our scoping review indicates a growing use of spm1d in sports biomechanics, particularly in assessing lower limb movements such as running, cutting, jumping, and squatting, as well as in conditions such as ACL injuries, CAI, and hip-related pain. A knowledge gap remains in underrepresented sports movements and diverse demographic groups.

Figure 1. PRISMA flow diagram




Figure 2. Number of Studies Utilizing spm1d for lower limb biomechanics Published per Year




Table 1. SPM1d in Assessing Running Activities

Participants Details				SPM Assessment			
Study	Number Of Participants	Sport participation	Activity	Joints	Measurement Tools	Kinetic/ Kinematic	SPM/ Discreet
Shamsoddini (2022) ¹⁴	17	Physically active	Running	Hip, Knee, Ankle	Qualisys + Kistler	Kinematics + Kinetics	SPM
Zhang (2022) ¹⁸	13	Running	Running	Pelvis, Hip, Knee	Motion Analysis + Kistler	Kinematics + Kinetics	SPM+ Discreet
Chen (2022) ¹⁰	10	Running	Running	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Fu (2022) ¹²	15	Running	Running	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Besson (2019) ⁹	15	Running	Running	Hip, Knee, Ankle	Motion Analysis + Kistler	Kinematics + Kinetics	SPM+ Discreet
Sinclair (2018) ¹⁵	15	Running	Running	Knee	Qualisys + Kistler	Kinetics	SPM
Tam (2017) ¹⁷	50	Running	Running	Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Sinclair (2021) ¹⁶	13	Running	Running	Hip, Knee, Ankle	Qualisys + Kistler	Kinematics + Kinetics	SPM
Costa (2021) ¹¹	16	Running	Running-Treadmill	Hip, Knee, Ankle	Qualisys + Bertec	Kinematics + Kinetics	SPM+ Discreet
Nüesch (2019) ¹³	19	Running	Running-Treadmill	Hip, Knee, Ankle	RehaGait + Zebris	Kinematics + Kinetics	SPM
Nishida (2022) ³⁰	19	Collegiate athletes	Running-Treadmill	Knee	XRAY + Bertec	Kinematics	SPM+ Discreet
Takabayashi (2019) ³¹	22	Running, Jogging	Running-Treadmill	Ankle	Vicon	Kinematics	SPM
Gao (2022) ²⁸	18	Running	Running-Treadmill	Hip, Knee, Ankle	Vicon + Kistler	Kinematics	SPM
Möhler (2022) ²⁹	14	Running	Running-Treadmill	Hip, Knee, Ankle, CM	Vicon	Kinematics	SPM+ Discreet
Matias (2022) ²⁰	87	Running	Running-Treadmill	Ankle, foot	Vicon + AMTI	Kinematics	SPM
Trowell (2022) ²¹	28	Running	Running-Treadmill	Hip, Knee, Ankle	Vicon + Kistler	Kinematics + Kinetics	SPM+ Discreet
Masters (2018) ¹⁹	23	Running	Running	Hip, Knee	Vicon + AMTI	Kinematics	SPM+ Discreet
Bennett (2021) ²³	19	Running	Running	Hip, Knee, Ankle	Qualisys + AMTI	Kinetics	SPM
Alizadeh (2019) ²²	34	Soccer	Running - Treadmill	Hip, Knee	Vicon, Diers Formetric 4D	Kinematics	SPM+ Discreet
Mei (2019) ²⁴	20	Running	Running-Treadmill	Hip, Knee, Ankle	Vicon, Diers Formetric 4D	Kinematics + Kinetics	SPM+ Discreet
Deschamps (2022) ²⁵	12	Recreationally active	Running	Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Glassbrook (2020) ²⁶	16	Recreationally active	Running-Treadmill	Ankle	iMeasureU	Kinematics	SPM+ Discreet
Judson (2019) ²⁷	9	Running, Sprint	Sprint	Foot	Motion Analysis + Kistler	Kinetics	SPM
Zhou (2023) ³²	30	Running	Running	Hip, Knee, Ankle	Vicon + Kistler	Kinematics + Kinetics	SPM
Garcia (2022) ³³	34	Running	Running-Treadmill	Pelvis, Hip, Knee	Motion Analysis	Kinematics	SPM+ Discreet
Khajooei (2022) ³⁴	13	Running	Running-Treadmill	Hip, Knee, Ankle	Vicon	Kinematics	SPM
Fraeulin (2021) ³⁶	16	Running, Triathlon	Running	Hip, Knee, Ankle	XSENS	Kinematics	SPM+ Discreet
Liew (2016) ³⁵	31	Running	Running	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM

Table 2. SPM1d in Assessing Cutting Activities

Participants Details				SPM Assessment			
Study	Number Of Participants	Sport participation	Activity	Joints	Measurement Tools	Kinetic/ Kinematic	SPM/ Discreet
Uno (2022) ⁴¹	23	Team sport	Cutting	Knee, GRF, CM	OptiTrack + AMTI	Kinematics + Kinetics	SPM
Ogasawara (2021) ³⁹	25	Handball	Cutting	Hip, Knee	OptiTrack + Kistler	Kinematics + Kinetics	SPM+ Discreet
Ogasawara (2020) ³⁸	24	Handball	Cutting	Knee, Ankle	OptiTrack + Kistler	Kinematics + Kinetics	SPM
Peel (2022) ⁴⁰	24	Recreationally active	Cutting	Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
David (2017) ³⁷	50	N/A	Cutting	Knee	Vicon + Kistler	Kinematics + Kinetics	SPM+ Discreet
Whyte (2018) ⁴⁵	28	Gaelic football	Cutting	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Whyte (2018) ⁴⁴	28	Gaelic football	Side Cutting	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Bedo (2021) ⁴²	31	Handball	Change of direction	Knee	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Dutailis (2021) ⁴³	19	Recreationally active	Sidestep cutting	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Schroeder (2021) ⁵⁶	16	Softball	Change of direction	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Cassiolas (2022) ⁵⁷	31	Recreational and elite athletes	Change of direction	Knee	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Thomas (2022) ⁵⁵	14	Soccer	Change of direction	Hip, Knee, Ankle	Qualisys + AMTI	Kinematics + Kinetics	SPM
Di Paolo (2023) ⁵⁴	28	Soccer	Cutting	Hip, Knee, Ankle	XSENS	Kinematics + Kinetics	SPM
Whyte (2018) ⁵¹	31	Soccer	Cutting	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Sankey (2020) ⁵⁰	20	Soccer	Side cutting	Hip, Knee, Ankle	Vicon + Kistler	Kinematics + Kinetics	SPM
Zago (2021) ⁴⁷	20	Soccer	Change of direction	Hip, Knee, Ankle	BTS Bioengineering + AMTI	Kinematics + Kinetics	SPM+ Discreet
Sinclair (2020) ⁴⁹	20	Recreational athletes	Change of direction	Knee	Qualisys + Kistler	Kinematics + Kinetics	SPM+ Discreet
Bedo (2022) ⁴⁶	20	Handball	Side Cutting	Hip, Knee	Vicon + Bertec	Kinematics + Kinetics	SPM
Liu (2022) ⁴⁸	12	Basketball	Cutting	Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Vanrenterghem (2012) ⁵³	14	Dynamic sporting activity	Cutting	Knee	Qualisys + Kistler	Kinematics + Kinetics	SPM+ Discreet
Weinhandl (2021) ⁵²	38	Recreationally active	Cutting	Hip, GRF	Vicon + Bertec	Kinematics + Kinetics	SPM

Table 3. SPM1d in Assessing Jumping and Landing Activities

Study	Participants Details			SPM Assessment			
	Number Of Participants	Sport participation	Activity	Joints	Measurement Tools	Kinetic/ Kinematic	SPM/ Discreet
Nishida (2022) ³⁰	19	Collegiate athletes	Drop jump, single-leg hop	Knee	Radiograph+ Bertec	Kinematics	SPM
Weinhandl (2021) ⁵²	38	Recreationally active	Single leg drop-landing, land-and-cut	Hip, GRF	Vicon + Bertec	Kinematics + Kinetics	SPM
Xu (2020) ⁶⁰	45	Amateur athletes	Forward and backward jump-landing	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Xu (2021) ⁶¹	12	Volleyball	Spike landing	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Hogg (2020) ⁵⁸	90	N/A	Single and double-leg forward landings	Hip, Knee	Impulse, Phase Space + Bertec	Kinematics	SPM+ Discreet
Kunugi (2020) ⁵⁹	49	Soccer	Single-leg landing	Hip, Knee, Ankle	OptiTrack + Kistler	Kinematics + Kinetics	SPM+ Discreet
Zhou (2021) ⁶³	15	Amateur athletes	Single leg drop-landing	Hip, Knee, Ankle	Vicon	Kinematics + Kinetics	SPM+ Discreet
Liu (2021) ⁶²	15	Volleyball	Volleyball spike jumps	Knee	Vicon + AMTI	Kinematics + Kinetics	
Zhou (2021) ⁶⁷	25	Basketball	Stop-jump	Hip, Knee, Ankle	Vicon + Kistler	Kinematics + Kinetics	SPM
Estevan (2020) ⁶⁸	30	Volleyball, gymnastic	Single-leg landing	Hip, Knee, Ankle	Qualisys + Kistler	Kinematics + Kinetics	SPM
Martonick (2022) ⁶⁴	9	N/A	Single leg drop-landing	Pelvis, Hip, Knee	Vicon + AMTI	Kinematics	SPM+ Discreet
Simpson (2019) ⁶⁶	15	Physically active	Landing	Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Whyte (2018) ⁶⁵	14	Varied	Vertical drop jump	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Bedo (2022) ⁴⁶	20	Handball	Single-leg landing, drop vertical jump	Hip, Knee	Vicon + Bertec	Kinematics	SPM

Table 4. SPM1d in Squatting, Isokinetic and Other Activities

Study	Participants Details			Joints	SPM Assessment		
	Number Of Participants	Sport participation	Activity		Measurement Tools	Kinetic/ Kinematic	SPM/ Discreet
Kipp (2022) ⁶⁹	9	Track and field athletes	Squat	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Maddox (2021) ⁷²	20	Resistance-trained	Squat	Hip, Knee, Ankle	Vicon + Bertec	Kinematics + Kinetics	SPM+ Discreet
Gao (2022) ⁷⁴	14	Squat	Lunge Squat	Hip, Knee, Ankle	Vicon + Kistler	Kinematics + Kinetics	SPM, 2-Way Anova
Li (2021) ⁷¹	16	Squat	Squat, half-squat	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Sayers (2020) ⁷³	20	Resistance-trained	Squat	Hip, Knee, Ankle	Vicon + Kistler	Kinematics + Kinetics	SPM+ Discreet
Kristiansen (2019) ⁷⁰	10	Resistance-trained	Squat	Hip, Knee, Ankle	Qualisys	Kinematics	SPM+ Discreet
Alhammoud (2019) ⁷⁶	28	Other, Ski	Isokinetic device	Knee	CSMi	Kinetics	SPM, Discreet
Oranchuk (2021) ⁷⁷	14	Resistance-trained	Isokinetic device	Knee	CSMi	Kinetics	SPM, Discreet
Zhang (2021) ⁷⁵	17	Soccer	Isokinetic device	Knee	CON-TREX®	Kinetics	SPM, Discreet
Galindo-Martínez (2021) ⁷⁸	23	Cycling	Cycling	Hip, Knee, Ankle	Vicon	Kinematics	SPM
Bini (2021) ⁷⁹	10	Cycling	Cycling	Hip, Knee	XSENS	Kinematics + Kinetics	SPM
Park (2022) ⁸⁰	10	Cycling, Stand-up cycling	Stand-up cycling	Hip, Knee, Ankle	Motion Analysis + load cell	Kinematics + Kinetics	SPM+ Discreet
Bertozzi (2022) ⁸⁴	11	Kayak	Kayak	Hip, Knee, Ankle	BTS bioengineering	Kinematics	SPM
Klitgaard (2021) ⁸⁵	11	Kayak- ergometer	Kayak	Knee	XSENS	Kinematics	SPM
Callaghan (2019) ⁸⁷	9	Cricket	Cricket	Knee	XSENS + Kistler	Kinematics + Kinetics	SPM+ Discreet
Wallace (2021) ⁸⁸	13	Dance	Dance	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Bissas (2022) ⁸⁶	16	Hurdling	Hurdling	Hip, Knee, Ankle, CM	Sony + SIMI	Kinematics	SPM+ Discreet
Augustus (2017) ⁸²	9	Soccer	Instep kick	Hip, Knee	Vicon + Kistler	Kinematics + Kinetics	SPM
Iitake (2022) ⁸¹	14	Soccer	Instep kicking	Hip, Knee	Vicon	Kinematics + Kinetics	SPM
Atack (2019) ⁸³	33	Rugby	Place kicking	Hip, Knee	Vicon + Kistler	Kinematics + Kinetics	SPM+ Discreet
Schroeder (2020) ⁸⁹	16	Recreationally active	Sidestep	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet

Table 5. SPM1d Uses in population after an ACL Injuries

Study	Participants Details			SPM Assessment				
	Number of Injured Participants	Number of Healthy Participants	Sport participation	Activity	Joints	Measurement Tools	Kinetic/ Kinematic	SPM/ Discreet
Garcia (2022) ⁹⁰	30	15	N/A	Walking-Treadmill	GRF	Bertec	Kinetics	SPM
Neal (2022) ⁹¹	35	N/A	N/A	Walking-Overground	Knee	Vicon + Bertec	Kinematics + Kinetics	SPM+ Discreet
Oh (2022) ⁹²	15	15	N/A	Walking-Overground	Hip, Knee, Ankle	Kinect + AnyBody	Kinetics	SPM
Johnson (2022) ⁹³	19	9	N/A	Walking-Treadmill	Knee	Vicon + AMTI	Kinematics + Kinetics	SPM
Washabaugh (2022) ⁹⁴	15	N/A	N/A	Walking-Treadmill	GRF	Bertec	Kinetics	SPM+ Discreet
Sole (2017) ⁹⁵	67	32	Tegner scale = 9	Stairs descent	Knee	Qualisys	Kinematics	SPM
Sole (2022) ⁹⁷	31	N/A	Tegner scale = 9	Jumping/ Landing	Knee	Motion Analysis + AMTI	Kinematics + Kinetics	SPM+ Discreet
Sole (2022) ⁹⁶	18	N/A	Tegner scale = 7	Jumping/ Landing	Knee	Motion Analysis + AMTI	Kinetics	SPM+ Discreet
Smeets (2020) ⁹⁸	21	21	Varied	Jumping/ Landing	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Alejandra-Díaz (2022) ⁹⁹	21	N/A	Athletes	Jumping/ Landing	GRF	Vicon + AMTI	Kinetics	SPM
King (2018) ¹⁰⁰	156	N/A	Multidirectional field	Jumping/ Landing	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Smale (2019) ¹⁰¹	18	18	Tegner scale = 6.9	Jumping/ Landing, cutting	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Miles (2022) ¹⁰³	78	N/A	Field sports	Cutting	Knee	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
King (2018) ¹⁰²	156	N/A	Multidirectional field	Cutting	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Alizadeh (2022) ¹⁰⁴	12	68	Soccer	Isokinetic device	Knee	IsoMed 2000	Kinetics	SPM+ Discreet
Baumgart (2018) ¹⁰⁵	38	N/A	Team sport	Isokinetic device	Knee	Biodex	Kinetics	SPM
Gillet (2022) ¹⁰⁶	186	N/A	Physically active	Isokinetic device	Knee	CON-TREX	Kinetics	SPM
Hart (2022) ¹⁰⁷	357	N/A	Field sports	Isokinetic device	Knee	Cybex	Kinetics	SPM+ Discreet
Read (2022) ¹⁰⁹	27	N/A	Soccer	Isokinetic device	Knee	Biodex	Kinetics	SPM+ Discreet
Rogowski (2019) ¹¹⁰	144	N/A	Varied	Isokinetic device	Knee	Contrex	Kinetics	SPM+ Discreet
Kocak (2023) ¹⁰⁸	17	N/A	Collegiate athletes	Isokinetic device	Knee	Biodex	Kinetics	SPM+ Discreet

Table 6. SPM1d in populations with ankle injuries

Participants Details				SPM Assessment				
Study	Number of Injured Participants	Number of Healthy Participants	Sport participation	Activity	Joints	Measurement Tools	Kinetic/ Kinematic	SPM/ Discreet
Ridder (2013) ¹¹³	53	24	Recreationally active	Walking-Overground	Ankle	Qualisys + AMTI	Kinematics	SPM+ Discreet
Northeast (2018) ¹¹²	18	18	Team sports	Walking-Overground	Hip, Knee, Ankle	Motion Analysis	Kinematics	SPM+ Discreet
Moisan (2020) ¹¹¹	21	21	N/A	Walking-Overground	Knee, Ankle	Optotrak + Bertec	Kinematics + Kinetics	SPM
Fraser (2019) ¹¹⁴	58	22	Recreationally active	Walking-Treadmill	Ankle	Ascension Technologies + Bertec	Kinematics	SPM+ Discreet
Koldenhoven (2019) ¹¹⁵	18	18	Physically active	Walking-Treadmill	Hip, Knee, Ankle	Vicon + Bertec	Kinematics + Kinetics	SPM+ Discreet
Dingenen (2017) ¹¹⁶	15	12	Recreationally active	Walking-Overground	Ankle	Vicon + AMTI	Kinematics	SPM
Koldenhoven (2022) ¹¹⁷	13	13	Recreationally active	Running-Treadmill	Hip, Knee, Ankle	Vicon + Bertec	Kinematics + Kinetics	SPM+ Discreet
Wanner (2019) ¹¹⁸	32	N/A	Athletes	Running-Treadmill	Ankle	Qualisys + Bertec	Kinematics	SPM
Deschamps (2016) ¹¹⁹	15	12	Recreationally active	Running-Overground	Ankle	Vicon + AMTI	Kinematics	SPM
Deschamps (2018) ¹²⁰	15	12	N/A	Running-Overground	Ankle	Vicon + AMTI	Kinematics	SPM+ Discreet
Agres (2019) ¹²¹	16	N/A	Participation in sports	Jumping/Landing	Knee, Ankle	Vicon	Kinematics	SPM
Ridder (2020) ¹²²	28	N/A	N/A	Jumping/Landing	Ankle	Qualisys + AMTI	Kinematics	SPM+ Discreet
Ridder (2015) ¹²⁴	28	28	Recreationally active	Jumping/Landing	Hip, Knee, Ankle	Qualisys + AMTI	Kinematics	SPM
Ridder (2015) ¹²⁵	58	36	N/A	Jumping/Landing	Ankle	Qualisys + AMTI	Kinematics	SPM
Kawahara (2022) ¹²³	18	18	Varied	Jumping/Landing	Hip, Knee, Ankle	Motion Analysis + Kistler	Kinematics	SPM+ Discreet
Kunugi (2020) ¹²⁶	66	N/A	Soccer	Cutting	Hip, Knee, Ankle	OptiTrack + Kistler	Kinematics	SPM

Table 7. SPM1d in populations with hip related pain

Study	Participants Details			Activity	SPM Assessment			
	Number of Injured Participants	Number of Healthy Participants	Sport participation		Joints	Measurement Tools	Kinetic/ Kinematic	SPM/ Discreet
King (2019) ¹²⁷	88	N/A	Soccer	Walking-Overground	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Savage (2021) ¹²⁸	41	24	N/A	Walking-Overground	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Freemyer (2022) ¹²⁹	9	9	N/A	Walking-Treadmill	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Naili (2023) ¹³¹	19	N/A	N/A	Walking-Overground	Hip, Knee, Ankle	Vicon	Kinematics	SPM+ Discreet
Grant (2022) ¹³⁰	43	N/A	N/A	Walking-Overground	Hip	Vicon + AMTI	Kinematics + Kinetics	SPM+ Discreet
Scholes (2021) ¹³²	78	38	Soccer	Running-Overground	Hip, Knee, Ankle	Vicon + AMTI	Kinematics + Kinetics	SPM
Catelli (2021) ¹³³	10	10	N/A	Stairs	Hip	Vicon + Bertec	Kinematics + Kinetics	SPM
Grosklos (2022) ¹³⁴	36	19	N/A	Jumping/Landing	Hip, Knee, Ankle	Vicon + Bertec	Kinematics + Kinetics	SPM+ Discreet
Catelli (2021) ¹³⁵	26	13	N/A	Squat	Hip	Vicon + Bertec	Kinematics + Kinetics	SPM

References

1. Bezodis NE, Willwacher S, Salo AIT. The Biomechanics of the Track and Field Sprint Start: A Narrative Review. *Sports medicine (Auckland, N.Z.)*. 2019;49(9):1345-1364.
2. Dix C, Arundale A, Silvers-Granelli H, Marmon A, Zarzycki R, Snyder-Mackler L. BIOMECHANICAL MEASURES DURING TWO SPORT-SPECIFIC TASKS DIFFERENTIATE BETWEEN SOCCER PLAYERS WHO GO ON TO ANTERIOR CRUCIATE LIGAMENT INJURY AND THOSE WHO DO NOT: A PROSPECTIVE COHORT ANALYSIS. *Int J Sports Phys Ther*. 2020;15(6):928-935.
3. FRISTON K, ASHBURNER J, KIEBEL S, NICHOLS T, PENNY W, eds. *Statistical Parametric Mapping: The Analysis of Functional Brain Images*: Elsevier; 2007.
4. Pataky TC. Generalized n-dimensional biomechanical field analysis using statistical parametric mapping. *Journal of biomechanics*. 2010;43(10):1976-1982.
5. Munn Z, Peters MDJ, Stern C, Tufanaru C, McArthur A, Aromataris E. Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. *BMC medical research methodology*. 2018;18(1):143.
6. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan-a web and mobile app for systematic reviews. *Systematic reviews*. 2016;5(1):210.
7. Tricco AC, Lillie E, Zarin W, et al. PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation. *Annals of internal medicine*. 2018;169(7):467-473.
8. Yona T, Cohen Eick G, Kamel N, Ovadia I, Fischer A. *One-Dimension Statistical Parametric Mapping for Lower Limb Biomechanical Analysis: A Scoping Review*; 2023.
9. Besson T, Morio C, Millet GY, Rossi J. Influence of shoe drop on running kinematics and kinetics in female runners. *European journal of sport science*. 2019;19(10):1320-1327.
10. Chen H, Shao E, Sun D, Xuan R, Baker JS, Gu Y. Effects of footwear with different longitudinal bending stiffness on biomechanical characteristics and muscular mechanics of lower limbs in adolescent runners. *Frontiers in physiology*. 2022;13:907016.
11. Costa BL, Magalhães FA, Araújo VL, et al. Is there a dose-response of medial wedge insoles on lower limb biomechanics in people with pronated feet during walking and running? *Gait & posture*. 2021;90:190-196.
12. Fu F, Guo L, Tang X, et al. Effect of the Innovative Running Shoes With the Special Midsole Structure on the Female Runners' Lower Limb Biomechanics. *Frontiers in bioengineering and biotechnology*. 2022;10:866321.
13. Nüesch C, Roos E, Egloff C, Pagenstert G, Mündermann A. The effect of different running shoes on treadmill running mechanics and muscle activity assessed using statistical parametric mapping (SPM). *Gait & posture*. 2019;69:1-7.
14. Shamsoddini A, Hollisaz MT. Biomechanics of running: A special reference to the comparisons of wearing boots and running shoes. *PloS one*. 2022;17(6):e0270496.
15. Sinclair J, Butters B, Stainton P. Acute Effects of Barefoot and Minimalist Footwear on Medial Tibiofemoral Compartment Loading During Running: A Statistical Parametric Mapping Approach. *Journal of human kinetics*. 2018;65:35-44.
16. Sinclair J, Brooks D, Taylor PJ, Liles NB. Effects of running in minimal, maximal and traditional running shoes: a musculoskeletal simulation exploration using statistical parametric mapping and Bayesian analyses. *Footwear Science*. 2021;13(2):143-156.
17. Tam N, Prins D, Divekar NV, Lamberts RP. Biomechanical analysis of gait waveform data: exploring differences between shod and barefoot running in habitually shod runners. *Gait & posture*. 2017;58:274-279.
18. Zhang M, Cui J, Liu H. Effect of Flat Running Shoes on Hip Kinematics in Male Recreational Runners. *IJERPH*. 2022;19(24).
19. Masters A, Netto KJ, Brooker S, Hopper D, Liew B. Hip Taping Positively Alters Running Kinematics in Asymptomatic Females. *Int J Sports Med*. 2018;39(14):1068-1074.
20. Matias AB, Watari R, Taddei UT, et al. Effects of Foot-Core Training on Foot-Ankle Kinematics and Running Kinetics in Runners: Secondary Outcomes From a Randomized Controlled Trial. *Frontiers in bioengineering and biotechnology*. 2022;10:890428.

21. Trowell D, Fox A, Saunders N, Vicenzino B, Bonacci J. Effect of concurrent strength and endurance training on run performance and biomechanics: A randomized controlled trial. *Scandinavian journal of medicine & science in sports*. 2022;32(3):543-558.
22. Alizadeh S, Mattes K. How anterior pelvic tilt affects the lower extremity kinematics during the late swing phase in soccer players while running: A time series analysis. *Human movement science*. 2019;66:459-466.
23. Bennett HJ, Valenzuela KA, Lynn SK, Weinhandl JT. Foot Rotation Gait Modifications Affect Hip and Ankle, But Not Knee, Stance Phase Joint Reaction Forces During Running. *Journal of biomechanical engineering*. 2021;143(2).
24. Mei Q, Gu Y, Xiang L, Baker JS, Fernandez J. Foot Pronation Contributes to Altered Lower Extremity Loading After Long Distance Running. *Frontiers in physiology*. 2019;10:573.
25. Deschamps K, Eerdeken M, Peters H, Matricali GA, Staes F. Multi-segment foot kinematics during running and its association with striking patterns. *Sports biomechanics*. 2022;21(1):71-84.
26. Glassbrook DJ, Fuller JT, Alderson JA, Doyle TLA. Foot accelerations are larger than tibia accelerations during sprinting when measured with inertial measurement units. *Journal of sports sciences*. 2020;38(3):248-255.
27. Judson LJ, Churchill SM, Barnes A, Stone JA, Brookes IGA, Wheat J. Horizontal force production and multi-segment foot kinematics during the acceleration phase of bend sprinting. *Scandinavian journal of medicine & science in sports*. 2019;29(10):1563-1571.
28. Gao Z, Fekete G, Baker JS, Liang M, Xuan R, Gu Y. Effects of running fatigue on lower extremity symmetry among amateur runners: From a biomechanical perspective. *Frontiers in physiology*. 2022;13:899818.
29. Möhler F, Fadillioglu C, Stein T. Changes in spatiotemporal parameters, joint and CoM kinematics and leg stiffness in novice runners during a high-intensity fatigue protocol. *PloS one*. 2022;17(4):e0265550.
30. Nishida K, Xu C, Gale T, Anderst W, Fu F. Symmetry and sex differences in knee kinematics and ACL elongation in healthy collegiate athletes during high-impact activities revealed through dynamic biplane radiography. *Journal of orthopaedic research : official publication of the Orthopaedic Research Society*. 2022;40(1):239-251.
31. Takabayashi T, Edama M, Inai T, Kubo M. Gender differences in coordination variability between shank and rearfoot during running. *Human movement science*. 2019;66:91-97.
32. Zhou W, Yin L, Jiang J, et al. Surface effects on kinematics, kinetics and stiffness of habitual rearfoot strikers during running. *PloS one*. 2023;18(3):e0283323.
33. Garcia MC, Lennon A, Bazett-Jones DM, Ford KR, Long JT, Taylor-Haas JA. Influence of hamstring flexibility on running kinematics in adolescent long-distance runners. *Gait & posture*. 2022;93:107-112.
34. Khajooei M, Quarmby A, Kaplick H, Mayer F, Engel T. An analysis of lower extremity kinematics in response to perturbations during running using statistical parametric mapping. *Journal of biomechanics*. 2022;143:111276.
35. Liew BXW, Morris S, Netto K. Joint power and kinematics coordination in load carriage running: Implications for performance and injury. *Gait & posture*. 2016;47:74-79.
36. Fraeulin L, Maurer-Grubinger C, Holzgreve F, Groneberg DA, Ohlendorf D. Comparison of Joint Kinematics in Transition Running and Isolated Running in Elite Triathletes in Overground Conditions. *Sensors (Basel, Switzerland)*. 2021;21(14).
37. David S, Komnik I, Peters M, Funken J, Potthast W. Identification and risk estimation of movement strategies during cutting maneuvers. *Journal of science and medicine in sport*. 2017;20(12):1075-1080.
38. Ogasawara I, Shimokochi Y, Mae T, Nakata K. Rearfoot strikes more frequently apply combined knee valgus and tibial internal rotation moments than forefoot strikes in females during the early phase of cutting maneuvers. *Gait & posture*. 2020;76:364-371.
39. Ogasawara I, Shimokochi Y, Konda S, Mae T, Nakata K. Effect of Rearfoot Strikes on the Hip and Knee Rotational Kinetic Chain During the Early Phase of Cutting in Female Athletes. *Sports medicine - open*. 2021;7(1):75.
40. Peel SA, Schroeder LE, Weinhandl JT. Effects of foot progression angle on knee mechanics during an anticipated cutting task: A statistical parametric mapping approach. *Journal of biomechanics*. 2022;130:110842.
41. Uno Y, Ogasawara I, Konda S, et al. Effect of the foot-strike pattern on the sagittal plane knee kinetics and kinematics during the early phase of cutting movements. *Journal of biomechanics*. 2022;136:111056.
42. Bedo BLS, Cesar GM, Moraes R, et al. Influence of Side Uncertainty on Knee Kinematics of Female Handball Athletes During Sidestep Cutting Maneuvers. *Journal of applied biomechanics*. 2021;37(3):188-195.

43. Dutaillis B, Opar DA, Pataky T, Timmins RG, Hickey JT, Maniar N. Trunk, pelvis and lower limb coordination between anticipated and unanticipated sidestep cutting in females. *Gait & posture*. 2021;85:131-137.
44. Whyte EF, Richter C, O'Connor S, Moran KA. Investigation of the Effects of High-Intensity, Intermittent Exercise and Unanticipation on Trunk and Lower Limb Biomechanics During a Side-Cutting Maneuver Using Statistical Parametric Mapping. *Journal of strength and conditioning research*. 2018;32(6):1583-1593.
45. Whyte EF, Richter C, O'connor S, Moran KA. The effect of high intensity exercise and anticipation on trunk and lower limb biomechanics during a crossover cutting manoeuvre. *Journal of sports sciences*. 2018;36(8):889-900.
46. Bedo BLS, Catelli DS, Lamontagne M, et al. Fatigue modifies hip and knee kinematics during single- and double-leg dynamic tasks: An investigation with female handball players. *Journal of sports sciences*. 2022;40(17):1964-1972.
47. Zago M, David S, Bertozzi F, et al. Fatigue Induced by Repeated Changes of Direction in Élite Female Football (Soccer) Players: Impact on Lower Limb Biomechanics and Implications for ACL Injury Prevention. *Frontiers in bioengineering and biotechnology*. 2021;9:666841.
48. Liu Y, Lam W-K, Seglina I, Apps C. Does the Location of Shoe Upper Support on Basketball Shoes Influence Ground Reaction Force and Ankle Mechanics during Cutting Maneuvers? *Biology*. 2022;11(5).
49. Sinclair J, Liles N, Taylor PJ, Glenn T. Effects of second-generation and indoor sports surfaces on knee joint kinetics and kinematics during 45° and 180° cutting manoeuvres, and exploration using statistical parametric mapping and Bayesian analyses. *Sport Sci Health*. 2020;16(3):511-521.
50. Sankey SP, Robinson MA, Vanrenterghem J. Whole-body dynamic stability in side cutting: Implications for markers of lower limb injury risk and change of direction performance. *Journal of biomechanics*. 2020;104:109711.
51. Whyte EF, Richter C, O'Connor S, Moran KA. Effects of a dynamic core stability program on the biomechanics of cutting maneuvers: A randomized controlled trial. *Scandinavian journal of medicine & science in sports*. 2018;28(2):452-462.
52. Weinhandl JT, Irmischer BS, Bennett HJ. The effects of sex and landing task on hip mechanics. *Computer methods in biomechanics and biomedical engineering*. 2021;24(16):1819-1827.
53. Vanrenterghem J, Venables E, Pataky T, Robinson MA. The effect of running speed on knee mechanical loading in females during side cutting. *Journal of biomechanics*. 2012;45(14):2444-2449.
54. Di Paolo S, Nijmeijer E, Bragonzoni L, Dingshoff E, Gokeler A, Benjaminse A. Comparing lab and field agility kinematics in young talented female football players: Implications for ACL injury prevention. *European journal of sport science*. 2023;23(5):859-868.
55. Thomas C, Dos'Santos T, Warmenhoven J, Jones PA. Between-Limb Differences During 180° Turns in Female Soccer Players: Application of Statistical Parametric Mapping. *Journal of strength and conditioning research*. 2022;36(11):3136-3142.
56. Schroeder LE, Valenzuela KA, Zhang S, Orme JG, Weinhandl JT. Rounding the base: A lower extremity biomechanical analysis in softball players. *International Journal of Sports Science & Coaching*. 2021;16(6):1322-1331.
57. Cassiolas G, Di Paolo S, Marchiori G, et al. Knee Joint Contact Forces during High-Risk Dynamic Tasks: 90° Change of Direction and Deceleration Movements. *Bioengineering (Basel, Switzerland)*. 2023;10(2).
58. Hogg JA, Vanrenterghem J, Ackerman T, et al. Temporal kinematic differences throughout single and double-leg forward landings. *Journal of biomechanics*. 2020;99:109559.
59. Kunugi S, Koumura T, Myotsuzono R, et al. Directions of single-leg landing affect multi-segment foot kinematics and dynamic postural stability in male collegiate soccer athletes. *Gait & posture*. 2020;80:285-291.
60. Xu D, Cen X, Wang M, et al. Temporal Kinematic Differences between Forward and Backward Jump-Landing. *IJERPH*. 2020;17(18).
61. Xu D, Jiang X, Cen X, Baker JS, Gu Y. Single-Leg Landings Following a Volleyball Spike May Increase the Risk of Anterior Cruciate Ligament Injury More Than Landing on Both-Legs. *Applied Sciences*. 2021;11(1):130.
62. Liu X, Huang H, Li X, Li J, Shi H, Wang A. Effects of Video Task With a High-Level Exercise Illustration on Knee Movements in Male Volleyball Spike Jump. *Frontiers in psychology*. 2021;12:644188.
63. Zhou H, Chen C, Xu D, Ugbohue UC, Baker JS, Gu Y. Biomechanical Characteristics between Bionic Shoes and Normal Shoes during the Drop-Landing Phase: A Pilot Study. *IJERPH*. 2021;18(6).

64. Martonick NJ, Chun Y, Krumpl L, Bailey JP. Lower Extremity Kinematic Waveform Analysis During a Single Leg Drop Task - Including a Single Subject Design. *Int J Sports Phys Ther.* 2022;17(7):1271-1281.
65. Whyte EF, Kennelly P, Milton O, Richter C, O'Connor S, Moran KA. The effects of limb dominance and a short term, high intensity exercise protocol on both landings of the vertical drop jump: implications for the vertical drop jump as a screening tool. *Sports biomechanics.* 2018;17(4):541-553.
66. Simpson JD, Stewart EM, Rendos NK, et al. Anticipating ankle inversion perturbations during a single-leg drop landing alters ankle joint and impact kinetics. *Human movement science.* 2019;66:22-30.
67. Zhou H, Xu D, Chen C, Ugbohue UC, Baker JS, Gu Y. Analysis of Different Stop-Jumping Strategies on the Biomechanical Changes in the Lower Limbs. *Applied Sciences.* 2021;11(10):4633.
68. Estevan I, Monfort-Torres G, Farana R, Zahradnik D, Jandacka D, García-Massó X. Children's Single-Leg Landing Movement Capability Analysis According to the Type of Sport Practiced. *IJERPH.* 2020;17(17).
69. Kipp K, Kim H, Wolf WI. Muscle-Specific Contributions to Lower Extremity Net Joint Moments While Squatting With Different External Loads. *Journal of strength and conditioning research.* 2022;36(2):324-331.
70. Kristiansen M, Rasmussen GHF, Sloth ME, Voigt M. Inter- and intra-individual variability in the kinematics of the back squat. *Human movement science.* 2019;67:102510.
71. Li X, Adrien N, Baker JS, Mei Q, Gu Y. Novice Female Exercisers Exhibited Different Biomechanical Loading Profiles during Full-Squat and Half-Squat Practice. *Biology.* 2021;10(11).
72. Maddox EU, Bennett HJ. Effects of External Load on Sagittal and Frontal Plane Lower Extremity Biomechanics During Back Squats. *Journal of biomechanical engineering.* 2021;143(5).
73. Sayers MGL, Hosseini Nasab SH, Bachem C, Taylor WR, List R, Lorenzetti S. The effect of increasing heel height on lower limb symmetry during the back squat in trained and novice lifters. *BMC sports science, medicine & rehabilitation.* 2020;12:42.
74. Gao L, Lu Z, Liang M, Baker JS, Gu Y. Influence of Different Load Conditions on Lower Extremity Biomechanics during the Lunge Squat in Novice Men. *Bioengineering (Basel, Switzerland).* 2022;9(7).
75. Zhang Q, Morel B, Trama R, Hautier CA. Influence of Fatigue on the Rapid Hamstring/Quadriceps Force Capacity in Soccer Players. *Frontiers in physiology.* 2021;12:627674.
76. Alhammoud M, Morel B, Hansen C, et al. Discipline and Sex Differences in Angle-specific Isokinetic Analysis in Elite Skiers. *Int J Sports Med.* 2019;40(5):317-330.
77. Oranchuk DJ, Diewald SN, McGrath JW, Nelson AR, Storey AG, Cronin JB. Kinetic and kinematic profile of eccentric quasi-isometric loading. *Sports biomechanics.* 2021:1-14.
78. Galindo-Martínez A, López-Valenciano A, Albaladejo-García C, Vallés-González JM, Elvira JLL. Changes in the Trunk and Lower Extremity Kinematics Due to Fatigue Can Predispose to Chronic Injuries in Cycling. *IJERPH.* 2021;18(7).
79. Bini R. Influence of saddle height in 3D knee loads commuter cyclists: A statistical parametric mapping analysis. *Journal of sports sciences.* 2021;39(3):275-288.
80. Park S, Roh J, Hyeong J, Kim S. Effect of crank length on biomechanical parameters and muscle activity during standing cycling. *Journal of sports sciences.* 2022;40(2):185-194.
81. Iitake T, Hioki M, Takahashi H, Nunome H. Sex difference in soccer instep kicking. *Journal of sports sciences.* 2022;40(20):2217-2224.
82. Augustus S, Mundy P, Smith N. Support leg action can contribute to maximal instep soccer kick performance: an intervention study. *Journal of sports sciences.* 2017;35(1):89-98.
83. Atack AC, Trewartha G, Bezodis NE. A joint kinetic analysis of rugby place kicking technique to understand why kickers achieve different performance outcomes. *Journal of biomechanics.* 2019;87:114-119.
84. Bertozzi F, Porcelli S, Marzorati M, et al. Whole-body kinematics during a simulated sprint in flat-water kayakers. *European journal of sport science.* 2022;22(6):817-825.
85. Klitgaard KK, Hauge C, Oliveira AS, Heinen F. A kinematic comparison of on-ergometer and on-water kayaking. *European journal of sport science.* 2021;21(10):1375-1384.
86. Bissas A, Paradisis GP, Hanley B, Merlino S, Walker J. Kinematic and Temporal Differences Between World-Class Men's and Women's Hurdling Techniques. *Frontiers in sports and active living.* 2022;4:873547.

87. Callaghan SJ, Lockie RG, Andrews WA, Yu W, Chipchase RF, Nimphius S. The Effects of an Eight over Cricket Bowling Spell upon Pace Bowling Biomechanics and Performance within Different Delivery Lengths. *Sports (Basel, Switzerland)*. 2019;7(9).
88. Wallace K, Kalogeropoulou S, Lamb P. The time-continuous association between turnout and axial joint moments in the competitive Irish dance 'fly' landing. *Sports biomechanics*. 2021:1-10.
89. Schroeder LE, Peel SA, Leverenz BH, Weinhandl JT. Type of unanticipated stimulus affects lower extremity kinematics and kinetics during sidestepping. *Journal of sports sciences*. 2021;39(6):618-628.
90. Garcia SA, Brown SR, Koje M, Krishnan C, Palmieri-Smith RM. Gait asymmetries are exacerbated at faster walking speeds in individuals with acute anterior cruciate ligament reconstruction. *Journal of orthopaedic research : official publication of the Orthopaedic Research Society*. 2022;40(1):219-230.
91. Neal K, Williams JR, Alfayyadh A, et al. Knee joint biomechanics during gait improve from 3 to 6 months after anterior cruciate ligament reconstruction. *Journal of orthopaedic research : official publication of the Orthopaedic Research Society*. 2022;40(9):2025-2038.
92. Oh J, Ripic Z, Signorile JF, et al. Monitoring joint mechanics in anterior cruciate ligament reconstruction using depth sensor-driven musculoskeletal modeling and statistical parametric mapping. *Medical engineering & physics*. 2022;103:103796.
93. Johnson AK, Brown SR, Palmieri-Smith RM, Krishnan C. Functional Resistance Training After Anterior Cruciate Ligament Reconstruction Improves Knee Angle and Moment Symmetry During Gait: A Randomized Controlled Clinical Trial. *Arthroscopy : the journal of arthroscopic & related surgery : official publication of the Arthroscopy Association of North America and the International Arthroscopy Association*. 2022;38(11):3043-3055.
94. Washabaugh EP, Brown SR, Palmieri-Smith RM, Krishnan C. Functional Resistance Training Differentially Alters Gait Kinetics After Anterior Cruciate Ligament Reconstruction: A Pilot Study. *Sports health*. 2022:19417381221104042.
95. Sole G, Pataky T, Tengman E, Häger C. Analysis of three-dimensional knee kinematics during stair descent two decades post-ACL rupture - Data revisited using statistical parametric mapping. *Journal of electromyography and kinesiology : official journal of the International Society of Electrophysiological Kinesiology*. 2017;32:44-50.
96. Sole G, Pataky T, Hammer N, Lamb P. Can a knee sleeve influence ground reaction forces and knee joint power during a step-down hop in participants following anterior cruciate ligament reconstruction? A secondary analysis. *PloS one*. 2022;17(12):e0272677.
97. Sole G, Lamb P, Pataky T, et al. Immediate and six-week effects of wearing a knee sleeve following anterior cruciate ligament reconstruction on knee kinematics and kinetics: a cross-over laboratory and randomised clinical trial. *BMC Musculoskelet Disord*. 2022;23(1):560.
98. Smeets A, Vanrenterghem J, Staes F, Vandenneucker H, Claes S, Verschueren S. Are Anterior Cruciate Ligament-reconstructed Athletes More Vulnerable to Fatigue than Uninjured Athletes? *Medicine and science in sports and exercise*. 2020;52(2):345-353.
99. Alejandra Díaz M, Smeets A, Hagen M, Sankey SP, Verschueren S, Vanrenterghem J. Postural balance strategies during landing at the moment of return-to-sports after anterior cruciate ligament reconstruction. *Journal of biomechanics*. 2022;145:111381.
100. King E, Richter C, Franklyn-Miller A, et al. Whole-body biomechanical differences between limbs exist 9 months after ACL reconstruction across jump/landing tasks. *Scandinavian journal of medicine & science in sports*. 2018;28(12):2567-2578.
101. Smale KB, Flaxman TE, Alkjaer T, Simonsen EB, Krogsgaard MR, Benoit DL. Anterior cruciate ligament reconstruction improves subjective ability but not neuromuscular biomechanics during dynamic tasks. *Knee surgery, sports traumatology, arthroscopy : official journal of the ESSKA*. 2019;27(2):636-645.
102. King E, Richter C, Franklyn-Miller A, et al. Biomechanical but not timed performance asymmetries persist between limbs 9 months after ACL reconstruction during planned and unplanned change of direction. *Journal of biomechanics*. 2018;81:93-103.
103. Miles JJ, McGuigan PM, King E, Daniels KAJ. Biomechanical asymmetries differ between autograft types during unplanned change of direction after ACL reconstruction. *Scandinavian journal of medicine & science in sports*. 2022;32(8):1236-1248.

104. Alizadeh S, Sarvestan J, Svoboda Z, Alaei F, Linduška P, Atabadi PA. Hamstring and ACL injuries impacts on hamstring-to-quadriceps ratio of the elite soccer players: A retrospective study. *Physical therapy in sport : official journal of the Association of Chartered Physiotherapists in Sports Medicine*. 2022;53:97-104.
105. Baumgart C, Welling W, Hoppe MW, Freiwald J, Gokeler A. Angle-specific analysis of isokinetic quadriceps and hamstring torques and ratios in patients after ACL-reconstruction. *BMC sports science, medicine & rehabilitation*. 2018;10:23.
106. Gillet B, Blache Y, Rogowski I, et al. Isokinetic Strength After ACL Reconstruction: Influence of Concomitant Anterolateral Ligament Reconstruction. *Sports health*. 2022;14(2):176-182.
107. Hart LM, Izri E, King E, Daniels KAJ. Angle-specific analysis of knee strength deficits after ACL reconstruction with patellar and hamstring tendon autografts. *Scandinavian journal of medicine & science in sports*. 2022;32(12):1781-1790.
108. Kocak UZ, Knurr KA, Cobian DG, Heiderscheidt BC. Beyond peak torque: Longitudinal analysis of angle-specific isokinetic knee torques in collegiate athletes post-ACLR. *Physical therapy in sport : official journal of the Association of Chartered Physiotherapists in Sports Medicine*. 2023;61:11-19.
109. Read PJ, Trama R, Racinais S, McAuliffe S, Klauznicer J, Alhammoud M. Angle specific analysis of hamstrings and quadriceps isokinetic torque identify residual deficits in soccer players following ACL reconstruction: a longitudinal investigation. *Journal of sports sciences*. 2022;40(8):871-877.
110. Rogowski I, Vigne G, Blache Y, et al. DOES THE GRAFT USED FOR ACL RECONSTRUCTION AFFECT THE KNEE MUSCULAR STRENGTH RATIO AT SIX MONTHS POSTOPERATIVELY? *Intl J Sports Phys Ther*. 2019;14(4):546-553.
111. Moisan G, Mainville C, Descarreaux M, Cantin V. Kinematic, kinetic and electromyographic differences between young adults with and without chronic ankle instability during walking. *Journal of electromyography and kinesiology : official journal of the International Society of Electrophysiological Kinesiology*. 2020;51:102399.
112. Northeast L, Gautrey CN, Bottoms L, Hughes G, Mitchell ACS, Greenhalgh A. Full gait cycle analysis of lower limb and trunk kinematics and muscle activations during walking in participants with and without ankle instability. *Gait & posture*. 2018;64:114-118.
113. Ridder R de, Willems T, Vanrenterghem J, Robinson M, Pataky T, Roosen P. Gait kinematics of subjects with ankle instability using a multisegmented foot model. *Medicine and science in sports and exercise*. 2013;45(11):2129-2136.
114. Fraser JJ, Hart JM, Saliba SF, Park JS, Tumperi M, Hertel J. Multisegmented ankle-foot kinematics during gait initiation in ankle sprains and chronic ankle instability. *Clinical biomechanics (Bristol, Avon)*. 2019;68:80-88.
115. Koldenhoven RM, Hart J, Saliba S, Abel MF, Hertel J. Gait kinematics & kinetics at three walking speeds in individuals with chronic ankle instability and ankle sprain copers. *Gait & posture*. 2019;74:169-175.
116. Dingenen B, Deschamps K, Delchambre F, van Peer E, Staes FF, Matricali GA. Effect of taping on multi-segmental foot kinematic patterns during walking in persons with chronic ankle instability. *Journal of science and medicine in sport*. 2017;20(9):835-840.
117. Koldenhoven RM, Hart J, Abel MF, Saliba S, Hertel J. Running gait biomechanics in females with chronic ankle instability and ankle sprain copers. *Sports biomechanics*. 2022;21(4):447-459.
118. Wanner P, Schmautz T, Kluge F, Eskofier B, Pfeifer K, Steib S. Ankle angle variability during running in athletes with chronic ankle instability and copers. *Gait & posture*. 2019;68:329-334.
119. Deschamps K, Dingenen B, Pans F, van Bavel I, Matricali GA, Staes F. Effect of taping on foot kinematics in persons with chronic ankle instability. *Journal of science and medicine in sport*. 2016;19(7):541-546.
120. Deschamps K, Matricali GA, Dingenen B, Boeck J de, Bronselaer S, Staes F. Foot and ankle kinematics in chronic ankle instability subjects using a midfoot strike pattern when running, including influence of taping. *Clinical biomechanics (Bristol, Avon)*. 2018;54:1-7.
121. Agres AN, Chrysanthou M, Raffalt PC. The Effect of Ankle Bracing on Kinematics in Simulated Sprain and Drop Landings: A Double-Blind, Placebo-Controlled Study. *Am J Sports Med*. 2019;47(6):1480-1487.
122. Ridder R de, Willems T, Vanrenterghem J, Verrelst R, Blaiser C de, Roosen P. Taping Benefits Ankle Joint Landing Kinematics in Subjects With Chronic Ankle Instability. *Journal of Sport Rehabilitation*. 2020;29(2):162-167.

123. Kawahara D, Koshino Y, Watanabe K, et al. Lower limb kinematics during single leg landing in three directions in individuals with chronic ankle instability. *Physical therapy in sport : official journal of the Association of Chartered Physiotherapists in Sports Medicine*. 2022;57:71-77.
124. Ridder R de, Willems T, Vanrenterghem J, Robinson MA, Roosen P. Lower limb landing biomechanics in subjects with chronic ankle instability. *Medicine and science in sports and exercise*. 2015;47(6):1225-1231.
125. Ridder R de, Willems T, Vanrenterghem J, Robinson MA, Palmans T, Roosen P. Multi-segment foot landing kinematics in subjects with chronic ankle instability. *Clinical biomechanics (Bristol, Avon)*. 2015;30(6):585-592.
126. Kunugi S, Koumura T, Myotsuzono R, et al. Ankle laxity affects ankle kinematics during a side-cutting task in male collegiate soccer athletes without perceived ankle instability. *Physical therapy in sport : official journal of the Association of Chartered Physiotherapists in Sports Medicine*. 2020;46:89-96.
127. King MG, Heerey JJ, Schache AG, et al. Lower limb biomechanics during low- and high-impact functional tasks differ between men and women with hip-related groin pain. *Clinical biomechanics (Bristol, Avon)*. 2019;68:96-103.
128. Savage TN, Saxby DJ, Pizzolato C, et al. Trunk, pelvis and lower limb walking biomechanics are similarly altered in those with femoroacetabular impingement syndrome regardless of cam morphology size. *Gait & posture*. 2021;83:26-34.
129. Freemyer B, Durkin R, Crawford S, Beeler D, Stickley C. Preoperative and Postoperative Walking Gait in Women With Acetabular Labral Tears and Femoroacetabular Impingement Syndrome. *Journal of athletic training*. 2022;57(8):780-787.
130. Grant TM, Diamond LE, Pizzolato C, et al. Comparison of Walking Biomechanics After Physical Therapist-Led Care or Hip Arthroscopy for Femoroacetabular Impingement Syndrome: A Secondary Analysis From a Randomized Controlled Trial. *Am J Sports Med*. 2022;50(12):3198-3209.
131. Naili JE, Brekke AF, Simonsen MB, Hirata RP, Overgaard S, Holsgaard-Larsen A. Change in functional biomechanics following a targeted exercise intervention in patients with acetabular retroversion and femoroacetabular impingement syndrome. *Gait & posture*. 2023;100:96-102.
132. Scholes MJ, Crossley KM, King MG, et al. Running biomechanics in football players with and without hip and groin pain. A cross-sectional analysis of 116 sub-elite players. *Physical therapy in sport : official journal of the Association of Chartered Physiotherapists in Sports Medicine*. 2021;52:312-321.
133. Catelli DS, Bedo BLS, Beaulé PE, Lamontagne M. Pre- and postoperative in silico biomechanics in individuals with cam morphology during stair tasks. *Clinical biomechanics (Bristol, Avon)*. 2021;86:105387.
134. Grosklos M, Lewis CL, Jochimsen K, et al. Females with hip-related pain display altered lower limb mechanics compared to their healthy counterparts in a drop jump task. *Clinical biomechanics (Bristol, Avon)*. 2022;100:105812.
135. Catelli DS, Kowalski E, Beaulé PE, Lamontagne M. Muscle and Hip Contact Forces in Asymptomatic Men With Cam Morphology During Deep Squat. *Frontiers in sports and active living*. 2021;3:716626.
136. Houston A, Fong DTP, Bennett AN, Walters V, Barker-Davies RM. Biomechanical differences between military patients with patellar tendinopathy and asymptomatic controls during single-leg squatting and gait - A statistical parametric mapping study. *Clinical biomechanics (Bristol, Avon)*. 2021;90:105514.
137. Pieters D, Witvrouw E, Wezenbeek E, Schuermans J. Value of isokinetic strength testing for hamstring injury risk assessment: Should the 'strongest' mates stay ashore? *European journal of sport science*. 2022;22(2):257-268.
138. Robinson MA, Vanrenterghem J, Pataky TC. Sample size estimation for biomechanical waveforms: Current practice, recommendations and a comparison to discrete power analysis. *Journal of biomechanics*. 2021;122:110451.
139. Pataky TC. Power1D: a Python toolbox for numerical power estimates in experiments involving one-dimensional continua. *PeerJ Computer Science*. 2017;3:e125.

Appendix 1. Search Strategy for the different Search Engines

1.1. Embase

'statistical parametric mapping':ti,ab,kw AND (knee:ti,ab,kw OR hip:ti,ab,kw OR ankle:ti,ab,kw)

1.2. PubMed

statistical parametric mapping[Title/Abstract] AND (knee[Title/Abstract] OR hip[Title/Abstract] OR ankle[Title/Abstract])

1.3. ProQuest

noft(statistical parametric mapping AND (knee OR hip OR ankle))

Additional limits - Document type: Article; Language: English

1.4. Web of Science

((TI=(statistical parametric mapping AND (knee OR hip OR ankle))) OR AB=(statistical parametric mapping AND (knee OR hip OR ankle))) OR AK=(statistical parametric mapping AND (knee OR hip OR ankle))

Appendix 2. SPM1d in populations with Other Sport-Related Injuries.

Study	Participants Details				SPM Assessment			
	Number of Injured Participants	Number of Healthy Participants	Sport participation	Activity	Joints	Measurement Tools	Kinetic/ Kinematic	SPM/ Discreet
Houston (2021) ¹³⁶	25	24	Army	Single-leg squat, walking	Hip, Knee	Vicon + AMTI	Kinematics + Kinetics	SPM
Alizadeh (2022) ¹⁰⁴	31	68	Soccer	Isokinetic device	Knee	IsoMed 2000	Kinetics	SPM+ Discreet
Pieters (2022) ¹³⁷	56	60	Soccer	Isokinetic device	Hip, Knee	Biodex	Kinetics	SPM