1	Fact Check: Assessing the Response of ChatGPT to Alzheimer's Disease Statements with
2	Varying Degrees of Misinformation
3	
4	Sean S. Huang M.D.* <sup>a,b</sup> , Qingyuan Song M.E.* <sup>c</sup> , Kimberly J. Beiting M.D. <sup>a</sup> , Maria C. Duggan
5	M.D. <sup>a,d</sup> , Kristin Hines M.D. <sup>a</sup> , Harvey Murff M.D. <sup>a</sup> , Vania Leung M.D. <sup>e</sup> , James Powers M.D. <sup>a,d</sup> ,
6	T.S. Harvey Ph.D. <sup>f</sup> , Bradley Malin Ph.D. <sup>b,c,g</sup> , Zhijun Yin Ph.D. <sup>b,c</sup>
7	
8	<sup>a</sup> Department of Medicine, Division of Geriatrics, Vanderbilt University Medical Center,
9	Nashville, TN, USA
10	<sup>b</sup> Department of Biomedical Informatics, Vanderbilt University Medical Center, Nashville,
11	TN, USA
12	° Department of Computer Science, Vanderbilt University, Nashville, TN, USA
13	<sup>d</sup> Geriatric Research Education and Clinical Center (GRECC), Department of Veteran
14	Affairs, Tennessee Valley Healthcare System, Nashville, TN, USA
15	<sup>e</sup> Department of Academic Internal Medicine and Geriatrics, University of Illinois at
16	Chicago, Chicago, IL, USA
17	<sup>f</sup> Department of Anthropology, Vanderbilt University, Nashville, TN, USA
18	<sup>g</sup> Department of Biostatistics, Vanderbilt University Medical Center, Nashville, TN, USA
19	* These authors contributed equally to the work
20 21 22 23	Funding Disclosure: Research reported in this paper was supported by the National Institutes of Health under award number U54HG012510.
23 24 25 26 27 28	Dr. Beiting is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) under grant number K01HP49070. This information or content and conclusions are those of the author and should not be construed as the official position or policy of, nor should any endorsements be inferred by HRSA, HHS or the U.S. Government.

ChatGPT and Alzheimer's Disease

# 29 Corresponding Author:

- 30 Sean S. Huang, MD
- 31 Assistant Professor of Medicine
- 32 Division of Geriatric Medicine, Vanderbilt University Medical Center
- 33 2147 Belcourt Ave, Suite 100
- 34 Nashville, TN 37212
- 35 Phone: 615-875-2468
- 36 <u>sean.huang@vumc.org</u>
- 37 Twitter: @sshuangmd
- 38
- 39 Word Counts:
- 40 **Abstract 297**
- 41 Main text 1845
- 42 **Tables 1, Figures 2**
- 43
- 44 Impact Statement

45 There are many statements regarding Alzheimer's disease (AD) diagnosis, management, and 46 treatment circulating on the Internet, each exhibiting varying degrees of accuracy, inaccuracy, and 47 misinformation. Large language models are a popular topic currently, and many patients and 48 caregivers may turn to LLMs such as ChatGPT to learn more about the disease. This study aims 49 to assess ChatGPT's ability to identify and address AD myths with reliable information. We certify 50 that this work is novel. 51 **Key Points** 52 - Geriatricians acknowledged the potential value of ChatGPT in mitigating misinformation in 53 Alzheimer's Disease

54 - There remain nuanced cases where ChatGPT explanations are not as refined or appropriate.

55 - Why does this matter? Large language models such as ChatGPT are very popular nowadays

- 56 and patients and caregivers often may use them to learn about their disease. The paper seeks to
- 57 determine whether ChatGPT does an appropriate job in moderating understanding of

58 Alzheimer's Disease myths.

59

60	Keywords: Alzheimer's Disease, Misinformation, Large Language Models, ChatGPT
61	
62	Abstract
63	Background
64	There are many myths regarding Alzheimer's disease (AD) that have been circulated on
65	the Internet, each exhibiting varying degrees of accuracy, inaccuracy, and misinformation. Large
66	language models such as ChatGPT, may be a useful tool to help assess these myths for veracity
67	and inaccuracy. However, they can induce misinformation as well. The objective of this study is
68	to assess ChatGPT's ability to identify and address AD myths with reliable information.
69	Methods
70	We conducted a cross-sectional study of clinicians' evaluation of ChatGPT (GPT 4.0)'s
71	responses to 20 selected AD myths. We prompted ChatGPT to express its opinion on each myth
72	and then requested it to rephrase its explanation using a simplified language that could be more
73	readily understood by individuals with a middle school education. We implemented a survey
74	using Redcap to determine the degree to which clinicians agreed with the accuracy of each
75	ChatGPT's explanation and the degree to which the simplified rewriting was readable and
76	retained the message of the original. We also collected their explanation on any disagreement
77	with ChatGPT's responses. We used five Likert-type scale with a score ranging from -2 to 2 to
78	quantify clinicians' agreement in each aspect of the evaluation.
79	Results
80	The clinicians (n=11) were generally satisfied with ChatGPT's explanations, with a mean
81	(SD) score of $1.0(\pm 0.3)$ across the 20 myths. While ChatGPT correctly identified that all the 20
82	myths were inaccurate, some clinicians disagreed with its explanations on 7 of the myths.

# ChatGPT and Alzheimer's Disease

- 83 Overall, 9 of the 11 professionals either agreed or strongly agreed that ChatGPT has the potential
- 84 to provide meaningful explanations of certain myths.

# 85 Conclusions

- 86 The majority of surveyed healthcare professionals acknowledged the potential value of
- 87 ChatGPT in mitigating AD misinformation. However, the need for more refined and detailed
- 88 explanations of the disease's mechanisms and treatments was highlighted.

ChatGPT and Alzheimer's Disease

8	9

## Introduction

90 Over 80% of American adults now use the Internet to obtain health information.<sup>1</sup> This 91 democratization has led to an increase in access to information as well as an escalation in the 92 spread of health-related misinformation, posing severe challenges to public health and patient 93 decision-making.<sup>2</sup> Broad or lay public awareness of a health issue or a disease, including 94 Alzheimer's disease (AD), often coexists with certain misconceptions.<sup>3</sup> In this respect, there are 95 widely accessed AD-related statements that have been posted online, each demonstrating varying 96 degrees of accuracy, inaccuracy, and misinformation. While aware of the disease, many patients 97 and caregivers, whether through experience or training, lack certain knowledge regarding its diagnosis and management.<sup>4</sup> Through public access to misinformation circulated and gathered 98 99 from non-clinical sources, not only is AD often unfairly stigmatized but medical professionals 100 are under consulted. This trend has led to some clinicians who treat AD to call for action to help 101 distinguish fact from fiction.<sup>5</sup>

102 The emergence of large language models (LLMs) has created a new opportunity for 103 people to search for relevant medical knowledge. LLMs comprise a complex neural network 104 with billions of parameters estimated on large quantities of data. This platform and training 105 process enables LLMs to capture and generate complex linguistic patterns and dependencies, 106 thus supporting an ability to convey and express human-like text based on input prompts.<sup>6</sup> The 107 commonly known LLMs, such as ChatGPT (or GPT-4<sup>7</sup>) developed by OpenAI have shown 108 remarkable capabilities in language understanding and contextually relevant text generation.<sup>8-12</sup> 109 However, LLMs are not infallible and do not exist outside of human culture, as such they can 110 mirror the assumptions and prejudices inherent in their training data, leading to biases and 111 misinformation in their responses, raising ethical and safety concerns.<sup>13</sup> Thus, to leverage LLMs

112	to combat AD misinformation, it is necessary to examine their performance through verification
113	with domain or subject matter experts. Notably, ChatGPT has been shown to effectively
114	recognize myths in cancer, <sup>14</sup> but no study has shown its benefits in AD. Therefore, the objective
115	of this study is to assess ChatGPT's ability to accurately address AD myths and provide reliable
116	information.
117	
118	
119	Methods
120	We conducted a cross-sectional study of clinicians' evaluation of ChatGPT's opinion of
121	20 AD myths (see Table 1). In this investigation, "myths" are understood as sets of ideas that
122	become accepted and/or otherwise understood by communities according to dominant ideals that
123	may themselves be based on varying degrees accuracies, inaccuracies, and misinformation. We
124	explain how AD myths were selected and validated in the Supplemental Information (SI). The
125	study took place between April 2023 and May 2023 and was deemed to not be human subjects
126	research by the Vanderbilt University Medical Center Internal Review Board.
127	We prompted ChatGPT to generate an opinion for each myth and then rewrite the
128	technical explanation using non-specialist terms such that recipients with a middle school
129	education-level could understand it. We then developed and administered a survey to inquire
130	about the degree to which clinicians agreed with the accuracy of each original explanation and
131	the extent to which the rewritten (simplified) explanation was readable, and retained the
132	information in the original.
133	Figure 1 provides a sample of the survey questions for Myth #3. The survey begins with a
134	"To ChatGPT:" component to inquire about ChatGPT's opinion on the myth. Next, the survey

## ChatGPT and Alzheimer's Disease

135	asks the clinician if they are satisfied with ChatGPT's opinion. The clinician could express their
136	disagreements with the ChatGPT's opinion through a binary 'yes/no' question, complemented by
137	an optional text field to discuss the disagreements. The second "To ChatGPT:" component
138	contains ChatGPT's rewritten explanation and two questions for the clinicians about their
139	assessment of its information retention and readability. In the survey, these questions use a five-
140	point Likert-type scale that ranged from either "Very Unsatisfied" or "Strongly Disagree" to
141	"Very Satisfied" or "Strongly Agree". Each option was associated with an according integer
142	score ranging from -2 to 2. As such, a positive score indicates that clinicians favor ChatGPT's
143	explanation or rewriting.
144	
145	In addition, we asked clinicians before and after the survey, "Do you agree that ChatGPT
146	can be a useful tool to provide explanations and clarifications of misinformation about
147	Alzheimer's disease?". This question also uses a five-point Likert-type-type scale ranging from
148	"Strongly Disagree" to "Strongly Agree," with scores from -2 to 2. Each clinician was asked to
149	review the responses for all 20 statements, which were presented in a randomized order to
150	mitigate potential ordering effects. The complete survey for the assessment is provided in the
151	Supplemental Information.
152	The clinicians were recruited from a convenience sample to complete the ChatGPT
153	assessment survey in REDCap. <sup>16</sup> The set of clinicians included attending geriatricians, geriatric
154	trainees, nurse practitioners, and physician assistants who primarily treat and care for geriatric
155	patients from three medical centers (Vanderbilt University Medical Center, University of Illinois

156 Chicago, Rush Medical Center). Survey respondents received an Amazon gift card with a

157 monetary amount proportional to the number of responses completed.

158	Results
159	We sent an email to 34 practitioners/clinicians who practice primarily in geriatrics, and
160	15 agreed to complete the survey. Finally, we received survey responses from 11 of them: six
161	attending physicians, three geriatric trainee physicians, one nurse practitioner, and one physician
162	assistant. Only one of these clinicians had used ChatGPT occasionally, nine clinicians had heard
163	of it but never used it, and one other clinician had never heard of it.
164	Figure 2 illustrates the participants' evaluation of ChatGPT's opinions. Generally, among
165	the 20 myths, the clinicians were satisfied with these explanations, with (mean [standard
166	deviation] score of 1.0 [ $\pm$ 0.3]. The majority of clinicians selected "Agree" or "Strongly Agree"
167	for each statement (green in Figure 2). Some statements (e.g., statement #7, AD is not fatal) had
168	more "Disagree" or "Strongly Disagree" responses (red in Figure 2).
169	With respect to the overall results of information retention in the rewritten explanations,
170	6% selected "Strongly Agree", 76% selected "Agree", and 9% selected "Disagree". No
171	clinicians selected "Strongly Disagree". For readability, 7% selected "Strongly Agree", 74%
172	selected "Agree", and 3% selected "Disagree". Again, none of the clinicians selected "Strongly
173	Disagree". In both situations the mean Likert-type-type score was found to be 0.8. More detailed
174	results are provided in the Supplemental Information.
175	When comparing the clinicians' assessment of ChatGPT's potential to clarify and explain
176	misinformation about AD before and after reviewing the ChatGPT's responses, three (27%)
177	shifted their responses from "Disagree" or "Neutral" to "Agree" or "Strongly Agree." In total,
178	82% of clinicians agreed or strongly agreed, 9% were neutral, and 9% disagreed or strongly
179	disagreed.

180	Discussion
181	This investigation suggests that ChatGPT exhibits a satisfactory ability to identify and
182	explain misinformation about AD and to generate audience-specific readable explanations. Still
183	several explanations were not entirely accurate. To gain insight into the scenarios where
184	ChatGPT excelled, as well as those that posed a challenge, four statements can be used as
185	examples: two with high total Likert-type scores, one with a high neutral Likert-type score, and
186	another with a low Likert-type score.
187	
188	#5: Alzheimer's disease is a shameful diagnosis.
189	Average Likert-type score: 1.6
190	AD often carries a social stigma that produces deleterious effects on the well-being of
191	patients afflicted with the disease and their families. These attitudes often lead to delays in care-
192	seeking, diagnosis, and accessing resources for treatment. The language learning model prefaces
193	its statement by noting that it does not have a personal opinion. Because ChatGPT is not a
194	'person' this statement is technically true, however, it can be interpreted as amounting to a claim
195	of objectivity. That said, ChatGPT expresses the opinion that AD is not a shameful diagnosis,
196	and those affected should be treated with compassion, understanding, and support. <sup>17</sup> While no
197	diagnosis should every be 'shameful', it is important to note that technically what makes a
198	diagnosis "shameful" is the social context in which the disease is experienced and not the
199	diagnosis itself. Its anticipated response echoes recent suggestions that ChatGPT and similar
200	models can mirror empathy equivalent to a human's. <sup>18</sup> While it certainly cannot replace a
201	clinician trained in the management of AD or caregiver communities of practice, working large

## ChatGPT and Alzheimer's Disease

202 language models may be one day be used to establish more personalized and potentially less

- 203 stigmatized care.
- 204

# 205 #3: All types of dementia are Alzheimer's disease.

206 Average Likert-type score: 1.4

207 ChatGPT makes a very emphatic declaration, appropriately noting that this statement is 208 incorrect. It notes that AD is the most common type but then demonstrates that not all types of 209 dementia are AD by identifying other types of dementia, including vascular dementia, Lewy body disease (LBD), and frontotemporal dementia.<sup>20</sup> The distinctions are important as they may 210 211 affect treatment decisions. For example, cholinesterase inhibitors are commonly effective in 212 LBD but can often worsen frontotemporal dementia. Additionally, ChatGPT only mentions that 213 symptoms of LBD can resemble Parkinson's disease but fails to distinguish that dementia with 214 Lewy Bodies and Parkinson's disease dementia are two different diseases with different 215 underlying etiologies, pathologies, and diagnostic criteria.<sup>21,22</sup> 216 217 #1: Alzheimer's disease symptoms are a normal part of aging. 218 Average Likert-type score: 0.9 219 One of the most common misconceptions of AD is that its symptoms are a common part of aging.<sup>23–25</sup> ChatGPT starts by stating that its symptoms are not considered part of normal 220 221 aging. However, as one clinician noted, the phrasing seems to suggest that the cognitive decline 222 of normal aging is part of the spectrum of AD, which should be clarified. The normative decline 223 in brain reserve with aging is not discussed, nor are the dementia warning signs that help with

224 differentiation. ChatGPT does not discuss distinctions between normal aging, mild cognitive

## ChatGPT and Alzheimer's Disease

impairment, and AD. Understanding what specific cognitive abilities are being tested requires
 more extensive evaluation.<sup>26</sup> Such nuance may not be communicated well by ChatGPT.

227

# 228 **#7: Alzheimer's disease is not fatal.**

229 Average Likert-type score: 0.2

230 This statement produced the lowest Likert-type score tested. Alzheimer's is generally 231 considered a terminal neurodegenerative disease that breaks down neurologic processes with a 232 predominant loss of cognitive function. There is no cure, and in 2023, it was considered the 233 seventh leading cause of death, with deaths from the disease more than doubling between 2000 and 2019.<sup>27</sup> Additionally, many deaths linked to the disease are underreported.<sup>28</sup> ChatGPT notes 234 235 that AD is not a direct cause of death but only contributes to complications, explicitly citing the 236 inability to swallow, among other complications. This statement is misleading, as it may cause 237 people with dementia and their caregivers to think feel that death can be avoided if they prevent 238 complications.<sup>29</sup> As one provider noted, "This may be one of the biggest and most harmful 239 fallacies in care for dementia." Still, ChatGPT correctly notes that the most common causes of death from AD are failure to thrive and infection.<sup>30</sup> 240

241

# 242 Conclusion

Like many diseases, AD, given its prevalence, is prone to misinformation communicated, a problem that is exacerbated and accelerated on online platforms. Though large language models, like ChatGPT, are not directly responsible for creating or propagating misinformation, their utilization may inadvertently amplify such misinformation due to potential biases or misinterpretations embedded within their training data. While ChatGPT can provide useful

94917; this version posted September 7, 2023. The copyright holder for this preprint medRxiv preprint doi: https://doi.org/10. (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. It is made available under a CC-BY-NC-ND 4.0 International license.

#### ChatGPT and Alzheimer's Disease

- 248 information for most readers, there could be more refined and detailed explanations of the
- 249 disease's mechanisms and treatments.

#### 250 Acknowledgements

- 251 Conflict of Interest: There are no conflicts of interest to disclose.
- 252

253 Author Contributions: SH and ZY conceived the paper and designed the analysis. SH and QS

254 collected the data. QS performed the analysis. KB, MD, KH, HM, VL, JP contributed data and

- 255 helped interpret the results. TH and BM provided crucial edits. SH, QS, ZY wrote the paper.
- 256
- 257 Sponsor's Role: Zhijun Yin helped with the design, methods, analysis, and preparation of paper. 258

#### 259 References

- 260 Swire-Thompson B, Lazer D., Public health and online misinformation: challenges and 1.
- 261 recommendations. Annu Rev Public Health. 2020;41(1):433-451. doi: 10.1146/annurev-
- publhealth-040119-094127. 262
- 263 2. Chou WYS, Oh A, Klein WMP. Addressing health-related misinformation on social

264 media. JAMA. 2018;320(23):2417-2418. doi:10.1001/jama.2018.16865

- 265 3. Carpenter DM, Geryk LL, Chen AT, Nagler RH, Dieckmann NF, Han PKJ. Conflicting
- 266 health information: a critical research need. Health Expectations. 2016;19(6):1173-1182.
- 267 doi: 10.1111/hex.12438
- 268 4. Anderson LA, Day KL, Beard RL, Reed PS, Wu B. The public's perceptions about
- 269 cognitive health and Alzheimer's disease among the US population: a national review.
- 270 Gerontologist. 2009;49(S1):S3–S11. doi: 10.1093/geront/gnp088

- 271 5. Rosin, E. R., Blasco, D., Pilozzi, A. R., Yang, L. H., & Huang, X. (2020). A Narrative
- 272 Review of Alzheimer's Disease Stigma. Journal of Alzheimer's disease : JAD, 78(2),
- 273 515–528. Doi: 10.3233/JAD-200932
- 274 6. Vaswani A, Shazeer N, Parmar N, et al. Attention is all you need. In: Guyon I, Luxburg
- 275 U Von, Bengio S, et al., eds. Advances in Neural Information Processing Systems. Vol
- 276 30. Curran Associates, Inc.; 2017.
- 277 7. OpenAI. GPT-4 Technical Report. Published online March 15, 2023.
- 8. Brown T, Mann B, Ryder N, et al. Language models are few-shot learners. In: Larochelle
- 279 H, Ranzato M, Hadsell R, Balcan MF, Lin H, eds. Advances in Neural Information
- 280 Processing Systems. Vol 33. Curran Associates, Inc.; 2020:1877-1901.
- 281 9. Raffel C, Shazeer N, Roberts A, et al. Exploring the limits of transfer learning with a
  282 unified text-to-text transformer. *The Journal of Machine Learning Research*.
- 283 2020;21(1):5485-5551. doi: 10.48550/arXiv.1910.10683
- 284 10. Devlin J, Chang MW, Lee K, Toutanova K. DERT: Pre-training of deep bidirectional
- transformers for language understanding. *arXiv preprint arXiv:181004805*. Published
- 286 online 2018. doi: 10.48550/arXiv.1810.04805
- 287 11. Dong L, Yang N, Wang W, et al. Unified language model pre-training for natural
- 288 language understanding and generation. *Adv Neural Inf Process Syst.* 2019;32. doi:
- 289 10.48550/arXiv.1905.03197
- 290 12. Yang Z, Dai Z, Yang Y, Carbonell J, Salakhutdinov RR, Le Q V. Xlnet: Generalized
- 291 autoregressive pretraining for language understanding. Adv Neural Inf Process Syst.
- 292 2019;32. doi: 48550/arXiv.1906.08237

- 293 13. Stiff H, Johansson F. Detecting computer-generated disinformation. Int J Data Sci Anal.
- 294 2022;13(4):363-383. doi: 10.1007/s41060-021-00299-5
- 295 14. Johnson SB, King AJ, Warner EL, Aneja S, Kann BH, Bylund CL. Using ChatGPT to
- evaluate cancer myths and misconceptions: artificial intelligence and cancer information.
- 297 JNCI Cancer Spectr. 2023;7(2):pkad015. doi: 10.1093/jncics/pkad015
- 298 15. Crowston K. Amazon mechanical turk: A research tool for organizations and information
- 299 systems scholars. In: Shaping the Future of ICT Research. Methods and Approaches:
- 300 IFIP WG 8.2, Working Conference, Tampa, FL, USA, December 13-14, 2012.
- 301 Proceedings. ; 2012:210-221.
- Harris PA, Taylor R, Minor BL, et al. The REDCap consortium: building an international
  community of software platform partners. *J Biomed Inform*. 2019;95:103208.
- 304 17. Lopez RP, Rose KM, Kenney L, Sanborn V, Davis JD. Managing shame: A grounded
- theory of how stigma manifests in families living with dementia. *J Am Psychiatr Nurses Assoc.* 2020;26(2):181-188. doi: 10.1177/1078390319832965.
- 307 18. Ayers JW, Poliak A, Dredze M, et al. Comparing physician and artificial intelligence
- 308 chatbot responses to patient questions posted to a public social media forum. AMA Intern
- 309 Med. 2023 Jun 1;183(6):589-596. doi: 10.1001/jamainternmed.2023.1838.
- 310 19. Diagnostic and Statistical Manual of Mental Disorders: DSM-5. Vol 5.
- 311 20. Gibb WR, Lees A. The relevance of the Lewy body to the pathogenesis of idiopathic
- 312 Parkinson's disease. *J Neurol Neurosurg Psychiatry*. Jun;51(6):745-52. doi:
- 313 10.1136/jnnp.51.6.745.

ChatGPT and Alzheimer's Disease

- 314 21. Gomperts SN. Lewy body dementias: dementia with Lewy bodies and Parkinson disease
- dementia. *Continuum (Minneap Minn)*. 2016;22(2 Dementia):435-463.
- 316 doi:10.1212/CON.000000000000309
- 317 22. Sengoku R. Aging and Alzheimer's disease pathology. Neuropathology : official journal
- 318 of the Japanese Society of Neuropathology, 40(1), 22–29. doi: 10.1111/neup.12626
- 319 23. Blay SL, Peluso É de TP. The public's ability to recognize Alzheimer disease and their

320 beliefs about its causes. *Alzheimer Dis Assoc Disord*. 2008;22(1):79-85.

- 321 24. Lee SE, Lee HY, Diwan S. What do Korean American immigrants know about
- 322 Alzheimer's disease (AD)? The impact of acculturation and exposure to the disease on
- 323 AD knowledge. Int J Geriatr Psychiatry. 2010;25(1):66-73. doi:10.1002/gps.2299
- 324 25. Nasreddine ZS, Phillips NA, Bédirian V, et al. The Montreal Cognitive Assessment,
- 325 MoCA: a brief screening tool for mild cognitive impairment. [published correction
- 326 appears in J Am Geriatr Soc. 2019 Sep;67(9):1991]. J Am Geriatr Soc. 2005;53(4):695-
- 327 699. doi:10.1111/j.1532-5415.2005.53221.x
- 328 26. 2023 Alzheimer's disease facts and figures. *Alzheimer's & Dementia*. 2023;19(4):1598329 1695. doi:10.1002/alz.13016
- 330 27. Stokes AC, Weiss J, Lundberg DJ, et al. Estimates of the association of dementia with
- 331 US mortality levels using linked survey and mortality records. *JAMA Neurol*.
- 332 2020;77(12):1543-1550. doi:10.1001/jamaneurol.2020.2831
- 333 28. Meier DE, Ahronheim JC, Morris J, Baskin-Lyons S, Morrison RS. High short-term
- mortality in hospitalized patients with advanced dementia: lack of benefit of tube feeding.
- 335 Arch Intern Med. 2001;161(4):594-599. doi:10.1001/archinte.161.4.594

ChatGPT and Alzheimer's Disease

- 336 29. Mitchell SL, Teno JM, Kiely DK, et al. The clinical course of advanced dementia. N Engl
- 337 *J Med* 2009; 361:1529-1538 doi: 10.1056/NEJMoa0902234
- 338

# 339 Table 1. The 20 Alzheimer's disease myths used in this study.

Index	Myth
1	Alzheimer's disease symptoms are a normal part of aging
2	Symptoms of memory loss must be Alzheimer's disease
3	All types of dementia are Alzheimer's disease
4	All Alzheimer's disease patients are disoriented, look confused, and act outside
4	social norms
5	Alzheimer's disease is a shameful diagnosis
6	An at-home genetic test can tell me if I have (or will have) Alzheimer's disease
7	Alzheimer's disease is not fatal
8	Alzheimer's disease patients are close to death
9	Alzheimer's disease patients cannot get depressed
10	I will develop Alzheimer's disease if my parent has it
11	Only older people get Alzheimer's disease
12	Supplements found online can prevent or cure Alzheimer's disease
13	Specific diets can reduce the risk of Alzheimer's disease
14	Prescription medications can reverse the progression to Alzheimer's disease
15	Non-steroidal anti-inflammatory drugs (NSAIDs) can prevent Alzheimer's
15	disease
16	Ginkgo biloba can prevent Alzheimer's disease
17	Hormone therapy prevents and treats Alzheimer's disease
18	Vaccines increase the risk of Alzheimer's disease
19	Aspartame increases the risk of Alzheimer's disease
20	Statins increase the risk of Alzheimer's disease

340

#### Adda Th

In CARDY, DEVENTIAN AND ADDRESS AND ADDRES

1. Val. 74, But the phase-bit has not affected separate schedule and the set of a sense bit of a sense of the set of t

being they changed have all heavy the it have

racidate deniello. The effect open director mention of the most of the owned by inported that the tartities of a series of creating that at

New york index a characterized by the process of the application of the second state of the second state of the test of the second state of the se

Increasing and company. The logic of company a prime by where the barries and the arc mapping and to be a may here any and an arrange by

Reaction and the second s

These we use many other loss permanents (see or descentes all considerational can passe descente interpreters) or reportant to means or can not a deprese to the coordinates of the contract to the mean present structure for say degrading to the second region.

Liter processing and the process of the second symptotic liter.

O Broch or O Brand or

April 10 March 200 Contraction Contraction

ESS, (REFER ENDER).

To CODPE Car also and metro was a set of the set of the

OutDP: Sure Converties to every search observing a proce of services of the infer strength to remark the part of the strength on a product of the every strategy converties of strength or the strength of the part of the strength of the strengt of the stre

ROCAL SPICE ROLLING MARKED.

Name a construction that happens about the board point part around the state of the

Long being the method was specified and specified and so the first the first the the three service they and us have been been bettern whereas and for early characteristics.

Provide and the second department of the second s

Plad detarrise. The is to be considered to make the upper information of the same time, has also ensure decision and an over the region box.

There are such thank lipse of detection due on the entropy that the rest of the detection lipse and the right lipse of some do some on the begins different tools received the article wards.

 By you up no that this modifier around introduction same information on the only sale around?

4. By paragraphic bull the modifier and we around

Change Ch

