medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



# Maternal Controlling Parenting and Child-Perceived Mother-Child Attachment Mediate the Association between Maternal Adverse Childhood Experiences and Adolescent Behavioural Difficulties

Yuze Shi [a], Shuya Xie [a], Angus MacBeth [a*]

[a] School of Health in Social Science, The University of Edinburgh

[*]Corresponding author: Dr. Angus MacBeth

Address: School of Health in Social Science

The University of Edinburgh

Room 2.11, Doorway 6, Elsie Inglis Quad, Teviot Place, Edinburgh, EH8 9AG

Telephone: +44 131.650.3893

Email: angus.macbeth@ed.ac.uk

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .




## Abstract

**Background:** Maternal adverse childhood experiences (ACEs) are risk factors for increased mental health difficulties. However, the intergenerational transmission mechanisms between maternal ACEs and adolescent behavioural difficulties are poorly understood. The current study modelled the mediating effects of maternal controlling parenting and child-perceived mother-child attachment on the association between maternal ACEs and behavioural difficulties.

**Methods:** Data were obtained from Growing Up in Scotland, a nationally representative prospective probability cohort study of Scottish adolescents ($N$ = 2223), followed up at 14-15 years of age. Hierarchical multivariate linear regression analyses were used to examine the strength of predictors (maternal ACEs, maternal controlling parenting, child-perceived mother-child attachment) on levels of adolescent behavioural difficulties. Mediation analyses were used to examine the serial mediating effects of maternal controlling parenting and child-perceived mother-child attachment.

**Results:** Regression analysis results indicated maternal ACEs were associated with adolescent behavioural difficulties. Serial mediation results indicated a significant indirect effect of maternal ACEs on adolescent mental health outcomes, through maternal controlling parenting and child-perceived mother-child attachment.

**Conclusion:** The study indicates that maternal controlling parenting and child-perceived mother-child attachment are mechanisms mediating the effect of maternal ACEs on adolescent behavioural difficulties. Consequently, attending to the impact of both maternal and children's factors may improve policy programming to ameliorate the intergenerational impact of maternal ACEs on adolescents' mental health.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint **(which was not certified by peer review)** is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



*Keywords:* Maternal adverse childhood experiences, Adolescent, Behaviour problems, Controlling parenting, Child-perceived mother-child attachment, Probability sample, Cohort study

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



## Key points

- Research suggests maternal adverse childhood experiences have intergenerational impacts on children.
- Maternal controlling parenting and child-perceived mother-child attachment potentially mediate the intergenerational link between maternal ACEs and behavioural difficulties of young people.
- There is a lack of research examining these mechanisms in adolescence.
- Maternal controlling parenting and child-perceived mother-child attachment mediate the link between maternal ACEs and adolescent internalizing behaviours, externalizing behaviours, and anxiety; with a small but significant serial mediating path through these two mediators.
- Policy programming should incorporate both consideration of maternal and child factors in adolescent mental health.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



## Introduction

Adverse childhood experiences (ACEs), including physical, psychological, sexual abuse and neglect as well as household dysfunctions occurring prior to 18 years old (Felitti et al., 1998), are a commonly occurring public health concern affecting at least 38.8% of the global population (Hughes et al., 2021; Kessler et al., 2010). Numerous studies reports that exposure to ACEs is significantly associated with higher risk of later poor mental health conditions (Hughes et al., 2017; Panagou & MacBeth, 2022; Tzouvara et al., 2023) and may also intergenerationally adversely affect their children's mental health (Arnold et al., 2023; Cooke et al., 2021; Moog et al., 2023). Therefore, understanding the potential mechanisms of the intergenerational transmission of parental ACEs on children's mental health outcomes are critical for early prevention, identification, and intervention (MacBeth et al., 2023).

Alongside biological perspectives on maternal ACEs intergenerational transmission (Buss et al., 2017; Scorza et al., 2023), psychosocially informed perspective such as Bronfenbrenner's bioecological model suggest that the multiple layers of systems around the child, form an ecological system, interacting with each other and influence child development at every life stage (Bronfenbrenner, 1977, 2001). In this type of model, the interaction between parents and the developing child is a highly influential factor, persisting into adolescence (Smetana et al., 2006).

Parenting and parent-child attachment represent two critical factors in parent-child interaction. In samples of young children, they have been identified as potential mediators of the association between maternal ACEs and child mental health outcomes (Zhang et al., 2022;

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



Rowell & Neal-Barnett, 2022). However, it is unclear whether the effect of these mediators reduces over time or whether they continue to exert influence into adolescence. This is of particular importance given adolescence is a critical time period for biological, social, and psychological development and for the development of higher level faculties such as sense of identity and autonomy, with vulnerabilities at this stage having long term consequences for mental health and wellbeing (Blackmore, 2019). Further, research to date on mediators of the intergenerational ACEs/mental health link has focused on maternal perceptions of attachment to the child, rather than the young person's perception of the attachment relationship.

## Potential mediators

### *Maternal Controlling Parenting*

Parenting is a major component of parent-child interaction, however, growing evidence suggests mothers with ACEs are more likely to face challenges in parenting (e.g., parenting stress) and engage in negative parenting behaviours in their interactions with children (Chung et al., 2009; Madigan et al., 2019; Morris et al., 2021; Steele et al., 2016). Classically, social learning theory posits behaviours are learnt from their observations, and therefore, individuals exposed to ACEs could have learned negative parenting behaviours from their own caregivers, before intergenerationally engaging in similar behaviours in parenting their own children (Bandura, 1977; Madden et al., 2015). Equally, individuals exposed to ACEs may also develop insecure attachment characteristics, implicated in difficulties with interpersonal relationships which would further affect their capacity to provide sensitive, responsive, supportive, and consistent parenting (Bowlby, 1958, 1969; Rowell & Neal-Barnett, 2022). Reviews (Arnold et

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



al., 2023; Rowell & Neal-Barnett, 2022; Zhang et al., 2022) suggest that although several studies have shown a significant mediating effect of maternal parenting on the association between maternal ACEs and offspring mental health outcomes (e.g., Doi,et al., 2021; Delker et al., 2014), other studies fail to observe a mediating effect (e.g., Bödeker et al., 2019; Esteves et al., 2017). Further, the majority of studies examine this the mediating effect of maternal parenting among young children or amongst samples across childhood, with few studies (Plant et al., 2017; Yoon et al., 2019) examining the mediating effect of maternal parenting among adolescents. However, adolescence is a critical stage for the development of individuals self-awareness and autonomy; therefore, parent- adolescent relationships change to accommodate these developing needs (Kobak et al., 2017; Steinberg, 2001; Morris et al., 2021). Inappropriately controlling parenting can be perceived by adolescents as overcontrolling, invasive, impinging on autonomy and may increase insecure attachment with parents and later internalizing and externalizing behaviours (e.g., Lansford et al., 2014; Soenens & Vansteenkiste, 2010, 2020). However, minimal studies (e.g., Delker et al., 2014) have examined the mediating effect of controlling parenting on the association between maternal ACEs and child psychological outcomes, and only in pre-adolescents.

***Child-Perceived Mother-Child Attachment***

The early interpersonal relationship with significant others (e.g., mother-child attachment) has a significant influence on later social, psychological, and affective functioning. Bowlby's attachment theory posits that children's internal working model is developed upon caregivers' reactions and availabilities to their needs (Bowlby, 1958, 1969). If parenting traits are deemed

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



inconsistent, unresponsive, or harsh, children may develop insecure attachment (i.e., negative internal working model) which is deemed as a risk factor for psychological and behavioural difficulties, including internalizing (Brumariu & Kerns, 2010) and externalizing behaviours (Fearon et al., 2010) and anxiety (Kerns & Brumariu, 2014). Consistent with attachment theory, research suggests negative parenting behaviours (e.g., harsh controlling) are associated with children's insecure attachment (Fagot, 1997; Koehn & Kerns, 2018). Further, there is evidence for a mediating effect of child attachment in the association between negative parenting behaviours and poor social adjustment and externalizing behaviours of young people (Roskam et al., 2011; Xu & Yan, 2022).

However, there is still a lack of research on the relationships among maternal ACEs, mother-child attachment, and child outcomes. Only one study (Thomas-Giyer & Keesler, 2021) examined the relationship among these three constructs and found no association between maternal ACEs and mother-child attachment. However, the effect in a population participating in a family wellbeing promotion program, which may not accurately reflect the true effect as social support could buffer the influence of maternal ACEs (Thomas et al., 2018; Racine et al., 2018a; Racine et al., 2018b). Furthermore, Thomas-Giyer and Keesler (2021) used mother-perceived attachment instead of child-perceived attachment as the measure for mother-child attachment, which may underestimate the role of mother-child attachment.

**Current Study**

Although studies have evaluated the mediating effect of multiple types of parenting behaviours and mother-perceived mother-child attachment, there is a lack of research in

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



examining the potential serial mediating effect through maternal controlling parenting and child-perceived mother-child attachment. To address these shortcomings the current study was conducted using a probability cohort sample of Scottish adolescents and their parents to examine a) the association between maternal ACEs and adolescent behavioural difficulties; and b) the serial mediating effect of maternal controlling parenting and child-perceived mother-child in the association.

## Methods

### Participants

The study used data from Growing Up in Scotland (GUS) cohort study, an ongoing longitudinal survey of a nationally representative, multistage, prospective probability sample of Scottish children (Scottish Centre for Social Research, 2022). The GUS birth cohort 1 (BC1) included 5217 10-month-old babies born between June 2004 and May 2005 and their caregivers at the first sweep in June 2005. Participated families were randomly selected using child benefit records. At sweep 9 (2017-2018), the GUS BC1 study recruited additional 502 qualified children and their families to the boost sample in adjusting the under-representation of children born to young mothers or living in the 15% most deprived areas.

We focused on the sweep 10 (2019-2020) survey at which the GUS BC1 study included 2943 cohort children and 2669 of them were from the main sample. Most cases ($N$ = 2417, 82.1%) were interviewed face-to-face; however, due to COVID-19, cases which did not completed data collection through face-to-face method were invited to take part in telephone and web survey. The final sample of this study included 2223 cohort children and their families

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



who provided valid entries in all relevant study measures and covariates, representing 75.5% of the total sample at sweep 10. Five families, which both main caregiver and partner to the caregiver were identified as mothers to the cohort children, were excluded from this study.

## Ethical Approval

Initial data collection for Growing Up in Scotland received ethical approval from the Scotland 'A'MREC Committee (reference: 04/M RE 1 0/59). Sweep 9 and 10 received ethical approval from the Research Ethics Committee at National Centre for Social Research. The current study received ethical approval from School of Health in Social Science, The University of Edinburgh.

## Measures

### *Maternal Adverse Childhood Experiences*

Maternal adverse childhood experiences (ACEs) were assessed based on the count (i.e., sum) of ten dichotomously coded ACE items occurring prior to maternal age 18: (1) parental separation, (2) household substance abuse, (3) household mental illness, (4) incarceration of a household member, (5) psychological abuse, (6) physical abuse, (7) emotional neglect, (8) physical neglect, (9) household domestic violence, (10) sexual abuse. As few individuals reported experiencing >8 ACE categories, maternal ACEs were top coded at 8 categories.

### *Maternal Controlling Parenting*

Maternal controlling parenting was assessed using eight items adapted from Epstein's Mother-Father-Peer Inventory Scale (Epstein, 1983), reported by both major caregivers and their partners at sweep 10. The measurement includes four autonomous parenting behaviour

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



items (e.g., "I help child to become an independent person") and four controlling parenting behaviour items (e.g., "I'm always telling child what to do and how to behave"). All items were rated on a 4-point rating scale, reverse-coded as necessary so that higher scores indicating higher controlling parenting tendency, and summed (α = 0.68 for major caregivers, α = 0.67 for partners). Scores were matched to mothers using the relationships between children and their major caregiver or partner.

***Child-Perceived Mother-Child Attachment***

Child-perceived mother-child attachment was assessed using six items adapted from People in My Life (Cook et al., 1995), which was reported by cohort children at sweep 10. All items were rated on a 4-point rating scale, and summed. Higher scores indicate more secure child-perceived mother-child attachment. At sweep 10, child-perceived mother-child attachment was collected using parent 1 and 2 method and the definition was different between face-to-face interview and telephone/web survey, further details about identifying parent 1 and 2 can be found in GUS questionnaire documentations (Scottish Centre for Social Research, 2018, 2020). These six items show high internal consistency across both parents and survey methods, ratings from 0.86 to 0.91.

***Adolescent Behavioural Difficulties***

Adolescent behavioural difficulties were assessed using the Strengths and Difficulties Questionnaire (SDQ; Goodman, 1997), administered to cohort children at sweep 10. The SDQ comprises 25 items in five equally distributed subscales: emotional symptoms, peer problems, conduct problems, hyperactivity-inattention problems, and prosocial behaviours. Emotional

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



symptoms and peer problems subscales constitute the internalizing behaviour score; conduct problems and hyperactivity-inattention problems subscales constitute the externalizing behaviour score. All items are rated on a 3-point rating scale, reverse-coded as necessary, with higher scores indicating higher level of difficulties, summed respectively to internalizing behaviour ($\alpha = 0.78$) and externalizing behaviour ($\alpha = 0.62$). Goodman, Lamping, & Ploubidis (2010) recommend using the broader internalizing and externalizing behaviour scores among general population samples rather than specific subscales, due to lack of discriminant validity between individual subscales in each category.

***Adolescent Anxiety***

Adolescent anxiety was assessed with the 7-item Generalized Anxiety Disorder Assessment (Spitzer et al., 2006), reported by cohort children at sweep 10. Items were rated on a 4-point rating scale, and summed ($\alpha = 0.91$). Higher scores indicate higher levels of anxiety.

***Covariates***

Considering potential confounders, the following demographic covariates were included: child's sex (male, female, other), low birth weight (<2500g, no/yes), young motherhood at birth (under 20 year-old, no/yes), SCBU or NICU stay (no/yes), maternal ethnicity (white/other), maternal educational level (no qualification, other, lower level standard grades and vocational qualifications, upper level standard grades and intermediate vocational qualifications, higher grades and upper level vocational qualifications, degree level academic or vocational qualifications), maternal employment status (not working, working less than 16 hours per week, working more than 16 hours but less than 35 hours, working 35 hours or more), maternal risk

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



for depression (based on three CIDI-SF qualifying questions, no/yes), maternal health and disability condition (no condition, have conditions but with no affection on daily life, have conditions with a little affection, have conditions with a lot affections), area of residence (urban/rural), social deprivation (based on Scottish Social Deprivation Index, higher score indicating less social deprivation), household equivalised income (in quintiles, higher quintile indicating higher equivalised income), family type (lone parent, couple), and number of children in household (one, two or three, four or more).

**Data Analyses**

Analyses were conducted using SPSS Version 27.0 (IBM Corp., 2020). First, Pearson correlations were computed to determine associations between study measures. Second, multivariate linear regressions were performed to examine the associations between maternal ACEs and adolescent behavioural difficulties, adjusting for covariates (Model 1). Prior to conducting regression analyses, study measures were standardized. If maternal ACEs were statistically significant in Model 1, maternal controlling parenting was added into the multivariate regression models as the first potential mediator (Model 2). Subsequently, child-perceived mother-child attachment was added into the multivariate regression models as the second potential mediator (Model 3). The Process macro (Hayes, 2022) was used to examine mediating effects with 5000 times resampled bias-corrected bootstrapping used to generate 95% confidence intervals; with confidence intervals omitting zero, indicative of a statistically significant mediating effect (Hayes, 2009). All significance levels were set at $p<0.05$.

## Results

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



**Preliminary analyses**

There were no significant differences between the analysed sample and the full GUS sample (Table 1). Demographic characteristics for the analysed sample are presented in Table 2. Table 3 shows Pearson correlations between study measures with Maternal ACEs, maternal controlling parenting, and child-perceived mother-child attachment all significantly correlated with adolescent internalizing, externalizing behaviours, and anxiety. Maternal ACEs were significantly correlated with maternal controlling parenting and child-perceived mother-child attachment. Maternal controlling parenting was also significantly correlated with child-perceived mother-child attachment.

**Regression analyses**

In the hierarchical multivariate linear regression analyses (Table 4), after adjusting for covariates in the model, maternal ACEs were significantly associated with adolescent internalizing and externalizing behaviours, and anxiety (model 1). After adding maternal controlling parenting into regression analyses as the first potential mediator (model 2), both maternal ACEs and maternal controlling parenting were each significantly associated with all three adolescent behavioural outcomes. After further adding child-perceived mother-child attachment into regression analyses as the second potential mediator (model 3), maternal ACEs, maternal controlling parenting, and child-perceived mother-child attachment were each significantly associated with adolescent internalizing behaviours and anxiety. However, maternal controlling parenting, and child-perceived mother-child attachment, but not maternal ACEs, were each significantly associated with adolescent externalizing behaviours in model 3,

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



suggesting the association between maternal ACEs and adolescent externalizing behaviours might be completely mediated by the two factors.

**Mediation analyses**

Next, serial mediation analyses were conducted to further examine whether maternal controlling parenting and child-perceived parent-child attachment mediate the association between maternal ACEs and adolescent mental health outcomes. Serial mediation models and 95% confidence interval bootstrapping results are presented in Figure 1-3 and Table 5 respectively.

Figure 1 present the serial mediation model for adolescent internalizing behaviours. Results indicated a significant indirect effect of maternal ACEs on adolescent internalizing behaviours through maternal controlling parenting and child-perceived mother-child attachment, explaining 21% of the variance in adolescent internalizing behaviours. There were also significant indirect effects through maternal controlling parenting and child-perceived mother-child attachment individually.

Results for adolescent externalizing behaviours (Figure 2) indicated a significant indirect effect of maternal ACEs on adolescent externalizing behaviours through maternal controlling parenting and child-perceived mother-child attachment. There were also significant indirect effects through maternal controlling parenting and child-perceived mother-child attachment individually. The serial mediation model explained 19% of the variance of adolescent externalizing behaviours. Notably, the direct effect was non-significant in this model which suggests maternal controlling parenting and child-perceived mother-child attachment

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



completely mediated the association between maternal ACEs and adolescent externalizing behaviours.

The serial mediation analysis for adolescent anxiety (Figure 3) indicated a significant indirect effect of maternal ACEs on adolescent anxiety through maternal controlling parenting and child-perceived mother-child attachment. There were also significant indirect effects through maternal controlling parenting and child-perceived mother-child attachment individually. The serial mediation model explained 21% of the variance of adolescent anxiety.

Results in the serial mediation analyses also indicated maternal controlling parenting were also affected by child sex ($\beta$ = -0.08, $p$ < 0.001), maternal ethnicity ($\beta$ = 0.07, $p$ = 0.001), maternal education level ($\beta$ = -0.11, $p$ < 0.001), maternal employment status ($\beta$ = -0.06, $p$ = 0.006), maternal risk for depression ($\beta$ = 0.05, $p$ = 0.034), and area of residence (i.e., urban/rural, $\beta$ = -0.04, $p$ = 0.041). Current serial mediation analyses also found, when controlling maternal ACEs and maternal controlling parenting, child sex ($\beta$ = -0.06, $p$ = 0.005), maternal employment status ($\beta$ = -0.05, $p$ = 0.032) and maternal risk for depression ($\beta$ = -0.05, $p$ = 0.038) significantly predicted child-perceived mother child attachment.

## Discussion

This study examined whether maternal controlling parenting and child-perceived mother-child attachment mediate the association between maternal ACEs and adolescent behavioural difficulties. To the authors' knowledge, this study is the first to examine mediating effects of both maternal controlling parenting and child-perceived mother-child attachment on the above outcomes in an adolescent sample.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



Supporting our hypotheses, maternal ACEs were positively associated with adolescent internalizing, externalizing behaviours, and anxiety. This is consistent with the previous literature, reporting robust intergenerational associations between maternal ACEs and mental health outcomes of children and adolescents (e.g., Arnold et al., 2023; Clayborne et al., 2021; Cooke et al., 2021).

Furthermore, we found a significant indirect effect via maternal controlling parenting and child-perceived mother-child attachment in the association between maternal ACEs and all four adolescent behavioural outcomes. This study also found significant indirect effects through controlling parenting and child-perceived mother-child attachment independently in the associations.

For the indirect paths through maternal controlling parenting in the associations between maternal ACEs and adolescent behavioural difficulties, the current results were consistent with a previous longitudinal study of preadolescents reporting a mediating effect of controlling parenting between maternal abuse history and preadolescent self-regulation difficulties (Delker et al., 2014), suggesting controlling parenting could be a substantial mediator between maternal ACEs and mental health outcomes among preadolescents and adolescents. Both this and our own findings suggest that maternal childhood adversity exposures are significantly and positively associated with maternal controlling parenting. This is a novel finding, albeit consistent with previous longitudinal work on intergenerational transmission of parenting, which identified that grandmothers but not grandfathers parenting behaviours were intergenerationally associated with parenting behaviours for both parents (Madden et al., 2015).

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



Alongside links to attachment and social learning approaches, this is also consistent with predictions from self-determination theory, suggesting controlling parenting behaviours that are inappropriate to the development stage may be perceived by the adolescent as over-controlling, invasive, and disregarding individual autonomy, impacting on self-regulation and mental health (Ryan & Deci, 2017; Soenens & Vansteenkiste, 2010, 2020).

With regard to the indirect effect through child-perceived mother-child attachment, our results differ from previous findings (Thomas-Giyer & Keesler, 2021). However, mother-child attachment was measured differently in the two studies, whereas Thomas-Giyer and Keesler (2021) measured attachment through mothers' self-report the current study measured through children's self-report (i.e., child-perceived). Further, families in Thomas-Giyer and Keesler's study were participating in a family wellbeing promotion programme, in which social support could moderate (i.e., buffer) the relationship between maternal ACEs and child mental health difficulties and further lead to a biased conclusion of null effect (Thomas et al., 2018; Racine et al., 2018a, 2018b).

Maternal controlling parenting was also negatively associated with child-perceived mother-child attachment and child-perceived mother-child attachment further negatively associated with adverse adolescent mental health outcomes, consistent with findings for mechanisms implicated child externalizing behaviours in children aged 4 to 6 years old (Roskam et al., 2011).

Serial mediation indicated that maternal controlling parenting and child-perceived mother-child attachment completely mediated the association between maternal ACEs and adolescent

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



externalizing behaviours, and partially mediated the associations between maternal ACEs and adolescent internalizing behaviours and anxiety. The partial mediation effect for the latter finding suggests additional pathways may exist between Maternal ACEs and adolescent internalizing behaviours. For instance, maternal depression risk still significantly predicts adolescent internalizing behaviours even after controlling for maternal ACEs, maternal controlling parenting, and child-perceived mother-child attachment. This is consistent with fndings regarding the effect of maternal exposures to prenatal and postnatal depression on the association between maternal ACEs and adolescent internalizing and externalizing behaviours (Letourneau et al., 2019).

Regarding the association between maternal ACEs and adolescent anxiety, our results expand the previous literature. suggesting a possible mechanism between maternal ACEs and adolescent anxiety, whilst not simply subsuming anxiety into emotional difficulties (Haynes et al., 2020) or internalizing behaviours (Cooke et al., 2019; Khoury et al., 2022; Shih et al., 2023). Further, few studies (Wang et al., 2022) have examined the association between maternal ACEs and child anxiety.

Our findings suggest a more complex model, rather than a causal mechanism from maternal health through to adolescent outcomes, which could be perceived as mother blaming. This is consistent with Bronfenbrenner's bioecological model emphasizing that each level of influence impacts upon the ecological system and the developing child may interact with each other, and the influences between these levels and factors are bidirectional (Bronfenbrenner, 1977, 2001). Although maternal ACEs may influence child mental health outcomes through

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



maternal controlling parenting and child-perceived mother-child attachment, child mental health difficulties may also increase parenting stress and may lead to negative parenting behaviours and deterioration of child-perceived mother-child attachment and mental health outcomes (Fang et al., 2022; Mak et al., 2020). Meanwhile, other environmental factors in the ecological system may also affect the mental health outcomes of young people (Kieling et al., 2011). A holistic model that integrates maternal, adolescents', and other environmental factors into comprehensive consideration may foster a better understanding of intergenerational transmission mechanisms in youth mental health.

**Limitations**

We note several limitations. First, maternal ACEs were accessed retrospectively and are thus subject to recall and motivation bias (Henry et al., 1994). However, a few literatures suggest retrospective ACEs reporting has sufficient validity for research as people usually underestimate their ACEs exposures rather than overestimating, which may result in a conservative estimate on the impact of maternal ACEs (Ferusson et al., 2000; Hardt & Rutter, 2004). Second, controlling parenting assessment was self-reported by mothers, and the results may be influenced by recall and social desirability bias (Bornstein et al., 2015; Morsbach & Prinz, 2006). Third, difficulties, measured by the SDQ scale, were also self-reported by cohort children, which may also be influenced by social desirability bias. In the meantime, although self-report SDQ has been well validated previously (e.g., Goodman, 2001; Goodman et al., 2010; Van Roy et al., 2008), the externalizing behaviour measurement was slightly under the ideal internal consistency cut-off (Nunnally, 1978). Finally, this study was conducted under a

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



cross-sectional research design, which may have limited use for inferring causal relationships; therefore, a further longitudinal study is needed to confirm the findings from this study (e.g., Barnett et al., 2023; Savitz & Wellenius, 2023).

**Implications and Conclusions**

Despite the above limitations, this study found a consistent and significant mediating effect via maternal controlling parenting and child-perceived mother-child attachment in the association between maternal ACEs and adolescent behavioural difficulties, both of which are possible intervention points in clinical practice. Clinical routine screenings of maternal ACEs history, risk factors for maternal controlling parenting, and child-perceived mother-child attachment may provide healthcare and child welfare services better opportunities for early prevention, identification, and intervention on parental ACEs, parenting traits, mother-child attachment, and child mental health difficulties, and all these clinical measures could help to interrupt the intergenerational cycle of childhood adversity (Koita et al., 2018; Shih et al., 2023). This study also emphasizes the importance of attending to both maternal and children's factors in relation to intergenerational transmission of risk. Future studies should further examine this effect in longitudinal studies to confirm these findings. In the meantime, future studies should also examine the effect of paternal ACEs to understand better the intergenerational associations between parental ACEs and children's mental health outcomes. Future research could also explore potential buffers and intervention strategies for young people as well as adults who had a child adversity history to cope and thrive with these adversities, including resilience and social support (Fritz et al., 2018; Thomas et al., 2018).

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



**Funding**

The Growing Up in Scotland cohort study was funded by the Scottish Government. The research reported in this paper did not receive any special grants from funding agencies in the public, commercial, or not-for-profit sectors.

**Conflict of interest**

The authors declare no conflict of interest.

**Data availability**

Due to Growing Up in Scotland access licensing arrangements the authors do not have permission to share data.

**Acknowledgement**

The authors thank all participating children and their parents/caregivers in the Growing up in Scotland birth cohort 1.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



## References

Arnold, R., Ahmed, F., Clarke, A., Quinn, N., Beenstock, J., & Holland, P. (2023). The relationship between parental adverse childhood experiences and the health, well-being and development outcomes of their children: a systematic review. *Public Health*, *219*, 146–153. https://doi.org/10.1016/j.puhe.2023.03.025

Bandura, A. (1977). *Social learning theory*. Englewood Cliffs, NJ: Prentice Hall.

Barnett, T. A., Koushik, A., & Schuster, T. (2023). Invited Commentary: Cross-Sectional Studies and Causal Inference-It's Complicated. *American Journal of Epidemiology*, *192* (4), 517–519. https://doi.org/10.1093/aje/kwad026

Blakemore, S. (2019). Adolescence and mental health. *The Lancet*, *393*(10185), 2030-2031. https://doi.org/10.1016/S0140-6736(19)31013-X

Bödeker, K., Fuchs, A., Führer, D., Kluczniok, D., Dittrich, K., Reichl, C., Reck, C., Kaess, M., Hindi Attar, C., Möhler, E., Neukel, C., Bierbaum, A. L., Zietlow, A. L., Jaite, C., Lehmkuhl, U., Winter, S. M., Herpertz, S., Brunner, R., Bermpohl, F., & Resch, F. (2019). Impact of Maternal Early Life Maltreatment and Maternal History of Depression on Child Psychopathology: Mediating Role of Maternal Sensitivity?. *Child Psychiatry and Human Development*, *50*(2), 278–290. https://doi.org/10.1007/s10578-018-0839-z

Bornstein, M. H., Putnick, D. L., Lansford, J. E., Pastorelli, C., Skinner, A. T., Sorbring, E., Tapanya, S., Uribe Tirado, L. M., Zelli, A., Alampay, L. P., Al-Hassan, S. M., Bacchini, D., Bombi, A. S., Chang, L., Deater-Deckard, K., Di Giunta, L., Dodge, K. A., Malone, P. S., & Oburu, P. (2015). Mother and father socially desirable responding in nine

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



countries: Two kinds of agreement and relations to parenting self-reports. *International Journal of Psychology*, *50*(3), 174–185. https://doi.org/10.1002/ijop.12084

Bowlby, J. (1958). The nature of the child's tie to his mother. *The International Journal of Psychoanalysis*, *39*, 350–373.

Bowlby, J. (1969). Attachment and Loss, Vol. 1: Attachment. *Attachment and Loss*. New York: Basic Books.

Bronfenbrenner, U. (1977). Toward an experimental ecology of human development. *The American Psychologist*, *32*(7), 513–531. https://doi.org/10.1037/0003-066X.32.7.513

Bronfenbrenner, U. (2001). The biological theory of human development. In N. J. Smelser & P. B. Baltes (Eds.), *International Encyclopedia of the Social and Behavioral Sciences* (Vol. 10, pp. 6963-6970). New York: Elsevier.

Brumariu, L. E., & Kerns, K. A. (2010). Parent-child attachment and internalizing symptoms in childhood and adolescence: a review of empirical findings and future directions. *Development and Psychopathology*, *22*(1), 177–203. https://doi.org/10.1017/S0954579409990344

Buss, C., Entringer, S., Moog, N. K., Toepfer, P., Fair, D. A., Simhan, H. N., Heim, C. M., & Wadhwa, P. D. (2017). Intergenerational Transmission of Maternal Childhood Maltreatment Exposure: Implications for Fetal Brain Development. *Journal of the American Academy of Child and Adolescent Psychiatry*, *56*(5), 373–382. https://doi.org/10.1016/j.jaac.2017.03.001

Chung, E. K., Mathew, L., Rothkopf, A. C., Elo, I. T., Coyne, J. C., & Culhane, J. F. (2009).

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



Parenting attitudes and infant spanking: the influence of childhood experiences. *Pediatrics*, *124*(2), e278–e286. https://doi.org/10.1542/peds.2008-3247

Clayborne, Z. M., Kingsbury, M., Sampasa-Kinyaga, H., Sikora, L., Lalande, K. M., & Colman, I. (2021). Parenting practices in childhood and depression, anxiety, and internalizing symptoms in adolescence: a systematic review. *Social Psychiatry and Psychiatric Epidemiology*, *56*(4), 619–638. https://doi.org/10.1007/s00127-020-01956-z

Cook, E. T., Greenberg, M. T., & Kusche, C. A. (1995). *People in my life: Attachment relationships in middle childhood*. Society for Research in Child Development, Indianapolis, IN.

Cooke, J. E., Racine, N., Plamondon, A., Tough, S., & Madigan, S. (2019). Maternal adverse childhood experiences, attachment style, and mental health: Pathways of transmission to child behavior problems. *Child Abuse & Neglect*, *93*, 27–37. https://doi.org/10.1016/j.chiabu.2019.04.011

Cooke, J. E., Racine, N., Pador, P., & Madigan, S. (2021). Maternal Adverse Childhood Experiences and Child Behavior Problems: A Systematic Review. *Pediatrics*, *148*(3), e2020044131. https://doi.org/10.1542/peds.2020-044131

Delker, B. C., Noll, L. K., Kim, H. K., & Fisher, P. A. (2014). Maternal abuse history and self-regulation difficulties in preadolescence. *Child Abuse & Neglect*, *38*(12), 2033–2043. https://doi.org/10.1016/j.chiabu.2014.10.014

Doi, S., Fujiwara, T., & Isumi, A. (2021). Association between maternal adverse childhood experiences and mental health problems in offspring: An intergenerational study.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



*Development and Psychopathology*, *33*(3), 1041–1058. https://doi.org/10.1017/S0954579420000334

Epstein, S. (1983). *The Mother-Father-Peer Scale*. Unpublished manuscript, University of Massachusetts.

Esteves, K., Gray, S. A. O., Theall, K. P., & Drury, S. S. (2017). Impact of Physical Abuse on Internalizing Behavior Across Generations. *Journal of Child and Family Studies*, *26*(10), 2753–2761. https://doi.org/10.1007/s10826-017-0780-y

Fagot, B. I. (1997). Attachment, parenting, and peer interactions of toddler children. *Developmental Psychology*, *33*(3), 489–499. https://doi.org/10.1037//00121649.33.3.489

Fang, Y., Luo, J., Boele, M., Windhorst, D., van Grieken, A., & Raat, H. (2022). Parent, child, and situational factors associated with parenting stress: a systematic review. *European Child & Adolescent Psychiatry*. https://doi.org/10.1007/s00787-022-02027-1

Fearon, R. P., Bakermans-Kranenburg, M. J., van Ijzendoorn, M. H., Lapsley, A. M., & Roisman, G. I. (2010). The significance of insecure attachment and disorganization in the development of children's externalizing behavior: a meta-analytic study. *Child Development*, *81*(2), 435–456. https://doi.org/10.1111/j.1467-8624.2009.01405.x

Felitti, V. J., Anda, R. F., Nordenberg, D., Williamson, D. F., Spitz, A. M., Edwards, V., Koss, M. P., & Marks, J. S. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. The Adverse Childhood Experiences (ACE) Study. *American Journal of Preventive Medicine*, *14*(4), 245–258. https://doi.org/10.1016/s0749-3797(98)00017-8

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



Fergusson, D. M., Woodward, L. J., & Horwood, L. J. (2000). Risk factors and life processes associated with the onset of suicidal behaviour during adolescence and early adulthood. *Psychological Medicine*, *30*(1), 23–39. https://doi.org/10.1017/s003329179900135x

Fritz, J., de Graaff, A. M., Caisley, H., van Harmelen, A. L., & Wilkinson, P. O. (2018). A Systematic Review of Amenable Resilience Factors That Moderate and/or Mediate the Relationship Between Childhood Adversity and Mental Health in Young People. *Frontiers in Psychiatry*, *9*, 230. https://doi.org/10.3389/fpsyt.2018.00230

Goodman, R. (1997). The Strengths and Difficulties Questionnaire: a research note. *Journal of Child Psychology and Psychiatry*, *38*(5), 581–586. https://doi.org/10.1111/j.14697610.1997.tb01545.x

Goodman, R. (2001). Psychometric properties of the strengths and difficulties questionnaire. *Journal of the American Academy of Child and Adolescent Psychiatry*, *40*(11), 1337–1345. https://doi.org/10.1097/00004583-200111000-00015

Goodman, A., Lamping, D. L., & Ploubidis, G. B. (2010). When to use broader internalizing and externalizing subscales instead of the hypothesised five subscales on the Strengths and Difficulties Questionnaire (SDQ): Data from British parents, teachers and children. *Journal of Abnormal Child Psychology*, *38*(8), 1179–1191. https://doi.org/10.1007/s10802-010-9434-x

Hardt, J., & Rutter, M. (2004). Validity of adult retrospective reports of adverse childhood experiences: review of the evidence. *Journal of Child Psychology and Psychiatry*, *45*(2), 260–273. https://doi.org/10.1111/j.1469-7610.2004.00218.x

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



Hayes, A. F. (2009). Beyond Baron and Kenny: Statistical mediation analysis in the new millennium. *Communication Monographs*, *76*(4), 408–420. https://doi.org/10.1080/03637750903310360

Hayes, A. F. (2022). *Introduction to mediation, moderation, and conditional process analysis: A regression-based approach* (3rd edition). New York: The Guilford Press.

Haynes, E., Crouch, E., Probst, J., Radcliff, E., Bennett, K., & Glover, S. (2020). Exploring the association between a parent's exposure to Adverse Childhood Experiences (ACEs) and outcomes of depression and anxiety among their children. *Children and Youth Services Review*, *113*, 105013. https://doi.org/10.1016/j.childyouth.2020.105013

Henry, B., Moffitt, T. E. , Caspi, A. , Langley, J. & Silva, P. A. (1994). On the "Remembrance of Things Past": A Longitudinal Evaluation of the Retrospective Method. *Psychological Assessment*, *6* (2), 92-101. https://doi.org/10.1037/1040-3590.6.2.92

Hughes, K., Bellis, M. A., Hardcastle, K. A., Sethi, D., Butchart, A., Mikton, C., Jones, L., & Dunne, M. P. (2017). The effect of multiple adverse childhood experiences on health: a systematic review and meta-analysis. *The Lancet Public Health*, *2*(8), e356–e366. https://doi.org/10.1016/S2468-2667(17)30118-4

Hughes, K., Ford, K., Bellis, M. A., Glendinning, F., Harrison, E., & Passmore, J. (2021). Health and financial costs of adverse childhood experiences in 28 European countries: a systematic review and meta-analysis. *The Lancet Public Health*, *6*(11), e848–e857. https://doi.org/10.1016/S2468-2667(21)00232-2

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



IBM Corp. (2020). IBM SPSS Statistics for Mac (Version 27.0) [Computer software]. IBM Corp.

Kerns, K. A., & Brumariu, L. E. (2014). Is Insecure Parent-Child Attachment a Risk Factor for the Development of Anxiety in Childhood or Adolescence?. *Child Development Perspectives*, *8*(1), 12–17. https://doi.org/10.1111/cdep.12054

Kessler, R. C., McLaughlin, K. A., Green, J. G., Gruber, M. J., Sampson, N. A., Zaslavsky, A. M., Aguilar-Gaxiola, S., Alhamzawi, A. O., Alonso, J., Angermeyer, M., Benjet, C., Bromet, E., Chatterji, S., de Girolamo, G., Demyttenaere, K., Fayyad, J., Florescu, S., Gal, G., Gureje, O., Haro, J. M., Hu, C., Karam, E. G., Kawakami, N., Lee, S., Lépine, J., Ormel, J., Posada-Villa, J., Sagar, R., Tsang, A., Ustün, T. B., Vassilev, S., Viana, M. C., Williams, D. R. (2010). Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. *The British Journal of Psychiatry*, *197*(5), 378–385. https://doi.org/10.1192/bjp.bp.110.080499

Khoury, J. E., Tanaka, M., Kimber, M., MacMillan, H. L., Afifi, T. O., Boyle, M., Duncan, L., Joshi, D., Georgiades, K., & Gonzalez, A. (2022). Examining the unique contributions of parental and youth maltreatment in association with youth mental health problems. *Child Abuse & Neglect*, *124*, 105451. https://doi.org/10.1016/j.chiabu.2021.105451

Kieling, C., Baker-Henningham, H., Belfer, M., Conti, G., Ertem, I., Omigbodun, O., Rohde, L. A., Srinath, S., Ulkuer, N., & Rahman, A. (2011). Child and adolescent mental health worldwide: evidence for action. *The Lancet*, *378*(9801), 1515–1525. https://doi.org/10.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



1016/S0140-6736(11)60827-1

Kobak, R., Abbott, C., Zisk, A., & Bounoua, N. (2017). Adapting to the changing needs of adolescents: parenting practices and challenges to sensitive attunement. *Current Opinion in Psychology*, *15*, 137–142. https://doi.org/10.1016/j.copsyc.2017.02.018

Koehn, A. J., & Kerns, K. A. (2018). Parent-child attachment: meta-analysis of associations with parenting behaviors in middle childhood and adolescence. *Attachment & Human Development*, *20*(4), 378–405. https://doi.org/10.1080/14616734.2017.1408131

Koita, K., Long, D., Hessler, D., Benson, M., Daley, K., Bucci, M., Thakur, N., & Burke Harris, N. (2018). Development and implementation of a pediatric adverse childhood experiences (ACEs) and other determinants of health questionnaire in the pediatric medical home: A pilot study. *PloS One*, *13*(12), e0208088. https://doi.org/10.1371/journal.pone.0208088

MacBeth, A., Christie, H., Golds, L., Morales, F., Raouna, A., Sawrikar, V., & Gillespie-Smith, K. (2023). Thinking about the next generation: The case for a mentalization‐informed approach to perinatal and intergenerational mental health. *Psychology and Psychotherapy: Theory, Research and Practice*, 12483. https://doi.org/10.1111/papt.12483

Madden, V., Domoney, J., Aumayer, K., Sethna, V., Iles, J., Hubbard, I., Giannakakis, A., Psychogiou, L., & Ramchandani, P. (2015). Intergenerational transmission of parenting: findings from a UK longitudinal study. *European Journal of Public Health*, *25*(6), 1030–1035. https://doi.org/10.1093/eurpub/ckv093

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



Madigan, S., Cyr, C., Eirich, R., Fearon, R. M. P., Ly, A., Rash, C., Poole, J. C., & Alink, L. R. A. (2019). Testing the cycle of maltreatment hypothesis: Meta-analytic evidence of the intergenerational transmission of child maltreatment. *Development and Psychopathology*, *31*(1), 23–51. https://doi.org/10.1017/S0954579418001700

Mak, M. C. K., Yin, L., Li, M., Cheung, R. Y.-h., & Oon, P. (2020). The relation between parenting stress and child behavior problems: Negative parenting styles as mediator. *Journal of Child and Family Studies*, *29*(11), 2993–3003. https://doi.org/10.1007/s10826-020-01785-3

Moog, N. K., Cummings, P. D., Jackson, K. L., Aschner, J. L., Barrett, E. S., Bastain, T. M., Blackwell, C. K., Bosquet Enlow, M., Breton, C. V., Bush, N. R., Deoni, S. C. L., Duarte, C. S., Ferrara, A., Grant, T. L., Hipwell, A. E., Jones, K., Leve, L. D., Lovinsky-Desir, S., Miller, R. K., Monk, C., … ECHO collaborators (2023). Intergenerational transmission of the effects of maternal exposure to childhood maltreatment in the USA: a retrospective cohort study. *The Lancet Public Health*, *8*(3), e226–e237. https://doi.org/10.1016/S2468-2667(23)00025-7

Morris, A. S., Hays-Grudo, J., Zapata, M. I., Treat, A., & Kerr, K. L. (2021). Adverse and Protective Childhood Experiences and Parenting Attitudes: the Role of Cumulative Protection in Understanding Resilience. *Adversity and Resilience Science*, *2*(3), 181–192. https://doi.org/10.1007/s42844-021-00036-8

Morsbach, S. K., & Prinz, R. J. (2006). Understanding and improving the validity of self-

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



report of parenting. *Clinical Child and Family Psychology Review*, *9*(1), 1–21. https://doi.org/10.1007/s10567-006-0001-5

Lansford, J. E., Laird, R. D., Pettit, G. S., Bates, J. E., & Dodge, K. A. (2014). Mothers' and fathers' autonomy-relevant parenting: longitudinal links with adolescents' externalizing and internalizing behavior. *Journal of Youth and Adolescence*, *43*(11), 1877–1889. https://doi.org/10.1007/s10964-013-0079-2

Letourneau, N., Dewey, D., Kaplan, B. J., Ntanda, H., Novick, J., Thomas, J. C., Deane, A. J., Leung, B., Pon, K., Giesbrecht, G. F., & APrON Study Team (2019). Intergenerational transmission of adverse childhood experiences via maternal depression and anxiety and moderation by child sex. *Journal of Developmental Origins of Health and Disease*, *10*(1), 88–99. https://doi.org/10.1017/S2040174418000648

Nunnally, J. C. (1978). An overview of psychological measurement. In B. B. Wolman (Ed.), *Clinical diagnosis of mental disorders: A handbook* (pp. 97-146). Springer.

Panagou, C., & MacBeth, A. (2022). Deconstructing pathways to resilience: A systematic review of associations between psychosocial mechanisms and transdiagnostic adult mental health outcomes in the context of adverse childhood experiences. *Clinical Psychology & Psychotherapy*, *29*(5), 1626-1654.

Plant, D. T., Jones, F. W., Pariante, C. M., & Pawlby, S. (2017). Association between maternal childhood trauma and offspring childhood psychopathology: mediation analysis from the ALSPAC cohort. *The British Journal of Psychiatry*, *211*(3), 144–150. https://doi.org/10.1192/bjp.bp.117.198721

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



Racine, N., Madigan, S., Plamondon, A., Hetherington, E., McDonald, S., & Tough, S. (2018a). Maternal adverse childhood experiences and antepartum risks: the moderating role of social support. *Archives of Women's Mental Health*, *21*(6), 663–670. https://doi.org/10.1007/s00737-018-0826-1

Racine, N. M., Madigan, S. L., Plamondon, A. R., McDonald, S. W., & Tough, S. C. (2018b). Differential Associations of Adverse Childhood Experience on Maternal Health. *American Journal of Preventive Medicine*, *54*(3), 368–375. https://doi.org/10.1016/j.amepre.2017.10.028

Roskam, I., Meunier, J., & Stievenart, M. (2011). Parent attachment, childrearing behavior, and child attachment: Mediated effects predicting preschoolers' externalizing behavior. *Journal of Applied Developmental Psychology*, *32*(4), 170–179. https://doi.org/10.1016/j.appdev.2011.03.003

Rowell, T., & Neal-Barnett, A. (2022). A Systematic Review of the Effect of Parental Adverse Childhood Experiences on Parenting and Child Psychopathology. *Journal of Child & Adolescent Trauma*, *15*(1), 167–180. https://doi.org/10.1007/s40653-021-00400-x

Ryan, R. M., & Deci, E. L. (2017). *Self-determination theory: Basic psychological needs in motivation, development, and wellness*. The Guilford Press. https://doi.org/10.1521/978.14625/28806

Savitz, D. A., & Wellenius, G. A. (2023). Can Cross-Sectional Studies Contribute to Causal

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



Inference? It Depends. *American Journal of Epidemiology*, *192*(4), 514–516. https://doi.org/10.1093/aje/kwac037

Scorza, P., Duarte, C. S., Lee, S., Wu, H., Posner, J., Baccarelli, A., & Monk, C. (2023). Epigenetic Intergenerational Transmission: Mothers' Adverse Childhood Experiences and DNA Methylation. *Journal of the American Academy of Child and Adolescent Psychiatry*, *62*(10), 1110-1122. https://doi.org/10.1016/j.jaac.2023.02.018

Scottish Centre for Social Research. (2018). *Growing up in Scotland Birth Cohort 1 Sweep 10 – 2019/20 CAPI Questionnaire Documentation*. Growing Up in Scotland. https://growingupinscotland.org.uk/wp-content/uploads/2022/02/Growing-Up-in-Scotland-Sweep10-Face-to-face-Questionnaires.pdf

Scottish Centre for Social Research. (2020). *Growing up in Scotland Birth Cohort 1 Sweep 10 – 2019/20 CATI/CAWI Questionnaire Documentation*. Growing Up in Scotland. https://growingupinscotland.org.uk/wp-content/uploads/2022/02/Growing-Up-in-Scotland-Sweep10-Telephone-Web-Questionnaires.pdf

Scottish Centre for Social Research. (2022). *Growing Up in Scotland: Cohort 1, Sweeps 1-10, 2005-2020: Special Licence Access*. [data collection]. *19th Edition.* UK Data Service. SN: 5760. http://doi.org/10.5255/UKDA-SN-5760-12

Shih, E. W., Ahmad, S. I., Bush, N. R., Roubinov, D., Tylavsky, F., Graff, C., Karr, C. J., Sathyanarayana, S., & LeWinn, K. Z. (2023). A path model examination: maternal anxiety and parenting mediate the association between maternal adverse childhood

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



experiences and children's internalizing behaviors. *Psychological Medicine*, *53*(1), 112-122. https://doi.org/10.1017/S0033291721001203

Smetana, J. G., Campione-Barr, N., & Metzger, A. (2006). Adolescent development in interpersonal and societal contexts. *Annual Review of Psychology*, *57*, 255–284. https://doi.org/10.1146/annurev.psych.57.102904.190124

Soenens, B., & Vansteenkiste, M. (2010). A theoretical upgrade of the concept of parental psychological control: Proposing new insights on the basis of self-determination theory. *Developmental Review*, *30*(1), 74–99. https://doi.org/10.1016/j.dr.2009.11.001

Soenens, B., & Vansteenkiste, M. (2020). Taking adolescents' agency in socialization seriously: The role of appraisals and cognitive-behavioral responses in autonomy-relevant parenting. *New Directions for Child and Adolescent Development*, *2020*(173), 7–26. https://doi.org/10.1002/cad.20370

Spitzer, R. L., Kroenke, K., Williams, J. B., & Löwe, B. (2006). A brief measure for assessing generalized anxiety disorder: the GAD-7. *Archives of Internal Medicine*, *166*(10), 1092–1097. https://doi.org/10.1001/archinte.166.10.1092

Steele, H., Bate, J. , Steele, M. , Dube, S. R. , Danskin, K. , Knafo, H. , Nikitiades, A. , Bonuck, K., Meissner, P. & Murphy, A. (2016). Adverse Childhood Experiences, Poverty, and Parenting Stress. *Canadian Journal of Behavioural Science*, *48* (1), 32-38. http://doi.org/10.1037/cbs0000034.

Steinberg, L. (2001). We know some things: Parent–adolescent relationships in retrospect and prospect. *Journal of Research on Adolescence*, *11*(1), 1–19. https://doi.org/10.1111/

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



1532-7795.00001

Thomas, J. C., Letourneau, N., Campbell, T. S., Giesbrecht, G. F., & Apron Study Team (2018). Social buffering of the maternal and infant HPA axes: Mediation and moderation in the intergenerational transmission of adverse childhood experiences. *Development and Psychopathology*, *30*(3), 921–939. https://doi.org/10.1017/S0954579418000512

Thomas-Giyer, J., & Keesler, J. M. (2021). Exploring maternal adversity and childhood outcomes among low-income rural families. *Child Abuse & Neglect*, *111*, 104817. https://doi.org/10.1016/j.chiabu.2020.104817

Tzouvara, V., Kupdere, P., Wilson, K., Matthews, L., Simpson, A., & Foye, U. (2023). Adverse childhood experiences, mental health, and social functioning: A scoping review of the literature. *Child Abuse & Neglect*, *139*, 106092. https://doi.org/10.1016/j.chiabu.2023.106092

Van Roy, B., Veenstra, M., & Clench-Aas, J. (2008). Construct validity of the five-factor Strengths and Difficulties Questionnaire (SDQ) in pre-, early, and late adolescence. *Journal of Child Psychology and Psychiatry*, *49*(12), 1304–1312. https://doi.org/10.1111/j.1469-7610.2008.01942.x

Wang, X., Yin, G., Guo, F., Hu, H., Jiang, Z., Li, S., Shao, Z., & Wan, Y. (2022). Associations of Maternal Adverse Childhood Experiences with Behavioral Problems in Preschool Children. *Journal of Interpersonal Violence*, *37*(21-22), NP20311–NP20330. https://doi.org/10.1177/08862605211050093

Xu, C., & Yan, W. (2022). Negative parenting styles and social adjustment of university

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint **(which was not certified by peer review)** is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



students: a moderated chain mediation model. *Current Psychology*, *42*, 27719-27732. https://doi.org/10.1007/s12144-022-03809-1

Yoon, Y., Cederbaum, J. A., Mennen, F. E., Traube, D. E., Chou, C. P., & Lee, J. O. (2019). Linkage between teen mother's childhood adversity and externalizing behaviors in their children at age 11: Three aspects of parenting. *Child Abuse & Neglect*, *88*, 326–336. https://doi.org/10.1016/j.chiabu.2018.12.005

Zhang, L., Mersky, J. P., Gruber, A. M. H., & Kim, J. Y. (2022). Intergenerational Transmission of Parental Adverse Childhood Experiences and Children's Outcomes: A Scoping Review. *Trauma, Violence & Abuse*, *24*(5), 3251-3264. https://doi.org/10.1177/15248380221126186

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



**Table 1**

*Comparison of study measures between full and analysing sample.*

| | Full sample | | | Analysing sample | | |
|---|---|---|---|---|---|---|
| Variables | *M* | *SD* | *N* | *M* | *SD* | *N* |
| Maternal ACEs | 2.45 | 2.21 | 2633 | 2.46 | 2.21 | 2223 |
| Maternal controlling parenting | 14.12 | 3.49 | 2638 | 14.00 | 3.42 | 2223 |
| Child-perceived mother-child attachment | 20.33 | 3.79 | 2554 | 20.31 | 3.82 | 2223 |
| Adolescent internalizing behaviors | 5.24 | 3.68 | 2621 | 5.23 | 3.69 | 2223 |
| Adolescent externalizing behaviors | 6.13 | 2.90 | 2621 | 6.13 | 2.91 | 2223 |
| Adolescent anxiety | 4.68 | 4.93 | 2629 | 4.73 | 4.96 | 2223 |

**Table 2**

*Demographic information of the participants in the study (N = 2223)*

| Variables | n (%) |
|---|---|
| Child's sex | |
| Male | 1092 (49.1) |
| Female | 1130 (50.8) |
| Other | 1 (0) |
| Low birth weight (< 2500g) | 131 (5.9) |
| Young motherhood at birth (under 20 years of age) | 75 (3.4) |
| SCBU/NICU stay (yes) | 232 (10.4) |
| Mother's caring role | |
| Major caregiver | 2182 (98.2) |
| Partner of major caregiver | 41 (1.8) |
| Maternal ethnicity | |
| White | 2154 (96.9) |
| Other | 69 (3.1) |
| Maternal educational level | |
| No qualification | 90 (4.1) |
| Other qualification | 13 (0.6) |
| Lower-level standard grades and vocational qualifications | 66 (3.0) |
| Upper-level standard grades and intermediate vocational qualifications | 394 (17.7) |
| Higher grades and upper-level vocational qualifications | 729 (32.8) |

| | |
|---|---|
| Degree-level academic and vocational qualifications | 931 (41.9) |
| Maternal employment status | |
| Not working | 311 (14.0) |
| <16 hours | 166 (7.5) |
| 16 - 34.99 hours | 917 (41.3) |
| ≥35 hours | 829 (37.3) |
| Maternal risk for depression (yes) | 755 (34.0) |
| Maternal health and disability | |
| No | 1701 (76.5) |
| Yes, not limiting ability for daily activities | 203 (9.1) |
| Yes, a little limiting ability for daily activities | 222 (10.0) |
| Yes, a lot limiting ability for daily activities | 97 (4.4) |
| Maternal Adverse Childhood Experiences (ACEs) | |
| Zero | 498 (22.4) |
| One | 437 (19.7) |
| Two | 354 (15.9) |
| Three | 310 (13.9) |
| Four | 216 (9.7) |
| Five | 157 (7.1) |
| Six | 93 (4.2) |
| Seven | 78 (3.5) |
| Eight or more than eight | 80 (3.6) |
| Area (rural) | 434 (19.5) |

| | |
|---|---|
| Social deprivation | |
| SIMD 1 (most deprived) | 340 (15.3) |
| SIMD 2 | 371 (16.7) |
| SIMD 3 | 379 (17.0) |
| SIMD 4 | 562 (25.3) |
| SIMD 5 (least deprived) | 571 (25.7) |
| Equivalised income | |
| Bottom Quintile (income ≤ £13749.58) | 411 (18.5) |
| 2nd Quintile (£13749.58 < income ≤ £22783.37) | 430 (19.3) |
| 3rd Quintile (£22783.37 < income ≤ £34103.76) | 452 (20.3) |
| 4th Quintile (£34103.76 < income ≤ £46428.21) | 435 (19.6) |
| Top Quintile (> £46428.21) | 495 (22.3) |
| Family type | |
| Lone parent family | 434 (19.5) |
| Couple family | 1789 (80.5) |
| Number of children in household | |
| One | 999 (44.9) |
| Two or three | 1165 (52.4) |
| Four or more | 59 (2.7) |

**Table 3**

*Pearson's correlations for study measures.*

| Variable | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| 1. Maternal ACEs | — | | | | | |
| 2. Maternal controlling parenting | .16*** | — | | | | |
| 3. Child-perceived mother-child attachment | -.12*** | -.11*** | — | | | |
| 4. Adolescent Internalizing Behaviours | .15*** | .10*** | -.31*** | — | | |
| 5. Adolescent Externalizing Behaviours | .12*** | .21*** | -.36*** | .45*** | — | |
| 6. Adolescent Anxiety | .13*** | .08*** | -.34*** | .70*** | .50*** | — |

Note. ACEs: Adverse Childhood Experience. *** $p < .001$. $N = 2223$.

**Table 4**

*Results of hierarchical regression analyses on adolescent behavioural difficulties.*

| Variable | Model 1 | | | Model 2 | | | Model 3 | | |
|---|---|---|---|---|---|---|---|---|---|
| | *B* | *β* | *SE* | *B* | *β* | *SE* | *B* | *β* | *SE* |
| **Internalizing behaviour model** | | | | | | | | | |
| Maternal ACEs † | **0.10**$^{***}$ | 0.10 | 0.02 | **0.09**$^{***}$ | 0.09 | 0.02 | **0.07**$^{**}$ | 0.07 | 0.02 |
| Child's sex (male) | **0.53**$^{***}$ | 0.27 | 0.04 | **0.54**$^{***}$ | 0.27 | 0.04 | **0.51**$^{***}$ | 0.26 | 0.04 |
| Young motherhood at birth (no) | 0.08 | 0.01 | 0.11 | 0.07 | 0.01 | 0.11 | 0.06 | 0.01 | 0.11 |
| Low birth weight (no) | 0.13 | 0.03 | 0.09 | 0.12 | 0.03 | 0.09 | 0.14 | 0.03 | 0.09 |
| SCBU/NICU stay (no) | 0.01 | 0.002 | 0.07 | -0.003 | -0.001 | 0.07 | -0.003 | -0.001 | 0.07 |
| Maternal ethnicity (white) | **-0.23**$^{*}$ | -0.04 | 0.12 | **-0.27**$^{*}$ | -0.05 | 0.12 | **-0.29**$^{**}$ | -0.05 | 0.11 |
| Maternal education (no qualification) | -0.04 | -0.04 | 0.02 | -0.03 | -0.03 | 0.02 | -0.02 | -0.03 | 0.02 |
| Maternal employment (not working) | 0.01 | 0.01 | 0.02 | 0.01 | 0.01 | 0.02 | -0.002 | -0.002 | 0.02 |
| Maternal risk for depression (no) | **0.16**$^{**}$ | 0.07 | 0.05 | **0.15**$^{**}$ | 0.07 | 0.05 | **0.12**$^{**}$ | 0.06 | 0.04 |
| Maternal health and disability (no condition) | **0.09**$^{**}$ | 0.07 | 0.03 | **0.09**$^{**}$ | 0.08 | 0.03 | **0.08**$^{**}$ | 0.07 | 0.03 |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Social deprivation (least deprive) | -0.001 | -0.002 | 0.02 | -0.001 | -0.001 | 0.02 | -0.01 | -0.01 | 0.02 |
| Area of residence (urban) | -0.05 | -0.02 | 0.05 | -0.04 | -0.01 | 0.05 | -0.04 | -0.01 | 0.05 |
| Equivalized income (lowest quintile) | **-0.05**$^{**}$ | -0.07 | 0.02 | **-0.05**$^{**}$ | -0.07 | 0.02 | **-0.05**$^{*}$ | -0.07 | 0.02 |
| Family type (lone parent family) | -0.07 | -0.03 | 0.06 | -0.07 | -0.03 | 0.06 | -0.06 | -0.02 | 0.06 |
| Number of Children in Household (one) | 0.01 | 0.003 | 0.04 | 0.01 | 0.004 | 0.04 | -0.01 | -0.004 | 0.04 |
| Maternal Controlling Parenting † | | | | **0.09**$^{***}$ | 0.09 | 0.02 | **0.06**$^{**}$ | 0.06 | 0.02 |
| Child-perceived mother-child attachment † | | | | | | | **-0.27**$^{***}$ | -0.27 | 0.02 |
| | Adjusted $R^2$ = 0.125 | | | Adjusted $R^2$ = 0.131 | | | Adjusted $R^2$ = 0.202 | | |
| **Externalizing behaviour model** | | | | | | | | | |
| Maternal ACEs † | **0.07**$^{**}$ | 0.07 | 0.02 | **0.05**$^{*}$ | 0.05 | 0.02 | 0.02 | 0.02 | 0.02 |
| Child's sex (male) | -0.03 | -0.02 | 0.04 | -0.004 | -0.002 | 0.04 | -0.04 | -0.02 | 0.04 |
| Young motherhood at birth (no) | **0.37**$^{**}$ | 0.07 | 0.12 | **0.35**$^{**}$ | 0.06 | 0.12 | **0.33**$^{**}$ | 0.06 | 0.11 |
| Low birth weight (no) | -0.004 | -0.001 | 0.09 | -0.02 | -0.004 | 0.09 | 0.002 | 0.001 | 0.09 |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| SCBU/NICU stay (no) | -0.02 | -0.01 | 0.07 | -0.04 | -0.01 | 0.07 | -0.04 | -0.01 | 0.07 |
| Maternal ethnicity (white) | -0.12 | -0.02 | 0.12 | -0.19 | -0.03 | 0.12 | -0.22 | -0.04 | 0.11 |
| Maternal education (no qualification) | **-0.07**$^{***}$ | -0.08 | 0.02 | **-0.05**$^{**}$ | -0.06 | 0.02 | **-0.05**$^{**}$ | -0.06 | 0.02 |
| Maternal employment (not working) | 0.02 | 0.02 | 0.02 | 0.03 | 0.03 | 0.02 | 0.01 | 0.01 | 0.02 |
| Maternal risk for depression (no) | 0.03 | 0.01 | 0.05 | 0.01 | 0.003 | 0.05 | -0.03 | -0.01 | 0.04 |
| Maternal health and disability (no condition) | **0.10**$^{***}$ | 0.08 | 0.03 | **0.10**$^{***}$ | 0.09 | 0.03 | **0.09**$^{***}$ | 0.08 | 0.03 |
| Social deprivation (least deprive) | -0.02 | -0.03 | 0.02 | -0.02 | -0.03 | 0.02 | -0.03 | -0.04 | 0.02 |
| Area of residence (urban) | -0.04 | -0.02 | 0.05 | -0.02 | -0.01 | 0.05 | -0.02 | -0.01 | 0.05 |
| Equivalized income (lowest quintile) | -0.03 | -0.05 | 0.02 | -0.03 | -0.04 | 0.02 | -0.02 | -0.03 | 0.02 |
| Family type (lone parent family) | -0.09 | -0.04 | 0.06 | -0.10 | -0.04 | 0.06 | -0.08 | -0.03 | 0.06 |
| Number of Children in Household (one) | 0.06 | 0.03 | 0.04 | 0.06 | 0.03 | 0.04 | 0.04 | 0.02 | 0.04 |
| Maternal Controlling Parenting † | | | | **0.18**$^{***}$ | 0.18 | 0.02 | **0.15**$^{***}$ | 0.15 | 0.02 |
| Child-perceived mother-child attachment † | | | | | | | **-0.33**$^{***}$ | -0.33 | 0.02 |
| | Adjusted $R^2$ = 0.047 | | | Adjusted $R^2$ = 0.076 | | | Adjusted $R^2$ = 0.183 | | |

**Anxiety model**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Maternal ACEs † | **0.09**$^{***}$ | 0.09 | 0.02 | **0.08**$^{***}$ | 0.08 | 0.02 | **0.06**$^{**}$ | 0.06 | 0.02 |
| Child's sex (male) | **0.56**$^{***}$ | 0.28 | 0.04 | **0.57**$^{***}$ | 0.29 | 0.04 | **0.54**$^{***}$ | 0.27 | 0.04 |
| Young motherhood at birth (no) | 0.09 | 0.02 | 0.12 | 0.08 | 0.01 | 0.12 | 0.06 | 0.01 | 0.11 |
| Low birth weight (no) | 0.04 | 0.01 | 0.09 | 0.03 | 0.01 | 0.09 | 0.05 | 0.01 | 0.09 |
| SCBU/NICU stay (no) | 0.02 | 0.01 | 0.07 | 0.01 | 0.003 | 0.07 | 0.01 | 0.003 | 0.07 |
| Maternal ethnicity (white) | -0.13 | -0.02 | 0.12 | -0.17 | -0.03 | 0.12 | -0.20 | -0.03 | 0.11 |
| Maternal education (no qualification) | -0.001 | -0.001 | 0.02 | 0.01 | 0.01 | 0.02 | 0.01 | 0.01 | 0.02 |
| Maternal employment (not working) | 0.02 | 0.02 | 0.02 | 0.02 | 0.02 | 0.02 | 0.01 | 0.01 | 0.02 |
| Maternal risk for depression (no) | **0.12**$^{*}$ | 0.06 | 0.05 | **0.11**$^{*}$ | 0.05 | 0.05 | 0.08 | 0.04 | 0.04 |
| Maternal health and disability (no condition) | **0.09**$^{**}$ | 0.08 | 0.03 | **0.09**$^{***}$ | 0.08 | 0.03 | **0.08**$^{**}$ | 0.07 | 0.03 |
| Social deprivation (least deprive) | 0.01 | 0.02 | 0.02 | 0.01 | 0.02 | 0.02 | 0.01 | 0.01 | 0.02 |
| Area of residence (urban) | **-0.10**$^{*}$ | -0.04 | 0.05 | -0.09 | -0.04 | 0.05 | -0.09 | -0.04 | 0.05 |
| Equivalized income (lowest quintile) | -0.04 | -0.05 | 0.02 | -0.04 | -0.05 | 0.02 | -0.03 | -0.04 | 0.02 |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Family type (lone parent family) | -0.08 | -0.03 | 0.06 | -0.09 | -0.03 | 0.06 | -0.07 | -0.03 | 0.06 |
| Number of Children in Household (one) | 0.03 | 0.02 | 0.04 | 0.03 | 0.02 | 0.04 | 0.02 | 0.01 | 0.04 |
| Maternal Controlling Parenting † | | | | **0.08*** ** | 0.08 | 0.02 | **0.05*** | 0.05 | 0.02 |
| Child-perceived mother-child attachment † | | | | | | | **-0.30*** ** | -0.30 | 0.02 |
| | Adjusted $R^2$ = 0.112 | | | Adjusted $R^2$ = 0.117 | | | Adjusted $R^2$ = 0.204 | | |

Note. ACEs: Adverse Childhood Experiences. Significant values are shown in bold. Reference category for each covariate were indicated in brackets. * $p < .05$. ** $p < .01$. *** $p < .001$. † These variables were standardized before entering to the regression. $N = 2223$.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



**Table 5**

*Results of serial mediation analyses on adolescent behavioural difficulties.*

| | Standardized Effect | Bootstrap SE | 95% CI | Proportion of total effect |
|---|---|---|---|---|
| **Internalizing behaviour model** | | | | |
| Total effect | 0.1005*** | | | |
| Direct effect | 0.0659** | | | |
| Total indirect effect | 0.0345 | 0.0072 | [0.0206, 0.0493] | 34.33% |
| Maternal ACE→ Maternal controlling parenting→ Adolescent internalizing behaviours | 0.0077 | 0.0030 | [0.0024, 0.0140] | 7.66% |
| Maternal ACE→ Child-perceived mother-child attachment→ Adolescent internalizing behaviours | 0.0235 | 0.0065 | [0.0111, 0.0366] | 23.38% |
| Serial effect | 0.0033 | 0.0010 | [0.0016, 0.0055] | 3.28% |
| **Externalizing behaviour model** | | | | |
| Total effect | 0.0678** | | | |
| Direct effect | 0.0158ns | | | |
| Total indirect effect | 0.0520 | 0.0090 | [0.0347, 0.0703] | 76.70% |
| Maternal ACE→ Maternal controlling parenting→ Adolescent externalizing behaviours | 0.0190 | 0.0043 | [0.0114, 0.0280] | 28.02% |
| Maternal ACE→ Child-perceived mother-child attachment→ Adolescent externalizing behaviours | 0.0289 | 0.0078 | [0.0137, 0.0444] | 42.63% |
| Serial effect | 0.0041 | 0.0012 | [0.0020, 0.0067] | 6.05% |

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



| | | | | |
|---|---|---|---|---|
| **Anxiety model** | | | | |
| Total effect | 0.0913*** | | | |
| Direct effect | -0.0549** | | | |
| Total indirect effect | 0.0364 | 0.0079 | [0.0212, 0.0521] | 39.87% |
| Maternal ACE→ Maternal controlling parenting→ Adolescent anxiety | 0.0067 | 0.0029 | [0.0013, 0.0129] | 7.34% |
| Maternal ACE→ Child-perceived mother-child attachment→ Adolescent anxiety | 0.0261 | 0.0072 | [0.0123, 0.0406] | 28.59% |
| Serial effect | 0.0037 | 0.0011 | [0.0018, 0.0060] | 4.05% |

Note. SE: standard error. CI: confidence interval. ns not significant; * $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint **(which was not certified by peer review)** is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



**Figure 1**

*Serial mediation model on adolescent internalizing behaviours.*




Note. Standardized coefficients are reported. Controlled covariates. $^{**}p < 0.01$; $^{***}p < 0.001$.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



**Figure 2**

*Serial mediation model on adolescent externalizing behaviours.*




Note. Standardized coefficients are reported. Controlled covariates. *** $p < 0.001$. Non-significant path is shown in dotted line, $p = .423$.

medRxiv preprint doi: https://doi.org/10.1101/2023.11.28.23299089; this version posted November 29, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.
It is made available under a CC-BY 4.0 International license .



**Figure 3**

*Serial mediation model on adolescent anxiety.*




Note. Standardized coefficients are reported. Controlled covariates. * $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$.