FROM WEB TO RHEUMALPACK: CREATING A LINGUISTIC CORPUS FOR EXPLOITATION AND KNOWLEDGE DISCOVERY IN RHEUMATOLOGY

A PREPRINT

Alfredo Madrid-García[*†]
Grupo de Patología Musculoesquelética, Hospital Clínico San Carlos
Instituto de Investigación Sanitaria del Hospital Clínico San Carlos (IdISSC)
Prof. Martin Lagos s/n, Madrid, 28040, Spain

Beatriz Merino-Barbancho[‡]
Escuela Técnica Superior de Ingenieros de Telecomunicación
Universidad Politécnica de Madrid
Avenida Complutense, 30, Madrid, 28040, Spain

Dalifer Freites-Núñez
Grupo de Patología Musculoesquelética, Hospital Clínico San Carlos
Instituto de Investigación Sanitaria del Hospital Clínico San Carlos (IdISSC)
Prof. Martin Lagos s/n, Madrid, 28040, Spain

Luis Rodríguez-Rodríguez
Grupo de Patología Musculoesquelética, Hospital Clínico San Carlos
Instituto de Investigación Sanitaria del Hospital Clínico San Carlos (IdISSC)
Prof. Martin Lagos s/n, Madrid, 28040, Spain

Ernestina Menasalvas-Ruíz
Centro de Tecnología Biomédica
Universidad Politécnica de Madrid
Pozuelo de Alarcón, Madrid, 28223, Spain
Escuela Técnica Superior de Ingenierios Informáticos
Universidad Politécnica de Madrid
Pozuelo de Alarcón, Madrid, 28223, Spain

Alejandro Rodríguez-González[§]
Centro de Tecnología Biomédica
Universidad Politécnica de Madrid
Pozuelo de Alarcón, Madrid, 28223, Spain
Escuela Técnica Superior de Ingenierios Informáticos
Universidad Politécnica de Madrid
Pozuelo de Alarcón, Madrid, 28223, Spain

Anselmo Peñas
UNED NLP & IR Group
Universidad Nacional de Educación a Distancia
Juan del Rosal 16, 28040 Madrid, Spain

April 26, 2024

[*]First author

[†]Corresponding author

[‡]BMB and DFN have contributed equally

[§]ARG and AP share senior authorship

ABSTRACT

This study introduces *RheumaLinguisticpack (RheumaLpack)*, the first specialised linguistic web corpus designed for the field of musculoskeletal disorders. By combining web mining (i.e., web scraping) and natural language processing (NLP) techniques, as well as clinical expertise, *RheumaLpack* systematically captures and curates data across a spectrum of web sources including clinical trials registers (i.e., ClinicalTrials.gov), bibliographic databases (i.e., PubMed), medical agencies (i.e. EMA), social media (i.e., Reddit), and accredited health websites (i.e., MedlinePlus, Hardvard Health Publishing, and Cleveland Clinic). Given the complexity of rheumatic and musculoskeletal diseases (RMDs) and their significant impact on quality of life, this resource can be proposed as a useful tool to train algorithms that could mitigate the diseases' effects. Therefore, the corpus aims to improve the training of artificial intelligence (AI) algorithms and facilitate knowledge discovery in RMDs. The development of *RheumaLpack* involved a systematic six-step methodology covering data identification, characterisation, selection, collection, processing, and corpus description. The result is a non-annotated, monolingual, and dynamic corpus, featuring almost 3 million records spanning from 2000 to 2023. *RheumaLpack* represents a pioneering contribution to rheumatology research, providing a useful resource for the development of advanced AI and NLP applications. This corpus highlights the value of web data to address the challenges posed by musculoskeletal diseases, illustrating the corpus's potential to improve research and treatment paradigms in rheumatology. Finally, the methodology shown can be replicated to obtain data from other medical specialities. The code and details on how to build *RheumaL(inguistic)pack* are also provided to facilitate the dissemination of such resource.

Keywords Artificial intelligence · Clinical trial · Drug leaflet · Natural language processing · Reddit · Patient-generated data · REST-API · Rheumatic and musculoskeletal diseases · Web corpus · Web scraping

1 Introduction

Most of the existing data worldwide are unstructured Tam Harbert [2021]. Reports estimate that these data comprise about 80 to 90 percent of all newly generated data Forbes Tech Council [2017]. In medicine, about 80% of total electronic health record data is unstructured Li et al. [2022]. Therefore, in recent years, there has been a growing interest in the application of natural language processing (NLP) techniques within the clinical field Wang et al. [2020], to structure and use these data. The adoption of advanced deep learning (DL) models, including transformer-based architectures Vaswani et al. [2017], such as bidirectional encoder representations from transformers (BERT) Devlin et al. [2019] or other large language models (LLM), has contributed significantly to this growth of interest.

NLP techniques are commonly used to gain insights and uncover relevant non-previously exploited information. Information extraction, retrieval, or knowledge discovery are some of the fields within NLP that try to transform unstructured data into actionable knowledge. However, like any other artificial intelligence algorithm, NLP approaches need data to build robust systems capable of addressing current challenges Khurana et al. [2023], Zhou et al. [2020]. In medicine and clinical research, highly relevant information can be found and extracted from the Web to form a corpus that can be used to train those NLP systems. To begin with, there are multiple websites linked to databases and search engines where information on clinical trials can be found, such as the Cochrane Controlled Trials Register (CENTRAL), ClinicalTrials.gov, or EU Clinical Trials Register. Scientific abstracts and article-related information can also be retrieved from bibliographic databases such as PubMed, Scopus, or Embase; whereas drug leaflets can be found on governments and regulatory agencies' websites, such as European Medicines Agency (EMA). Moreover, social media and forums may contain relevant clinical information that could improve NLP algorithms performance. These last data sources have received special attention in recent years in the healthcare sector Nawaz et al. [2017]. In fact, patients are prone to use social media websites for health-related purposes Studenic et al. [2018], Taik et al. [2024], Blackie et al. [2023], and to express their feelings Wilson et al. [2023], Abbasi-Perez et al. [2023], creating what is known as patient-generated data. Finally, accredited health websites provide trustworthy health information which can complement the previous data sources for training specialised AI systems.

In the field of rheumatic and musculoskeletal diseases (RMDs), the application of AI, NLP, and LLMs is not new Madrid-Garcia et al. [2023a,b]. In fact, NLP approaches have been used in the past to answer different RMDs research questions Jorge et al. [2019], Maarseveen et al. [2020], Humbert-Droz et al. [2023], Ivorra et al. [2024]. However, none of these efforts have focused on developing a domain-specific corpus that captures the unique language and terminology inherent to the field of RMDs, which could significantly benefit future research studies. Having a domain-specific corpus would boost NLP research in rheumatology, facilitating more accurate model training, improving the granularity of NLP applications, creating new research avenues, and enabling more nuanced understanding and analysis of RMD-related

texts. With such a corpus, new research lines could blossom, such as chatbots fine-tuned with RMDs specific knowledge or embeddings creation.

Multiple efforts have been made to build medical corpora in clinical research. However, many of these corpora are designed to address specific tasks and are not often considered reusable resources for other researchers, resulting in them not being shared. In addition, the corpus creation process is not often described in depth and is relegated to the background, so it can not be replicated. Given these challenges, the objective of this study is to illustrate how rheumatology-related medical web data can be extracted from multiple sources using web mining approaches, among others, to build a domain-specific corpus that can be useful in a multitude of scenarios.

2   Related work

In recent years, researchers have developed corpora using a wide variety of data sources. For instance, in Kury et al. [2020], presented Chia, a corpus obtained from ClinicalTrials.gov with 1,000 actively recruiting, interventional, phase 4 studies; and made it publicly available. The objective with Chia was to build the first annotated corpus for clinical trial eligibility criteria, that could be used for training machine learning systems for information extraction, or electronic phenotyping.

Researchers in Collins et al. [2024] presented a biomedical corpus containing oncology information using PubMed abstracts. For this purpose, the authors focused on eight PubMed cancer-related journals and downloaded the first 100 abstracts from each journal. A total of 800 abstracts were stored in individual text files and processed to include only the abstract title and body. The objective of this corpus was to train systems capable of extracting the most important details from cancer genomics experiments. In Wang et al. [2021], authors used more than 100,000 PubMed abstracts to generate ophthalmology-specific word embeddings. Then, they used the embeddings to predict visual prognosis Gui et al. [2022]. On their behalf, the researchers in Beam et al. [2019] used 1.7 million full-text journal articles from PubMed to generate *cui2vec* embeddings. These embeddings were later used to identify functional relations among diseases Bugrim [2023].

The authors in Foufi et al. [2019], built a corpus using social media data (i.e., Reddit) with more than 17k posts comprising chronic diseases mentions from 19 subreddits (e.g., r/cancer, r/MultipleSclerosis, r/rheumatoid, r/testicularcancer). These comments were merged into a single dataset. Crawlers, software that facilitates the recursive process of discovering and downloading web pages by following links extracted (or harvested) from already known sites, were used to collect the data. Reddit, was also employed in Okon et al. [2020]. In this study, the authors focused on the most common skin diseases worldwide identified by the Global Burden of Diseases to search and collect data from 176,000 Reddit comments.

Medical agencies such as EMA have been used in the past to build, LeMe-PT, a portuguese corpus capable of generating competitive semantic models Simões and Gamallo [2021]. Another Spanish, corpus that included leaflets obtained from the Spanish medical agency (i.e., CIMA) was constructed in Campillos Llanos et al. [2022]. This corpus was intended for text simplification.

Data from MedlinePlus, have also been extracted for different purposes. In Denecke and Nejdl [2009], the authors crawled 750 pages from MedlinePlus and other sources to give an overview of content differences in the various social media resources on health-related topics. In Segura-Bedmar et al. [2016], scholars also used MedlinePlus to build a Spanish corpus of drug leaflets and diseases.

3   Methodology

A six-step methodology was applied to build *RheumaLpack* corpus. This methodology was based on expert guidance from a rheumatologist of the Hospital Clínico San Carlos, Madrid, Spain. The steps followed are shown in Figure 1.

Figure 1: Methodology followed for building *RheumaLpack corpus*. Author's elaboration

Table 1: Data source identification criteria

Criteria	Description
Variability	Variability across three dimensions was promoted: a) Expert vs. Non-expert information b) Type of data, c) Coverage of different aspects of RMDs (e.g., diseases, symptoms, treatments)
Accessibility	Ease of obtaining data, already developed tools to extract data (e.g., REST-API, direct downloads, scraping techniques)
Renowned	Data sources should be widely recognised and respected worldwide to enhance the legitimacy, comprehensiveness, and acceptance of the research findings derived from the corpus
Timeliness	Data sources should encompass both contemporary information and historical data
Non-personal data by default	Data sources devoid of information governed by the GDPR were prioritized to reduce the risk of unintentionally breaching individuals' privacy rights
Relevance	Meaningful information and applicable to the research questions and objectives concerning RMDs
Ease of processing and analysis	Data sources should contain data that are easily manageable and processable by analytical tools
Language coverage	Data sources should contain data in English
Geographical coverage	Data source should cover different geographic locations or populations
Completeness	Data from the different data sources should be as complete and error-free as possible
Accuracy	Data should be correct, precise, and reflective of the current state of knowledge regarding RMDs

1. **Data source identification**: a set of eleven criteria was proposed to select the different data sources that finally comprised *RheumaLpack*. The sources were selected by consensus, after considering the criteria shown in Table 1. Variability criterion was the most important one, as it was agreed that at least one clinical trial registry, bibliographic database, medical agency, social media website and accredited health website had to be used.

2. **Data source characterisation**: after identifying all relevant data sources, a brief description of them was provided.

3. **Data selection**: considering the potential data volume and diversity, only relevant data in the context of RMDs was selected for collection. To determine the data to be extracted from clinical trials registries or bibliographic databases, search engines queries using RMDs related keywords such as "musculoskeletal diseases" or "rheumatic diseases" were conducted. In addition, to meet with the *timeliness* and *relevance* criteria, only data from January 1st, 2000, to December 31th, 2023 were included. To comply with the *accuracy* criterion, only information from non-withdrawn medications was collected. The decision on which medications to include was made based on the judgment of a rheumatologist, the recommendations of rheumatology scientific societies (i.e., Sociedad Española de Reumatología (SER)) or the characteristics of the drug itself (i.e., widely used RMDs drugs, such as, disease-modifying antirheumatic drugs (DMARDs)). For social media data, we prioritised active sites, this is, those with daily to annual activity. Finally, data from accredited health websites was manually selected by a rheumatologist.

4. **Data collection, feature selection, pre-processing and naming convention**: data collection was carried out according to the *accessibility* criterion. There were two primary methods for data extraction:

   - Data accessible via API, REST-API interfaces or API wrappers: this was the default option. Prior to data extraction through APIs, a feature selection step was done. This process was essential for specifying the exact dataset parameters to be queried from the API.
   - Data not accessible through API interfaces:
     - Data available through direct downloads: when the data source provided ways to download the data directly, without coding, this option was considered the default option.
     - Data not available through direct downloads: web scraping techniques using Python packages such as Beautiful Soup were used. This stage also included data pre-processing (e.g., removal of escape characters such as newlines or tabulations).

Information from the same data source could be extracted in batches of different sizes, if it facilitated data collection. Moreover, for practicality, the information gathered from each data source could be stored in individual files or in larger data structures with each line representing a single record. This approach made data management and retrieval easier. Unique naming conventions were established to ensure a distinct identifier for each file within *RheumaLpack*. Data collection extended beyond unstructured fields to include structured fields that could provide additional value to researchers. Eventually, some health websites implemented paywalls to certain pages or anti-scraping techniques. Therefore, websites on a paywall were not scraped. To avoid antiscraping techniques, customisation of the *user agent string* was considered.

5. **Data processing**: to ensure the versatility of the corpus in various domains, only minimal generic processing was planned. This was designed to create a corpus that was as broadly applicable as possible, enabling its use across a wide range of tasks. Depending on how the data were obtained, the processing varied. For instance, for data obtained with web scraping techniques, the pre-processing was done at the same time of data collection, and no further processing was conducted. For the rest of the data, duplicates were managed; and the data from the same source extracted in different batches were combined. Following the *completeness* criterion, records that did not contain the expected data (e.g., articles without abstracts) were removed. Following the *non-personal data* criterion, personally identifiable information was also managed in this step.

6. **Corpus description**: upon completion of the preceding steps, the corpus built (i.e., *RheumaLpack*) is described, detailing its characteristics (e.g., number of records per source, size, hierarchy).

4 Results

4.1 Data source identification

Fourteen different sources were initially evaluated, see Supplementary Material Text and Supplementary Table 1. After consensus, and considering the criteria shown in Table 1, seven of them were selected: *ClinicalTrials, PubMed, EMA, Reddit, MedlinePlus, Harvard Health Publishing School*, and *Cleveland Clinic*. Before finalising the selection and determining the suitability of each data source for inclusion in *RheumaLpack* corpus, preliminary tests to extract information from that source were conducted. This step was essential in evaluating the practicality and efficiency of retrieving data from each potential data source.

4.2 Data source characterisation

ClinicalTrials.gov: ClinicalTrials.gov, the world's largest database of clinical trials funded both privately and publicly, is integrated into the International Clinical Trials Registry Platform. This online platform offers open-access to its repository, which contains over 490,000 registered studies, of which 54% are conducted outside the US, with an annual growth per year of 35.000-40.000 studies.

PubMed: PubMed is a freely accessible search engine owned by the National Library of Medicine which allows accessing primarily the MEDLINE database. PubMed indexes articles from more than 50,000 journals and the number of papers indexed per year exceeds one million. Until 2023 it contained more than 36 million citations and abstracts of biomedical literature.

EMA: According to its official webpage, EMA is a decentralised agency of the European Union responsible for scientific evaluation, supervision, and safety monitoring of medicines. EMA publishes clear and impartial information about medicines and their approved uses.

Reddit: Reddit is among the most prominent social platforms on the web Proferes et al. [2021]. As of October 2023, it hosts over 100,000 active communities and receives daily visits from more than 70 million users, making it one of the top 20 most visited sites in the world Reddit, Inc. [2023]. Discussions on Reddit are primarily public, and different RMDs-related communities exist. Data from these subreddits, can be considered patient-generated data.

Accredited health websites: MedlinePlus is a digital platform, provided by the National Library of Medicine, that provides a wealth of information on health topics, including diseases and drugs. It sources content from approximately 500 selected organizations and offers nearly 22,000 links to authoritative health information in English Harvard Health Publishing offers a comprehensive encyclopedia featuring over 500 diseases and conditions, authored by the faculty of Harvard Medical School. Additionally, Cleveland Clinic is a leading medical organisation that provides not only healthcare services but also hosts extensive online libraries of medical resources.

4.3 Data selection

ClinicalTrials.gov: Clinical trials retrieved from ClinicalTrials.gov, after filtering by the *Condition/disease*: *Rheumatic Diseases* and published through January, 1st, 2000 to December 31st 2023 were selected; and the clinical trial number (NCT) identified, n = 9,138. Supplementary Figure 1 illustrates the trend in the publication of clinical trials concerning RMDs over time.

PubMed: Only abstracts that were indexed in MEDLINE PubMed through January, 1st, 2000 to December, 31st 2023 were selected. To narrow the search to scientific journals specialised in rheumatology, the JCR index was used. Hence, the journals classified by JCR as "RHEUMATOLOGY - SCIE" were identified, see Supplementary Table 2, and we proceeded to identify the PubMed identifiers (PMID). For that purpose, manual queries with the name of each journal were run in PubMed adding "[Journal]" at the end (e.g., "Annals of the rheumatic diseases"[Journal]). It should be noted that PubMed limits the download size to 10,000 items, so multiple queries could be run in case a journal had more than 10,000 publications during the study period. A total of 122,426 PMIDs were recovered.

EMA: The EMA provides a Public Excel sheet, *European public assessment reports (EPARs) for human and veterinary medicines*, specifying the therapeutic area of application of medicines that have been granted or refused a marketing authorisation. From this excel, all the URLs of rheumatology approved drugs were collected, n = 44. Each of the identified URLs contains the *product information* of each drug, this is, a PDF file containing a summary of the product characteristics, conditions, or restrictions regarding supply and use; among others.

Reddit: Since Reddit was founded in 2005, only data from that date to 2023 were selected. The subreddits related to RMDs were identified using the Reddit search engine, after filtering by *Community*. A list of common diseases and words employed in rheumatology was used for this purpose (i.e., arthritis, autoimmune, back pain, backpain, behcet, behcets, fibromyalgia, gout, lupus, myositis, psoriasis, raynaud, raynauds, rheumatology, scleroderma, sjogren, sjogrens, spondylitis, tendinitis, thritis, uveitis, vasculitis). In Supplementary Table 3 the complete list of identified communities can be seen. Only RMDs-related subreddits, assessed by a rheumatologist, within the 40,000 most active subreddits worldwide, according to pushshift.io, were selected, n = 12, namely r/ankylosingspondylitis, r/Autoimmune, r/autoimmunity, r/backpain, r/Fibromyalgia, r/gout, r/lupus, r/PsoriaticArthritis, r/rheumatoid, r/rheumatoidarthritis, r/Sjogrens, and r/Thritis.

Accredited health websites: Since accredited health websites contain information on all medical specialities, a manual assessment of the topics related to RMDs was conducted by a rheumatologist. To facilitate this task, a Python script which extracted the name of each topic and its URL was developed and presented to the physician. Finally, this physician decided what information should be further extracted. The total number of selected items to retrieve from MedlinePlus, Harvard Health Publishing, and Cleveland Clinic was 282, 47 and 320 respectively. The outcome of this step was a collection of URLs designated for scraping.

4.4 Data collection, feature selection, pre-processing and naming convention

ClinicalTrials.gov: ClinicalTrials.gov provides a REST-API that can be used to extract all the information related to clinical trials. API calls were made directly through Python scripting, filtering by *Rheumatic Diseases* condition/disease. Twenty-six variables were collected after specialist advice: *NCTId, Official Title, Brief Title, Overall Status, Study Start Date, Completion Date, Study Type, Conditions, Keywords, Brief Summary, Detailed Description, Eligibility Criteria, Sex, Minimum Age, Study Population, Lead Sponsor, Responsible Party Investigator Full Name, Investigator Full Name, Primary Outcomes, Secondary Outcomes, Has Results, Organization Full Name, Phases, Enrollment Count, Allocation, Intervention Model*. The textual most relevant ones were *Brief Summary and Detailed Description*. Since the ClinicalTrials.gov API limits the retrieval to 1,000 clinical trials per request, multiple queries were made. All the initially selected clinical trials, n = 9,138 were gathered.

PubMed: R's *rentrez* library Winter [2017] was used to collect the following information from each article *PMID, DOI, MeSH keywords, volume, issue, pages, abstract, has abstract, publication type, language, PubMed central papers citation, sort first author and affiliation*. These data were gathered in three batches: the first batch containing the abstract and other publication details such a MeSH keywords; the second batch containing the language, the publication type and the PubMed central papers citation; and the third one containing affiliation data.

EMA: A Python script was built to download the *Product information* PDFs from each identified drug from EMA website, and to convert the PDF files into .txt files. This last step was done with the pypdf package. Afterwards, basic preprocessing was performed, including removing special characters (e.g., \n, \r and \t) and collapsing multiple spaces. All the initially selected drug leaflets, n = 44, were gathered.

Reddit: Pushshift.io Baumgartner et al. [2020], stuck_in_the_matrix, Baumgartner [2024] was used to extract subreddits data (i.e., *submissions* and *comments*) from the 12 selected subreddits. A publicly accessible torrent from Academic

Torrents was employed to obtain such data. After downloading, a public script accessible via GitHub Watchful1 [2024] was used to decompress the files, which were stored in .zst format. During this decompression phase, the variables to be extracted were specified. For *submissions*, these included *id, author, title, created utc, and selftext*. Similarly, for *comments*, the same information was collected along with the *parent id* (i.e., the submission/starting post id associated with each comment). Some additional parameters that can be included during the extraction phase are shown in Supplementary Table 4.

Accredited health websites: Different Python scripts were developed for the different accredited health websites. Each script uses the Beautiful Soup Python package to scrape and preprocess the data. Only the relevant textual information contained on each website was downloaded, determined by a rheumatologist. Therefore, manual rules specifying the beginning and ending text had to be defined. Moreover, since different health categories within the same health website can be displayed differently, more than one script per health website was written when needed. Not all the identified items in the previous steps were retrieved since 13 of them were behind a paywall and therefore skipped.

4.5   Data processing

PubMed: Not all the selected articles had an abstract, since this information is only collected for a certain type of articles (e.g., original research articles, reviews), therefore we excluded those without this information. A total of 96,004 abstracts were finally gathered. The first two batches were merged into a single document, while the third batch, pertaining to affiliations, was kept separate. A detailed list with the number of articles with abstract per journal and by year can be seen in Supplementary Table 5.

Reddit: A Python script was built to combine the *comments* and *submissions* information of each subreddit into a single file. In addition, the information was sorted by id, parent id and date of submission to ensure that the initial posts and their corresponding comments were presented in a sequential manner. After that, and to preserve privacy Benton et al. [2017], the id values that uniquely identify a post/comment on Reddit were encrypted using the MD5 hashing algorithm, the authors' nicknames were deleted; and a time of 180 was added/subtracted to the creation date of the post/comment to anonymise the dataset. This was done by grouping by id, to ensure that all comments on the same topic had the same time shift. Eventually, 12 files and five columns remained: *hashed id* with MD5 algorithm, *anonymised date of submission in UTC milliseconds, post title, body / text message*, *and row type* (i.e., post/submission). The total number of posts and submissions for each subreddit can be seen in the Supplementary Table 6.

4.6   Corpus description

The *RheumaLpack* corpus comprises nearly three million records sourced from seven distinct data sources, with a total size of 1.34 GB. Although originally conceived as a linguistic resource, *RheumaLpack* also includes structured data from ClinicalTrials.gov and PubMed. Some clinical studies have shown that the combination of both types of data results in algorithms with higher predictive power Zhang et al. [2020]. However, the most important variables in these datasets are textual (e.g., *Brief Summary and Detailed Description* for ClinicalTrials.gov, *Abstract* for PubMed, and *title and body* for Reddit). Table 2 shows the main characteristics of *RheumaLpack*. This corpus could be classified as a monolingual, non-annotated, and dynamic resource since it only contains data in English, has not been processed with annotations, and new information is expected to be gathered yearly by subtly modifying the scripts.

Supplementary Excel File "Data ID" includes the following information: clinical trial numbers, abstract PMIDs, URLs for drug leaflets; and URLs of accredited health websites from which data was collected. All the Reddit data contained in the torrent described earlier was used.

5   Discussion

To our knowledge, no previous attempts have been made to create an accesible corpus that combines data from clinical registries (e.g., ClinicalTrials.gov), bibliographic databases (i.e., PubMed), medical agencies (i.e., EMA), social media (i.e., Reddit), accredited health websites (i.e., MedlinePlus, Hardvard Health Publishing, and Cleveland Clinic), in medicine and specifically in RMDs. One of the strengths of this study is that it presents a methodology that can be replicated in other medical specialities. In addition, the developed code is accessible on GitHub with instructions on how to run it, facilitating its use by researchers and the scientific community.

Some of the identified potential uses of *RheumaLpack* could be:

1. AI systems training:

Table 2: RheumaLPack corpus documents characteristics

Source	Subset	N of documents	N of registers	Data	Size
ClinicalTrials.gov		1	9,143	Study protocol, brief summary, detailed description	37 MB
PubMed	Abstracts	1	96,004	Abstract, journal, title, first author	205 MB
	Affiliation	1	670,843	Affiliation centre, contact details	80.3 MB
EMA		44		Drug leaflets	14 MB
Reddit		12	2,269,311	Social media data, patient generated data comments and posts	1 GB
MedlinePlus	Drugs	135		Websites with information on drugs, diseases, symptoms, tests, procedures	1.5 MB
	Others	147			0.5 MB
Harvard Health Publishing		34			0.2 MB
Cleveland Clinic	Diseases & Conditions	178			1.7 MB
	Treatments	41			0.3 MB
	Diagnostics & Testing	60			0.46 MB
	Symptoms	41			0.3 MB

- Predictive systems: *RheumaLpack* could be used to train systems for named-entity recognition, relation extraction, sentence classification, to study the polarity of a text, or to create embeddings; among others.
- Generative systems: *RheumaLpack* could be used to integrate rheumatology specific knowledge to open source LLMsLabrak et al. [2024], such as Llama 3. Once done, these models could be deployed in a specialised clinic to help the junior rheumatologist summarise the clinical care plan of a report, or could be used as a chatbot for patients seeking answers to their questions after office hours. For instance, authors in Jia et al. [2024], developed OncoGPT, this was done by fine-tuning Llama with oncology-related conversations.

2. Evaluation frameworks, benchmarking, gold standards creation and shared tasks: the corpus presented could be used to evaluate the performance of novel AI systems or could be used in shared tasks and challenges within the research community.

3. Research: *RheumaLpack* could enable new studies in NLP, data mining, information retrieval, machine translation, and machine learning applied to the rheumatology domain. Researchers could take advantage of the diverse data sources to investigate topics such as:

- Drug safety and efficacy analysis: by analyzing patient discussions on social media and information from drug leaflets, researchers can gain insights into real-world drug safety and efficacy. This could complement traditional clinical trial data, providing a more holistic view of treatment outcomes.
- Patient education and engagement strategies: understanding the types of questions and concerns patients have, as reflected in social media data, can inform the development of more effective patient education materials and engagement strategies. This could lead to improved patient adherence and outcomes.

5.1 Limitations

While this study has provided important insights, it is not without some limitations:

- Information extracted from Reddit may not accurately represent RMDs patients, who are predominantly elderly and female. In contrast, Reddit's user base is mainly (58%) young males aged 18 to 34, as noted in Proferes et al. [2021].
- Texts from abstracts or drug leaflets, which use technical and formal language, differ significantly from the colloquial and often ironic or sarcastic language found on social media platforms like Reddit. Combining both data types may reduce the performance of AI solutions.

- PubMed abstracts could have been obtained using MeSH terms in the searches: such as "rheumatology"[MeSH Terms]. In this way, we would not be dependent on the JCR classification.

- Other data sources could have been considered to be included in *RheumaLpack*, such as Wikipedia webpages or anonymised electronic medical records. Moreover, open access full-text rheumatology articles could be downloaded and converted into text files, as we did with EMA product information files. This would enrich the corpus with more research data.

- The scripts designed to scrape data are highly dependent on the specific layout of the websites from which they gather information. Even minor modifications to the website's design can disrupt the functionality of these scripts. Rather than creating individual scripts for each website, a single script that downloads all textual content and subsequently processes it could be developed.

- The legality of scraping has always been questioned. In fact, the use of scraping techniques to reproduce and redistribute data can lead to copyright infringements. This has been widely discussed in the literature Krotov et al. [2020], Gold and Latonero [2017]. In our case, we would like to point out:
  - No personal data are extracted
  - There is no financial gain/compensation
  - The data extracted are obtained from public sources to which everyone has access to them
  - Ownership of extracted data is recognised
  - Efforts are made to use the server responsibly by minimizing the number of data extraction calls
  - In Spain, where this study has been conducted, there is no specific law prohibiting web scraping
  - No data are shared, only the code to obtain it.

- Drug leaflets are available in various languages; in fact, EMA offers this information in more than 20 languages. In this work we focused on English documents, however as showed, drug leaflets information in other languages could have been extracted easily obtained to build a parallel multilingual drug leaflets corpus.

- The data typically employed for training or fine-tuning LLMs is conversational in nature. However, the *RheumaLpack* dataset does not contain this type of data due to its limited availability.

6   Conclusion

In this study, we have shown how web-accessible data can be used to build a multipurpose specialised medical corpus, called *RheumaLpack*. To create this resource, we employed a six-step methodology and combined different approaches to obtain the data (i.e., REST-API, scraping, direct downloads). The data sources used in this study include: clinical registries (e.g., ClinicalTrials.gov), bibliographic databases (i.e., PubMed), medical agencies (i.e., EMA), social media (i.e., Reddit), and accredited health websites (i.e., MedlinePlus, Hardvard Health Publishing, and Cleveland Clinic). This corpus comprises nearly three million data points that cover clinical information, research, and social media data. In fact, we have established the foundation for the construction of specialised corpora in rheumatology. This may inspire the scientific community within this medical field to boost this research line, taking advantage of recent interest in LLMs. Finally, this work seeks to make rheumatology-related data more accessible and analyzable, opening new paths for groundbreaking research and promising advances in understanding and addressing rheumatic diseases with NLP techniques. The code and details on how to build *RheumaL(inguistic)pack* are also provided on request to facilitate the dissemination of such resource.

Data availability statement

Raw data from *RheumaLpack* is not available as these data may be protected by copyright. However, all the code developed for building the corpus, along with instructions on how to use it, is provided on request. Access is not guaranteed as the webpages may change, and therefore the scraping algorithms become useless. In addition, API access requirementes may change over time. The corresponding author will be happy to provide further indications to researchers interested in deploying the algorithms to build *RheumaLpack* locally.

Funding statement

This study did not receive any funding

CRediT author statement

Alfredo Madrid-García: Conceptualization of this study, methodology, coding, review, writing (original draft preparation). **Beatriz Merino-Barbancho**: Methodology, review, coding. **Dalifer Freites-Núñez**: Methodology, writing. **Luis Rodríguez-Rodríguez**: Methodology, review. **Ernestina Menasalvas-Ruíz**: Methodology, review. **Alejandro Rodríguez-González**: Methodology, review. **Anselmo Peñas**: Conceptualization of this study, methodology, review.

All of the authors were involved in the drafting and/or revising and/ or publishing the manuscript.

Supplementary Material

Supplementary Excel File Data ID: Excel file that includes the identifiers of the clinical trials, PubMed abstracts and the URLs of the websites downloaded.

Acknowledgement

The authors would like to thank the *pushshift.io* team, specially to Watchful1 reddit user.

References

Tam Harbert. Tapping the power of unstructured data. `https://mitsloan.mit.edu/ideas-made-to-matter/tapping-power-unstructured-data`, 2021. "Accessed: 2024-02-02".

Forbes Tech Council. The big unstructured data problem. `https://www.forbes.com/sites/forbestechcouncil/2017/06/05/the-big-unstructured-data-problem/`, 2017. "Accessed: 2024-02-02".

Irene Li, Jessica Pan, Jeremy Goldwasser, Neha Verma, Wai Pan Wong, Muhammed Yavuz Nuzumlalı, Benjamin Rosand, Yixin Li, Matthew Zhang, David Chang, R. Andrew Taylor, Harlan M. Krumholz, and Dragomir Radev. Neural natural language processing for unstructured data in electronic health records: A review. *Computer Science Review*, 46:100511, 2022. ISSN 1574-0137. doi:https://doi.org/10.1016/j.cosrev.2022.100511. URL `https://www.sciencedirect.com/science/article/pii/S1574013722000454`.

Jing Wang, Huan Deng, Bangtao Liu, Anbin Hu, Jun Liang, Lingye Fan, Xu Zheng, Tong Wang, and Jianbo Lei. Systematic evaluation of research progress on natural language processing in medicine over the past 20 years: bibliometric study on pubmed. *Journal of medical Internet research*, 22(1):e16816, 2020.

Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. *Advances in neural information processing systems*, 30, 2017.

Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. Bert: Pre-training of deep bidirectional transformers for language understanding, 2019.

Diksha Khurana, Aditya Koli, Kiran Khatter, and Sukhdev Singh. Natural language processing: State of the art, current trends and challenges. *Multimedia tools and applications*, 82(3):3713–3744, 2023.

Ming Zhou, Nan Duan, Shujie Liu, and Heung-Yeung Shum. Progress in neural nlp: modeling, learning, and reasoning. *Engineering*, 6(3):275–290, 2020.

M Saqib Nawaz, M Bilal, M IkramUllah Lali, Raza Ul Mustafa, Waqar Aslam, and Salman Jajja. Effectiveness of social media data in healthcare communication. *Journal of Medical Imaging and Health Informatics*, 7(6):1365–1371, 2017.

Paul Studenic, A Alunno, SR Stones, V Ritschl, and E Nikiphorou. Social media use for health-related purposes by people with rheumatic and musculoskeletal diseases-results of a global survey. In *Arthritis & Rheumatology*, volume 70. Wiley, 2018.

Fatima Zahrae Taik, Rajaa Bensaid, Anass Adnine, Noema El Mansouri, Fatima Zahra Aharrane, Amine Amar, Maryam Fourtassi, and Fatima Ezzahra Abourazzak. Use of social media as a source of health information among patients with chronic low back pain. *Musculoskeletal Care*, 22(1):e1846, 2024. doi:https://doi.org/10.1002/msc.1846. URL https://onlinelibrary.wiley.com/doi/abs/10.1002/msc.1846.

Caroline A Blackie, Lisa Gualtieri, and Shanthini Kasturi. Listening to patients with lupus: Why not proactively integrate the internet as a resource to drive improved care? *Journal of Medical Internet Research*, 25:e44660, 2023.

Nicky Wilson, Jia Liu, Qainat Adamjee, Sonya Di Giorgio, Sophia Steer, Jane Hutton, and Heidi Lempp. Exploring the emotional impact of axial spondyloarthritis: a systematic review and thematic synthesis of qualitative studies and a review of social media. *BMC rheumatology*, 7(1):26, 2023.

Adrian Abbasi-Perez, Miguel Angel Alvarez-Mon, Carolina Donat-Vargas, Miguel A Ortega, Jorge Monserrat, Ana Perez-Gomez, and Melchor Alvarez-Mon. Using twitter data analysis to understand the perceptions, beliefs, and attitudes about pharmacotherapy used in rheumatology: An observational study. In *Healthcare*, volume 11, page 1526. MDPI, 2023.

Alfredo Madrid-Garcia, Beatriz Merino-Barbancho, Alejandro Rodriguez-Gonzalez, Benjamín Fernández-Gutiérrez, Luis Rodríguez-Rodríguez, and Ernestina Menasalvas-Ruiz. Understanding the role and adoption of artificial intelligence techniques in rheumatology research: an in-depth review of the literature. In *Seminars in Arthritis and Rheumatism*, page 152213. Elsevier, 2023a.

Alfredo Madrid-Garcia, Zulema Rosales-Rosado, Dalifer Freites-Nuñez, Inés Pérez-Sancristóbal, Esperanza Pato-Cour, Chamaida Plasencia-Rodríguez, Luis Cabeza-Osorio, Lydia Abasolo-Alcázar, Leticia León-Mateos, Benjamín Fernández-Gutiérrez, et al. Harnessing chatgpt and gpt-4 for evaluating the rheumatology questions of the spanish access exam to specialized medical training. *Scientific Reports*, 13(1):22129, 2023b.

April Jorge, Victor M Castro, April Barnado, Vivian Gainer, Chuan Hong, Tianxi Cai, Tianrun Cai, Robert Carroll, Joshua C Denny, Leslie Crofford, et al. Identifying lupus patients in electronic health records: development and validation of machine learning algorithms and application of rule-based algorithms. In *Seminars in arthritis and rheumatism*, volume 49, pages 84–90. Elsevier, 2019.

Tjardo D Maarseveen, Timo Meinderink, Marcel JT Reinders, Johannes Knitza, Tom WJ Huizinga, Arnd Kleyer, David Simon, Erik B van den Akker, and Rachel Knevel. Machine learning electronic health record identification of patients with rheumatoid arthritis: algorithm pipeline development and validation study. *JMIR medical informatics*, 8(11): e23930, 2020.

Marie Humbert-Droz, Zara Izadi, Gabriela Schmajuk, Milena Gianfrancesco, Matthew C Baker, Jinoos Yazdany, and Suzanne Tamang. Development of a natural language processing system for extracting rheumatoid arthritis outcomes from clinical notes using the national rheumatology informatics system for effectiveness registry. *Arthritis Care & Research*, 75(3):608–615, 2023.

Jose A Román Ivorra, Ernesto Trallero-Araguas, Maria Lopez Lasanta, Laura Cebrián, Leticia Lojo, Belén López-Muñíz, Julia Fernández-Melon, Belén Núñez, Lucia Silva-Fernández, Raúl Veiga Cabello, et al. Prevalence and clinical characteristics of patients with rheumatoid arthritis with interstitial lung disease using unstructured healthcare data and machine learning. *RMD open*, 10(1):e003353, 2024.

Fabricio Kury, Alex Butler, Chi Yuan, Li-heng Fu, Yingcheng Sun, Hao Liu, Ida Sim, Simona Carini, and Chunhua Weng. Chia, a large annotated corpus of clinical trial eligibility criteria. *Scientific data*, 7(1):281, 2020.

Charlotte Collins, Simon Baker, Jason Brown, Huiyuan Zheng, Adelyne Chan, Ulla Stenius, Masashi Narita, and Anna Korhonen. Text mining for contexts and relationships in cancer genomics literature. *Bioinformatics*, 40(1): btae021, 01 2024. ISSN 1367-4811. doi:10.1093/bioinformatics/btae021. URL https://doi.org/10.1093/bioinformatics/btae021.

Sophia Wang, Benjamin Tseng, and Tina Hernandez-Boussard. Development and evaluation of novel ophthalmology domain-specific neural word embeddings to predict visual prognosis. *International journal of medical informatics*, 150:104464, 2021.

Haiwen Gui, Benjamin Tseng, Wendeng Hu, and Sophia Y Wang. Looking for low vision: Predicting visual prognosis by fusing structured and free-text data from electronic health records. *International Journal of Medical Informatics*, 159:104678, 2022.

Andrew L Beam, Benjamin Kompa, Allen Schmaltz, Inbar Fried, Griffin Weber, Nathan Palmer, Xu Shi, Tianxi Cai, and Isaac S Kohane. Clinical concept embeddings learned from massive sources of multimodal medical data. In *Pacific Symposium on Biocomputing 2020*, pages 295–306. World Scientific, 2019.

Andrej Bugrim. Identification of disease mechanisms and novel disease genes using clinical concept embeddings learned from massive amounts of biomedical data. *bioRxiv*, 2023. doi:10.1101/2023.04.27.538319. URL https://www.biorxiv.org/content/early/2023/04/29/2023.04.27.538319.

Vasiliki Foufi, Tatsawan Timakum, Christophe Gaudet-Blavignac, Christian Lovis, and Min Song. Mining of textual health information from reddit: Analysis of chronic diseases with extracted entities and their relations. *Journal of medical Internet research*, 21(6):e12876, 2019.

Edidiong Okon, Vishnutheja Rachakonda, Hyo Jung Hong, Chris Callison-Burch, and Jules B Lipoff. Natural language processing of reddit data to evaluate dermatology patient experiences and therapeutics. *Journal of the American Academy of Dermatology*, 83(3):803–808, 2020.

Alberto Simões and Pablo Gamallo. Leme-pt: A medical package leaflet corpus for portuguese. In *10th Symposium on Languages, Applications and Technologies (SLATE 2021)*. Schloss Dagstuhl-Leibniz-Zentrum für Informatik, 2021.

Leonardo Campillos Llanos, Ana R Terroba Reinares, Sofia Zakhir Puig, Ana Valverde, and Adrián Capllonch-Carrión. Building a comparable corpus and a benchmark for spanish medical text simplification. 2022.

Kerstin Denecke and Wolfgang Nejdl. How valuable is medical social media data? content analysis of the medical web. *Information Sciences*, 179(12):1870–1880, 2009.

Isabel Segura-Bedmar, Luis Núñez-Gómez, Paloma Martinez Fernández, and Maribel Quiroz. Simplifying drug package leaflets. In *SMBM*, pages 20–28, 2016.

Nicholas Proferes, Naiyan Jones, Sarah Gilbert, Casey Fiesler, and Michael Zimmer. Studying reddit: A systematic overview of disciplines, approaches, methods, and ethics. *Social Media+ Society*, 7(2), 2021.

Reddit, Inc. Homepage - reddit inc., 2023. URL `https://www.redditinc.com/`. Accessed: 2024-01-28.

David J. Winter. rentrez: an r package for the ncbi eutils api. *The R Journal*, 9:520–526, 2017.

Jason Baumgartner, Savvas Zannettou, Brian Keegan, Megan Squire, and Jeremy Blackburn. The pushshift reddit dataset. *Proceedings of the International AAAI Conference on Web and Social Media*, 14(1):830–839, 05 2020. doi:10.1609/icwsm.v14i1.7347. URL `https://ojs.aaai.org/index.php/ICWSM/article/view/7347`.

RaiderBDev stuck_in_the_matrix, Watchful1. Reddit comments/submissions 2005-06 to 2023-12.

Jason Michael Baumgartner. Pushshift github repository. `https://github.com/pushshift`, 2024. Accessed: 2024-01-30.

Watchful1. Github profile of watchful1. `https://github.com/Watchful1`, 2024. Accessed: 2024-01-30.

Adrian Benton, Glen Coppersmith, and Mark Dredze. Ethical research protocols for social media health research. In Dirk Hovy, Shannon Spruit, Margaret Mitchell, Emily M. Bender, Michael Strube, and Hanna Wallach, editors, *Proceedings of the First ACL Workshop on Ethics in Natural Language Processing*, pages 94–102, Valencia, Spain, April 2017. Association for Computational Linguistics. doi:10.18653/v1/W17-1612. URL `https://aclanthology.org/W17-1612`.

Dongdong Zhang, Changchang Yin, Jucheng Zeng, Xiaohui Yuan, and Ping Zhang. Combining structured and unstructured data for predictive models: a deep learning approach. *BMC medical informatics and decision making*, 20:1–11, 2020.

Yanis Labrak, Adrien Bazoge, Emmanuel Morin, Pierre-Antoine Gourraud, Mickael Rouvier, and Richard Dufour. Biomistral: A collection of open-source pretrained large language models for medical domains, 2024.

Fujian Jia, Xin Liu, Lixi Deng, Jiwen Gu, Chunchao Pu, Tunan Bai, Mengjiang Huang, Yuanzhi Lu, and Kang Liu. Oncogpt: A medical conversational model tailored with oncology domain expertise on a large language model meta-ai (llama), 2024.

Vlad Krotov, Leigh Johnson, and Leiser Silva. Tutorial: Legality and ethics of web scraping. 2020.

Zachary Gold and Mark Latonero. Robots welcome: Ethical and legal considerations for web crawling and scraping. *Wash. JL Tech. & Arts*, 13:275, 2017.

Supplementary Material

Supplementary Text

Data source identification

Initially, fourteen different sources were considered: European Medicines Agency (EMA), Centers for Disease Control and Prevention, Centro de Información de Medicamentos (CIMA), Cleveland Clinic, ClinicalTrials.gov, Harvard Health Publishing, Johns Hopkins Medicine, Mayo Clinic, MedlinePlus, Mount Sinai, PubMed, Reddit, WebMD, and Wikipedia.

After expert discussion, the data sources that best matched the criteria were ClinicalTrials.gov, PubMed, EMA, Reddit, MedlinePlus, Hardvard Health Publishing, and Cleveland Clinic. It was not necessary for them to strictly meet all of the aforementioned criteria. For instance, in the case of Reddit, some of the data shared by users on posts could be considered personal data under the GDPR, especially if these data can be used to identify a specific individual, either on its own or in combination with other information. On the basis of the variability criterion, expert sources such as PubMed, EMA, MedlinePlus, or ClinicalTrials.gov were chosen for their authoritative and comprehensive data on clinical research findings, treatment protocols, and drug information. Conversely, Reddit was selected as a non-expert source to capture patient opinions, experiences, and discussions, providing valuable insights into the patient perspective. This diverse selection allowed the corpus to include a wide range of data types, from social media content to scholarly articles and clinical trials information, ensuring a holistic view of diseases from multiple angles: pharmacological treatments, patient viewpoints, and research advances.

Supplementary Tables

Supplementary Table 1: Criteria evaluation for the selected data sources

Criterion	Data source				
	ClinicalTrials.gov	PubMed	EMA	Reddit	Accredited health websites
Variability	Expert information. Clinical and research data.	Expert information. Clinical and research data.	Expert information. Drug information.	Non-expert information. Social media.	Expert information. Clinical including diagnoses drug information, symptoms, procedures
Accesibility	REST-API	API	Scraping, OCR	Direct download, API, scraping	Scraping
Renowned	Yes	Yes	Yes	Yes	Yes
Timeliness	Yes	Yes	Yes	Yes	Yes
Personal data	No* (Contact details)	No* (Contact details)	No	Possible	No
Relevance	High	High	High/medium	High/medium	High/medium
Ease of processing	Plain text. Formal language. Scientific symbols. Technicalities.	Plain text. Formal language. Scientific symbols. Technicalities.	Plain text. Formal language. Scientific symbols. PDF text files. Tabular content. Technicalities.	Plaint text. Colloquial language. Multimedia data. URLs, special characters (emojis).	Plain text. Formal language, special characters
Language coverage	English	Mostly english	EU languages	Mostly english	English/Spanish
Geographical coverage	Worldwide	Worldwide	Europe	Worldwide	Worldwide
Accuracy	High	High	High	Low	High

Supplementary Table 2: Rheumatology journals classified by JCR as "RHEUMATOLOGY - SCIE". The journal name is written as appears in JCR webpage

Journal name	
Nature Reviews Rheumatology	Rheumatology and Therapy
ANNALS OF THE RHEUMATIC DISEASES	CLINICAL AND EXPERIMENTAL RHEUMATOLOGY
Lancet Rheumatology	CLINICAL RHEUMATOLOGY
Arthritis & Rheumatology	JCR-JOURNAL OF CLINICAL RHEUMATOLOGY
Osteoarthritis and Cartilage	LUPUS
RMD Open	Pediatric Rheumatology
RHEUMATOLOGY	International Journal of Rheumatic Diseases
BEST PRACTICE & RESEARCH IN CLINICAL RHEUMATOLOGY	BMC MUSCULOSKELETAL DISORDERS
CURRENT OPINION IN RHEUMATOLOGY	
Current Rheumatology Reports	Advances in Rheumatology
SEMINARS IN ARTHRITIS AND RHEUMATISM	RHEUMATIC DISEASE CLINICS OF NORTH AMERICA
	Modern Rheumatology
ARTHRITIS RESEARCH & THERAPY	SCANDINAVIAN JOURNAL OF RHEUMATOLOGY
ARTHRITIS CARE & RESEARCH	Archives of Rheumatology
JOINT BONE SPINE	ZEITSCHRIFT FUR RHEUMATOLOGIE
Therapeutic Advances in Musculoskeletal Disease	Acta Reumatologica Portuguesa
RHEUMATOLOGY INTERNATIONAL JOURNAL OF RHEUMATOLOGY	AKTUELLE RHEUMATOLOGIE ARP Rheumatology
Lupus Science & Medicine	

Supplementary Table 3: Potential subreddits found through Reddit search engine. Words employed in the search: a*rthritis, autoimmune, back pain, backpain, behcet, behcets, fibromyalgia, gout, lupus, myositis, psoriasis, raynaud, raynauds, rheumatology, scleroderma, sjogren, sjogrens, spondylitis, tendinitis, thritis, uveitis, and vasculitis*

Identified subreddits		
r/Allopurinol	r/gout	r/Sciatica
r/ankylosingspondylitis	r/gout_and_diet	r/Scleroderma
r/arthritis	r/GoutCrew	r/scoliosis
r/Autoimmune	r/GranulPolyangiitis	r/ShoulderInjuries
r/AutoimmuneMicrobiomed	r/im30andmybackhurts	r/Sjogrens
r/AutoimmuneNeurology	r/ItsNeverLupus	r/SjogrensSyndrome
r/autoimmuneneutropenia	r/Keto4Psoriasis	r/spinalcordinjuries
r/autoimmunity	r/LivingWithLupus	r/SpineFusion
r/Autoinflammatory	r/lowerbackpain	r/Spondylitis
r/back_pain	r/lupus	r/Tendinitis
r/backpain	r/LupusAwareness	r/TensionMyositisSyndrm
r/Backpaintip	r/LupusMicrobiome	r/thoracicbackpain
r/Behcets	r/LupusResearch	r/Thritis
r/cfs	r/lupussupport	r/UlcerativeColitis
r/ChronicPain	r/LupusWarriorsUnite	r/Uveitis
r/costochondritis	r/mctd	r/Vasculitis
r/CrohnsDisease	r/menhavelupus	r/WegenersGPA
r/CutaneousLupus	r/Myositis	
r/disability	r/neuropathy	
r/discoidlupus	r/Osteoarthritis	
r/EGPAsupport	r/PiriformisChronicPain	
r/Exercises4BackPain	r/Psoriasis	
r/fibro	r/PsoriasisDiet	
r/FibroArtsAndCrafts	r/PsoriasisRemedies	
r/Fibromyalgia	r/PsoriaticArthritis	
r/FibromyalgiaIsReal	r/Raynauds	
r/FibromyalgiaResearch	r/RaynaudsSupport	
r/fibrosupport	r/rheumatoid	
r/FibroSupport4Adults	r/rheumatoidarthritis	
r/foreverbackpain	r/Rheumatology	

Supplementary Table 4: Example of parameters that can be used with *to_csv.py* script while decompressing. This is not an exhaustive list

Comments	Submissions
controversiality	downs
subreddit_id	link_flair_text
retrieved_on	distinguished
link_id	media
author_flair_text	url
distinguished	link_flair_css_class
downs	id
author_flair_css_class	edited
subreddit	num_reports
edited	created_utc
body	banned_by
id	name
name	subreddit
gilded	title
ups	author_flair_text
archived	is_self
score	author
author	media_embed
parent_id	permalink
created_utc	author_flair_css_class
score_hidden	selftext
	created
	hidden
	over_18

Supplementary Table 5: Number of articles with abstract published by year, considering the 34 JCR journals with the category "RHEUMATOLOGY - SCIE". Although 2024 appears, it must be noted that the time interval studied is 2000-2023. This inconsistency is due to the difference in creation and indexing in PubMed and the date of publication.

Journal	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Acta Reumatol Port	0	0	0	0	0	0	27	38	46	74	60	45	42	34	48
Adv Rheumatol	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ann Rheum Dis	158	199	205	219	278	352	302	303	299	295	386	361	320	306	303
Arch Rheumatol	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ARP Rheumatol	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Arthritis Care Res (Hoboken)	0	0	0	0	0	0	0	0	0	0	203	188	222	238	226
Arthritis Res Ther	0	0	0	88	108	201	232	181	211	292	308	305	334	284	292
Arthritis Rheumatol	0	0	0	0	0	0	0	0	0	0	0	0	0	0	332
Best Pract Res Clin Rheumatol	0	51	54	60	55	65	71	65	70	61	68	63	58	57	59
BMC Musculoskelet Disord	1	10	25	28	49	61	103	129	171	167	287	289	265	365	450
Clin Exp Rheumatol	150	178	178	190	176	176	167	207	229	248	241	227	252	247	278
Clin Rheumatol	107	102	109	104	117	133	198	457	301	251	220	237	249	276	258
Curr Opin Rheumatol	82	76	94	98	95	90	86	84	95	88	95	88	91	96	98
Curr Rheumatol Rep	62	65	63	57	54	60	59	60	59	58	63	69	80	90	79
Int J Rheum Dis	0	0	0	0	0	0	0	0	0	61	77	59	79	95	110
J Clin Rheumatol	57	63	54	53	65	66	60	67	66	76	78	85	68	71	70
J Rheumatol	427	402	367	402	346	368	371	331	327	365	325	348	304	233	290
Joint Bone Spine	83	64	90	81	103	89	121	108	129	122	120	113	101	106	79
Lancet Rheumatol	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lupus	122	137	117	153	157	167	143	143	139	195	218	192	237	201	208
Lupus Sci Med	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26
Mod Rheumatol	49	65	65	66	91	84	78	100	105	105	105	116	138	193	167
Nat Rev Rheumatol	0	0	0	0	0	0	0	0	0	72	83	84	71	82	82
Osteoarthritis Cartilage	73	106	109	96	118	128	168	173	206	216	221	170	194	238	230
Pediatr Rheumatol Online J	0	0	0	0	0	0	0	22	20	21	30	35	39	46	52
Rheum Dis Clin North Am	56	48	50	46	49	46	44	39	57	55	43	40	49	44	47
Rheumatol Int	40	70	86	70	78	160	204	182	222	257	240	268	642	458	232
Rheumatol Ther	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Rheumatology (Oxford)	181	174	182	214	226	226	240	292	342	290	289	286	298	276	278
RMD Open	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Scand J Rheumatol	74	67	71	64	73	80	80	69	72	73	75	70	69	78	73
Semin Arthritis Rheum	41	43	43	31	37	56	43	44	43	47	50	93	73	84	102
Ther Adv Musculoskelet Dis	0	0	0	0	0	0	0	0	0	9	28	27	33	22	17
Z Rheumatol	77	34	66	66	45	55	75	77	77	93	96	100	91	88	86

Journal	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total
Acta Reumatol Port	50	48	40	38	43	41	39	0	0	0	713
Adv Rheumatol	0	0	0	40	61	47	71	45	56	0	320
Ann Rheum Dis	311	295	275	225	192	182	171	187	186	0	6,310
Arch Rheumatol	18	52	77	49	59	73	77	70	22	0	497
ARP Rheumatol	0	0	0	0	0	0	0	46	38	0	84
Arthritis Care Res (Hoboken)	201	221	225	222	179	200	209	229	320	27	3,110
Arthritis Res Ther	372	288	283	276	295	282	290	269	235	0	5,426
Arthritis Rheumatol	318	283	209	193	197	194	224	181	236	25	2,392
Best Pract Res Clin Rheumatol	59	63	63	65	57	57	39	45	56	0	1,361
BMC Musculoskelet Disord	386	497	549	455	638	843	1037	1130	962	0	8,897
Clin Exp Rheumatol	285	276	267	265	270	290	283	300	326	21	5,727
Clin Rheumatol	299	411	368	440	436	443	528	383	336	79	6,842
Curr Opin Rheumatol	83	91	91	89	91	78	74	50	54	20	2,077
Curr Rheumatol Rep	77	75	81	86	76	90	76	41	31	5	1,616
Int J Rheum Dis	105	159	224	269	274	186	158	155	277	58	2,346
J Clin Rheumatol	60	50	51	49	61	68	130	163	83	11	1,725
J Rheumatol	301	264	241	188	195	200	228	166	232	0	7,221
Joint Bone Spine	75	96	92	87	84	70	86	79	92	8	2,278
Lancet Rheumatol	0	0	0	0	23	63	65	64	57	5	277
Lupus	196	197	202	281	212	210	262	200	178	19	4,486
Lupus Sci Med	29	35	27	45	39	46	73	89	70	0	479
Mod Rheumatol	162	161	167	151	145	144	159	156	265	0	3,037
Nat Rev Rheumatol	82	63	62	53	51	54	53	55	58	4	1,009
Osteoarthritis Cartilage	255	239	241	188	194	153	166	144	164	20	4,210
Pediatr Rheumatol Online J	61	67	80	82	83	90	162	109	138	0	1,137
Rheum Dis Clin North Am	44	46	45	45	43	51	48	56	54	13	1,158
Rheumatol Int	254	207	245	310	244	234	237	235	270	39	5,484
Rheumatol Ther	15	25	37	44	46	66	127	97	110	11	582
Rheumatology (Oxford)	267	262	264	282	261	445	666	518	686	0	7,445
RMD Open	80	86	112	113	107	128	147	205	270	0	1,248
Scand J Rheumatol	72	74	62	58	59	58	60	56	79	9	1,675
Semin Arthritis Rheum	103	107	116	125	155	204	165	150	171	27	2,153
Ther Adv Musculoskelet Dis	22	18	27	22	31	81	107	107	48	0	599
Z Rheumatol	94	97	105	95	101	116	105	106	132	7	2,084

Supplementary Table 6: Submissions, comments and ratio comments/submissions for each subreddit

Reddit community	Submissions (S)	Comments (C)	Ratio C/S
r/ankylosingspondylitis	16820	189710	11.28
r/Autoimmune	6356	39893	6.28
r/autoimmunity	5938	36400	6.13
r/backpain	29519	139770	4.73
r/Fibromyalgia	62516	716859	11.47
r/gout	15395	170018	11.04
r/lupus	30553	270520	8.85
r/PsoriaticArthritis	8821	105519	11.96
r/rheumatoid	18135	193709	10.68
r/rheumatoidarthritis	6168	58170	9.43
r/Sjogrens	6377	71941	11.28
r/Thritis	8464	61740	7.29

Supplementary Figures

Supplementary Figure 1: RMDs related clinical trials per year. Only data up to 2023 is shown