Development of the Kunonga framework for operationalising

approaches to health inequality and inequity evidence syntheses

Tafadzwa Patience Kunonga,[1,2] Eugenie Evelynne Johnson,[2] Pauline Addis,[2] Elizabeth

Westhead,[3] Peter Bower,[4] Barbara Hanratty,[1] Dawn Craig[1,2]

[1]National Institute for Health and Care Research (NIHR) Policy Research Unit in Older People

and Frailty/Healthy Ageing, Population Health Sciences Institute, Newcastle University,

Newcastle-upon-Tyne, NE4 5PL, UK

[2]National Institute for Health and Care Research (NIHR) Innovation Observatory, Population

Health Sciences Institute, Newcastle University, Newcastle upon Tyne, NE4 5TG, UK

[3]Population Health Sciences Institute, Biomedical Research Building, Newcastle University,

Newcastle, Newcastle Upon Tyne, NE4 5PL, UK

[4]National Institute for Health and Care Research (NIHR) Policy Research Unit in Older People

and Frailty/Healthy Ageing, School of Health Sciences, Faculty of Biology, Medicine and

Health, The University of Manchester, Manchester, M13 9PL, UK

Corresponding author: Tafadzwa Patience Kunonga - Population Health Sciences

Institute, Newcastle Biomedical Research Building, Newcastle University, Newcastle upon

Tyne NE4 5PL, UK. Tel.: +44 (0) 1912086260; fax: +44 (0) 19120861101;

patience.kunonga@newcastle.ac.uk

Data availability statement: All data relevant to the study are included in the article or

uploaded as supplemental information.

Word count: Abstract: 348; Manuscript: 5614; Tables: 3; Figures: 1; References: 39

Abstract

Background

Health inequalities and inequities are shaped by intersecting social determinants and cumulative life-course experiences. However, conventional evidence synthesis methods often lack the conceptual and analytical tools to capture this complexity. This limits their ability to inform inequality and/or inequity-sensitive policy and practice. In response, we developed a methodological framework to support the systematic integration of intersectionality and life-course perspectives into evidence synthesis.

Methods

Framework development followed a three-phase process. First, a systematic review identified conceptual and operational limitations in existing synthesis methods that seek to address health inequality and/or inequity. Second, semi-structured discussions were conducted with eight experts in health inequalities and evidence synthesis to elicit practice-relevant insights aimed at addressing these gaps. Third, findings from both phases were synthesised using a modified framework analysis to construct a structured thematic model aligned with key stages of evidence syntheses (protocol development, data extraction and analysis), informing the design of the methodological framework.

Results

The Kunonga Framework offers practical tools and methodological guidance for integrating inequality and/or inequity considerations throughout the evidence synthesis lifecycle. It is underpinned by three core principles: (1) distinguishing between health inequality and health inequity to improve conceptual clarity; (2) applying intersectionality to examine how overlapping social disadvantages shape health outcomes; and (3) adopting a life-course perspective to assess how inequalities and inequities emerge, accumulate and evolve over time. The framework provides practical tools, including logic models, intersectionality matrices and life-stage mapping, to support implementation. A case study on ethnic

inequalities in palliative care prescribing illustrated the framework's feasibility and highlighted

its potential to enhance analytical depth and policy relevance.

Conclusions

The Kunonga Framework advances evidence synthesis methodology by operationalising

established theoretical constructs into actionable guidance. It supports reviewers in

considering social complexity and changes across the life-course, helping to explain for

whom, how, and in what contexts interventions may work. While developed to support

inequality and/or inequity-focused reviews, it can also improve the relevance and depth of

broader evidence syntheses. Future research should explore its use across different types of

reviews and assess how it can be applied using both qualitative and quantitative methods.

Key words: Health inequality; health inequity; intersectionality; evidence synthesis; life-

course perspective

61   **Background**

Evidence synthesis involves systematically gathering, evaluating, and integrating existing

research findings to provide a comprehensive and robust summary of available evidence on

a particular topic [1]. It encompasses a range of methodologies including systematic reviews,

meta-analyses and qualitative syntheses, depending on the nature of the research question

[1]. Evidence synthesis plays a crucial role in driving evidence-based decision-making

processes, particularly as policymakers increasingly direct their attention towards addressing

issues of inequality and inequity [2].

Currently, there is no universally accepted definition of health inequality and health inequity,

and the terms are frequently used interchangeably [3]. For the purposes of this article, health

inequality refers to differences in health status or determinants among individuals or

populations, while health inequity specifically denotes unnecessary, avoidable and unjust

differences in health [4]. Health inequalities remain a pressing issue globally, with outcome

differences persisting across various demographic groups [5].

While evidence synthesis methodologies play a crucial role in informing healthcare policies

and interventions, there are significant gaps in how they address the impacts of health

inequalities and inequities [6]. As identified by a recently published systematic review, a

range of frameworks have been developed to address aspects of equality and/or equity

across health and care research [3]. These include, but are not limited to: the World Health

Organization (WHO) conceptual framework on the Social Determinants of Health (SDOH),

which distinguishes between structural and intermediary determinants [7]; the Health Equity

Impact Assessment (HEIA), designed to assess potential differential impacts of policies or

interventions [8]; the PROGRESS-Plus framework,[1] which identifies key social factors

contributing to health inequalities and/or inequities [9, 10]; and, more recently, the EQUALSS

Guide Multiple framework,[2] which supports equity priority-setting across domains [11].

However, while these frameworks are useful for identifying relevant socio-demographic

factors, they were not originally developed to guide how inequality or inequity should be

understood, interpreted or systematically analysed within evidence synthesis processes.

This methodological gap was identified in our earlier systematic review,[3] which highlighted

the absence of integrated, operational guidance to consistently embed theoretically

grounded equality and/or equity principles, such as intersectionality and life-course

approaches, across all stages of the evidence synthesis process [3].

Specifically, the review found that factors contributing to inequality and/or inequity were often

considered in isolation, with limited attention to how multiple factors intersect to shape health

outcomes in complex, compounding ways [3]. Similarly, life-course approaches, which

recognise how cumulative exposures and structural disadvantage across an individual's

lifespan influence health trajectories [12], remain underutilised in evidence synthesis. Yet,

---

[1] PROGRESS-Plus: Place of residence, Race/ethnicity/culture/language, Occupation, Gender/sex, Religion, Education, Socioeconomic status, and Social capital, plus additional factors such as personal characteristics (e.g., age, disability), relational influences (e.g. smoking parents), and time-dependent variables (e.g. hospitalisation).
[2] EQUALSS GUIDE: Ethnicity and race, Qualifications and education, Underserved area, Age, Language and religion, Sex, Sexual orientation, Gender identification, Underrepresented groups (inclusion groups), Income and wealth, Disability (physical, mental and learning), Employment and occupation, and Multiple disadvantages.

applying concepts such as intersectionality and life-course perspectives is essential to

understanding how inequalities and/or inequities emerge and persist, a challenge often

overlooked in current evidence syntheses. Their limited and fragmented application within

evidence synthesis constrains the field's capacity to support inequality and/or inequity-

sensitive decision-making.

Building on these gaps, the Kunonga Framework draws on insights from experts in the field

to develop a structured, inequality and/or inequity-centred framework offering methodological

guidance for evidence syntheses where currently none exists.

Research Aim

To develop and present a structured approach for embedding theoretically grounded

perspectives on health inequality and/or inequity within evidence synthesis.

Methods

110 The development of the proposed framework followed a modified three-stage approach,

111 drawing on recommended phases for methodological framework development [13].

Phase 1: Evidence Mapping and Problem Framing

The first phase, as outlined in the introduction, involved conducting a comprehensive

systematic review to assess existing approaches in inequalities/inequities-focused evidence

synthesis. The methods and findings of this review have been reported previously [3],

establishing a foundation for developing a more inclusive framework tailored to the

complexities of health inequalities/inequities within evidence synthesis. Therefore, this paper

will not elaborate further on these review findings but instead concentrates on the

subsequent phases that build upon these insights to develop the proposed framework.

Phase 2: Expert knowledge elicitation

Phase 2 involved small-group key informant discussions with experts in health inequalities,

inequities, and/or evidence synthesis to generate insights for methods guidance, addressing

the gaps identified in Phase 1. While key informant approaches are typically applied in one-

to-one formats [14, 15], we adapted the method to small-group settings to encourage

interactive dialogue and peer-level reflection. This approach prioritised conceptual depth and

targeted the insights of information-rich participants to examine methodological limitations

and identify feasible strategies for integrating inequality and/or inequity considerations into

evidence synthesis. As this phase involved expert consultation rather than primary research

with patients or the public, it was approved by the Newcastle University Ethics Committee

without detailed review (Ref: 61394/2023). This phase was reported in line with the 32-item

Consolidated Criteria for Reporting Qualitative Research (COREQ) checklist (Supplementary

File 1) [16].

Selection and recruitment of experts

Experts were selected based on their demonstrated contributions to their respective fields,

evidenced by substantial peer-reviewed publications and other scholarly outputs. This

criterion ensured that participants brought a depth of expertise and a history of impactful

research, thereby enhancing the rigour and credibility of insights gathered for this study [14,

17]. The recruitment process aimed to ensure diversity of perspectives, including individuals

from different sectors and countries. Thirteen experts were contacted via email, introducing

the project, and inviting them to participate in the workshop. The email outlined the

objectives, expected time commitment and the potential benefits of involvement. Interested

experts were asked to confirm their participation, and a suitable date for the discussions was

selected based on their availability.

Pilot workshops

Two virtual pilot sessions were held with members of the Evidence Synthesis Group at

Newcastle University (UK) to gather preliminary feedback and advice for the upcoming key

informant discussions. These pilot sessions tested the interview content, activities, logistics

and overall participant experience to ensure the effectiveness of the planned approach.

Feedback from these sessions directly informed the development of the discussion

questions used in the key informant discussions:

•   What are the challenges or limitations faced in defining and consistently reporting

health inequality and/or inequity within current evidence synthesis methodologies?

•   What alternative methodologies or approaches could provide a more

multidimensional synthesis of evidence on health inequalities/inequity, capturing a

broader range of influencing factors beyond single variables like socioeconomic

status?

Key informant discussions

Three structured small-group discussions were conducted between March and July 2023.

The discussions were led by TPK, an experienced evidence synthesis researcher and

facilitated by another researcher (PA). Each interview was held online for approximately 90

minutes and involved at least two experts, allowing for dynamic discussions. The sessions

began with a five-minute introduction, followed by a 10-minute presentation of key findings

from a case study to establish real-world context [3]. Participants then engaged in a 30-

minute brainstorming exercise to foster collaborative problem-solving. Another 10-minute

presentation of a second case study enhanced learning, followed by another 30-minute

brainstorming session [18]. The sessions closed with a summary and conclusion, reinforcing

key insights. An outline of the session agenda is presented in Supplementary File 2.

Data collection

169 Sessions were conducted via Zoom and audio-recorded to capture the conversations and

170 discussions. Recordings were accessible only to the two researchers who facilitated the

171 sessions (TPK and PA), who transcribed and anonymised the data for analysis. For

172 confidentiality, each participant received a unique identifier to attribute their quotations,

173 ensuring that personal data protection protocols were maintained [19].

Phase 3: Synthesis and framework development

Qualitative data from the key informant discussions were analysed using approach adapted

from the principles of framework analysis [20]. Drawing on methodological gaps identified in

the review conducted in Phase1 [3], an initial coding framework was developed and applied

deductively across transcripts. Two researchers (TPK and EW) independently read the

transcripts, coded the data manually and organised them thematically to support comparison

across topics. The analysis focused on extracting practice-relevant insights to inform the

structure and content of the proposed framework. The final coding structure is presented in

Supplementary File 3. To ensure practical relevance, the final themes were aligned with the

stages of the evidence synthesis process: protocol development, data extraction and

analysis, to support direct application by researchers and decision-makers.

Results of the key informant discussions

Characteristics of key informants

Of the 13 originally contacted, eight experts participated in the key informant discussions.

The final sample included six experts based in the UK and two based in Africa. Participants

brought expertise from a range of domains, including public health, health economics, global

health, and evidence methodology. Their roles spanned academia, policy advisory and

applied research. Table 1 provides an overview of the participants' areas of expertise and

geographic affiliations.

Insert Table 1

Key methodological challenges identified by experts

195 The discussions generated insights into the practical and conceptual challenges of

196 integrating inequality and/or inequity considerations into evidence synthesis. Experts

197 reflected on the complexities of applying key principles in diverse contexts and offered

198 methodological strategies to address these challenges.

Conceptual and terminological ambiguity

A persistent challenge identified by experts was the lack of conceptual clarity and

terminological consistency surrounding the terms health inequality and health inequity. While

these distinctions are theoretically established, experts noted that in practice, particularly in

secondary data analysis, these terms are often conflated or applied inconsistently, with

implications for study inclusion, framing, and interpretation. One expert noted the challenge

of distinguishing these concepts when working with pre-existing data.

"*When doing a study of real data, the theoretical difference is not always apparent*

when using secondary data as to whether it relates to inequality or inequity… but

generally one should try to use them correctly." [Expert 7]

In addition, the meanings of inequality and inequity may vary across languages and cultures,

leading to different interpretations and understandings. Translating these terms accurately

while maintaining their subtle distinctions can be challenging, potentially resulting in

miscommunication and ambiguity.

"*…especially when English is not their first language, the translation of inequality and*

inequity isn't as clear as it is in English. Internationally, there is a tendency to use

inequity, when they mean inequality." [Expert 4]

"In French, they are pretty much interchangeable terms… in Finland, they just use

equity." [Expert 3]

Even within the same language, different researchers may use the terms interchangeably or

use other terms to define similar concepts.

"*…there is another term that is used quite a lot, particularly in North America, and*

that is disparity." [Expert 8]

The implication is that lack of definitional clarity not only undermines analytic precision but

risks misclassification of studies, inconsistent application of inclusion criteria and

miscommunication within international collaborations. Experts advocated for explicit

articulation of these terms at the protocol stage, alongside guidance on how to

operationalise them within synthesis.

Operationalising intersectionality in evidence synthesis

Experts expressed widespread support for intersectionality as a necessary theoretical lens to

understand how structural disadvantage accumulates across multiple dimensions. However,

they also emphasised the disconnect between this conceptual ambition and the

methodological realities of synthesis. Key barriers included the absence of disaggregated

primary data on key socio-demographic factors (e.g. ethnicity, gender identity and

socioeconomic status), lack of transparency in subgroup reporting, and limited statistical

power for intersectional subgroup analysis.

". . .and if it's not being collected, it's not being reported, and you can't really

consider it as a reviewer." [Expert 2]

Importantly, experts linked these limitations to upstream challenges in primary research

design and data governance. For example, one expert highlighted how data protection

concerns may preclude collection of variables critical to intersectional analysis.

"Basically, I don't think you could gather data from a study what I know. You can't

gather data in the hope that future studies might be able to access that data" [Expert

6]

Another identified tension was the lack of shared understanding about whether

intersectionality is a statistical approach (e.g. interaction testing) or a critical interpretive lens.

While some experts equated it with methodological tools (e.g. multivariable regression),

others emphasised its epistemological role in reshaping what questions are asked, which

populations are visible, and how absence of evidence is interpreted.

"You know, it's not just one factor which is causing that particular outcome that there

are other factors that may need to play, interact and so having that lens in itself is a

useful thing" [Expert 1]

One expert noted that qualitative research has an important role to play in addressing these

challenges, particularly where quantitative data is insufficient. Qualitative evidence can

surface the lived experiences of intersecting disadvantage, give voice to underrepresented

groups, and offer unique insights into mechanisms of inequality and/or inequity that are not

easily captured through standardised data.

Limited integration of life-course perspectives

The third challenge related to the limited integration of a life-course perspective in most

evidence synthesis work. Experts observed that many reviews are shaped by the availability

of cross-sectional data, which tends to focus on immediate factors affecting health. As a

result, it can be difficult to capture how disadvantage builds up over time. This limitation was

seen as restricting the ability of syntheses to explore the deeper, long-term pathways that

contribute to health inequalities and/or inequities:

"*. . .because if you're showing that the resources, for example available to black*

children in the USA is on average far less. . .then you see that no, it's not, it's not

genetic, it's a lack of resources at the in the very earliest days of life. You look at

maternal or child mortality and so on. You can go right back to the start and then

follow it through to adult life..." [Expert 8]

The limited use of a life-course perspective was seen as a missed opportunity to understand

how health outcomes are shaped by experiences across a person's life. A more holistic

view, tracing key transitions from childhood to adulthood, was seen as essential.

". . . what you need to do is take a holistic approach to social determinants. . . try to

identify factors across the life-course." [Expert 5]

Experts also linked the life-course perspective to proportionate universalism, suggesting that

individuals who have experienced greater disadvantage over time may require tailored or

intensified interventions. However, few reviews were seen to incorporate this principle

systematically.

"*. . . and that, I think, brings me to a term. . .which is I think even more controversial*

than the term inequity, which is proportionate, universalism which means if someone

has had a lifetime of deprivation... you need greater effort to have an effect on their

health outcomes." [Expert 6]

The Kunonga Framework

In response to the methodological challenges identified, we developed the Kunonga

Framework to support the operationalisation of health inequality and inequity considerations

in evidence synthesis. Table 2 presents the core components of the Kunonga Framework

across key stages of the review process, offering practical guidance to improve conceptual

clarity and the integration of intersectionality and life-course perspective.

Insert Table 2 here

Protocol stage

Define key terms and scope

In addition to standard scope-setting practices, this stage requires that reviewers clarify

whether the primary focus is on health inequality and/or health inequity, establishing explicit

definitions and examples to guide the eligibility criteria. This approach complements existing

frameworks by adding specificity, thereby enhancing alignment with the review's objectives

and clarifying priorities for analysis [10]. This stage should include structured involvement of

stakeholders, clinical experts and public contributors, particularly those from structurally

disadvantaged or underrepresented groups. Early engagement helps ensure the review

reflects diverse lived experiences and social contexts [21]. It supports the identification of

meaningful inequalities and/or inequities, relevant subgroups, culturally sensitive language,

and an ethically grounded analytical lens. This aligns with inclusive research guidance such

as the National Institute for Health and Care Research – Innovations in Clinical Trial Design

and Delivery for the Under-served (NIHR-INCLUDE) [22].

Frameworks and theoretical approach selection

At this stage, reviewers should identify and justify the equity framework or theoretical model

that will guide their review. Depending on the review's scope, focus and population, this may

include established tools such as the SDOH, PROGRESS-Plus, HEIA, or the EQUALSS

GUIDE Multiple framework for setting equality and/or equity priorities [7-9, 11]. The chosen

framework should align with whether the review addresses health inequality, health inequity,

or both, and inform eligibility criteria, data extraction and analysis plans.

Developing a logic model

Developing a logic model at the protocol stage offers a structured and transparent way to

integrate equality and/or equity considerations throughout the synthesis process [23]. Rather

than functioning as a static illustration, the logic model should be treated as a dynamic

analytical tool that links theory to empirical strategy. It maps the hypothesised pathways

through which social identities (e.g. gender, or ethnicity), structural determinants (e.g.

housing insecurity, policy environment), and temporal exposures across the life-course (e.g.

early-life adversity, transition into retirement) shape differential health outcomes and

responses to interventions [23]. These factors may play different analytical roles within the

model. Specifically, some may act as moderators, influencing the strength or direction of the

relationship between an intervention and an outcome (e.g. socioeconomic status altering the

effectiveness of a prevention programme). Others may function as mediators, explaining the

mechanisms through which an intervention leads to an outcome (e.g. trust or health literacy

mediating the link between provider communication and adherence) [24]. The same factor

may play different roles depending on the review context. Articulating these hypothesised

relationships early, the logic model may help reviewers make informed decisions about

inclusion criteria, subgroup analyses, and what data should be extracted.

Data extraction stage

The data extraction process must move beyond descriptive cataloguing of socio-

demographic characteristics and towards actively capturing how these characteristics

intersect, how mechanisms of inequality and/or inequity operate, and how broader

contextual factors influence observed outcomes. We recommend that reviewers develop an

intersectionality-informed extraction table, in addition to standard data extraction procedures,

to systematically capture factors related to inequality and/or inequity. This approach is

grounded in the foundational work on intersectionality and its application in health equity

research [25, 26]. The table could include a range of core domains. First, reviewers should

extract whether social stratifiers (e.g. from SDOH, PROGRESS-Plus, HEIA, or the

EQUALSS GUIDE Multiple) are reported in primary studies and, crucially, whether these are

analysed in isolation or in combination (e.g. low-income older migrants) [7-9, 11]. Second,

reviewers should extract whether outcomes are reported in a disaggregated manner for

relevant subgroups or intersectional combinations and whether statistical interaction terms

are used to explore compounded or synergistic effects. The interpretive treatment of

observed differences could also be recorded, that is, whether the study authors

contextualise differences in terms of systemic or structural inequities (e.g. access,

discrimination, policy context), or attribute them to individual behaviours or cultural norms

[27]. Where logic models have been developed at the protocol stage, they should inform the

extraction of variables hypothesised to function as moderators or mediators [24]. Contextual

information, including the type of health system, geographic region, and socio-political

environment, should also be extracted, as these features are likely to shape both

intervention effects and the experience of inequality [28]. A life-course perspective could also

be integrated at this stage, through the extraction of timing variables (e.g. age at exposure,

intervention duration) and transitional life events (e.g. retirement, caregiving responsibilities)

[29]. Finally, reviewers should record patterns of underreporting or omission (e.g. absence of

religion), as these gaps are analytically important and should inform later stages of

synthesis. Where disaggregated data or statistical estimates are unavailable, reviewers

should extract narrative descriptions or author observations to ensure such studies can still

contribute to the synthesis. Using interpretation and context-based reasoning in these cases

can still offer valuable insights into how and why outcomes vary, instead of leaving those

studies out [28]. This approach aligns with calls to systematically extract contextual and

mechanistic detail, enabling reviewers to ask not just what works, but for whom, in what

context, and why [28]. A template of this table is provided in Supplementary File 4.

Reviewers are encouraged to adapt the template to fit the nature of their review. Used

effectively, this approach should allow reviewers to synthesise findings not only across

different identities, but also across the structural conditions that produce and sustain

inequity.

Analysis stage

Intersectionality

To support intersectionality-informed analysis, reviewers should avoid examining social

factors in isolation or treating them as simply additive. Instead, they should explore how

these factors interact and overlap to shape health outcomes in more complex and

meaningful ways [25]. Where quantitative data allow, reviewers may conduct subgroup

meta-analyses comparing outcomes across different intersections or apply meta-regression

to examine whether study-level characteristics such as participant demographics moderate

intervention effects. More advanced methods such as Multilevel Analysis of Individual

Heterogeneity and Discriminatory Accuracy (MAIHDA) offer a means of modelling between

and within group variation across intersecting identities while maintaining statistical

robustness [30]. This is particularly valuable because it preserves within-group variability and

avoids the pitfalls of dichotomous subgrouping, allowing more accurate estimation of

compounded disadvantage [30]. Where individual participant data (IPD) are available,

reviewers can model interaction terms directly to test whether outcomes vary significantly

across intersectional groupings (e.g. comparing low-income ethnic minority women with

high-income white men) [31]. These methods can help reveal whether the combined effect of

multiple social factors differs from their individual effects [25].

In cases where such data are not available, reviewers should adopt a qualitative or

interpretive synthesis approach. This may involve thematic analysis-based comparisons

across identity intersections, drawing on both narrative findings and contextual data.

Particular attention should be paid to how primary studies explain observed differences,

specifically whether they rely on behavioural, cultural or biological explanations, or whether

they acknowledge structural determinants such as discrimination, racism, class inequality or

exclusion from services [32]. Reviewers should also reflect on the depth of intersectionality

in each study, considering whether it is used merely as a demographic descriptor or whether

it meaningfully informs the study's theoretical framework and analytical approach.

Life-course analysis

Reviewers should consider incorporating a life-course perspective to examine how

exposures, interventions and outcomes are distributed, sequenced and accumulated across

different life stages. Syntheses can be structured to identify whether and how evidence

addresses critical periods (e.g. early childhood), cumulative disadvantage (e.g. long-term

poverty), or transitional stages (e.g. entry to the labour market, retirement). This can be

operationalised by coding for the life stage targeted by each study and mapping outcomes

accordingly [29]. Where data permit, reviewers may apply age-stratified meta-analyses,

trajectory modelling or synthetic cohort approaches to examine when inequalities emerge,

persist or widen over time [29]. Life-course models such as the critical period framework,

which emphasises the lasting impact of early-life exposures, and the accumulation model,

which highlights the additive effects of repeated or prolonged disadvantage across time, can

guide interpretation by highlighting the long-term impact of early exposures and the additive

effects of disadvantage, respectively [12]. Reviewers should also reflect on evidence gaps in

terms of temporal coverage. If the evidence base is disproportionately concentrated in early

childhood and late life, with minimal attention to mid-life or transitional periods, this may limit

the applicability of findings to cumulative or long-term policy responses.

Application of the Kunonga framework: a case example

To demonstrate the application of the Kunonga Framework, we present a case study on its

integration into the conduct of a rapid systematic review on ethnic inequalities in palliative

care prescribing in high-income countries [33]. Although the review protocol had been

registered prior to the formal publication of the framework, its conceptual components were

used to inform the review's design, data extraction, analysis and interpretation. This allowed

us to assess the feasibility and added value of applying the framework in practice. Table 3

summarises how the Kunonga Framework was operationalised, highlighting key insights and

methodological challenges encountered during the review process.

Insert Table 3 here

Protocol Stage

Define key terms and scope

The review focused on health inequalities rather than inequities because we were

specifically interested in identifying and describing measurable differences in palliative care

prescribing among ethnic groups. Health inequality was defined as observable differences,

such as variations in medication type, dosage, or frequency of pain relief, without assuming

these differences were unfair or avoidable [33]. This focus aligned with the review's aim to

document variations in prescribing practices in a way that was empirically grounded and

descriptively clear [33]. Assessing inequities would require a different evidentiary and

interpretive approach, incorporating ethical and contextual analysis that was beyond the

scope of this review.

Frameworks and theoretical approach selection

The review adopted the PROGRESS-Plus framework after protocol registration to identify

and extract factors relevant to prescribing inequality [9]. It offered a pragmatic and

transferable structure for identifying key factors relevant to inequality and supported a

systematic approach to data extraction.

Developing a logic model

A logic model was developed to clarify hypothesised pathways linking palliative prescribing

practices to inequality-relevant outcomes (Fig. 1). The model articulated key assumptions,

intervention components and expected short-, medium- and long-term outcomes.

Moderating factors were drawn from PROGRESS-Plus factors to highlight how social

position and identity-based disadvantage might influence prescribing patterns and symptom

management [9].

Insert Figure 1 here

442 Data extraction stage

Data were extracted using a structured Excel form capturing study characteristics,

participant demographics, prescribing practices and reported moderating factors. Guided by

the Kunonga Framework, the extraction process was designed to highlight intersecting social

and demographic factors relevant to health inequalities, including age, gender,

socioeconomic status, place of residence and ethnicity. The data were also organised to

capture life-course dimensions, such as age at diagnosis and experiences of persistent

poverty [33].

450 Analysis and synthesis stage

451 Intersectionality

Applying an intersectional lens during analysis was challenging due to limited data

disaggregation within the included studies. However, we systematically examined how

multiple PROGRESS-Plus factors were addressed individually and in relation to ethnicity [9,

33]. In addition to extracting disaggregated findings, we assessed whether studies used

statistical approaches that accounted for multiple social determinants simultaneously. This

included identifying the use of multivariable regression models that adjusted for intersecting

factors (e.g. ethnicity, income, age) in the analysis of access to palliative care or symptom

management [33]. While these models did not always test for interaction effects explicitly,

they offered partial insights into how multiple axes of inequality were considered

concurrently. Where studies used stratified analysis or subgroup comparisons (e.g. by

ethnicity or deprivation status), we examined whether findings varied systematically across

these groups [33]. However, only a minority of studies explicitly considered the interplay

between demographic factors or reported subgroup-specific outcomes in a way that allowed

for intersectional interpretation. To address these gaps, we supplemented the synthesis with

narrative insights, drawing on contextual information and author commentaries where

intersecting disadvantages were acknowledged but not explored [33].

Life-Course Analysis

Incorporating a life-course perspective into the analysis was similarly constrained by the

limitations of the primary studies. Only one study reported age-specific trajectories or

explored how prescribing practices varied across the stages of ageing, chronic illness

progression or proximity to end of life. This lack of temporal granularity limited our ability to

assess whether observed inequalities reflected cumulative disadvantage or stage-specific

barriers to care [33].

DISCUSSION

Main findings

This study introduces the Kunonga Framework as a structured, operational approach to

embedding equality and/or equity-sensitive principles, specifically intersectionality and life-

course theory, into evidence synthesis. While the theories are well-established in public

health and social science literature [12, 26, 34], their practical application within evidence

synthesis has remained inconsistent and underdeveloped. The Framework addresses key

methodological gaps that were first identified in a prior systematic review [3], and

subsequently explored through expert discussions. These gaps include the persistent

conflation of health inequality and inequity, the limited integration of intersectionality due to

insufficient data disaggregation and reliance on single-axis analyses, and the underuse of

life-course perspectives, often constrained by a lack of temporally sensitive or longitudinal

data [4, 29, 35, 36]. The framework offers practical guidance across the synthesis process,

from clarifying conceptual definitions and selecting equality and/or equity-focused tools at

the protocol stage (e.g. the SDOH, PROGRESS-Plus, HEIA, or the EQUALSS GUIDE

Multiple framework), to supporting the identification of demographic and social factors and

extracting and analysing data through an intersectional and life-course lens [7-9, 11].

Strengths and limitations

This study used a structured, three-phase approach to develop the Kunonga Framework,

integrating inequality and inequity considerations into evidence synthesis. The framework's

construction followed an iterative process: a systematic review to identify gaps; key

informant discussions with eight health inequality and inequity experts; and synthesis of

findings into a practical framework. This phased design allowed for continual refinement,

ensuring that each phase built upon previous insights to produce a comprehensive, context-

sensitive framework.

One key strength of this approach is its methodological rigour. The systematic review phase

established a solid foundation by identifying gaps in existing inequality/inequity-focused

evidence synthesis methodologies, ensuring that the framework built upon, rather than

duplicated, prior work [3]. The use of key informant discussions provided qualitative insights,

contextualising these gaps and guiding framework elements by capturing unique

perspectives on the needs and challenges of inequality and/or inequity-focused syntheses

[14, 37]. This combined approach facilitated a holistic understanding of the multi-dimensional

factors influencing health inequalities, which is crucial for developing effective interventions.

The use of an adapted framework analysis allowed us to work from a priori concepts while

remaining open to emergent themes. By structuring the analysis around stages of the

evidence synthesis process (protocol development, data extraction and analysis), the

framework offers clear guidance for researchers seeking to embed inequality and/or inequity

equity considerations in a consistent manner.

However, there are limitations in the process of constructing the framework. First, the

framework's reliance on a limited number of experts means it may not fully represent the

diverse perspectives and contexts relevant to global health inequities [38, 39]. While this

offered depth in terms of specific expertise, the exclusion of patients, public contributors and

voluntary or charitable organisations constrained the diversity of voices and experiential

knowledge captured [21]. Including lived experience perspectives may have revealed

different priorities, inequality and/or inequity concerns or framings, particularly around what

counts as meaningful inequalities or inequities, or how intersecting disadvantage can

manifest. Third, while the framework was tested using a single case study, it has not yet

been implemented across diverse review designs or topics.

Implications for research

The development of the Kunonga Framework marks a step toward operationalising

inequality and/or inequity-sensitive methodologies in evidence synthesis. However, its

introduction also highlights several critical areas for future research. First, while the

framework offers structured guidance for integrating intersectionality and life-course

perspectives, its practical application remains underexplored across diverse evidence

synthesis types and health contexts. Future studies should prospectively apply the

framework to assess its adaptability, usability and impact on review outcomes. Second, the

framework's emphasis on intersectionality and life-course theory exposes persistent

limitations in the primary literature, particularly the lack of disaggregated and longitudinal

data. These gaps constrain the ability of reviewers to conduct unique analyses and highlight

the need for upstream improvements in study design and reporting. Research funders and

institutions should prioritise data infrastructure that supports inequality and/or inequity-

focused synthesis, including the routine collection of sociodemographic variables and life-

course indicators. Third, while the current recommendations are primarily qualitative and

interpretive in nature, there is a need to explore quantitative methods for incorporating

intersectionality into evidence synthesis. This includes the development of approaches

capable of modelling complex, interacting dimensions of structural disadvantage in ways that

are theoretically grounded and statistically robust. Fourth, although developed to support

reviews focused on health inequality and inequity, the Kunonga Framework can also be

used in broader evidence syntheses where understanding differences across groups,

contexts, or time is important.

Finally, the application of the Kunonga Framework to a rapid review on ethnic inequalities in

palliative care prescribing provides an initial demonstration of its feasibility and added value

[33]. The case study illustrates how the framework can enhance conceptual clarity, guide

data extraction and support intersectional and temporal analyses, even when applied

following protocol registration. Future research should build on this example by embedding

the framework prospectively in review protocols, thereby strengthening its empirical

foundation and refining its components through iterative testing.

Implications for policy

The Kunonga Framework will not only enhance our comprehension of health inequalities or

inequities within evidence syntheses but will also offer a pathway for translating research

findings into actionable policy recommendations and interventions. By identifying the root

causes of health inequalities/inequities and understanding their dynamic nature across the

life-course and among diverse populations, policymakers and practitioners will be better able

to design targeted interventions that address underlying structural factors, but also to make

decisions that are informed by a clearer understanding of potential inequalities and/or

inequities.

Conclusion

This paper contends that the current state of evidence synthesis in health inequality and

inequity research is inadequate to capture the multifaceted and dynamic nature of the issue.

The Kunonga Framework offers a structured, theory-informed approach for integrating health

inequality and/or inequity considerations into evidence synthesis. By embedding principles of

intersectionality and the life-course perspective, it responds to the growing demand for

equity-sensitive methodologies that move beyond surface-level subgroup analysis. The

framework provides practical guidance across the review lifecycle.

Although the framework was developed to support inequality and/or inequity-focused

reviews, its components are equally useful in broader evidence syntheses where variation

across populations, contexts, or stages of life may influence how interventions work. As

inequality and inequity remain pressing concerns for health and care policy, the Kunonga

Framework can help ensure that reviews are more inclusive, reflective, and relevant to real-

world decision-making. Future research should test the framework in prospective reviews,

assess its use with both qualitative and quantitative methods, and explore its adaptability

across different review designs and topics.

List of abbreviations

COREQ: Consolidated Criteria for Reporting Qualitative Research

EFW: Equity-Focused Workshops

EQUALSS GUIDE Multiple framework: Ethnicity and race, Qualifications and education,

Underserved area, Age, Language and religion, Sex, Sexual orientation, Gender

identification, Underrepresented groups (inclusion groups), Income and wealth, Disability

(physical, mental and learning), Employment and occupation, and Multiple disadvantages.

HEIA: Health Equity Impact Assessment.

MAIHDA: Multilevel Analysis of Individual Heterogeneity and Discriminatory Accuracy.

NIHR-INCLUDE: National Institute for Health and Care Research Innovations in Clinical Trial

Design and Delivery for the Under-served

PRISMA Equity: Preferred Reporting Items for Systematic Reviews and Meta-Analyses-

Equity.

PROGRESS Plus: Place of residence, Race/ethnicity, Occupation, Gender, Religion,

Education, Socioeconomic status, Social capital, plus additional factors such as personal

characteristics, features of relationships, and time-dependent relationships.

SDOH: Social Determinants of Health.

Declarations

Ethical approval: Ethical approval for the study was granted by the Faculty of Medical

Sciences Research Ethics Committee at Newcastle University, United Kingdom (Reference:

61394/2023). All methods were carried out in accordance with relevant institutional

guidelines and regulations. As this study involved professionals acting in their expert

capacity, and did not include patients, service users, or members of the public, the study

was deemed exempt from full ethical review.

Consent for publication: Informed consent was obtained from all participants prior to

participation.

Availability of data and materials: All data generated or analysed during this study are

included in this published article [and its supplementary information files].

Competing interests: The authors declare that they have no competing interests.

Funding/support: This research is funded through the National Institute for Health and Care

Research (NIHR) Policy Research Unit in Older People and Frailty (funding reference PR-

PRU-1217-2150). As of 01.01.24, the unit has been renamed to the NIHR Policy Research

Unit in Healthy Ageing (funding reference NIHR206119). The views expressed are those of

the author(s) and not necessarily those of the NIHR or the Department of Health and Social

Care.

Author contributions: TPK conceptualised the study, developed the methodology, curated

the data, prepared the original draft, acquired resources, and managed project

administration. TPK, BH, PB, and DC contributed to visualisation, investigation, and

validation. TPK and EW performed formal analysis. BH, PB, and DC supervised the project.

TPK, EEJ, PA, EW, BH, PB, and DC reviewed and edited the manuscript.

Acknowledgements: I would like to thank my PhD internal assessors, Professor Sheena

Ramsay and Professor Thomas Scharf from Newcastle University, and members of the

expert panel who generously provided knowledge and expertise.

Patient involvement: No patients or public were involved in the planning or drafting of this

article.

References

1.   Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, Welch VA.

Cochrane Handbook for Systematic Reviews of Interventions version 6.4 Cochrane,

2023; 2023. Available from:[www.training.cochrane.org/handbook]

2.   Orton L, Lloyd-Williams F, Taylor-Robinson D, O'Flaherty M, Capewell S: The use of

research evidence in public health decision making processes: systematic review.

PLoS One 2011, 6(7):e21704. https://doi.org/10.1371/journal.pone.0021704

3.   Kunonga TP, Hanratty B, Bower P, Craig D: A systematic review finds a lack of

consensus in methodological approaches in health inequality/inequity focused

reviews. Journal of Clinical Epidemiology 2023, 156:76-84.

https://doi.org/10.1016/j.jclinepi.2023.02.013

4.   Arcaya MC, Arcaya AL, Subramanian S: Inequalities in health: definitions, concepts,

and theories. Global health action 2015, 8(1):27106.

https://doi.org/10.3402/gha.v8.27106

5.   Marmot M, Friel S, Bell R, Houweling TAJ, Taylor S, Hlt CSD: Closing the gap in a

generation: health equity through action on the social determinants of health. Lancet

2008, 372(9650):1661-1669. https://doi.org/10.1016/S0140-6736(08)61690-6

6.   Langlois Éennev WV, Tugwell Peter,. Addressing health equity in syntheses of health

policy and systems research: World Health Organization; 2018. Available

from:[https://www.ncbi.nlm.nih.gov/books/NBK569594/]

7. World Health Organisation. Social Determinants of Health: 2016. Available

from:[https://www.who.int/teams/social-determinants-of-health]

8. Ontario Ministry of Health. Health Equity Impact Assessment (HEIA) Tool: 2012.

Available from:[https://www.health.gov.on.ca/en/pro/programs/heia/tool.aspx]

9. Cochrane Methods Equity. PROGRESS-Plus: 2024. Available

from:[https://methods.cochrane.org/equity/projects/evidence-equity/progress-plus]

10. O'Neill J, Tabish H, Welch V, Petticrew M, Pottie K, Clarke M, Evans T, Pardo Pardo

J, Waters E, White H *et al*: Applying an equity lens to interventions: using

PROGRESS ensures consideration of socially stratifying factors to illuminate

inequities in health. J Clin Epidemiol 2014, 67(1):56-64.

https://doi.org/10.1016/j.jclinepi.2013.08.005

11. McCann L, Johnson L, Gkiouleka A, Pearce H, Ford J: EQUALSS GUIDE Multiple: A

novel framework for equity-focused evidence synthesis. Public Health in Practice

2025, 9:100600. https://doi.org/https://doi.org/10.1016/j.puhip.2025.100600

12. Ben-Shlomo Y, Kuh D: A life course approach to chronic disease epidemiology:

conceptual models, empirical challenges and interdisciplinary perspectives. 2002,

31(2):285-293. https://doi.org/10.1093/ije/31.2.285

13. McMeekin N, Wu O, Germeni E, Briggs A: How methodological frameworks are

being developed: evidence from a scoping review. BMC Medical Research

Methodology 2020, 20(1):173. https://doi.org/10.1186/s12874-020-01061-4

14. Akhter S: Key Informants' Interviews. Principles of Social Research Methodology

2022:389-403. https://doi.org/https://doi.org/10.1007/978-981-19-5441-2_27

15. Pahwa M CA, Vanstone M,: Key Informants in Applied Qualitative Health Research.

Qualitative Health Research, 2023, 33(14):1251-1261.

https://doi.org/https://doi.org/10.1177/10497323231198796

16. Tong A, Sainsbury P, Craig J: Consolidated criteria for reporting qualitative research

(COREQ): a 32-item checklist for interviews and focus groups. International Journal

669   for Quality in Health Care 2007, 19(6):349-357.

670   https://doi.org/10.1093/intqhc/mzm042

671 17. Pahwa M: Ethical Dimensions of Population-Based Lung Cancer Screening in

672   Canada: Key Informant Qualitative Description Study Public Health Ethics, 2024,

673   17(3):139-153. https://doi.org/https://doi.org/10.1093/phe/phae008

674 18. Kunonga TP, Spiers GF, Richmond C, Beyer FR, Bower P, Hanratty B, Craig D:

675   Health interventions and the unseen impact on equality. The Lancet Healthy

676   Longevity 2023, 4(1):e8-e9. https://doi.org/10.1016/S2666-7568(22)00268-9

677 19. Kaiser K: Protecting Respondent Confidentiality in Qualitative Research. Qualitative

678   Health Research 2009, 19(11):1632-1641.

679   https://doi.org/10.1177/1049732309350879

680 20. Ritchie J, Spencer L: **Qualitative data analysis for applied policy research**. In:

681   *Analyzing qualitative data.* edn.: Routledge; 2002: 187-208.

682 21. Thomson K, Todhunter-Brown A, Brady MC, Campbell P, Dorris L, Hunter SM,

683   Nicolson DJ, Hazelton C: Patient and public involvement in an evidence synthesis

684   project: description of and reflection on involvement. Research Involvement and

685   Engagement 2024, 10(1):102. https://doi.org/10.1186/s40900-024-00637-4

686 22. National Institute for Health Research (NIHR). Improving inclusion of under-served

687   groups in clinical research: Guidance from the NIHR-INCLUDE project. : UK:NIHR;

688   2020. Available from:[https://www.nihr.ac.uk/improving-inclusion-under-served-

689   groups-clinical-research-guidance-include-project]

690 23. Kneale D, Thomas J, Harris K: Developing and Optimising the Use of Logic Models

691   in Systematic Reviews: Exploring Practice and Good Practice in the Use of

692   Programme Theory in Reviews. PLOS ONE 2015, 10(11):e0142187.

693   https://doi.org/10.1371/journal.pone.0142187

694 24. Wu AD, Zumbo BD: Understanding and Using Mediators and Moderators. Social

695   Indicators Research 2008, 87(3):367-392. https://doi.org/10.1007/s11205-007-9143-1

696   25.   Bauer GR, Mahendran M, Walwyn C, Shokoohi M: Latent variable and clustering

697   methods in intersectionality research: systematic review of methods applications. Soc

698   Psychiatry Psychiatr Epidemiol 2022, 57(2):221-237. https://doi.org/10.1007/s00127-

699   021-02195-6

700   26.   Crenshaw KW: On intersectionality: Essential writings: The New Press; 2017.

701   27.   Bowleg L: The problem with the phrase women and minorities: intersectionality-an

702   important theoretical framework for public health. Am J Public Health 2012,

703   102(7):1267-1273. https://doi.org/10.2105/ajph.2012.300750

704   28.   Holman D, Salway S, Bell A, Beach B, Adebajo A, Ali N, Butt J: Can intersectionality

705   help with understanding and tackling health inequalities? Perspectives of

706   professional stakeholders. Health Research Policy and Systems 2021, 19(1):97.

707   https://doi.org/10.1186/s12961-021-00742-w

708   29.   Jones NL, Gilman SE, Cheng TL, Drury SS, Hill CV, Geronimus AT: Life Course

709   Approaches to the Causes of Health Disparities. Am J Public Health 2019,

710   109(S1):S48-S55. https://doi.org/10.2105/AJPH.2018.304738

711   30.   Evans CR, Leckie G, Subramanian SV, Bell A, Merlo J: A tutorial for conducting

712   intersectional multilevel analysis of individual heterogeneity and discriminatory

713   accuracy (MAIHDA). SSM - Population Health 2024, 26:101664.

714   https://doi.org/10.1016/j.ssmph.2024.101664

715   31.   Walker R, Stewart L, Simmonds M: Estimating interactions in individual participant

716   data meta-analysis: a comparison of methods in practice. Systematic Reviews 2022,

717   11(1):211. https://doi.org/10.1186/s13643-022-02086-0

718   32.   Bowleg L: Evolving Intersectionality Within Public Health: From Analysis to Action.

719   Am J Public Health 2021, 111(1):88-90. https://doi.org/10.2105/ajph.2020.306031

720   33.   Kunonga TP, Johnson EE, Din U, Westhead E, Dewhurst F, Hanratty B: Ethnic

721   inequalities in palliative care prescribing in high income countries – a rapid

722   systematic review. BMC Palliative Care 2025, 24(1):119.

723   https://doi.org/10.1186/s12904-025-01742-1

724   34.   Hankivsky O, Reid C, Cormier R, Varcoe C, Clark N, Benoit C, Brotman S: Exploring

725   the promises of intersectionality for advancing women's health research. International

726   journal for equity in health 2010, 9(1):1-15. https://doi.org/10.1186/1475-9276-9-5

727   35.   Bambra C: Placing intersectional inequalities in health. Health & Place 2022,

728   75:102761. https://doi.org/10.1016/j.healthplace.2022.102761

729   36.   Coates RD, Ferber AL, Brunsma DL: The Matrix of Race: Social Construction,

730   Intersectionality, and Inequality: SAGE Publications; 2021.

731   37.   Pahwa M, Cavanagh A, Vanstone M: Key Informants in Applied Qualitative Health

732   Research. Qualitative Health Research 2023, 33(14):1251-1261.

733   https://doi.org/10.1177/10497323231198796

734   38.   Creswell JW, Clark VLP: Designing and conducting mixed methods research, Third

735   edn: Sage publications; 2017.

736   39.   Denscombe M: EBOOK: The good research guide: For small-scale social research

737   projects, Sixth edn: McGraw-Hill Education (UK); 2017.

739 **Table 1: Characteristics of experts**

Expert	Area of Expertise	Current Title	Country/Region	Disciplinary Background
1	Evidence synthesis	Professor of Health & Wellbeing Evidence	UK	Public Health / Evidence Synthesis
2	Evidence synthesis	Professor in Evidence Synthesis	UK	Information Science / Systematic Reviews
3	Health inequality	Professor of Health Inequalities	UK	Health Economics / Data Science
4	Evidence synthesis	Senior Lecturer in Evidence Synthesis	UK	Public Health / Evidence-Based Practice
5	Health inequality	Public Health Expert	Africa	Health Promotion / Social Determinants of Health
6	Health inequality	Health Economist	UK	Health Economics
7	Health equity	Statistical Advisor	UK	Epidemiology / Public Health
8	Health inequality and synthesis	Emeritus Professor	Africa	Evidence Synthesis

Table 2: The Kunonga Framework: operationalising inequality and/or inequity-focused approaches in evidence synthesis

Stage	Component	Practical Guidance
Protocol Stage	Define Key Terms and Scope	- Explicitly state whether the review focuses on inequality, inequity, or both. - Provide clear definitions and examples to support inclusion/exclusion criteria. - Clarify the conceptual focus to guide data extraction and interpretation. - Involve stakeholders and public contributors early to reflect lived experience.
	Frameworks and Theoretical Approach Selection	- Identify and justify the relevant framework that will guide the review (e.g. PROGRESS-Plus, SDOH, HEIA, EQUALSS GUIDE Multiple) [7-9, 11]. - Ensure alignment between framework, definitions, and review objectives. - Justify use of intersectionality and/or life-course approaches depending on the review scope.
	Developing a Logic Model	- Create a visual pathway of how intersecting social determinants and temporal factors influence health outcomes [23]. - Identify moderators (e.g. gender, policy context) and mediators (e.g. health literacy, access to care) [24] - Use to guide extraction strategy, subgroup selection, and theory-driven synthesis.

Stage	Component	Practical Guidance
Data Extraction Stage	Mapping Data	- Capture disaggregated data on social stratifiers (e.g. ethnicity, gender, or disability) and contextual variables. - Use an intersectionality informed extraction table to record how characteristics are combined or analysed together. - Extract presence/absence of subgroup reporting and interpretation (e.g. structural vs individual explanations). - Map life-course variables: age at exposure, timing of interventions, key transitions (e.g. retirement, caregiving) [29]. - Record missing data or absence of stratifiers as analytically meaningful.
Analysis Stage	Intersectionality	- Examine overlapping identities and power structures (not just additive factors). - Where possible, apply subgroup meta-analysis or regression models with interaction terms. - Use MAIHDA or IPD where data allow for advanced intersectional analysis [30, 31]. - In qualitative or mixed-methods reviews, synthesise narrative findings to examine intersecting disadvantage.

Stage	Component	Practical Guidance
		- Note the depth of intersectionality in included studies (descriptive vs analytical use).

	Life-course Analysis	- Code life stages (e.g. early childhood, midlife, old age) to explore cumulative and transitional effects [29].
		
		- Apply life-course models [29]:
		
		  a) Critical period model (early life impact)
		
		  b) Accumulation model (sustained disadvantage)
		
		- Assess timing of exposure and outcome measurement.
		
		- Reflect on evidence gaps in temporal coverage (e.g. midlife underrepresented).
		
		- Use qualitative insights (e.g. life narratives, contextual framing, timing of exposures) can be used to supplement missing quantitative data.

748 Key: PROGRESS Plus: Place of residence, Race/ethnicity, Occupation, Gender, Religion, Education, Socioeconomic status, Social capital, plus additional factors such as personal characteristics,
749 features of relationships, and time-dependent relationships; WHO SDOH: World Health Organization conceptual framework on the Social Determinants of Health; HEIA: Health Equity Impact
750 Assessment; EQUALSS GUIDE Multiple framework: Ethnicity and race, Qualifications and education, Underserved area, Age, Language and religion, Sex, Sexual orientation, Gender identification,
751 Underrepresented groups (inclusion groups), Income and wealth, Disability (physical, mental and learning), Employment and occupation, and Multiple disadvantages.

754 **Table 3: Application of the Kunonga framework in a review of ethnic inequalities in palliative prescribing**

Framework Stage	Component	Application in Case Study	Insights and Challenges
Protocol	Define Key Terms and Scope	The review focused on health inequalities, defined as observable differences in palliative prescribing among ethnic groups.	The framework clarified the conceptual distinction between inequality and inequity. Retrospective reflection revealed how explicit definition at protocol stage improves alignment between aims, eligibility criteria, and analytical depth.
	Frameworks and Theoretical Approach	PROGRESS-Plus was adopted post protocol registration to guide identification of relevant social stratifiers in data extraction and analysis [9].	The Kunonga Framework encouraged inclusion of life-course and intersectional perspectives, but original protocol did not anticipate these.
	Logic Model	A logic model was developed post protocol to clarify hypothesised pathways linking social determinants (e.g. ethnicity, age) to prescribing outcomes. Moderators from PROGRESS-Plus were included [9].	Despite being developed post hoc, the model helped make explicit the mechanisms and assumptions underlying observed inequalities

		Data extraction was reorganised to reflect intersecting demographic and social variables (e.g. age, gender, SES, place of residence, ethnicity), and life-course elements such as age at diagnosis.	The framework supported a more unique categorisation of data, but limitations in primary study reporting constrained the extent of meaningful intersectional or temporal analysis.
Data Extraction	Mapping Data		
Analysis	Intersectionality	Analysis considered multiple PROGRESS-Plus factors (e.g. ethnicity, income, age) [9], using both adjusted regression models and subgroup comparisons where available.	The framework revealed analytical gaps: few studies tested for interaction effects or explored intersecting inequalities. Narrative synthesis and author commentary were used to supplement quantitative findings.
	Life-course Perspective	Limited application - only one study explored age-specific patterns in prescribing. Most lacked data to assess how prescribing varied over the life course or in relation to illness progression.	The framework exposed significant gaps in temporal reporting. Its application highlighted the need for longitudinal or stage-specific data to enable assessment of cumulative disadvantage or life-stage-specific barriers.

755 Key: PROGRESS-Plus: Place of residence, Race/ethnicity, Occupation, Gender, Religion, Education, Socioeconomic status, Social capital, plus additional factors such as personal characteristics,
756 features of relationships, and time-dependent relationships.

Supplementary materials

Supplementary File 1: Consolidated Criteria for Reporting Qualitative Research (COREQ)

checklist.

Supplementary File 2: Key Informant Discussions Agenda.

Supplementary File 3: Analysis Coding Structure.

Supplementary File 4: Intersectionality- informed data extraction template for evidence

synthesis.

Figure 1: Logic model of ethnic inequalities in palliative prescribing: integrating intersectionality and life-course perspectives