

## TITLE PAGE

# Sexual health empowerment interventions for migrant women: a systematic review of the literature

## Authors

Lisa Ouahnnon<sup>1,2</sup>, Laure Daumail<sup>1</sup>, Marie Kerihuel<sup>1</sup>, Aurore Palmaro<sup>1</sup>, Julie Dupouy<sup>1,2,3\*</sup>, Marie-Anne Durand<sup>4\*</sup>

## Affiliations

1. Département Universitaire de Médecine Générale, Université Toulouse III Paul Sabatier, Toulouse, France
2. CERPOP, Université de Toulouse, Inserm, UPS, Toulouse, France
3. MSPU de Pins Justaret, 1 chemin de la gare, Pins Justaret, France
4. Unisanté, University Center for Primary Care and Public Health, Department of Ambulatory Care, University of Lausanne, CH-1011 Lausanne, Switzerland.

\* These two authors have contributed equally to this work

## Correspondence to

Dr Lisa Ouahnnon; [lisa.ouahnnon@dumg-toulouse.fr](mailto:lisa.ouahnnon@dumg-toulouse.fr)

## **ABSTRACT**

**Introduction:** Migrant women are suffering from inequalities in access to care and prevention, quality of care, and in particular, sexual health care. As part of an overall project to develop a primary care intervention aimed at empowering migrant women in sexual health, the first objective will be to review the characteristics of sexual health empowerment interventions targeting migrant women. The second objective will be to assess the effectiveness of these interventions.

**Methods and analysis:** A systematic review will be conducted across PubMed, Cochrane, Embase, Psychinfo/ Psycharticles, Web of science, Cairn, as well as grey literature, from inception until 01/01/2023. We will include randomized clinical trials, quasi-experimental, and qualitative studies published in any language before 01/01/2023, assessing the effect of a sexual health empowerment intervention targeted at migrant women and meeting the selection criteria. Screening of articles and data extraction will be conducted by two independent researchers. Disagreements will be resolved by a third reviewer. The quality of all included studies will be assessed using validated tools according to the study design. Results will be reported using the Preferred Reporting Items for Systematic Reviews and Meta-Analysis guidelines, and a narrative synthesis will be conducted.

### **Ethics and diffusion**

This systematic review will involve only secondary data, so ethical approval was not required for this study. The results will be disseminated in peer-reviewed journals and conferences.

**PROSPERO registration number:** CRD42024408949

**KEYWORDS :** Sexual health, Transients and Migrants, General Practice, Empowerment, Women's health services

## INTRODUCTION

There are currently more than 1 billion people on the move in the world, including 281 million international migrants [1]. An estimated 48% of these migrants are women [2]. The number of people on the move in the world is expected to increase in the coming years, as a result of war, violence and persecution, as well as climate change. For several years now, the health of these populations has been recognized as a social and political priority [3]. Worldwide, the health status of vulnerable migrants is poorer than that of people from host countries [4]. This difference is not intrinsic, but relates to a difference in multiple health determinants (education, income, housing). This difference is also influenced by health conditions acquired during the migration process, and often related to poorly adaptable care systems in host countries.

These inequalities are also found in the field of sexual health. According to the WHO, sexual health is “a state of physical, emotional, mental and social well-being in relation to sexuality; it is not merely the absence of disease, dysfunction or infirmity. Sexual health requires a positive and respectful approach to sexuality and sexual relationships, as well as the possibility of having pleasurable and safe sexual experiences, free of coercion, discrimination and violence.”[5]. Sexual health is a complex, intimate topic, which is particularly difficult to address in the context of language and cultural barriers [6]. Among displaced women, the violence experienced in their country of origin and during their migration also has an impact on their state of health [7]. As a result of these adversities, combined with difficult access to healthcare in host countries, displaced women are exposed to health risks such as delayed diagnosis of cancer due to limited access to screening [8,9], higher rates of sexually transmitted infections (STIs) [10,11], poorer birth control [12,13] and higher rates of perinatal complications [14–17].

To improve the health of vulnerable populations, empowerment interventions are increasingly being developed worldwide [18]. Empowerment is defined by the WHO as “the process by which people gain control over the factors and decisions that shape their lives”.

In sexual health, empowerment refers to the ability to make the decisions necessary to exercise control over one's sexual life [19,20]. Several interventions, have been developed in a wide variety of social and geographical contexts, concerning STI prevention, organised cancer screening or access to contraception [19,21–23].

In order to reduce existing health inequalities between migrant and French women, we are currently conducting the ‘ENVOL’ research project (Empowerment iN sexual health: an interVention for migrant wOmen in generaL practice), which ultimately aims to develop, evaluate and implement a primary care empowerment intervention in sexual health for migrant women in France. The review of existing interventions designed to empower migrant women worldwide about their sexual health is an essential prerequisite for the subsequent development, evaluation and implementation of this intervention.

## **OBJECTIVES**

The first objective will be to review the characteristics of sexual health empowerment interventions targeting migrant women. The second objective will be to assess the effectiveness of these interventions.

## **METHODS AND ANALYSIS**

### **Protocol and registration**

A systematic review of the literature will be conducted, following Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines [24]. This review protocol has been registered in PROSPERO (number CRD4202440894), and was designed in accordance with the Preferred Reporting Items for Systematic Reviews and Meta-Analyses Protocols (PRISMA-P) checklist.

## **Study selection criteria**

Inclusion criteria are presented according the PICOS framework: Population, intervention, comparator, outcome, and study design criteria, as described by Satos et al. [25].

### ***Type of participants***

The review will focus on migrant women aged 15 and over, with no restriction on nationality. Studies focused on population with a particular pathology, a population exclusively or predominantly (i.e. >50%) male, or exclusively or predominantly (i.e. >50%) under 15 years will not be included.

### ***Type of intervention***

Interventions aimed at empowerment in sexual health will be taken into consideration. These interventions may concern :

- Prevention, screening and treatment of sexually transmitted infections
- Screening for cervical and breast cancer
- Sex education
- Screening and care for sexual violence
- Contraception and birth control

This may include studies with several interventions or with multi-component interventions. Only interventions that have been carried out in upper-middle to high income countries with a healthcare system comparable to the French one.

### ***Type of comparator***

No restrictions on the type of comparator will be applied.

### ***Type of outcome measure***

All outcomes concerning the effectiveness of interventions will be considered. Outcomes concerning the acceptability and the feasibility of interventions will be taken into consideration. Studies with economic criteria as the primary outcome will not be included.

### *Type of studies*

Randomised controlled trials, pilot randomised controlled trials, quasi-experimental, and qualitative studies will be considered. Any exclusively descriptive study, observational studies, literature reviews, editorials, commentaries, or books will not be included.

## **Search strategy**

### *Electronic databases*

The literature search was performed in PubMed, Cochrane, Embase, Psychinfo/Psycharticles, Web of science and Cairn using search equations, for publication in any language published from inception until 01/01/2023. Additional file indicates the databases and the retrieval formula used for each one.

### *Additional search methods*

Two independent researchers will manually search the reference lists of all selected articles and of the systematic reviews on related topics. Two independent researchers will manually search relevant sources of grey literature : ClinicalTrials.gov, SUDOC, French National Authority for Health; WHO; Institut Convergence Migration; and French College of Gynaecology and Obstetrics.

### *Study selection*

Two researchers will independently assess the title and abstract of retrieved records. After agreeing on the list of included articles, they will independently assess the full text articles meeting the inclusion criteria. Disagreements will be resolved by a third researcher. We will review and consider all search results for inclusion using Rayyan, a web application designed for screening systematic review records. Since Rayyan is an online application, data are continuously backed up and managed by the website.

### *Data extraction*

The data will be extracted independently by two researchers, using a pre-established, piloted grid, then pooled secondarily. The grid was elaborated using TIDieR (Template for Intervention Description and Replication) criteria. Three researchers will pilot the data extraction grid, using a set of five studies selected for this pilot phase. The final grid will include the author, country, year of publication, type of study and design, study population and sample size, type of intervention (based on the TIDieR checklist, with an additional item on cultural tailoring), comparator (if present), follow-up (if appropriate) and primary and secondary outcomes.

### **Quality assessment**

The methodological quality of each included study will be assessed independently by the two researchers. For randomized controlled trials, the Cochrane Risk of Bias Tool 2 will be used [26]. For qualitative studies, we will apply the Checklist Critical Appraisal Skills Program (CASP) [27]. To assess the quality of quasi-experimental studies, the Newcastle-Ottawa quality assessment scale will be used [28].

### **Data Analysis**

The clinical heterogeneity of the studies included, in terms of types, content of the intervention, target populations, sexual health topic, and outcomes is not expected to allow a quantitative analysis.

Data will be analysed using a narrative synthesis. This synthesis will be inspired by the ‘Guidance on the Conduct of Narrative Synthesis in Systematic Reviews’ [29]. A thematic synthesis of the form and content of the interventions will be proposed, as well as their effectiveness. An analytical reading will be carried out to highlight the use of empowerment techniques in the proposed interventions and the inclusion of the concept of empowerment in the outcomes used.

## **SUPPLEMENTARY INFORMATION**

Additional file 1. Search strategy.

## **ETHICS AND DIFFUSION**

### **Ethics**

This systematic review will involve only secondary data, so ethical approval was not required. The findings of this systematic review will be submitted for publication in peer-reviewed journals and presented at scientific conferences. This protocol has been registered in PROSPERO (CRD42024408949). The systematic review will be reported according to PRISMA guidelines. All protocol amendments will be reported in the final scientific manuscript of this systematic review.

### **Availability of data and material**

The data supporting the conclusions of this review will be available upon reasonable request from the corresponding author and with the permission of the sponsor.

### **Acknowledgements**

We would like to thank the bibliographic information specialist Tony Chatelain for his help in selecting the databases and developing the search strategy.

### **Contributors**

LO, AP, JD and MAD contributed to the conception and design of the study.

LO and AP registered the protocol in the PROSPERO database. LO, AP, MK and LD drafted the protocol.



All authors revised the protocol critically for important intellectual content.

LO, MK, LD, MAD and JD designed the search strategy, and participated in the design of data acquisition, analysis and interpretation.

All authors read and approved the final protocol.

LO is the guarantor of this protocol.

## **Funding**

The sponsor of this research is the university multi-professional health center of Pins-Justaret. This study was supported by a grant from the French Ministry of Health (ReSPir 2021 / N° RESPIR-21-035)

## **Competing interests**

Marie-Anne Durand has contributed to the development of Option Grid patient decision aids. EBSCO Information Services sells subscription access to Option Grid patient decision aids. She receives consulting income from EBSCO Health, and royalties. No other competing interests declared.

## **Patient consent for publication**

Not required.

## **Patient and public involvement**

This review protocol will not directly involve the patients or general public. However, patients will be involved in the later stage of the ongoing project in which this review is included.

## **ABBREVIATIONS**

CASP: Checklist Critical Appraisal Skills Program

GP: general practitioner

HIV: Human Immunodeficiency Virus

PRISMA: Preferred Reporting Items for Systematic Reviews and Meta-Analyses

RCTs: Randomized controlled trials

STIs: Sexually Transmitted Infections

TIDieR : Template for Intervention Description and Replication

## REFERENCES

- 1 WHO. Santé des réfugiés et des migrants. 2022. <https://www.who.int/fr/news-room/fact-sheets/detail/refugee-and-migrant-health> (accessed 15 August 2023)
- 2 Portail sur les données migratoires. Sexospécificités et migration. Portail sur les données migratoires. 2023. <https://www.migrationdataportal.org/fr/themes/sexospecificites-et-migration> (accessed 19 March 2024)
- 3 Comité économique et social européen. Journal officiel de l'Union européenne. Avis du Comité économique et social européen sur « Santé et Migration ». 2007. [https://eur-lex.europa.eu/legal-content/FR/TXT/?uri=uriserv:OJ.C\\_.2007.256.01.0123.01.FRA&toc=OJ:C:2007:256:TOC](https://eur-lex.europa.eu/legal-content/FR/TXT/?uri=uriserv:OJ.C_.2007.256.01.0123.01.FRA&toc=OJ:C:2007:256:TOC)
- 4 Organisation mondiale de la Santé. Rapport mondial sur la santé des réfugiés et des migrants : résumé. Organisation mondiale de la Santé 2022. <https://iris.who.int/handle/10665/360464> (accessed 19 March 2024)
- 5 WHO. Sexual health. 2006. <https://www.who.int/health-topics/sexual-health> (accessed 22 March 2024)
- 6 Ouahnnon L, Astruc P, Freyens A, *et al.* Women's health in migrant populations: a qualitative study in France. *Eur J Public Health*. 2022;ckac133.
- 7 Parish A. Gender-Based Violence against Women: Both Cause for Migration and Risk along the Journey. [migrationpolicy.org](https://www.migrationpolicy.org). 2017. <https://www.migrationpolicy.org/article/gender-based-violence-against-women-both-cause-migration-and-risk-along-journey> (accessed 22 March 2024)
- 8 INCa. Généralisation du dépistage du cancer du col de l'utérus / étude médico-économique / Phase 1. 2016. <https://www.e-cancer.fr/Expertises-et-publications/Catalogue-des-publications/Generalisation-du-depistage-du-cancer-du-col-de-l-uterus-etude-medico-economique-Phase-1>
- 9 Lofters A, Glazier R, Agha M, *et al.* Inadequacy of cervical cancer screening among urban recent immigrants: A population-based study of physician and laboratory claims in Toronto, Canada. *Preventive Med*. 2007;44:536–42.
- 10 Mangin F. Dépistage du vih, des hépatites et des ist chez les personnes migrantes primoarrivantes au caso de médecins du monde de saint-denis, de 2012 à 2016 / screening for hiv, hepatitis and stis among recent migrants at the healthcare and advice clinics (caso) of doctors of the world in saint-denis (france) from 2012 to 2016. *Bull Epidemiol Hebd*. 2018;8:40–41.
- 11 Padovese V, Farrugia A, Ghath S, *et al.* Sexually transmitted infections' epidemiology and knowledge, attitude and practice survey in a set of migrants attending the sexual health clinic in Malta. *J Eur Acad Dermatol Venereol*. 2021;35:509–16.
- 12 Aptekman M, Rashid M, Wright V, *et al.* Unmet contraceptive needs among refugees. *Can Fam Physician*. 2014;60:e613-619.
- 13 Sargent C, Kotobi L. Contraceptive secrets: body battles among North and West African migrants in Paris. *Technologies of Sexuality, Identity and Sexual Health*. Routledge 2012;35-54
- 14 Davidson N, Hammarberg K, Romero L, *et al.* Access to preventive sexual and reproductive health care for women from refugee-like backgrounds: a systematic review. *BMC Public Health*. 2022;22:403.

- 15 Machado S, Wiedmeyer M-L, Watt S, *et al.* Determinants and Inequities in Sexual and Reproductive Health (SRH) Care Access Among Im/Migrant Women in Canada: Findings of a Comprehensive Review (2008-2018). *J Immigr Minor Health*. 2022;24:256–99.
- 16 Sauvegrain P. Accès aux soins prénatals et santé maternelle des femmes immigrées / Access to prenatal care and maternal health of immigrant women in France. *Bull Epidemiol Hebd*, 2017;7:389-95.
- 17 Khanlou N, Haque N, Skinner A, *et al.* Scoping Review on Maternal Health among Immigrant and Refugee Women in Canada: Prenatal, Intrapartum, and Postnatal Care. *J Pregnancy*. 2017 ;2017:8783294.
- 18 Word Health Organization. What is the evidence on effectiveness of empowerment to improve health? 2006;37.
- 19 Upadhyay UD, Gipson JD, Withers M, *et al.* Women’s empowerment and fertility: A review of the literature. *Soc Sci Med*. 2014;0:111–20.
- 20 Wittmann-Price RA. Emancipation in decision-making in women’s health care. *J Adv Nurs*. 2004;47:437–45.
- 21 Swendeman D, Basu I, Das S, *et al.* Empowering sex workers in India to reduce vulnerability to HIV and sexually transmitted diseases. *Soc Sci Med*. 2009;69:1157–66.
- 22 MPH MR PhD. Sexual Health Empowerment for Jail-Involved Women’s Health Literacy and Prevention. *clinicaltrials.gov* 2021. <https://clinicaltrials.gov/ct2/show/NCT03984695> (accessed 4 September 2021)
- 23 Grieb SD, Flores-Miller A, Gullede N, *et al.* ¡Vive!: Designing an Intervention to Improve Timely HIV Diagnosis Among Latino Immigrant Men. *Prog Community Health Partnersh*. 2016;10:365–72.
- 24 Moher D, Liberati A, Tetzlaff J, *et al.* Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *PLoS Med*. 2009;6:e1000097.
- 25 da Costa Santos CM, de Mattos Pimenta CA, Nobre MRC. The PICO strategy for the research question construction and evidence search. *Rev Lat Am Enfermagem*. 2007;15:508–11.
- 26 Sterne JAC, Savović J, Page MJ, *et al.* RoB 2: a revised tool for assessing risk of bias in randomised trials. *BMJ*. 2019;366:l4898.
- 27 Critical Appraisal Skills Programme. CASP Qualitative studies Checklist. 2023. <https://casp-uk.net/checklists/casp-qualitative-studies-checklist.pdf> (accessed 12 January 2024)
- 28 Gierisch JM, Beadles C, Shapiro A. Newcastle-Ottawa scale coding manual for Cohort studies. 2014.
- 29 Popay J, Roberts H, Sowden A, *et al.* Guidance on the conduct of narrative synthesis in systematic reviews: A product from the ESRC Methods Programme. 2006 :b92. <https://doi.org/10.13140/2.1.1018.4643>

**Table 1. PICOS criteria for inclusion in the review**

Acronym	Study component	Inclusion Criteria	Exclusion criteria
P	Population	Migrant women aged 15 and over	- Population with a particular pathology - Population exclusively or predominantly (i.e. >50%) male - Age exclusively or predominantly (i.e. >50%) under 15 years
I	Intervention	Interventions aimed at empowerment in sexual health will be taken into consideration. - Prevention, screening and treatment of sexually transmitted infections - Screening for cervical and breast cancer - Sex education - Screening and care for sexual violence - Contraception and birth control	
C	Comparators	None defined	
O	Outcomes	All outcomes concerning the effectiveness, acceptability and feasibility of sexual health empowerment interventions	Studies with economic criteria as the main outcome
S	Study design	- Randomised controlled trials and pilot randomised controlled trials - Quasi-experimental studies - Qualitative studies	- Any exclusively descriptive study - Literature reviews, editorials, commentaries, books - Observational studies

PICOS: Population, intervention, comparator, outcome, and study design criteria (adapted from Satos et al., 2007)

**Additional file 1a: Search equations**

Database	Search strategy	Filters
<p><b>PubMed</b></p>	<p>((((((((((("sexual health"[Mesh] OR "reproductive health"[Mesh] OR "sexual health care" OR "reproductive health services"[Mesh] OR "sexual behavior"[Mesh] OR "gynecology"[Mesh] OR "prevention*" OR "sex offense*" OR "sexually transmitted disease*" OR "papanicolaou test »[Mesh] OR "Mammography"[Mesh] OR "mass screening"[Mesh] OR "contraception*" OR "early detection of cancer"[Mesh] OR "circumcision, female"[Mesh])</p> <p>AND</p> <p>((("Transients and Migrants"[Mesh] OR "emigrants and immigrants"[Mesh])</p> <p>AND</p> <p>(("intervention*" OR "health education"[Mesh])</p> <p>AND</p> <p>(((((("North America"[Mesh] OR "Europe"[Mesh]) OR "Oceania"[Mesh]) OR "China"[Mesh]) OR "Japan"[Mesh])</p>	<p>Age (Adolescent: 13-18 years and older)</p>

Database	Search strategy	Filters
<b>Cochrane</b>	<p>("migrant"):ti,ab,kw OR ("immigrant"):ti,ab,kw OR  ("refugee"):ti,ab,kw OR ("nomad"):ti,ab,kw OR  ("transient"):ti,ab,kw  AND  ("mutilation"):ti,ab,kw OR ("screening"):ti,ab,kw OR  ("contraception"):ti,ab,kw OR ("sexual"):ti,ab,kw OR  ("reproductive health education"):ti,ab,kw  AND  ("North America"):ti,ab,kw OR ("Europe"):ti,ab,kw OR  ("Oceania"):ti,ab,kw OR ("Japan"):ti,ab,kw OR  ("China"):ti,ab,kw  AND  ("intervention"):ti,ab,kw OR ("education"):ti,ab,kw</p>	None
<b>Embase</b>	<p>('cancer prevention'/exp OR 'sexual crime'/exp OR  'female genital mutilation'/exp OR 'mammography'/exp  OR 'mass screening'/exp OR 'sexually transmitted  disease'/exp OR 'papanicolaou test'/exp OR  'contraception'/exp OR 'early cancer diagnosis'/exp OR  'contraceptive behavior'/exp OR 'gynecology'/exp OR  'sexual health'/exp)  AND  ('migrant'/exp OR 'migration'/exp OR 'nomads'/exp OR  'refugee'/exp OR 'immigrant'/exp)</p>	Age (Adolescent and older)

Database	Search strategy	Filters
	<p style="text-align: center;">AND</p> <p style="text-align: center;">('north america'/exp OR 'pacific islands'/exp OR 'china'/exp OR 'japan'/exp OR 'europe'/exp)</p> <p style="text-align: center;">AND</p> <p style="text-align: center;">('early intervention'/exp OR 'education'/exp OR 'patient care'/exp)</p> <p style="text-align: center;">AND</p> <p style="text-align: center;">([adolescent]/lim OR [adult]/lim OR [young adult]/lim OR [middle aged]/lim OR [aged]/lim OR [very elderly]/lim)</p>	
<p><b>Psychinfo/ Psycharticles</b></p>	<p style="text-align: center;">("sexual health" OR "reproductive health" OR "sexual health care" OR "reproductive health care" OR "sexual behavior" OR "gynecology" OR "sex offense*" OR "female genital mutilation*" OR "circumcision*" OR "sexually transmitted disease*" OR "papanicolou test" OR "mammograph*" OR "mass screening" OR "contraception" OR "contraceptive behavior" OR "early detection of cancer")</p> <p style="text-align: center;">AND</p> <p style="text-align: center;">("Transients and Migrants" OR "emigrants and immigrants" OR "refugee*" OR "nomad*")</p>	<p style="text-align: center;">Age (Adolescent and older)</p>



Database	Search strategy	Filters
	<p style="text-align: center;">AND</p> <p style="text-align: center;">("intervention*" OR "education*")</p> <p style="text-align: center;">AND</p> <p style="text-align: center;">("North America" OR "Europe" OR "Oceania" OR "China" OR "Japan")</p>	
<b>Web of science</b>	<p style="text-align: center;">((((((((((((((((ALL=("sexual health")) OR ALL=("reproductive health")) OR ALL=("sexual behavior")) OR ALL=("gynecology")) OR ALL=("gynaecology")) OR ALL=("sex offense*")) OR ALL=("female genital mutilation")) OR ALL=("cancer prevention")) OR ALL=("cancer screening")) OR ALL=("sexually transmitted disease")) OR ALL=("sexually transmitted infection*")) OR ALL=("papanicolou test")) OR ALL=("mammograph*")) OR ALL=("contraception*") OR ALL=("circumcision female")) OR ALL=("early cancer diagnosis")</p> <p style="text-align: center;">AND.</p> <p style="text-align: center;">(((ALL=(europe)) OR ALL=(oceania)) OR ALL=(north america)) OR ALL=(china)) OR ALL=(japan).</p> <p style="text-align: center;">AND.</p> <p style="text-align: center;">(((ALL=("migrant*")) OR ALL=("immigrant*")) OR</p>	None

Database	Search strategy	Filters
	<p>ALL=("nomad*") OR ALL=("refugee*") OR                      ALL=("transient*")                      AND.                      (((ALL=("early intervention")) OR                      ALL=("intervention*")) OR ALL=("education*")) OR                      ALL=("health education")</p>	
<b>Cairn</b>	Santé sexuelle ET Migrant* ET Intervention	None

**Additional file 1b : Grey literature and manual search**

Database	Search strategy	Filters
<b>ClinicalTrials.gov</b>	<p>Combination of two groups of keywords:</p> <ul style="list-style-type: none"> <li>- Migrant, refugee, nomad, transient</li> <li>- « sexual health", "reproductive health", "sexual health care", "reproductive health services", "sexual behavior", "gynecology", "prevention*", "sex offense*", "sexually transmitted disease*", "papanicolaou test", "Mammography", "mass screening", "contraception*", "early detection of</li> </ul>	<p>Sex : Female Locations :</p> <p>"France" OR "China"                      OR "Japan" OR                      "United-States" OR                      "Canada" OR                      "Australia" OR "New-                      Zealand" OR                      "Germany" OR "United                      Kingdom" OR                      "Denmark" OR</p>

	cancer", "circumcision, female".	"Finland" OR "Sweden" OR "Greece" OR "Spain" OR "Italia" OR "Portugal" OR "Austria" OR "Norway"
<b>SUDOC</b>	"santé sexuelle", "migrant*"	All words search
<b>Other websites:</b>  French National Authority for Health; WHO  ; Institut Convergence Migration; French College of Gynaecology and Obstetrics	Manual search	None