Work Requirements and Health: Projected Mortality Impacts of Medicaid Coverage Loss

Abhishek Pandey, PhD[1]; Yang Ye, PhD[1]; Burton H. Singer[2]; Alison P. Galvani, PhD[1*]

[1] Center for Infectious Disease Modeling and Analysis, Yale School of Public Health, New Haven, CT, USA
[2] Emerging Pathogens Institute, University of Florida, Gainesville, Florida, USA

*Corresponding author: alison.galvani@yale.edu

Abstract

Recent legislative proposals to implement nationwide work requirements on Medicaid eligibility could place over 36 million low-income Americans at risk of losing health insurance. To assess the potential mortality impact, we estimated annual excess deaths under two scenarios. The first scenario reflects Arkansas's experience, where 22.3% of enrollees lost Medicaid coverage following the introduction of work requirements. The second scenario assumes that all 36.2 million at-risk individuals lose coverage. Our analysis projects 11,825 excess deaths annually in the first scenario and 53,144 in the second. These findings underscore the severe public health risks associated with this policy.

Recent proposals by congressional leaders to impose work requirements on Medicaid eligibility could jeopardize access to health care for 36.2 million Americans.[1]Many of those who will be affected already face significant socioeconomic challenges and a disproportionate disease burden, raising concerns that coverage losses would exacerbate health issues for those most in need.

The proposed work requirements mandate at least 80 hours of paid work or other qualifying activities (such as job training or community service) each month for most Medicaid enrollees aged 18 to 65.[1] Proponents contend that these policies encourage employment and reduce public spending. However, evidence suggests that the majority of Medicaid enrollees already work.[2] Additionally[2] these regulations impose administrative burdens and unnecessary overhead costs for the taxpayer. Furthermore, the retractions will interrupt chronic care for many, potentially leading to more severe and expensive health outcomes. Onerous reporting processes and administrative hurdles risk disenrollment even for those meeting work requirements or qualifying for exemptions. These challenges are compounded for enrollees with limited digital literacy, unstable work schedules, or difficulty navigating bureaucratic systems.[3]

Attempts at such requirements in Arkansas and New Hampshire illustrate how counter-productive these policies are. In Arkansas, for example, 25% of enrollees lost Medicaid coverage within the first six months. Furthermore, 89% of those losing coverage remained unenrolled after a year, often citing confusion about reporting rules and difficulties accessing the online portal.[4] Similarly, New Hampshire suspended work requirements when it became apparent that thousands of individuals were at risk of losing coverage due to reporting bureaucracy.[5] These examples highlight the potential for rapid, widespread disenrollment with long-lasting health ramifications.

To project the nationwide public health repercussions of this policy change, we applied methodology from our previous study.[6] Specifically, we projected excess annual deaths in two scenarios of ensuing insurance coverage loss. The first scenario models 22.3% of the 36.2 million at-risk enrollees losing coverage, reflecting the Arkansas experience.[4] The second scenario models all 36.2 million at-risk individuals losing coverage.[1]

We first updated insurance coverage estimates among the affected population aged 19 to 64 years, incorporating the number of individuals who could become uninsured due to Medicaid work requirements. We then applied the elevated mortality risk[7] associated with lack of insurance to estimate the resulting number of excess deaths (supplementary appendix). We incorporated the empirical uncertainties associated with the hazard risk for mortality as well as current insurance coverage to generate uncertainty intervals around our estimates for excess deaths.

Under a scenario modeled after Arkansas's Medicaid work requirement experience—where 22.3% of enrollees lost coverage—we estimate 11,825 excess deaths annually nationwide [95% Uncertainty Interval (UI): 2,421–24,367]. If all 36.2 million at-risk individuals lose coverage, the projected annual excess deaths rise to 53,144 [95% UI 10,880–109,513]. These figures

underscore the catastrophic public health consequences of imposing federal Medicaid work requirements.

In light of these findings, policies aimed at promoting workforce participation should be carefully balanced with the importance of maintaining health insurance continuity, and the logistical costs and implementation challenges. These findings highlight the public health consequences of Medicaid work requirements. Legislators should carefully consider these mortality impacts when evaluating such policies.

References

1   Lukens G, Zhang E. Medicaid work requirements could put 36 million people at risk of losing health coverage. *Center on Budget and Policy Priorities* 2025; published online Jan 16.
https://www.cbpp.org/research/health/medicaid-work-requirements-could-put-36-million-people-at-risk-of-losing-health.

2   Hinton E, Rudowitz R. 5 Key Facts About Medicaid Work Requirements. KFF. 2025; published online Feb 18.
https://www.kff.org/medicaid/issue-brief/5-key-facts-about-medicaid-work-requirements/ (accessed Feb 24, 2025).

3   Sommers BD, Chen L, Blendon RJ, Orav EJ, Epstein AM. Medicaid work requirements in Arkansas: Two-year impacts on coverage, employment, and affordability of care: Study examines the impact of the Arkansas Medicaid work requirement before and after a federal judge put the policy on hold. *Health Aff (Millwood)* 2020; **39**: 1522–30.

4   Rudowitz R, Musumeci M, Hall C. February State Data for Medicaid Work Requirements in Arkansas. KFF. 2019; published online March 25.
https://www.kff.org/medicaid/issue-brief/state-data-for-medicaid-work-requirements-in-arkansas/ (accessed Feb 24, 2025).

5   Hill I, Burroughs E, Adams G. New Hampshire's Experiences with Medicaid Work Requirements: New Strategies, Similar Results. Urban Institute. 2020; published online Feb 10.
https://www.urban.org/research/publication/new-hampshires-experiences-medicaid-work-requirements-new-strategies-similar-results (accessed Feb 24, 2025).

6   Pandey A, Fitzpatrick MC, Singer BH, Galvani AP. Mortality and morbidity ramifications of proposed retractions in healthcare coverage for the United States. *Proc Natl Acad Sci U S A* 2024; **121**: e2321494121.

7   Wilper AP, Woolhandler S, Lasser KE, McCormick D, Bor DH, Himmelstein DU. Health insurance and mortality in US adults. *Am J Public Health* 2009; **99**: 2289–95.