A Systematic Review of Epidemiological Studies into Daylight-Saving Time & Health Identifying Beneficial & Adverse Effects

Aiste Steponenaite[1], Jonas P. Wallraff[2], Ursula Wild[2], Lorna Brown[1], Ben Bullock[3], Gurprit S. Lall[1], Sally Ferguson[4], Russell G. Foster[5], Jennifer Walsh[6], Greg Murray[3], Thomas C. Erren[2], Philip Lewis[2*]

[1]Medway School of Pharmacy, University of Kent and University of Greenwich, UK.
[2]Institute and Policlinic for Occupational Medicine, Environmental Medicine and Prevention Research, Faculty of Medicine and University Hospital of Cologne, University of Cologne, Germany.
[3]Centre for Mental Health, Swinburne University of Technology, Melbourne, Australia.
[4]Appleton Institute, Central Queensland University, Wayville, SA, Australia.
[5]Sir Jules Thorn Sleep and Circadian Neuroscience Institute (SCNi), Nuffield Department of Clinical Neurosciences, University of Oxford, Dorothy Crowfoot Hodgkin Building, South Parks Road, Oxford, OX1 3QU, UK. russell.foster@eye.ox.ac.uk.
[6]Centre for Sleep Science, School of Human Sciences, The University of Western Australia, Crawley, Western Australia, Australia.

*Correspondence:
Philip Lewis – philip.lewis@uk-koeln.de

ABSTRACT
OBJECTIVE
To systematically review and narratively synthesize the epidemiological evidence regarding health effects of Daylight-Saving Time (DST) practices.

METHODS
Eligibility Criteria
Peer-reviewed, primary research of humans published in English or German and that assessed either (i) health effects of transitions (we allowed up to one month as the index period), or (ii) health differences between living with DST vs Standard Time at a given time of year, or (iii) or health effects of living at the same latitude but different longitude within the same time zone were included. Eligible health effects were broadly categorised as all-cause mortality, accident (traffic/workplace/home/substance-related)-, cardiovascular-, gastrointestinal, immunologic-, psychiatric-, neurologic-, circadian and sleep-, and cognitive-related outcomes, as well as healthcare appointments/admissions. Adverse and beneficial effects were included.

Information Sources
PubMed, Web of Science Core Collection, Scopus, PsychINFO, and EconLit were systematically searched in March 2023 and then updated to June 2025.

Synthesis Organisation
Studies were organised by outcomes into the following categories: (1) cardiovascular, (2) psychiatric, (3) traffic accidents, (4) non-traffic accidents (e.g., workplace), (5) sleep and circadian, (6) cognitive, and (7) neurological and gastrointestinal and all-cause mortality, and narratively synthesised by at least two authors. Some studies were included under multiple categories. Synthesis conclusions were based on quality and quantity of studies. Next, a synthesis of the syntheses was written and confidence in validity of outcomes was illustrated with agreement from all authors. The authorship team included expertise in sleep and chronobiology with additional expertise in physiology, psychiatry, neuroscience, and epidemiology.

Risk of Bias Assessment
Critical appraisal was independently conducted by at least two authors using the Joanna Briggs Institute Critical Appraisal Checklist for Quasi-Experimental Studies, with studies categorized as low, medium, or high quality. Narrative syntheses of studies identified additional strengths and limitations.

RESULTS
Included Results
N=157 studies of diverse designs and varying quality from 36 different countries were identified. Exact participant numbers cannot be determined as many studies utilised nationwide databases/registries or included DST-associated assessments as either secondary objectives or as one part of a main objective (e.g., sleep assessment across a year). Nonetheless, the participant pool can be considered substantial.

Synthesis
DST-Onset transitions appear associated with increased acute myocardial infarction (17 studies, 6 high quality) and fatal traffic accidents (16 studies, 4 high quality) but decreased crimes involving physical harm (5 studies, 3 high quality). DST-Offset transitions appear associated with decreased all-cause mortality (3 studies, 1 high quality) and workplace accidents (8 studies, 2 high quality), but increased crimes involving physical harm. Living with DST (as opposed to Standard Time) is

associated with decreased all-cause mortality and traffic accidents in summer, the latter only tested during initial months (2 high quality studies), and possibly sleep duration during winter (2 low quality studies). No studies identify clear effects on psychiatric outcomes (15 studies, 1 high quality). Apart from DST-Offset associations with increased sleep duration (22 studies, 2 high quality), limited studies prevent clear conclusions being drawn regarding sleep duration for other periods or regarding the timing of sleep onset and offset or regarding circadian rhythm disruptions (6 studies, 0 high quality).

CONCLUSIONS

What this review shows (including outcome-specific detrimental effects, null effects, and beneficial effects of transitions and of living with DST compared to Standard Time during summer months) is that the evidence does not support the messaging of transitions and DST during summer months being uniformly detrimental. The potential benefits of DST during summer on mortality and traffic accidents and of DST-Offset transitions on sleep, mortality, and work place accidents present an argument for maintaining transitions (from a health perspective) and for identifying mitigation strategies against adverse effects, at least for now, until further research suggests otherwise.

REGISTRATION

https://doi.org/10.17605/OSF.IO/R4W6M

INTRODUCTION

Beginning in the 1840's for railway timetables and prominent since the late 1800's, Standard Time is used to facilitate coordination of human activities across regions and with respect to the sun. Standard Time can be defined as a local clock time of 12:00 coinciding with the sun reaching its zenith at a specific meridian line (a specific line of longitude) for a given time zone. However, time zone boundaries are set by political and geographical considerations. In many regions, there are also biannual time transitions that involve switching between daylight-saving time (DST) and Standard Time. The intention of DST during summer months is to increase available daylight in the evenings when (for many Western lifestyles) people are unconstrained by, for example, work or study commitments. This is possible because of seasonal differences in daylight duration in the mid-latitudes. Thus, DST also serves as a standardisation of clocks to coordinate activities across regions and with respect to the sun.

Transition from Standard Time to DST involves setting local or social clocks to a later time (typically by 1-hour).[1] Transition back involves setting the clocks back. The terms "Spring Forward" to DST and "Fall Back" for returning to Standard Time are often used as a mnemonic to remember how to adjust clocks. As of 2025, transitioning to and from DST is practiced in 71 countries/autonomous territories, including in most European countries, Greenland, most states and provinces in the USA and Canada, several states in Mexico, Chile, Paraguay, several countries in the Caribbean, Egypt, a few Australian states, New Zealand, Israel, Palestine, and Lebanon. Morocco and Western Sahara set their clocks later for Ramadan. The transition dates (i.e., DST-Onset and DST-Offset) vary by location but are typically in spring and autumn, respectively.

Biannual time changes have become the subject of intense debate because of potential health and economic implications.[2-10] The debated issues are, firstly, whether to keep or abolish DST-Onset and DST-Offset transitions. If transitions are abolished, the debate becomes whether to implement perennial DST or perennial Standard Time. DST and Standard Time have also been widely discussed in the field of sleep and chronobiology. Living or working against the circadian timing system (the internal body clocks that align physiology with daily cycles of light and dark) can be detrimental to health, as evidenced in studies of night and shiftworkers.[11] Changes in the social clock and subsequent timing of behaviour and timing of light exposures – as may occur with transitions – may affect circadian timing systems and subsequent physiology, performance, and health.[4 12]

Many sleep and chronobiology academic societies have offered position statements in favour of abolishing DST and implementing perennial Standard Time (incl. American Academy of Sleep Medicine [AASM], Sleep Research Society, European Biological Rhythms Society, European Sleep Research Society, and Society for Research on Biological Rhythms).[13-15] These statements were a response to the USA's Sunshine Protection Act to implement perennial DST and the European Union's proposal to abolish transitions.[2 3 16] However, the evidence bases used to support the position statements or the political proposals are not comprehensive with regard to health. For example, one can consider the following statement by the AASM (Rishi et al. 2024, pg. 122): "The 1-hour time shift in the spring results in the loss of 1 hour of sleep opportunity, due to the presence of continuing social or occupational demands in early morning hours. This sleep loss accrues daily, resulting in ongoing sleep debt."[14] The study being referenced – nine healthy adults, aged 20-40 years, living in Finland, and tracked across one DST-Onset and one DST-Offset

transition for one week – is not sufficient to support the statement.[17] A comprehensive review of the epidemiological literature of effects on health of transitions and living with DST or Standard Time is warranted.

Whether and how several under-appreciated challenges to causal inference have been considered in studies is also important. Assessment of transition effects or effects of living with DST or Standard Time and application of chronobiological theory are further complicated in terms of defining exposures (Fig. 1), differences in individual responsiveness, and assessment of population level outcomes, and that the timing of sunrise and sunset is also significantly influenced by longitude within a time zone (the sun rises and sets at later clock times further west within a time zone) and latitude (the duration of time from sunrise to sunset is longer in summer and shorter in winter as latitude increases, thereby also affecting the timing of sun rise and sunset). At the exposure level, setting clocks forward or back can result in a shift of social activity timing and daylight exposures, the latter also depending on latitude and longitude. How long the potential effects of transitions might persist is an open question.[18] Individuals can be expected to differ in their responses to transitions according to several factors; e.g., timing of more susceptible periods on the phase response curve to light,[19] susceptibility to potential sleep disruptions (e.g., circadian linked, social responsibilities, or age),[20] times of work and social commitments (or perhaps other behaviours such as timing of medication), susceptibility to other stress such as nocebo effects, and, of course and importantly, by health status. Population level health outcomes may also vary by the populations that are assessed (e.g., proportions of population at higher or lower risk of heart attack following a time transition). In the studies of DST effects on health, comparative risk analyses using years, times-of-year, and/or places wherein DST is not practiced would seem pertinent to account for residual confounding and chance, but such placebo tests appear to currently be the exception rather than the rule.[18]

Overall, what is lacking in the current debate, and to inform policy, is a systematic review of the extensive epidemiological literature on DST and health. Our objective is to address this gap by providing a comprehensive synthesis of the available evidence.

METHODS

Study Design

This systematic literature review was conducted in accordance with the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines[21]. The methods – including the rationale, search strategy, critical appraisal, and planned analysis – was detailed in a predefined protocol registered 22 June, 2023 on the Open Science Framework: https://doi.org/10.17605/OSF.IO/R4W6M.

PICOS Framework

There were no population restrictions beyond "human". Studies of effects of (i) transitions, (ii) living with DST vs Standard Time at a given time of year, or of (iii) living at different longitudes but similar latitude in the same time zone were considered relevant natural interventions. Effects of (ii) have also been inferred from (iii) in some instances. Comparators were based on time periods (e.g., pre-exposure vs post-exposure or corresponding periods with vs. without DST [i.e., index periods vs reference periods]) or location (e.g., population exposed vs. neighbouring population unexposed, or different longitudes but within the same time zone and latitude). We define transition index periods as up to 1-month post transition (i.e., shorter index periods are also included). Studies wherein reference periods include a pre-transition time period and post-transition period that falls within the first month post-transition are also accepted. Such studies attempt to account for potential seasonal trends. Relevant outcomes were broadly categorised as all-cause mortality, accident(traffic/workplace/home/substance-related)-, cardiovascular-, gastrointestinal, immunologic-, psychiatric-, neurologic-, circadian and sleep-, and cognitive-related outcomes, as well as healthcare appointments/admissions. Adverse and beneficial effects were included. Regarding circadian-related outcomes, changes or differences in circadian rhythm-related parameters were considered relevant. We also considered studies of cosinar activity parameters, social jet lag, and chronotype relevant. Measures of differences in incidence, prevalence, timing, risk, complications, deteriorations, and deaths for outcomes within the broader health outcome categories were considered relevant. There were no restrictions by study design.

Eligibility Criteria

The eligibility criteria were defined in accordance with our PICOS framework and are presented in Table 1. In addition, only peer reviewed primary studies of humans with English and German as language restrictions were included. There were no restrictions by publication or study year. Studies that did not meet all of the eligibility criteria were excluded.

Information Sources

We systematically searched for relevant literature across five major electronic databases: PubMed, Web of Science Core Collection, Scopus, PsychINFO, and EconLit. The initial search was conducted in March 2023, and updated to June 19, 2025. Further studies were identified through screening the reference lists of included studies and in feedback by peers.

Search Strategy

The search strings (Table 1) were developed to capture a broad range of literature related to DST and its health impacts. Thus, search terms related to populations or specific outcomes were not used. Key terms across all databases included "daylight saving*", "time change", "standard time" and other pertinent terms for exposure. To optimize search results within specific databases, certain refinements were applied. For Web of Science and Scopus, the search strings were restricted to "daylight savin*", "time change", or "standard time". Searches of Scopus were limited by excluding subject areas such as Engineering, Physics and Astronomy, Mathematics, Chemistry, Computer Science, and Chemical Engineering.

Selection Process

All returned records were exported into the Endnote Reference software. Non-English or non-German studies were excluded according to the indicated Endnote language. If no language was indicated, the studies remained in screening. Duplicates were excluded using the Endnote de-duplication tool specified for digital object identifiers (DOIs). Duplicates without a DOI were identified and excluded manually. Remaining records were screened against the eligibility criteria presented in Table 1 using the Rayyan web tool and/or Endnote, initially by titles and abstracts and then by full texts. Screening steps were performed independently by at least two authors (AS, JPW, PL). Disagreements were resolved between the screening authors.

Data Extraction, Critical Appraisal, and Syntheses

After the full text screening, AS and PL assigned the articles into one or more of the seven following categories: (1) cardiovascular, (2) psychiatric, (3) traffic accidents, (4) non-traffic accidents (e.g., workplace), (5) sleep and circadian, (6) cognitive, and (7) neurological and gastrointestinal and all-cause mortality. Two authors were assigned to extract data from-, critically appraise-, and write a narrative synthesis regarding the studies for each outcome category. The categories and responsible authors are presented in Table 2. Extracted data includes study identifiers, PICO information, study findings, and statistical methods. All study sizes (i.e., number of participants) and effect measures reported were considered relevant for synthesis.

Given that most studies in this field are quasi-experimental in design, the Joanna Briggs Institute (JBI) Critical Appraisal Checklist for Quasi-Experimental Studies was used in this process.[22] Based on the JBI checklist and independent appraisals, the quality of each study was categorized as low, medium, or high. Detailed rationales for these categorizations were provided, noting specific strengths and limitations of each study (e.g., see tables in the appendix for quality ratings and notes).

In-depth narrative syntheses for each category alongside tabulated overviews of extracted data and critical appraisals are presented in the Appendix. Descriptive, narrative syntheses were employed to present the findings due to the heterogeneity in study designs, populations, outcome measures, and statistical approaches among the included studies, which preclude formal meta-

analyses. The detailed syntheses involved compiling and organizing reports of more specific outcomes within each category. Across studies, findings were summarized and consistency (or inconsistency) across studies was noted. The syntheses aimed to provide a comprehensive overview of the evidence, without including the individual study authors' interpretations of their findings. A synthesis of the Appendix syntheses is presented in the Results section. The volume of studies and variety of outcomes necessitates such organisation. Furthermore, this approach is a clearer, more comprehensive, and systematic version of approaches used in the various opinion articles or position statements regarding this topic.

Assessment of Confidence in the Validity of the Summarised Results

We addressed confidence in the validity of our summarised findings as follows: higher-quality rated studies were more heavily weighed, consistency in associations reported across higher-quality studies were more heavily weighted, and strengths of associations were also considered in narrative synthesis. While confidence was concluded from narrative syntheses, agreement from all authors concerning confidence was necessary (the authorship team included expertise in sleep and chronobiology with additional expertise in physiology, psychiatry, neuroscience, epidemiology, and occupational and environmental medicine).

RESULTS
Brief Overview

We identified 157 studies that adopted various designs (from registry analyses to small sample pre- and post-test repeated measure designs), investigated various populations (from everyone in registry catchment areas to adolescents in a school), and were conducted in various settings from schools to countries to continents (n=36 different countries). The flow of studies through the screening process is presented in Fig. 2. The use of robustness/falsification/placebo tests contributed to higher quality study ratings. Registry studies were also generally of higher quality given more comparable populations during index and reference periods of study.

An overview of identified outcomes within the seven broader categories is presented in Table 2. The categories were based on the identified outcomes and the volume of studies that would be assigned to the categories (as such, they differ slightly from the outcomes listed in our a-priori research question). An 'Update' category was added that includes all relevant studies identified up to June 2025.

Exact participant numbers cannot be determined as many studies utilised nationwide databases/registries or included DST-associated assessments as either secondary objectives or as one part of a main objective (e.g., sleep assessment across a year). Nonetheless, the participant pool can be considered substantial.

The vast majority of studies focus on transition effects. The vast majority of these define index periods between the day of transition to 2-weeks post transitions. Very few studies consider DST vs ST at a given time of year, which is not unexpected given the difficulty involved and rarity of opportunity.

Tabulated overviews of the extracted data and JBI checklist results for quality are also included in the Appendix. A synthesis of these syntheses is provided in the following paragraphs. The reader is referred to the sections of the Appendix (Table 2) for the syntheses of individual studies. It should be noted that not all studies assessing given outcomes agree – but the findings below are based on syntheses of all studies (including the volume and quality of studies reporting effects on outcomes and the effect sizes).

Synthesis of Syntheses

DST-Onset and DST-Offset Transitions

The totality of the evidence from the identified studies suggests DST-Onset is associated with a short-term increased risk of cardiovascular events (especially myocardial infarction), and traffic accidents (especially fatal traffic accidents in the USA) – based on several high and medium quality studies with consistent findings. There may be individuals with particular susceptibility to cardiovascular events following DST-Onset.[23 24] One nationwide USA study reported no changes in all-cause mortality following DST-Onset.[25] Changes in other endpoints following DST-Onset, including sleep duration and circadian biology-related outcomes (e.g., rhythm phase), are less clear with null or inconsistent non-null (i.e., different directions of change) associations reported in

different studies of mostly medium-to-low quality. There are very few studies of circadian biology-related outcomes. If sleep duration is perturbed, it does not appear to be shorter than on many other days of the year (at the population level at least), although some individuals may be at higher risk of shorter sleep durations such as adolescents with early school start times.[26] If circadian rhythms are perturbed, the phenomenon may be limited to more susceptible individuals as defined by, for instance, differences in typical health behaviours.[27] The timing of sleep onset or offset is likely to shift (albeit by much less than the 1 hour shift in clock time) for many people.[28 29] There are no apparent effects on psychiatric outcomes or work accidents following DST-Onset. A possible beneficial effect of DST-Onset is that crimes involving physical harm may decrease in the short term.[30 31] One medium quality study identified increased frequency of migraines among patients who suffer regularly after DST-Onset, but there was a two week delay before this effect manifested.[32]

The totality of the evidence from the identified studies suggests that DST-Offset may be beneficial in terms of increasing sleep duration[29 33-36] but detrimental in terms of increased incidence of crimes that cause physical harm.[30 37 38] Workplace accidents may also be decreased following DST-Offset according to one high quality study.[39] Migraine frequency may decrease after a two-week delay period according to one medium quality study.[32] One high quality study reported decreased all-cause mortality following DST-Offset.[25] Overall, the volume and quality of studies investigating DST-Offset effects are similar to DST-Onset, but no clear associations with endpoints other than those mentioned above are observed.

The lengths of investigated index and reference periods and the durations of transition-associated effects are different across studies and outcomes – no clear and conclusive findings can be described in this regard with the exception of increased risk of myocardial infarction in the first week following DST-Onset. No clear and conclusive findings can be determined with respect to geographical locations. Chronotype was investigated as a potential effect modifier in very few instances and no clear effects were observed.

Living with DST or Standard Time between Transition Dates

Far fewer studies assessed living with DST or Standard Time between transition dates compared to the effects of transitions. The limited quantity of evidence suggests that DST may be more beneficial than Standard Time across summer months as reflected in the mortality data in the high quality study by Cook (2022) in the USA and in the traffic accident data by Gillmore (2025) in Chile (at least in the initial months).[40 41] By contrast, DST across winter months may be detrimental based on studies of sleep, although these studies use less robust methods and are primarily based in one country (Russia).[42 43] DST may be preferable to Standard Time in the initial months of the time period wherein DST-Offset would occur in terms of decreased traffic accidents.[41]

Reporting Bias

Given the overall volume (n=157) of studies and that many of these present null- or near-null effects, we conclude that publication bias is not strongly influencing our synthesis. There may be small-study-effects, but we give higher weight to studies of registries/databases that can also conduct placebo tests in their respective populations.

Excluded Studies

Five studies that were excluded warrant brief mention as they might appear to meet the eligibility criteria at first glance. The study by Reis et al. (2023) compares Standard Time during winter months to DST during summer months, which is more akin to winter vs summer than to DST vs Standard Time.[44] Similar to the study by Reis et al (2023), Zerbini et al. (2021) mention assessments under DST and under Standard Time, but during summer and winter months, respectively.[45] This study and the related commentary articles are notable for highlighting difficulties when translating phase shifts in rhythms from local times to solar times and vice versa.[45] [46] The study by Giuntella et al. (2019) compares living in different time zones but close to the time zone border, which is not the same as living at a different longitude within the same time zone (and at the same latitude) because the neighbouring communities in the study by Giuntella et al. (2019) are working at different local times.[47] Similarly, Burns et al. (2025) assessed longitudinal differences in cognitive and academic performance parameters in the USA (not primary objective) but not within the same time zone.[48] The study of sleep by Angelino et al. (2024) is included in the synthesis (rated low quality) but the authors also studied glucose control in type I diabetes patients without additional diabetes complications and with continuous glucose monitoring systems. The glucose time in range metric was 3-4% lower in the two weeks after transitions compared to the two weeks before transitions (which corresponds to a change from ~9.5 days of time in range to ~9 days of time in range). As the monitoring was continuous, this aspect of the study would receive a medium quality rating. Lastly, Dickinson et al. (2024) identified time-of-day (specifically, early morning) differences in GitHub activity in the two weeks post DST-Onset compared to pre-DST-Onset that might be taken to indicate decreased productivity, which might be considered a marker of decreased cognitive performance.[49] The latter point is debatable because it would not be peak performance that is assessed. Of course, the observation may be due to the phase angle difference between performance phase and work time phase because work time will have shifted with DST-Onset.

Certainty of Evidence

A tabulated summary of our synthesis of findings alongside our confidence in their validity is presented in Table 3.

DISCUSSION

Summary

In summary, this review identified n=157 studies concerning DST and health, ~one in five were rated high quality, and quality varied across the outcome categories developed for synthesis. DST-Onset transitions appear (in the first week at least) to increase risk of acute myocardial infarction (RR ~ 4% from a recent meta-analysis)[18] but not all-cause mortality (both of these summary results include evidence from medium and high quality studies). DST in summer months between transitions may reduce all-cause mortality (RR ~ -4.5%, based on one high quality study).[40] DST-Offset transitions may reduce all-cause mortality (RR ~ -2.5%, based on one high quality study).[25] Following DST-Onset, there may also be a reduction in crimes that cause physical harm and a shift in the timing of sleep. The totality of the evidence suggests no or limited effects of DST-Onset on non-traffic accidents, psychiatric outcomes, cognitive measures, sleep parameters, or circadian rhythms, albeit studies on circadian rhythms are few. Following DST-Onset, increases in traffic accidents are observed in some places (in particular fatal accidents in the USA) but not everywhere. The volume and quality of studies from the USA suggest this finding is valid for the USA. DST-Offset transitions – apart from possible increases in crimes that cause physical harm – may be beneficial in terms of short-term increased sleep duration and decreased work place accidents in addition to decreased all-cause mortality.

Mechanisms

In terms of mechanisms for the observed changes in cardiovascular outcomes, perturbation of sleep and circadian rhythms following transitions are often posited as causal.[23 50 51] While the present review cannot exclude the possibility, the findings of no or small effects on sleep and circadian rhythms *per se* raise doubts about a simple causal relationship. Similarly, the evidence suggesting an absence of effect of DST-Onset on psychiatric or work accident outcomes is consistent with no or small effects on sleep and circadian rhythms given the known associations between them.[52 53] For acute myocardial infarction, individual baseline health could be important in terms of susceptibility to some brief and minor sleep loss. However, rather than an effect on sleep and circadian rhythms *per se*, the clock time change could result in changes in the timing of other exposures (relative to circadian rhythm phases) with health consequences, such as medication timing in susceptible individuals, but this is also speculative. Indeed, nocebo effects can also be offered as explanation, potentially fuelled by public statements about negative health effects caused by transitions and/or DST.[7] Indeed, a combination of mechanisms seems likely to be involved. The null effects on all-cause mortality observed following DST-Onset in one high quality study (in the USA)[25] may seem counterintuitive given the increased rates of acute myocardial infarction (as a high proportion of mortality can be attributed to myocardial infarction). However, while no significant difference for all-cause mortality was observed, the point estimate was compatible with increased mortality. Regarding the observed lower mortality during summer months of DST compared to Standard Time,[40] mechanisms can only be speculated upon, such as individuals being more active and getting more sun exposure outside in the evening time with DST or reduced traffic fatalities.[41] There is likely to be more than one factor driving differences in all-cause mortality. Reduced mortality following DST-Offset is compatible with reduced work accidents and increased sleep duration,[25 29 30 39] but any mechanistic attribution is speculative. The

findings on traffic accidents and crimes that cause physical harm also warrant further mechanistic discussion. The short-term increase in traffic accidents following DST-Onset in some locations may be due to more difficult driving conditions at busier times of day (e.g., lower light levels during the morning rush with silver and white cars in particular being more difficult to see; more light in the evening increasing the number of people on the road). The role of time-of-day of increases in accidents reported by some studies implicates daylight availability for visibility at particular times as a candidate causal factor.[41] [54-57] Not identified in our search (neither DST nor longitude mentioned in title or abstract), but relevant to discussion here, is the study by Gentry et al. (2022).[58] The authors find increased traffic deaths in the USA in counties further west of time zone meridians but within the same time zone, including after stratifications by time zone and by area census designations of metropolitan or rural (albeit not for micropolitan). Further west means later sunrise and sunset times, which can be taken to suggest an effect of ambient light at specific times of day. The observed reduction in crimes that cause physical harm following DST-Onset may also be due to more visible light in the evenings and the converse following DST-Offset.[30] [37] 'Crimes that cause physical harm' is used here as an umbrella term for robberies and assaults – such confrontations include knowledge of event timings. In contrast, a time range within which the event occurred may only be known for crimes that do not include confrontation, e.g., burglary. This is important for studies around a sharp timing cut off point such as DST-Onset or DST-Offset.

Chronobiology and Sleep

Regarding chronobiology and sleep, adverse health consequences from small changes in the timing of sleep (i.e., onset and/or offset) following transitions cannot be ruled out. The count of studies on sleep is relatively high compared to other health outcomes, but they are often limited by low sample sizes or lack of repeated measures. Furthermore, changes that are observed in some studies are not necessarily different from what is observed on other days of the year. In addition, future studies would benefit from reporting and assessing data in terms of local clock time, sun time, and a standardised time wherein DST times are converted to their corresponding Standard Time times as this has been shown to aid interpretations.[45] [46] Only a few studies consider circadian rhythms or chronotype. Furthermore, we were lenient in terms of what we included as markers of circadian rhythm; e.g., rhythmic parameters of 24-hour physical activity. Measures and comparisons of intra-individual rhythmic parameters of cortisol, melatonin, and core body temperature would be preferred. Regarding living with DST during summer months, it is worth noting that shifts in the timing of sleep appear to happen with progression into and out of summer months irrespective of transitions to and from DST;[28] [29] thus, alignment of circadian rhythm phases and sun timing in summer months may not be significantly impacted by the presence or absence of DST.

Policy and Positions

Regarding policy and position statements, the adverse effects observed following DST-Onset (most notably acute myocardial infarction) supports abolishing DST practice. Furthermore, the limited evidence on sleep, together with the chronobiological theory favouring Standard Time over DST during winter months (i.e., to facilitate earlier daylight exposures that prevent circadian

rhythm phase delays)[4], supports adopting perennial Standard Time if transitions were to be abolished.[59] However, it is only after an appropriate balance of the adverse and beneficial effects that informed decisions can be made. What this review shows (including outcome-specific detrimental effects, null effects, and beneficial effects of transitions and of living with DST compared to Standard Time during summer months) is that the evidence does not support the messaging of transitions and DST during summer months being uniformly detrimental (Table 3).

As a conceivable remedy to the differences in proposals and positions, and considering the different patterns in health outcomes, keeping DST and transitions that allow health benefits whilst developing and implementing strategies to mitigate negative patterns of health effects is worth consideration. Transition dates are known in advance and pre-emptive actions can be taken. To exemplify preventative candidate measures, myocardial infarction risk reduction in susceptible individuals with gradual phase shifting of behaviours and exposures (possibly including, for instance, medication timing, meals, and sleep) before transitions may be worthwhile exploring. Promoting such strategies may generally be worthwhile without the need for agreement over whether to maintain or abolish DST or even before drawing strong conclusions about the causal role of the meta-exposure of DST and transitions.[60] Regarding traffic and crime, increasing a safety presence around transitions and at particular times of days (e.g., extra police presence, road safety officers, traffic speed cameras) could mitigate potential increased health risks.

Who & Where

Our research question included health implications "for whom" and "where". Some differences within and between studies are observed in this regard but within study findings are not conclusive and differences between studies cannot be concluded as attributable to differences in transition dates (e.g., different between the USA and the EU), latitudes, and longitudes. Although we cannot infer conclusions from the included studies, these factors warrant mentioning. Each of these factors can affect the clock timing of daylight availability. If transition dates were to be changed, changes in trade-offs between risks and benefits following transitions and living with DST or Standard Time are conceivable. Regarding latitude, transitions might be most beneficial in the mid-latitudes when differences in photoperiod across seasons are significant but not extreme and 1-hour changes in the clock timing of sunrise and sunset may have more impact on health. Closer to the equator and/or the poles, individual daylight exposures are unlikely to be different whether DST or Standard Time is in use. Regarding longitudes within a time zone that may affect morning light exposures, health inferences from the included studies are too limited. Cancer differences by longitude have been reported (increased in the west with later sunset timing),[61] which could be viewed as conflicting with reduced cancer-related deaths in older adults exposed to DST compared to Standard Time during summer months (with later sunset times).[40] However, the former could be driven by later sunrise and sunset times during winter months. It is important to note that findings from studies of differences by longitude in the same time zone should not be considered in debates of transitions, rather only in debates of perennial DST vs perennial Standard Time.[9] Caution is also warranted when interpreting studies of longitude, as health impacts may not be monotonic, and social rhythms may differ across longitudes.[62] Difficulties may also arise for countries that span a range of latitudes and/or longitudes within a time zone such as the USA, Australia, and Chile. From a health perspective, state differences may make most sense in the USA and Australia. Chile already considers regional differences. Chile is remarkable from the

perspective of a very high population density around Santiago at ~33.4°S and much lower population densities into the Atacama Desert in the North (~18-29°S) and the Patagonian fjords, temperate rainforests, and ice sheets in the South (~45-55°S). In some regions, it may be easier to reschedule social behaviours and social commitments rather than shifting clock times. This is currently the case in the south of the country.[9] Indeed, there is some evidence that rescheduling occurs in regions in close proximity to time zone borders elsewhere.[63]

Perspectives

In terms of DST research, more studies are needed before we can draw strong conclusions regarding all health outcomes. The specifics of such studies should include location, determinants of individual sensitivities to changes in exposure timings relative to circadian phase (e.g., chronotype) and susceptibilities to adverse or beneficial health outcomes (e.g., individual baseline risks), and addressing the comparatively low number of high quality studies across several of the outcome domains. For instance, there is only one high quality study addressing all-cause mortality and one addressing traffic accidents with DST compared to Standard Time during summer months.[41 64] We noted in the Introduction that an intended benefit of DST during summer months is to increase available daylight in the evenings when (for many Western lifestyles) people are unconstrained by, for example, work or study commitments. It remains to be seen how well this is utilised and how it can best translate to a health perspective on DST vs. Standard Time during summer months. In terms of attaining higher quality studies, transitions can be seen as having sharp cut off points and time-based variation for which regression discontinuity designs – ideally with difference-in-differences analytical approaches and appropriate placebo tests – should be considered best practice.[30 31 39 65-67] Even if not using the difference-in-differences analytical approach, it is good practice to include placebo tests. Findings of transition effects on stock market decisions (as a proxy for cognitive performance) were falsified by use of such placebo tests (see the Cognitive Section of the Appendix). Such placebo tests can include assessing what would be expected if there were no transitions by using, for instance, a neighboring region or year wherein no transition takes place, or even a different date in the same year and place with no transition but close to the actual date of transition. Studies including such placebo tests should be the benchmark for future research on DST in order to deal with real-world complexity (of course, this can make data collection more difficult).

Conclusion

In conclusion, outcome-specific detrimental effects, null effects, and beneficial effects of transitions and of living with DST compared to Standard Time during summer months are identified, synthesised, and assigned confidence ratings in this first systematic literature review across a range of DST-related exposures and outcomes. In addition to adverse effects, such as increased risk of myocardial infarction following DST-Onset, benefits of transitions and DST, such as decreased all-cause mortality and traffic accidents during summer months of DST compared to Standard Time and following DST-Offset, are detected. Whilst more high quality studies are called for, the current evidence regarding health impacts (which we acknowledge comes

with limitations and is but one consideration when it comes to policy) can be taken as support for keeping the good and mitigating the bad that appears to be associated with DST.

Acknowledgements: We acknowledge the stimulus of the Sleep Health Foundation (Australia) in bringing together this team of researchers to conduct this project. However, the conduct of the study and the publication of the findings were independent of the SHF and the SHF did not review the manuscript prior to submission for publication.

Contributions: Conceptualisation: TCE, RGF, GM; Methodology: AS, PL; Project Administration: AS; Literature search: AS, JPW, PL; Data interpretation (data extraction and writing appendix syntheses): AS, JPW, UW, LB, BB, GSL, SF, JW, GM, TCE, PL; Writing - original draft: PL; Writing - review & editing: All authors. Patients or the public were not involved in the design, or conduct, or reporting, or dissemination plans of our research.

Funding: None.

Competing interests: None.

Ethical approval: Not required.

Data sharing: All extracted data is provided in the main text and appendix.

Transparency: All authors affirm that the manuscript is an honest, accurate, and transparent account of the study being reported; that no important aspects of the study have been omitted; and that any discrepancies from the study as planned (and, if relevant, registered) have been explained.

Dissemination to participants and related patient and public communities: To ensure broad engagement, the findings of this systematic review have been, and will continue to be, presented at scientific conferences. Furthermore, we are committed to disseminating our findings widely to patient and public communities through strategic use of social media, the official websites of our respective organizations, and by informing sleep and health policy associations and societies.

REFERENCES

1. Roenneberg T. How can social jetlag affect health? *Nat Rev Endocrinol* 2023;19(7):383-84. doi: 10.1038/s41574-023-00851-2 [published Online First: 2023/05/24]

2. Congressional Research Service. Daylight saving time. https://esrs.eu/wp-content/uploads/2019/03/To_the_EU_Commission_on_DST.pdf, 2020.

3. European Council. Seasonal clock changes in the EU. https://www.consilium.europa.eu/en/policies/seasonal-time-changes/, 2024.

4. Roenneberg T, Winnebeck EC, Klerman EB. Daylight Saving Time and Artificial Time Zones - A Battle Between Biological and Social Times. *Front Physiol* 2019;10:944. doi: 10.3389/fphys.2019.00944 [published Online First: 20190807]

5. Rishi MA, Cheng JY, Spector A. Daylight saving time is a solution that creates more problems than it solves! *Journal of Clinical Sleep Medicine* 2024;20(6):1027-28. doi: doi:10.5664/jcsm.11122

6. Martín-Olalla JM, Mira J. Daylight saving time is a solution for which many forgot the problems. *Journal of Clinical Sleep Medicine* 2024;20(5):833-33. doi: doi:10.5664/jcsm.11042

7. Blume C, Schabus M. Perspective: Daylight Saving Time-An Advocacy for a Balanced View and against Fanning Fear. *Clocks Sleep* 2020;2(1):19-25. doi: 10.3390/clockssleep2010003 [published Online First: 20200119]

8. Coogan AN, Richardson S, Raman S. A Data-Informed Perspective on Public Preferences for Retaining or Abolishing Biannual Clock Changes. *Journal of Biological Rhythms* 2022;37(4):351-57. doi: 10.1177/07487304221096390

9. Martín-Olalla JM, Mira J. Assessing the best hour to start the day: an appraisal of seasonal daylight saving time. *Royal Society Open Science* 2025;12(3):240727. doi: doi:10.1098/rsos.240727

10. Neumann P, von Blanckenburg K. What Time Will It Be? A Comprehensive Literature Review on Daylight Saving Time. *Time & Society*;0(0):0961463X241310562. doi: 10.1177/0961463x241310562

11. Erren TC, Morfeld P, Gross JV, et al. IARC 2019: "Night shift work" is probably carcinogenic: What about disturbed chronobiology in all walks of life? *J Occup Med Toxicol* 2019;14:29. doi: 10.1186/s12995-019-0249-6 [published Online First: 20191127]

12. Roenneberg T, Kumar CJ, Merrow M. The human circadian clock entrains to sun time. *Curr Biol* 2007;17(2):R44-5. doi: 10.1016/j.cub.2006.12.011

13. Malow BA. It is time to abolish the clock change and adopt permanent standard time in the United States: a Sleep Research Society position statement. *Sleep* 2022;45(12) doi: 10.1093/sleep/zsac236

14. Rishi MA, Cheng JY, Strang AR, et al. Permanent standard time is the optimal choice for health and safety: an American Academy of Sleep Medicine position statement. *Journal of Clinical Sleep Medicine* 2024;20(1):121-25. doi: doi:10.5664/jcsm.10898

15. European Biological Rhythm Society, European Sleep Research Society, Society for Research on Biological Rhythms. To the EU Comission on DST. https://esrs.eu/wp-content/uploads/2019/03/To_the_EU_Commission_on_DST.pdf, 2019.

16. H.R.1279 - 118th Congress (2023-2024):. Sunshine Protection Act of 2023. https://www.congress.gov/bill/118th-congress/house-bill/1279/text.

17. Lahti TA, Leppamaki S, Lonnqvist J, et al. Transitions into and out of daylight saving time compromise sleep and the rest-activity cycles. *BMC Physiol* 2008;8:3. doi: 10.1186/1472-6793-8-3 [published Online First: 20080212]

18. Hurst A, Morfeld P, Lewis P, et al. Daylight Saving Time Transitions and Risk of Heart Attack—a Systematic Review and Meta-Analysis. *Dtsch Arztebl Int* 2024(Forthcoming) doi: 10.3238/arztebl.m2024.007 [published Online First: 20240726]

19. Duffy JF, Kronauer RE, Czeisler CA. Phase-shifting human circadian rhythms: influence of sleep timing, social contact and light exposure. *J Physiol* 1996;495 (Pt 1)(Pt 1):289-97. doi: 10.1113/jphysiol.1996.sp021593

20. Li J, Vitiello MV, Gooneratne NS. Sleep in Normal Aging. *Sleep Med Clin* 2018;13(1):1-11. doi: 10.1016/j.jsmc.2017.09.001 [published Online First: 20171121]

21. Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:n71. doi: 10.1136/bmj.n71

22. Barker TH, Habibi N, Aromataris E, et al. The revised JBI critical appraisal tool for the assessment of risk of bias for quasi-experimental studies. *JBI Evid Synth* 2024;22(3):378-88. doi: 10.11124/jbies-23-00268 [published Online First: 20240301]

23. Kirchberger I, Wolf K, Heier M, et al. Are daylight saving time transitions associated with changes in myocardial infarction incidence? Results from the German MONICA/KORA Myocardial Infarction Registry. *BMC Public Health* 2015;15:778. doi: 10.1186/s12889-015-2124-4 [published Online First: 20150814]

24. Zhang H, Dahlen T, Khan A, et al. Measurable health effects associated with the daylight saving time shift. *PLoS Comput Biol* 2020;16(6):e1007927. doi: 10.1371/journal.pcbi.1007927 [published Online First: 20200608]

25. Zhao S, Cao W, Liao G, et al. All cause and cause specific mortality associated with transition to daylight saving time in US: nationwide, time series, observational study. *BMJ Med* 2024;3(1):e000771. doi: 10.1136/bmjmed-2023-000771 [published Online First: 20240306]

26. Medina D, Ebben M, Milrad S, et al. Adverse Effects of Daylight Saving Time on Adolescents' Sleep and Vigilance. *J Clin Sleep Med* 2015;11(8):879-84. doi: 10.5664/jcsm.4938 [published Online First: 20150815]

27. McHill AW, Sano A, Barger LK, et al. Adaptation of sleep to daylight saving time is slower in people consuming a high-fat diet. *iScience* 2024;27(9):110677. doi: 10.1016/j.isci.2024.110677 [published Online First: 20240805]

28. Kantermann T, Juda M, Merrow M, et al. The human circadian clock's seasonal adjustment is disrupted by daylight saving time. *Curr Biol* 2007;17(22):1996-2000. doi: 10.1016/j.cub.2007.10.025 [published Online First: 20071025]

29. Heacock RM, Capodilupo ER, Czeisler M, et al. Sleep and Alcohol Use Patterns During Federal Holidays and Daylight Saving Time Transitions in the United States. *Front Physiol* 2022;13:884154. doi: 10.3389/fphys.2022.884154 [published Online First: 20220711]

30. Goodwin MB, Gonzalez F, Fontenla M. The impact of daylight saving time in Mexico. *Applied Economics* 2024;56(1):22-32. doi: 10.1080/00036846.2023.2166666

31. Doleac JL, Sanders NJ. Under the Cover of Darkness: How Ambient Light Influences Criminal Activity. *The Review of Economics and Statistics* 2015;97(5):1093-103. doi: 10.1162/REST_a_00547

32. Gobel CH, Heinze-Kuhn K, Heinze A, et al. The Impact of Biseasonal Time Changes on Migraine. *Neurol Int* 2025;17(3) doi: 10.3390/neurolint17030040 [published Online First: 20250305]

33. Jin L, Ziebarth NR. Sleep, health, and human capital: Evidence from daylight saving time. *J Econ Behav Organ* 2020;170:174-92. doi: 10.1016/j.jebo.2019.12.003

34. Harrison Y. Individual response to the end of Daylight Saving Time is largely dependent on habitual sleep duration. *Biol Rhythm Res* 2013;44(3):391-401. doi: 10.1080/09291016.2012.692255

35. Arguelles-Prieto R, Madrid JA, Rol MA, et al. Phase Response Curve to Light under Ambulatory Conditions: A Pilot Study for Potential Application to Daylight Saving Time Transitions. *Biology (Basel)* 2022;11(11) doi: 10.3390/biology11111584 [published Online First: 20221028]

36. de Lange MA, Richmond RC, Birnie K, et al. The effects of daylight saving time clock changes on accelerometer-measured sleep duration in the UK Biobank. *J Sleep Res* 2025;34(3) doi: 10.1111/jsr.14335

37. Domínguez P, Asahi K. Crime-time: how ambient light affects crime. *J Econ Geogr* 2023;23(2):299-317. doi: 10.1093/jeg/lbac011

38. Umbach R, Raine A, Ridgeway G. Aggression and sleep: a daylight saving time natural experiment on the effect of mild sleep loss and gain on assaults. *Journal of Experimental Criminology* 2017;13:439-53.

39. Depalo D. Should the Daylight Saving Time be abolished? Evidence from work accidents in Italy. *Economic Modelling* 2023;128 doi: ARTN 106520

10.1016/j.econmod.2023.106520

40. Cook A. Saving lives: the 2006 expansion of daylight saving in Indiana. *Journal of Population Economics* 2022;35(3):861-91. doi: 10.1007/s00148-021-00833-6

41. Gillmore R. Daylight Saving Time and Automobile Accidents: Evidence From Chile. *Health Economics* 2025;34(5):880-931. doi: 10.1002/hec.4936

42. Putilov AA, Poluektov MG, Dorokhov VB. Evening chronotype, late weekend sleep times and social jetlag as possible causes of sleep curtailment after maintaining perennial DST: ain't they as black as they are painted? *Chronobiol Int* 2020;37(1):82-100. doi: 10.1080/07420528.2019.1684937 [published Online First: 20191107]

43. Borisenkov MF, Tserne TA, Panev AS, et al. Seven-year survey of sleep timing in Russian children and adolescents: chronic 1-h forward transition of social clock is associated with increased social jetlag and winter pattern of mood seasonality. *Biological Rhythm Research* 2017;48(1):3-12. doi: 10.1080/09291016.2016.1223778

44. Reis C, Pilz LK, Kramer A, et al. The impact of daylight-saving time (DST) on patients with delayed sleep-wake phase disorder (DSWPD). *Journal of Pineal Research* 2023;74(4):e12867. doi: https://doi.org/10.1111/jpi.12867

45. Zerbini G, Winnebeck EC, Merrow M. Weekly, seasonal, and chronotype-dependent variation of dim-light melatonin onset. *J Pineal Res* 2021;70(3):e12723. doi: 10.1111/jpi.12723 [published Online First: 20210311]

46. Skeldon AC, Dijk DJ. Weekly and seasonal variation in the circadian melatonin rhythm in humans: Entrained to local clock time, social time, light exposure or sun time? *J Pineal Res* 2021;71(1):e12746. doi: 10.1111/jpi.12746 [published Online First: 20210614]

47. Giuntella O, Mazzonna F. Sunset time and the economic effects of social jetlag: evidence from US time zone borders. *J Health Econ* 2019;65:210-26. doi: 10.1016/j.jhealeco.2019.03.007 [published Online First: 20190413]

48. Burns J, Li AR, Rohr KE, et al. The influence of chronotype, socioeconomic status, latitude, longitude, and seasonality on cognitive performance and academic outcomes in adolescents. *Sleep Med* 2025;128:95-102. doi: 10.1016/j.sleep.2025.01.030 [published Online First: 20250128]

49. Dickinson A, Waddell GR. Productivity losses in the transition to Daylight Saving Time: Evidence from hourly GitHub activity. *J Econ Behav Organ* 2024;227:106749. doi: https://doi.org/10.1016/j.jebo.2024.106749

50. Janszky I, Ljung R. Shifts to and from daylight saving time and incidence of myocardial infarction. *N Engl J Med* 2008;359(18):1966-8. doi: 10.1056/NEJMc0807104

51. Toro W, Tigre R, Sampaio B. Daylight Saving Time and incidence of myocardial infarction: Evidence from a regression discontinuity design. *Econ Lett* 2015;136:1-4. doi: 10.1016/j.econlet.2015.08.005

52. Meyer N, Lok R, Schmidt C, et al. The sleep-circadian interface: A window into mental disorders. *Proc Natl Acad Sci U S A* 2024;121(9):e2214756121. doi: 10.1073/pnas.2214756121 [published Online First: 20240223]

53. Uehli K, Mehta AJ, Miedinger D, et al. Sleep problems and work injuries: a systematic review and meta-analysis. *Sleep Med Rev* 2014;18(1):61-73. doi: 10.1016/j.smrv.2013.01.004 [published Online First: 20130521]

54. Huang A, Levinson D. The effects of daylight saving time on vehicle crashes in Minnesota. *J Safety Res* 2010;41(6):513-20. doi: 10.1016/j.jsr.2010.10.006 [published Online First: 20101125]

55. Singh R, Sood R, Graham DJ. Road traffic casualties in Great Britain at daylight savings time transitions: a causal regression discontinuity design analysis. *Bmj Open* 2022;12(4) doi: ARTN e054678

10.1136/bmjopen-2021-054678

56. Bunnings C, Schiele V. Spring Forward, Don't Fall Back: The Effect of Daylight Saving Time on Road Safety. *Rev Econ Stat* 2021;103(1):165-76. doi: 10.1162/rest_a_00873

57. Woods AN, Weast RA, Monfort SS. Daylight saving time and fatal crashes: The impact of changing light conditions. *Journal of Safety Research* 2025;93:200-05. doi: 10.1016/j.jsr.2025.02.010

58. Gentry J, Evaniuck J, Suriyamongkol T, et al. Living in the wrong time zone: Elevated risk of traffic fatalities in eccentric time localities. *Time & Society* 2022;31(4):457-79. doi: 10.1177/0961463x221104675

59. Roenneberg T, Wirz-Justice A, Skene DJ, et al. Why Should We Abolish Daylight Saving Time? *J Biol Rhythms* 2019;34(3):227-30. doi: 10.1177/0748730419854197

60. Xu M, Papatsimpa C, Schlangen L, et al. Improving adjustment to daylight saving time transitions with light. *Sci Rep* 2024;14(1):15001. doi: 10.1038/s41598-024-65705-x [published Online First: 20240701]

61. Gu F, Xu S, Devesa SS, et al. Longitude Position in a Time Zone and Cancer Risk in the United States. *Cancer Epidemiol Biomarkers Prev* 2017;26(8):1306-11. doi: 10.1158/1055-9965.Epi-16-1029 [published Online First: 20170427]

62. Martín-Olalla JM, Mira J. Prevalence of sleep disturbance among Chinese healthcare professionals increases Eastward—caution with position in time zone. *Sleep Medicine* 2025;125:87-88. doi: https://doi.org/10.1016/j.sleep.2024.11.021

63. Hamermesh DS, Myers CK, Pocock ML. Cues for timing and coordination: Latitude, Letterman, and longitude. *J Labor Econ* 2008;26(2):223-46. doi: Doi 10.1086/525027

64. Cook A. Saving lives: the 2006 expansion of daylight saving in Indiana. *Journal of Population Economics* 2022;35:861-91.

65. James J. Let there be light: Daylight saving time and road traffic collisions. *Econ Inq* 2023;61(3):523-45. doi: 10.1111/ecin.13130

66. Kountouris Y. Human activity, daylight saving time and wildfire occurrence. *Sci Total Environ* 2020;727 doi: ARTN 138044

10.1016/j.scitotenv.2020.138044

67. Laliotis I, Moscelli G, Monastiriotis V. Summertime and the drivin' is easy? Daylight saving time and vehicle accidents. *Health Econ* 2023;32(10):2192-215. doi: 10.1002/hec.4715 [published Online First: 20230523]

68. Janszky I, Ahnve S, Ljung R, et al. Daylight saving time shifts and incidence of acute myocardial infarction--Swedish Register of Information and Knowledge About Swedish Heart Intensive Care Admissions (RIKS-HIA). *Sleep Med* 2012;13(3):237-42. doi: 10.1016/j.sleep.2011.07.019 [published Online First: 20120130]

69. Culic V. Daylight saving time transitions and acute myocardial infarction. *Chronobiol Int* 2013;30(5):662-8. doi: 10.3109/07420528.2013.775144 [published Online First: 20130520]

70. Jiddou MR, Pica M, Boura J, et al. Incidence of myocardial infarction with shifts to and from daylight savings time. *Am J Cardiol* 2013;111(5):631-5. doi: 10.1016/j.amjcard.2012.11.010 [published Online First: 20121208]

71. Derks L, Houterman S, Geuzebroek GSC, et al. Daylight saving time does not seem to be associated with number of percutaneous coronary interventions for acute myocardial infarction in the Netherlands. *Neth Heart J* 2021;29(9):427-32. doi: 10.1007/s12471-021-01566-7 [published Online First: 20210325]

72. Tanaka S, Koizumi H. Springing forward and falling back on health: The effects of daylight saving time on acute myocardial infarction☆. *J Econ Behav Organ* 2024;228 doi: ARTN 106791

10.1016/j.jebo.2024.106791

73. Sandhu A, Seth M, Gurm HS. Daylight savings time and myocardial infarction. *Open Heart* 2014;1(1):e000019. doi: 10.1136/openhrt-2013-000019 [published Online First: 20140328]

74. Toro W, Tigre R, Sampaio B. Daylight saving time and incidence of myocardial infarction: Evidence from a regression discontinuity design. *Economics Letters* 2015;136:1-4.

75. Sipila JO, Rautava P, Kyto V. Association of daylight saving time transitions with incidence and in-hospital mortality of myocardial infarction in Finland. *Ann Med* 2016;48(1-2):10-6. doi: 10.3109/07853890.2015.1119302 [published Online First: 20151217]

76. Rodriguez-Cortes FJ, Jimenez-Hornero JE, Alcala-Diaz JF, et al. Daylight Saving Time transitions and Cardiovascular Disease in Andalusia: Time Series Modeling and Analysis Using Visibility Graphs. *Angiology* 2023;74(9):868-75. doi: 10.1177/00033197221124779 [published Online First: 20220914]

77. Lindenberger LM, Ackermann H, Parzeller M. The controversial debate about daylight saving time (DST)-results of a retrospective forensic autopsy study in Frankfurt/Main (Germany) over 10 years (2006-2015). *Int J Legal Med* 2019;133(4):1259-65. doi: 10.1007/s00414-018-1960-z [published Online First: 20181101]

78. Manfredini R, Fabbian F, De Giorgi A, et al. Daylight saving time transitions and circulatory deaths: data from the Veneto region of Italy. *Intern Emerg Med* 2019;14(7):1185-87. doi: 10.1007/s11739-019-02085-5 [published Online First: 20190409]

79. Mofidi M, Kianmehr N, Qomi YF, et al. Daylight saving time and incidence ratio of acute myocardial infarction among Iranian people. *J Med Life* 2019;12(2):123-27. doi: 10.25122/jml-2017-0058

80. Levy L, Robine JM, Rey G, et al. Daylight saving time affects European mortality patterns. *Nat Commun* 2022;13(1):6906. doi: 10.1038/s41467-022-34704-9

81. Poteser M, Moshammer H. Daylight Saving Time Transitions: Impact on Total Mortality. *Int J Environ Res Public Health* 2020;17(5) doi: 10.3390/ijerph17051611

82. Fritz J, VoPham T, Wright KP, Jr., et al. A Chronobiological Evaluation of the Acute Effects of Daylight Saving Time on Traffic Accident Risk. *Curr Biol* 2020;30(4):729-35 e2. doi: 10.1016/j.cub.2019.12.045 [published Online First: 20200130]

83. Stevens CR, Lord D. Evaluating safety effects of daylight savings time an fatal and nonfatal injury crashes in Texas. *Safety Data, Analysis, and Evaluation* 2006(1953):147-55.

84. Molina JE, Kitali A, Alluri P. Relationship Between Daylight Saving Time and Traffic Crashes in Florida. *Transport Res Rec* 2023;2677(2):792-802. doi: 10.1177/03611981221108396

85. Smith AC. Spring Forward at Your Own Risk: Daylight Saving Time and Fatal Vehicle Crashes. *Am Econ J-Appl Econ* 2016;8(2):65-91. doi: 10.1257/app.20140100

86. Sood N, Ghosh A. The short and long run effects of daylight saving time on fatal automobile crashes. *Be J Econ Anal Poli* 2007;7(1) doi: Artn 11

Doi 10.2202/1935-1682.1618

87. Varughese J, Allen RP. Fatal accidents following changes in daylight savings time: the American experience. *Sleep Medicine* 2001;2(1):31-36. doi: Pii S1389-9457(00)00032-0

Doi 10.1016/S1389-9457(00)00032-0

88. Prats-Uribe A, Tobias A, Prieto-Alhambra D. Excess Risk of Fatal Road Traffic Accidents on the Day of Daylight Saving Time Change. *Epidemiology* 2018;29(5):e44-e45. doi: 10.1097/EDE.0000000000000865

89. Hicks GJ, Davis JW, Hicks RA. Fatal alcohol-related traffic crashes increase subsequent to changes to and from daylight savings time. *Percept Motor Skill* 1998;86(3):879-82. doi: DOI 10.2466/pms.1998.86.3.879

90. Robb D, Barnes T. Accident rates and the impact of daylight saving time transitions. *Accident Anal Prev* 2018;111:193-201. doi: 10.1016/j.aap.2017.11.029

91. Lahti T, Sysi-Aho J, Haukka J, et al. Work-related accidents and daylight saving time in Finland. *Occup Med (Lond)* 2011;61(1):26-8. doi: 10.1093/occmed/kqq167 [published Online First: 20101115]

92. Morassaei S, Smith PM. Switching to Daylight Saving Time and work injuries in Ontario, Canada: 1993-2007. *Occup Environ Med* 2010;67(12):878-80. doi: 10.1136/oem.2010.056127 [published Online First: 20100930]

93. Barnes CM, Wagner DT. Changing to daylight saving time cuts into sleep and increases workplace injuries. *J Appl Psychol* 2009;94(5):1305-17. doi: 10.1037/a0015320

94. Holland N, Hinze J. Daylight savings time changes and construction accidents. *J Constr Eng M Asce* 2000;126(5):404-06. doi: Doi 10.1061/(Asce)0733-9364(2000)126:5(404)

95. Kolla BP, Coombes BJ, Morgenthaler TI, et al. Increased Patient Safety-Related Incidents Following the Transition into Daylight Savings Time. *J Gen Intern Med* 2021;36(1):51-54. doi: 10.1007/s11606-020-06090-9 [published Online First: 20200812]

96. Kocali K. The Effects of Daylight Saving Time (DST) Transition Cancelation on Work Accidents of Turkey. *Int J Occup Saf Ergon* 2023;29(4):1542-51. doi: 10.1080/10803548.2023.2221590 [published Online First: 20230624]

97. Ploderl M, Pichler EM, Westerlund J, et al. Daylight saving time was not associated with a change in suicide rates in Austria, Switzerland and Sweden. *Eur J Public Health* 2024;34(4):717-22. doi: 10.1093/eurpub/ckae061

98. Fetter D, Lefaucheur R, Borden A, et al. Parkinson's patients cope with daylight saving time. *Rev Neurol (Paris)* 2014;170(2):124-7. doi: 10.1016/j.neurol.2013.08.006 [published Online First: 20131114]

99. Hansen BT, Sønderskov KM, Hageman I, et al. Daylight Savings Time Transitions and the Incidence Rate of Unipolar Depressive Episodes. *Epidemiology* 2017;28(3):346-53. doi: 10.1097/ede.0000000000000580

100. Heboyan V, Stevens S, McCall WV. Effects of seasonality and daylight savings time on emergency department visits for mental health disorders. *Am J Emerg Med* 2019;37(8):1476-81. doi: 10.1016/j.ajem.2018.10.056 [published Online First: 20181031]

101. Lahti TA, Haukka J, Lonnqvist J, et al. Daylight saving time transitions and hospital treatments due to accidents or manic episodes. *BMC Public Health* 2008;8:74. doi: 10.1186/1471-2458-8-74 [published Online First: 20080226]

102. Nixon A, De Koninck J, Greenham S, et al. Psychiatric Admissions of Children and Adolescents Across School Periods and Daylight-Saving Transitions. *J Can Acad Child Adolesc Psychiatry* 2021;30(4):226-35. [published Online First: 20211101]

103. Osborne-Christenson EJ. Saving light, losing lives: How daylight saving time impacts deaths from suicide and substance abuse. *Health Econ* 2022;31 Suppl 2:40-68. doi: 10.1002/hec.4581 [published Online First: 20220823]

104. Labarca G, Henriquez-Beltran M, Sanhueza R, et al. Impact on health outcomes associated with changing the clock 1 hour during fall and spring transitions in the Southern Hemisphere. *J Clin Sleep Med* 2024;20(6):887-93. doi: 10.5664/jcsm.11032

105. Reis DJ, Yen PY, Tizenberg B, et al. Longitude-based time zone partitions and rates of suicide. *J Affect Disorders* 2023;339:933-42. doi: 10.1016/j.jad.2023.07.080

106. BERK M, DODD S, HALLAM K, et al. Small shifts in diurnal rhythms are associated with an increase in suicide: The effect of daylight saving. *Sleep and Biological Rhythms* 2008;6(1):22-25. doi: https://doi.org/10.1111/j.1479-8425.2007.00331.x

107. Jankowski KS, Vollmer C, Linke M, et al. Differences in sun time within the same time zone affect sleep-wake and social rhythms, but not morningness preference: Findings from a Polish-German comparison study. *Time Soc* 2014;23(2):258-76. doi: 10.1177/0961463x14535911

108. Shapiro CM, Blake F, Fossey E, et al. Daylight saving time in psychiatric illness. *J Affect Disord* 1990;19(3):177-81. doi: 10.1016/0165-0327(90)90089-q

109. Tyler J, Fang Y, Goldstein C, et al. Genomic heterogeneity affects the response to Daylight Saving Time. *Sci Rep* 2021;11(1):14792. doi: 10.1038/s41598-021-94459-z [published Online First: 20210720]

110. Miguel M, Umemura G, Menna-Barreto L, et al. Synchronization to daylight saving-time: circadian organization of wrist temperature and rest/activity rhythms. *Sleep Sci* 2013;6(2013)

111. Lahti TA, Leppamaki S, Ojanen SM, et al. Transition into daylight saving time influences the fragmentation of the rest-activity cycle. *J Circadian Rhythms* 2006;4:1. doi: 10.1186/1740-3391-4-1 [published Online First: 20060119]

112. Volker J, Kuhnel J, Feinaugle F, et al. Being robbed of an hour of sleep: The impact of the transition to Daylight Saving Time on work engagement depends on employees' chronotype. *Sleep Health* 2023;9(5):579-86. doi: 10.1016/j.sleh.2023.06.004 [published Online First: 20230714]

113. Oskarsdóttir M, Islind AS, August E, et al. Importance of Getting Enough Sleep and Daily Activity Data to Assess Variability: Longitudinal Observational Study. *Jmir Form Res* 2022;6(2) doi: ARTN e31807

10.2196/31807

114. Jin L, Ziebarth NR. Sleep and human capital: evidence from daylight saving time. *Canadian Centre for Health Economics - Working Paper* 2015;160001

115. Bano M, Chiaromanni F, Corrias M, et al. Sleep quality in hospitalized medical patients: influence of light, noise, and switch to daylight saving time. *J Sleep Res* 2014;23:83-83.

116. Toth Quintilham MC, Adamowicz T, Pereira EF, et al. Does the transition into daylight saving time really cause partial sleep deprivation? *Ann Hum Biol* 2014;41(6):554-60. doi: 10.3109/03014460.2014.897756 [published Online First: 20140324]

117. Tonetti L, Erbacci A, Fabbri M, et al. Effects of transitions into and out of daylight saving time on the quality of the sleep/wake cycle: an actigraphic study in healthy university students. *Chronobiol Int* 2013;30(10):1218-22. doi: 10.3109/07420528.2013.812651 [published Online First: 20130903]

118. Lahti TA, Leppamaki S, Lonnqvist J, et al. Transition to daylight saving time reduces sleep duration plus sleep efficiency of the deprived sleep. *Neurosci Lett* 2006;406(3):174-7. doi: 10.1016/j.neulet.2006.07.024 [published Online First: 20060822]

119. Al-Bakry D, Athaide CE, Pathmarajan R, et al. Short-term vascular responses to spring and fall daylight savings time shifts. *Am J Physiol Heart Circ Physiol* 2024;326(5):H1138-H45. doi: 10.1152/ajpheart.00034.2024 [published Online First: 20240301]

120. Angelino S, Longo M, Caruso P, et al. Sleep quality and glucose control in adults with type 1 diabetes during the seasonal daylight saving time shifts. *Diabetes Res Clin Pr* 2024;217 doi: ARTN 111859

10.1016/j.diabres.2024.111859

121. Halfmann E, Hueffmeier J, Faber NS, et al. The Switch to Daylight Saving Time and the Perceived Inappropriateness of Norm Violations. *Soc Psychol-Germany* 2025;56(1):1-13. doi: 10.1027/1864-9335/a000569

122. Ferguson T, Curtis R, Fraysse F, et al. The Annual Rhythms in Sleep, Sedentary Behavior, and Physical Activity of Australian Adults: A Prospective Cohort Study. *Ann Behav Med* 2024;58(4):286-95. doi: 10.1093/abm/kaae007

123. Zolfaghari S, Cyr M, Pelletier A, et al. Effects of Season and Daylight Saving Time Shifts on Sleep Symptoms: Canadian Longitudinal Study on Aging. *Neurology* 2023;101(1):e74-e82. doi: 10.1212/WNL.0000000000207342 [published Online First: 20230503]

124. Reese M. A Study of the Effect of Daylight Saving Time upon the Sleep of Young Children. *Child Development* 1932;3(1):86-89. doi: 10.2307/1125758

125. Sipila JO, Ruuskanen JO, Rautava P, et al. Changes in ischemic stroke occurrence following daylight saving time transitions. *Sleep Med* 2016;27-28:20-24. doi: 10.1016/j.sleep.2016.10.009 [published Online First: 20161102]

126. Foerch C, Korf HW, Steinmetz H, et al. Abrupt shift of the pattern of diurnal variation in stroke onset with daylight saving time transitions. *Circulation* 2008;118(3):284-90. doi: 10.1161/CIRCULATIONAHA.108.771246 [published Online First: 20080623]

127. Folyovich A, Biczo D, Jarecsny T, et al. Daylight saving time and the incidence of thrombolysis to treat acute ischemic stroke. *Rev Neurol (Paris)* 2020;176(5):361-65. doi: 10.1016/j.neurol.2019.08.013 [published Online First: 20200330]

128. Xue GB, Yu BX, Wang XZ, et al. Stroke in urban and rural areas of China. *Chin Med J (Engl)* 1991;104(8):697-704.

129. Hook J, Smith K, Andrew E, et al. Daylight savings time transitions and risk of out-of-hospital cardiac arrest: An interrupted time series analysis. *Resuscitation* 2021;168:84-90. doi: 10.1016/j.resuscitation.2021.09.021 [published Online First: 20210924]

130. Coren S. Daylight savings time and traffic accidents. *New Engl J Med* 1996;334(14):924-24. doi: Doi 10.1056/Nejm199604043341416

131. Hicks RA, Lindseth K, Hawkins J. Daylight saving-time changes increase traffic accidents. *Percept Mot Skills* 1983;56(1):64-6. doi: 10.2466/pms.1983.56.1.64

132. Zhou R, Li Y. Traffic crash changes following transitions between daylight saving time and standard time in the United States: New evidence for public policy making. *J Safety Res* 2022;83:119-27. doi: 10.1016/j.jsr.2022.08.009 [published Online First: 20220828]

133. Lambe M, Cummings P. The shift to and from daylight savings time and motor vehicle crashes. *Accident Anal Prev* 2000;32(4):609-11. doi: Doi 10.1016/S0001-4575(99)00088-3

134. Whittaker JD. An investigation into the effects of British Summer Time on road traffic accident casualties in Cheshire. *J Accid Emerg Med* 1996;13(3):189-92.

135. Lahti T, Nysten E, Haukka J, et al. Daylight saving time transitions and road traffic accidents. *J Environ Public Health* 2010;2010:657167. doi: 10.1155/2010/657167 [published Online First: 20100627]

136. Nohl A, Seelmann C, Roenick R, et al. Impact of DST (Daylight Saving Time) on Major Trauma: A European Cohort Study. *Int J Env Res Pub He* 2021;18(24) doi: ARTN 13322

10.3390/ijerph182413322

137. Teke C, Kurtoglu Celik G, Yildirim C, et al. Assessment of the number of admissions for road traffic collisions and severity of injury in daylight saving time and permanent daylight saving time periods. *Int J Clin Pract* 2021;75(11):e14798. doi: 10.1111/ijcp.14798 [published Online First: 20210917]

138. Ponkilainen V, Koukkula T, Uimonen M, et al. Daylight savings time transition and the incidence of femur fractures in the older population: a nationwide registry-based study. *PeerJ* 2022;10:e13672. doi: 10.7717/peerj.13672 [published Online First: 20220819]

139. Ferrazzi E, Romualdi C, Ocello M, et al. Changes in Accident & Emergency Visits and Return Visits in Relation to the Enforcement of Daylight Saving Time and Photoperiod. *J Biol Rhythms* 2018;33(5):555-64. doi: 10.1177/0748730418791097 [published Online First: 20180730]

140. Coren S. Accidental death and the shift to daylight savings time. *Percept Mot Skills* 1996;83(3 Pt 1):921-2. doi: 10.2466/pms.1996.83.3.921

141. Lee DC, Stahlman BA, Sharrah ML. Daylight Saving Time is not Associated with an Increased Number of Trauma Activations. *West J Emerg Med* 2019;20(4):585-86. doi: 10.5811/westjem.2019.5.42780 [published Online First: 20190702]

142. Schneider AM, Randler C. Daytime sleepiness during transition into daylight saving time in adolescents: Are owls higher at risk? *Sleep Medicine* 2009;10(9):1047-50. doi: 10.1016/j.sleep.2008.08.009

143. Monk TH, Folkard S. Adjusting to Changes to and from Daylight Saving Time. *Nature* 1976;261(5562):688-89. doi: DOI 10.1038/261688a0

144. Masal E, Randler C, Besoluk S, et al. Effects of longitude, latitude and social factors on chronotype in Turkish students. *Pers Indiv Differ* 2015;86:73-81. doi: 10.1016/j.paid.2015.05.019

145. Fischer D, Lombardi DA. Chronotypes in the US: Influence of longitude position in a time zone. *Chronobiol Int* 2022;39(3):460-64. doi: 10.1080/07420528.2021.2002889 [published Online First: 20211115]

146. Sladek M, Kudrnacova Roschova M, Adamkova V, et al. Chronotype assessment via a large scale socio-demographic survey favours yearlong Standard time over Daylight Saving Time in central Europe. *Sci Rep* 2020;10(1):1419. doi: 10.1038/s41598-020-58413-9 [published Online First: 20200129]

147. Randler C. Morningness-eveningness comparison in adolescents from different countries around the world. *Chronobiol Int* 2008;25(6):1017-28. doi: 10.1080/07420520802551519

148. Shawa N, Roden LC. Chronotype of South African adults is affected by solar entrainment. *Chronobiol Int* 2016;33(3):315-23. doi: 10.3109/07420528.2016.1144608 [published Online First: 20160308]

149. Hadlow NC, Brown S, Wardrop R, et al. The effects of season, daylight saving and time of sunrise on serum cortisol in a large population. *Chronobiol Int* 2014;31(2):243-51. doi: 10.3109/07420528.2013.844162 [published Online First: 20131024]

150. Maier T, Kühnel J, Zimmermann B. How Did You Sleep Tonight? The Relevance of Sleep Quality and Sleep-Wake Rhythm for Procrastination at Work. *Frontiers in psychology* 2021;12:785154. doi: 10.3389/fpsyg.2021.785154 [published Online First: 2022/03/18]

151. Schaffner M, Sarkar J, Torgler B, et al. The implications of daylight saving time: A quasi-natural experiment on cognitive performance and risk taking behaviour. *Economic Modelling* 2018;70:390-400. doi: https://doi.org/10.1016/j.econmod.2017.08.009

152. Wagner DT, Barnes CM, Lim VK, et al. Lost sleep and cyberloafing: Evidence from the laboratory and a daylight saving time quasi-experiment. *J Appl Psychol* 2012;97(5):1068-76. doi: 10.1037/a0027557

153. Cho K, Barnes CM, Guanara CL. Sleepy Punishers Are Harsh Punishers. *Psychol Sci* 2017;28(2):242-47. doi: 10.1177/0956797616678437

154. Hicks. RA, Lawrence-Davis J, Guynes S. Change in the classroom deportment of children following change from daylight saving time. *Percept Motor Skill* 1980;51:101-02.

155. Orsini F, Domenie ED, Zarantonello L, et al. Long-term effects of daylight saving time on driving fatigue. *Heliyon* 2024;10(15):e34956. doi: 10.1016/j.heliyon.2024.e34956 [published Online First: 20240720]

156. Orsini F, Giusti G, Zarantonello L, et al. Driving fatigue increases after the Spring transition to Daylight Saving Time in young male drivers: A pilot study. *Transp Res Part F Traffic Psychol Behav* 2023;99:83-97. doi: 10.1016/j.trf.2023.10.014

157. Orsini F, Zarantonello L, Costa R, et al. Driving simulator performance worsens after the Spring transition to Daylight Saving Time. *iScience* 2022;25(7):104666. doi: 10.1016/j.isci.2022.104666

158. Herber SP, Quis JS, Heineck G. Does the transition into daylight saving time affect students' performance? *Economics of Education Review* 2017;61:130-39. doi: https://doi.org/10.1016/j.econedurev.2017.07.002

159. Monk TH, Aplin LC. Spring and Autumn Daylight Saving Time Changes - Studies of Adjustment in Sleep Timings, Mood, and Efficiency. *Ergonomics* 1980;23(2):167-78. doi: Doi 10.1080/00140138008924730

160. Ben Simon E, Vallat R, Rossi A, et al. Correction: Sleep loss leads to the withdrawal of human helping across individuals, groups, and large-scale societies. *PLoS Biol* 2023;21(11):e3002394. doi: 10.1371/journal.pbio.3002394

161. Barnes CM, Gunia BC, Wagner DT. Sleep and moral awareness. *J Sleep Res* 2015;24(2):181-8. doi: 10.1111/jsr.12231

162. Kountouris Y. Human activity, daylight saving time and wildfire occurrence. *Sci Total Environ* 2020;727:138044. doi: 10.1016/j.scitotenv.2020.138044

163. Kountouris Y. An Assessment of the Relationship Between Daylight Saving Time, Disruptions in Sleep Patterns and Dwelling Fires. *Fire Technology* 2021;57(1):123-44. doi: 10.1007/s10694-020-00983-1

164. Gaski JF, Sagarin J. Detrimental effects of daylight-saving time on SAT scores. *Journal of Neuroscience, Psychology, and Economics* 2011;4(1):44-53. doi: 10.1037/a0020118

165. Schneider LD, Moss RE, Goldenholz DM. Daylight saving time transitions are not associated with increased seizure incidence. *Epilepsia* 2019;60(4):764-73. doi: 10.1111/epi.14696

166. Foh B, Schroder T, Oster H, et al. Seasonal Clock Changes Are Underappreciated Health Risks-Also in IBD? *Front Med (Lausanne)* 2019;6:103. doi: 10.3389/fmed.2019.00103

167. Kazirod-Wolski K, Piotrowska A, Sielski J, et al. The Effect of Daylight-Saving Time on Percutaneous Coronary Intervention Outcomes in Acute Coronary Syndrome Patients-Data from the Polish National Registry of Percutaneous Coronary Interventions (ORPKI) in the Years 2014-2022. *J Cardiovasc Dev Dis* 2023;10(9) doi: 10.3390/jcdd10090375 [published Online First: 20230901]

168. Satterfield BA, Dikilitas O, Van Houten H, et al. Daylight Saving Time Practice and the Rate of Adverse Cardiovascular Events in the United States: A Probabilistic Assessment in a Large Nationwide Study. *Mayo Clin Proc Innov Qual Outcomes* 2024;8(1):45-52. doi: 10.1016/j.mayocpiqo.2023.12.006 [published Online First: 20240105]

169. Gao C, Lage C, Scullin MK. Medical malpractice litigation and daylight saving time. *J Clin Sleep Med* 2024;20(6):933-40. doi: 10.5664/jcsm.11038

170. Costa-Font J, Fleche S, Pagan R. The welfare effects of time reallocation: evidence from Daylight Saving Time. *Economica* 2024;91(362):547-68. doi: 10.1111/ecca.12510

171. Coury M. The short-term effect of the daylight saving time clock change on high school standardized test performance. *Applied Economics Letters*:1-4. doi: 10.1080/13504851.2025.2500623

172. Domenie ED, Zarantonello L, Mangini C, et al. The Alarm Clock Against the Sun: Trends in Google Trends Search Activity Across the Transitions to and from Daylight Saving Time. *J Circadian Rhythms* 2023;21:3. doi: 10.5334/jcr.230 [published Online First: 20231129]

173. Janakiraman R, Kamatham H, Feurer S, et al. Spring Forward = Fall Back? The Effect of Daylight Saving Time Change on Consumers' Unhealthy Behavior. *Journal of Marketing* 2024;88(6):64-84. doi: 10.1177/00222429241256570

174. Kim JH, Shamsuddin A. Stock market anomalies: An extreme bounds analysis. *International Review of Financial Analysis* 2023;90:102841. doi: https://doi.org/10.1016/j.irfa.2023.102841

175. Kleppe TJ, Pierce AT, Wiebe Z, et al. The Effects of Daylight Saving Time Adjustments on Investor Information Processing. *The Accounting Review* 2024;99(2):249-77. doi: 10.2308/tar-2021-0369

Table 1: Search strings & eligibility criteria

Medline PsychINFO EconLit	All fields:	"daylight savin*" OR "time change" OR "standard time" OR"wintertime" OR "summertime" OR "winter time" OR "summertime" OR "longitude" OR "time zone" OR "timezone"
WOS Scopus*[1]	All fields:	"daylight savin*" OR "time change" OR "standard time"
Eligibility Criteria		

1) Peer reviewed primary studies of humans with English and German as language restrictions (no time restrictions)
2) Studies must consider either (i) the acute effects of transition in and/out of DST or (ii) DST vs standard time at a given time of year as exposure and control.
   (i) *Acute setting:* Index periods as post-DST-related time change and reference periods as pre-DST-related time change (or also including periods of post-DST-related time change that occur after the index period) must be included in the studies of acute time change effects. The addition of a post-DST-related time change are sometimes included to determine acute effects different from seasonal trends. Time-series or regression discontinuity analyses will also be included.
   (ii) *Non-acute setting:* These studies must involve an exposure vs control format as DST vs standard time at a given time of year such in adjacent regions that practice and do not practice DST, respectively. Alternatively, studies must involve regions at similar latitude and within the same time zone that differ in their sun time-official clock time relationship because of longitude.
3) Outcomes of interest are measures of incidence, prevalence, risk, complications, and/or deteriorations of accident-, cardiovascular-, metabolic-, gastrointestinal-, immunologic-, psychiatric-, neurologic-, circadian-, sleep-, and cognitive- related health outcomes, all-cause mortality and healthcare appointments/admissions. To add specificity on accidents, we intend any accidents related to traffic, workplace, home, substance-related, or other social setting. To add specificity to cognition, we intend any examination of conscious intellectual activity. To add specificity to healthcare appointments/admissions, we do not exclude any healthcare setting. To add specificity to cardiovascular-, metabolic-, immunologic-, psychiatric-, and sleep-related health outcomes, we do not require specification of ICD or DSM codes.

[1]For the search with Scopus, additional filters included:
(a) Excluded subject areas: Engineering, Physics and Astronomy, Mathematics, Chemistry, Computer Science, Chemical Engineering
(b) Document type: Article
(c) Language: English and German

Table 2: Broader Appendix Outcome Categories & Sections

Section 1: Cardiovascular Outcomes (Jennifer Walsh & Gurprit S. Lall)	Section 2: Psychiatric Outcomes (Ben Bullock & Greg Murray)	Section 3: Traffic Accidents (Aiste Steponenaite & Lorna Brown)	Section 4: Non-Traffic Accidents (Ursula Wild & Aiste Steponenaite)
Acute myocardial infarction, stroke	Depression, bipolar, mania, psychosis, suicides, 'wearing off' in Parkinson's disease Hospital records, emergency department presentations, paediatric admissions, health insurance claims	Fatal traffic accidents, all traffic accidents, hospital admissions	Occupation-related accidents & injuries, all-cause & non-traffic accidents & injuries, accidental deaths
Section 5: Sleep & Circadian Biology Outcomes (Philip Lewis & Sally Ferguson)	**Section 6: Cognitive Outcomes** (Philip Lewis & Jonas P. Wallraff)	**Section 7: All-Cause Mortality, Neurologic & Gastrointestinal Outcomes** (Thomas C. Erren & Ursula Wild)	**Section 8: Update of All Sections** (Philip Lewis & Jonas P. Wallraff)
Sleep duration, timing, quality, latency, consistency, awakenings, sleepiness Cortisol, wrist actimetry, wrist temperature, social jet lag, chronotype	Procrastination, Stroop test, cyberloafing, risk-reward analysis, charitable behaviour, driving simulator performance, school test scores, student behaviour Crimes that cause physical harm, criminal sentencing, dwelling & wild fires Stock market	All-cause mortality Seizures Ulcerative colitis, Crohn's disease, disorders of the appendix, liver/ gallbladder, biliary tract/pancreas, stomach, and intestines	Includes migraines as the only 'new' endpoint.

Table 3: Summary Findings

Outcome	Exposure	Effect	Confidence in validity*	Study Count & Quality*	References
Transitions					
Myocardial infarction	DST-Onset: DST-Offset:	↑ ↔	High Medium	17 studies: 6 high & 10 medium quality	H: [23 68-72] M: [24 30 33 50 73-78] L: [79]
All-cause mortality	DST-Onset: DST-Offset:	↔ ↓	Medium Medium	3 studies: 1 high & 2 medium quality	H: [25] M: [80 81]
Fatal traffic accidents	DST-Onset: DST-Offset:	↑ ↔	Medium Medium	16 studies: 4 high & 10 medium quality	H: [41 65 67 82] M: [30 54-57 83-87] L: [88 89]
Crimes that cause physical harm	DST-Onset: DST-Offset:	↓ ↑	High High	5 studies: 3 high & 1 medium quality	H: [30 31 37] M: [38] L: [77]
Workplace accidents	DST-Onset: DST-Offset:	↔ ↓	Medium Medium	8 studies: 2 high & 4 medium quality	H: [39 90] M: [91-94] L: [95 96]
Psychiatric outcomes	DST-Onset: DST-Offset:	↔ ↔	Medium Medium	15 studies: 1 high & 8 medium quality	H: [97] M: [43 77 98-103] L: [24 104-108]
Circadian	DST-Onset: DST-Offset:	↔ ↔	Low Low	6 studies 1 medium quality	M: [28] L: [17 35 109-111]
Sleep Duration	DST-Onset: DST-Offset:	↔ ↑	Low Low	22 studies: 2 high & 2 medium quality	H: [26 29] M: [28 112] L: [33-36 93 104 109 113-123]
Living with DST					
All-cause mortality	DST vs ST during summer	↓	Medium	1 study: 1 high quality	H: [64]
Sleep Duration	Perennial DST vs biannual changes	↓	Low	2 studies	L: [43 124]
Traffic Accidents	DST vs ST during late spring/early summer DST vs ST during late autumn/early winter	↓ ↓	Medium	1 study: 1 high quality	H: [41]

Other Studies Synthesised but insufficient quantity, quality, consistency or too much heterogeneity between studies to provide confidence in validity: [27 32 63 125-175] (stock market studies identified from citation searching are not included in this list – see Appendix Section 6)

↑, ↔, ↓ = increase, null/no clear effect, decrease
*author confidence in true effect based on size of - and consistency in- effects observed,
numbers of studies, and study quality;

Fig 1 | Schematic of potential exposures and time windows of interest. The DST period is marked by DST-Onset in spring and DST-Offset in autumn (approximate dates by hemisphere shown). While DST is not universally practiced, its implementation aims to extend evening daylight during summer.

We 'allow' index periods of up to one month post-transition to be considered, acknowledging that effects are harder to attribute further from the transition date. We also note that some studies include index and reference periods that both fall within one month post transitions. Additionally, studies comparing health outcomes during the DST period versus the Standard Time period (e.g, across summer months) are also relevant.

Created in BioRender. Steponenaite, A. (2025) https://BioRender.com/x24e890

Fig 2 | Study selection PRISMA flow chart.