Undiagnosed and Overlooked: Socioeconomic and Healthcare Inequality in Caribbean Diabetes –

A Cross-Sectional Study

Authors: Cesar Barrabi [1], Camren Adams[1], Omur Cinar Elci[1]

Affiliations: [1]Western Atlantic University School of Medicine

Introduction: Diabetes mellitus is a major public health in the Caribbean, where economic instability,

food insecurity, and healthcare inequities drive high mortality. Barriers to diagnosis, healthcare access,

and financial security contribute to widespread undiagnosed diabetes, yet regional analyses remain

limited. This study examines diabetes prevalence, mortality, and   cases across 12 Caribbean nations,

integrating economic and social indicators to identify causes of disease disparities.

Research Design and Methods: Publicly available data from the WHO, International Diabetes

Federation, World Bank, and regional reports were compiled, prioritizing 2021 estimates. Data analysis

included Pearson correlation to assess associations between economic and health variables, PCA for

dimensionality reduction, and hierarchical clustering to identify country-level patterns.

Results: Our data found that diabetes prevalence and mortality were higher in the Caribbean (12.14% and

6.41%) than in the USA (10.70% and 3.50%), respectively. Next, we examined socioeconomic factors and

found that food insecurity and unemployment were higher in the Caribbean (29.8% and 14.8%) than in

the USA (9.1% and 3.7%), respectively. We then investigated economic disparities and found GDP per

capita was inversely associated with undiagnosed diabetes ($r = -0.94$), with lower-income countries

having more undiagnosed cases. Wealth inequality, measured by the GINI coefficient, was greater in The

Bahamas (57.18) than in the USA (39.8). Lastly, PCA analysis showed Caribbean nations clustered

separately from the USA based on healthcare rather than lifestyle factors.

Conclusions: Diabetes and obesity in the Caribbean stem from economic instability, food insecurity, and

healthcare limitations rather than individual lifestyle choices. High undiagnosed diabetes rates reflect

broader socioeconomic struggles where healthcare access competes with basic survival. This is the most

recent examination of diabetes trends in the Bahamas. Addressing these issues requires healthcare

expansion, wage reforms, and food security policies to ensure economic growth translates into better

public health.

<u>Introduction</u>

Diabetes mellitus is a growing public health crisis, with global prevalence rising sharply. By 2022, an

estimated 828 million adults had diabetes, a dramatic increase since 1990 [1]. The Americas are

particularly affected, with projections showing one in 11 adults in Latin America and the Caribbean will

have diabetes by 2045 [2]. While sedentary lifestyles and poor nutrition contribute to diabetes, poverty,

food insecurity, and limited healthcare access drive these conditions in the Caribbean [3]. Previous

research in The Bahamas has explored how multilevel policy interventions contributed to reductions in

obesity prevalence, emphasizing the importance of political commitment and community engagement in

tackling NCDs [4]. However, broader regional analyses remain limited, particularly those examining how

gender disparities, socioeconomic factors, and healthcare access interact to shape health outcomes across

the wider Caribbean.

The Caribbean bears a heavy burden of diabetes, with high prevalence, healthcare limitations, and gender

disparities [5]. About 11.1% of adults have diabetes, driving significant mortality [6]. Despite this,

updated regional diabetes research is scarce [7-9], leaving gaps in understanding how economic shifts,

healthcare policies, and public health challenges shape diabetes trends.

While diabetes is a major health concern across the Caribbean, the burden is not evenly distributed among

nations. The Bahamas presents a paradox: despite its high GDP per capita [10], it has one of the region's

highest diabetes-related mortality rates. While diabetes prevalence is lower than in many neighboring

countries, high mortality suggests underdiagnosis and poor disease management. This reflects regional

trends, where Caribbean women are 60% more likely to have diabetes and twice as likely to be obese as

men [6, 11].

In The Bahamas, over 50% of women are classified as obese, contributing to the region's growing

diabetes burden, compounded by healthcare system limitations and socioeconomic disparities [12, 13].

Life expectancy has stalled, reflecting ongoing struggles in chronic disease management. Obesity rates

have surged, rising from 41.0% to 54.1% in women and 27.4% to 38.3% in men between 2019 and 2023

[14, 15]. Given its strong link to diabetes, this trend likely sustains high diabetes-related mortality.

Obesity also drives chronic kidney disease, which affects 9.8% of Bahamians as of 2023 [16]. These

interrelated issues underscore the need for better screening, early intervention, and healthcare reform.

Lower socioeconomic status, unemployment, and limited education are strongly linked to higher diabetes

prevalence, especially among women [17, 18]. Cultural and socioeconomic influences—rather than

biological differences—likely explain why Caribbean women have higher obesity and diabetes rates than

men [19, 20]. Healthcare access is inconsistent, with many nations lacking standardized screening,

leading to high rates of undiagnosed diabetes[21, 22]. Poor glycemic control increases mortality [23], yet

research on undiagnosed diabetes and its economic and healthcare barriers remains scarce in the

Caribbean.

In this study, we analyze international health and economic data to examine how socioeconomic

conditions shape diabetes and obesity in the Caribbean. By assessing economic barriers to healthcare,

food security, and preventive care, we highlight the potential drivers of the diabetes epidemic and the

need for policies addressing both medical care and social determinants of health.

Materials & methods

Patient and Public Involvement

No patients or members of the public were involved in the design, conduct, analysis, or dissemination of this research.

Data collection

This study focused on sovereign Caribbean nations, comparing economic and socioeconomic indicators to the United States as a high-income comparator. Furthermore, countries were selected based on data availability and feasibility, as many lacked sufficient reporting for key health and economic indicators. The final dataset includes the Bahamas (BHS), Barbados (BRB), Belize (BLZ), Dominica (DMA), Grenada (GRD), Guyana (GUY), Saint Kitts and Nevis (KNA), Saint Lucia (LCA), Saint Vincent and the Grenadines (VCT), Suriname (SUR), Antigua and Barbuda (ATG), and Trinidad and Tobago (TTO), with the United States (USA) serving as the high-income reference point.

This study utilized publicly available data from the World Health Organization (WHO), International Diabetes Federation (IDF), World Bank, Pan American Health Organization (PAHO), Caribbean Development Bank (CDB), International Monetary Fund (IMF), and national government reports. These organizations compile standardized epidemiological, economic, and healthcare data from government health ministries, national surveys, hospital records, and economic indicators [24-29].

In this study, one of the key variables explored is undiagnosed diabetes, a main theme in this article that highlights critical gaps in healthcare access and early diagnosis. Undiagnosed diabetes is identified when individuals undergoing a health screen have elevated fasting plasma glucose ($\geq$7.0 mmol/L) or HbA1c ($\geq$6.5%) but report never being diagnosed with diabetes. By analyzing these data, the IDF estimates the prevalence of undiagnosed diabetes within a population, capturing individuals unaware of their condition [24-29]. All other variables are explained in the 'Metadata' tab here (Supplemental table 1).

Data Analysis

All data processing and visualization (including scatterplots and trend lines) were conducted in Microsoft Excel. However, Pearson correlation, Principal component analysis (PCA), Bootstrapping and hierarchical clustering, were implemented in Python. This dataset is a collection of country-level aggregates, not sampled data, meaning within-group variability could not be assessed.

Data on diabetes prevalence and mortality from IDF were used to create a regional Geographic Information System (GIS) map of the Caribbean, generated in QGIS 3.34 T using GADM shapefiles performed by Fiver professional Ayesha Suraweera [30, 31]. Pearson correlation coefficients were used to examine associations between diabetes metrics and socioeconomic indicators [32]. We then plotted our most interesting correlations using scatterplots to illustrate these relationships.

PCA was performed in Python to reduce the dimensionality of a dataset with socioeconomic and health indicators across 12 countries [33]. Collinearity was assessed through correlation analysis before PCA, but variable exclusion was primarily based on relevance and interpretability. Three variables were removed before analysis: 'Mortality attributed to diabetes (20–79 years)' was excluded because it reflected total deaths rather than proportional risk. Similarly, 'Proportion of GDP on diabetes spending', 'Country Code' and 'Year of total doctors' were removed due to limited comparability across nations and low relevance to the clustering objectives. A scree plot confirmed that the first two principal components explained most of the variance. We then performed Ward's hierarchical clustering to PCA scores to group countries based on their socioeconomic and health profiles. To assess PCA stability, bootstrapping was performed achieving a 95% confidence interval.

Due to data limitations, some analyses focus on a subset of nations rather than the full 12-country dataset. HDI and IHDI data were available for only four nations (Bahamas, USA, Barbados, and Saint Lucia),

while GINI coefficient data were restricted to the USA and Bahamas. These differences in sample size are

reflected in relevant figures, with details provided in the figure legends.

Ethical Considerations and AI-Assisted Editing

All data were publicly available, and no IRB approval was required. Permission for IDF data use was

obtained. The manuscript was fully written by the authors, and ChatGPT was used only for grammar and

language refinement after the text was drafted. AI did not influence data analysis, interpretation, or

conceptual framing. All AI-assisted edits were manually reviewed and revised by the authors to ensure

accuracy and alignment with the study's intent. [34].

<u>**Results**</u>

High Diabetes Mortality Persists Despite Regional Variations in Prevalence

After data were collected, we began by examining diabetes prevalence and mortality rates across the

Caribbean, based on 2021 data from IDF. Geographic differences were visualized using GIS mapping,

with countries shaded according to their diabetes metrics—darker shades indicating higher values. This

approach provides a spatial comparison of diabetes prevalence and mortality across the region,

highlighting areas most affected by the disease.

The results revealed significant variation in diabetes prevalence. The highest prevalence was observed in

Saint Kitts and Nevis (16.1%), followed by Belize (14.5%) and Barbados (14.0%), while the lowest rates

were reported in Saint Vincent and the Grenadines (8.0%), the Bahamas (8.8%), and the United States

(10.7%) (Figure 1). The average Caribbean perveance of diabetes (12.14%) was slightly higher compared

to the US (10.7%).

In addition to prevalence, we also explored diabetes-related mortality, measured as the proportion of

deaths occurring in individuals under 60 years. The highest mortality rates were observed in Belize

(10.6%), Saint Kitts and Nevis (9.9%), and Suriname (7.9%), with the lowest rates recorded in the United

States (3.5%), Barbados (3.3%), and Antigua and Barbuda (4.8%). When comparing diabetes-related

mortality, the Caribbean has nearly double the rate of the United States, with an average of 6.41%

compared to 3.5% in the US (Figure 2).

The Bahamas presents an interesting case because despite low prevalence of diabetes, it had the 5[th]

highest mortality rate (6.2%). These findings prompted further investigation into the relationship between

prevalence and mortality.

Obesity and Physical Inactivity Are More Prevalent Among Caribbean Women, With Greater

Disparities in the Bahamas

Because diabetes is often attributed to obesity and insufficient physical activity, we collected data from

our nations of interest. Interestingly, we found that women had higher inactivity and obesity rates than

men across all nations, suggesting differences in lifestyle, healthcare access, or self-reporting (Figure 3).

Given that female metrics were higher across all nations we only reported female data below.

When investigating self-reported trends in physical inactivity, Suriname, Barbados, and Saint Kitts and

Nevis exhibited the highest rates of insufficient physical inactivity, with 54.5%, 50.85%, and 48.23% of

females reporting insufficient physical activity, respectively (Figure 3A). These rates were significantly

higher than the U.S. average of 39.56%, and far exceeded those in countries like Saint Lucia, which had

the lowest female inactivity rate at 24.22%. The Caribbean average for insufficient physical inactivity

(42.6%) was also slightly above the US (37.8%), with negligible differences observed in male reports.

In addition to these findings, The Bahamas, Saint Kitts and Nevis, and Belize had the highest obesity rates

in the study, with female obesity prevalence reaching 54.09%, 53.15%, and 51.14%, respectively (Figure

3B). These figures are notably higher than the U.S. average of 42.62%, highlighting significant regional

disparities in obesity rates, particularly among women. The Caribbean average for female obesity (43.7%)

was only slightly above the US (39.7%), however, Caribbean men (24.0%) had much lower rates of

obesity compared to men form the US (40.6%). Taken together, we began by focusing on the Bahamas,

where obesity prevalence was the highest in the region.

Deepening Inequality and Diverging Economic Realities Across the Caribbean

We were next interested in understanding if economic and social disparities, such as food insecurity,

unemployment, and income inequality, had an impact on diabetes outcomes across the Caribbean (Figure

4). The data revealed substantial variation in food insecurity, ranging from 9.1% in the United States to

45.5% in Belize, the highest in the region (Figure 4A). Other nations with high food insecurity included

Suriname (35.8%), Dominica (34.4%), and Antigua and Barbuda (33.0%), while the Bahamas had one of

the lowest rates at 17.2%.

We also report that unemployment rates varied widely across the region (Figure 4B). Saint Kitts and

Nevis had the highest rate at 43%, while Suriname and Barbados had the lowest at 8.2% and 8.5%,

respectively. The average unemployment rate in the Caribbean (14.8%) was nearly four times higher than

the U.S. rate of 3.7%.

We then aimed to investigate social indicators of human development. We used the UNDP metric Human

Development Index (HDI) which measures development based on life expectancy, education, and

standard of living. Inequality-adjusted HDI (IHDI) accounts for disparities, providing a more accurate

picture of development. The United States had the highest IHDI at 0.823, followed by the Bahamas at

0.663, Barbados at 0.617, and Saint Lucia at 0.539. Barbados and Saint Lucia exhibited the greatest loss

in HDI after adjustment, reflecting the highest inequality in the region (Figure 4C).

In agreeance with the IHDI findings, the Gini coefficient for the Bahamas increased from 0.533 in 2019

to 0.570 in 2022, indicating worsening income inequality. In contrast, the Gini coefficient for the United

States slightly decreased from 0.415 in 2019 to 0.413 in 2022 (Figure 4D). These findings illustrate

significant regional variation, with food insecurity and unemployment disproportionately affecting certain

nations, while others continue to experience persistent inequality despite higher development indices.

Economic and Social Inequities Link to Higher Undiagnosed Diabetes and Mortality in the

Caribbean

Because our data revealed the Bahamas was the highest nation with prevalence of obesity, we aimed to

compare prevalence of diabetes to undiagnosed cases. We report that undiagnosed diabetes was

substantially higher in the Bahamas at 28.9%, compared to 12.5% in the United States (Figure 5A). This

data suggests an issue with proper screening and early detection in the Bahamas.

We then aimed to perform Pearson correlation analysis in our dataset to identify strong correlations

(Figure 5B-C). Here, we report two notable findings such as a moderate positive correlation between food

insecurity and diabetes-related mortality (r = 0.5880). Pearson correlation analysis also identified a

negative relationship between GDP per capita and undiagnosed diabetes, showing a strong correlation (r =

-0.9374). Taken together these correlations show potential explanations for socioeconomic factors

contributing to undiagnosed diabetes and diabetes-related mortality.

To further explore these associations, PCA was performed and identified 2 components that explain the

variance in our dataset (Figure 5D). The first principal component (PC1) reflected economic strength and

healthcare infrastructure, including GDP per capita, total GDP, the UHC Service Index, diabetes health

expenditure per capita, and food insecurity. The second principal component (PC2) captured lifestyle-

related factors such as obesity, insufficient physical activity, and diabetes-related mortality, particularly

among younger populations. We then plotted the PCA scores and performed hierarchical clustering to

identify clusters based on PC1 and PC2. We found the United States formed a separate cluster due to

strong variance in PC1, while Caribbean nations segregated into groups based on PC2.

This data highlights the strong effect of lifestyle factors in the Caribbean, underscoring how

socioeconomic disparities, such as access to healthcare and healthy living conditions, contribute to the

region's persistent health inequities.

<u>Discussion</u>

Diabetes remains a major public health challenge in the Caribbean [35-37], and although genetic

predisposition contributes to diabetes risk, socioeconomic and environmental stressors often play a

devastating role in disease progression [38-40]. This study analyzes the impact of economic conditions

and healthcare capacity on diabetes, and ultimately focusing on the Bahamas due to high obesity rates,

limited healthcare access, and elevated diabetes mortality [6, 21]. This study examined gender disparities,

economic influences, and healthcare accessibility across the Caribbean, building on prior research by

incorporating regional comparisons. While earlier studies focused on national policy responses to obesity,

this analysis extends those findings by using correlation analysis and principal component clustering to

explore how socioeconomic indicators shape broader chronic disease outcomes across countries [2-4].

Diabetes in the Caribbean is shaped by economic inequality, food insecurity, and healthcare disparities,

which contribute to high obesity and diabetes rates. Despite its high GDP per capita, the Bahamas has one

of the region's highest income inequality levels displayed by high IHDI and GINI coefficients for 2022

(Figure 4C-D). It is known that income inequality restricts healthcare access and increases food

insecurity, worsening diabetes outcomes [24, 36]. Additionally, economic constraints force reliance on

inexpensive and processed foods [14, 41], particularly among women aligning with global trends where

food insecurity correlates with diabetes-related mortality (Figure 5B). Studies estimate that low-income

Caribbean households must allocate 22% to 47% of their earnings for a balanced diet, making processed

foods high in refined carbohydrates, sugars, and fats an economic necessity rather than a choice [14, 15].

These data reinforce that obesity and diabetes are shaped by poverty and structural inequalities, rather

than solely by individual behavior, particularly in the Global South [10, 17, 36].

Bahamian citizens also struggle with healthcare access due to high out-of-pocket costs, a specialist

shortage, and limited preventive care, factors that are associated with late-stage diabetes diagnoses [36,

37]. While national wealth should theoretically support better healthcare infrastructure, the country's

undiagnosed diabetes rate is 28.9%, more than double that of the United States (12.5%) (Figure 5A).

Pearson correlation and PCA analysis shows that Caribbean nations with lower GDP, weaker healthcare

systems, and higher food insecurity tend to have worse diabetes outcomes (Figure 5B-D). Caribbean

nations are separated by PCA analysis by PC2, which represent lifestyle factors, however, both clusters

remain distant from the Global North, reinforcing the substantial healthcare access gap between the

Caribbean and high-income nations [24, 26].

It's important to note that tourism, the dominant industry in the Bahamas and much of the Caribbean,

exacerbates economic instability [42]. While it boosts GDP, it relies on seasonal, low-wage jobs with

minimal employer-provided healthcare, leaving many workers financially vulnerable [43]. Over-reliance

on tourism has widened income disparities, disproportionately benefiting the wealthy, while leaving

lower-wage populations economically vulnerable [44, 45]. The rising Gini coefficient reflects this

growing inequality, highlighting how economic growth has disproportionately benefited the wealthy

while marginalizing lower-wage populations [35, 37]. These findings highlight an association between

worsening wealth distribution and diabetes prevalence in the region.

Gender disparities in obesity further illustrate the intersection of socioeconomic and cultural factors.

Women in the Bahamas have drastically higher obesity rates (54.1%) than men (38.3%), a pattern seen

across the Caribbean (Figure 3A). Economic constraints, including wage gaps and caregiving

responsibilities, likely contribute to reduced access to healthcare and nutritious food, reinforcing that

obesity and diabetes are driven by systemic inequalities rather than individual choices [19]. These

findings highlight the need for policy interventions targeting the broader determinants of health [3].

In the Bahamas, policy efforts have shifted from addressing undernutrition to targeting metabolic disease,

yet inconsistent enforcement and fragmented implementation have undermined their impact [35, 36].

Public health campaigns often assume that knowledge alone drives behavior change, ignoring the

systemic inequities—poverty, food insecurity, and healthcare inaccessibility—that prevent meaningful

action [45]. Our findings reinforce this, showing that despite awareness initiatives, obesity and diabetes-

related mortality remain high, underscoring how current strategies fail to address the root causes of

metabolic disease (Figure 3B).

Addressing diabetes in the Caribbean requires dismantling structural barriers rather than placing the

burden on individuals. Expanding healthcare access through universal coverage, reducing out-of-pocket

costs, and increasing screening programs are necessary to counteract exclusionary healthcare systems that

disproportionately harm low-income populations [12, 22]. Policies tackling food insecurity—such as

subsidies for healthier foods and price regulations—are essential to reducing dependence on ultra-

processed, high-calorie diets [14, 15, 35]. Economic policies must go beyond token wage increases,

instead ensuring sustainable livelihoods through job diversification beyond tourism and dismantling

policies that reinforce income inequality [2, 19]. Without confronting the systemic forces that perpetuate

poverty and health disparities, diabetes and obesity will continue to disproportionately impact

marginalized communities [41].

Despite providing critical insights, this study had three key limitations. Physical inactivity was self-

reported, introducing potential bias, though obesity data align with reported inactivity trends, as obesity

rates are higher in women, who also report greater physical inactivity [11, 35]. The cross-sectional design

limits causal inference, as associations between economic and healthcare factors and diabetes outcomes

cannot establish directionality or direct effects [6, 21]. Longitudinal studies are needed to track changes

over time and assess the impact of policy interventions. Lastly, access to recent data remains a challenge,

as the COVID-19 pandemic disrupted reporting, and some countries have been slower to resume

comprehensive data collection. This has made retrieving updated socioeconomic indicators more difficult,

particularly for smaller nations [46].

Overall, this study highlights systemic failures in disease detection, healthcare access, and economic

policies that shape diabetes outcomes in the Caribbean. Strengthening healthcare infrastructure and

implementing region-specific interventions tailored to economic and cultural realities is critical for

reducing diabetes-related mortality.

Data Availability

All data used in this study were obtained from publicly available sources, including the World Health

Organization (https://www.who.int/data), the International Diabetes Federation Diabetes Atlas

(https://diabetesatlas.org/), the World Bank World Development Indicators

(https://data.worldbank.org/indicator), the Pan American Health Organization Core Indicators Portal

(https://opendata.paho.org/en/core-indicators), and the United Nations Development Programme Human

Development Reports (https://hdr.undp.org/). These datasets are freely accessible and can also be

provided upon reasonable request to the authors.

Conflict of interest and funding source

The authors declare no competing interests and received no funding for this work.

<u>References</u>

1. Lancet, T., *Worldwide trends in diabetes prevalence and treatment from 1990 to 2022.*

The Lancet, 2024. **403**(10429): p. 851-867.

2.   Saeedi, P., et al., *Global and regional diabetes prevalence estimates for 2019 and*

projections for 2030 and 2045: Results from the International Diabetes Federation

Diabetes Atlas, 9(th) edition. Diabetes Res Clin Pract, 2019. **157**: p. 107843.

3.   Guariguata, L., et al., *An updated systematic review and meta-analysis on the social*

determinants of diabetes and related risk factors in the Caribbean. Revista

Panamericana De Salud Publica = Pan American Journal of Public Health, 2018. **42**: p.

e171.

4.   Francis Poitier, R.K., Bassey Ebenso, *Impact of sustained health policy and population-*

level interventions on reducing the prevalence of obesity in the Caribbean region: A

qualitative study from The Bahamas. Front Public Health, 2022. **10:926672**.

5.   Bennett, N.R., et al., *Disparities in diabetes mellitus among Caribbean populations: a*

scoping review. Int J Equity Health, 2015. **14**: p. 23.

6.   Boodhoo, C.M. and N. Unwin, *Diabetes in the Caribbean: time for a life-course*

approach. International Journal of Epidemiology, 2020. **49**(3): p. 713-716.

7.   Sobers-Grannum, N., et al., *Female gender is a social determinant of diabetes in the*

Caribbean: a systematic review and meta-analysis. PLoS One, 2015. **10**(5): p.

e0126799.

8.   Nieto-Martinez, R., et al., *Large scale application of the Finnish diabetes risk score in*

Latin American and Caribbean populations: a descriptive study. Front Endocrinol

(Lausanne), 2023. **14**: p. 1188784.

9.   Colombet, Z., et al., *Shifts in dietary patterns and risk of type-2 diabetes in a Caribbean*

adult population: ways to address diabetes burden. Eur J Nutr, 2023. **62**(5): p. 2233-

2243.

10.   Bank, W., *GDP per capita (current US$) - Caribbean small states Retrieved: 2/20/25*

URL: https://data.worldbank.org/indicator/NY.GDP.PCAP.CD?locations=ZJ. 2023.

11.   Howitt, C., et al., *Social distribution of diabetes, hypertension and related risk factors in*
331   *Barbados: a cross-sectional study.* BMJ Open, 2015. **5**(12): p. e008869.
332   12.   Antini, C., et al., *Diabetes mortality: trends and multi-country analysis of the Americas*
333   *from 2000 to 2019.* Int J Epidemiol, 2024. **53**(1).
334   13.   Sisa, I., et al., *Impact of diet on CVD and diabetes mortality in Latin America and the*
335   *Caribbean: a comparative risk assessment analysis.* Public Health Nutr, 2021. **24**(9): p.
336   2577-2591.
337   14.   Hasan, M., H. Singh, and F. Haffizulla, *Culturally Sensitive Health Education in the*
338   *Caribbean Diaspora: A Scoping Review.* Int J Environ Res Public Health, 2021. **18**(4).
339   15.   Fuster, M., et al., *Ethnic Restaurant Nutrition Environments and Cardiovascular Health:*
340   *Examining Hispanic Caribbean Restaurants in New York City.* Ethn Dis, 2020. **30**(4): p.
341   583-592.
342   16.   *International Society of nephrology. Global kidney health atlas.* Kidney International
343   Supplements, 2020. **10**(1): p. e86-e94.
344   17.   McKenzie, K., *The socio-economic determinants of obesity in adults in the Bahamas.*
345   International Journal of Public Health, 2011. **56**(1): p. 79-87.
346   18.   Rahming, A. and C. Smith, *Associated factors of healthy lifestyle in the Bahamas: A*
347   *secondary analysis of the 2013 Household Expenditure Survey.* Pan American Journal of
348   Public Health, 2018. **42**: p. e106.
349   19.   Walker, R., *Social determinants of type 2 diabetes and health in Caribbean women: The*
350   *role of income, education, and employment status.* J Glob Health, 2021. **11**: p. 012345.
351   20.   Jones, L. and J. Smith, *Impact of sustained health policy and population-level*
352   *interventions on obesity trends in The Bahamas: A 20-year review.* BMC Public Health,
353   2022. **22**(1): p. 345.
354   21.   Pe, R., et al., *Mortality attributable to type 2 diabetes mellitus in Latin America and the*
355   *Caribbean (LAC): a modelling study.* BMJ Open Diabetes Research and Care, 2022. **10**.

22. Nixon, A.L., et al., *Barriers and facilitators to type 2 diabetes management in the*

Caribbean region: a qualitative systematic review. JBI Evid Synth, 2021. **19**(5): p. 911-

965.

23. Bitew, Z.W., et al., *Prevalence of Glycemic Control and Factors Associated With Poor*

Glycemic Control: A Systematic Review and Meta-analysis. Inquiry, 2023. **60**: p.

469580231155716.

24. *Caribbean Development Bank. Country Economic Review (2022) - Dominica. Retrieved:*

2/15/2025 URL:https://www.caribank.org/publications-and-resources/resource-

library/economic-reviews/country-economic-review-2022-dominica.

25. *International Monetary Fund (2023). Saint Kitts and Nevis: Selected Issues. Retrieved:*

2/15/25. URL: https://www.imf.org.

26. *United Nations Development Programme (UNDP). (2025). Human Development Report*

2025: Human Development Index (HDI) and Inequality-adjusted Human Development

Index (IHDI). Retrieved March 8, 2025, from https://hdr.undp.org/.

27. *World Health Organization. Global Health Observatory (GHO) data. Geneva: World*

Health Organization. Retrieved: 2/15/25 URL: https://www.who.int/data/gho. 2025.

28. *International Diabetes Federation. Brussels, Belgium . IDF Diabetes Atlas (2021)*

10thedn. Brussels, Belgium Retrieved: 2/15/25 URL: http://www.diabetesatlas.org.

29. *World Bank. World Development Indicators (2025). Retrieved: 2/15/25 URL:*

https://data.worldbank.org/indicator.

30. *GADM. Database of Global Administrative Areas (2022) Retrieved Shapefiles: 2/20/25*

URL:https://gadm.org/data.html.

31. *Open Source Geospatial Foundation. QGIS Geographic Information System (2024).*

Version 3.34. Retrieved: 2/20/25 URL: https://qgis.org.

32. Mukaka, M.M., *Statistics corner: A guide to appropriate use of correlation coefficient in*

medical research. Malawi Med J, 2012. **24**(3): p. 69-71.

33.   Jake Lever, M.K., Naomi Altman, *Principal component analysis.* Nature methods, 2017.

14: p. 641-642.

34.   Ethics, C.o.P., *Authorship and AI tools URL: [https://publicationethics.org/guidance/cope-](https://publicationethics.org/guidance/cope-position/authorship-and-ai-tools)*

[position/authorship-and-ai-tools](https://publicationethics.org/guidance/cope-position/authorship-and-ai-tools). 2023.

35.   Baker, L., R. Thompson, and J. Williams, *The role of nutrition in diabetes management*

among Caribbean populations. J Nutr Health, 2021. **10**: p. 88-101.

36.   Mendez, F., P. Lewis, and H. Grant, *The burden of diabetes on healthcare systems in the*

Caribbean. Caribb J Med, 2023. **58**: p. 122-130.

37.   Sobers-Grannum, N., et al., *USA-Caribbean Alliance for Health Disparities Research*

(USCAHDR): Gender disparities in diabetes and obesity in the Caribbean. Int J

Epidemiol, 2015. **44**: p. 678-689.

38.   Scott, A., et al., *Socioeconomic inequalities in mortality, morbidity and diabetes*

management for adults with type 1 diabetes: A systematic review. PLoS One, 2017.

12(5): p. e0177210.

39.   Tatulashvili, S., et al., *Socioeconomic inequalities and type 2 diabetes complications: A*

systematic review. Diabetes Metab, 2020. **46**(2): p. 89-99.

40.   Kelly, S.J. and M. Ismail, *Stress and type 2 diabetes: a review of how stress contributes*

to the development of type 2 diabetes. Annu Rev Public Health, 2015. **36**: p. 441-62.

41.   Cummings, J. and R. McKenzie, *The impact of socioeconomic factors on diabetes*

management in the Caribbean. Public Health Rev, 2020. **42**: p. 150-162.

42.   Peterson, R.R., *Over the Caribbean Top: Community Well-Being and Over-Tourism in*

Small Island Tourism Economies. Int J Community Wellbeing, 2020: p. 1-38.

43.   Peterson, R.a.D., R.B., *Is Caribbean tourism in overdrive? Investigating the antecedents*

and effects of overtourism in sovereign and nonsovereign small island tourism

economies (SITEs).", International Hospitality Review, 2021. **Vol. 35 No. 1**: p. 19-40.

44.   De Maio, F.G., *Income inequality measures.* J Epidemiol Community Health, 2007.

61(10): p. 849-52.

45.   Anselm Hennis, S.-Y.W., Barbara Nemesure, Xiaowei Li, M Cristina Leske; Barbados

Eye Study Group, *Diabetes in a Caribbean population: Epidemiological profile and*

implications. Int J Epidemiol, 2002. **31**: p. 234-9.

46.   Contarino, F., et al., *Impact of the COVID-19 pandemic on infectious diseases reporting.*

J Prev Med Hyg, 2024. **65**(2): p. E145-E153.

Figure Legends

FIGURE 1: The Caribbean Bears a Heavy Diabetes Burden: All data were obtained from the

International Diabetes Federation (IDF) by searching for diabetes prevalence indicators in 2021. The

dataset includes estimates from national health surveys, surveillance programs, and modeled data where

direct estimates are unavailable. IDF compiles data from peer-reviewed studies, national reports, and

health ministries to generate country-level prevalence estimates. The map was created in QGIS 3.34 T

using shapefiles from GADM to visualize diabetes prevalence across Caribbean nations and the

southeastern United States. Darker shades represent higher prevalence, highlighting regional variations in

diabetes burden.

Figure 2: Diabetes-Related Deaths Are Disproportionately High in the Caribbean: All data were

obtained from the International Diabetes Federation (IDF) by searching for diabetes mortality indicators

in 2021. The dataset includes estimates from national health records, mortality databases, and modeled

projections where direct data is unavailable. IDF compiles data from peer-reviewed studies, national

reports, and health ministries to generate country-level mortality estimates. The map was created in QGIS

3.34 T using shapefiles from GADM to visualize diabetes-related mortality across Caribbean nations and

the southeastern United States. Darker shades indicate higher mortality rates, highlighting disparities in

diabetes-related deaths across the region.

Figure 3: High Obesity and Physical Inactivity Rates Highlight Lifestyle and Health Risks: All data

were obtained from the World Health Organization (WHO) by searching for indicators related to obesity

and physical activity in 2021. The dataset includes data from over 222 million individuals worldwide,

collected through population-representative studies. (A) Bar graph showing obesity prevalence among

adult men and women in 12 countries (ISO 3166-1 country codes used). (B) Bar graph showing the

prevalence of insufficient physical activity among adults in the same countries. Gender differences in

obesity and inactivity suggest variations in lifestyle, metabolic factors, and self-reported activity levels.

Figure 4: Deepening Inequality and Diverging Economic Realities Across the Caribbean: All data

were obtained from the World Bank, Pan American Health Organization (PAHO), Caribbean

Development Bank (CDB), International Monetary Fund (IMF), and national government reports, with

values primarily from 2022 unless otherwise specified. (A) Prevalence of moderate or severe food

insecurity (%) in 2022, with country names represented using ISO 3166-1 codes. (B) Unemployment

rates in 2022 from PAHO, except for Antigua and Barbuda (CDB, 2018), Dominica (CDB, 2022),

Grenada (Ministry of Finance, 2022), and Saint Kitts and Nevis (IMF, 2021). (C) Human Development

Index (HDI), with dark gray bars representing HDI values (0–1 scale) and light gray bars showing the

Inequality-adjusted HDI (IHDI), which accounts for inequality in health, education, and living standards.

(D) Gini coefficient for the Bahamas and the USA, with dark gray bars representing 2019 values and light

gray bars representing 2022 values.

Figure 5: Economic and Social Inequities Link to Higher Undiagnosed Diabetes and Mortality in

the Caribbean: All data were obtained from the International Diabetes Federation (IDF), World Bank,

Pan American Health Organization (PAHO), Caribbean Development Bank (CDB), International

Monetary Fund (IMF), and national government reports, with values primarily from 2021 unless

otherwise specified. (A) Bar graph comparing diabetes prevalence and the proportion of undiagnosed

diabetes in the USA and the Bahamas. (B) Scatter plot showing food insecurity prevalence and diabetes-

related deaths in individuals under 60 years old, revealing a positive correlation (Pearson r = 0.5880). (C)

Scatter plot showing GDP per capita (USD, in thousands) and the proportion of undiagnosed diabetes,

revealing a strong negative correlation (Pearson r = -0.9374). (D) Principal Component Analysis (PCA)

scatter plot of PC1 and PC2 scores, where PC1 represents healthcare and economic factors, and PC2

reflects diabetes burden. A hierarchical clustering analysis based on PCA scores identified three clusters,

color-coded as follows: green for upper Caribbean countries (LC, VC, GY, GD, DM, BS, AG), blue for

lower Caribbean countries (BZ, SR, BB, KN), and yellow for the USA.

Diabetes Prevalence

Caribbean and USA

CRS : WGS 84

Legend

Diabetes Prevalence

8.000	10.700	12.700	16.100
8.800	11.700	14.000	No Data
	12.600	14.500	

Diabetes Mortality

Caribbean and USA

CRS : WGS 84

Legend

Diabetes Mortality

3.300	4.500	6.200	9.900
3.500	4.800	6.900	10.600
	5.000	7.900	No Data