Evidence-based public health messaging on the non-visual effects of ocular light exposure: A modified Delphi expert consensus

Manuel Spitschan *PhD*[1,2,3,4, ¶]

Laura Kervezee *PhD*[5]

Oliver Stefani *PhD*[6]

Marijke Gordijn *PhD*[7,8]

Jennifer A. Veitch *PhD*[9]

Renske Lok *PhD*[10, ¶]

On behalf of the Light for Public Health Consortium[#]

[1] TUM School of Medicine & Health, Department of Health and Sport Sciences, Technical University of Munich, Munich, Germany
[2] TUM Institute for Advanced Study (TUM-IAS), Technical University of Munich, Garching, Germany
[3] Max Planck Institute for Biological Cybernetics, Max Planck Research Group Translational Sensory & Circadian Neuroscience, Tübingen, Germany
[4] TUMCREATE, Singapore, Singapore
[5] Department of Cellular and Chemical Biology, Leiden University Medical Center, Leiden, Netherlands
[6] Lucerne University of Applied Sciences and Arts, Lucerne, Switzerland
[7] Chrono@Work, Groningen, The Netherlands
[8] University of Groningen, Faculty of Science and Engineering, Groningen, The Netherlands
[9] National Research Council of Canada, Ottawa, Canada
[10] Department of Psychiatry and Behavioral Sciences, Stanford University, Stanford, USA

¶ Corresponding authors: Prof. Manuel Spitschan, Technical University of Munich, TUM School of Medicine and Health, Am Olympiacampus 11, D-80909 Munich, Germany, email: manuel.spitschan@tum.de; Dr. Renske Lok, Stanford University, Department of Psychiatry & Behavioral Sciences, 401 Quarry Road Stanford, CA 94304, rlok@stanford.edu
# The list of consortium members can be found in Appendix A

Word count: 2100

Abstract

Introduction. In addition to vision, light regulates circadian rhythms, sleep, mood, and alertness. Despite growing scientific understanding, there remains a gap in translating this knowledge into accessible, evidence-based guidance. The goal of this paper is to formulate scientifically grounded statements about the influence of light on human psychological and physiological health, intended for dissemination to the public and policymakers.

Methods. An international consortium of 21 experts convened at the Ladenburg Roundtable in April 2024. Experts were selected based on their scientific contributions to chronobiology, psychology, neuroscience, and the measurement and practical application of light. Through a structured, iterative modified Delphi process, 27 statements were developed. Each statement included a simplified public-facing version and contextual information to support understanding. Consensus was assessed using predefined thresholds of agreement (>75% endorsement). Statements not meeting consensus were revised and re-evaluated.

Results. Of the 27 proposed statements, 26 reached the threshold for consensus, with high levels of agreement across diverse topics. One statement did not reach consensus due to insufficient scientific evidence and was excluded, while another was revised based on feedback and subsequently accepted. The iterative revision process significantly improved the clarity, accuracy, and accessibility of the final statements. A readability assessment showed an average sentence length of 14.8 words and a Flesch-Kincaid Grade Level of 8.6, indicating that the statements suit a broad, non-specialist audience. The final consensus statements are available at lightforpublichealth.org.

Conclusions. This expert consensus provides clear, accessible messages about how light affects human health. The statements offer a practical tool for public education and policymaking and can be used by public-health multipliers (e.g., schools, employers, healthcare providers, and urban planners) to promote healthier light exposure in daily life. They highlight the importance of recognizing light as a key factor in health, alongside sleep, nutrition, and physical activity.

Key message

What is already known on this topic

Light exposure has an impact on human health beyond vision, affecting sleep, alertness, and circadian rhythms. However, policy guidance on healthy lighting is limited.

What this study adds

This expert consensus document sets out 26 key messages on the health impacts of light in clear, accessible language.

How this study might affect research, practice, or policy

These messages provide policymakers with reliable guidance to help create healthy lighting environments. They can inform regulations, public awareness campaigns, and health promotion strategies.

Keywords

Non-image-forming effects of light; Ocular light exposure; Health; Photobiology; Modified Delphi; Public engagement; Science communication; Policy translation

Introduction

Over the past 50 years, the scientific understanding of how light affects human health has advanced dramatically. Beyond enabling vision, light regulates core biological processes, including circadian rhythms, sleep, and hormone secretion. The discovery of intrinsically photosensitive retinal ganglion cells (ipRGCs) revealed how light exerts effects on human physiology and psychology[1-3]. These cells play a central role in synchronizing the biological clock to the external light-dark cycle[4,5], thereby influencing sleep-wake timing[6,7]. Additionally, light acutely affects alertness[8,9], melatonin production (e.g. [9-11]), and cognitive performance[12,13]. These discoveries prompted the development of standards for measuring biologically effective light. In 2018, the International Commission on Illumination introduced CIE S 026/E:2018, providing a standardized framework for quantifying biologically effective ocular light[14]. In 2022, global experts released recommendations for healthy light exposure[15]. However, the translation of these findings into public health guidance remains a challenge, hindered by a lag in the adoption of research findings in policy and public health guidelines[16].

To address this gap, 21 international experts convened at the Ladenburg Roundtable (April 14–16, 2024, Germany) to develop consensus-based, evidence-informed statements on light and health. The goal was to support public health messaging, guide policy, inform architecture and workplace standards, and empower individuals. The resulting white paper identified seven key steps for effective communication, including simplifying technical language and aligning with existing public health recommendations[17].

This report presents 26 consensus statements on the effects of light on human psychology and physiology, developed through an iterative review.

Materials and Methods

Ethics

This research involved expert participants contributing in their professional capacity to a consensus process. No clinical interventions, personal health data, or sensitive information were collected. Formal ethical approval was therefore not required under prevailing guidelines. All participants were informed about the purpose and procedures of the study and provided consent through their voluntary agreement to take part.

Patient and Public Involvement statement

Patients or members of the public were not involved in the design, conduct, reporting, or dissemination of this research.

Participants

Participants for the Ladenburg Light & Health Roundtable were purposefully selected to ensure diversity in geography, career stage, and expertise. The final group included 25 experts from human clinical research, animal neuroscience, physiological optics, epidemiology, occupational health, environmental psychology, chronobiology, lighting science, and public health (Appendix A). They represented universities, research institutions, and public agencies. Four invited individuals were unable to attend. Of the 25 experts, 19 actively participated in the statement rating process. A coordinating committee of six lead authors representing five key organizations, the International Commission on Illumination (CIE), the Society for Light, Rhythms and Circadian Health (SLRCH), the Daylight Academy (DLA), the Good Light Group (GLG), and the Center for Environmental Therapeutics (CET), oversaw the process and endorsed the statements but did not contribute ratings. Participants were not compensated for their participation. All invited experts completed the process.

Statement development and consensus

We employed a modified Delphi technique involving two rounds of anonymized feedback using REDCap[18,19] (Round 1) and via email-based commenting (Round 2), with a predefined consensus threshold of 75% agreement (**Figure 1)**. The development was not registered. The coordinating committee developed the initial statements, incorporating feedback from roundtable discussions. No systematic searches were conducted. In this development stage, the Committee members assessed the level of evidence using a three-alternative forced-choice procedure with three options (*low evidence*, i.e, based on preliminary or weak findings, limited studies, or inconsistent results; *moderate evidence* (i.e., supported by multiple studies but with some limitations, such as variability in results or study designs; *high evidence*, i.e., strongly supported by consistent, replicated research with large sample sizes and broad scientific consensus) Committee members simplified language, added contextual information, and cited relevant evidence. To minimize confirmation bias, however, all subsequent revisions were guided by anonymized ratings and open-text feedback from the broader group of expert participants, who were not members of the coordinating committee. This occurred through a

two-step Delphi peer-review process: in Round 1, participants rated agreement (two-forced choice agree/disagree) and commented on the draft statements; feedback was integrated into revised versions. Participants reviewed simplified statements and contextual text in Round 2, ensuring scientific accuracy and clarity. The entire process, including consensus-building, peer review, and readability adjustments, occurred between October 2024 and February 2025.

Evidence rating

Each scientific statement developed in this consensus process was rated for evidence certainty following a structured approach. We based our assessment on a modified version of the Oxford Centre for Evidence-Based Medicine (OCEBM) Quality Rating Scheme for Studies and Other Evidence.

The certainty of evidence for each statement was assigned as follows:

- **Level 1 (High certainty)**: Properly powered and conducted randomized clinical trials, or systematic reviews with meta-analysis.
- **Level 2 (Moderate certainty)**: Well-designed controlled trials without randomization, or prospective comparative cohort studies.
- **Level 3 (Moderate to low certainty)**: Case-control studies or retrospective cohort studies.
- **Level 4 (Low certainty)**: Case series with or without intervention, or cross-sectional studies.
- **Level 5 (Very low certainty)**: Opinion of respected authorities, narrative reviews, case reports, or textbook knowledge.

Readability rating

To support public understanding, a medical writer assessed readability and refined simplified statements to a high school reading level and key stakeholder groups, without altering the original scientific statements.

Reproducibility

The data supporting the findings of this study, including anonymized voting outcomes and finalized consensus statements, are available at

166 https://github.com/tscnlab/SpitschanEtal_BMJPublicHealth_2025[20]. The data are licensed under

167 the CC-BY 4.0 License, and the code is licensed under the MIT License.

Results

Initial statement development

The 27 initial statements aimed to deliver clear, evidence-informed messages about the non-
image-forming effects of light. They address a wide range of topics, including the properties of
light, how the human eye detects and processes light, and the influence of light on various
physiological and psychological functions, such as the regulation of circadian rhythms, sleep,
mood, and alertness. The statements also consider how these responses may change with age
and include reflections on the current state of research in the field.

A consensus threshold of over 75% agreement was met for all but two of the original
statements:

1. "Light exposure can be described by its intensity: The total amount of energy across all
wavelengths from 380 to 780 nm."
2. "Higher light levels during the daytime reduce the physiological effects of light in the
evening and at night."

These statements did not meet the predefined consensus threshold, indicating variability in
expert agreement regarding their formulation or interpretation (**Figure 2**). The coordinating
committee carefully reviewed all contextual feedback provided by the Consortium. Open-ended
feedback revealed that Statement 1 was considered too general, with multiple members
recommending the inclusion of information on how the different characteristics of light are
weighted. In response, the coordinating committee revised the statement accordingly, and it
was subsequently included in the list of agreed-upon statements to be reviewed by the
Consortium. In contrast, Statement 2 was deemed to lack sufficient scientific evidence and was
therefore removed from the remainder of the consensus process.

Additionally, three of the original statements remained unrated by two participants, leading to
missing data in the final assessment. However, even if these unrated items were categorized as
"disagreed", the affected statements would still not fall below the 75% consensus criterion.

Therefore, they were retained the final set of statements (**Table 1** and **Supplementary Table 1**
with simplified statements and contextual information, **Figure 2**).

Consensus statements for public dissemination

The consensus process resulted in the development of 26 statements that were unanimously
agreed upon, focusing on the effects of light on humans. These statements provide scientifically
supported insights into how light influences physiological and psychological processes in
addition to vision. Additionally, the consensus process involved refining these statements into
simplified versions to enhance accessibility for a broader audience. Contextual information,
along with relevant references, was also incorporated to provide background knowledge and
real-world applications, ensuring a comprehensive understanding of the effects of light.

Evidence rating

The quality of the supporting scientific literature was assessed using a scoring system adapted
from the Oxford Centre for Evidence-Based Medicine (OCEBM) framework for rating individual
studies. This modified approach allowed for consistent evaluation of the strength and reliability
of the evidence cited supporting each statement, considering study design, methodological
rigour, and relevance to the topic **(Supplementary Table 2).** Several statements were
supported primarily by textbook knowledge or widely accepted biological principles, where
empirical clinical trials are not feasible. This reflects a limitation in the research method rather
than a lack of confidence.

Readability of statements

All scientific statements, simplified statements, and contextual information were assessed for
readability by an independent medical writer to ensure accessibility for a broad, non-specialist
audience. The Flesch-Kincaid Grade Level for the statements was 8.6, indicating an
approximate 8th-grade reading level, with a Flesch Reading Ease score of 59.3, suggesting the
content is moderately easy to understand for the general public. On average, the statements
contained 14.8 words per sentence and 5 characters per word. The contextual information had
a Flesch-Kincaid Grade Level of 10.3 and a Reading Ease score of 43.8, reflecting a slightly
more complex reading level. These sections averaged 13 words per sentence and 5.5
characters per word. In contrast, the full scientific versions of the statements were written at a

Flesch-Kincaid Grade Level of 11.6, with a Reading Ease score of 42.5, indicating more
advanced readability suitable for a specialist audience.

225 Discussion

Effective communication of scientific knowledge to the public is essential, especially when it
involves behavioural changes with significant implications for health and well-being. Translating
complex scientific findings about the effects of light on health into accessible information is
critical for promoting awareness and informed decision-making. This public education initiative
led to the creation of 26 consensus-based statements on the effects of light on humans,
explicitly designed for public dissemination. A high level of agreement (>75%) was achieved for
most statements among a group of scientists from different disciplines, with only two exceptions,
highlighting areas requiring further discussion and clarification. The iterative process of revising
the scientific statements, simplified statements, and contextual information, in collaboration with
co-authors, the consortium, and a medical writer skilled in communicating with lay audiences,
helped refine the language to improve accessibility and understanding for diverse readers. This
collaborative effort resulted in a measurable improvement in readability scores, ensuring that
the final materials were not only scientifically accurate but also suitable for effective
dissemination to the general public, educators, and policymakers. The improvement in reading
level reflects a critical step toward bridging the gap between complex scientific evidence and
real-world application.

242 Strengths and limitations

One of the key strengths of this initiative is that it represents the first set of consensus-based
statements specifically designed for public engagement on light and health. The expert-driven
modified Delphi process included input from multiple disciplines, ensuring that a broad range of
perspectives was incorporated. The statements underwent an iterative review and refinement
process, enhancing their accuracy and clarity. Additionally, readability testing was integrated to
ensure accessibility across varying levels of literacy and scientific familiarity. Collaborations with
international organizations further strengthened the potential for broad dissemination and
impact, increasing the likelihood that the findings will reach and influence a wide audience.
A potential limitation of this work is the presence of selection bias, as the roundtable participants
represented specific disciplinary backgrounds and may not fully capture the breadth of

perspectives. Participation from medical doctors was limited, which may have reduced the
clinical input into the health-related recommendations. In addition, experts from low- and middle-
income countries (LMICs) were underrepresented, potentially limiting the global applicability of
the consensus statements. For statements 18–21, it is especially important to consider regions
where high levels of ultraviolet (UV) radiation pose additional risks; in such settings,
recommendations for increased light exposure must be carefully balanced with sun-protection
guidance. Future initiatives could strengthen the generalizability of the statements by engaging
a more diverse range of stakeholders, including greater representation from clinical experts and
regional voices. Additionally, there was a necessary trade-off between scientific precision and
accessibility, leading to some degree of simplification in the messaging. Further validation of the
statements is needed, including public feedback and empirical testing to assess their
effectiveness in real-world communication settings. Another limitation is that the process did not
include a lay audience in an iterative feedback loop. Incorporating direct input from the general
public can provide valuable insights into how non-experts interpret and understand the
statements, improving their clarity and impact.
Assessing the quality of evidence on the effects of light on human physiology and psychology
presents unique challenges. Much of the foundational work in this field comes from laboratory
studies, observational research, and narrative reviews, which may not meet the highest levels of
evidence grading systems such as the OCEBM Levels of Evidence we used here. Moreover,
the field's interdisciplinary nature, spanning chronobiology, psychology, lighting engineering,
and public health, means diverse study designs and outcome measures are used, complicating
harmonized assessment. While formal grading frameworks offer a structure for evaluation, they
can undervalue high-quality mechanistic, observational, or exploratory research. While RCTs
are often regarded as the highest tier of clinical evidence, in the field of light and health, they are
not always feasible, ethical, or appropriate. In such cases, non-RCT designs provide
indispensable insights, and lower levels in the OCEBM hierarchy do not necessarily imply
weaker relevance or reliability. Additionally, several of the statements developed here represent
textbook knowledge, for which a clinical trial or similar (bio)medical study designs are
unsuitable. Our use of the OCEBM framework was intended to promote transparency in
evidence appraisal, but the interdisciplinary nature of this field requires integrating diverse forms
of evidence to inform public health messaging.

Importance of public engagement in light and health

The urgency of effectively communicating the effects of light on health stems from significant changes in the modern light environment. Increased electric lighting[21], prolonged screen exposure[22], and a growing disconnect from natural light-dark cycles have altered human exposure patterns to light and darkness[23].

Uncertainty persists regarding several aspects of the role of light in circadian health, sleep, and overall well-being. For instance, the consortium did not reach consensus on a statement addressing the extent to which daytime light exposure may counteract the effects of light at night, a topic that is only beginning to be explored in scientific research[24,25].

Clear, evidence-based messaging on the health impacts of light can empower individuals to make informed choices while also guiding policymakers in shaping workplace environments, urban design, and lighting standards. Through well-structured communication, individuals and decision-makers can be encouraged to prioritize light exposure in ways that support circadian health and overall well-being.

Plans for implementation

Building on the consensus statements and international collaborations, the next steps involve distributing the statements through organizational networks. A key milestone was the initiative's official launch on the UNESCO International Day of Light (16 May 2025). Further actions include (1) developing accessible outreach materials such as infographics, social media campaigns, and policy briefs to support dissemination in cooperation with public-health multipliers[17]; (2) translating statements into multiple languages to maximize accessibility and reach diverse populations; (3) establishing predefined indicators to monitor engagement and assess the impact of the communication efforts. Evaluation will include metrics such as website traffic, downloads, and social media analytics; surveys or focus groups to assess comprehension and uptake among target audiences; and tracking references or incorporation of the statements into institutional policies, guidelines, or professional recommendations. Together, these measures will enable assessment of both reach and real-world influence of the initiative. Future iterations will also involve direct testing with members of the public to optimize the clarity, accessibility, and effectiveness of the communication materials.

313 Conclusion

This expert consensus delivers clear and accessible messages on the impact of light on human
health. By translating scientific evidence into practical guidance, it serves as a valuable
resource for public education and policy development. Public health stakeholders, including
schools, employers, healthcare providers, and urban planners, can use these messages to
support healthier light exposure in everyday life. The statements emphasize the need to
consider light as a crucial factor in health, alongside sleep, nutrition, and physical activity.

Funding

The Ladenburg Roundtable "Light for health and well-being – from the biological principles to policy" (14-16 April 2024) was supported financially by the Daimler and Benz Foundation. The funders had no role in the content, decision to publish, or preparation of the statements. This work was also non-financially supported by International Commission on Illumination (Commission Internationale de l'Éclairage; CIE), the Society for Light, Rhythms and Circadian Health (SLRCH), the Daylight Academy (DLA), the Good Light Group (GLG), and the Center for Environmental Therapeutics (CET).

Data sharing statement

The data supporting the findings of this study, including anonymized voting outcomes and finalized consensus statements, are available at https://github.com/tscnlab/SpitschanEtal_BMJPublicHealth_2025. The data are licensed under the CC-BY 4.0 License, and the code is licensed under the MIT License. All materials used to develop public-facing statements, including simplified text and contextual explanations, are included in this manuscript and public dissemination materials. No individual-level or sensitive data were collected or analyzed as part of this consensus process.

Author contributions statement

Manuel Spitschan contributed to the conceptualization, methodology, investigation, writing of the original draft, review and editing, as well as project administration. Laura Kervezee, Oliver Stefani, and Jennifer A. Veitch each contributed to conceptualization, methodology, investigation, and the writing of both the original draft and subsequent review and editing. Marijke Gordijn contributed to conceptualization, methodology, investigation, writing of the original draft, review and editing, and also supported project administration. Renske Lok contributed to conceptualization, methodology, investigation, visualization, and the writing of the original draft, as well as review and editing. The Light for Public Health Consortium contributed to writing, review, and editing.

Guarantorship

M.S. accepts full responsibility for the finished work and/or the conduct of the study, had access to the data, and controlled the decision to publish.

Conflict of interest statements

M.S. declares the following potential conflicts of interest in the past five years (2021–2025).

Academic roles: Member of the Board of Directors, *Society of Light, Rhythms, and Circadian*

Health (SLRCH); Chair of *Joint Technical Committee 20 (JTC20)* of the *International*

Commission on Illumination (CIE); Member of the *Daylight Academy*; Chair of *Research Data*

Alliance Working Group Optical Radiation and Visual Experience Data. **Remunerated roles**:

Speaker of the Steering Committee of the *Daylight Academy*; Ad-hoc reviewer for the *Health*

and Digital Executive Agency of the *European Commission*; Ad-hoc reviewer for the *Swedish*

Research Council; Associate Editor for *LEUKOS*, journal of the *Illuminating Engineering*

Society; Examiner, *University of Manchester*; Examiner, *Flinders University*; Examiner,

University of Southern Norway. **Funding**: Received research funding and support from the *Max*

Planck Society, *Max Planck Foundation*, *Max Planck Innovation*, *Technical University of*

Munich, *Wellcome Trust*, *National Research Foundation Singapore*, *European Partnership on*

Metrology, *VELUX Foundation*, *Bayerisch-Tschechische Hochschulagentur (BTHA)*, *BayFrance*

(Bayerisch-Französisches Hochschulzentrum), *BayFOR (Bayerische Forschungsallianz)*, and

Reality Labs Research. **Honoraria for talks**: Received honoraria from the *ISGlobal*, *Research*

Foundation of the City University of New York and the *Stadt Ebersberg, Museum Wald und*

Umwelt. **Patents**: Named on European Patent Application EP23159999.4A ("*System and*

method for corneal-plane physiologically-relevant light logging with an application to

personalized light interventions related to health and well-being"). M.S. declares no influence of

the disclosed roles or relationships on the work presented herein.

J.A.V. declares the following potential conflicts of interest in the past three years (2023–2025).

Academic roles: President of the *International Commission on Illumination (CIE)*; this is an

unpaid role in a global non-profit scientific and standardization organization in the field of light

and lighting. J.A.V. declares no influence of the disclosed roles or relationships on the work

presented herein.

L.K. declares no potential conflicts of interest in the past three years (2023–2025).

M.G. declares the following potential conflicts of interest in the past three years (2023–2025).

Employment: *Chrono@Work B.V.* (salary received as an employee). **Academic roles**: Member

of the *Good Light Group* (unpaid). M.G. declares no influence of the disclosed roles or

relationships on the work presented herein.

O.S. declares the following potential conflicts of interest in the past five years (2023–2025).

T**ravel support**: Reimbursement for attending the Ladenburg Roundtable "Light for health and

well-being – from the biological principles to policy" (April 2025), supported by the *Daimler and

Benz Foundation*. **Academic roles**: Member of the Board of Directors, *Schweizer Licht*

Gesellschaft (Swiss Lighting Society). O.S. declares no influence of the disclosed roles or

relationships on the work presented herein.

R.L. declares the following potential conflicts of interest in the past five years (2023–2025).

Funding: Salary supported by the *National Institute on Aging (NIA)* through the NIH Pathway to

Independence Award (K99/R00), grant number K99AG08484. **Travel support**: Financial

support received from the *Center for Environmental Therapeutics* (for SLTBR 2024, Prague)

and from *Sleep Europe Congress* (2024, Sevilla). **Academic roles**: Board Member (2018–

2024) and Vice President (from 2024), *Society for Light, Rhythms, and Circadian Health*. R.L.

declares no influence of the disclosed roles or relationships on the work presented herein.

Figures

Figure 1. Flow chart. The coordinating committee led the initial development of key statements, which were then submitted for consensus approval by the Light for Public Health Consortium. Each statement received feedback, with in-depth input from four Consortium members incorporated into the revisions. Once the core statements were finalized, simplified versions and contextual information were developed, followed by an additional round of feedback. A medical writer then assessed the document for English readability, ensuring accessibility while preserving the original scientific statements. Finally, the Light for Public Health Consortium was given a final opportunity to review the scientific statements, along with their simplified versions and contextual details, before finalization. Boxes in light blue indicate steps led by the steering committee (n=6), white presents the Consortium (n=25) and grey the independent external medical writer (n=1).

Figure 2. Consensus process and expert agreement levels. This figure illustrates the consensus process for 27 statements on the non-image-forming effects of light, displaying the proportion of participants (n=19) who agreed (green), disagreed (orange), or did not provide a response (orange). Horizontal bars display agreement levels for each statement, with darker shades indicating higher percentages. The consensus threshold is set at 75%. Statements that did not meet this threshold were either amended following contextual feedback or excluded from further consideration. The figure highlights areas of strong agreement as well as topics where expert opinions varied, reflecting the complexity of certain concepts in light and health research.

Tables

Table 1: Public health messages on the non-visual effects of ocular light exposure. The "Statement" column provides detailed descriptions using technical terminology. SImplified statements and contextual information is given in **Supplementary Table 1**.

Number	Statement
1	Light can be described by its spectrum: how much energy there is at each wavelength across the visible spectrum (from approximately 380 to 780 nm).
2	The pattern of one's light exposure across the day and the year can be quite complex, and depends on where one is and what one does.
3	Light exposure can be described by its intensity: The total amount of energy across all wavelengths from 380 to 780 nm, weighted according to the function of interest.
4	Daylight has what we call a broad spectrum, with a lot of energy across many wavelengths.
5	Different electric light sources (e.g., LED or fluorescent lamps, etc.) have different spectra.
6	The properties of daylight (spectrum, intensity and spatial distribution) vary throughout the day and the year, and with changing weather.
7	The human eye contains the retina, which has several photosensitive cells that differ in their responses to different wavelengths.
8	The cones allow us to see colour, motion and spatial detail in bright lighting conditions.
9	The rods allow us to see rudimentary spatial detail under dim light.
10	The intrinsically photosensitive retinal ganglion cells (ipRGCs) convert light into signals that influence many physiological functions.
11	Predominantly through the ipRGCs, light causes the suppression of melatonin in the evening and at night.
12	Light is the main signal that ensures the circadian system is synchronized to the 24- hour cycles in the environment.
13	Light directly influences the biological clock in the brain, regulating sleep-wake cycles and other daily physiological rhythms.
14	Light in the morning can advance the circadian clock, and light in the evening can delay the circadian clock.
15	Light can also boost alertness and cognitive function under some conditions.
16	What determines these physiological responses to light is primarily determined by how much light reaches the retina and stimulates the ipRGCs at a certain time.
17	Higher light levels in the evening can increase the time to fall asleep.
18	Higher light levels during the daytime can improve mood.
19	Higher light levels during the daytime can improve sleep quality in the following night.
20	Following a medically-prescribed protocol for bright light, exposure in the morning can lead to improvements in mood for people with certain clinical diagnoses.
21	A healthy pattern of daily light exposure includes a rhythm of bright light and darkness every day.
22	Age can influence the physiological effect of light on humans, as less light reaches the retina because of ageing.
23	There are substantial individual differences in the physiological response to light.
24	The majority of studies on the physiological effects of light have been performed in the laboratory.
25	There is a need for studies on the physiological effects of light incorporating a broad range of study populations.
26	The physiological effects of light are an area of active investigation.

References

1.   Provencio I, Rodriguez IR, Jiang G, Hayes WP, Moreira EF, Rollag MD. A novel
human opsin in the inner retina. *J Neurosci*. Jan 15 2000;20(2):600-5.
doi:10.1523/JNEUROSCI.20-02-00600.2000
2.   Blume C, Garbazza C, Spitschan M. Effects of light on human circadian rhythms,
sleep and mood. *Somnologie (Berl)*. Sep 2019;23(3):147-156. doi:10.1007/s11818-019-
00215-x
3.   Hughes S, Jagannath A, Rodgers J, Hankins MW, Peirson SN, Foster RG.
Signalling by melanopsin (OPN4) expressing photosensitive retinal ganglion cells. *Eye*
(Lond). Feb 2016;30(2):247-54. doi:10.1038/eye.2015.264
4.   Duffy JF, Czeisler CA. Effect of Light on Human Circadian Physiology. *Sleep*
Med Clin. Jun 2009;4(2):165-177. doi:10.1016/j.jsmc.2009.01.004
5.   Brainard GC, Hanifin JP, Rollag MD, et al. Human melatonin regulation is not
mediated by the three cone photopic visual system. *J Clin Endocrinol Metab*. Jan
2001;86(1):433-6. doi:10.1210/jcem.86.1.7277
6.   Khalsa SB, Jewett ME, Cajochen C, Czeisler CA. A phase response curve to
single bright light pulses in human subjects. *J Physiol*. Jun 15 2003;549(Pt 3):945-52.
doi:10.1113/jphysiol.2003.040477
7.   St Hilaire MA, Gooley JJ, Khalsa SB, Kronauer RE, Czeisler CA, Lockley SW.
Human phase response curve to a 1 h pulse of bright white light. *J Physiol*. Jul 1
2012;590(13):3035-45. doi:10.1113/jphysiol.2012.227892
8.   Lok R, Smolders K, Beersma DGM, de Kort YAW. Light, Alertness, and Alerting
Effects of White Light: A Literature Overview. *J Biol Rhythms*. Dec 2018;33(6):589-601.
doi:10.1177/0748730418796443
9.   Cajochen C, Zeitzer JM, Czeisler CA, Dijk DJ. Dose-response relationship for
light intensity and ocular and electroencephalographic correlates of human alertness.
Behav Brain Res. Oct 2000;115(1):75-83. doi:10.1016/s0166-4328(00)00236-9
10.   Zeitzer JM, Dijk DJ, Kronauer R, Brown E, Czeisler C. Sensitivity of the human
circadian pacemaker to nocturnal light: melatonin phase resetting and suppression. *J*
Physiol. Aug 1 2000;526 Pt 3(Pt 3):695-702. doi:10.1111/j.1469-7793.2000.00695.x
11.   Gooley JJ, Chamberlain K, Smith KA, et al. Exposure to room light before
bedtime suppresses melatonin onset and shortens melatonin duration in humans. *J Clin*
Endocrinol Metab. Mar 2011;96(3):E463-72. doi:10.1210/jc.2010-2098
12.   Lok R, Joyce DS, Zeitzer JM. Impact of daytime spectral tuning on cognitive
function. *J Photochem Photobiol B*. May 2022;230:112439.
doi:10.1016/j.jphotobiol.2022.112439
13.   Vandewalle G, Maquet P, Dijk DJ. Light as a modulator of cognitive brain
function. *Trends Cogn Sci*. Oct 2009;13(10):429-38. doi:10.1016/j.tics.2009.07.004
14.   Schlangen LJM, Price L, Sliney D, Spitschan M. Report on the Workshop Use
and Application of the new CIE S 026/E: 2018, Metrology for ipRGC-influenced
responses to light "specifying light for its eye-mediated non-visual effects in humans".
Proceedings of the 29th Session of the CIE. CIE; 2019:114-118.

15.   Brown TM, Brainard GC, Cajochen C, et al. Recommendations for daytime,
evening, and nighttime indoor light exposure to best support physiology, sleep, and
wakefulness in healthy adults. *PLoS Biol*. Mar 2022;20(3):e3001571.
doi:10.1371/journal.pbio.3001571
16.   Ammerman A, Smith TW, Calancie L. Practice-based evidence in public health:
improving reach, relevance, and results. *Annu Rev Public Health*. 2014;35(1):47-63.
doi:10.1146/annurev-publhealth-032013-182458
17.   Kervezee L, Blume C, Brainard GC, et al. Call for a coordinated international
communications effort on the effects of ocular light exposure on health and well-being:
White paper from the Ladenburg Roundtable. *Open Science Framework*.
2024;doi:10.17605/OSF.IO/RXA35
18.   Harris PA, Taylor R, Minor BL, et al. The REDCap consortium: Building an
international community of software platform partners. *J Biomed Inform*. Jul
2019;95:103208. doi:10.1016/j.jbi.2019.103208
19.   Harris PA, Taylor R, Thielke R, Payne J, Gonzalez N, Conde JG. Research
electronic data capture (REDCap)--a metadata-driven methodology and workflow
process for providing translational research informatics support. *J Biomed Inform*. Apr
2009;42(2):377-81. doi:10.1016/j.jbi.2008.08.010
20.   [dataset] Spitschan M, Kervezee L, Stefani O, Gordijn MCM, Veitch JA, Lok R.
Data from: Data and code for "Evidence-based public health messaging on the non-
visual effects of ocular light exposure: A modified Delphi expert consensus". 2025.
GitHub. https://github.com/tscnlab/SpitschanEtal_BMJPublicHealth_2025
21.   Brox J. *Brilliant: the evolution of artificial light*. Houghton Mifflin Harcourt; 2010.
22.   Van der Maren S, Moderie C, Duclos C, Paquet J, Daneault V, Dumont M. Daily
Profiles of Light Exposure and Evening Use of Light-emitting Devices in Young Adults
Complaining of a Delayed Sleep Schedule. *J Biol Rhythms*. Apr 2018;33(2):192-202.
doi:10.1177/0748730418757007
23.   Wright KP, Jr., McHill AW, Birks BR, Griffin BR, Rusterholz T, Chinoy ED.
Entrainment of the human circadian clock to the natural light-dark cycle. *Curr Biol*. Aug
19 2013;23(16):1554-8. doi:10.1016/j.cub.2013.06.039
24.   Burns AC, Saxena R, Vetter C, Phillips AJK, Lane JM, Cain SW. Time spent in
outdoor light is associated with mood, sleep, and circadian rhythm-related outcomes: A
cross-sectional and longitudinal study in over 400,000 UK Biobank participants. *J Affect
Disord*. Dec 1 2021;295:347-352. doi:10.1016/j.jad.2021.08.056
25.   Burns AC, Windred DP, Rutter MK, et al. Day and night light exposure are
associated with psychiatric disorders: an objective light study in >85,000 people. *Nature
Mental Health*. Nov 2023;1(11):853-862. doi:10.1038/s44220-023-00135-8
507