Brief report

Resident Odor Reports and Differing Health Outcomes in Areas of High Industrial Emission Odor, Louisville, Kentucky

Angelina Rangel[1], Lauren B. Anderson[1], Rochelle H. Holm[1*], and Ted Smith[1]

[1]Center for Healthy Air, Water and Soil, Christina Lee Brown Envirome Institute, School of Medicine, University of Louisville, Louisville, KY, USA

*Address correspondence to Rochelle H. Holm, Center for Healthy Air, Water and Soil, Christina Lee Brown Envirome Institute, School of Medicine, University of Louisville, 302 E. Muhammad Ali Blvd., Louisville, KY 40202 (e-mail: rochelle.holm@louisville.edu)

Abstract

Environmental odors can impact health and risk perception. Participatory, or citizen science, can provide important data through odor reporting. This study leverages participatory public health science through the Smell MyCity app to investigate resident-reported odors and their association with health outcomes in Louisville, KY. We analyzed 6,868 odor reports from 2018 to 2024, to identify census tracts where industrial and chemical odor reports cluster. Disease prevalence from the CDC's PLACES data were compared between these tracts and the entire county. Results suggest associations between frequent odor reporting areas and increased health risks, highlighting the public health significance of environmental odors and the importance of community-driven data collection. This community-driven reporting initiative serves as a model in areas which also have high industrial emission odor.

Keywords: air pollution, citizen science, community health experience, environmental health

1. Introduction

Environmental odors can affect health and influence perceptions of health risk (Piccardo et al., 2022). Community science is a powerful public health tool for odor reporting (Hsu et al., 2020). Odorous air pollution can degrade quality of life, causing symptoms ranging from headaches and gastrointestinal distress to respiratory issues (Guadalupe-Fernandez et al., 2021). The extent of these and other health effects is difficult to ascertain due to the lack of near-real time data about odor presence available to associate with health status.

2. Methods

The goals of the project were to: (1) analyze resident-reported odors and identify geographic patterns, (2) compare disease prevalence in areas with more frequent industrial and chemical resident odor reports to the rest of the county, and (3) showcase participatory public health science as a pioneering approach for prioritizing odor investigations by local authorities.

After a soft launch, the Smell MyCity app (The CREATE Lab, 2023) was introduced to the Louisville community in March of 2019 with support from community-based organizations, the University of Louisville, and local government agencies (Louisville Public Media, 2019). The mobile phone applications prompt community members to rate the intensity of odors from 1 (just fine!) to 5 (almost as bad as it gets!), adding odor descriptions and other optional details and captures location information from the phone. Smell reports were immediately displayed on the public Smell MyCity map (The CREATE Lab, 2023), submitted to Louisville's Air Pollution Control District and made available for public download. Our analysis focused on descriptions related to industrial and chemical odors, March 2018 through September 2024 (Supplementary

Table S1). Coding was by two authors (AR and LBA). The ArcGIS Pro version 2.9.5 (Redlands, CA) Kernel Density tool was used to identify areas where noxious odor reports were highest across the county. We then compared disease prevalence rates from the 2022 PLACES data (Centers for Disease Control and Prevention, 2024) for asthma, cancer, chronic obstructive pulmonary disease (COPD), coronary heart disease (CHD), depression, diabetes, obesity, and stroke between the census tracts with higher odor reports and the countywide average.

The data analyzed were publicly available and therefore institutional review board approval was not required. All data were anonymous and do not include personal identifiers.

3. Results

The intervention was implemented in Louisville, Kentucky, a city with a long history of industrial odors and air pollution. Between 2018 and 2024, residents submitted 6,868 smell reports with odor descriptions to the Smell MyCity app; 1,119 complaints described industrial and chemical odors and assigned smell values of 3 or greater. While odor reports were submitted from across Louisville, many complaints originated in the northwestern area of the city. Kernel Density analysis highlighted two census tracts with high frequencies of industrial and chemical odor reports: Census Tract 14 (21111001400) with 163 complaints and Census Tract 50 (21111005000) with 83 complaints, in the Chickasaw and California neighborhoods respectively (Figure 1). Higher disease prevalence between the census tracts of interest and Louisville were observed for asthma, cancer, COPD, CHD, depression, diabetes, obesity, and stroke (Table 2). These neighborhoods are near the historically significant industrial corridor known as "Rubbertown" due to its prominence in the chemical production of synthetic rubber and related petrochemical activities. This area had previously been the focus of the West Louisville Air Toxics Study (WLATS) conducted between April 2000 and December 2005, a comprehensive air monitoring initiative in response to longstanding resident concerns about emissions from local industries. That research ultimately created the U.S. EPA Strategic Toxic Air Reduction (STAR) Program, which was locally enacted in June 2005, aimed to significantly reduce toxic air pollutants and address public health risks associated with industrial emissions in Louisville (Air Pollution Control District, 2024).

The members of the West Jefferson County Community Task Force (WJCTF) and Rubbertown Emergency Action (REACT) have advocated for cleaner air, monitored air quality, and assessed

health risks associated with air pollutants for residents living in west Louisville. The WJCCTF and REACT promoted the Smell MyCity initiative with the aim to enhance transparency in reporting, bolster citizen trust, and effectively collect data on problematic areas to bring to the attention of APCD.

4. Discussion

The motivation behind this intervention was to re-valuate the utility of odors, especially those from industrial sources, as possible indicators of environmental health risks rather than limiting their value as a public nuisance as characterized by air quality regulation. By exploring associations between places with frequent industrial and chemical odor reports and observed disease burden, a new seriousness may be given to the frequent presence of these odors. Furthermore, by empowering residents to report their observations in such a participatory science framework, communities can more directly affect public perception and policy (Den Broeder et al., 2018). Thus, our project aimed to investigate the association between industrial and chemical odor reports and the prevalence of specific health conditions, expanding data sources which may be useful to identify and address potential health disparities. We aimed to determine whether there is an association between community-reported odors and a range of health conditions in an area with industrial emissions for prioritizing investigations by local authorities.

Continuing the use and promotion of applications like Smell MyCity can empower residents to document and report odors, thereby enabling detailed investigations into odor sources and related health impacts. This not only improves public health but also strengthens environmental justice initiatives. However, sustainability ultimately depends on ongoing application maintenance by

third-party providers, such as Smell MyCity's Carnegie Mellon team, and ensuring the app remains free for the public. Unlike other research that aligns odor reports with major spatial landmarks for prioritization (Jia et al., 2021), our intervention uniquely integrates these reports with health outcomes to enhance prioritization strategies. The sustainability of this activity is facilitated by strong collaborations among community organizations, academic institutions, and local government agencies committed to analyzing the data and engaging. These partnerships foster resource sharing and collaborative problem-solving, driving active community involvement and data-driven public health advocacy.

5. Conclusion

Research and analysis of participatory community data, made possible through programs like Smell MyCity, play a crucial role in preserving trust and engagement in public health activities at both local and broader scales. Ultimately, our approach offers a potential model for how grassroots odor reporting efforts can be recognized and respected in environmental health and policy, benefiting both local communities and broader public health initiatives.

ACKNOWLEDGMENTS
We would like to extend our sincere thanks to the Carnegie Mellon CREATE Lab for developing the Smell MyCity smartphone application and for making its data freely available to the public. We also thank Anna Dusterhoff for data support. This work was supported by the Owsley Brown II Family Foundation and the NIH (P42 ES023716). The funders had no role in the study design, data collection and analysis, decision to publish, or manuscript preparation.

COMPETING INTERESTS
The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

CONTRIBUTORS
Conceptualization: TS; Methodology: LBA, TS; Formal analysis: AR, LBA; Writing-original draft preparation: LBA, RHH; Writing-review and editing: AR, LBA, RHH, TS; Supervision: TS; Project administration: LBA. All the authors have read and agreed to the published version of this manuscript.

DATA SHARING
Smell MyCity source data are publicly available, links are provided in the references.

References

Air Pollution Control District. West Louisville Air Toxics Study. Retrieved from
https://louisvilleky.gov/government/air-pollution-control-district/west-louisville-air-toxics-study Accessed November 13, 2024.

Centers for Disease Control and Prevention. PLACES 2022. Retrieved from
https://www.cdc.gov/places Accessed November 6, 2024.

Den Broeder, L., Devilee, J., Van Oers, H., Schuit, A. J., Wagemakers, A. (2018). Citizen science for public health. *Health Promotion International*, 33(3), 505–14.

Guadalupe-Fernandez, V., De Sario, M., Vecchi, S., et al. (2021). Industrial odour pollution and human health: a systematic review and meta-analysis. *Environmental Health*, 20, 1–21.

Hsu, Y.C., Cross, J., Dille, P., et al. (2020). Smell Pittsburgh: engaging community citizen science for air quality. *ACM Transactions on Interactive Intelligent Systems*, 10(4), 1–49.

Jia, C., Holt, J., Nicholson, H., et al. (2021). Identification of origins and influencing factors of environmental odor episodes using trajectory and proximity analyses. *Journal of Environmental Management*, 295, 113084.

Louisville Public Media. 'Smell MyCity' Is Louisville's Smell Something, Say Something App. Retrieved from https://www.lpm.org/news/2019-03-30/smell-mycity-is-louisvilles-smell-something-say-something-app Accessed November 13, 2024.

Piccardo, M. T., Geretto, M., Pulliero, A., Izzotti, A. (2022). Odor emissions: a public health concern for health risk perception. *Environmental Research*, 204, 112121.

The CREATE Lab. Smell MyCity. Retrieved from https://smellmycity.org/ Accessed August 9, 2023.

Table 1. Summary of mean 2022 PLACES disease prevalence rates for asthma, cancer, chronic obstructive pulmonary disease, coronary heart disease, depression, diabetes, obesity, and stroke for census tracts with a high density of odor reports compared to Louisville as a whole. 95% confidence intervals are provided for the countywide group.

2022 PLACES disease	High density odor report census tract 14 (21111001400)		High density odor report census tract 50 (21111005000)	
	Census tract mean %	Countywide mean % (95% CI)	Census tract mean %	Countywide mean % (95% CI)
Asthma	14.7%	11.3% (11.1–11.5)	13.5%	11.3% (11.1–11.5)
Cancer	4.8%	7.9% (7.6–8.2)	7.7%	7.9% (7.6–8.2)
Chronic obstructive pulmonary disease	11.1%	9.2% (8.7–9.6)	15.1%	9.2% (8.7–9.6)
Coronary heart disease	7.8%	7.6% (7.3–7.8)	11.9%	7.6% (7.3–7.8)
Depression	24.3%	25.6% (25.3–25.9)	26.9%	25.6% (25.3–25.9)
Diabetes	21.7%	14.3% (13.7–14.9)	21.8%	14.3% (13.7–14.9)
Obesity	51.7%	37.9% (36.9–38.8)	44.0%	37.9% (36.9–38.8)
Stroke	6.4%	4.1% (3.8–4.3)	7.7%	4.1% (3.8–4.3)

Figure 1. Map of Louisville, Kentucky: Census tracts with high odor report frequency are outlined in black. Kernel Density analysis highlighted two census tracts with high frequencies of industrial and chemical odor reports: Census Tract 14 (21111001400) with 163 complaints and Census Tract 50 (21111005000) with 83 complaints.

Supplementary Material

Resident Odor Reports and Differing Health Outcomes in Areas of High Industrial Emission Odor, Louisville, Kentucky

Angelina Rangel[1], Lauren B. Anderson[1], Rochelle H. Holm[1], and Ted Smith[1]

[1]Center for Healthy Air, Water and Soil, Christina Lee Brown Envirome Institute, School of Medicine, University of Louisville, Louisville, KY, USA

Address correspondence to Rochelle H. Holm, Center for Healthy Air, Water and Soil, Christina Lee Brown Envirome Institute, School of Medicine, University of Louisville, 302 E. Muhammad Ali Blvd., Louisville, KY 40202 (e-mail: rochelle.holm@louisville.edu)

Table of Contents

Supplementary Table S1. Code analysis for reported odors from the Smell MyCity app. This study was limited to odor descriptions related to industrial and chemical odors (ID 2).

ID	Resident-reported odor detail
1	Biological Mixture (fecal, rancid, decay/death, JBS)
2	Chemical Mixture (plastic, glue, rubber, sweet, polish remover, burnt/burning, garlic, cat pee/ammonia/urine, acid, industrial, chemical, alcohol)
3	Natural Gas/Fuel (gas, oil, fuel, cabbage, rotten eggs, sulfur)
4	Sewage (MSD, sewage, feces)
5	Misc (garbage, trash, open burns, drugs, etc.)