Climate change, hygiene, and health: a research roadmap for climate adaptation

Authors

Jessica Gerard[1,2*], Lauren D'Mello-Guyett[1, 2*], Jane Falconer[3], Camille Heylen[4], Sari Kovats[5], and
Robert Dreibelbis[1]

Corresponding author: lauren.dmello-guyett@lshtm.ac.uk

*These authors contributed equally as first author.

Affiliations

    9   1   Environmental Health Group, London School of Hygiene & Tropical Medicine, UK
2   Centre for Climate Change and Planetary Health, London, UK
3   Library and Archives Service, London School of Hygiene & Tropical Medicine, London, UK
4   Independent Consultant, Brussels, Belgium
5   NIHR Health Protection Research Unit in Climate Change and Health Security, Faculty of
Public Health and Policy, London School of Hygiene & Tropical Medicine, London, UK

Abstract

Climate change is intensifying hazards that threaten population health, including those that undermine
hygiene behaviours, services, and infrastructure. While water and sanitation feature in climate–health
agendas, hygiene, and the behaviours and enabling conditions that interrupt disease transmission,
remains under-specified. We identified critical research priorities at this intersection through a
structured, consensus-driven process involving global experts. Using the Child Health and Nutrition
Research Initiative (CHNRI) method, we generated potential research questions via a rapid scoping
review and key informant interviews. After screening and refinement, 57 questions were classified
using the "4Ds" framework (description, delivery, development, discovery) and scored by global
stakeholders against four weighted criteria: relevancy, answerability, potential impact, and potential
for translation. The multilingual survey was disseminated globally and completed by 141 respondents
from 40 countries representing academic, non-governmental, multilateral, and government sectors.

The top 20 research priorities spanned all aspects of hygiene and climate-related hazards and impact
drivers, with 75% focussing on descriptive research to quantify disease burdens, understand hygiene
practices and coping strategies under climate stress. Climate-related hazards, such as extreme
weather events, dominated the questions (55%) with water scarcity as the second most frequently
cited climate impact driver. Delivery-focused priorities (20%) addressed preparedness strategies,
targeted support for vulnerable groups, and hygiene promotion during hazards. Only one top-ranked

question related to intervention development. Equity considerations, particularly for people with
disabilities, women, and girls, featured prominently.

This research agenda addresses a critical gap in climate–health priorities by explicitly linking climate
hazards to hygiene practices, infrastructure, and behaviour change needs. By directing attention and
resources to these priorities, we aim to guide future research investments, inform policy, and support
programming responsive to climate-driven hygiene challenges. The agenda complements global
initiatives on climate and health, emphasising the need for evidence-based strategies to safeguard
health in an increasingly unstable climate.

Keywords
Climate change, disasters, hygiene, health, wellbeing, research

Introduction

Hygiene encompasses a diverse set of behaviours aimed at reducing the risk of disease transmission, spanning domestic and institutional settings. Modifying these behaviours can reduce the multiple exposure routes important for disease transmission through hands, food, and surfaces. Inadequate hygiene remains a major contributor to the global burden of disease: poor hand hygiene was linked with nearly three-quarters of a million deaths from diarrheal disease and acute respiratory infections in 2019 (1). Inadequate food hygiene is a major source of the estimated 600 million cases of foodborne illness and 420,000 deaths in 2010, the last year for which global estimates are available (2). Studies in healthcare and public settings have shown how specific pathogens move through environments via high-touch surfaces and a lack of robust hygiene protocols (3).

Climate change poses an escalating threat to population health. Over half of known human pathogenic diseases are aggravated by climatic factors, due to the alteration of behaviour, range, and longevity of vectors, hosts and reservoirs, and increased propagation of viruses, bacteria, and protozoa (4, 5). As these disease pressures rise, effective hygiene practices become increasingly critical to reduce infectious and chemical risks (6).

However, the same climatic changes that heighten the need for hygiene also undermine the infrastructure, resources and services that enable it. Slow-onset events, such as drought and land degradation, and acute shocks, such as floods and cyclones, are undermining water and sanitation systems and disrupting critical supply chains (7-12). Climate change is reducing overall water availability, for example, through the reduction of glaciers and snowpack that are crucial for freshwater supply (13). Seasonal and annual rainfall patterns are becoming less predictable, contributing to household water scarcity and heightened perceptions of insecurity that drive changes in household water use (14-16). Without reliable access to water and sanitation services or hygiene products, the likelihood of unsafe hygiene behaviours and disease exposure increases, further exacerbating the health risks posed by climate change (1, 12).

Climate hazards threaten all aspects of hygiene. Shifts in water resources and service reliability can trigger coping mechanisms that have direct implications for hygiene and health. Reduced water availability often forces households to prioritise water use for drinking and cooking over hygiene needs, reducing handwashing, bathing, or cleaning (17-23). Households may also use more contaminated sources for washing, cleaning, or food preparation (24-26). Water scarcity can decrease the frequency of handwashing and bathing, heightening risks of enteric and dermatological infections (19, 27, 28). In coastal areas, saltwater intrusion further limits freshwater availability, increasing reliance on brackish water for household cleaning and bathing (29, 30)

Alongside these slow-onset challenges, extreme weather events, such as floods and storms, can also
reduce household access to water by damaging infrastructure. This can drive behaviours such as
reduced hygiene and washing or laundering in contaminated waters (31, 32). Menstruating women
and girls face specific challenges during disasters due to compounded barriers in accessing water
and sanitation services or hygiene products (33-35). People with disabilities may be at greater risk
because of existing vulnerabilities and limited ability to express their hygiene needs or access safety
information (36, 37). Floods and cyclones can also destroy or overwhelm sanitation facilities, leading
to increased open defecation or faecal contamination of the home environment (38, 39). Households
are also exposed to pathogens and chemical pollutants through contamination of surfaces and
stagnant water left behind from floods (40-43).

Food hygiene is similarly threatened. Changes in ambient temperature, precipitation, and humidity
affect food safety during storage and preparation, facilitating the growth of and spread of foodborne
pathogens and toxins (44, 45). Ocean warming, climate-driven acidification, and shifts in salinity and
precipitation alter the biochemical properties of water, impacting microflora and the persistence and
patterns of pathogenic bacteria, harmful algal blooms, and chemical contaminants in foods (46-48).
Extreme weather events can damage or contaminate household food storage facilities, increasing the
risk of cross-contamination and outbreaks of foodborne illness.

Research on the role of climate determinants in population health is increasing (49, 50), supported by
national adaptation plans and strategic research agendas that emphasise actions to reduce the
impacts of climate change (51, 52). Recent frameworks, including the National Academies of
Medicine's research agenda (53), the European Commission's Strategic Research and Innovation
Agenda on Health and Climate Change (54), and the National Institute of Health's Climate Change
and Health Initiative (55), identify priority domains such as health impacts, adaptation and mitigation,
infrastructure and capacity, and evidence-to-policy translation. The World Health Organization's
(WHO) latest global research agenda on climate change and health similarly highlights these
domains, with a strong emphasis on equity and action priorities. While water and sanitation services
are recognised as a critical component across these agendas, hygiene, encompassing behaviours,
services and enabling determinants, remains comparatively under-specified (56).

Hygiene does feature in a limited number of climate adaptation strategies and research agendas. In
2024, WHO and UNICEF released a joint review identifying new indicators to enhance national and
global monitoring of climate-resilient WASH, including monitoring of hygiene-related infrastructure and
behavioural elements (57, 58). Similarly, guidance on climate-resilient WASH from UNICEF
acknowledges the need to change behaviours as well as address infrastructure (59). In Europe, there

are new frameworks assessing the emerging climate-related risks to food safety, including fungal
toxins and seafood contamination, and identifying vulnerabilities in the microbiological safety of food
under scenarios of extreme weather, supply chain disruption and changing production practice (60).
Meanwhile, WHO's hand hygiene research agenda for 2023-2030 and related initiatives mention the
potential of behaviour change to enhance hygiene under climate stress in both domestic and
institutional settings (61-63).

Understanding the interplay between climate hazards, hygiene practices, and health outcomes is
challenging due to the complex, multi-sectoral, and context-specific pathways involved. Factors such
as social norms, poor infrastructure resilience, service delivery models, and the lack of prioritisation of
adaptation undermine action. This highlights why dedicated research is urgently needed to move
beyond acknowledging the problem to identifying specific, evidence-based priorities for action.

This study sought to identify consensus-based research priorities at the intersection of climate
change, hygiene, health, and well-being. By systematically identifying and ranking key research gaps
through global expert engagement, the aim is to guide future research investments, inform policy and
support programming that is responsive to the climate-driven hygiene challenges faced by diverse
communities. These priorities are intended to ensure that research efforts align with the needs
articulated by national and local practitioners, policymakers and researchers working across
disciplines and sectors.

Methods

To define research priorities on climate change, hygiene, and health, we used a consultative approach based on the Child Health and Nutrition Research Initiative (CHNRI) method to identify research questions and prioritise them in a transparent, consultative, comprehensive and replicable manner (64). The CHNRI methodology has been used previously in prioritising health research investments. We combined the full CHNRI process into three steps: question identification, question refinement, and scoring and prioritisation. The entire process was overseen by the study team, four individuals who represent a diversity of expertise in areas of climate impacts, adaptation, and hygiene (LDG, JG, SK, RD).

Step 1. Question identification

The scope of the research questions and research prioritisation exercise was agreed upon by the study team at the outset (**Table 1**).

Table 1. Scope of the research prioritisation exercise	
Area	**Scope**
Target population	All global regions are experiencing climate hazards, recognising that while exposure is universal, research should prioritise communities with the greatest vulnerability and lowest adaptive capacity.
Geographical scope	Global
Time horizon	Questions should be answerable by 2035, capturing both short-term, medium-term, and longer-term evidence needs
Outcomes of interest	Health outcomes (e.g., disease burdens, morbidity and mortality, wellbeing, and quality of life); behavioural outcomes (e.g., hygiene practices, social norms, coping strategies); human rights-based outcomes (e.g., right to adequate hygiene, wellbeing, dignity, privacy); and inclusive health outcomes (e.g., consideration of people with disabilities, women/ girls, older adults).

An initial set of potential questions was identified through a rapid scoping review and key informant interviews. Full details on these methods are provided in Supplemental Material 1 (Tables 1 and 2). A total of 116 peer-reviewed manuscripts and 55 key informant interviews formed this initial dataset. The study team reviewed manuscripts and interview transcripts and extracted relevant research questions related to any combination of the intersection of climate change, hygiene, health, and well-being.

The study team screened, de-duplicated and refined questions to ensure relevance to study aims. Questions were organised to address climate impact drivers and specific climate hazards following the Intergovernmental Panel on Climate Change (IPCC) framework: (Figure 1). Climate impact drivers

include changing precipitation patterns, prolonged dry spells or intensified rainfall, sea level rise,
which contributes to inundation, coastal change, and increased salinisation, rising average
temperatures, reduced soil moisture, and increased atmospheric humidity. Climate-related hazards
are specific weather or climate events, and include hydrometeorological hazards (floods, tropical
cyclones, heavy rainfall events); temperature extremes (heatwaves and cold waves), and compound
events, like concurrent drought (65-67).

Figure 1. Definitions and examples of climate impact drivers and climate-related hazards,
adapted from the Intergovernmental Panel on Climate Change (IPCC) framework

We further organised the research questions by three broad hygiene domains (68, 69), drawing on
definitions of behaviour from the Capability, Opportunity and Motivation Behaviour (COM-B) model
(70). We defined *personal hygiene* as behaviours focused on maintaining the cleanliness of the body
to support health and well-being. Examples include bathing, handwashing, toilet use, menstrual
hygiene, hygiene material access, and incontinence care. We defined *domestic hygiene* as
behaviours that clean and sanitise the household and peri-domestic environment. Examples include
washing clothes and bedding; cleaning the toilet, floor, and surfaces; water storage practices;
domestic animal, livestock, and vector habitat management; post-flood cleaning; and managing solid
waste. We defined *food hygiene* as behaviours related to safe food handling. This includes food
storage, food preparation and washing, cross-contamination prevention in the home, and ensuring
food safety from preparation to consumption.

Step 2. Question refinement

Question identification (Step 1) resulted in a total of 141 research questions. These questions were
reviewed by six technical advisors from academic institutions (see Acknowledgements). The advisors
assessed the questions for relevance to climate change, hygiene, and health; checked for duplication;
and provided editorial feedback. This review process refined and consolidated the list to 57 questions.

The study team classified these 57 questions according to definitions from the "4Ds framework" of
description, delivery, development, or discovery (see Supplementary Material 1, Table 4) (71).
Description includes research to assess the existing situation. *Delivery* refers to research to evaluate
existing interventions. *Development* describes research to improve or develop existing interventions.
Discovery includes research that may lead to innovations and new interventions. This categorisation
ensured that the final set of research questions not only aligned with the climate and hygiene scope
established in Step 1 but also reflected expert judgement on the translational pipeline of the intended
research.

Step 3: Scoring and prioritisation

To allow a ranking of the 57 questions refined (Step 2), we first established the criteria for scoring.
The original CHNRI methodology includes 15 possible criteria for scoring research questions (see
Supplementary Material 1, Table 3) (72). These were shared with four members of the technical
advisory group, who were then asked to allocate 100 points across the criteria based on their
perceived importance. Weights were calculated by dividing the mean points allocated by 25, yielding
relative weights for each criterion. The four highest-scoring criteria, which served as the basis of
subsequent scoring, were:

− *Relevancy (criteria weight= 0.88)*: Will the research answer relevant evidence gaps?

− *Answerability (criteria weight= 0.84):* Can the research be feasibly completed and answered
between now and 2035?

− *Impact (criteria weight= 0.80):* Is the proposed research likely to improve population health
and well-being?

− *Potential for translation* (*criteria weight*= 0.80): Will the research generate knowledge that can
be translated into feasible interventions?

An online survey was developed using Qualtrics (Provo, Utah, USA). A targeted dissemination
approach was taken, sharing the survey through existing mailing lists, professional networks,
participant resharing and social media platforms were used to make the survey widely available.

Respondents were asked to score each question by the four priority criteria - relevancy, answerability,
impact, and potential for translation. They indicated their assessment by selecting "Yes" (allocated 1
point), "Maybe" (0.5 points), "No" (0 points), or "Not my Area of Expertise" (excluded from the scoring).
The survey was made available in Arabic, English, French, Portuguese, and Spanish, and was open
between November 2024 and January 2025. Additional information was collected on respondent

gender, organisation affiliation, country, and region (according to WHO classification); the geographic
level and focus of their work; years of experience in climate change and/or hygiene or water or
sanitation; and areas of expertise. Finally, respondents were invited to suggest thematic areas they
felt were missing or needed more specific questions, which are listed in Supplementary Material 2,
Table 1

For each research question, the research priority score (RPS) was calculated (see Supplementary
Material 1, Table 5 for details). Scores were converted into a scaled and weighted RPS ranging from
0 to 100%. To support decision-making at different levels, results were also stratified by WHO region
and by organisation affiliation, allowing us to explore differences in research priorities within different
contexts.

Ethical approval

Ethical approval was received from the LSHTM Research Ethics Committee (No. 30443) for the
survey and interviews. Before KIIs, respondents received a respondent information sheet and signed
informed consent forms, which outlined confidentiality and risk of the procedure, as well as the
voluntary nature of participation and that data would be anonymised before analysis. Survey
respondents and all answers were anonymous, as no personal identifiers were required from
respondents. However, survey respondents were asked at the end of the survey if they would like to
receive further updates on the project by sharing a professional email address.

Results

A total of 141 people from 40 countries completed the online survey, representing a diverse cross-
section of stakeholders, including academic institutions, international and local non-governmental
organisations (NGOs), multilateral agencies, and government bodies, and reflecting a broad set of
geographic and disciplinary perspectives (see Supplementary Material 2, Table 2).

The top 20 highest-ranked research questions, shown in **Table 2Error! Reference source not**
found.

Table 2. Top 20 research priorities on climate change, hygiene, and health

, achieved consistently high weighted RPS ranging from 75–100%, indicating high consensus on their importance. These questions spanned the hygiene domains and reflected a range of climate-impact drivers and hazards, including water scarcity, extreme weather events, and rising temperatures. The rank order list of all 57 research questions and questions stratified by organisational affiliation or region of focus can be found in the Supplementary Materials 3 and 4.

The top-ranked questions revealed a clear emphasis on building the foundational evidence base at the intersection of climate change, hygiene, and health. A substantial majority (75%) of the top 20 questions focused on *descriptive* research, aiming to better characterise the burden of infectious diseases linked to climate-related hazards, understand existing hygiene practices and coping strategies, and identify barriers to maintaining safe hygiene under climate stress. Examples include exploring how household water scarcity, drought, and precipitation variability affect infectious disease burdens through impacts on hygiene behaviours (Q2, Q3, Q9, Q15) and assessing how extreme weather events disrupt hygiene practices (Q14, Q18) or the capability of people with disabilities to maintain personal hygiene (Q8). Other descriptive questions addressed contamination pathways, such as the role of solid waste in spreading pathogens and pollutants during floods (Q5), and the determinants of hygiene behaviours in the context of extreme weather events (Q13, Q16, Q19).

One fifth (20%) of the top-ranked questions related to *delivery*, focusing on how to provide practical support measures and preparedness messaging to protect health during climate hazards. Examples included identifying effective hygiene promotion actions before or during extreme weather events (Q1, Q11), tailoring support for people with disabilities (Q6), and developing communication strategies to promote safe hygiene during higher temperatures (Q10) and extreme weather events (Q20). Only a single (5%) question fell under *development*, exploring how to adapt or refine existing hygiene interventions (Q7). This included assessing whether tailored approaches are needed for hygiene promotion in water-scarce or drought-prone settings.

Across the top 20, climate hazards were a dominant focus, appearing in 11 questions. Many sought to understand immediate disruptions from floods, cyclones, and other extreme weather events on hygiene behaviours; the cascading and long-term impacts from damaged infrastructure; and the impact of chronic service disruptions (Q5, Q11, Q16, Q19). Reduced rainfall and water availability emerged as the most prominent climate impact driver of interest, while there were relatively few prioritised questions focusing on high temperatures or heavy rainfall as direct hygiene-related health risks (Q2, Q7). However, some priorities addressed heat- and humidity-related effects, including their

influence on water use for hygiene (Q10, Q17) and on pathogen dynamics across water, food, and
domestic surfaces (Q4, Q12, Q20).

Discussion

This work complements and strengthens other global initiatives to identify evidence needs on the links
between climate and health. By explicitly focusing on hygiene, a domain often underrepresented in
climate-health discussions, this exercise fills a critical gap and provides actionable priorities to guide
investments and research strategies over the next decade. By applying a structured, consensus-
driven CHNRI process, our study has identified these priorities through a transparent and credible
process that relies on extensive engagement (72). Taken together, this prioritisation provides a clear,
stakeholder-informed roadmap for funders, researchers, and policymakers seeking to support the
most critical research needs at this intersection (73). By directing attention and resources to these
priorities, the sector can build the evidence base needed to inform adaptive strategies, strengthen
hygiene promotion, and safeguard health against the accelerating impacts of climate change.

The findings underline the importance of multidisciplinary and cross-sector collaboration (74). Climate
change, hygiene, and health are interlinked through complex pathways that span environmental
systems, infrastructure, human behaviour, and social determinants. Addressing the identified
research gaps will require integrating expertise across public health, water and sanitation service
delivery, climate science, behavioural research, and policy. Such collaboration is essential to design
resilient interventions that are both scientifically grounded and practically feasible, ensuring that
adaptation efforts meaningfully protect population health in an increasingly unstable climate (75).

The strong leaning toward descriptive research underscores that the field remains at a stage where
robust empirical data on exposure pathways, disease burdens, and behavioural responses are
urgently needed (76, 77). This foundational understanding appears to be viewed by experts as
essential before effective interventions and large-scale programmatic adjustments can be designed
and tested. The relatively smaller number of delivery and development-focused questions suggests
that while there is recognition of the need to adapt hygiene strategies to climate realities, there is still
limited evidence to inform how best to operationalise these adaptations. However, the presence of
high-ranking delivery questions, such as those on preparedness strategies and messaging during
extreme weather, points to an emerging readiness to move toward implementation research in some
areas (78).

Equity concerns were evident across the priorities. Several top-ranked questions explicitly addressed
the compounded vulnerabilities faced by people with disabilities, women and girls managing

menstrual hygiene, and communities confronting multiple overlapping climate hazards. This aligns

with broader calls in climate and health research to centre the experiences of groups who

disproportionately bear the impacts of climate change and to design interventions that do not

exacerbate existing inequalities (37).

Consistent with patterns observed in other climate-health research agendas (49, 50, 53-55), our

findings show a stronger priority given to climate-related hazards, such as extreme weather events,

than on slow-onset changes such as chronic heat exposure or progressive water salinisation. In our

prioritisation, 11 of the top 20 questions addressed the impacts of floods, cyclones, and storms on

hygiene behaviours, infrastructure, and domestic environments. These events are highly visible,

cause acute disruption, and frequently trigger disaster response, making them more salient to

policymakers, the media, and the public than gradual climatic shifts (79). Similarly, much of the

climate–health evidence base focuses on water-related pathways (e.g., floods, droughts, water

scarcity) because these have direct, well-recognised links to health outcomes and can be more

readily measured and modelled than other drivers such as land degradation, biodiversity loss, or

shifting disease ecologies (50, 76). Water insecurity was another dominant theme in our results, with

reduced rainfall and drought highly ranked research priorities, often linked to changes in water use for

hygiene and consequent impacts on disease burden. The less visible, slow-onset hazards and their

long-term implications for hygiene, however, remain important, and our findings demonstrate the need

to expand research and intervention portfolios to address the full spectrum of climate change-related

risks.

The research questions that emerged from this process are necessarily broad and require further

specification and contextualization before they are readily translated into research protocols. It is

important to note that our research prioritisation process did not differentiate between research

questions that reflect a lack of data or information around a specific topic and questions that reflect a

lack of knowledge about a specific evidence base. For example, the links between climate hazards

and infectious disease burden were the second-highest prioritised research question in our exercise.

There are multiple reviews, both estimating climate-related infectious disease burden (80) and

infectious disease transmission pathways related to climate change (81), but these studies may not

explicitly include hygiene in their discussion of potential transmission pathways or prevention

strategies. Addressing research questions related to climate, hygiene, and health will require

structured engagement with existing scientific evidence to extract relevant insights and findings.

Changing water use practices was our third highest-ranked research question. Multiple studies

describe context-specific individual and household changes in water use and water prioritisation in the

context of water scarcity (82-84), and the research gaps may reflect a lack of evidence synthesis.

There is a wide range of evidence synthesis methods (85) that should be explored for their potential

relevance to addressing the stated research priorities.

Integration with global policy and existing literature

These findings resonate with, but also extend, the growing international focus on climate change and health. This research agenda helps fill this key gap by providing explicit priorities that link climate hazards to hygiene practices, infrastructure, and behaviour change needs. It also complements broader calls for climate-resilient health systems by operationalising what this means in the context of everyday hygiene (86), a domain critical for preventing infectious diseases but often absent from high-level adaptation plans (87).

Moreover, by highlighting equity concerns, particularly the compounded risks for women, girls, people with disabilities, and those facing multiple hazards, these priorities align closely with international commitments such as the Sustainable Development Goals (SDGs), which emphasise leaving no one behind (88), and the Sendai Framework for Disaster Risk Reduction (DRR) (89), which calls for inclusive approaches to managing risk. As climate hazards intensify, this targeted roadmap provides a timely contribution to guide research investments that can underpin both policy and practice, ensuring that hygiene is not overlooked in the global climate-health dialogue.

Limitations

This study has several limitations related to both the CHNRI methodology and the complexity of assessing the intersection between climate change, hygiene, and health. A key methodological challenge was the potential difficulty respondents faced in conceptualising hygiene as a distinct area, separate from broader WASH definitions, which may have influenced how research gaps were articulated by key informants and later prioritised.

There are also important considerations related to potential bias. There may be selection bias, as respondents were predominantly individuals already working in hygiene, climate adaptation, or DRR. While this means perspectives reflect those most actively engaged in addressing these challenges, it may also limit input from adjacent sectors or communities not directly involved. However, given the complex linkages between climate, hygiene, and health, having respondents with technical expertise arguably strengthens the relevance and practicality of identified priorities. There is a potential bias associated with the relatively low participation of government representatives, the private sector, and donors. This may narrow the direct applicability of the findings for policy and investment decisions, underlining the need for continued engagement with these groups in future work. Additionally, many respondents had varying familiarity with climatological terms and frameworks, which could have influenced how they interpreted and scored questions related to specific climate drivers and hazards. Lastly, the structured nature of the CHNRI process, while providing transparency and rigour, can

sometimes reduce complex, multi-faceted research topics into short-form questions and quantitative
scores (90). This approach risks oversimplifying nuanced topics and may dilute some of the
interdisciplinary discussions that would emerge in more qualitative approaches.

Despite these limitations, the process engaged a broad, multidisciplinary pool of stakeholders who
helped to refine and validate the research questions. This lends credibility to the findings and ensures
that the priorities identified are grounded in diverse, practice-based perspectives.

Conclusions

This research prioritisation exercise has identified critical knowledge gaps at the intersection of
climate change, hygiene, and health, emphasising the urgent need for multi-sectoral action. The
findings highlight the necessity of integrating hygiene promotion into climate preparedness,
addressing water scarcity impacts on hygiene behaviours, and investigating climate-driven disease
transmission pathways. Despite growing recognition of these links, hygiene remains
underrepresented in climate change research and policy, underscoring the importance of targeted
funding and interdisciplinary collaboration. Without a more comprehensive evidence base, effective
public health strategies and climate adaptation efforts will be limited. Strengthening research
collaboration across disciplines, geographies, and sectors is essential to ensuring that adaptations
and climate change resilience efforts are evidence-based, context-specific, and equitable.

Table 2. Top 20 research priorities on climate change, hygiene, and health

Rank #	Climate Change Hazard Category	4Ds framework	Research question	n	Weighted RPS (%)	Scaled RPS (%)
1	Climate-related hazards	Delivery	What hygiene promotion actions and preparedness strategies are needed before or during extreme weather events to prepare populations for increased risks to health?	117	75.4%	100.0%
2	Climate impact drivers	Description	How does climate-induced water scarcity, drought or precipitation variability affect the infectious disease burden, and how is this mediated by changes to hygiene practices?	120	74.7%	96.5%
3	Climate impact drivers	Description	How do climate-induced water scarcity and drought affect an individual's use and consumption of water for hygiene practices?	122	74.4%	95.1%
4	Climate impact drivers	Description	What is the association between higher ambient temperatures, precipitation variability and humidity with the incidence of diarrhoeal diseases, including cholera?	121	74.0%	93.3%
5	Climate-related hazards	Description	During extreme weather events, how does solid waste contaminate the domestic environment and increase exposure to infectious diseases and/or chemical pollutants?	129	73.5%	90.6%
6	Climate-related hazards	Delivery	What support is needed for people with disabilities and their caregivers during extreme weather events to maintain personal hygiene?	115	73.1%	89.0%
7	Climate impact drivers	Development	Are different approaches needed for hygiene promotion and hygiene behaviour change for populations living in water-scarce or drought conditions?	122	72.4%	85.1%

8	Climate-related hazards	Description	How do extreme weather events affect the capability of people with disabilities to maintain personal hygiene?	123	72.0%	83.3%
9	Climate impact drivers	Description	Does climate-induced water scarcity or drought affect an individual's capability, opportunity, or motivation to practice effective hygiene behaviours?	122	72.0%	83.2%
10	Climate impact drivers	Description	How do extreme heat events affect an individual's use and consumption of water for hygiene practices?	126	71.9%	83.0%
11	Climate-related hazards	Delivery	Given the microbial and chemical contamination risks of floodwater, what messages should be included in health promotion and hygiene behaviour change campaigns?	129	71.7%	82.0%
12	Climate impact drivers	Description	What effect will an increase in ambient temperature and humidity associated with climate change have on pathogen levels, with implications for human health, in water, food, soil, surfaces, and the environment?	121	71.6%	81.5%
13	Climate-related hazards	Description	What are the determinants of hygiene behaviours during extreme weather events?	112	71.6%	81.3%
14	Climate-related hazards	Description	What challenges are faced by women and girls concerning menstrual health and hygiene during extreme weather events, periods of climate-induced water scarcity, drought, and saltwater intrusion?	119	71.3%	80.1%
15	Climate-related hazards	Description	What is the association between extreme weather events, climate-induced water scarcity, drought, or saltwater intrusion with the incidence of neglected tropical diseases (NTDs), and how are these risks mediated by hygiene practices?	119	71.2%	79.6%
16	Climate-related	Description	How does chronic disruption of water and sanitation services due to extreme weather	123	70.9%	77.8%

	hazards		events impact personal hygiene behaviours?			
17	Climate impact drivers	Description	How will extreme heat affect water collection practices and the water available for hygiene practices?	126	70.8%	77.5%
18	Climate-related hazards	Description	What challenges are there in maintaining adequate personal hygiene during extreme weather events, periods of climate-induced water scarcity, drought, and saltwater intrusion?	119	70.6%	76.4%
19	Climate-related hazards	Description	How does acute disruption of water and sanitation services due to extreme weather events impact personal hygiene behaviours?	123	70.5%	75.9%
20	Climate impact drivers	Delivery	Given the food contamination risks resulting from higher temperatures and extreme weather events, what messages should be included in the promotion of safe food hygiene practices?	126	70.3%	74.8%

Acknowledgements

This research agenda was supported by six technical advisors:

- Akanksha Marphatia (London School of Hygiene & Tropical Medicine, UK)

- Belen Torondel-Lopez (London School of Hygiene & Tropical Medicine, UK)

- Julia Sobolik (London School of Hygiene & Tropical Medicine, UK)

- Karen Levy (University of Washington, USA)

- Kondwani Chidziwisano (Malawi University of Business and Applied Sciences (MUBAS),
Malawi)

- Oliver Cumming (London School of Hygiene & Tropical Medicine, UK)

The study team would like to acknowledge and thank the survey respondents, interviewees, and all
observers who provided time and feedback throughout this process, particularly in identifying,
developing, and refining the research questions. Throughout the entire process, numerous experts
provided their time and input to shape this research agenda.

Supporting information

- Supplementary Material 1. Tables 1-5: Detailed CHNRI methodology
- Supplementary Material 2. Tables 1: Additional Research Questions, and Table 2:
Demographic Characteristics of Respondents
Supplementary Material 3. List of all 57 research questions, with research
prioritisation scores (RPS)
Supplementary Material 4. Research priorities stratified by organisational affiliation
and region

References

1. Wolf J, Johnston RB, Ambelu A, Arnold BF, Bain R, Brauer M, et al. Burden of disease attributable to unsafe drinking water, sanitation, and hygiene in domestic settings: a global analysis for selected adverse health outcomes. Lancet. 2023;401(10393):2060-71.

2. Kirk MD, Pires SM, Black RE, Caipo M, Crump JA, Devleesschauwer B, et al. World Health Organization Estimates of the Global and Regional Disease Burden of 22 Foodborne Bacterial, Protozoal, and Viral Diseases, 2010: A Data Synthesis. PLoS Med. 2015;12(12):e1001921.

3. Allegranzi B, Bagheri Nejad S, Combescure C, Graafmans W, Attar H, Donaldson L, et al. Burden of endemic health-care-associated infection in developing countries: systematic review and meta-analysis. Lancet. 2011;377(9761):228-41.

4. Mora C, McKenzie T, Gaw IM, Dean JM, von Hammerstein H, Knudson TA, et al. Over half of known human pathogenic diseases can be aggravated by climate change. Nat Clim Chang. 2022;12(9):869-75.

5. Klepac P, Hsieh JL, Ducker CL, Assoum M, Booth M, Byrne I, et al. Climate change, malaria and neglected tropical diseases: a scoping review. Transactions of The Royal Society of Tropical Medicine and Hygiene. 2024;118(9):561-79.

6. WHO. Climate change and health 2023 [Available from: https://www.who.int/news-room/fact-sheets/detail/climate-change-and-health.

7. IPCC. Climate Change 2023: Synthesis Report. Contribution of Working Groups I, II and III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change. Geneva, Switzerland; 2023.

8. Levy K, Smith SM, Carlton EJ. Climate Change Impacts on Waterborne Diseases: Moving Toward Designing Interventions. Curr Environ Health Rep. 2018;5(2):272-82.

9. Levy K, Woster AP, Goldstein RS, Carlton EJ. Untangling the Impacts of Climate Change on Waterborne Diseases: a Systematic Review of Relationships between Diarrheal Diseases and Temperature, Rainfall, Flooding, and Drought. Environ Sci Technol. 2016;50(10):4905-22.

10. Hubbard S, Wolf J, Oza HH, Arnold BF, Freeman MC, Levy K. Differential Effectiveness of Water, Sanitation, and Handwashing Interventions to Reduce Child Diarrhea in Dry and Rainy Seasons: A Systematic Review and Meta-Analysis of Intervention Trials. Environmental Health Perspectives. 2025;133(2):026001.

11. Paulos AH, Carroll DA, Powers J, Campolo J, Kim DD, Cohn A, et al. Temperature and precipitation affect the water fetching time burden in Sub-Saharan Africa. Nature Communications. 2025;16(1):3486.

12. Charles KJ, Howard G, Villalobos Prats E, Gruber J, Alam S, Alamgir ASM, et al. Infrastructure alone cannot ensure resilience to weather events in drinking water supplies. Sci Total Environ. 2022;813:151876.

13. UN Water. Water and Climate Change 2023 [Available from: https://www.unwater.org/water-facts/water-and-climate-change.

14. Caretta MA, Mukherji A, Arfanuzzaman M, Betts RA, Gelfan A, Hirabayashi Y, et al. Water. In: Climate Change 2022: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change Cambridge, UK; 2022.

15.   Ray Biswas R, Sharma R, Gyasi-Agyei Y. Urban water crises: Making sense of
climate change adaptation barriers and success parameters. Climate Services.
2022;27:100302.

16.   Calverley CM, Walther SC. Drought, water management, and social equity:
Analyzing Cape Town, South Africa's water crisis. Frontiers in Water. 2022;Volume 4 - 2022.

17.   Achore M, Bisung E, Kuusaana ED. Coping with water insecurity at the household
level: A synthesis of qualitative evidence. International Journal of Hygiene and
Environmental Health. 2020;230:113598.

18.   Jones N, Bouzid M, Few R, Hunter P, Lake I. Water, sanitation and hygiene risk
factors for the transmission of cholera in a changing climate: using a systematic review to
develop a causal process diagram. Journal of Water and Health. 2020;18(2):145-58.

19.   Bose I, Dreibelbis R, Green R, Murray KA, Ceesay O, Kovats S. Coping strategies
for household water insecurity in rural Gambia, mediating factors in the relationship between
weather, water and health. BMC Public Health. 2024;24(1):3150.

20.   Broyles LMT, Pakhtigian EL, Rosinger AY, Mejia A. Climate and hydrological
seasonal effects on household water insecurity: A systematic review. WIREs Water.
2022;9(3):e1593.

21.   Adeniji-Oloukoi G, Urmilla B, Vadi M. Households' coping strategies for climate
variability related water shortages in Oke-Ogun region, Nigeria. Environmental Development.
2013;5:23-38.

22.   Venkataramanan V, Collins SM, Clark KA, Yeam J, Nowakowski VG, Young SL.
Coping strategies for individual and household-level water insecurity: A systematic review.
WIREs Water. 2020;7(5):e1477.

23.   MacDonald MC, Elliott M, Langidrik D, Chan T, Saunders A, Stewart-Koster B, et al.
Mitigating drought impacts in remote island atolls with traditional water usage behaviors and
modern technology. Sci Total Environ. 2020;741:140230.

24.   Nijhawan A, Howard G. Associations between climate variables and water quality in
low- and middle-income countries: A scoping review. Water Res. 2022;210:117996.

25.   Buchwald AG, Thomas E, Karnauskas KB, Grover E, Kotloff K, Carlton EJ. The
Association Between Rainfall, Temperature, and Reported Drinking Water Source: A Multi-
Country Analysis. Geohealth. 2022;6(11):e2022GH000605.

26.   Achore M, Bisung E, Kuusaana ED. Coping with water insecurity at the household
level: A synthesis of qualitative evidence. Int J Hyg Environ Health. 2020;230:113598.

27.   Pinchoff J, Dougherty L, Dadi C. Water and Handwashing in a Drought-Prone Region
of Southern Niger: How Environment, Household Infrastructure, and Exposure to Social and
Behavior Change Messages Interact. Am J Trop Med Hyg. 2023;108(3):536-42.

28.   Talukder MRR, Rutherford S, Islam K, Chu C. Water Scarcity and Challenges for
Access to Safe Water: A Case of Bangladesh's Coastal Area Vulnerable to Climate Change.
Asian J Water Enviro. 2020;17(4):1-9.

29.   Sinha S, Ahmad R, Chowdhury K, Ferdaus F, Banik S, Mehta M, et al. The Impact of
Saline Water on Women's Health in the Coastal Region of Bangladesh: Special Attention on
Menstrual Hygiene Practices. Cureus. 2024;16(8):e67032.

30.   Salinisation: the silent threat of salty water in South Bangladesh [press release].
London School of Hygiene & Tropical Medicine (LSHTM) Expert Opinion2024.

31.   Parker ER, Mo J, Goodman RS. The dermatological manifestations of extreme
weather events: A comprehensive review of skin disease and vulnerability. The Journal of
Climate Change and Health. 2022;8:100162.

32.   Few R, Ahern M, Matthies F, Kovats S. Floods, Health and Climate Change: A
Strategic Review. 2004.

33.   Talukdar IH, Rifat MA, Sarkar P, Saha N, Tessma MK, Miah MI. Perceived difficulties
in maintaining menstrual hygiene practices among indigenous adolescents during seasonal
water scarcity periods in Bandarban hill district of Bangladesh: A cross-sectional study.
International Journal of Hygiene and Environmental Health. 2023;254:114268.

34.   Bhattacharjee M. Menstrual Hygiene Management During Emergencies: A Study of
Challenges Faced by Women and Adolescent Girls Living in Flood-prone Districts in Assam.
Indian Journal of Gender Studies. 2019;26(1-2):96-107.

35.   Sadique S, Ali I, Ali S. Managing menstruation during natural disasters: menstruation
hygiene management during "super floods" in Sindh province of Pakistan. J Biosoc Sci.
2024;56(3):480-92.

36.   Eckstien D, Künzel V, Schäfer L. Global Climate Risk Index 2021 Who Suffers Most
from Extreme Weather Events? Weather-Related Loss Events in 2019 and 2000-2019.
Berlin, Germany; 2021.

37.   Wilbur J, Ruuska D, Diba S, Alam M, Upoma T, Akter J, et al. Advancing Equity:
Principles for Climate-Resilient Disability Inclusive Water, Sanitation and Hygiene2025.

38.   Tshuma M, Belle JA, Ncube A. An Analysis of Factors Influencing Household Water,
Sanitation, and Hygiene (WASH) Experiences during Flood Hazards in Tsholotsho District
Using a Seemingly Unrelated Regression (SUR) Model. Water (Basel). 2023;15(2):371.

39.   MacLeod C, Sidira G, Kapazga T, Njolomole P, Panulo M, Vigneri M, et al. The
impact of a climate-related disaster on sanitation coverage in rural Chiradzulu District,
Malawi, pre- and post-Cyclone Freddy. OSF. 2025.

40.   Lau CL, Smythe LD, Craig SB, Weinstein P. Climate change, flooding, urbanisation
and leptospirosis: fuelling the fire? Trans R Soc Trop Med Hyg. 2010;104(10):631-8.

41.   Mills JN, Gage KL, Khan AS. Potential influence of climate change on vector-borne
and zoonotic diseases: a review and proposed research plan. Environ Health Perspect.
2010;118(11):1507-14.

42.   Bandino JP, Hang A, Norton SA. The Infectious and Noninfectious Dermatological
Consequences of Flooding: A Field Manual for the Responding Provider. Am J Clin
Dermatol. 2015;16(5):399-424.

43.   H DEM, Mughini Gras L, Schimmer B, Friesema IH, AM DERH, W VANP.
Gastrointestinal, influenza-like illness and dermatological complaints following exposure to
floodwater: a   cross-sectional   survey   in   The   Netherlands.   Epidemiol   Infect.
2016;144(7):1445-54.

44.   D'Souza RM, Becker NG, Hall G, Moodie KBA. Does Ambient Temperature Affect
Foodborne Disease? Epidemiology. 2004;15(1):86-92.

45.   Hassan NA, Hashim JH, Puteh SEW, Mahiyuddin WRW, Mohd MSF, Shaharudin
SM, et al. Investigation of the impacts of climate change and rising temperature on food
poisoning cases in Malaysia. PloS one. 2023;18(10):e0283133-e.

46.   Tirado MC, Clarke R, Jaykus LA, McQuatters-Gollop A, Franke JM. Climate change
and food safety: A review. Food Research International. 2010;43(7):1745-65.

47.   Misiou O, Koutsoumanis K. Climate change and its implications for food safety and
spoilage. Trends in Food Science & Technology. 2022;126:142-52.

48.   Baker-Austin C, Trinanes J, Gonzalez-Escalona N, Martinez-Urtaza J. Non-Cholera
Vibrios: The Microbial Barometer of Climate Change. Trends Microbiol. 2017;25(1):76-84.

49.   WHO. Research Agenda for Action on Climate and Health (REACH) 2024 [Available
from: https://www.who.int/teams/environment-climate-change-and-health/climate-change-
and-health/reach.

50.   Roebbel N, de Sa TH, Neira M, Krug E. Global research priorities for urban health.
Bull World Health Organ. 2022;100(12):750-a.

51.   van Daalen KR, Tonne C, Semenza JC, Rocklöv J, Markandya A, Dasandi N, et al.
The 2024 Europe report of the Lancet Countdown on health and climate change:
unprecedented warming demands unprecedented action. Lancet Public Health.
2024;9(7):e495-e522.

52.   Brink N, Mansoor K, Swiers J, Lakhoo DP, Parker C, Nakstad B, et al. Scoping
Review of Climate Change Adaptation Interventions for Health: Implications for Policy and
Practice. Int J Env Res Pub He. 2024;21(12):1565.

53.   National Academy of Medicine. A Research Agenda to Protect Human Health and
Build Resilience in the Face of a Changing Climate. Washington, DC: The National
Academies Press; 2025.

54.   European Commission: Directorate-General for R, Innovation. Strategic research and
innovation agenda on health and climate change: Publications Office of the European Union;
2024.

55.   National Institute of Health. NIH Climate Change and Health Initiative 2024 Annual
Report. 2024.

56.   WHO. Research Agenda for Action on Climate and Health. 2024.

57.   WHO, UNICEF. Indicators, Measures and Methods for Monitoring Climate Resilient
WASH – Discussion Paper. 2025.

58.   Kohlitz J. Making Waves: A research agenda for supporting a WASH sustainability
transformations approach to climate change. Water Research X. 2025;28:100376.

59.   UNICEF. HOW UNICEF REGIONAL AND COUNTRY OFFICES CAN SHIFT TO
CLIMATE RESILIENT WASH PROGRAMMING. 2020.

60.   ACMSF. ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF
FOOD. 2024.

61.   Allegranzi B, Tartari E, Kilpatrick C, Storr J, Bellare N, Bana J, et al. WHO global
research agenda for hand hygiene improvement in health care: a Delphi consensus study.
Infect Control Hosp Epidemiol. 2025;46(5):1-16.

62.   D'Mello-Guyett L, Heylen C, Rohm E, Falconer J, Lapegue J, Dreibelbis R, et al.
Research priorities for water, sanitation and hygiene (WASH) in humanitarian crises: A
global prioritisation exercise. PLOS Water. 2024;3(3):e0000217.

63.   MacLeod C, Braun L, Caruso BA, Chase C, Chidziwisano K, Chipungu J, et al.
Recommendations for hand hygiene in community settings: a scoping review of current
international guidelines. BMJ Open. 2023;13(6):e068887.

64.   Rudan I, Yoshida S, Chan KY, Sridhar D, Wazny K, Nair H, et al. Setting health
research priorities using the CHNRI method: VII. A review of the first 50 applications of the
CHNRI method. J Glob Health. 2017;7(1):011004.

65. Water-related hazards dominate disasters in the past 50 years [press release]. WMO Media Releases2021.

66. United Nations Framework Convention on Climate Change. Slow Onset Events. United Nations; 2012.

67. IPCC. Glossary of terms. In: Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation. Cambridge, UK, and New York, NY, USA: Cambridge University Press; 2012.

68. WHO. Hygiene: Overview [Available from: https://www.afro.who.int/health-topics/hygiene.

69. WHO. Water, sanitation and hygiene (WASH): World Health Organization; [Available from: https://www.who.int/health-topics/water-sanitation-and-hygiene-wash#tab=tab_1.

70. The COM-B Model for Behavior Change [Internet]. The Decision Lab. 2021. Available from: https://thedecisionlab.com/reference-guide/organizational-behavior/the-com-b-model-for-behavior-change.

71. Rudan I, Yoshida S, Chan KY, Cousens S, Sridhar D, Bahl R, et al. Setting health research priorities using the CHNRI method: I. Involving funders. J Glob Health. 2016;6(1):010301.

72. Rudan I, Gibson JL, Ameratunga S, El Arifeen S, Bhutta ZA, Black M, et al. Setting priorities in global child health research investments: guidelines for implementation of CHNRI method. Croat Med J. 2008;49(6):720-33.

73. Dzau Victor J, Laitner Melissa H, Balatbat Celynne A, Taylor S. Climate Change and Human Health — A Research Agenda for Action. New England Journal of Medicine. 2025;393(1):88-92.

74. Hosking J, Campbell-Lendrum D. How well does climate change and human health research match the demands of policymakers? A scoping review. Environ Health Perspect. 2012;120(8):1076-82.

75. Or Z, Seppänen A-V. The role of the health sector in tackling climate change: A narrative review. Health Policy. 2024;143:105053.

76. Rocque RJ, Beaudoin C, Ndjaboue R, Cameron L, Poirier-Bergeron L, Poulin-Rheault RA, et al. Health effects of climate change: an overview of systematic reviews. BMJ Open. 2021;11(6):e046333.

77. Berrang-Ford L, Sietsma AJ, Callaghan M, Minx JC, Scheelbeek PFD, Haddaway NR, et al. Systematic mapping of global research on climate and health: a machine learning review. Lancet Planet Health. 2021;5(8):e514-e25.

78. Benton L, Brousselle A, McDavid J, Whitmee S, Haines A. Need for planetary health perspective in guidance for complex interventions for climate and health. BMJ. 2025;389:e083337.

79. WHO and partners respond to recent tropical storms, typhoons and cyclones in the Western Pacific [press release]. WHO Western Pacific Region2025.

80. Klepac P, Hsieh JL, Ducker CL, Assoum M, Booth M, Byrne I, et al. Climate change, malaria and neglected tropical diseases: a scoping review. Trans R Soc Trop Med Hyg. 2024;118(9):561-79.

81. Mora C, McKenzie T, Gaw IM, Dean JM, von Hammerstein H, Knudson TA, et al. Over half of known human pathogenic diseases can be aggravated by climate change. Nature Climate Change. 2022;12(9):869-75.

82.   Lee TT, Dalvie MA, Roosli M, Merten S, Kwiatkowski M, Mahomed H, et al.
Understanding diarrhoeal diseases in response to climate variability and drought in Cape
Town, South Africa: a mixed methods approach. Infect Dis Poverty. 2023;12(1):76.

83.   Emont JP, Ko AI, Homasi-Paelate A, Ituaso-Conway N, Nilles EJ. Epidemiological
Investigation of a Diarrhea Outbreak in the South Pacific Island Nation of Tuvalu During a
Severe La Nina-Associated Drought Emergency in 2011. Am J Trop Med Hyg.
2017;96(3):576-82.

84.   Deng Y, Wang M, Yousefpour R. How do people's perceptions and climatic disaster
experiences influence their daily behaviors regarding adaptation to climate change? - A case
study among young generations. Sci Total Environ. 2017;581-582:840-7.

85.   Grant MJ, Booth A. A typology of reviews: an analysis of 14 review types and
associated methodologies. Health Info Libr J. 2009;26(2):91-108.

86.   Ansah EW, Amoadu M, Obeng P, Sarfo JO. Health systems response to climate
change adaptation: a scoping review of global evidence. BMC Public Health.
2024;24(1):2015.

87.   Turner GA, de'Donato F, Hoeben AD, Nordeng Z, Coleman S, Otto IM, et al.
Implementation of climate adaptation in the public health sector in Europe: qualitative
thematic analysis. European Journal of Public Health. 2023;34(3):544-9.

88.   WHO/UNICEF. Sustainable Development Goals- Goal 6: Ensure availability and
sustainable management of water and sanitation for all Geneva, Switzerland2018 [Available
from: https://unstats.un.org/sdgs/report/2018/goal-06/.

89.   United Nations Office for Disaster Risk Reduction (UNDRR). Sendai Framework for
Disaster   Risk   Reduction   2015-2030   2015   [Available   from:
https://www.undrr.org/publication/sendai-framework-disaster-risk-reduction-2015-2030.

90.   Rudan I. Setting health research priorities using the CHNRI method: IV. Key
conceptual advances. J Glob Health. 2016;6(1):010501.