Dissecting the pleiotropic genetic architecture of suicide attempt, suicidal ideation, and thirteen correlated traits

Alfonso Martone[a]#‡, Isabella Folego-Temoteo[b]#, Gabriel R. Fries[c], Anna R. Docherty[ef], Allison E. Ashley-Koch[g], European College of Neuropsychopharmacology Network on Suicide Research and Prevention*, Cibele E. Bandeira[b], Eugenio H. Grevet[h,j], Claiton H.D Bau[i,j], Janita Bralten[k,l], Chiara Fabbri[m], Alessandro Serretti[m,n], Diego L. Rovaris[b]§, Giuseppe Fanelli[p,k,l]§

[a] Università Vita-Salute San Raffaele, Milan, Italy; IRCCS Ospedale San Raffaele, Psychiatry and Clinical Psychobiology Unit - Division of Neuroscience, Milan, Italy
[b] Departamento de Fisiologia e Biofísica, Instituto de Ciências Biomédicas, Universidade de São Paulo, São Paulo, Brazil
[c] Translational Psychiatry Program, Faillace Department of Psychiatry and Behavioral Sciences, McGovern Medical School, The University of Texas Medical School at Houston, Houston, TX, USA
[e] Department of Psychiatry, Virginia Institute for Psychiatric and Behavioral Genetics, Virginia Commonwealth University, Richmond, VA, USA
[f] Department of Psychiatry and Human Genetics, University of Utah, Salt Lake City, UT, USA
[g] Duke Molecular Physiology Institute, Duke University Medical Center, Durham , NC, USA
[h] Department of Psychiatry and Legal Medicine, Universidade Federal do Rio Grande do Sul, Porto Alegre, Brazil
[i] Department of Genetics, Institute of Biosciences, Universidade Federal do Rio Grande do Sul, Porto Alegre, Brazil
[j] Laboratory of Developmental Psychiatry, Center of Experimental Research, Hospital de Clínicas de Porto Alegre, Porto Alegre, Brazil
[k] Department of Human Genetics, Radboud University Medical Center, Nijmegen, The Netherlands
[l] Donders Institute for Brain, Cognition and Behaviour, Radboud University Medical Center, Nijmegen, The Netherlands
[m] Department of Biomedical and Neuromotor Sciences, University of Bologna, Bologna, Italy
[n] Department of Medicine and Surgery, Kore University of Enna
[o] Oasi Research Institute-IRCCS, Troina, Italy
[p] Unit of Psychiatry and Eating Disorders, Department of Medicine (DMED), University of Udine, Udine, Italy

# These authors contributed equally to this work and share the first authorship
§ These authors contributed equally to this work and share the last authorship
‡ Corresponding author

Abstract

Suicide attempts (SA) and suicidal ideation (SI) are major public health concerns with incompletely defined biology. We investigated shared genetic architecture between SA or SI and thirteen correlated phenotypes using genome-wide association study summary statistics from 46,350 to 975,353 individuals. Local Analysis of [co]Variant Association (LAVA) identified locus-specific genetic covariance, while conjunctional false discovery rate (conjFDR) analyses detected single-nucleotide polymorphysms jointly associated with suicide phenotypes and external traits. Functional annotation and enrichment analyses characterised pathways and tissue-specific expression. LAVA identified sixteen loci with significant local correlations, mapping to 493 genes. After conditioning on major depressive disorder and post-traumatic stress disorder, several locus–trait-pair correlations remained significant, including SI–ADHD, whose mapped genes were differentially expressed in hypothalamus, cortical regions, and peripheral tissues. Correlated loci implicated ion transport and transcriptional regulation. ConjFDR identified shared loci mapping 798 genes. These genes showed enrichment for pathways related to cell adhesion, neurogenesis, signal transduction, chromatin regulation, immune processes, and protein secretion. Stratified analyses showed SA–based pairs enriched for gene sets related to brain morphology, cognition, and sleep regulation, whereas SI–based pairs for neuroticism, body mass index, and gastrointestinal traits. Across pairs, shared loci displayed both concordant and discordant effect directions. Both SA and SI were enriched for gene sets involving glycine, serine, and threonine metabolism, systemic lupus erythematosus, and DNA damage- and telomere stress–induced senescence. Recurrently mapped genes exhibited region- and developmental stage–specific brain expression. These findings refine the genetic architecture of suicide and implicate neurodevelopmental, immune, metabolic, and chromatin-related mechanisms in suicidal thoughts and behaviours.

1. Introduction

Suicide-related phenotypes—including suicidal ideation (SI) and suicide attempt (SA), hereby jointly referred to as suicidal thoughts and behaviours [STBs])—represent a major public health challenge and contribute substantially to global morbidity and mortality (Suominen et al., 2004; World Health Organisation, 2023). More than 720,000 individuals die by suicide annually, accounting for approximately 10–15% of all SAs (Suominen et al., 2004; "WHO's key facts about suicide," n.d.). In the United States alone, 13.2 million individuals reported SI in 2022, with 1.9 million attempts and 49,000 resulting deaths (CDC, 2025). Together with major depressive disorder (MDD), SA is the strongest known predictor of subsequent death by suicide (Cavanagh et al., 2003; Franklin et al., 2017), but the biological mechanisms underlying both SI and SA remain insufficiently characterised. Although SI and SA are often conceptualised as points along a severity continuum (DiBlasi et al., 2021), emerging evidence indicates that they exhibit only partial overlap in clinical correlates and genetic liability (Klonsky et al., 2021a). Twin studies report heritability estimates for SI ranging from 36% to 47%, even after accounting for psychiatric comorbidities, indicating residual genetic contributions independent of co-occurring disorders (Fu et al., 2002). For SA, family- and twin-based heritability estimates range from 30% to 50% (Voracek and Loibl, 2007), with single-nucleotide polymorphism (SNP)-based heritability from genome-wide association studies (GWASs) ranging between 3.5% and 4.6% depending on phenotype definition and analytical strategy applied (Ruderfer et al., 2020a). For SI, recent GWAS estimated SNP-based heritability at 4.6% –unadjusted– and 2.3% when conditioned on post-traumatic stress disorder (PTSD) (Ashley-Koch et al., 2023), with intermediate values when adjusting for MDD, bipolar disorder (BD), or schizophrenia (SCZ). While psychiatric diagnoses—particularly MDD—remain major risk factors for suicidality (Ruderfer et al., 2020b; Strawbridge et al., 2019), these estimates indicate that genetic risk for SI and SA is not fully explained by comorbid psychopathology, supporting the hypothesis of both shared and distinct biological mechanisms.

Epidemiological data indicate that approximately 80% of individuals who attempt suicide meet criteria for at least one psychiatric disorder at the time of the attempt (Davis et al., 2020; Nock et al., 2010). Yet, suicidal thoughts and behaviours are not confined to any single diagnosis and can be observed across nearly all major nosographic categories. The strongest associations are reported with MDD, but elevated risk is also reported in SCZ, autism spectrum disorder (ASD), BD, and attention-deficit/hyperactivity disorder (ADHD) (Docherty et al., 2023a; McCall and Black, 2013; Oquendo et al., 2024; Sanchez-Carro et al., 2023). These associations are mirrored at the genomic level: genetic correlation analyses have consistently shown shared polygenic contributions between suicide risk and a wide array of psychiatric traits (Bertolote and Fleischmann, 2002; Li et al., 2023). Importantly, suicidal phenotypes have also been linked to several non-psychiatric traits, including physical health, behavioural, and socio-demographic factors. Traits such as smoking behaviour, body mass index (BMI), chronic pain, and educational attainment (EA) have all been associated with suicide at both the phenotypic and genomic levels (Docherty et al., 2023b; McCall and Black, 2013; Mullins et al., 2022a; Sariaslan et al., 2022; Sher, 2024; Zinchuk et al., 2024). These findings suggest that suicide vulnerability extends beyond psychiatric nosology and may involve biological, behavioural, and socio-environmental pathways.

Despite the growing recognition of these associations, most prior research has focused on global genetic correlations, which provide genome-wide averages of polygenic overlap but do not account

for regional specificity or the direction of effects at individual loci (Ruderfer et al., 2020a). A limitation of these analyses is that they do not identify the specific genomic regions contributing most to the shared genetic architecture of suicide and its associated traits. Local patterns of genetic sharing may reveal loci or regions where the direction of effect for suicide risk is concordant or divergent from that of psychiatric and non-psychiatric traits (Fanelli et al., 2025; Kontou and Bagos, 2024), providing novel insights into the biological mechanisms underlying these relationships.

To address these limitations, local genetic correlation methods, such as those implemented in Local Analysis of [co]Variant Association (LAVA), estimate regional genetic covariance across linkage disequilibrium (LD) semi-independent segments, allowing for the identification of trait-specific overlap and heterogeneity in directionality (Werme et al., 2022). Complementary pleiotropy-informed approaches, including the conjunctional false discovery rate (conjFDR), increase power to detect shared loci by leveraging cross-trait enrichment patterns and enable the identification of specific SNPs jointly associated with multiple traits (Andreassen et al., 2013; Smeland et al., 2020). These methods are well suited to investigate phenotypes like SI and SA, where genetic architecture is likely to involve both overlapping and distinct pleiotropic components with other traits.

In this study, we systematically assess local patterns of convergent or divergent genetic sharing between suicide phenotypes and other traits by integrating local genetic correlation and conjFDR methods. We focus on SI and SA and examine their locus-specific overlap with a curated set of psychiatric and non-psychiatric traits previously shown to be genetically correlated at the global level (Docherty et al., 2023a; Mullins et al., 2022b). Specifically, our objectives are to: (1) identify specific genomic regions contributing to the shared genetic liability between SI, SA and other psychiatric/non-psychiatric traits; (2) determine whether these loci or regions show concordant or discordant directions of effect; and (3) refine our understanding of shared biological mechanisms. By increasing the resolution at which genetic sharing is examined, our findings aim to inform suicide risk stratification and support future biomarker discovery and therapeutic development.

2. Experimental procedures
2.1. Input summary statistics of GWASs

We included in the analyses thirteen traits based on prior evidence of global genetic correlation with SA or SI (Ashley-Koch et al., 2023; Docherty et al., 2023b; Mullins et al., 2022b). The selected traits include: ADHD, ASD, BD, BMI, cigarettes per day (CPD), behavioural disinhibition (DSN), EA, ever smoker (ESMK), insomnia (INS), multi-site chronic pain (MSCP), neuroticism (NEU), risk-tolerance (RSKT), and SCZ. MDD and PTSD were included only for sensitivity analyses because they are highly collinear with suicidality at the genome-wide level: the largest meta-analyses report rg's ~0.8 for SA/SI with either MDD or PTSD (Ashley-Koch et al., 2023; Docherty et al., 2023b). For each phenotype, including SA and SI, we obtained summary statistics from the most recent and comprehensive GWAS available at the time of analysis. Quality control steps excluded variants considered ambiguous, duplicated, rare (MAF < 0.01), and with poor imputation quality (INFO < 0.8). Details of the GWAS sources and sample sizes for each phenotype are provided in Table 1.

Table 1. Summary statistics and phenotypes.

Trait/disorder	Authors, year	PMID	Total N (N cases)
ADHD	Demontis et al., 2023	36702997	225 534 (38 691)
ASD	Grove et al., 2019	30804558	46 350 (18 381)
BD	Mullins et al., 2021	34002096	413 466 (41 917)
BMI	Yengo et al., 2019	30124842	456 426 (NA)
CPD	Saunders et al., 2022	30643251	618,489 (NA)
DSN	RK Linnér et al., 2019	30643258	315 894 (NA)
EA	Okbay et al., 2022	35361970	765 283 (NA)
ESMK	RK Linnér et al., 2019	30643258	518 633 (NA)
INS	Watanabe et al., 2022	35835914	386 988 (109 548)
MSCP	Johnston et al., 2019	31194737	412 985 (NA)
NEU	Nagel et al., 2018	29942085	390 278 (NA)
RSKT	RK Linnér et al., 2019	30643258	975 353 (NA)
SA	Docherty et al., 2023	30124842	815 178 (35 786)
SCZ	Trubetskoy et al., 2022	35396580	100 468 (39 910)
SI	Ashley-Koch et al., 2023	36940203	612 381 (99 814)

ASD, Autism Spectrum Disorder; BD, Bipolar Disorder; BMI, Body Mass Index; CPD, Cigarettes per Day; DSN, Disinhibition; EA, Educational Attainment; ESMK, Ever Smoker; INS, Insomnia; MSCP, Multi-Site Chronic Pain; NEU, Neuroticism; RSKT, Risk Tolerance; SA, Suicide Attempt; SCZ, Schizophrenia; SI, Suicidal Ideation; NA, Non Applicable.

2.2. Local genetic correlation analyses - LAVA

We applied the LAVA (Local Analysis of [co]Variant Association) framework to estimate local genetic correlations (ρ) between suicide-related phenotypes and a range of psychiatric and non-psychiatric traits. LAVA partitions the genome into semi-independent loci based on linkage disequilibrium (LD) patterns, thereby enabling the identification of specific genomic regions that contribute to global genetic correlations. Each locus contains at least 1,000 SNPs with MAF > 0.01 across all summary statistics, resulting in 2,495 distinct loci. The partitioning script is publicly available at https://github.com/cadeleeuw/lava-partitioning (Werme et al., 2022).

To identify loci with evidence of local genetic signal, we first conducted univariate heritability tests for each phenotype within each locus. Only loci that showed significant local SNP-based heritability in both phenotypes (P < 0.00002, Bonferroni-corrected for 2,495 loci; 0.05/2,495) were included in the subsequent bivariate local genetic correlation analyses. Bivariate results were then adjusted for multiple testing using a second Bonferroni correction that accounted for the total number of loci tested across all phenotype pairs within each suicide phenotype. Because MDD and PTSD were later used as covariates in sensitivity analyses, their bivariate-tested loci were also included in the correction to ensure a consistent multiple-testing framework. To control for sample overlap, bivariate LD score regression intercepts were estimated and incorporated into the LAVA model (Bulik-Sullivan et al., 2015).

Next, we performed partial correlation analyses ($\rho_{XY|\mathscr{Z}}$) within the LAVA framework to isolate independent local effects. We first selected loci showing significant local correlations with more

than one phenotype pair. For each of these loci, we conducted pairwise conditional analyses, where the correlation between two phenotypes was conditioned on a third correlated phenotype to distinguish shared from independent effects. For example, if locus 32 showed significant correlations for both SA–ADHD and SA–BMI, we performed two conditional tests: (a) SA–ADHD conditioned on BMI, and (b) SA–BMI conditioned on ADHD.

We then focused on loci shared between suicide behaviors and either MDD or PTSD. Given the strong genome-wide correlations between these disorders and suicide traits, we performed partial genetic correlation analyses conditioning on MDD, PTSD, or both, for loci that were significantly associated ($P < 0.05$) with suicide behaviors, these disorders, and at least one additional target trait. This strategy enabled us to assess whether the associations with suicide phenotypes persisted after accounting for potential confounding effects of MDD and PTSD. Although suicide behaviors share substantial genetic overlap with both disorders, they are not entirely coextensive—highlighting the presence of genetic components specific to suicide traits. Only loci that remained significant after all conditioning scenarios were carried forward to the enrichment analyses described below.

2.3. Conjunctional false discovery rate (conjFDR) analyses

To identify SNPs jointly associated with SA or SI and each of the thirteen selected traits, we applied the conjFDR approach (Andreassen et al., 2013; Smeland et al., 2020). This method builds upon the condFDR framework, which boosts GWAS discovery by applying an empirical bayesian statistical framework, conditioning SNPs-associated p-values of a primary phenotype on SNPs' nominal p-values from a secondary trait (Andreassen et al., 2013; Smeland et al., 2020). For a pair of phenotypes, two condFDR values can be computed for each SNP, conditioning the first trait on the second one and vice versa. The highest of these two condFDR values is then defined as the SNP's conjFDR (Andreassen et al., 2013). For phenotypes with overlapping samples, such as SA, sample overlap correction was applied following the instruction the protocol reported by the developers (https://github.com/precimed/pleiofdr). The MHC region (chr6:26000000-34000000) was excluded from all conjFDR analyses, as recommended for this analytical framework due to its complex LD structure and potential to inflate pleiotropy estimates (Andreassen et al., 2013; Schwartzman and Lin, 2011). Quantile–quantile (Q–Q) plots were generated to evaluate polygenic enrichment across trait pairs.

Statistically significant associations (i.e., candidate SNPs) were identified with a maximum FDR of 5%. Independent significant SNPs were defined as candidate SNPs with a LD $r^2 < 0.6$ with each other, whereas a LD $r^2 < 0.1$ defined lead SNPs (Watanabe et al., 2017). Candidate SNPs in LD $r^2 < 0.6$ with a given lead SNP defined a genomic locus. Novel loci resulting from conjFDR analyses were defined as loci not identified in parent, single-trait GWASs. To evaluate the effect direction of each lead SNP identified with conjFDR, the corresponding Z-scores from the individual trait GWASs were extracted and the signs compared to see if the effect was discordant (opposite sign) or concordant (same sign). Finally, the identified shared genetic loci through the conjFDR approach were also compared to LAVA's results by checking for genomic ranges overlap using the GenomicRanges R package (Lawrence et al., 2013).

2.4 Functional annotation, gene mapping, and gene set analysis

Functional annotation for the shared genetic loci identified in the previous steps was conducted with FUMA (Watanabe et al., 2017), incorporating annotations from the RegulomeDB (Boyle et al., 2012) and 15-core chromatin states (Kundaje et al., 2015), representing expression Quantitative Trait Loci (eQTL) and genomic regions' accessibility, respectively. The MHC region (chr6:26000000-34000000) was excluded. To prioritize the most deleterious variants, a Combined Annotation Dependent Depletion (CADD) Score ≥ 12.37 was used.

To retrieve the list of genes located within each locus identified in the LAVA analysis that survived all partial analysis, we utilised the NCBI Genome Data Viewer (GDV). Subsequently, the GENE2FUNC module from FUMA was employed to assess tissue-specific expression patterns and to explore potential enrichment in biological pathways and gene sets for the genes mapped to each locus. Three different SNP-to-gene mapping strategies were used for conjFDR significant results, including (1) positional mapping (with a 10kb window size), (2) 3D chromatin interaction mapping, and (3) eQTL mapping. Gene set enrichment and tissue-specific expression analyses were performed using Multi-marker Analysis of Genomic Association (MAGMA), as implemented in FUMA. Four reference datasets were used to assess spatial and temporal patterns of gene activity. These included 54 distinct tissue types and 30 aggregated tissue categories from GTEx v8, and 29 developmental stages alongside 11 broader developmental windows from BrainSpan. The prenatal stages represented in BrainSpan span from 8 to 37 post-conception weeks, allowing detailed mapping of gene expression trajectories from early neurodevelopment through late gestation.

3. Results

3.1. Local genetic correlations between suicidal and other psychiatric and non-psychiatric phenotypes

3.1.1 Global genetic correlations and locus-level selection
We reexamined the genetic correlations with LD Score Regression (LDSC) among STBs and target phenotypes using the latest GWAS summary statistics. Our findings were consistent with previous published findings (Docherty et al., 2023b), as summarised in Supplementary Figure 1 and Table S1. In the univariate LAVA analysis, 1,073 loci exhibited significant local SNP-based heritability for SA and at least one other tested phenotype, while 3,528 loci met this criterion for SI and were considerate in Bonferroni correction (P < 0.05/1,073 = 0.00004 for SA; P < 0.05/3,528 = 0.00001 for SI). Only these loci were retained for subsequent bivariate analyses (Tables S2–S27).

3.1.2 Significant local genetic correlations for SA and SI
Among the 925 SA–associated loci, 15 demonstrated significant local genetic correlations with other traits (Table S28). These included 3 loci with ADHD, also 3 with BD, 2 each with DSN, EA and SCZ, and 1 locus each with BMI, ESMK and NEU. The top correlations primarily observed were between SA and DSN at locus chr11:28577719-29530460 (ρ=0.99, P=1.3e-4), followed by ESMK at locus chr6:25684630-26396200 (ρ=0.89, P=2.8e-2), and EA at locus chr1:151146408-152535630 (ρ= -0.89, P=1.5e-3), respectively.

For SI, 13 out of 3,528 tested loci exhibited significant local genetic correlations with other phenotypes (Table S28). In regards to SI-EA, 5 loci were significant: chr2:103305258-105120578 (ρ= -0.47, P=1.7e-2), chr5:166863414-168342743 (ρ= -0.72, P=4.6e-2), chr9:128785783-129617771 (ρ= -0.57, P=3.1e-2), chr12:120567741-121817509 (ρ= -0.71, P=4.9e-3) and chr17:45883902-47516224 (ρ= -0.74, P=1.1e-3). With SCZ, there are 3 correlations, on loci chr4:113916003-115306149 (ρ=0.73, P=1.9e-2), chr6:25684630-26396200 (ρ=0.71, P=9.2e-4) and loci chr11:112755447-113889019 (ρ=0.42, P=3.0e-2). Two loci were associated between SI and ADHD, on loci chr10:133818037-134856054 (ρ=0.83, P=1,3e-2) and chr11:28577719-29530460 (ρ=0.72, P=4e-3), as well as with NEU on loci chr11:112755447-113889019 (ρ=0.51, P=1.7e-4), chr18:52512524-53762996 (ρ=0.72, P=2.5e-2). Lastly, there were only 1 locus for SI and ESMK (ρ=0.86, P=3.2e-4).

Three loci demonstrated local pleiotropy across multiple traits. At locus chr1:43512670–45167235, SA was associated with both ADHD and EA in opposite directions (ρ=0.71, P=1.8e-3 and ρ= -0.56, P=1.8e-3; respectively). In contrast, for SI, locus chr11:28577719–29530460 showed correlations with both ADHD and ESMK in the same direction (ρ=0.72, P=4e-3 and ρ=0.86, P=3.2e-4), as did locus chr11:112755447-113889019 for SI with NEU and SCZ (ρ=0.51, P=1.7e-4 and ρ=0.42, P=3e-2).

3.1.3 Conditional analyses and robustness to MDD/PTSD

Conditional analyses were then performed to assess trait-specific effects at these loci. Most correlations lost significance after conditioning (Table S29). For instance, the correlation between SA and ADHD at locus chr1:43512670-45167235 became non-significant when conditioned on EA (ρ=0.54, P=0.12), as well as the correlation between SA and EA when conditioned on ADHD (ρ=0.13, P=0.74). These findings suggest that other factors may be driving the observed correlations between these phenotypes within this region. Only one remained significant, on locus chr11:112755447-113889019 (ρ=0.7, P=1.8e-3), indicating that the correlation between SI and NEU is independent of SCZ.

Given the high correlation between STBs with MDD and PTSD, we identified significant loci (P < 0.05) between them (Tables S30-33) and conditioned the overlapped correlated loci with the same loci from the main analysis to account for MDD and PTSD confounding effects. In this step 5 loci lost significance, which indicates that MDD and/or PTSD might better explain the correlation between STBs and these traits on specific loci (Table S29). In loci chr6:30070718-30715006 for SA and BD, loci chr7:113339387-115321301 for SA and DSN and loci chr18:52512524-53762996 for SI and NEU, both PTSD and MDD influenced the correlation. The correlation was influenced only by PTSD in locus chr2:103305258-105120578 for SI and EA, and in locus chr11:112755447-113889019 for SI and NEU, while MDD influenced locus chr11:28577719-29530460 correlation between SA and DSN. In total, 17 correlations persisted significantly even after controlling for all potential confounding effects (Table 2 and Fig 1). The full list of genes within each locus is provided in Table S34 and was used for the enrichment analysis of LAVA results.

3.1.4 Functional annotation of LAVA loci

Using the GENE2FUNC module on the FUMA platform, we identified differential gene expression in at least 10 different tissues for the genes located within loci associated with specific phenotype pairs (Supplementary Figures S2–S5). As expected, several genes involved in the connection between phenotypes were differentially expressed in brain tissues. Genes located within loci mediating the SI–ADHD association (e.g., JAKMIP3, DPYSL4, INPP5A, CFAP46) were up-regulated in

four brain regions: hypothalamus, frontal cortex, cortex, and anterior cingulate cortex (Supplementary Figure 4B). Additionally, some genes were differentially expressed in non-neural tissues: genes located within SI–ADHD loci were down-regulated in blood vessels, esophagus, and aorta (Supplementary Figure 4A–B). Furthermore, SA–EA genes were up-regulated in the skin, including suprapubic (non–sun-exposed) and lower leg (sun-exposed) regions (Supplementary Figure 2A–B). SA–ESMK genes showed increased expression in liver, small intestine, and colon (Supplementary Figure 3), while SI–EA genes were up-regulated in the transverse and sigmoid colon, small intestine, stomach, and kidney cortex (Supplementary Figure 3A–B).

In addition, several gene sets were identified across phenotype pairs (Supplementary Figures S6–S9). Notably, genes located within SI–EA loci were enriched for gene sets associated with embryonic development (e.g., embryonic organ development, rhombomere development), morphogenesis (e.g., cranial nerve morphogenesis, embryonic organ morphogenesis), regulation of biological processes (e.g., negative regulation of lamellipodium assembly, positive regulation of cytosolic calcium ion transport), cellular components (e.g., chromatin, chromosome, ribonucleoprotein complex), and molecular functions, including DNA-binding transcription factor activity, transcription regulator activity, and sequence-specific DNA binding (Supplementary Figure 8). Additionally, genes within SA–ESMK and SI–SCZ loci were enriched for transport-related processes, such as urate and phosphate ion transport, as well as transmembrane transport activity, including sodium, metal, monoatomic ion, salt, and inorganic molecular entity transport (Supplementary Figures 7 and 9).

Table 2. Results from local correlation analysis after controlling for confounding effects.

Trait 1	Trait 2	Locus	Chr	Start	Stop	N SNPs	Local rg (ρ_0)	P	P-corr*	z	Partial rg (ρ_p)	P
SA	ADHD	84	1	96147577	97721186	2815	0.75	1.4e-5	0.013	MDD	0.73	0.001
		2408	20	44072211	45673603	3248	0.66	4.3e-5	0.040	PTSD	0.51	0.005
	BD	1735	11	130500784	131424361	1905	0.68	3.9e-5	0.036	MDD	0.64	0.002
		2109	16	7051430	7704354	2610	0.73	4.5e-5	0.041	MDD	0.78	5.3e-4
	BMI	943	6	19449153	20418020	830	0.72	6.4e-6	0.006	-	-	-
	EA	110	1	151146408	152535630	1844	-0.89	1.4e-6	0.001	-	-	-
	ESMK	950	6	25684630	26396200	1737	0.89	2.6e-5	0.024	MDD	0.89	0.018
	NEU	1544	10	62626466	64069687	2712	0.78	1.4e-5	0.004	-	-	-
	SCZ	652	4	55681702	57103100	3214	0.78	4.0e-5	0.037	-	-	-
		2026	14	99474534	100786189	2514	0.66	3.0e-5	0.028	-	-	-
SI	ADHD	1608	10	133818037	134856054	2341	0.83	3.2e-6	0.011	MDD	1	1.4e-05
	EA	915	5	166863414	168342743	3137	-0.72	1.1e-5	0.039	MDD	-0.70	0.002
		1472	9	128785783	129617771	2038	-0.57	7.6e-6	0.027	PTSD	-0.48	0.008
										MDD	-0.45	0.015
		1849	12	120567741	121817509	3124	-0.71	1.2e-6	0.004	PTSD	-0.58	7.1e-05
										MDD	-0.56	0.004
		2209	17	45883902	47516224	3414	-0.74	3.1e-7	0.001	MDD	-0.72	1.3e-05
	SCZ	701	4	113916003	115306149	2826	0.73	4.6e-6	0.019	-	-	-
		950	6	25684630	26396200	1803	0.71	2.2e-7	0.001	-	-	-

*Bonferroni correction for all bivariate tests (NSA = 1,083; NSI= 4,112).

ADHD, Attention Deficit and Hyperactivity Disorder; BD, Bipolar Disorder; BMI, Body Mass Index; Chr, Chromosome; EA, Educational Attainment; ESMK, Ever Smoker; N SNPs, Number os SNPs located within locus region; NEU, Neuroticism; P, p-value; P-corr, p-value corrected with Bonferroni correction for multiple testing; RG, genetic correlation, SA, Suicide Attempt; SCZ, Schizophrenia; SI, Suicidal Ideation; SNP, Single Nucleotide Polymorphism; z, confounding variable controlled; -, not tested.

Figure 1. Chromosome view of local, pairwise genetic correlations between suicide attempt/ideation vs the other 13 correlated traits. ADHD, Attention Deficit and Hyperactivity Disorder; BD, Bipolar Disorder; BMI, Body Mass Index; EA, Educational Attainment; ESMK, Ever Smoked; NEU, Neuroticism; SA, Suicide Attempt; SCZ, Schizophrenia; SI, Suicidal Ideation.

3.2. Cross-trait genetic associations identified via conjunctional FDR analyses

3.2.1 Polygenic enrichment and jointly associated loci

Results from the conjFDR analysis are summarised in Table 3 and Supplementary Table S35, with top loci for each phenotype pair shown in Table 4. Polygenic enrichment was observed for most SA phenotype pairs, with the exception of SA–EA and SA–INS. This was evident from Q–Q plots, which showed some degree of upward and leftward deviation when conditioned for progressively smaller p-value thresholds (Supplementary Figures S10-S35). Q–Q plots for SI–based pairs exhibited similar features but with smaller deviations. Notably, SI–EA, as SA–EA and SA–INS above, displayed no relevant deviation from the expected distribution, indicating that no polygenic enrichment was found for these pairs. These results are consistent with the findings in terms of novel identified loci (Table 3) where none was found for SA–EA and SI–EA. Among the other trait combinations, the number of jointly associated new loci ranged from 1 (SA–ASD) to 33 (SA–DSN) for SA–based pairs, and from 3 (SI–INS) to 29 (SI–ADHD) for SI–based pairs.

Cross-trait associations—defined by jointly associated loci (conjFDR < 0.05), independent significant SNPs, and lead SNPs—were identified for SA–ESMK, SA–SCZ, SI–NEU, SA–DSN, SA–ADHD, SA–NEU, and SI–SCZ. Among all trait pairs, SI–INS yielded the fewest significant loci (Table 3, Figure 2). Overall, SI–based analyses yielded fewer jointly associated loci than SA–based comparisons, with the exception of the CPD and NEU pairs, where SI results surpassed those for SA.

3.2.2 Effect directions, overlap with LAVA, and functional characterisation

Across phenotype pairs, the majority of lead SNPs exhibited a positive effect direction based on their individual trait z-scores (Table 4). When assessing cross-trait concordance, however, all pairs included a subset of discordant SNPs—defined as those with opposite effect directions between the two traits—ranging from 2% to 30% (Table 4). Complete concordance was observed for SA–ASD, SA–BD, SA–CPD, SA–INS, SI–ADHD, and SI–MSCP (all with positive effects in both traits), and for SI–EA (all with negative effects).

Of the 484 unique lead SNPs, only two (rs6593600, rs12888948) overlapped with genomic regions showing significant local genetic correlations in the same phenotype pairs after correcting for MDD and PTSD, corresponding to the loci chr1:96147577-97721186 for SA-ADHD and chr14:99474534-100786189 for SA-SCZ, respectively (Table 5).

A substantial proportion of SNPs identified through conjFDR analysis exhibited functional relevance, with 47% of mapped variants having a CADD score ≥ 12.37, indicating a deleterious potential. To further characterize the shared genetic architecture between suicidal and the other selected phenotypes, we mapped genes to the identified loci and examined their functional and biological relevance.

A total of 798 unique genes were mapped to SNPs identified through conjFDR analysis, 65.4% of which were protein-coding, 12.1% pseudogenes, 7.8% antisense RNA, and 7.2% long non-coding RNAs (lncRNAs) (Figure 3). Of these, 482 genes were mapped to loci identified in the analyses including SA and 421 to the loci identified in the analyses with SI.

In the SA subset, the most gene-rich trait pairs were SA–SCZ (217 genes, 154 protein-coding), SA–NEU (155, 109 protein-coding), and SA–DSN (135, 89 protein-coding). Fewer genes were mapped for SA–ASD (11, 3 protein-coding), SA–INS (10, 3 protein-coding), and SA–CPD (3, 2 protein-coding). Recurrently implicated genes in at least 5 phenotype pairs included those involved in cell adhesion, cell migration, and neurite growth (e.g. *NCAM1, LSAMP*), signal transduction (e.g. *FES, FAM212A/INKA1*), preprotein activation and secretion (e.g. *FURIN*), and transcriptional

regulation (e.g. *MED27*) (Table S36). Other recurrent genes across SA-based pairs included *AMT*, encoding a glycine cleavage system component, and *ARTN*, encoding a ligand of the glial cell line-derived neurotrophic factor (GDNF) family (Table S36). With regard to SI, the phenotypes that shared more genes with SI were NEU (198 genes, 124 protein-coding), SCZ (157, 97 protein-coding), and ADHD (114, 84 protein-coding), while INS showed the lowest number of jointly associated genes (14 overlapping genes, 8 protein-coding). No gene was mapped to the SI–ESMK trait pair. Notably, some of the most recurrent genes across SI pairs are in common with those mapped for phenotype pairs including SA; these include *NCAM1*, *FURIN* and *FES*. Other recurrent genes encode for zinc-finger proteins, as well as for proteins involved in transcription (*MAFK*), mitosis (*MAD1L1*), and cell cycle control and DNA repair (*FTSJ2*, also known as *MRM2*).

Gene set enrichment analysis identified 640 unique gene sets —525 for SA-based analyses and 276 for SI-based analyses. Enrichment was observed for genes implicated in brain morphology, subcortical volumes, cortical surface area, and psychiatric phenotypes including ASD, SCZ, anorexia nervosa, mood instability, risk-taking behaviour, age at first intercourse, and NEU. Additional enrichment was seen for gene sets involved in transcription factor targets, immune response, and other cellular processes (Table S37). Extending the gene set enrichment results, eight SA trait pairs (i.e., SA–ADHD, SA–BMI, SA–DSN, SA–EA, SA–ESMK, SA–MSCP, SA–NEU, and SA–SCZ) showed enrichment in genes located in chr3p21, whereas six SI trait pairs (i.e., SI–ADHD, SI–ASD, SI–DSN, SI–NEU, SI–RSKT, and SI–SCZ) exhibited enrichment for genes located in chr17q21. Notable differences emerged among the two subgroups of SA vs SI trait pairs; SA– trait pairs were predominantly enriched for genes related to brain morphology, psychiatric traits, cognitive function, and sleep regulation, whereas SI– trait pairs showed greater enrichment in gene sets linked to NEU, BMI, and gastrointestinal diseases (Table S37). Despite these distinctions, both SA– and SI–trait pairs exhibited enrichment in gene sets involved in glycine, serine, and threonine metabolism (SI–ADHD, SA–DSN, and SA–NEU) and systemic lupus erythematosus (SA/SI–BD, SA/SI–NEU, SI–RSKT, and SA/SI–SCZ). Further enrichments were more broadly observed in pathways associated with DNA packaging, DNA/nucleosome binding, and chromatin remodelling (Table S37). MAGMA gene-property analysis was used to examine tissue-specific expression profiles of genes mapped through conjFDR analyses. Significant enrichment was observed for SA–NEU-associated genes in tibial nerve tissue, as well as in brain tissue at 26 weeks post-conception. Significant enrichment was also found for SA–DSN associated genes at 2 years of age, whilst no tissue enrichment was found for SI-pairs. Full results, including non-significant findings, can be found in Table S38.

Table 3. Overview of ConjFDR results.

Trait 1	Trait 2	Candidate SNPs	Independent SNPs	Lead SNPs		Loci reported in the original GWAS	Novel reported loci
				All	With concordant effect direction		
SA	ADHD	3682	69	43	41	40	28
	ASD	311	2	1	1	1	1
	BD	1942	46	27	27	25	21
	BMI	2736	39	30	20	29	4
	CPD	387	13	6	6	6	5
	DSN	4377	88	51	47	48	33
	EA	559	7	7	6	7	0
	ESMK	5831	118	61	58	56	31
	INS	418	7	6	6	5	5
	MSCP	1717	28	15	14	14	11
	NEU	3652	89	55	54	50	37
	RSKT	1363	30	15	14	15	9
	SCZ	5114	115	60	57	57	23
SI	ADHD	3192	47	34	34	34	29
	ASD	422	5	5	4	5	4
	BD	1223	25	19	18	19	15
	BMI	1679	25	19	14	19	4
	CPD	910	19	13	11	12	7
	DSN	1642	30	23	20	23	13
	EA	356	3	2	0	2	0
	ESMK	2499	46	28	27	26	16
	INS	215	3	3	2	3	3
	MSCP	1580	25	20	20	20	16
	NEU	4972	86	54	53	48	31
	RSKT	1213	25	21	19	20	15
	SCZ	3621	65	48	39	45	25

ASD, Autism Spectrum Disorder; BD, Bipolar Disorder; BMI, Body Mass Index; CPD, Cigarettes per Day; DSN, Disinhibition; EA, Educational Attainment; ESMK, Ever Smoker; INS, Insomnia; MSCP, Multi-Site Chronic Pain; NEU, Neuroticism; RSKT, Risk Tolerance; SA, Suicide Attempt; SCZ, Schizophrenia; SI, Suicidal Ideation; SNP, Single Nucleotide Polymorphism.

Figure 2. Overview of ConjFDR results. Independent SNPs: number of independent SNPs significatively associated with both traits; lead SNPs: number of lead SNPs; negative loci: number of loci with opposite effect directions in the two traits; novel loci: number of loci significantly associated with both traits that were not significant in the original GWAS; positive loci: number of loci with the same effect directions in the two traits; reported loci: number of loci significantly associated with both traits. ADHD, Attention Deficit and Hyperactivity Disorder; ASD, Autism Spectrum Disorder; BD, Bipolar Disorder; CPD, Cigarettes per Day; DSN, Disinhibition; EA, Educational Attainment; ESMK, Ever Smoker; INS, Insomnia; MSCP, Multi-Site Chronic Pain; NEU, Neuroticism; RSKT, Risk Tolerance; SA, Suicide Attempt; SCZ, Schizophrenia; SI, Suicidal Ideation.

Table 4. ConjFDR top loci (FDR < 0.001) per trait-pairs and relative mapped genes.

SNP	Trait pair (ED trait 1 / ED trait 2)	Mapped gene(s)
rs3791129	SA–ADHD (+ / +)	*ARTN, ST3GAL3, B4GALT2, CCDC24, SLC6A9, ATP6V0B*, RP11-7O11.3, *IPO13*
rs2503185	SA–BMI (- / -)	-
rs35869525	SA–BD (- / -)	Several genes of different families, like *BTN* (MHC-like genes), *HIST*, *ZSCAN*
rs8039305	SA–BD (- / -)	*FES, FURIN*
rs9641538	SA–BD (+ / +)	-
rs4630328	SA–CPD (- / -)	*DRD2*
rs62474713	SA–DIS (+ / +)	-
rs2503185	SA–DIS (- / -)	-
rs17514846	SA–DIS (- / -)	-
rs2582897	SA–DIS (- / -)	-
rs2503185	SA–ESMK (- / -)	-
rs12798900	SA–NEU (+ / +)	-
rs35526527	SA–NEU (- / -)	Several BTN*, OR*, ZSCAN*, and HIST* genes
rs4275159	SA–RSKT (+ / +)	-
rs6224	SA–SCZ (- / -)	FES, FURIN
rs4245150	SA–SCZ (- / -)	DRD2
rs35869525	SA–SCZ (- / -)	Several genes of different families, like *BTN* (MHC-like genes), *HIST*, *ZSCAN*
rs10835363	SI–ADHD (- / -)	-
rs1823673	SI–BMI (- / -)	-
rs7200879	SI–BMI (- / +)	*FBXL19, STX1B, HSD3B7, SETD1A, STX4, KAT8, RNF40, ZNF646, VKORC1, ORAI3, RIM72, PRSS36*, C16orf93, RP11-196G11.2 , AC135048.13, RP11-388M20.9, *INO80E*
rs1836798	SI–DIS (+ / +)	-
rs10767730	SI–DIS (- / -)	-
rs264921	SI–ESMK (- / -)	-
rs1836798	SI–ESMK (+ / +)	-
rs10835363	SI–ESMK (+ / +)	-
rs62098014	SI–MSCP (+ / +)	-
rs56403421	SI–NEU (+ / +)	*CTD-2171N6.1*
rs17503448	SI–NEU (+ / +)	-
rs1116313	SI–NEU (+ / +)	-
rs56403421	SI–SCZ (+ / +)	*CTD-2171N6.1*

ASD, Autism Spectrum Disorder; BD, Bipolar Disorder; BMI, Body Mass Index; CPD, Cigarettes per Day; DSN, Disinhibition; EA, Educational Attainment; ED, Effect Direction; ESMK, Ever Smoker; INS, Insomnia; MSCP, Multi-Site Chronic Pain; NEU, Neuroticism; RSKT, Risk Tolerance; SA, Suicide Attempt; SCZ, Schizophrenia; SI, Suicidal Ideation; SNP, Single Nucleotide Polymorphism.

Table 5. Overlapping results between conjFDR and LAVA.

Trait pair	Chr	Start[a]	Stop[a]	Lead SNP[b]	Genes mapped (from SNPs)	Genes mapped (from locus)
SA–ADHD	1	96147577	97721186	rs6593600	*RP5-898J17.1* (ncRNA-intronic) *RP4-736I12.1* (intergenic), EEF1A1P11 (intergenic)	*DPYD, DPYD-AS1, EEF1A1P11, LINC01787, LINC02790, LOC101060164, NDUFS5P2, PTBP2, RN7SKP270, RN7SL831P, RNU1-130P, RPL7P9, UBE2WP1*
SA–SCZ	14	99474534	100786189	rs12888948	*AL109767.1* (antisense), *BCL11B, VRK1*	*BCL11B, CCDC85C, CCNK,CYP46A1, DEGS2, EML1, EVL, HHIPL1, MIR151B, MIR342, MIR345, MIR6764, RN7SL523P, RNU1-47P, RNU6-91P, RPS2P3, SETD3, SLC25A29, VDAC3P1, YY1, YY1-DT*

Chr, Chromosome; SA, Suicide Attempt; SCZ, Schizophrenia; SI, Suicidal Ideation; SNP, Single Nucleotide Polymorphism. a From LAVA analysis; b From the conjFDR analysis.

Figure 3. Gene type. A. Overall gene types mapped from ConjFDR results expressed as percentages. **B.** Overall gene types mapped from ConjFDR results in absolute numbers. lincRN, long non-coding RNA; miRNA, micro RNA; misc RNA, miscellaneous RNA; ncRNA, non-coding RNA; rRNA, ribosomal RNA; snoRNA, small nucleolar RNA.

4. Discussion

4.1. Main findings

This study provides a detailed characterisation of the shared genetic architecture between SI, SA, and a broad set of psychiatric, behavioural, and somatic phenotypes by integrating two complementary analytic frameworks: LAVA and conjFDR. This joint approach offers greater biological resolution than either method alone. Whereas LAVA identifies the genomic regions where polygenic covariance arises, conjFDR detects the specific variants driving cross-trait enrichment. Together, these region- and SNP-level analyses yield a more granular understanding of the pleiotropy underlying vulnerability to suicidal thoughts and behaviours.

Across traits, SA and SI differed substantially in both the magnitude and distribution of jointly associated loci, reinforcing accumulating evidence that they reflect partially distinct etiological processes rather than points along a simple severity continuum. SA demonstrated greater genetic sharing with traits characterised by behavioural disinhibition, substance use, psychosis liability, and metabolic dysregulation, whereas SI mapped more consistently onto internalizing features, cognitive–affective traits (e.g., neuroticism), and sleep- and pain-related phenotypes. These diverging patterns are consistent with epidemiological findings showing the limited predictive value of SI for subsequent SA and suggest that these phenotypes may arise from separable liability pathways with only partial overlap (Klonsky et al., 2021b). This is relevant for risk-stratification frameworks that historically treat SI and SA as gradations of a common process. It is noteworthy that neurodevelopmental disorders such as ADHD and ASD were associated with both SA and SI, and that this pattern was consistent across LAVA and conjFDR analyses. Moreover, the patterns observed for SA and SI were highly similar when considering ADHD and MSCP, reflecting the strong genetic correlation specifically between ADHD and pain traits (Ciochetti et al., 2023).

A small number of loci emerged across both methods despite stringent conditioning on MDD and PTSD in the LAVA analysis. These convergent signals—one for SA–ADHD and one for SA–SCZ—likely represent higher-confidence pleiotropic regions whose effects are robust across statistical frameworks and not simply reflections of global correlation or collinearity with common psychiatric comorbidities. Genes mapped to these SNPs and regions participate in neuronal and immune cell proliferation, differentiation, and survival. Their cross-trait presence suggests that immune and early neurodevelopmental processes may constitute core mechanisms linking suicidality with external phenotypes.

Enrichment analyses further demonstrated that the biological pathways shared with SA and SI extend beyond classical neurobiological processes. Many phenotype pairs showed enrichment for gene sets related to brain morphology, cortical and subcortical structure, chromatin dynamics, transcriptional regulation, and glycine–serine–threonine metabolism—implicating neurotransmission, neuronal growth, and excitatory–inhibitory balance. Notably, glycine transporter genes (e.g., *SLC6A9*), repeatedly implicated in SA- and SI-based pairs, modulate NMDA receptor tone and astrocytic regulation of glutamatergic signaling (Cummings and Popescu, 2015; Mizzi and Blundell, 2025). This aligns with growing evidence that NMDA modulation can acutely reduce suicidal thoughts and supports the hypothesis that glycine–NMDA pathways may be mechanistically relevant to suicidal vulnerability (Canuso et al., 2021; Fu et al., 2023; Pompili, 2020).

An important and often overlooked finding of this study is the reproducible tissue enrichment in non-brain tissues, including liver, intestine, colon, skin, vasculature, and kidney cortex. Rather than representing peripheral noise, these results align with a substantial body of literature documenting

bidirectional interactions between psychiatric phenotypes and systemic processes such as inflammation, metabolic regulation, epithelial integrity, microbiome–immune crosstalk, and vascular function. The presence of suicide-associated pleiotropic genes in these tissues suggests that suicidality may not be exclusively neurocentric but may arise from integrated brain–body mechanisms. This perspective is consistent with epidemiological links between suicidality and autoimmune disorders (Brundin et al., 2015; Isung et al., 2020; Yang et al., 2025), cardiometabolic disease (Chen et al., 2023), and gastrointestinal dysregulation (Costanza et al., 2025), pointing to multisystemic biological signatures worthy of further investigation.

Across multiple trait combinations, we also identified shared loci enriched for gene sets associated with neuroticism, behavioural control, and age at first sexual intercourse (AFSI). Previous Mendelian randomisation studies indicate that AFSI may index underlying neurobiological vulnerability to self-harm, potentially via mediating effects of MDD and SCZ polygenic risk (Dong et al., 2024). This supports the hypothesis that early-life behaviours and developmental trajectories may reflect or contribute to latent liabilities shared with suicidal phenotypes.

Taken together, the patterns observed here—methodological convergence at a small number of high-confidence loci; trait-specific and phenotype-specific enrichment signatures; and the presence of both neural and peripheral tissue signals—support a model in which suicidal thoughts and behaviours arise from a heterogeneous architecture composed of partly independent but interacting neurodevelopmental, neurochemical, behavioural, and somatic pathways. These findings reinforce the need for phenotypic precision when studying suicidal outcomes and indicate the usefulness of integrating multilayered genomic information to uncover biologically meaningful pleiotropy.

4.2 Strengths and limitations

A key strength of this study is the integration of two complementary analytic frameworks that capture different dimensions of pleiotropy. LAVA provides spatially localised estimates of covariance, whereas conjFDR detects cross-trait enrichment even when single-trait GWAS lack genome-wide significance. Used together, these methods enable both validation and refinement of shared genetic signals. Systematic conditioning on MDD and PTSD in the LAVA analysis further improves interpretability by distinguishing trait-specific from comorbidity-driven effects. Additional strengths include the use of large, up-to-date GWAS datasets and the inclusion of a broad range of psychiatric and non-psychiatric traits, which permits the exploration of shared liability beyond diagnostic boundaries.

However, several limitations warrant consideration. Some phenotypes (e.g., ASD) remain underpowered, which may lead to underestimation of pleiotropy. All analyses rely on measures of genetic correlation and joint association, which do not imply causality. Functional validation will require integration with transcriptomic, proteomic, or cellular models. The predominance of European-ancestry samples limits generalisability and underscores the need for cross-ancestry genomic resources. Finally, enrichment findings in peripheral tissues should be interpreted cautiously and validated in multi-omic datasets, given the complexity of tissue specificity and gene regulation.

4.3 Conclusions

This study refines current understanding of the genetic architecture linking SA and SI to a broad spectrum of psychiatric, somatic, and behavioural traits. By integrating region-level genetic covariance with SNP-level cross-trait association mapping, we enhanced the resolution for detecting pleiotropic loci and implicated pathways—particularly those related to neurodevelopment, immune dysregulation, and glycine–NMDA signaling. The distinct and partially overlapping association profiles observed for SA and SI underscore the importance of precise and differentiated phenotypic definitions when interrogating suicidal thoughts and behaviours. Collectively, these findings may inform future efforts in stratified risk prediction and guide the development of mechanistically grounded interventions.

5. Appendix

* ECNP Network on Suicide Research and Prevention [Collaborative Author Group] – Members of the European College of Neuropsychopharmacology (ECNP) Network on Suicide Research and Prevention are: Alan Apter, Schneider, Children's Medical Center of Israel & Tel Aviv University, Israel; Enrique Baca-García, Hospital Universitario Fundación Jiménez Díaz & Universidad Autónoma de Madrid, Spain; Judit Balázs, Institute of Psychology, Eötvös Loránd University, Hungary; Shira Barzilay, University of Haifa, Israel; Julio Bobes, University of Oviedo, Spain; Raffaella Calati, Department of Psychology, University of Milan-Bicocca, Italy & Department of Adult Psychiatry, Nimes University Hospital, France; Vladimir Carli, Karolinska Institutet, Sweden; Philippe Courtet, Université de Montpellier & CHU Montpellier, France; Giuseppe Fanelli, University of Bologna, Italy & Radboud University Medical Center, The Netherlands; Xenia Gonda, Semmelweis University, Hungary; Iria Grande, Bipolar and Depressive Disorders Unit, Hospital Clinic de Barcelona, Departament de Medicina Universitat de Barcelona, Institut d'Investigacions Biomèdiques August Pi i Sunyer (IDIBAPS), Centro de Investigación Biomédica en Red de Salud Mental (CIBERSAM), Spain., Spain; Vasileios Masdrakis, National and Kapodistrian University of Athens, Greece; Maurizio Pompili, Sapienza University of Rome, Italy; Zoltán Rihmer, Semmelweis University, Hungary; Dan Rujescu, Medical University of Vienna, Austria; Pilar A. Saiz, University of Oviedo & CIBERSAM, Spain; Anjali Sankar, Copenhagen University Hospital Rigshospitalet, Denmark; Marco Sarchiapone, University of Molise, Italy; Alessandro Serretti, "Kore" University of Enna & Oasi Research Institute-IRCCS, Troina, Italy; Marcus Sokolowski, Karolinska Institutet, Sweden; Robertas Strumila, CHU Montpellier, France; Lars-Håkan Thorell, Linköping University, Sweden; Danuta Wasserman, Karolinska Institutet, Sweden; Jerzy Wasserman, Karolinska Institutet, Sweden; Abraham Weizman, Tel Aviv University & Geha Hospital, Israel; Gil Zalsman, Tel Aviv University & Geha Hospital, Israel.

8. Author Disclosure

8.1. Funding

Funding for this study was provided by the São Paulo Research Foundation (FAPESP; grants 2024/03551-2, 2020/05652-0 and 2023/12252-6). FAPESP had no role in the study design; data collection, analysis, or interpretation; manuscript preparation; or the decision to submit this article for publication.

8.2. Contributors

Diego L. Rovaris and Giuseppe Fanelli conceptualised, supervised and coordinated the study. Isabella Folego-Temoteo and Alfonso Martone performed the statistical analysis, curated the data and wrote the initial draft of the manuscript. Alessandro Serretti, Chiara Fabbri, Eugenio H. Grevet, Claiton H.D Bau, Cibele E. Bandeira, Gabriel R. Fries, Janita Bralten, Anna R. Docherty, and Allison E. Ashley-Koch, Iria Grande and Xenia Gonda reviewed the manuscript and provided critical insights. Giuseppe Fanelli, Diego L. Rovaris, Alfonso Martone and Isabella Folego-Temoteo finalised the manuscript. All authors contributed to and have approved the final manuscript.

9. References

AMT Gene - GeneCards [WWW Document], n.d. URL
https://www.genecards.org/cgi-bin/carddisp.pl?gene=AMT&keywords=amt (accessed
6.11.25).

Andreassen, O.A., Thompson, W.K., Schork, A.J., Ripke, S., Mattingsdal, M., Kelsoe, J.R., Kendler,
K.S., O'Donovan, M.C., Rujescu, D., Werge, T., Sklar, P., Consortium (PGC), T.P.G., Groups,
B.D. and S.W., Roddey, J.C., Chen, C.-H., McEvoy, L., Desikan, R.S., Djurovic, S., Dale, A.M.,
2013. Improved Detection of Common Variants Associated with Schizophrenia and Bipolar
Disorder Using Pleiotropy-Informed Conditional False Discovery Rate. PLOS Genet. 9,
e1003455. https://doi.org/10.1371/journal.pgen.1003455

Ashley-Koch, A.E., Kimbrel, N.A., Qin, X.J., Lindquist, J.H., Garrett, M.E., Dennis, M.F., Hair, L.P.,
Huffman, J.E., Jacobson, D.A., Madduri, R.K., Coon, H., Docherty, A.R., Kang, J., Mullins, N.,
Ruderfer, D.M., Program (MVP), the V.M.V., Workgroup, the M.S.E., Consortium, the I.S.G.,
Harvey, P.D., McMahon, B.H., Oslin, D.W., Hauser, E.R., Hauser, M.A., Beckham, J.C., 2023.
Genome-wide association study identifies four pan-ancestry loci for suicidal ideation in the
Million Veteran Program. PLOS Genet. 19, e1010623.
https://doi.org/10.1371/journal.pgen.1010623

Bertolote, J.M., Fleischmann, A., 2002. Suicide and psychiatric diagnosis: a worldwide perspective.
World Psychiatry 1, 181–185.

Boyle, A.P., Hong, E.L., Hariharan, M., Cheng, Y., Schaub, M.A., Kasowski, M., Karczewski, K.J., Park,
J., Hitz, B.C., Weng, S., Cherry, J.M., Snyder, M., 2012. Annotation of functional variation in
personal genomes using RegulomeDB. Genome Res. 22, 1790–1797.
https://doi.org/10.1101/gr.137323.112

Brundin, L., Erhardt, S., Bryleva, E.Y., Achtyes, E.D., Postolache, T.T., 2015. The role of inflammation
in suicidal behaviour. Acta Psychiatr. Scand. 132, 192–203.
https://doi.org/10.1111/acps.12458

Bulik-Sullivan, B., Loh, P.-R., Finucane, H.K., Ripke, S., Yang, J., Schizophrenia Working Group of the
Psychiatric Genomics Consortium, Patterson, N., Daly, M.J., Price, A.L., Neale, B.M., 2015.
LD Score regression distinguishes confounding from polygenicity in genome-wide
association studies. Nat. Genet. 47, 291–295. https://doi.org/10.1038/ng.3211

Canuso, C.M., Ionescu, D.F., Li, X., Qiu, X., Lane, R., Turkoz, I., Nash, A.I., Lopena, T.J., Fu, D.-J., 2021.
Esketamine Nasal Spray for the Rapid Reduction of Depressive Symptoms in Major
Depressive Disorder With Acute Suicidal Ideation or Behavior. J. Clin. Psychopharmacol. 41,
516. https://doi.org/10.1097/JCP.0000000000001465

Cavanagh, J.T.O., Carson, A.J., Sharpe, M., Lawrie, S.M., 2003. Psychological autopsy studies of
suicide: a systematic review. Psychol. Med. 33, 395–405.
https://doi.org/10.1017/S0033291702006943

CDC, 2025. Suicide Data and Statistics [WWW Document]. Suicide Prev. URL
https://www.cdc.gov/suicide/facts/data.html (accessed 3.10.25).

Chen, C., Feng, R.-L., Wang, J., Li, J., Liu, C., Hu, J., Liu, L.-C., 2023. Patients with cardiovascular
disorders and suicidality: A systematic review and meta-analysis. Asian J. Psychiatry 90,
103799. https://doi.org/10.1016/j.ajp.2023.103799

Chen, Y., Zhang, J., Deng, M., 2015. Furin mediates brain-derived neurotrophic factor upregulation
in cultured rat astrocytes exposed to oxygen-glucose deprivation. J. Neurosci. Res. 93,
189–194. https://doi.org/10.1002/jnr.23455

Cheng, Y.-J., Lin, C.-H., Lane, H.-Y., 2023. Ketamine, benzoate, and sarcosine for treating depression.
Neuropharmacology 223, 109351. https://doi.org/10.1016/j.neuropharm.2022.109351

Ciochetti, N.P., Lugli-Moraes, B., Santos da Silva, B., Rovaris, D.L., 2023. Genome-wide association
studies: utility and limitations for research in physiology. J. Physiol. 601, 2771–2799.
https://doi.org/10.1113/JP284241

Ciochetti, N.P., Oliveira, V.F. de, Junger-Santos, I., Bandeira, C.E., Tavares, M.E., Vitola, E.S., Rohde, L.A., Andrade, G.M. de, Silva, B.S. da, Grevet, E.H., Bau, C.H.D., Rovaris, D.L., 2025. Genetic Interplay Between ADHD and Pain Suggests Neurodevelopmental Pathways and Comorbidity Risk. Biol. Psychiatry Glob. Open Sci. 0. https://doi.org/10.1016/j.bpsgos.2025.100517

Costanza, A., Alexander, J., Amerio, A., Aguglia, A., Magnani, L., Parise, A., Saverino, D., Serafini, G., Amore, M., Nguyen, K.D., 2025. Microbial Dysbiosis as an Emerging Pathology of Suicidal Behaviour? A Critical Review, Passing Through Depression to Chronic Pain. Ann. Neurosci. 09727531251349024. https://doi.org/10.1177/09727531251349024

Cummings, K.A., Popescu, G.K., 2015. Glycine-dependent activation of NMDA receptors. J. Gen. Physiol. 145, 513–527. https://doi.org/10.1085/jgp.201411302

Davis, K.A.S., Coleman, J.R.I., Adams, M., Allen, N., Breen, G., Cullen, B., Dickens, C., Fox, E., Graham, N., Holliday, J., Howard, L.M., John, A., Lee, W., McCabe, R., McIntosh, A., Pearsall, R., Smith, D.J., Sudlow, C., Ward, J., Zammit, S., Hotopf, M., 2020. Mental health in UK Biobank – development, implementation and results from an online questionnaire completed by 157 366 participants: a reanalysis. BJPsych Open 6, e18. https://doi.org/10.1192/bjo.2019.100

De Beurs, D., Fried, E.I., Wetherall, K., Cleare, S., O' Connor, D.B., Ferguson, E., O'Carroll, R.E., O' Connor, R.C., 2019. Exploring the psychology of suicidal ideation: A theory driven network analysis. Behav. Res. Ther. 120, 103419. https://doi.org/10.1016/j.brat.2019.103419

DGIdb, AMT [WWW Document], n.d. URL https://dgidb.org/results?searchType=gene&searchTerms=AMT (accessed 6.11.25).

DiBlasi, E., Kang, J., Docherty, A.R., 2021. Genetic contributions to suicidal thoughts and behaviors. Psychol. Med. 51, 2148–2155. https://doi.org/10.1017/S0033291721001720

Docherty, A.R., Mullins, N., Ashley-Koch, A.E., Qin, X., Coleman, J.R.I., Shabalin, A., Kang, J., Murnyak, B., Wendt, F., Adams, M., Campos, A.I., DiBlasi, E., Fullerton, J.M., Kranzler, H.R., Bakian, A.V., Monson, E.T., Rentería, M.E., Walss-Bass, C., Andreassen, O.A., Behera, C., Bulik, C.M., Edenberg, H.J., Kessler, R.C., Mann, J.J., Nurnberger, J.I., Pistis, G., Streit, F., Ursano, R.J., Polimanti, R., Dennis, M., Garrett, M., Hair, L., Harvey, P., Hauser, E.R., Hauser, M.A., Huffman, J., Jacobson, D., Madduri, R., McMahon, B., Oslin, D.W., Trafton, J., Awasthi, S., Berrettini, W.H., Bohus, M., Chang, X., Chen, H.-C., Chen, W.J., Christensen, E.D., Crow, S., Duriez, P., Edwards, A.C., Fernández-Aranda, F., Galfalvy, H., Gandal, M., Gorwood, P., Guo, Y., Hafferty, J.D., Hakonarson, H., Halmi, K.A., Hishimoto, A., Jain, S., Jamain, S., Jiménez-Murcia, S., Johnson, C., Kaplan, A.S., Kaye, W.H., Keel, P.K., Kennedy, J.L., Kim, M., Klump, K.L., Levey, D.F., Li, D., Liao, S.-C., Lieb, K., Lilenfeld, L., Marshall, C.R., Mitchell, J.E., Okazaki, S., Otsuka, I., Pinto, D., Powers, A., Ramoz, N., Ripke, S., Roepke, S., Rozanov, V., Scherer, S.W., Schmahl, C., Sokolowski, M., Starnawska, A., Strober, M., Su, M.-H., Thornton, L.M., Treasure, J., Ware, E.B., Watson, H.J., Witt, S.H., Woodside, D.B., Yilmaz, Z., Zillich, L., Adolfsson, R., Agartz, I., Alda, M., Alfredsson, L., Appadurai, V., Artigas, M.S., Van der Auwera, S., Azevedo, M.H., Bass, N., Bau, C.H.D., Baune, B.T., Bellivier, F., Berger, K., Biernacka, J.M., Bigdeli, T.B., Binder, E.B., Boehnke, M., Boks, M.P., Braff, D.L., Bryant, R., Budde, M., Byrne, E.M., Cahn, W., Castelao, E., Cervilla, J.A., Chaumette, B., Corvin, A., Craddock, N., Djurovic, S., Foo, J.C., Forstner, A.J., Frye, M., Gatt, J.M., Giegling, I., Grabe, H.J., Green, M.J., Grevet, E.H., Grigoroiu-Serbanescu, M., Gutierrez, B., Guzman-Parra, J., Hamshere, M.L., Hartmann, A.M., Hauser, J., Heilmann-Heimbach, S., Hoffmann, P., Ising, M., Jones, I., Jones, L.A., Jonsson, L., Kahn, R.S., Kelsoe, J.R., Kendler, K.S., Kloiber, S., Koenen, K.C., Kogevinas, M., Krebs, M.-O., Landén, M., Leboyer, M., Lee, P.H., Levinson, D.F., Liao, C., Lissowska, J., Mayoral, F., McElroy, S.L., McGrath, P., McGuffin, P., McQuillin, A., Mehta, D., Melle, I., Mitchell, P.B., Molina, E., Morken, G., Nievergelt, C., Nöthen, M.M., O'Donovan, M.C., Ophoff, R.A., Owen, M.J., Pato, C., Pato, M.T., Penninx, B.W.J.H., Potash, J.B., Power, R.A., Preisig, M., Quested, D., Ramos-Quiroga, J.A., Reif, A., Ribasés, M.,

Richarte, V., Rietschel, M., Rivera, M., Roberts, A., Roberts, G., Rouleau, G.A., Rovaris, D.L., Sanders, A.R., Schofield, P.R., Schulze, T.G., Scott, L.J., Serretti, A., Shi, J., Sirignano, L., Sklar, P., Smeland, O.B., Smoller, J.W., Sonuga-Barke, E.J.S., Trzaskowski, M., Tsuang, M.T., Turecki, G., Vilar-Ribó, L., Vincent, J.B., Völzke, H., Walters, J.T.R., Weickert, C.S., Weickert, T.W., Weissman, M.M., Williams, L.M., Wray, N.R., Zai, C.C., Agerbo, E., Børglum, A.D., Breen, G., Demontis, D., Erlangsen, A., Gelernter, J., Glatt, S.J., Hougaard, D.M., Hwu, H.-G., Kuo, P.-H., Lewis, C.M., Li, Q.S., Liu, C.-M., Martin, N.G., McIntosh, A.M., Medland, S.E., Mors, O., Nordentoft, M., Olsen, C.M., Porteous, D., Smith, D.J., Stahl, E.A., Stein, M.B., Wasserman, D., Werge, T., Whiteman, D.C., Willour, V., VA Million Veteran Program (MVP), MVP Suicide Exemplar Workgroup, Suicide Working Group of the Psychiatric Genomics Consortium, Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium, Bipolar Disorder Working Group of the Psychiatric Genomics Consortium, Schizophrenia Working Group of the Psychiatric Genomics Consortium, Eating Disorder Working Group of the Psychiatric Genomics Consortium, German Borderline Genomics Consortium, Coon, H., Beckham, J.C., Kimbrel, N.A., Ruderfer, D.M., 2023a. GWAS Meta-Analysis of Suicide Attempt: Identification of 12 Genome-Wide Significant Loci and Implication of Genetic Risks for Specific Health Factors. Am. J. Psychiatry 180, 723–738. https://doi.org/10.1176/appi.ajp.21121266

Docherty, A.R., Mullins, N., Ashley-Koch, A.E., Qin, X., Coleman, J.R.I., Shabalin, A., Kang, J., Murnyak, B., Wendt, F., Adams, M., Campos, A.I., DiBlasi, E., Fullerton, J.M., Kranzler, H.R., Bakian, A.V., Monson, E.T., Rentería, M.E., Walss-Bass, C., Andreassen, O.A., Behera, C., Bulik, C.M., Edenberg, H.J., Kessler, R.C., Mann, J.J., Nurnberger, J.I., Pistis, G., Streit, F., Ursano, R.J., Polimanti, R., Dennis, M., Garrett, M., Hair, L., Harvey, P., Hauser, E.R., Hauser, M.A., Huffman, J., Jacobson, D., Madduri, R., McMahon, B., Oslin, D.W., Trafton, J., Awasthi, S., Berrettini, W.H., Bohus, M., Chang, X., Chen, H.-C., Chen, W.J., Christensen, E.D., Crow, S., Duriez, P., Edwards, A.C., Fernández-Aranda, F., Galfalvy, H., Gandal, M., Gorwood, P., Guo, Y., Hafferty, J.D., Hakonarson, H., Halmi, K.A., Hishimoto, A., Jain, S., Jamain, S., Jiménez-Murcia, S., Johnson, C., Kaplan, A.S., Kaye, W.H., Keel, P.K., Kennedy, J.L., Kim, M., Klump, K.L., Levey, D.F., Li, D., Liao, S.-C., Lieb, K., Lilenfeld, L., Marshall, C.R., Mitchell, J.E., Okazaki, S., Otsuka, I., Pinto, D., Powers, A., Ramoz, N., Ripke, S., Roepke, S., Rozanov, V., Scherer, S.W., Schmahl, C., Sokolowski, M., Starnawska, A., Strober, M., Su, M.-H., Thornton, L.M., Treasure, J., Ware, E.B., Watson, H.J., Witt, S.H., Woodside, D.B., Yilmaz, Z., Zillich, L., Adolfsson, R., Agartz, I., Alda, M., Alfredsson, L., Appadurai, V., Artigas, M.S., Van der Auwera, S., Azevedo, M.H., Bass, N., Bau, C.H.D., Baune, B.T., Bellivier, F., Berger, K., Biernacka, J.M., Bigdeli, T.B., Binder, E.B., Boehnke, M., Boks, M.P., Braff, D.L., Bryant, R., Budde, M., Byrne, E.M., Cahn, W., Castelao, E., Cervilla, J.A., Chaumette, B., Corvin, A., Craddock, N., Djurovic, S., Foo, J.C., Forstner, A.J., Frye, M., Gatt, J.M., Giegling, I., Grabe, H.J., Green, M.J., Grevet, E.H., Grigoroiu-Serbanescu, M., Gutierrez, B., Guzman-Parra, J., Hamshere, M.L., Hartmann, A.M., Hauser, J., Heilmann-Heimbach, S., Hoffmann, P., Ising, M., Jones, I., Jones, L.A., Jonsson, L., Kahn, R.S., Kelsoe, J.R., Kendler, K.S., Kloiber, S., Koenen, K.C., Kogevinas, M., Krebs, M.-O., Landén, M., Leboyer, M., Lee, P.H., Levinson, D.F., Liao, C., Lissowska, J., Mayoral, F., McElroy, S.L., McGrath, P., McGuffin, P., McQuillin, A., Mehta, D., Melle, I., Mitchell, P.B., Molina, E., Morken, G., Nievergelt, C., Nöthen, M.M., O'Donovan, M.C., Ophoff, R.A., Owen, M.J., Pato, C., Pato, M.T., Penninx, B.W.J.H., Potash, J.B., Power, R.A., Preisig, M., Quested, D., Ramos-Quiroga, J.A., Reif, A., Ribasés, M., Richarte, V., Rietschel, M., Rivera, M., Roberts, A., Roberts, G., Rouleau, G.A., Rovaris, D.L., Sanders, A.R., Schofield, P.R., Schulze, T.G., Scott, L.J., Serretti, A., Shi, J., Sirignano, L., Sklar, P., Smeland, O.B., Smoller, J.W., Sonuga-Barke, E.J.S., Trzaskowski, M., Tsuang, M.T., Turecki, G., Vilar-Ribó, L., Vincent, J.B., Völzke, H., Walters, J.T.R., Weickert, C.S., Weickert, T.W., Weissman, M.M., Williams, L.M., Wray, N.R., Zai, C.C., Agerbo, E., Børglum, A.D., Breen, G., Demontis, D., Erlangsen, A., Gelernter, J., Glatt, S.J., Hougaard, D.M., Hwu, H.-G., Kuo, P.-H.,

Lewis, C.M., Li, Q.S., Liu, C.-M., Martin, N.G., McIntosh, A.M., Medland, S.E., Mors, O., Nordentoft, M., Olsen, C.M., Porteous, D., Smith, D.J., Stahl, E.A., Stein, M.B., Wasserman, D., Werge, T., Whiteman, D.C., Willour, V., VA Million Veteran Program (MVP), MVP Suicide Exemplar Workgroup, Suicide Working Group of the Psychiatric Genomics Consortium, Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium, Bipolar Disorder Working Group of the Psychiatric Genomics Consortium, Schizophrenia Working Group of the Psychiatric Genomics Consortium, Eating Disorder Working Group of the Psychiatric Genomics Consortium, German Borderline Genomics Consortium, Coon, H., Beckham, J.C., Kimbrel, N.A., Ruderfer, D.M., 2023b. GWAS Meta-Analysis of Suicide Attempt: Identification of 12 Genome-Wide Significant Loci and Implication of Genetic Risks for Specific Health Factors. Am. J. Psychiatry 180, 723–738. https://doi.org/10.1176/appi.ajp.21121266

Dong, D., Saeed, S., Chen, R., Chen, A., Zheng, W., 2024. Investigating the Mediating Role of Mental Disorders in the Relationship Between Early Sexual Intercourse and Intentional Self-Harm: A Two-Step and Multivariable Mendelian Randomisation Study. Brain Behav. 14, e70124. https://doi.org/10.1002/brb3.70124

Fanelli, G., Franke, B., Fabbri, C., Werme, J., Erdogan, I., De Witte, W., Poelmans, G., Ruisch, I.H., Reus, L.M., van Gils, V., Jansen, W.J., Vos, S.J.B., Alam, K.A., Martinez, A., Haavik, J., Wimberley, T., Dalsgaard, S., Fóthi, Á., Barta, C., Fernandez-Aranda, F., Jimenez-Murcia, S., Berkel, S., Matura, S., Salas-Salvadó, J., Arenella, M., Serretti, A., Mota, N.R., Bralten, J., 2025. Local patterns of genetic sharing between neuropsychiatric and insulin resistance-related conditions. Transl. Psychiatry 15, 1–10. https://doi.org/10.1038/s41398-025-03349-9

FES Gene - GeneCards [WWW Document], n.d. URL https://www.genecards.org/cgi-bin/carddisp.pl?gene=FES&keywords=FES#localisation (accessed 7.30.25).

Franklin, J.C., Ribeiro, J.D., Fox, K.R., Bentley, K.H., Kleiman, E.M., Huang, X., Musacchio, K.M., Jaroszewski, A.C., Chang, B.P., Nock, M.K., 2017. Risk factors for suicidal thoughts and behaviors: A meta-analysis of 50 years of research. Psychol. Bull. 143, 187–232. https://doi.org/10.1037/bul0000084

Fu, D.-J., Zhang, Q., Shi, L., Borentain, S., Guo, S., Mathews, M., Anjo, J., Nash, A.I., O'Hara, M., Canuso, C.M., 2023. Esketamine versus placebo on time to remission in major depressive disorder with acute suicidality. BMC Psychiatry 23, 587. https://doi.org/10.1186/s12888-023-05017-y

Fu, Q., Heath, A.C., Bucholz, K.K., Nelson, E.C., Glowinski, A.L., Goldberg, J., Lyons, M.J., Tsuang, M.T., Jacob, T., True, M.R., Eisen, S.A., 2002. A twin study of genetic and environmental influences on suicidality in men. Psychol. Med. 32, 11–24. https://doi.org/10.1017/S0033291701004846

FURIN Gene - GeneCards [WWW Document], n.d. URL https://www.genecards.org/cgi-bin/carddisp.pl?gene=FURIN&keywords=furin (accessed 6.11.25).

Hajduk, A., Nowicka-Sauer, K., Smoleńska, Ż., Czuszyńska, Z., Zdrojewski, Z., 2016. Prevalence and correlates of suicidal thoughts in patients with neuropsychiatric lupus. Lupus 25, 185–192. https://doi.org/10.1177/0961203315603136

Henter, I.D., Park, L.T., Zarate, C.A., 2021. Novel Glutamatergic Modulators for the Treatment of Mood Disorders: Current Status. CNS Drugs 35, 527–543. https://doi.org/10.1007/s40263-021-00816-x

Isung, J., Williams, K., Isomura, K., Gromark, C., Hesselmark, E., Lichtenstein, P., Larsson, H., Fernández de la Cruz, L., Sidorchuk, A., Mataix-Cols, D., 2020. Association of Primary Humoral Immunodeficiencies With Psychiatric Disorders and Suicidal Behavior and the Role

of Autoimmune Diseases. JAMA Psychiatry 77, 1147–1154.
https://doi.org/10.1001/jamapsychiatry.2020.1260

Klonsky, E.D., Dixon-Luinenburg, T., May, A.M., 2021a. The critical distinction between suicidal
ideation and suicide attempts. World Psychiatry 20, 439–441.
https://doi.org/10.1002/wps.20909

Klonsky, E.D., Dixon-Luinenburg, T., May, A.M., 2021b. The critical distinction between suicidal
ideation and suicide attempts. World Psychiatry 20, 439–441.
https://doi.org/10.1002/wps.20909

Kontou, P.I., Bagos, P.G., 2024. The goldmine of GWAS summary statistics: a systematic review of
methods and tools. BioData Min. 17, 31. https://doi.org/10.1186/s13040-024-00385-x

Kundaje, A., Meuleman, W., Ernst, J., Bilenky, M., Yen, A., Heravi-Moussavi, A., Kheradpour, P.,
Zhang, Z., Wang, J., Ziller, M.J., Amin, V., Whitaker, J.W., Schultz, M.D., Ward, L.D., Sarkar, A.,
Quon, G., Sandstrom, R.S., Eaton, M.L., Wu, Y.-C., Pfenning, A.R., Wang, X., Claussnitzer, M.,
Yaping Liu, Coarfa, C., Alan Harris, R., Shoresh, N., Epstein, C.B., Gjoneska, E., Leung, D., Xie,
W., David Hawkins, R., Lister, R., Hong, C., Gascard, P., Mungall, A.J., Moore, R., Chuah, E.,
Tam, A., Canfield, T.K., Scott Hansen, R., Kaul, R., Sabo, P.J., Bansal, M.S., Carles, A., Dixon,
J.R., Farh, K.-H., Feizi, S., Karlic, R., Kim, A.-R., Kulkarni, A., Li, D., Lowdon, R., Elliott, G.,
Mercer, T.R., Neph, S.J., Onuchic, V., Polak, P., Rajagopal, N., Ray, P., Sallari, R.C., Siebenthall,
K.T., Sinnott-Armstrong, N.A., Stevens, M., Thurman, R.E., Wu, J., Zhang, B., Zhou, X.,
Beaudet, A.E., Boyer, L.A., De Jager, P.L., Farnham, P.J., Fisher, S.J., Haussler, D., Jones, S.J.M.,
Li, W., Marra, M.A., McManus, M.T., Sunyaev, S., Thomson, J.A., Tlsty, T.D., Tsai, L.-H., Wang,
W., Waterland, R.A., Zhang, M.Q., Chadwick, L.H., Bernstein, B.E., Costello, J.F., Ecker, J.R.,
Hirst, M., Meissner, A., Milosavljevic, A., Ren, B., Stamatoyannopoulos, J.A., Wang, T., Kellis,
M., 2015. Integrative analysis of 111 reference human epigenomes. Nature 518, 317–330.
https://doi.org/10.1038/nature14248

Lawrence, M., Huber, W., Pagès, H., Aboyoun, P., Carlson, M., Gentleman, R., Morgan, M.T., Carey,
V.J., 2013. Software for Computing and Annotating Genomic Ranges. PLOS Comput. Biol. 9,
e1003118. https://doi.org/10.1371/journal.pcbi.1003118

Li, Q.S., Shabalin, A.A., DiBlasi, E., Gopal, S., Canuso, C.M., Palotie, A., Drevets, W.C., Docherty, A.R.,
Coon, H., 2023. Genome-wide association study meta-analysis of suicide death and suicidal
behavior. Mol. Psychiatry 28, 891–900. https://doi.org/10.1038/s41380-022-01828-9

Liu, S., 2020. Metabonomic Profile and Signaling Pathway Prediction of Depression-Associated
Suicidal Behavior. Front. Psychiatry 11. https://doi.org/10.3389/fpsyt.2020.00269

Marques, B.L., Oliveira-Lima, O.C., Carvalho, G.A., de Almeida Chiarelli, R., Ribeiro, R.I., Parreira,
R.C., da Madeira Freitas, E.M., Resende, R.R., Klempin, F., Ulrich, H., Gomez, R.S., Pinto,
M.C.X., 2020. Neurobiology of glycine transporters: From molecules to behavior. Neurosci.
Biobehav. Rev. 118, 97–110. https://doi.org/10.1016/j.neubiorev.2020.07.025

McCall, W.V., Black, C.G., 2013. The Link Between Suicide and Insomnia: Theoretical Mechanisms.
Curr. Psychiatry Rep. 15, 389. https://doi.org/10.1007/s11920-013-0389-9

Mizzi, N., Blundell, R., 2025. Glycine receptors: Structure, function, and therapeutic implications.
Mol. Aspects Med. 103, 101360. https://doi.org/10.1016/j.mam.2025.101360

Moitra, M., Santomauro, D., Degenhardt, L., Collins, P.Y., Whiteford, H., Vos, T., Ferrari, A., 2020.
Estimating the Risk of Suicide Attributable to Mental Disorders: A Systematic Review and
Meta-Regression Analysis. https://doi.org/10.2139/ssrn.3732790

Mok, C.C., Chan, K.L., Cheung, E.F.C., Yip, P.S.F., 2014. Suicidal ideation in patients with systemic
lupus erythematosus: incidence and risk factors. Rheumatology 53, 714–721.
https://doi.org/10.1093/rheumatology/ket404

Monson, E.T., Colbert, S.M.C., Andreassen, O.A., Ayinde, O.O., Bejan, C.A., Ceja, Z., Coon, H., DiBlasi,
E., Izotova, A., Kaufman, E.A., Koromina, M., Myung, W., Nurnberger, J.I., Serretti, A.,
Smoller, J.W., Stein, M.B., Zai, C.C., Consortium, S.W.G. of the P.G., Aslan, M., Barr, P.B.,
Bigdeli, T.B., Harvey, P.D., Kimbrel, N.A., Patel, P.R., Program (CSP) #572, C.S., Ruderfer, D.,

Docherty, A.R., Mullins, N., Mann, J.J., 2024. Defining Suicidal Thought and Behavior Phenotypes for Genetic Studies. https://doi.org/10.1101/2024.07.27.24311110

Mullins, N., Kang, J., Campos, A.I., Coleman, J.R.I., Edwards, A.C., Galfalvy, H., Levey, D.F., Lori, A., Shabalin, A., Starnawska, A., Su, M.-H., Watson, H.J., Adams, M., Awasthi, S., Gandal, M., Hafferty, J.D., Hishimoto, A., Kim, M., Okazaki, S., Otsuka, I., Ripke, S., Ware, E.B., Bergen, A.W., Berrettini, W.H., Bohus, M., Brandt, H., Chang, X., Chen, W.J., Chen, H.-C., Crawford, S., Crow, S., DiBlasi, E., Duriez, P., Fernández-Aranda, F., Fichter, M.M., Gallinger, S., Glatt, S.J., Gorwood, P., Guo, Y., Hakonarson, H., Halmi, K.A., Hwu, H.-G., Jain, S., Jamain, S., Jiménez-Murcia, S., Johnson, C., Kaplan, A.S., Kaye, W.H., Keel, P.K., Kennedy, J.L., Klump, K.L., Li, D., Liao, S.-C., Lieb, K., Lilenfeld, L., Liu, C.-M., Magistretti, P.J., Marshall, C.R., Mitchell, J.E., Monson, E.T., Myers, R.M., Pinto, D., Powers, A., Ramoz, N., Roepke, S., Rozanov, V., Scherer, S.W., Schmahl, C., Sokolowski, M., Strober, M., Thornton, L.M., Treasure, J., Tsuang, M.T., Witt, S.H., Woodside, D.B., Yilmaz, Z., Zillich, L., Adolfsson, R., Agartz, I., Air, T.M., Alda, M., Alfredsson, L., Andreassen, O.A., Anjorin, A., Appadurai, V., Soler Artigas, M., Van der Auwera, S., Azevedo, M.H., Bass, N., Bau, C.H.D., Baune, B.T., Bellivier, F., Berger, K., Biernacka, J.M., Bigdeli, T.B., Binder, E.B., Boehnke, M., Boks, M.P., Bosch, R., Braff, D.L., Bryant, R., Budde, M., Byrne, E.M., Cahn, W., Casas, Miguel, Castelao, E., Cervilla, J.A., Chaumette, B., Cichon, S., Corvin, A., Craddock, Nicholas, Craig, D., Degenhardt, F., Djurovic, S., Edenberg, H.J., Fanous, A.H., Foo, J.C., Forstner, A.J., Frye, M., Fullerton, J.M., Gatt, J.M., Gejman, P.V., Giegling, I., Grabe, H.J., Green, M.J., Grevet, E.H., Grigoroiu-Serbanescu, M., Gutierrez, B., Guzman-Parra, Jose, Hamilton, S.P., Hamshere, M.L., Hartmann, A., Hauser, J., Heilmann-Heimbach, S., Hoffmann, P., Ising, M., Jones, I., Jones, L.A., Jonsson, L., Kahn, R.S., Kelsoe, J.R., Kendler, K.S., Kloiber, S., Koenen, K.C., Kogevinas, M., Konte, B., Krebs, M.-O., Landén, M., Lawrence, J., Leboyer, M., Lee, P.H., Levinson, D.F., Liao, C., Lissowska, J., Lucae, S., Mayoral, F., McElroy, S.L., McGrath, P., McGuffin, P., McQuillin, A., Medland, S.E., Mehta, D., Melle, I., Milaneschi, Y., Mitchell, P.B., Molina, E., Morken, G., Mortensen, P.B., Müller-Myhsok, B., Nievergelt, C., Nimgaonkar, V., Nöthen, M.M., O'Donovan, M.C., Ophoff, R.A., Owen, M.J., Pato, C., Pato, M.T., Penninx, B.W.J.H., Pimm, J., Pistis, G., Potash, J.B., Power, R.A., Preisig, M., Quested, D., Ramos-Quiroga, J.A., Reif, A., Ribasés, M., Richarte, V., Rietschel, M., Rivera, M., Roberts, A., Roberts, G., Rouleau, G.A., Rovaris, D.L., Rujescu, D., Sánchez-Mora, C., Sanders, A.R., Schofield, P.R., Schulze, T.G., Scott, L.J., Serretti, A., Shi, J., Shyn, S.I., Sirignano, L., Sklar, P., Smeland, O.B., Smoller, J.W., Sonuga-Barke, E.J.S., Spalletta, G., Strauss, J.S., Świątkowska, B., Trzaskowski, M., Turecki, G., Vilar-Ribó, L., Vincent, J.B., Völzke, H., Walters, J.T.R., Shannon Weickert, C., Weickert, T.W., Weissman, M.M., Williams, L.M., Wray, N.R., Zai, C.C., Ashley-Koch, A.E., Beckham, J.C., Hauser, E.R., Hauser, M.A., Kimbrel, N.A., Lindquist, J.H., McMahon, B., Oslin, D.W., Qin, X., Wray, N.R., Ripke, S., Mattheisen, M., Trzaskowski, M., Byrne, E.M., Abdellaoui, A., Adams, M.J., Agerbo, E., Air, T.M., Andlauer, T.F.M., Bacanu, S.-A., Bækvad-Hansen, M., Beekman, A.T.F., Bigdeli, T.B., Binder, E.B., Bryois, J., Buttenschøn, H.N., Bybjerg-Grauholm, J., Cai, N., Castelao, E., Christensen, J.H., Clarke, T.-K., Coleman, J.R.I., Colodro-Conde, L., Couvy-Duchesne, B., Craddock, Nick, Crawford, G.E., Davies, G., Degenhardt, F., Derks, E.M., Direk, N., Dolan, C.V., Dunn, E.C., Eley, T.C., Escott-Price, V., Hassan Kiadeh, F.F., Finucane, H.K., Foo, J.C., Forstner, A.J., Frank, J., Gaspar, H.A., Gill, M., Goes, F.S., Gordon, S.D., Weinsheimer, S.M., Wellmann, J., Willemsen, G., Witt, S.H., Wu, Y., Xi, H.S., Yang, J., Zhang, F., Arolt, V., Baune, B.T., Berger, K., Boomsma, D.I., Cichon, S., Dannlowski, U., de Geus, E.J.C., Depaulo, J.R., Domenici, E., Domschke, K., Esko, T., Grabe, H.J., Hamilton, S.P., Grove, J., Hall, L.S., Hansen, C.S., Hansen, T.F., Herms, S., Hickie, I.B., Hoffmann, P., Homuth, G., Horn, C., Hottenga, J.-J., Hougaard, D.M., Howard, D.M., Ising, M., Jansen, R., Jones, I., Jones, L.A., Jorgenson, E., Knowles, J.A., Kohane, I.S., Kraft, J., Kretzschmar, W.W., Kutalik, Z., Li, Y., Lind, P.A., MacIntyre, D.J., MacKinnon, D.F., Maier, R.M., Maier, W., Marchini, J., Mbarek, H., McGrath, P., McGuffin, P., Medland, S.E., Mehta, D.,

Middeldorp, C.M., Mihailov, E., Milaneschi, Y., Milani, L., Mondimore, F.M., Montgomery, G.W., Mostafavi, S., Mullins, N., Nauck, M., Ng, B., Nivard, M.G., Nyholt, D.R., O'Reilly, P.F., Oskarsson, H., Hayward, C., Heath, A.C., Kendler, K.S., Kloiber, S., Lewis, G., Li, Q.S., Lucae, S., Madden, P.A.F., Magnusson, P.K., Martin, N.G., McIntosh, A.M., Metspalu, A., Mors, O., Mortensen, P.B., Müller-Myhsok, B., Nordentoft, M., Nöthen, M.M., O'Donovan, M.C., Paciga, S.A., Pedersen, N.L., Owen, M.J., Painter, J.N., Pedersen, C.B., Pedersen, M.G., Peterson, R.E., Peyrot, W.J., Pistis, G., Posthuma, D., Quiroz, J.A., Qvist, P., Rice, J.P., Riley, B.P., Rivera, M., Mirza, S.S., Schoevers, R., Schulte, E.C., Shen, L., Shi, J., Shyn, S.I., Sigurdsson, E., Sinnamon, G.C.B., Smit, J.H., Smith, D.J., Stefansson, H., Steinberg, S., Streit, F., Strohmaier, J., Tansey, K.E., Teismann, H., Teumer, A., Thompson, W., Thomson, P.A., Thorgeirsson, T.E., Traylor, M., Treutlein, J., Trubetskoy, V., Uitterlinden, A.G., Umbricht, D., der Auwera, S.V., van Hemert, A.M., Viktorin, A., Visscher, P.M., Wang, Y., Webb, B.T., Penninx, B.W.J.H., Perlis, R.H., Porteous, D.J., Potash, J.B., Preisig, M., Rietschel, M., Schaefer, C., Schulze, T.G., Smoller, J.W., Stefansson, K., Tiemeier, H., Uher, R., Völzke, H., Weissman, M.M., Werge, T., Lewis, C.M., Levinson, D.F., Breen, G., Børglum, A.D., Sullivan, P.F., Mullins, N., Forstner, A.J., O'Connell, K.S., Coombes, B., Coleman, J.R.I., Qiao, Z., Als, T.D., Bigdeli, T.B., Børte, S., Bryois, J., Charney, A.W., Drange, O.K., Gandal, M.J., Hagenaars, S.P., Ikeda, M., Kamitaki, N., Kim, M., Krebs, K., Panagiotaropoulou, G., Schilder, B.M., Sloofman, L.G., Steinberg, S., Trubetskoy, V., Winsvold, B.S., Won, H.-H., Abramova, L., Adorjan, K., Agerbo, E., Al Eissa, M., Albani, D., Alliey-Rodriguez, N., Anjorin, A., Antilla, V., Antoniou, A., Awasthi, S., Baek, J.H., Bækvad-Hansen, M., Bass, N., Bauer, M., Beins, E.C., Bergen, S.E., Birner, A., Pedersen, C.B., Bøen, E., Boks, M.P., Bosch, R., Brum, M., Brumpton, B.M., Brunkhorst-Kanaan, N., Budde, M., Bybjerg-Grauholm, J., Byerley, W., Cairns, M., Casas, Miquel, Cervantes, P., Clarke, T.-K., Cruceanu, C., Cuellar-Barboza, A., Cunningham, J., Curtis, D., Czerski, P.M., Dale, A.M., Dalkner, N., David, F.S., Degenhardt, F., Djurovic, S., Dobbyn, A.L., Douzenis, A., Elvsåshagen, T., Escott-Price, V., Ferrier, I.N., Fiorentino, A., Foroud, T.M., Forty, L., Frank, J., Frei, O., Freimer, N.B., Frisén, L., Gade, K., Garnham, J., Gelernter, J., Pedersen, M.G., Gizer, I.R., Gordon, S.D., Gordon-Smith, K., Greenwood, T.A., Grove, J., Guzman-Parra, José, Ha, K., Haraldsson, M., Hautzinger, M., Heilbronner, U., Hellgren, D., Herms, S., Hoffmann, P., Holmans, P.A., Huckins, L., Jamain, S., Johnson, J.S., Kalman, J.L., Kamatani, Y., Kennedy, J.L., Kittel-Schneider, S., Knowles, J.A., Kogevinas, M., Koromina, M., Kranz, T.M., Kranzler, H.R., Kubo, M., Kupka, R., Kushner, S.A., Lavebratt, C., Lawrence, J., Leber, M., Lee, H.-J., Lee, P.H., Levy, S.E., Lewis, C., Liao, C., Lucae, S., Lundberg, M., MacIntyre, D.J., Magnusson, S.H., Maier, W., Maihofer, A., Malaspina, D., Maratou, E., Martinsson, L., Mattheisen, M., McGregor, N.W., McGuffin, P., McKay, J.D., Medeiros, H., Medland, S.E., Millischer, V., Montgomery, G.W., Moran, J.L., Morris, D.W., Mühleisen, T.W., O'Brien, N., O'Donovan, C., Olde Loohuis, L.M., Oruc, L., Papiol, S., Pardiñas, A.F., Perry, A., Pfennig, A., Porichi, E., Potash, J.B., Quested, D., Raj, T., Rapaport, M.H., DePaulo, J.R., Regeer, E.J., Rice, J.P., Rivas, F., Rivera, M., Roth, J., Roussos, P., Ruderfer, D.M., Sánchez-Mora, C., Schulte, E.C., Senner, F., Sharp, S., Shilling, P.D., Sigurdsson, E., Sirignano, L., Slaney, C., Smeland, O.B., Smith, D.J., Sobell, J.L., Hansen, C.S., Artigas, M.S., Spijker, A.T., Stein, D.J., Strauss, J.S., Świątkowska, B., Terao, C., Thorgeirsson, T.E., Toma, C., Tooney, P., Tsermpini, E.-E., Vawter, M.P., Vedder, H., Walters, J.T.R., Witt, S.H., Xi, S., Xu, W., Kay Yang, J.M., Young, A.H., Young, H., Zandi, P.P., Zhou, H., Zillich, L., HUNT All-In Psychiatry, Adolfsson, R., Agartz, I., Alda, M., Alfredsson, L., Babadjanova, G., Backlund, L., Baune, B.T., Bellivier, F., Bengesser, S., Berrettini, W.H., Blackwood, D.H.R., Boehnke, M., Børglum, A.D., Breen, G., Carr, V.J., Catts, S., Corvin, A., Craddock, Nicholas, Dannlowski, U., Dikeos, D., Esko, T., Etain, B., Ferentinos, P., Frye, M., Fullerton, J.M., Gawlik, M., Gershon, E.S., Goes, F.S., Green, M.J., Grigoroiu-Serbanescu, M., Hauser, J., Henskens, F., Hillert, J., Hong, K.S., Hougaard, D.M., Hultman, C.M., Hveem, K., Iwata, N., Jablensky, A.V., Jones, I., Jones, L.A., Kahn, R.S., Kelsoe, J.R., Kirov, G., Landén, M., Leboyer, M., Lewis, C.M., Li, Q.S., Lissowska, J.,

Lochner, C., Loughland, C., Martin, N.G., Mathews, C.A., Mayoral, F., McElroy, S.L., McIntosh, A.M., McMahon, F.J., Melle, I., Michie, P., Milani, L., Mitchell, P.B., Morken, G., Mors, O., Mortensen, P.B., Mowry, B., Müller-Myhsok, B., Myers, R.M., Neale, B.M., Nievergelt, C.M., Nordentoft, M., Nöthen, M.M., O'Donovan, M.C., Oedegaard, K.J., Olsson, T., Owen, M.J., Paciga, S.A., Pantelis, C., Pato, C., Pato, M.T., Patrinos, G.P., Perlis, R.H., Posthuma, D., Ramos-Quiroga, J.A., Reif, A., Reininghaus, E.Z., Ribasés, M., Rietschel, M., Ripke, S., Rouleau, G.A., Saito, T., Schall, U., Schalling, M., Schofield, P.R., Schulze, T.G., Scott, L.J., Scott, R.J., Serretti, A., Weickert, C.S., Smoller, J.W., Stefansson, H., Stefansson, K., Stordal, E., Streit, F., Sullivan, P.F., Turecki, G., Vaaler, A.E., Vieta, E., Vincent, J.B., Waldman, I.D., Weickert, T.W., Werge, T., Wray, N.R., Zwart, J.-A., Biernacka, J.M., Nurnberger, J.I., Cichon, S., Edenberg, H.J., Stahl, E.A., McQuillin, A., Di Florio, A., Ophoff, R.A., Andreassen, O.A., Adan, R.A.H., Alfredsson, L., Ando, T., Andreassen, O.A., Aschauer, H., Baker, J.H., Bencko, V., Bergen, A.W., Berrettini, W.H., Birgegård, A., Boden, J.M., Boehm, I., Boni, C., Perica, V.B., Brandt, H., Breen, G., Bryois, J., Buehren, K., Bulik, C.M., Burghardt, R., Carlberg, L., Cassina, M., Cichon, S., Clementi, M., Coleman, J.R.I., Cone, R.D., Courtet, P., Crawford, S., Crow, S., Crowley, J.J., Danner, U.N., Davis, O.S.P., de Zwaan, M., Dedoussis, G., Degortes, D., DeSocio, J.E., Dick, D.M., Dikeos, D., Dina, C., Dmitrzak-Weglarz, M., Martinez, E.D., Duncan, L.E., Egberts, K., Marshall, C.R., Martin, N.G., Mattheisen, M., Mattingsdal, M., McDevitt, S., McGuffin, P., Medland, S.E., Metspalu, A., Meulenbelt, I., Micali, N., Mitchell, J., Mitchell, K., Monteleone, P., Monteleone, A.M., Montgomery, G.W., Mortensen, P.B., Munn-Chernoff, M.A., Nacmias, B., Navratilova, M., Ntalla, I., Olsen, C.M., Ophoff, R.A., O'Toole, J.K., Padyukov, L., Palotie, A., Pantel, J., Papezova, H., Parker, R., Pearson, J.F., Pedersen, N.L., Ehrlich, S., Escaramís, G., Esko, T., Espeseth, T., Estivill, X., Farmer, A., Favaro, A., Fernández-Aranda, F., Fichter, M.M., Fischer, K., Floyd, J.A.B., Föcker, M., Foretova, L., Forstner, A.J., Forzan, M., Franklin, C.S., Gallinger, S., Gambaro, G., Gaspar, H.A., Giegling, I., Giuranna, J., Giusti-Rodríquez, P., Gonidakis, F., Gordon, S., Gorwood, P., Mayora, M.G., Grove, J., Guillaume, S., Guo, Y., Hakonarson, H., Halmi, K.A., Hanscombe, K.B., Hatzikotoulas, K., Hauser, J., Hebebrand, J., Helder, S.G., Henders, A.K., Herms, S., Herpertz-Dahlmann, B., Herzog, W., Hinney, A., Horwood, L.J., Hübel, C., Petersen, L.V., Pinto, D., Purves, K.L., Raevuori, A., Ramoz, N., Reichborn-Kjennerud, T., Ricca, V., Ripatti, S., Ripke, S., Ritschel, F., Roberts, M., Rujescu, D., Rybakowski, F., Santonastaso, P., Scherag, A., Scherer, S.W., Schmidt, U., Schork, N.J., Schosser, A., Seitz, J., Slachtova, L., Slagboom, P.E., Slof-Op 't Landt, M.C.T., Slopien, A., Soranzo, N., Sorbi, S., Southam, L., Steen, V.W., Strober, M., Huckins, L.M., Hudson, J.I., Imgart, H., Inoko, H., Janout, V., Jiménez-Murcia, S., Johnson, C., Jordan, J., Julià, A., Kalsi, G., Kaminská, D., Kaplan, A.S., Kaprio, J., Karhunen, L., Karwautz, A., Kas, M.J.H., Kaye, W.H., Kennedy, J.L., Kennedy, M.A., Keski-Rahkonen, A., Kiezebrink, K., Kim, Y.-R., Kirk, K.M., Klareskog, L., Klump, K.L., Knudsen, G.P.S., Landén, M., Larsen, J.T., Le Hellard, S., Leppä, V.M., Li, D., Lichtenstein, P., Lilenfeld, L., Lin, B.D., Lissowska, J., Lundervold, A., Luykx, J., Magistretti, P.J., Maj, M., Mannik, K., Marsal, S., Stuber, G.D., Sullivan, P.F., Świątkowska, B., Szatkiewicz, J.P., Tachmazidou, I., Tenconi, E., Thornton, L.M., Tortorella, A., Tozzi, F., Treasure, J., Tsitsika, A., Tyszkiewicz-Nwafor, M., Tziouvas, K., van Elburg, A.A., van Furth, E.F., Wade, T.D., Wagner, G., Walton, E., Watson, H.J., Werge, T., Whiteman, D.C., Wichmann, H.E., Widen, E., Woodside, D.B., Yao, S., Yilmaz, Z., Zeggini, E., Zerwas, S., Zipfel, S., Witt, S.H., Streit, F., Jungkunz, M., Frank, J., Awasthi, S., Treutlein, J., Dietl, L., Schwarze, C.E., Dahmen, N., Schott, B.H., Nöthen, M.M., Ripke, S., Mobascher, A., Rujescu, D., Lieb, K., Roepke, S., Schmahl, C., Bohus, M., Rietschel, M., Crivelli, S., Dennis, M.F., Harvey, P.D., Carter, B.W., Huffman, J.E., Jacobson, D., Madduri, R., Olsen, M.K., Pestian, J., Gaziano, J.M., Muralidhar, S., Ramoni, R., Beckham, J., Chang, K.-M., O'Donnell, C.J., Tsao, P.S., Breeling, J., Huang, G., Romero, J.P.C., Muralidhar, S., Moser, J., Whitbourne, S.B., Brewer, J.V., Aslan, M., Connor, T., Argyres, D.P., Tsao, P.S., Gaziano, J.M., Stephens, B., Brophy, M.T., Humphries, D.E., Selva, L.E., Do, N., Shayan, S., Cho, K.,

O'Donnell, C.J., O'Donnell, C.J., Pyarajan, S., Tsao, P.S., Cho, K., Pyarajan, S., Hauser, E., Sun, Y., Zhao, H., Wilson, P., McArdle, R., Dellitalia, L., Mattocks, K., Harley, J., Zablocki, C.J., Whittle, J., Jacono, F., Beckham, J., Gutierrez, S., Gibson, G., Hammer, K., Kaminsky, L., Villareal, G., Kinlay, S., Xu, J., Hamner, M., Mathew, R., Bhushan, S., Iruvanti, P., Godschalk, M., Ballas, Z., Ivins, D., Mastorides, S., Moorman, J., Gappy, S., Klein, J., Ratcliffe, N., Florez, H., Okusaga, O., Murdoch, M., Sriram, P., Yeh, S.S., Tandon, N., Jhala, D., Aguayo, S., Cohen, D., Sharma, S., Liangpunsakul, S., Oursler, K.A., Whooley, M., Ahuja, S., Constans, J., Meyer, P., Greco, J., Rauchman, M., Servatius, R., Gaddy, M., Wallbom, A., Morgan, T., Stapley, T., Sherman, S., Ross, G., Tsao, P., Strollo, P., Boyko, E., Meyer, L., Gupta, S., Huq, M., Fayad, J., Hung, A., Lichy, J., Hurley, R., Robey, B., Striker, R., Agerbo, E., Børglum, A.D., Breen, G., Erlangsen, A., Esko, T., Gelernter, J., Hougaard, D.M., Kessler, R.C., Kranzler, H.R., Li, Q.S., Martin, N.G., McIntosh, A.M., Mors, O., Nordentoft, M., Olsen, C.M., Porteous, D., Ursano, R.J., Wasserman, D., Werge, T., Whiteman, D.C., Bulik, C.M., Coon, H., Demontis, D., Docherty, A.R., Kuo, P.-H., Lewis, C.M., Mann, J.J., Rentería, M.E., Smith, D.J., Stahl, E.A., Stein, M.B., Streit, F., Willour, V., Ruderfer, D.M., 2022a. Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. Biol. Psychiatry, Novel Neuromodulators of Anxiety 91, 313–327. https://doi.org/10.1016/j.biopsych.2021.05.029

Mullins, N., Kang, J., Campos, A.I., Coleman, J.R.I., Edwards, A.C., Galfalvy, H., Levey, D.F., Lori, A., Shabalin, A., Starnawska, A., Su, M.-H., Watson, H.J., Adams, M., Awasthi, S., Gandal, M., Hafferty, J.D., Hishimoto, A., Kim, M., Okazaki, S., Otsuka, I., Ripke, S., Ware, E.B., Bergen, A.W., Berrettini, W.H., Bohus, M., Brandt, H., Chang, X., Chen, W.J., Chen, H.-C., Crawford, S., Crow, S., DiBlasi, E., Duriez, P., Fernández-Aranda, F., Fichter, M.M., Gallinger, S., Glatt, S.J., Gorwood, P., Guo, Y., Hakonarson, H., Halmi, K.A., Hwu, H.-G., Jain, S., Jamain, S., Jiménez-Murcia, S., Johnson, C., Kaplan, A.S., Kaye, W.H., Keel, P.K., Kennedy, J.L., Klump, K.L., Li, D., Liao, S.-C., Lieb, K., Lilenfeld, L., Liu, C.-M., Magistretti, P.J., Marshall, C.R., Mitchell, J.E., Monson, E.T., Myers, R.M., Pinto, D., Powers, A., Ramoz, N., Roepke, S., Rozanov, V., Scherer, S.W., Schmahl, C., Sokolowski, M., Strober, M., Thornton, L.M., Treasure, J., Tsuang, M.T., Witt, S.H., Woodside, D.B., Yilmaz, Z., Zillich, L., Adolfsson, R., Agartz, I., Air, T.M., Alda, M., Alfredsson, L., Andreassen, O.A., Anjorin, A., Appadurai, V., Soler Artigas, M., Van der Auwera, S., Azevedo, M.H., Bass, N., Bau, C.H.D., Baune, B.T., Bellivier, F., Berger, K., Biernacka, J.M., Bigdeli, T.B., Binder, E.B., Boehnke, M., Boks, M.P., Bosch, R., Braff, D.L., Bryant, R., Budde, M., Byrne, E.M., Cahn, W., Casas, Miguel, Castelao, E., Cervilla, J.A., Chaumette, B., Cichon, S., Corvin, A., Craddock, Nicholas, Craig, D., Degenhardt, F., Djurovic, S., Edenberg, H.J., Fanous, A.H., Foo, J.C., Forstner, A.J., Frye, M., Fullerton, J.M., Gatt, J.M., Gejman, P.V., Giegling, I., Grabe, H.J., Green, M.J., Grevet, E.H., Grigoroiu-Serbanescu, M., Gutierrez, B., Guzman-Parra, Jose, Hamilton, S.P., Hamshere, M.L., Hartmann, A., Hauser, J., Heilmann-Heimbach, S., Hoffmann, P., Ising, M., Jones, I., Jones, L.A., Jonsson, L., Kahn, R.S., Kelsoe, J.R., Kendler, K.S., Kloiber, S., Koenen, K.C., Kogevinas, M., Konte, B., Krebs, M.-O., Landén, M., Lawrence, J., Leboyer, M., Lee, P.H., Levinson, D.F., Liao, C., Lissowska, J., Lucae, S., Mayoral, F., McElroy, S.L., McGrath, P., McGuffin, P., McQuillin, A., Medland, S.E., Mehta, D., Melle, I., Milaneschi, Y., Mitchell, P.B., Molina, E., Morken, G., Mortensen, P.B., Müller-Myhsok, B., Nievergelt, C., Nimgaonkar, V., Nöthen, M.M., O'Donovan, M.C., Ophoff, R.A., Owen, M.J., Pato, C., Pato, M.T., Penninx, B.W.J.H., Pimm, J., Pistis, G., Potash, J.B., Power, R.A., Preisig, M., Quested, D., Ramos-Quiroga, J.A., Reif, A., Ribasés, M., Richarte, V., Rietschel, M., Rivera, M., Roberts, A., Roberts, G., Rouleau, G.A., Rovaris, D.L., Rujescu, D., Sánchez-Mora, C., Sanders, A.R., Schofield, P.R., Schulze, T.G., Scott, L.J., Serretti, A., Shi, J., Shyn, S.I., Sirignano, L., Sklar, P., Smeland, O.B., Smoller, J.W., Sonuga-Barke, E.J.S., Spalletta, G., Strauss, J.S., Świątkowska, B., Trzaskowski, M., Turecki, G., Vilar-Ribó, L., Vincent, J.B., Völzke, H., Walters, J.T.R., Shannon Weickert, C., Weickert, T.W., Weissman, M.M., Williams, L.M., Wray, N.R., Zai, C.C.,

Ashley-Koch, A.E., Beckham, J.C., Hauser, E.R., Hauser, M.A., Kimbrel, N.A., Lindquist, J.H., McMahon, B., Oslin, D.W., Qin, X., Wray, N.R., Ripke, S., Mattheisen, M., Trzaskowski, M., Byrne, E.M., Abdellaoui, A., Adams, M.J., Agerbo, E., Air, T.M., Andlauer, T.F.M., Bacanu, S.-A., Bækvad-Hansen, M., Beekman, A.T.F., Bigdeli, T.B., Binder, E.B., Bryois, J., Buttenschøn, H.N., Bybjerg-Grauholm, J., Cai, N., Castelao, E., Christensen, J.H., Clarke, T.-K., Coleman, J.R.I., Colodro-Conde, L., Couvy-Duchesne, B., Craddock, Nick, Crawford, G.E., Davies, G., Degenhardt, F., Derks, E.M., Direk, N., Dolan, C.V., Dunn, E.C., Eley, T.C., Escott-Price, V., Hassan Kiadeh, F.F., Finucane, H.K., Foo, J.C., Forstner, A.J., Frank, J., Gaspar, H.A., Gill, M., Goes, F.S., Gordon, S.D., Weinsheimer, S.M., Wellmann, J., Willemsen, G., Witt, S.H., Wu, Y., Xi, H.S., Yang, J., Zhang, F., Arolt, V., Baune, B.T., Berger, K., Boomsma, D.I., Cichon, S., Dannlowski, U., de Geus, E.J.C., Depaulo, J.R., Domenici, E., Domschke, K., Esko, T., Grabe, H.J., Hamilton, S.P., Grove, J., Hall, L.S., Hansen, C.S., Hansen, T.F., Herms, S., Hickie, I.B., Hoffmann, P., Homuth, G., Horn, C., Hottenga, J.-J., Hougaard, D.M., Howard, D.M., Ising, M., Jansen, R., Jones, I., Jones, L.A., Jorgenson, E., Knowles, J.A., Kohane, I.S., Kraft, J., Kretzschmar, W.W., Kutalik, Z., Li, Y., Lind, P.A., MacIntyre, D.J., MacKinnon, D.F., Maier, R.M., Maier, W., Marchini, J., Mbarek, H., McGrath, P., McGuffin, P., Medland, S.E., Mehta, D., Middeldorp, C.M., Mihailov, E., Milaneschi, Y., Milani, L., Mondimore, F.M., Montgomery, G.W., Mostafavi, S., Mullins, N., Nauck, M., Ng, B., Nivard, M.G., Nyholt, D.R., O'Reilly, P.F., Oskarsson, H., Hayward, C., Heath, A.C., Kendler, K.S., Kloiber, S., Lewis, G., Li, Q.S., Lucae, S., Madden, P.A.F., Magnusson, P.K., Martin, N.G., McIntosh, A.M., Metspalu, A., Mors, O., Mortensen, P.B., Müller-Myhsok, B., Nordentoft, M., Nöthen, M.M., O'Donovan, M.C., Paciga, S.A., Pedersen, N.L., Owen, M.J., Painter, J.N., Pedersen, C.B., Pedersen, M.G., Peterson, R.E., Peyrot, W.J., Pistis, G., Posthuma, D., Quiroz, J.A., Qvist, P., Rice, J.P., Riley, B.P., Rivera, M., Mirza, S.S., Schoevers, R., Schulte, E.C., Shen, L., Shi, J., Shyn, S.I., Sigurdsson, E., Sinnamon, G.C.B., Smit, J.H., Smith, D.J., Stefansson, H., Steinberg, S., Streit, F., Strohmaier, J., Tansey, K.E., Teismann, H., Teumer, A., Thompson, W., Thomson, P.A., Thorgeirsson, T.E., Traylor, M., Treutlein, J., Trubetskoy, V., Uitterlinden, A.G., Umbricht, D., der Auwera, S.V., van Hemert, A.M., Viktorin, A., Visscher, P.M., Wang, Y., Webb, B.T., Penninx, B.W.J.H., Perlis, R.H., Porteous, D.J., Potash, J.B., Preisig, M., Rietschel, M., Schaefer, C., Schulze, T.G., Smoller, J.W., Stefansson, K., Tiemeier, H., Uher, R., Völzke, H., Weissman, M.M., Werge, T., Lewis, C.M., Levinson, D.F., Breen, G., Børglum, A.D., Sullivan, P.F., Mullins, N., Forstner, A.J., O'Connell, K.S., Coombes, B., Coleman, J.R.I., Qiao, Z., Als, T.D., Bigdeli, T.B., Børte, S., Bryois, J., Charney, A.W., Drange, O.K., Gandal, M.J., Hagenaars, S.P., Ikeda, M., Kamitaki, N., Kim, M., Krebs, K., Panagiotaropoulou, G., Schilder, B.M., Sloofman, L.G., Steinberg, S., Trubetskoy, V., Winsvold, B.S., Won, H.-H., Abramova, L., Adorjan, K., Agerbo, E., Al Eissa, M., Albani, D., Alliey-Rodriguez, N., Anjorin, A., Antilla, V., Antoniou, A., Awasthi, S., Baek, J.H., Bækvad-Hansen, M., Bass, N., Bauer, M., Beins, E.C., Bergen, S.E., Birner, A., Pedersen, C.B., Bøen, E., Boks, M.P., Bosch, R., Brum, M., Brumpton, B.M., Brunkhorst-Kanaan, N., Budde, M., Bybjerg-Grauholm, J., Byerley, W., Cairns, M., Casas, Miquel, Cervantes, P., Clarke, T.-K., Cruceanu, C., Cuellar-Barboza, A., Cunningham, J., Curtis, D., Czerski, P.M., Dale, A.M., Dalkner, N., David, F.S., Degenhardt, F., Djurovic, S., Dobbyn, A.L., Douzenis, A., Elvsåshagen, T., Escott-Price, V., Ferrier, I.N., Fiorentino, A., Foroud, T.M., Forty, L., Frank, J., Frei, O., Freimer, N.B., Frisén, L., Gade, K., Garnham, J., Gelernter, J., Pedersen, M.G., Gizer, I.R., Gordon, S.D., Gordon-Smith, K., Greenwood, T.A., Grove, J., Guzman-Parra, José, Ha, K., Haraldsson, M., Hautzinger, M., Heilbronner, U., Hellgren, D., Herms, S., Hoffmann, P., Holmans, P.A., Huckins, L., Jamain, S., Johnson, J.S., Kalman, J.L., Kamatani, Y., Kennedy, J.L., Kittel-Schneider, S., Knowles, J.A., Kogevinas, M., Koromina, M., Kranz, T.M., Kranzler, H.R., Kubo, M., Kupka, R., Kushner, S.A., Lavebratt, C., Lawrence, J., Leber, M., Lee, H.-J., Lee, P.H., Levy, S.E., Lewis, C., Liao, C., Lucae, S., Lundberg, M., MacIntyre, D.J., Magnusson, S.H., Maier, W., Maihofer, A., Malaspina, D., Maratou, E., Martinsson, L., Mattheisen, M., McGregor, N.W., McGuffin, P., McKay, J.D., Medeiros, H.,

Medland, S.E., Millischer, V., Montgomery, G.W., Moran, J.L., Morris, D.W., Mühleisen, T.W., O'Brien, N., O'Donovan, C., Olde Loohuis, L.M., Oruc, L., Papiol, S., Pardiñas, A.F., Perry, A., Pfennig, A., Porichi, E., Potash, J.B., Quested, D., Raj, T., Rapaport, M.H., DePaulo, J.R., Regeer, E.J., Rice, J.P., Rivas, F., Rivera, M., Roth, J., Roussos, P., Ruderfer, D.M., Sánchez-Mora, C., Schulte, E.C., Senner, F., Sharp, S., Shilling, P.D., Sigurdsson, E., Sirignano, L., Slaney, C., Smeland, O.B., Smith, D.J., Sobell, J.L., Hansen, C.S., Artigas, M.S., Spijker, A.T., Stein, D.J., Strauss, J.S., Świątkowska, B., Terao, C., Thorgeirsson, T.E., Toma, C., Tooney, P., Tsermpini, E.-E., Vawter, M.P., Vedder, H., Walters, J.T.R., Witt, S.H., Xi, S., Xu, W., Kay Yang, J.M., Young, A.H., Young, H., Zandi, P.P., Zhou, H., Zillich, L., HUNT All-In Psychiatry, Adolfsson, R., Agartz, I., Alda, M., Alfredsson, L., Babadjanova, G., Backlund, L., Baune, B.T., Bellivier, F., Bengesser, S., Berrettini, W.H., Blackwood, D.H.R., Boehnke, M., Børglum, A.D., Breen, G., Carr, V.J., Catts, S., Corvin, A., Craddock, Nicholas, Dannlowski, U., Dikeos, D., Esko, T., Etain, B., Ferentinos, P., Frye, M., Fullerton, J.M., Gawlik, M., Gershon, E.S., Goes, F.S., Green, M.J., Grigoroiu-Serbanescu, M., Hauser, J., Henskens, F., Hillert, J., Hong, K.S., Hougaard, D.M., Hultman, C.M., Hveem, K., Iwata, N., Jablensky, A.V., Jones, I., Jones, L.A., Kahn, R.S., Kelsoe, J.R., Kirov, G., Landén, M., Leboyer, M., Lewis, C.M., Li, Q.S., Lissowska, J., Lochner, C., Loughland, C., Martin, N.G., Mathews, C.A., Mayoral, F., McElroy, S.L., McIntosh, A.M., McMahon, F.J., Melle, I., Michie, P., Milani, L., Mitchell, P.B., Morken, G., Mors, O., Mortensen, P.B., Mowry, B., Müller-Myhsok, B., Myers, R.M., Neale, B.M., Nievergelt, C.M., Nordentoft, M., Nöthen, M.M., O'Donovan, M.C., Oedegaard, K.J., Olsson, T., Owen, M.J., Paciga, S.A., Pantelis, C., Pato, C., Pato, M.T., Patrinos, G.P., Perlis, R.H., Posthuma, D., Ramos-Quiroga, J.A., Reif, A., Reininghaus, E.Z., Ribasés, M., Rietschel, M., Ripke, S., Rouleau, G.A., Saito, T., Schall, U., Schalling, M., Schofield, P.R., Schulze, T.G., Scott, L.J., Scott, R.J., Serretti, A., Weickert, C.S., Smoller, J.W., Stefansson, H., Stefansson, K., Stordal, E., Streit, F., Sullivan, P.F., Turecki, G., Vaaler, A.E., Vieta, E., Vincent, J.B., Waldman, I.D., Weickert, T.W., Werge, T., Wray, N.R., Zwart, J.-A., Biernacka, J.M., Nurnberger, J.I., Cichon, S., Edenberg, H.J., Stahl, E.A., McQuillin, A., Di Florio, A., Ophoff, R.A., Andreassen, O.A., Adan, R.A.H., Alfredsson, L., Ando, T., Andreassen, O.A., Aschauer, H., Baker, J.H., Bencko, V., Bergen, A.W., Berrettini, W.H., Birgegård, A., Boden, J.M., Boehm, I., Boni, C., Perica, V.B., Brandt, H., Breen, G., Bryois, J., Buehren, K., Bulik, C.M., Burghardt, R., Carlberg, L., Cassina, M., Cichon, S., Clementi, M., Coleman, J.R.I., Cone, R.D., Courtet, P., Crawford, S., Crow, S., Crowley, J.J., Danner, U.N., Davis, O.S.P., de Zwaan, M., Dedoussis, G., Degortes, D., DeSocio, J.E., Dick, D.M., Dikeos, D., Dina, C., Dmitrzak-Weglarz, M., Martinez, E.D., Duncan, L.E., Egberts, K., Marshall, C.R., Martin, N.G., Mattheisen, M., Mattingsdal, M., McDevitt, S., McGuffin, P., Medland, S.E., Metspalu, A., Meulenbelt, I., Micali, N., Mitchell, J., Mitchell, K., Monteleone, P., Monteleone, A.M., Montgomery, G.W., Mortensen, P.B., Munn-Chernoff, M.A., Nacmias, B., Navratilova, M., Ntalla, I., Olsen, C.M., Ophoff, R.A., O'Toole, J.K., Padyukov, L., Palotie, A., Pantel, J., Papezova, H., Parker, R., Pearson, J.F., Pedersen, N.L., Ehrlich, S., Escaramís, G., Esko, T., Espeseth, T., Estivill, X., Farmer, A., Favaro, A., Fernández-Aranda, F., Fichter, M.M., Fischer, K., Floyd, J.A.B., Föcker, M., Foretova, L., Forstner, A.J., Forzan, M., Franklin, C.S., Gallinger, S., Gambaro, G., Gaspar, H.A., Giegling, I., Giuranna, J., Giusti-Rodríquez, P., Gonidakis, F., Gordon, S., Gorwood, P., Mayora, M.G., Grove, J., Guillaume, S., Guo, Y., Hakonarson, H., Halmi, K.A., Hanscombe, K.B., Hatzikotoulas, K., Hauser, J., Hebebrand, J., Helder, S.G., Henders, A.K., Herms, S., Herpertz-Dahlmann, B., Herzog, W., Hinney, A., Horwood, L.J., Hübel, C., Petersen, L.V., Pinto, D., Purves, K.L., Raevuori, A., Ramoz, N., Reichborn-Kjennerud, T., Ricca, V., Ripatti, S., Ripke, S., Ritschel, F., Roberts, M., Rujescu, D., Rybakowski, F., Santonastaso, P., Scherag, A., Scherer, S.W., Schmidt, U., Schork, N.J., Schosser, A., Seitz, J., Slachtova, L., Slagboom, P.E., Slof-Op 't Landt, M.C.T., Slopien, A., Soranzo, N., Sorbi, S., Southam, L., Steen, V.W., Strober, M., Huckins, L.M., Hudson, J.I., Imgart, H., Inoko, H., Janout, V., Jiménez-Murcia, S., Johnson, C., Jordan, J., Julià, A., Kalsi, G., Kaminská, D., Kaplan, A.S., Kaprio, J., Karhunen, L.,

Karwautz, A., Kas, M.J.H., Kaye, W.H., Kennedy, J.L., Kennedy, M.A., Keski-Rahkonen, A., Kiezebrink, K., Kim, Y.-R., Kirk, K.M., Klareskog, L., Klump, K.L., Knudsen, G.P.S., Landén, M., Larsen, J.T., Le Hellard, S., Leppä, V.M., Li, D., Lichtenstein, P., Lilenfeld, L., Lin, B.D., Lissowska, J., Lundervold, A., Luykx, J., Magistretti, P.J., Maj, M., Mannik, K., Marsal, S., Stuber, G.D., Sullivan, P.F., Świątkowska, B., Szatkiewicz, J.P., Tachmazidou, I., Tenconi, E., Thornton, L.M., Tortorella, A., Tozzi, F., Treasure, J., Tsitsika, A., Tyszkiewicz-Nwafor, M., Tziouvas, K., van Elburg, A.A., van Furth, E.F., Wade, T.D., Wagner, G., Walton, E., Watson, H.J., Werge, T., Whiteman, D.C., Wichmann, H.E., Widen, E., Woodside, D.B., Yao, S., Yilmaz, Z., Zeggini, E., Zerwas, S., Zipfel, S., Witt, S.H., Streit, F., Jungkunz, M., Frank, J., Awasthi, S., Treutlein, J., Dietl, L., Schwarze, C.E., Dahmen, N., Schott, B.H., Nöthen, M.M., Ripke, S., Mobascher, A., Rujescu, D., Lieb, K., Roepke, S., Schmahl, C., Bohus, M., Rietschel, M., Crivelli, S., Dennis, M.F., Harvey, P.D., Carter, B.W., Huffman, J.E., Jacobson, D., Madduri, R., Olsen, M.K., Pestian, J., Gaziano, J.M., Muralidhar, S., Ramoni, R., Beckham, J., Chang, K.-M., O'Donnell, C.J., Tsao, P.S., Breeling, J., Huang, G., Romero, J.P.C., Muralidhar, S., Moser, J., Whitbourne, S.B., Brewer, J.V., Aslan, M., Connor, T., Argyres, D.P., Tsao, P.S., Gaziano, J.M., Stephens, B., Brophy, M.T., Humphries, D.E., Selva, L.E., Do, N., Shayan, S., Cho, K., O'Donnell, C.J., O'Donnell, C.J., Pyarajan, S., Tsao, P.S., Cho, K., Pyarajan, S., Hauser, E., Sun, Y., Zhao, H., Wilson, P., McArdle, R., Dellitalia, L., Mattocks, K., Harley, J., Zablocki, C.J., Whittle, J., Jacono, F., Beckham, J., Gutierrez, S., Gibson, G., Hammer, K., Kaminsky, L., Villareal, G., Kinlay, S., Xu, J., Hamner, M., Mathew, R., Bhushan, S., Iruvanti, P., Godschalk, M., Ballas, Z., Ivins, D., Mastorides, S., Moorman, J., Gappy, S., Klein, J., Ratcliffe, N., Florez, H., Okusaga, O., Murdoch, M., Sriram, P., Yeh, S.S., Tandon, N., Jhala, D., Aguayo, S., Cohen, D., Sharma, S., Liangpunsakul, S., Oursler, K.A., Whooley, M., Ahuja, S., Constans, J., Meyer, P., Greco, J., Rauchman, M., Servatius, R., Gaddy, M., Wallbom, A., Morgan, T., Stapley, T., Sherman, S., Ross, G., Tsao, P., Strollo, P., Boyko, E., Meyer, L., Gupta, S., Huq, M., Fayad, J., Hung, A., Lichy, J., Hurley, R., Robey, B., Striker, R., Agerbo, E., Børglum, A.D., Breen, G., Erlangsen, A., Esko, T., Gelernter, J., Hougaard, D.M., Kessler, R.C., Kranzler, H.R., Li, Q.S., Martin, N.G., McIntosh, A.M., Mors, O., Nordentoft, M., Olsen, C.M., Porteous, D., Ursano, R.J., Wasserman, D., Werge, T., Whiteman, D.C., Bulik, C.M., Coon, H., Demontis, D., Docherty, A.R., Kuo, P.-H., Lewis, C.M., Mann, J.J., Rentería, M.E., Smith, D.J., Stahl, E.A., Stein, M.B., Streit, F., Willour, V., Ruderfer, D.M., 2022b. Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. Biol. Psychiatry, Novel Neuromodulators of Anxiety 91, 313–327. https://doi.org/10.1016/j.biopsych.2021.05.029

Nock, M.K., Hwang, I., Sampson, N.A., Kessler, R.C., 2010. Mental disorders, comorbidity and suicidal behavior: Results from the National Comorbidity Survey Replication. Mol. Psychiatry 15, 868–876. https://doi.org/10.1038/mp.2009.29

Oquendo, M.A., Wall, M., Wang, S., Olfson, M., Blanco, C., 2024. Lifetime Suicide Attempts in Otherwise Psychiatrically Healthy Individuals. JAMA Psychiatry 81, 572–578. https://doi.org/10.1001/jamapsychiatry.2023.5672

Orsolini, L., Latini, R., Pompili, M., Serafini, G., Volpe, U., Vellante, F., Fornaro, M., Valchera, A., Tomasetti, C., Fraticelli, S., Alessandrini, M., La Rovere, R., Trotta, S., Martinotti, G., Di Giannantonio, M., De Berardis, D., 2020. Understanding the Complex of Suicide in Depression: from Research to Clinics. Psychiatry Investig. 17, 207–221. https://doi.org/10.30773/pi.2019.0171

Padhan, M., Mohapatra, D., Mishra, B.R., Maiti, R., Jena, M., 2024. Efficacy and safety of add-on sarcosine in patients with major depressive disorder: A randomised controlled trial. J. Psychiatr. Res. 178, 298–304. https://doi.org/10.1016/j.jpsychires.2024.08.026

Parperis, K., Kyriakou, A., Voskarides, K., Chatzittofis, A., 2022. Suicidal behavior in patients with systematic lupus erythematosus: Systematic literature review and genetic linkage

disequilibrium analysis. Semin. Arthritis Rheum. 54, 151997. https://doi.org/10.1016/j.semarthrit.2022.151997

Pompili, M., 2020. Intranasal Esketamine and Current Suicidal Ideation With Intent in Major Depression Disorder: Beat the Clock, Save a Life, Start a Strategy. Front. Psychiatry 11. https://doi.org/10.3389/fpsyt.2020.00325

Ruderfer, D.M., Walsh, C.G., Aguirre, M.W., Tanigawa, Y., Ribeiro, J.D., Franklin, J.C., Rivas, M.A., 2020a. Significant shared heritability underlies suicide attempt and clinically predicted probability of attempting suicide. Mol. Psychiatry 25, 2422–2430. https://doi.org/10.1038/s41380-018-0326-8

Ruderfer, D.M., Walsh, C.G., Aguirre, M.W., Tanigawa, Y., Ribeiro, J.D., Franklin, J.C., Rivas, M.A., 2020b. Significant shared heritability underlies suicide attempt and clinically predicted probability of attempting suicide. Mol. Psychiatry 25, 2422–2430. https://doi.org/10.1038/s41380-018-0326-8

Sanchez-Carro, Y., Diaz-Marsa, M., Fernandez-Rodrigues, V., Ayad-Ahmed, W., Pemau, A., Perez-Diaz, I., Galvez-Merlin, A., Higuera-Gonzalez, P. de la, Perez-Sola, V., Saiz, P., Grande, I., Cebria, A., Andreo-Jover, J., Lopez-Peña, P., Ruiz-Veguilla, M., Torre-Luque, A. de la, 2023. Psychiatric comorbidity profiles among suicidal attempters: A cohort study. Eur. Psychiatry 66, S318–S319. https://doi.org/10.1192/j.eurpsy.2023.705

Sariaslan, A., Sharpe, M., Larsson, H., Wolf, A., Lichtenstein, P., Fazel, S., 2022. Psychiatric comorbidity and risk of premature mortality and suicide among those with chronic respiratory diseases, cardiovascular diseases, and diabetes in Sweden: A nationwide matched cohort study of over 1 million patients and their unaffected siblings. PLOS Med. 19, e1003864. https://doi.org/10.1371/journal.pmed.1003864

Schwartzman, A., Lin, X., 2011. The effect of correlation in false discovery rate estimation. Biometrika 98, 199–214. https://doi.org/10.1093/biomet/asq075

Sher, L., 2024. Suicide in individuals with no psychiatric disorders: what makes you vulnerable? QJM Int. J. Med. 117, 313–316. https://doi.org/10.1093/qjmed/hcad279

SLC6A9 Gene - GeneCards [WWW Document], n.d. URL https://www.genecards.org/cgi-bin/carddisp.pl?gene=SLC6A9 (accessed 6.11.25).

Smeland, O.B., Frei, O., Shadrin, A., O'Connell, K., Fan, C.-C., Bahrami, S., Holland, D., Djurovic, S., Thompson, W.K., Dale, A.M., Andreassen, O.A., 2020. Discovery of shared genomic loci using the conditional false discovery rate approach. Hum. Genet. 139, 85–94. https://doi.org/10.1007/s00439-019-02060-2

Strawbridge, R., Carter, B., Marwood, L., Bandelow, B., Tsapekos, D., Nikolova, V.L., Taylor, R., Mantingh, T., de Angel, V., Patrick, F., Cleare, A.J., Young, A.H., 2019. Augmentation therapies for treatment-resistant depression: systematic review and meta-analysis. Br. J. Psychiatry J. Ment. Sci. 214, 42–51. https://doi.org/10.1192/bjp.2018.233

Suominen, K., Isometsä, E., Suokas, J., Haukka, J., Achte, K., Lönnqvist, J., 2004. Completed Suicide After a Suicide Attempt: A 37-Year Follow-Up Study. Am. J. Psychiatry 161, 562–563. https://doi.org/10.1176/appi.ajp.161.3.562

Turecki, G., 2014. The molecular bases of the suicidal brain. Nat. Rev. Neurosci. 15, 802–816. https://doi.org/10.1038/nrn3839

Vecera, C.M., C. Courtes, A., Jones, G., Soares, J.C., Machado-Vieira, R., 2023. Pharmacotherapies Targeting GABA-Glutamate Neurotransmission for Treatment-Resistant Depression. Pharmaceuticals 16, 1572. https://doi.org/10.3390/ph16111572

Voracek, M., Loibl, L.M., 2007. Genetics of suicide: a systematic review of twin studies. Wien. Klin. Wochenschr. 119, 463–475. https://doi.org/10.1007/s00508-007-0823-2

Watanabe, K., Taskesen, E., van Bochoven, A., Posthuma, D., 2017. Functional mapping and annotation of genetic associations with FUMA. Nat. Commun. 8, 1826. https://doi.org/10.1038/s41467-017-01261-5

Werme, J., van der Sluis, S., Posthuma, D., de Leeuw, C.A., 2022. An integrated framework for local genetic correlation analysis. Nat. Genet. 54, 274–282. https://doi.org/10.1038/s41588-022-01017-y

WHO's key facts about suicide [WWW Document], n.d. URL https://www.who.int/news-room/fact-sheets/detail/suicide (accessed 8.5.25).

World Health Organisation, W., 2023. Depression. https://www.who.int/health-topics/depression#tab=tab_1

Yang, T.-H., Lee, H.-C., Cheng, Y.-F., Lin, H.-C., Chen, C.-S., 2025. Sjögren's syndrome increased risk of attempted suicide. Sci. Rep. 15, 9379. https://doi.org/10.1038/s41598-025-92691-5

Zeng, Y., Chourpiliadis, C., Hammar, N., Seitz, C., Valdimarsdóttir, U.A., Fang, F., Song, H., Wei, D., 2024. Inflammatory Biomarkers and Risk of Psychiatric Disorders. JAMA Psychiatry 81, 1118–1129. https://doi.org/10.1001/jamapsychiatry.2024.2185

Zhang, H.X., Hyrc, K., Thio, L.L., 2009. The glycine transport inhibitor sarcosine is an NMDA receptor co-agonist that differs from glycine. J. Physiol. 587, 3207–3220. https://doi.org/10.1113/jphysiol.2009.168757

Zhang, Y., Gao, X., Bai, X., Yao, S., Chang, Y.-Z., Gao, G., 2022. The emerging role of furin in neurodegenerative and neuropsychiatric diseases. Transl. Neurodegener. 11, 39. https://doi.org/10.1186/s40035-022-00313-1

Zhou, X., Liu, L., Zhang, Y., Pu, J., Yang, L., Zhou, C., Yuan, S., Zhang, H., Xie, P., 2017. Metabolomics identifies perturbations in amino acid metabolism in the prefrontal cortex of the learned helplessness rat model of depression. Neuroscience 343, 1–9. https://doi.org/10.1016/j.neuroscience.2016.11.038

Zinchuk, M., Avedisova, A., Beghi, E., Beghi, M., Bianchi, E., Cornaggia, C.M., Piscitelli, D., Urh, L., Crotti, C., Yakovlev, A., Guekht, A., 2024. Risk factors for attempted suicide in non-psychotic patients with suicidal ideation. Riv. Psichiatr. 59, 109–119.