Reddit posts reveal how natural environments affect social anxiety in young people

Karen O'Connor[1*], Sophia Hernandez[2*], Ana Lucia Schmidt[3], Patrick D. Shirey[2], Graciela Gonzalez-Hernandez[4]

* Co-Main authors

[1] Department of Biostatistics, Epidemiology, and Informatics, University of Pennsylvania, Philadelphia, PA

[2] Department of Geology and Environmental Science, University of Pittsburgh, Pittsburgh, PA

[3] Roche Innovation Center Basel, F. Hoffmann-La Roche Ltd., Basel, Switzerland

[4] Department of Computational Biomedicine, Cedars-Sinai Medical Center, West Hollywood, CA

Abstract

Social anxiety disorder affects over one-third of young people globally and is characterized by intense fear of social situations and concern about judgment from others. While effective treatments exist, many individuals remain undiagnosed or delay seeking treatment, highlighting the importance of identifying complementary strategies. Natural environments have shown benefit for mental health, yet their therapeutic potential for social anxiety remains understudied from the patient's perspective.

We analyzed Reddit posts from adolescents and young adults in a social anxiety community to explore their experiences with green and blue spaces. From over 535,000 posts, we identified 1,887 nature-related posts through computational and manual review. The results showed a complex relationship between natural environments and social anxiety symptoms. While many users reported that being in the outdoors and outdoor activities helped reduce their anxiety and improved their moods, others described the environments as triggering due to fears of being observed or judged.

Our findings suggest that natural environments can serve as valuable, accessible options for managing social anxiety, particularly when combined with physical activity. However, interventions must be carefully designed to address the unique social evaluation concerns that distinguish social anxiety from other anxiety disorders. These insights could inform the development of nature-based approaches that complement traditional treatments.

1. Introduction

Anxiety is a normal response to stressors; however, anxiety that persists and becomes disruptive to daily living can be classified as a disorder [1]. One of a multitude of anxiety disorders identified in the DSM-5 [2], social anxiety disorder (SAD) is a prevalent mental health condition, affecting an estimated 36% of young people globally [3]. SAD differs from generalized anxiety as it is characterized by an intense fear of social situations and worry about being judged or scrutinized by others [4]. Symptoms of social anxiety include difficulty being around unfamiliar people, becoming speechless, embarrassment, blushing, sweating, panic, and difficulty talking to people [5].

The population most at risk of social anxiety is adolescents and young adults between the ages of 18 and 24 [3], with the onset of symptoms occurring by age 11 in 50% of cases, and by age 20 in 80% of cases [6]. This age of onset coincides with major developmental periods in life, potentially impacting social, educational, and occupational development [7]. Indeed, studies have shown the severity and profound impact that SAD has on young adults. SAD significantly impairs educational achievement and

persistence, work performance, and social relationships [8,9]. A large-scale study found that 92.6% of individuals with SAD reported significant interference in their daily lives [3]. When compared to those with major depressive disorder, individuals with SAD report having a lower quality of life [10].

Evidence-based treatment options are available for alleviating social anxiety symptoms, including psychotherapy approaches, such as cognitive behavioral therapy, or pharmacotherapy interventions, including antidepressants or anti-anxiety medications [11,12]. While effective treatments for SAD exist, they typically require professional intervention. However, many individuals with social anxiety remain undiagnosed or do not seek help promptly [13,14]. Very likely due to the nature of the disorder, studies indicate that only 15-25% of individuals with SAD ever seek treatment [15,16], and the median delay between onset and first treatment contact is 16 years [15]. Thus, exploring and quantifying the impact of alternative or complementary strategies that are reported to alleviate symptoms and improve the quality of life for individuals with SAD is important. In this study, we explore the potential therapeutic benefit of exposure to natural environments on SAD, particularly green and blue spaces, directly from patient reports.

Green spaces (areas of land that contain vegetation such as parks, forests, and gardens [17]) and blue spaces (outdoor spaces that prominently feature water, including lakes, rivers, and coastal areas) have been associated with many positive benefits to health and well-being in the general population [18,19]. These natural environments have been linked to reduced stress, improved mood, enhanced cognitive function, and improved mental health [19,20]. Studies focusing specifically on SAD and its relation to green and blue spaces are limited, particularly for young people. A recent review found 54 studies focusing on depression and anxiety that used Reddit as their data source [21]. Most studies were focused on depression, and many used the data to create prediction models. None of the anxiety studies explicitly included SAD, or social phobia, in their analysis. To the best of our knowledge, no study to date has exclusively examined patients' reported experience with the natural environment and its effects on their SAD. The specific impact of these spaces on individuals with SAD remains understudied, particularly from the patient perspective.

Several theoretical frameworks may help explain the potential therapeutic benefits of natural environments for SAD. Attention Restoration Theory (ART) [22] suggests that natural environments may help restore one's ability to concentrate and focus. For individuals with SAD, whose cognitive resources may be depleted by hypervigilance and self-monitoring in social situations[23], natural environments may help reduce mental fatigue and restore focus. Stress Reduction Theory (SRT) [24] postulates that exposure to natural environments triggers responses that reduce the physiological effects of stress and promote recovery. This may be relevant for SAD, where physical symptoms of social anxiety, such as increased heart rate, rapid breathing, and muscle tension, can occur. The Biophilia Hypothesis [25] proposes that humans tend to connect with nature and other living things. This framework may help explain why natural environments might feel less threatening than other social or artificial environments, as these environments may provide opportunities for connection and engagement with others within the calming effects of nature. However, while natural environments may offer therapeutic benefits, they may also present unique challenges for individuals with SAD, eliciting responses like those in artificial environments, such as fear of negative evaluation during outdoor activities or anxiety about unexpected social encounters in public spaces. How exactly individuals with SAD engage with these environments could inform the development of nature-based interventions specifically tailored to address social anxiety symptoms.

Our study aims to bridge these gaps in knowledge by extracting and analyzing the experiences and perceptions of individuals with SAD with respect to their interactions with green and blue spaces. By focusing on the patient's perspective, we will gain insights into how these natural environments, or activities in these environments, are perceived to impact social anxiety symptoms and affect overall well-being. Patients with chronic conditions often turn to social media to interact with peers, looking to share experiences or get advice or support [26,27]. Studies have shown that individuals with SAD prefer online over face-to-face interactions [28] and experience lower anxiety when interacting online [29], particularly if they can control how they present themselves and can provide some level of anonymity [30]. With this in mind, our study conducts a content analysis of Reddit posts to understand the perspectives of individuals with SAD regarding their interactions with natural spaces, thus providing insight into the potential for therapeutic benefits of natural spaces for this hard-to-reach and understudied community. Reddit is a social forum website where users post and interact with one another based on topics of interest. These focused groups have their conversations in dedicated forums known as subreddits. Unlike many other social media platforms, Reddit allows users to post anonymously, an appealing feature for those with mental health disorders, as they feel less stigma and post with less inhibition [31].

2. Methods

2.1 Data Collection

Reddit was selected as the data source for this study due to the availability of the data, the self-identified cohort, and the conversational style of the posts, which provide rich, detailed accounts of personal experiences. All posts from the r/*socialanxiety* subreddit were retrieved using the Pushshift API on March 23, 2022. Pushshift was a social media data collection, analysis, and archiving platform that collected Reddit data and made it available to researchers from 2015 until 2023 [32]. While the Pushshift API is no longer available, the data can still be found at Academic Torrents [33] .
The dataset includes all the posts on the r/*socialanxiety* subreddit (n = 535,544) available at the download date. The data collected is composed of post ID, author, title of the thread (if it's the original post in the thread), post text, and timestamp.

2.2 Age Filtering

The data was then processed to detect users who reported being between 13 and 25 years old at the time of writing the posts [34]. To do this, we first cleaned the posts by removing all URLs and replacing written numbers in the 1 to 99 range with their equivalent 2-digit representation. Secondly, we removed all posts that do not have numbers in the 13 to 25 range. Thirdly, we use regular expressions to automatically detect sentences that probably do not contain the self-reported age of the user. Some of these regular expressions identify numbers that refer to periods (hours, minutes, seconds, days, etc.), to dosage (pill, capsule, vial, drops, etc.), and to other common expressions that use 2-digit numbers that are clearly not related to age (catch-22, 24/7, money, percentages, COVID-19, etc.). Finally, the remaining 14,027 posts (from 10,670 users) and their corresponding sentences were annotated. The annotator labeled the posts with the reported age on the text or NA if no age could be determined. Given that the age detection was done on posts, it's possible for a user to have multiple reported ages throughout their time on r/*socialanxiety*. Thus, we estimated the final age of each user by first calculating their birth year and then calculating the median birth year of each user. Therefore, the estimated age of the user will be their age in the most active year within the subreddit, that is, the most active year minus birth year. Given that the user activity in days has a long tail distribution where

median=16 days, mean=181 days, and sd=322 days, we believe it is a fair approximation of the user's age.

2.3 Keyword filtering

From 535,544 posts in the *r/socialanxiety* subreddit, there were 101,704 posts from 7,645 users classified as aged 13-25. These 101,704 posts were filtered using a comprehensive list of outdoor-pertinent keywords related to green and blue spaces that we developed. To identify keywords related to outdoor spaces and activities, we first tokenized the corpus and reviewed terms that occurred more than once in the corpus. The curated list of words included green spaces (e.g., park, forest, garden), blue spaces (e.g., beach, ocean, lake), as well as outdoor activities (e.g., running, hiking, swimming). A total of 108 keywords were identified, 75 of which were related to green spaces, with 43 potentially referencing natural spaces and 32 potentially referencing outdoor activities. The remaining 33 keywords were related to blue spaces, with 20 potentially referencing natural spaces and 13 potentially referencing outdoor activities. The list of keywords used can be found in Table 1. To reduce the number of posts for manual review, regular expressions were developed from a review of the keyword results to further filter the set by eliminating false-positive posts. The regular expressions filtered common expressions that would be captured with the keywords, such as "*running on empty*" or "*rock the boat*". These also removed common cultural references, such as the television show "*Parks and Recreation*". The total number of mentions in the filtered corpus is reported in Table 1. The complete regular expression patterns are in Supplemental Material (S1). Figure 1 shows an overview of the data selection process. The final dataset consisted of 4,070 posts from 2,082 users. All keyword and regular expression filtering were performed in RStudio version 2022.02.3+492.



Figure 1: To create the data set for annotation, the original corpus was filtered first by the user's age, then by natural environment keywords. The posts with keywords were further filtered using regular expressions to reduce the number of false positive results prior to manual review.

Green Spaces Related Terms						Blue Spaces Related Terms					
Place			Activity			Place			Activity		
Keyword	Keyword Regex Count	Modified Regex Count	Keyword	Keyword Regex Count	Modified Regex Count	Keyword	Keyword Regex Count	Modified Regex Count	Keyword	Keyword Regex Count	Modified Regex Count
air	180	42	archery	7	7	bay	22	2	boat	348	45
back yard	51	51	backpacking	11	11	beach	165	167	canoe	3	3
ballpark	4	4	badminton	3	3	coast	24	0	cruise	10	10
barbecue	32	32	baseball	33	29	creek	5	4	dive	75	75
barn	11	11	basketball	127	128	dock	9	9	fishing	23	23
bench	70	66	bicycle	234	236	ferry	2	2	kayakers	6	6
bleachers	12	12	climb	121	33	harbor	3	3	lifeguard	3	3
bonfires	13	13	football	140	140	lake	27	27	paddleboard	2	2
breeze	12	7	frisbee	4	4	ocean	22	22	rowing	10	6
cabin	22	22	golf	42	42	pond	4	4	sail	21	21
camp	137	116	handball	3	3	pool	116	109	scuba	5	5
cave	29	29	hike	110	111	river	19	15	surf	30	16
cliff	16	16	horse	53	52	sand	23	18	swim	155	155
cookout	6	6	hunt	88	49	sea	54	37			
countryside	15	15	jog	73	73	shore	7	7			
courtyard	7	7	lacrosse	13	13	stream	72	30			
daylight	14	14	long boarding	3	3	tide	8	8			
desert	13	13	parkour	6	6	water	364	9			
farm	27	27	quarterback	2	2	waterfall	6	6			
footpath	3	3	riding	91	69	waves	48	12			
forest	27	27	roller blade	9	10						
fountain	7	7	rugby	6	6						
garden	59	53	run	1883	944						
grass	30	14	skate	81	113						
hill	31	14	ski	38	38						
landscape	11	8	snowboard	14	14						
lawn	18	18	soccer	123	127						
mountain	91	74	softball	5	5						
nature	347	133	stroll	7	7						
open space	7	7	tennis	46	46						
outdoor	70	70	volleyball	27	27						
outside	2494	696	walk	4677	414						
park	327	263									
patio	3	3									
picnic	21	21									
play ground	26	26									
rink	12	13									
sun	170	170									
tree	64	56									
vegetation	2	2									
wilderness	9	9									
wildlife	9	3									
wind	61	48									

Table 1: Keywords identified as potentially referencing green or blue spaces, or outdoor activities in those spaces. The keyword count is the total number of matches for the term in the corpus, and the modified counts are the counts after more precise regular expressions were applied.

2.4 Annotation

Posts were manually coded in two rounds of annotation. Detailed annotation guidelines were developed to ensure consistent classification in both rounds of the annotation process. In the first round, posts were classified as "Nature-Related" or "Non-Nature Related." Nature-related posts explicitly referenced

natural environments, outdoor spaces, or outdoor activities. Non-Nature related posts used keywords in other contexts, such as metaphors (e.g., "waves of anxiety"), media references (e.g., "Forest Gump"), homonyms (e.g., “park the car”), or indoor activities (e.g., "rowing at the gym"). Examples of each classification are provided in Table 2.

In the second round, Nature-Related posts were then sub-categorized based on the perceived impact of the natural environment or outdoor activity on users' SAD as positive, negative, or neutral. We defined these categories as follows:

- Positive Impact: Posts indicating nature helped manage or alleviate SAD symptoms, including explicit statements of benefit, recommendations to others, or actively seeking nature-based activities for symptom relief.
- Negative Impact: Posts describing nature as ineffective or exacerbating symptoms, including expressions of avoidance or negative experiences from being in natural environments or with outdoor activities.
- Neutral Impact: Posts mentioning nature without an apparent connection to the user’s SAD or any effects on it, such as general descriptions, hypothetical scenarios, or references to events that happened in the past without current relevance.

The annotation was performed in an Excel spreadsheet that provided the annotators with the post metadata (post ID, user name, post date, etc.) and the title and text of the post. Annotators were also provided with the sentence in which the keyword(s) appeared in the post. This information was provided to facilitate the finding of the keyword in lengthy posts; however, the annotators’ decisions were based on information from the whole post. While a post may have multiple keywords matched, posts were limited to only one impact code. Posts with at least one positive impact related to a keyword were coded as positive. Neutral impact posts only contain mentions defined as neutral. Table 2 provides representative examples of posts in each impact category.

Code	**Definition**	**Example**
Round 1: Nature or Non_nature		
Nature	The keyword is referencing a natural environment, being outside, or participating in an activity in a natural environment.	*“But **pools** and **beaches** are FULL of people. It is my worst nightmare to be half nude in front of hundreds of strangers, I wouldn't even be able to enjoy the water.”*
Non_nature	The keyword is not related to nature, or the activity does not happen in a natural environment.	*“american tourist asked if I could take a picture. I said ‘sure’n then I said ‘like this?’ (meaning portrait or **landscape** mode?)”*
Round 2: Impact on SAD		
Positive	Positive posts are ones where the users mention that nature helped manage or alleviate SAD symptoms, including explicit statements of benefit, recommendations to others, or actively seeking nature-based activities for symptom relief. For example: - If the user is recommending the	*“I actually genuinely feel one positive way of looking at social anxiety is its drive to push to stay fit (If I **run** in the mornings I have this rush of serotonin that often outweighs my SA for most of the day) and eat healthy”*

	environment or activity - If the keyword is used to describe helping themselves or someone else	
Negative	Posts should be coded as negative if they are describing nature as ineffective or exacerbating symptoms, including expressions of avoidance or negative experiences being in natural environments or with outdoor activities. For example: - They mention they don't, can't or won't like the nature-related keyword - They mention the keyword in a negative way	*"There's a **lake** nearby but I'm too anxious going alone, and since i haven't got friends i could only go alone. I'm scared of someone from my old school seeing me, and also where's the fun in going alone while also being very anxious."*
Neutral	Posts mentioning nature without clear connection to the user's SAD or any effects on it, such as general descriptions, hypothetical scenarios, or references to events that happened in the past without current relevance.	*"I live in Florida, which now has more cases than most countries. It's surreal how many people just aren't that concerned about it, **beaches** are populated, theme parks are open, restaurants are busy."*

Table 2: Definition for each annotation category, first by classification as 'Nature' or 'Non-nature' related. Nature-related posts were then classified as 'Positive', 'Negative', or 'Neutral' based on the annotation guidelines. Examples of posts are given for each category.

Annotation was conducted by two researchers who are experienced in annotation and trained on our annotation guidelines. Through an iterative process, each researcher independently annotated a portion of a random subset (N=1063) of the posts, after which disagreements were discussed and adjudicated through consensus. Any needed revisions to the guidelines were made after each iteration. This initial subset of posts ensured coverage of all keywords by randomly selecting posts from each keyword matched. After substantial inter-annotator agreement (IAA) was reached and no further revisions to the guidelines were deemed necessary, the last set (n = 613/1063) was double annotated, achieving an IAA of k = 0.80 for nature-related categorization and k=0.73 for the impact classification, which indicates strong and moderate agreement [35]. Due to the high concordance reached, the remaining posts were independently annotated. Code and annotation guidelines are available at [link provided on publication].

2.5 Topic Modeling

We applied BERTopic to all posts classified as 'Nature Related' to identify latent topics of discussion within the corpus. BERTopic is a state-of-the-art topic modeling technique using the transformer model BERT and class-based TF-IDF [36].

Before applying the topic model, we performed several preprocessing steps. First, we identified identical or near-identical posts from the same user using cosine similarity. Posts with a similarity score > 0.90 were reviewed and removed as needed. Next, we preprocessed the data to clean and normalize the text. The following text preprocessing steps were taken: (1) mentions of social anxiety disorder and their variant (e.g., SA, social anxiety, SAD) were normalized to the term '*social_anxiety*' and similarly, mentions of generalized anxiety disorder (e.g., GAD, GA, generalised anxiety) were normalized to '*generalized_anxiety*'; (2) all contractions were expanded; (3) exaggerations in text leading to misspellings (e.g., 'loooong', 'saaaadddd', etc.) were corrected; (4) all text was converted to lower case and punctuation was removed; and (5) posts were segmented into paragraphs. Paragraph segmentation was necessary to avoid the truncation of posts by the embedding model due to token limitations in the context window. The step also mitigates the issue of BERTopic only assigning one topic per document. By assigning a topic to each paragraph of the post, the results can be concatenated to identify multiple topics per post. Paragraph segmentation was done using the natural breaks in Reddit posts.

Using the BERTopic algorithm, the preprocessed text was passed through the sentence transformer model, all-mpnet-base-v2, to convert the text to numerical representations. This transformer model was fine-tuned on a diverse dataset of over 1.1 billion sentence pairs, including Reddit comments and academic texts. It is optimized for semantic similarity, making it well-suited for clustering text embeddings [37]. Next, dimensionality reduction was performed using uniform manifold approximation and projections (UMAP). UMAP is a technique that keeps the data's structure while reducing the dimensionality needed for clustering. The algorithm, Hierarchical Density-Based Spatial Clustering of Applications with Noise (HDBScan), was used for clustering. Finally, the c-TF-IDF algorithm was used to identify the representative word of the topic. In this algorithm, topic representation words are derived from the calculated clusters rather than individual documents.

The BERTopic topic model was fine-tuned for optimization through the customization of parameters for dimensionality reduction (UMAP), such as n_neighbors and n_components, clustering (HDBScan) parameters, such as cluster size and clustering selection methods, and topic representations (c-TF-IDF). The topic representations were optimized by removing stop words, the keywords used to filter the posts, and lemmatizing terms. The preprocessing and BERTopic model were implemented in Python v3.10. All code is available at: [link provided on publication].

2.5 Qualitative Analysis

We conducted a manual qualitative analysis to delve more deeply into themes specific to the natural environment keywords in the posts and the users' perceived impact of these spaces or activities on their SAD. Posts that were identified as having a positive or negative impact were included in the analysis. Neutral posts were excluded as they, by definition, reported no impact on the user's SAD.

A mixed-method, deductive and inductive, approach to coding was used to develop the codes and themes used in our analysis. To develop a deductive coding framework, we drew upon several relevant theoretical frameworks related to the natural environment and its proposed effects on mental health and well-being. These frameworks included Attention Restoration Theory (ART)[22] , which posits that natural environments can help restore depleted cognitive resources, Stress Reduction Theory (SRT)[24] , which proposes that exposure to natural environments can reduce stress, ease states of alert, and promote well-being, and the Biophilia hypothesis [25] , which postulates that humans tend to want to

connect with nature and other living things. We also allowed for inductive coding, where codes were added based on what was discovered in the data.

Our initial codebook was developed within the deductive framework using the familiarity with the data that was derived from the initial categorization of the data (described in Section 2.3 Keyword Filtering). Table 3 provides the codes and their definitions. Two researchers who had initially categorized the posts independently coded the data using NVivo v14. An initial set of 20 posts was coded to test the guidelines and identify any emergent codes from the data. Disagreements from the set were resolved by consensus, and the codebook was clarified with new codes added. After completing the set, a second set of 50 posts was coded with discussion and adjudication occurring between the two coders. Minimal guideline changes were made at this point, and coding was completed on the remaining set (n = 237). Upon completion, the disagreements were resolved. At this point, code saturation was determined to have occurred as no new codes were emerging from the data.

Theme	Code	Definition
Challenges and Barriers	Causes symptoms	Being in the natural environment causes the user to experience physical symptoms they associate as part of their SAD
	No access	The user cannot get to, or is physically unable to access, the natural environment
	Triggers stressors	Being in, or thinking of the natural environment, is a stress inducer related to their SAD for the user
	Unable due to SA	User attributes their inability to partake in the natural environment to their SA
	Unavailable	The natural environment is not accessible to the user's a
Advice to others	Encourages action	User provided advice to others to use natural spaces to help with SAD
Coping strategies	Exposure therapy	The user is using the natural environment in their as a means of exposure therapy
	Facilitates behavior change	The user is using the natural environment to improve their SAD
Enhanced social connection	Connection with others	The natural environment allows them to connect with others
	Shared interest	The space gives them shared interest with other which helps their SA
Positive impact on well-being	Alleviates symptoms	Being in the natural environments helps alleviates the users SA symptoms
	Calming and relaxing	The user finds being in the natural environment calming or relaxing.
	Positive emotion	The user expresses positive emotions associated with the natural environment
	Calming or relaxing	The user finds being in the natural environment calming or relaxing
Restorative environment	Reduced stress	Being in the natural environment reduces the feeling of stress for the user
	Restores attention	Being the natural environment allows them to reflect on thoughts in their head

Table 3: Codes and their definitions that were used for the analysis of the text. The resulting themes discovered in the data are also shown.

We identified 16 codes in the data. These were sorted into common themes prior to analysis. We identified six overarching themes in the data (Table 3).

3. Results

3.1 Annotation

In total, 4,070 posts were manually categorized as nature-related or not nature-related. 2,159 were determined to be non-nature, and 1,899 were nature. Before analysis, the nature posts were further filtered using cosine similarity to remove similar posts from the same users. After identifying and reviewing semantically similar texts, 12 posts were removed, resulting in 1,887 nature posts remaining for analysis. Posts determined as nature were sorted by impact. 544 were coded as positive, 272 were coded as negative, and 1071 were coded as neutral.

In total, 5,254 unique-per-post keywords were mentioned in the 4,046 included posts (Figure 2). The majority of these mentions were related to green spaces, with 2,447 mentions of green activity (46.6%) and 1,992 (37.9%) mentions of green places. Blue activity had only 295 mentions (5.6%), and blue place keywords had 520 mentions (9.9%). The total keyword mentions were somewhat equally divided between nature (n=2,842, 54.1%) and non-nature (n=2,412, 45.9%) classification.



Figure 2: A. Sangkey chart representing the type of keyword mentions in posts, showing the breakdown of their nature-related classification and the nature-related impact classification. B. Keyword counts by environment type for positive and negative posts.

The majority of the keyword mentions were in posts classified as either non-nature related or neutral mentions (n= 3,883, 73.9%). The top 5 keywords mentioned for each group, with their classification counts, are shown in Table 4. Within the posts classified as positive, there were 831 keywords related to the green environment, with most (59.2%, 492/831) related to activities. For blue environment keywords, there were more keywords related to places (60.3%, 64/106). The negative posts followed a similar pattern with green environment activity-related keywords (56.2%, 190/338) and blue environment place keywords (62.2% 46/74) predominant.

Keyword	Nature_positive	Nature_neutral	Nature_negative	Non_nature	Total	Keyword	Nature_positive	Nature_neutral	Nature_negative	Non_nature	Total
Green-Activity						**Blue-Activity**					
run	106	89	34	650	879	swim	19	36	20	0	75
walk	123	138	61	20	342	dive	3	3	2	64	72
bicycle	60	93	15	31	199	boat	5	3	2	33	43
football	7	62	8	46	123	surf	2	2	1	22	27
hike	50	43	8	7	108	fishing	3	6	0	13	22
Green-Place						**Blue-Place**					
outside	81	186	53	311	631	beach	24	62	21	23	130
park	61	93	21	52	227	pool	7	24	16	44	91
sun	27	43	10	76	156	water	3	2	1	75	81
nature	32	15	2	84	133	sea	2	7	1	24	34
camp	14	45	8	38	105	stream	1	0	0	32	33

Table 4: Top 5 keywords by total count of unique-per-post mentions in the corpus by keyword subtype.

3.2 Topic Modeling

The BERTopic model was created from the 1,887 nature-related posts. After paragraph segmentation, there were 7,436 documents used in the model. The model identified 14 distinct topics in the data (Figure 4). Topics labels were generated by human interpretation and automatically using state-of-the-art LLMs, ChatGPT-4o and Claude Sonnet 3.7, with the final label determined by consensus. The prompt and the result from each model can be found in Supplemental Material S2.



Figure 4:The intertopic distance map shows the relationship between the topics; the closer the center of the circle, the more related the topics are. The map shows the distinctiveness of the generated topics. The size of the circle represents the number of documents in the topic.

The labeled 14 topics with their keyword representation and some example texts are found in Table 5. BERTopic puts outlier documents, or noise, that do not fit into the other topics into a separate topic (-1). Our model classified 26.6% (1977/7436) of documents as outliers.

Topic (count, %)	Topic Label	Representative Words	Sample Phrases
0 (1977, 17.1)	Mental health struggles	['generalized_anxiety', 'phobia', 'therapy', 'disorder', 'cope', 'therapist', 'overcome', 'adhd', 'esteem', 'overcoming']	*"I simply cannot talk to people I do not know. My palms and forehead began to sweat no kidding . . .I went through anxiety for two months until one day i decided not to go to university and from that moment on my life went awry"* *"About me I am a 20ish year old dude*

			had anxiety my whole life. I have no social skills and therefore am always quiet and awkward and I developed a phobia of going outside"
1 (1271, 15.5)	Dating and relationships	['rejection', 'relationship', 'dating', 'date', 'kissed', 'conversation', 'approached', 'bf', 'rejected', 'girlfriend']	*"I am a teen and have had 3 girlfriends technically but only really count one in middle school was my first relationship with this girl named c"* *"I was never going to be the fun girl for my bf, I expressed how i felt like a loser and how I must have come off so rude to everyone. He was very soothing and held me and told me how much he loved me"*
2 (826, 11.1)	Social struggles and loneliness	['socialize', 'introverted', 'introvert', 'loneliness', 'personality', 'socializing', 'esteem', 'conversation', 'friendship', 'lonely']	*"I have not gone out since middle school because nobody wants to be with me because i am weird there is people I talk to in school but I noticed more than before how they belittle me … they all just talk down on me"* *"I think about how I have no love and no one likes me or cares about me or cares to get to know me"*
3 (581, 7.8)	Personal strife and self-reflection	['rant', 'relate', 'peace', 'vent', 'despair', 'improvement', 'rambling', 'advise', 'realization', 'write']	*"this is my rant i feel like an angrily kicked stubbed toe at the moment but it helps someone else else sigh in relief because they are off slightly better maybe someone can relate maybe someone has a an actual time machine to sell"* *"all i know is that the clock is about to strike 1am and in roughly five hours my alarm will go off and i will have to crawl out of bed to endure yet another miserable day in my life that i will live to forget"*
4 (372, 5.0)	Healthy diet and fitness	['diet', 'exercising', 'healthy', 'cardio', 'workout', 'health', 'fitness', 'eat', 'eating', 'recovery']	*"what worked for me ok here is what i do i would waking up early and then run a mile everyday with empty stomach w only water then for lunch everyday i ate a salad which i hate and water lastly when i got home i ran another mile and for dinner i ate either starches fruits and veggies sleep is also essential"* *"the four pillars of health are sleep fitness healthy eating and having a good social life"*
5 (232, 3.1)	Fear of public	['terrified', 'paranoid',	*"just now i notice i have this intense*

	spaces	'coping', 'safer', 'noise', 'danger', 'crowd', 'hesitant', 'nausea', 'headphone']	*fear of being watched or looked at during my walk i had cars riding by i hate when cars ride by me because i feel like the person driving or the people in the car are looking at me and judging me i had to walk near an intersection"* *"i went through the exact same thing last year i was terrified of going outside because of panic attacks i thought if i was not at home i was not safe from them"*
6 (193, 2.6)	Finding contentment in the environment and activities	['relaxing', 'chill', 'ride', 'solitude', 'scenery', 'cycle', 'watering', 'planning', 'panicked', 'winter']	*"I realised the other day as i was sitting in my room straing out my window that the rain is actually my favourite thing in the entire fucking world now whenever it starts raining i run outside and just stand there feeling fucking alive and happy"* *"riding my bike brings me peace and joy"*
7 (180, 2.4)	Personal hobbies and travel	['travel', 'traveling', 'explore', 'studying', 'study', 'gaming', 'craft', 'videogames', 'creativity', 'photography']	*"despite me being shy and introverted i have a youtube channel which is mostly videos I make about retro gaming and other random stuff I find editing audio and video fun"* *"I love to drive and love traveling to other states on spontaneous trips free museums parks and wandering pointlessly is what I enjoy currently"*
8 (140, 1.9)	Body insecurity and social self-consciousness	['insecure', 'dysmorphia', 'embarrassed', 'posture', 'embarassed', 'appearance', 'ashamed', 'staring', 'stare', 'conscious']	*"I am scared of people seeing me sometimes I feel that i sense a sort of repulsion as soon as people see me they do not say it blatantly hey you are ugly but I feel as though there is something in there eyes saying that to me"* *"I am self conscious of everything that I wear part of me wants to stand out and be expressive while the other part of me wants to blend in and not be noticed but the biggest part of me just desperately does not want to be judged if I showed my friends a shirt or a jacket that I liked and wanted if they had the smallest pause or the slightest look it would send my mind racing"*
9 (127, 1.7)	Employment experiences and challenges	['hiring', 'resume', 'worker', 'retail', 'restaurant', 'hire',	*"I know how you feel I have been to plenty of customer service industry interviews where they are asking for*

		'unemployed', 'freelance', 'applying', 'apply']	*someone bubbly and outgoing clearly I am not either of those things and it is obvious to anyone who spends 5 minutes with me"* *"I was a former hourly associate at walmart I left beause i am not a people person I do not like having coworkers managers telling me what to do or customers yelling at me for things that are not my fault I always wanted to work from home for myself I work efficiently when I am independent compared to groups"*
10 (119, 1.6)	Awkwardness in interpersonal interactions	['stutter', 'awkwardness', 'conversation', 'greet', 'polite', 'acting', 'speaking', 'quietness', 'silent', 'pretend']	*"I have pretty bad social_anxiety and whenever I stop someone if I have the guts to do it at all I start to panic a bit and I stutter"* *"I force myself to greet everyone I met in the hall but I felt like it made some uncomfortable or it came out wrong one time I met one in the bathroom and I forced myself to ask him questions but I feel like it came too strong and it was awkward"*
11 (94, 1.3)	Mental health treatment and self-medication	['therapy', 'treatment', 'medication', 'psychedelics', 'therapist', 'psychedelic', 'medicine', 'weed', 'psychiatrist', 'alcohol']	*"I do not think this is something that even therapy will be able to solve after nearly a decade of trying I do not think so"* *"I have also been consciously using weed and psychedelic mushrooms to open up more too but I would really recommend getting into a good headspace through yoga and meditation in order to be more receptive to what the plant can teach you"*
12 (87, 1.2)	Difficulty maintaining and engaging in conversations	['chat', 'conversation', 'conversating', 'bored', 'flirt', 'texting', 'convos', 'autistic', 'befriend', 'boring']	*"I do not know how to ask questions about peoples interests they tell what they are interested in it and I just say cool or that is interesting my convos are so dumb and dull and boring"* *"I have struggled with this for years now this is the first time I am actually telling people about it it seems like I am always texting a girl and it seems like I am totally normal when I text them i am outgoing funny and a great guy to text but I am the most awkward weirdest guy to talk to in person"*

13 (87, 1.2)	Anxiety in sports participation	['sport', 'athletic', 'varsity', 'participate', 'boxing', 'coach', 'ball', 'join', 'skateboarding', 'highschool']	*"I had a football match today and I always feel so embarrassed after them I messed up i took a shot and it went way wide"* *"I suck at sports and feel nervous playing with others in pe class during middle and high school I used to play basketball alone if we were allowed free time and once people started to join and play competitively I would walk away and just walk around on the track which was another option for participation points"*

Table 5: 14 topics identified by the BERTopic model with their topic label, keyword representation, and example phrases from the paragraph.

The 5,459 paragraph segments that were assigned a topic came from 1,669 posts. The number of unique topics per post ranged from 1 to 7, with an average of 1.87 unique topics per post. About half of the posts, 50.9% (848/1,669), had only one topic assigned, while 3.4% (57/1,669) had five or more topics assigned.

Several similarities and differences can be observed from the co-occurrence network of topics in the positive and negative class posts (Figure 5). Both classifications show strong connections between mental health struggles (topic 0) and personal strife and self-reflection (topic 3). Social struggles and loneliness (topic 2) are also highly connected in both classes. Positive posts have stronger connections to a healthy diet and fitness (topic 4), personal hobbies and travel (topic 7), and employment experiences and challenges (topic 9). While fear of public spaces (topic 5) and body insecurity and social self-consciousness (topic 8) were more prevalent in negative posts. Negative posts have fewer unique topic connections overall (15 vs. 19 connections).



Figure 5: Co-occurrence networks for positive (panel A) and negative (panel B) posts. Node size indicates frequency, and link thickness represents co-occurrence strength.

3.3 Qualitative Analysis

A total of 307 positive and negative posts were manually coded in NVivo. Within the six themes, 378 phrases were coded with their underlying topics. For this analysis, topics were only counted once per post. The total counts by theme and code, including the total number of references coded, are in the supplemental material (S3). Of all the themes, only one encompassed the negative perceived impact of the natural environment on the user's SAD. This theme, 'challenges and barriers', had 100 coded phrases (26.5%, 100/378). The remaining five themes reflected a positive perceived impact on the user's well-being. Of these themes, 'positive impact on wellbeing' had the most phrases identified with 126 (33.3%, 126/378) The remaining themes were 'advice to others' with 65 phrases (17.2%, 65/378), 'coping strategies' (12.2%, 46/378), 'enhanced social connections' (6.6%, 25/378) and 'restorative environment' (4.2%, 16/378)

3.3.1 Challenges and barriers (n= 100)

This theme included five topics, covering the user's negative perceptions of being in the natural environment or an inability to access these environments. Three topics related to the user's stated mental and physical well-being. Discussions in two of the topics, 'triggers stressor' (60%, 60/100), 'causes symptoms (15%, 15/100) centered on how being in the natural environment or participating in activities in these spaces causes, or they fear it will cause them to experience physical or mental symptoms of their SA, or discomfort in general.

> *"I quit the horse riding lessons because I had irrational thoughts, like "everyone here hate me I'm a burden if I go" even if it's not true and everyone were nice and gentle."*
>
> *"…anxious when I go out especially at a busy place like the beach"*

The third topic, 'unable to due to SA' (16% 16/100) was similar, however, in these the user explicitly stated that they could not bring themselves to be in or participate in activities due to their SA.

> *"I love running, but simply cannot stand the fear of passing by someone on the same side of the road or people waving."*

The remaining topics in this theme were related to users discussing the natural environment not being available to them ('unavailable', 5%, 5/100) or not accessible ('no access', 4%, 4/100) for them.

> *"I was thinking of going to the lake, but I am low on money right now."*

3.3.2 Positive impact on well-being (n= 126)

This theme included four topics related to the user expressing that they perceived that the natural environment had beneficial effects on their mental and physical health. In the topic 'positive emotion' (60.3%, 76/126), the user expressed feeling good or having an improvement in mood by being in the natural environment. While the topic 'alleviates symptoms' (5.6%, 7/126) expressed similar sentiment, but for more physical symptoms.

"I spent some time outdoors with family and I loved not thinking about other people but myself and just enjoyed the scenery"

"I don't think I would feel anxious at all. I don't know if anyone else has this, but being outside where its cooler and less claustrophobic means I'm less likely to blush and more likely to keep my cool."

For the topic 'calming and relaxing' (16.7%, 21/126), the user specified that they find being in or using the natural environment or activity to calm or relax them.

"*outside walking in nature listening to music I always get so relaxed."*

The final topic in the theme, 'wish to use it to help' (17.5%, 22/126), was used to code expressions by the user, who relayed a sense that they felt the natural environment would help or be beneficial to them to alleviate their SA.

"*Something I wanted to try is to go camping / backpacking by myself."*

3.3.3 Advice to others (n=65)

This topic, related to this theme, was 'encourages action'. This occurred in posts where the user was replying to another poster in the subreddit. These posts encouraged the poster to use the natural environment to help them overcome their SA or the symptoms of their SA. The user either stated explicitly that these environments or activities had helped them, or it was implied in their post.

"I think if you can find a productive way to use all the anxious energy, a sort of positive distraction like going for a run or going to the gym or swimming or something, whatever you're into, straight after work each day."

3.3.4 Coping strategies (n=46)

This theme included two topics: 'exposure therapy' (56.5%, 26/46) and 'facilitates behavior change' (43.5%, 20/46). For both these topics, the user expressed that they used the natural environment or activities to help them overcome their SA symptoms or improve the condition itself.

"So tomorrow i am going on the bike trail next to my house and my mission is to say hi to 5 people. This is a step I'm taking to relieve a bit of my SA."

"Imp going to leave the US and go backpacking for a while after classes end. Meet new random people who have no idea how socially anxious it was back home."

3.3.5 Enhanced social connection (n=25)

This theme centered on users discussed how the natural environment facilitated their connections to others and thus helped manage or overcome their SA. In the topic 'connection to others' (60%, 15/25), users discuss how they were able to enjoy the company of others while being in the natural environment. This allowed them to overcome some of the fears they experienced with their SA.

"I talked with a complete stranger sitting on a bench for 10 minutes!...A minute after I sat down some woman came there and sat down next to me, said that she was also waiting for someone. I reciprocated and after a few smalltalk sentences back and forth..Nice chat."

The 'shared interest' (40%, 10/25) topic consisted of discussions around how having a shared interest in outdoor environments or activities with others facilitated the user's interaction with them in ways they may have struggled with in other situations due to their SA.

"As an example, earlier, we were leading a group of kayakers (we're all around the same age) so I was not "only myself", but also one of the people supervising. And it was much easier to talk and do things and being more outgoing because I had a reason"

3.3.6 Restorative environment (n=16)

The final two topics are under the theme of restorative environment. The topic 'reduces stress' (62.5%, 10/16) was encoded for mentions of the natural environment in conjunction with the user feeling a reduction in stress or anxiety.

"There's this app I used to use called Headspace, it's a mindfulness training tool that you can use in your downtime to train yourself in becoming more aware of yourself in stressful situation. I used to go to my park and sit at a bench while listening to it"

While in 'restores attention' (37.5%, 6/10) posts, users discussed how the natural environment helps to relieve their stress or anxiety.

"I just couldn't handle the amount of laziness that stewed in my household, so one day I grabbed my sister's old longboard, my ipod and some headphones and just rode with no destination in mind. And doing that cleared my head soooo much."

4. Discussion

The purpose of this preliminary study is to explore the relationship between natural environments and their potential effects on social anxiety disorder by analyzing the perspectives of adolescents and young adults on Reddit. Our findings revealed a complex relationship between SAD and engagement with green and blue spaces, with both positive and negative impacts identified.

Our findings that outdoor environments and activities had predominantly positive effects on SAD symptoms are consistent with prior research showing that exposure to green space is linked to lower anxiety [38], including benefits for young adults[39]. However, our analysis extends previous work by highlighting the unique challenges that individuals with SAD face when engaging with natural environments. Unlike those with generalized anxiety disorder (GAD), individuals with SAD will experience anxiety specifically in social situations where they may be judged or scrutinized [4] . Indeed, we did observe in our cohort that SAD sufferers described specific fears related to social evaluation in outdoor settings. This finding suggests that nature-based interventions for SAD may need tailoring to address social evaluation concerns, rather than simply replicating approaches used for GAD.

The finding that participants often use nature as a form of exposure therapy reflects clinical recommendations for SAD treatment. Meta-analyses of SAD treatments have shown that exposure therapy is among the most effective interventions [11,40], and our findings suggest that natural environments may provide a less threatening context for practicing social interactions compared to

more formal clinical settings or smaller, indoor settings, where the user's fear of judgment may be heightened.

Our analysis revealed that green environment activities (such as walking, running, and cycling) were most frequently associated with positive impacts, consistent with research showing that physical activity in natural settings provides greater mental health benefits than indoor exercise [41,42]. This effect of nature exposure and physical activity may be particularly beneficial for SAD, as it addresses both psychological symptoms and the physical manifestations of anxiety.

Our results indicate that the perception of the natural environment from users with SAD aligns with the theoretical frameworks for the cognitive benefits of natural environments [43] . The qualitative analysis identified six key themes corresponding to existing nature and mental health theories. The "restorative environment" theme, which included codes like "reduces stress" and "restores attention," directly supports ART [22]. As proposed by ART, participants described how natural environments provided cognitive restoration, supporting the theoretical mechanism that natural settings help replenish depleted cognitive resources. For example, participants reported that activities like biking while listening to music helped "clear their head," consistent with ART's proposition that natural environments facilitate cognitive recovery.

Similarly, the "positive impact on well-being" theme, particularly codes like "calming and relaxing," aligns with SRT [24]. Participants frequently described feeling relaxed and experiencing reduced physiological stress responses when in natural settings, supporting SRT's hypothesis that natural environments trigger parasympathetic responses that reduce physiological stress markers.

Our analysis's "enhanced social connection" theme provides empirical support for the Biophilia Hypothesis [25]. Participants reported that natural environments facilitated social connections through shared interests and activities, suggesting that these settings may offer opportunities for connection without the intimidating evaluation concerns typically experienced in other social contexts. These results align with the recent understanding of the role of nature on mental health from the emerging field of environmental neuroscience [44,45].

Our mixed-methods approach, combining computational topic modeling with in-depth qualitative analysis, provided both breadth and depth in understanding SAD experiences with natural environments. The large-scale topic modeling identified patterns across thousands of posts, providing high-level insights into the patients' perspectives on the influence of the natural environment on their SAD. However, such analysis may miss relevant context or nuances in the posts. However, our qualitative analysis filled these gaps by providing rich contextual insights into the text underlying these patterns. Additionally, our focus on adolescents and young adults (13-25 years) captures a critical developmental period for SAD onset and manifestation, providing valuable insights into how natural environments may affect this vulnerable population during a formative life stage.

Using Reddit as a data source allowed unobtrusive access to discussions from a population that is typically difficult to reach through traditional research methods. Individuals with SAD often avoid research participation due to social evaluation concerns, making online platforms valuable for capturing authentic experiences without the factors that limit the appeal of formal research settings for this population.

However, some limitations should be considered when interpreting our findings. The self-reported nature of Reddit posts means we cannot verify SAD diagnoses. Users might be discussing self-diagnosed symptoms rather than clinically diagnosed SAD, potentially limiting generalizability to clinical populations. As with any research using data from social media, our data may not fully represent the population at large. While the Reddit users in our cohort were selected based on a predefined age

range, other demographic information about them is unknown, thus limiting the generalizability of our findings to the population at large.

Finally, while our keyword filtering approach was comprehensive, it may have missed relevant discussions that used alternative terminology to describe natural environments or SAD experiences. Future research could employ more sophisticated natural language processing techniques to identify relevant content without relying on predefined keywords or regular expression patterns.

5. Recommendations

Based on the results of this research, recommendations can be made to address the increasing rates of social anxiety [46]. Firstly, it has been found that spending 120 minutes in a natural environment results in good health and well-being [47]. Given this and the results of this paper, health care professionals and reputable health information websites should consider recommending outdoor activities and time outdoors as a beneficial intervention for alleviating social anxiety symptoms [48].

Second, given the study's findings that walking, running, and biking outdoors significantly enhance positive emotions, it is recommended that urban areas with high populations incorporate multiple green walking routes to parks to help alleviate social anxiety symptoms. Residents residing in cities compared to rural environments were found to be 21% more likely to have anxiety disorders [49]. Cities and urban areas are also less green than rural areas, resulting in less connection to green areas [50]. Within cities, blocks with more than 10 trees decrease hypertension risk [51]. This reasoning also supports the third recommendation of expanding existing parks and increasing the number of parks that more accurately reflect an area's population. 1 in 3 U.S. residents do not have a park or green space within a 10-minute walk of their homes, translating to 100 million people not having walkable access to parks [52]. To accomplish this recommendation, cities need to assess current park distribution and access, identify areas lacking park access, consider population density in underserved areas, evaluate available land for park development, and develop and increase parks and park access with geographical and urban planning constraints.

6. Conclusion

This study provides novel insights into how individuals with SAD experience and engage with natural environments. Our findings suggest that despite challenges related to social evaluation concerns, many individuals with SAD find natural spaces beneficial for symptom management, cognitive restoration, and facilitating positive social interactions. The therapeutic potential of natural environments aligns with established theoretical frameworks of nature's restorative properties and existing clinical approaches for SAD treatment.

While many users discuss the benefits of these natural environments, others reported fear of, or the exacerbation of symptoms, in these places. These differences in experiences identified highlight the importance of personalized approaches to nature-based interventions for SAD. Simply recommending outdoor activity may be insufficient for this population; however, thoughtfully designed nature experiences that manage social evaluation concerns while leveraging the restorative aspects of natural environments could provide a valuable complementary approach to traditional SAD treatments. Community planners may want to cognitively design inclusive spaces for people with SAD.

As urbanization increases and mental health concerns like SAD continue to rise, particularly among young people, integrating accessible natural environments into community planning and healthcare approaches represents an evidence-informed strategy that could improve outcomes and the quality of life for individuals with SAD while promoting public health more broadly.

References

1. Penninx, B. W., Pine, D. S., Holmes, E. A. & Reif, A. Anxiety disorders. *Lancet Lond. Engl.* **397**, 914–927 (2021).
2. Diagnostic and Statistical Manual of Mental Disorders | Psychiatry Online. *DSM Library* https://psychiatryonline.org/doi/book/10.1176/appi.books.9780890425596.
3. Jefferies, P. & Ungar, M. Social anxiety in young people: A prevalence study in seven countries. *PLOS ONE* **15**, e0239133 (2020).
4. Social Anxiety Disorder: More Than Just Shyness - National Institute of Mental Health (NIMH). https://www.nimh.nih.gov/health/publications/social-anxiety-disorder-more-than-just-shyness.
5. Patel, T. A., Schubert, F. T. & Cougle, J. R. Comorbidity and Quality of Life in DSM-5 Social Anxiety Disorder Among a Nationally Representative Sample. *J. Clin. Psychiatry* **85**, 23m15217 (2024).
6. Stein, M. B. & Stein, D. J. Social anxiety disorder. *Lancet Lond. Engl.* **371**, 1115–1125 (2008).
7. Beesdo, K., Knappe, S. & Pine, D. S. Anxiety and Anxiety Disorders in Children and Adolescents: Developmental Issues and Implications for DSM-V. *Psychiatr. Clin. North Am.* **32**, 483–524 (2009).
8. Wittchen, H. U., Fuetsch, M., Sonntag, H., Müller, N. & Liebowitz, M. Disability and quality of life in pure and comorbid social phobia. Findings from a controlled study. *Eur. Psychiatry J. Assoc. Eur. Psychiatr.* **15**, 46–58 (2000).
9. Van Ameringen, M., Mancini, C. & Farvolden, P. The impact of anxiety disorders on educational achievement. *J. Anxiety Disord.* **17**, 561–571 (2003).
10. Park, S. H. *et al.* Distress, quality of life and disability in treatment-seeking young adults with social anxiety disorder. *Early Interv. Psychiatry* **15**, 57–67 (2021).
11. Mayo-Wilson, E. *et al.* Psychological and pharmacological interventions for social anxiety disorder in adults: a systematic review and network meta-analysis. *Lancet Psychiatry* **1**, 368–376 (2014).

12. Rodebaugh, T. L., Holaway, R. M. & Heimberg, R. G. The treatment of social anxiety disorder. *Clin. Psychol. Rev.* **24**, 883–908 (2004).
13. Dalrymple, K. L. & Zimmerman, M. Treatment-seeking for social anxiety disorder in a general outpatient psychiatry setting. *Psychiatry Res.* **187**, 375–381 (2011).
14. Schneier, F. R., Blanco, C., Antia, S. X. & Liebowitz, M. R. The social anxiety spectrum. *Psychiatr. Clin. North Am.* **25**, 757–774 (2002).
15. Wang, P. S. *et al.* Failure and delay in initial treatment contact after first onset of mental disorders in the National Comorbidity Survey Replication. *Arch. Gen. Psychiatry* **62**, 603–613 (2005).
16. Grant, B. F. *et al.* The epidemiology of social anxiety disorder in the United States: results from the National Epidemiologic Survey on Alcohol and Related Conditions. *J. Clin. Psychiatry* **66**, 1351–1361 (2005).
17. Taylor, L. & Hochuli, D. F. Defining greenspace: Multiple uses across multiple disciplines. *Landsc. Urban Plan.* **158**, 25–38 (2017).
18. Triguero-Mas, M. *et al.* Natural outdoor environments and mental and physical health: relationships and mechanisms. *Environ. Int.* **77**, 35–41 (2015).
19. Pearson, A. L. *et al.* Effects of freshwater blue spaces may be beneficial for mental health: A first, ecological study in the North American Great Lakes region. *PloS One* **14**, e0221977 (2019).
20. Tsai, W.-L. *et al.* Relationships between Characteristics of Urban Green Land Cover and Mental Health in U.S. Metropolitan Areas. *Int. J. Environ. Res. Public. Health* **15**, 340 (2018).
21. Boettcher, N. Studies of Depression and Anxiety Using Reddit as a Data Source: Scoping Review. *JMIR Ment. Health* **8**, e29487 (2021).
22. Kaplan, S. The restorative benefits of nature: Toward an integrative framework. *J. Environ. Psychol.* **15**, 169–182 (1995).
23. Amir, N. & Bomyea, J. Working memory capacity in generalized social phobia. *J. Abnorm. Psychol.* **120**, 504–509 (2011).

24. Ulrich, R. S. *et al.* Stress recovery during exposure to natural and urban environments. *J. Environ. Psychol.* **11**, 201–230 (1991).
25. Kellert, S. R. & Wilson, E. O. *The Biophilia Hypothesis*. (Island Press, 1995).
26. Patel, R., Chang, T., Greysen, S. R. & Chopra, V. Social Media Use in Chronic Disease: A Systematic Review and Novel Taxonomy. *Am. J. Med.* **128**, 1335–1350 (2015).
27. Kjærulff, E. M., Andersen, T. H., Kingod, N. & Nexø, M. A. When People With Chronic Conditions Turn to Peers on Social Media to Obtain and Share Information: Systematic Review of the Implications for Relationships With Health Care Professionals. *J. Med. Internet Res.* **25**, e41156 (2023).
28. Erwin, B. A., Turk, C. L., Heimberg, R. G., Fresco, D. M. & Hantula, D. A. The Internet: home to a severe population of individuals with social anxiety disorder? *J. Anxiety Disord.* **18**, 629–646 (2004).
29. Yen, J.-Y. *et al.* Social anxiety in online and real-life interaction and their associated factors. *Cyberpsychology Behav. Soc. Netw.* **15**, 7–12 (2012).
30. Kamalou, S., Shaughnessy, K. & Moscovitch, D. A. Social anxiety in the digital age: The measurement and sequelae of online safety-seeking. *Comput. Hum. Behav.* **90**, 10–17 (2019).
31. Choudhury, M. D. & De, S. Mental Health Discourse on reddit: Self-Disclosure, Social Support, and Anonymity. *Proc. Int. AAAI Conf. Web Soc. Media* **8**, 71–80 (2014).
32. Baumgartner, J., Zannettou, S., Keegan, B., Squire, M. & Blackburn, J. The Pushshift Reddit Dataset. *Proc. Int. AAAI Conf. Web Soc. Media* **14**, 830–839 (2020).
33. Academic Torrents. https://academictorrents.com/details/7c0645c94321311bb05bd879ddee4d0eba08aaee.
34. Schmidt, A. L., O'Connor, K., Hernandez, G. G. & Rodriguez-Esteban, R. Studying social anxiety without triggering it: Establishing an age-controlled cohort of social media users for observational studies. 2023.12.11.23299645 Preprint at https://doi.org/10.1101/2023.12.11.23299645 (2023).

35. McHugh, M. L. Interrater reliability: the kappa statistic. *Biochem. Medica* **22**, 276–282 (2012).
36. Grootendorst, M. BERTopic: Neural topic modeling with a class-based TF-IDF procedure. Preprint at https://doi.org/10.48550/arXiv.2203.05794 (2022).
37. all-mpnet-base-v2.
38. Liu, Z. *et al.* Green space exposure on depression and anxiety outcomes: A meta-analysis. *Environ. Res.* **231**, 116303 (2023).
39. Bray, I., Reece, R., Sinnett, D., Martin, F. & Hayward, R. Exploring the role of exposure to green and blue spaces in preventing anxiety and depression among young people aged 14–24 years living in urban settings: A systematic review and conceptual framework. *Environ. Res.* **214**, 114081 (2022).
40. Chowdhury, N. & Khandoker, A. H. The gold-standard treatment for social anxiety disorder: A roadmap for the future. *Front. Psychol.* **13**, 1070975 (2023).
41. Barton, J. & Pretty, J. What is the best dose of nature and green exercise for improving mental health? A multi-study analysis. *Environ. Sci. Technol.* **44**, 3947–3955 (2010).
42. Thompson Coon, J. *et al.* Does Participating in Physical Activity in Outdoor Natural Environments Have a Greater Effect on Physical and Mental Wellbeing than Physical Activity Indoors? A Systematic Review. *Environ. Sci. Technol.* **45**, 1761–1772 (2011).
43. Schertz, K. E. & Berman, M. G. Understanding Nature and Its Cognitive Benefits. *Curr. Dir. Psychol. Sci.* **28**, 496–502 (2019).
44. Berman, M. *Nature and the Mind*. (S&S/Simon Element, 2025).
45. Bratman, G. N. *et al.* Nature and mental health: An ecosystem service perspective. *Sci. Adv.* **5**, eaax0903 (2019).
46. Latest Federal Data Show That Young People Are More Likely Than Older Adults to Be Experiencing Symptoms of Anxiety or Depression. *KFF* https://www.kff.org/mental-health/press-release/latest-federal-data-show-that-young-people-are-more-likely-than-older-adults-to-be-experiencing-symptoms-of-anxiety-or-depression/ (2023).

47. White, M. P. *et al.* Spending at least 120 minutes a week in nature is associated with good health and wellbeing. *Sci. Rep.* **9**, 7730 (2019).

48. Koselka, E. P. D. *et al.* Walking Green: Developing an Evidence Base for Nature Prescriptions. *Int. J. Environ. Res. Public. Health* **16**, 4338 (2019).

49. Peen, J., Schoevers, R. A., Beekman, A. T. & Dekker, J. The current status of urban-rural differences in psychiatric disorders. *Acta Psychiatr. Scand.* **121**, 84–93 (2010).

50. 2020 Case Study 4: Urban Green Space. *LANCET COUNTDOWN:* https://www.lancetcountdownus.org/2020-case-study-4/.

51. Kardan, O. *et al.* Neighborhood greenspace and health in a large urban center. *Sci. Rep.* **5**, 11610 (2015).

52. Trust for public land. *Strategies for Advancing Park Equity*. https://10minutewalk.org/wp-content/uploads/2024/10/102824_PEA-Strategies-for-Advancing-Park-Equity.pdf (2024).

Table S1: Keywords and regular expressions.

Term	Regex	regex mod
air	\bair\b	\b(?:fresh| open | get\s+some)\s*air\b
archery	\barch(?:er| ery)\b	\b(?:archer| ery)\b
backpacking	\bbackpacking\b	\b(?:backpacking)\b
backyard/yard	\b(? backy?\s*yard\b	\b(?:backy?\s*yard)\b
badminton	\bbadminton\b	\b(?:badminton)\b
ballpark	\bballpark\b	\b(?:ballpark)\b
barbecue	\b(? barbe(?:cu| qu)(?:e| es| ing)| bbq)\b	\b(?:barbe(?:cu| qu)(?:e| es| ing)| bbq)\b
barn	\bbarns?\b	\b(?:barn)\b
baseball	\bbaseball\b	\b(?:baseball)\b
basketball	\bbasketball\b	\b(?:basketball)\b
bay	\bbays?\b	(?<!in|\s)\bbays?\b(?!\s+area\b)
beach	\bbeach(?:es)?\b	\b(?:beach(?:es)?)\b
bench	\bbench(?:es)?\b	(?<!weight\s)\bbench(?:es?\b| ?\s+(?:press(?:es| ing)? marks?)\s)
bicycle/cycling	\b(? bik(?:e|ed)?| ng(er)| bicycl(?:es?| ing)| cycl ng)\b \b(?:road| mountain)\s+(?:bik(?:e|ed)?| ng(es)| bicycl(?:es?| ing)| cycl ng)\b	\b(?:bik(?:e|ed)?| ng(er)| bicycl(?:es?| ing)| cycl ng)\b
bleachers	\bbleachers\b	\b(?:bleachers)\b
boat	\bboat(ing)\b)?\b	(?<!same| similar| exact)\s\bboat(ing)s)?\b
bonfire	\bbonfires?\b	\b(?:bonfires?)\b
breeze	\bbreezes?\b	(?<!su| bu | like| becomes)\s+breeze(s)?\s+(?:over| through)
cabin	\bcabins?\b	\b(?:cabins?)\b
camp	\bcamp(?:ed| ing| ers| fire| ground| fires| grounds| s)?\b	(?<!band| boot| tech| concentration| indoctrination)\s+\bcamp(?:ed| ing| ers?| fires?| grounds?)?\b
canoe	\bcanoes\b	\b(?:canoe)\b
cave	\bcaves?\b	\b(?:caves?)\b
cliff	\bcliffs?\b	\b(?:cliffs?)\b
climb	\bcl mb(?:s| ed| ing)?\b	\b(?:climb(?:s| ed| ing)?\b(?:\s+w+){0,3}\s+(?:rock| mountain| tree| free)s?\b \b(?:rock| mountain| tree| free)s?\s+climb(?:s| ed| ing)?\b
coast	\bcoasts?\b	(?<!(?:ant| sweet)\s)\bcoasts?\b
cockatoo	\bcockatoos?\b	\b(?:cockatoos?)\b
countryside	\bcountrysides?\b	\b(?:countryside)\b
courtyard	\bcourtyards?\b	\b(?:courtyards?)\b
creek	\bcreeks?\b	(?<!that| up| in\s+)\bcreek
cruise	\bcruises?\b	\b(?:cruises?)\b
daylight	\bdaylight\b	\b(?:daylight)\b
desert	\bdeserts?\b	\b(?:deserts?)\b
dive	\bdive(?:s| er| ing| es| ers)\b	\b(?:dive(?:s| er| ing| es| ers)\b
dock	\bdocks?\b	\b(?:docks?)\b
farm	\bfarm(?:s| ing| er)?\b	\b(?:farm(?:s| ing| er)?\b)
ferry	\bferry\b	\b(?:ferry)\b
fishing	\bfishing\b	\b(?:fishing)\b
football	\bfootball(?:er)?\b	\b(?:football(?:er)?)\b
footpath	\bfootpaths?\b	\b(?:footpaths?)\b
forest	\bforests?\b	\b(?:forests?)\b
fountain	\bfountains?\b	\b(?:fountains?)\b
freerunning	\bfreerunning\b	\b(?:freerunning)\b
frisbee	\bfrisbees?\b	\b(?:frisbees?)\b
garden	\bgarden(?:er| ing| s)?\s+(?:welfare| office| action| center)	
golf	\bgolf(?:ing)?\b	\b(?:golf(?:ing)?)\b
grass	\bgrass\b	\b(?:grass(?:(?:\w+\s+){0,4}(?:green|))\b)
handball	\bhandballs?\b	\b(?:handballs?)\b
harbor	\bharbors?\b	\b(?:harbors?)\b
hike	\bhik(?:e| es| ing| er)\b	\b(?:hik(?:e| es| ing| er))\b
hill	\bhills?\b	(?<!down| beverly| tolucs| over the| ridge of the)\s\bhills?\b
horse	\bhorses?\b| back(?)\b	\b(?:horses?| back(?)\b)
hunt	\bhunt(?:ed| s| ing| er| ers)?\b	(?<!pin)\s\bhunt(?:er| s| ing| er| ers)?\b
jog	\bjog(?:s| ged| ger)?\b	\b(?:jog(?:s| ging| ger)?)\b
kayak	\bkayak(?:ing| ers| er)?\b	\b(?:kayak(?:ing| ers| er)?)\b
lacrosse	\blacrosse\b	\b(?:lacrosse)\b
lake	\blakes?\b	\b(?:lakes?)\b
landscape	\blandscape(?:s| ing)?\b(?!\s+(?:photograph| ?| ly)| business| model)	
lawn	\blawns?\b	\b(?:lawns?)\b
lifeboat	\blifebo?ats?\b	\b(?:life\s*boat)\b
lifeguard	\blifeguards?\b	\b(?:life\s*guard)\b
mountain	\bmountains?\b	\b(?:mountains?)\b(?:\s+(?:of| view))
nature	\bnatures?\b	(?<!human| complex| second| that| exact| by| \bour| your| my| critical| social| of| her| his| the| quiet| animal| 2nd| awkward| default|
ocean	\boceans?\b	\b(?:ocean)\b
open space(s)	\bopen spaces?\b	\b(?:open spaces?)\b
outdoor	\boutdoor(?:s| s)?\b	\b(?:outdoor(?:s| s)?)\b
outside	\boutsides?\b	(?<!from| on the| on| my| people| go| going| going| shy| weird| on (the)?| from| smoking| to| outside| made(s)?| parts(s| of)?| foot| wo
park	\bparks?\b	(?<!amusement:| no| :o)\s+\bpark(s)?\b(?!\s+and (rec| recreation))
partner	\bpartners?\b	\b(?:partner)\b
patio	\bpatios?\b	\b(?:patio)\b
picnic	\bpicnics?\b	\b(?:picnics?)\b
playground	\bplays?\s*grounds?\b	\b(?:plays?\s*grounds?)\b
pool	\bpools?\b	\b(?:pools?)\b
pool	\bpools?\b	/?<!some| dating)\s+\bpools?\b
quarterback	\bquarterbacks\b	\b(?:quarterbacks)\b
rang	\brang\b	\b(?:rang(?:(?:\w+){,2}\s+(?:ca| ro| ur| in| go| beside| stroll| the| the))
rink	\brinks?\b	\b(?:rinks?)\b
river	\brivers?\b	\b(?:river(?:s?| s?))\b
roller blade	\b(? rollerblad(?:ed| ing| er| s)| blade(?:d| ing| r| s)| blading| blade(?:d| ing| r| s)| blading| blade(?:d| ing| r| s)\b	\b(?:rollerblad(?:ed| ing| er| s)| blading| blade(?:d| ing| r| s)| blading| blade(?:d| ing| r| s)\b)
rowing	\browing\b	\b(?:rowing|(?!\s+(?:machine| against?\s))
rugby	\brugby\b	\b(?:rugby)\b
run/running	\brun(?:s| ning| ner|ners)?\b	\b(?:run(?:s| ning| ner| ners)?\b(?!\s+(?:screen| away| into| around| ash| marathon| out| towards| will| ire| through| on| ,| ,| low| with|
salt	\bsalt(?:ed| ing)?\b	\b(?:salt(?:ed| ing)?)\b
sand	\bsands\b	(?<!hand| ring| ring| ring

Table S2: Prompt used for the assignment of labels by the LLM and the results.

Prompt:

"I have a topic that contains the following documents: [documents in attachment}
The topic is described by the following keywords [list of representative keywords]
Based on the information above, extract a short topic label in the following format: topic: "

Topic	KeybertInspired Representations	Human annotator	Chat-GPT 4o	Claude Sonnet 3.7	Final Topic Label
1	'therapy', 'disorder', 'cope', 'therapist', 'overcome', 'adhd', 'esteem', 'overcoming']	mental health issues	Social anxiety and mental health struggles	Anxiety disorders and mental health struggles	Mental health struggles
2	'date', 'kissed', 'conversation', 'approached', 'bf', 'rejected', 'girlfriend']	dating/romantic relationships	Dating, relationships and social anxiety	Dating and relationship anxiety	Dating and relationships
3	['socialize', 'introverted', 'introvert', 'loneliness', 'personality', 'socializing', 'esteem', 'conversation', 'friendship', 'lonely']	Loneliness/difficulty soclializing	Social struggles and introversion	Social anxiety and loneliness	Social struggles and loneliness
4	['rant', 'relate', 'peace', 'vent', 'despair', 'improvement', 'rambling', 'advise', 'realization', 'write']	Asking for advice or venting	Personal struggles and self-reflection	Personal struggles and self-reflection	Personal strife and self-reflection
5	['diet', 'exercising', 'healthy', 'cardio', 'workout', 'health', 'fitness', 'eat', 'eating', 'recovery']	diet and exercise	Healthy diet and fitness	Personal health and fitness improvement	Healthy diet and fitness
6	['terrified', 'paranoid', 'coping', 'safer', 'noise', 'danger', 'crowd', 'hesitant', 'nausea', 'headphone']	fear of outdoor spaces	Social anxiety and public distress	Social anxiety and fear of public spaces	Fear of public spaces
7	['relaxing', 'chill', 'ride', 'solitude', 'scenery', 'cycle', 'watering', 'planning', 'panicked', 'winter']	relaxing environments/activities	Anxiety and solitude in everyday experiences	Social anxiety and finding peace	Finding contentment in the environment and activities
8	'studying', 'study', 'gaming', 'craft', 'videogames', 'creativity', 'photography']	hobbies	Creativity, travel and exploration	Travel, creating and personal hobbies	Personal hobbies and travel
9	'embarrased', 'posture', 'embarassed', 'appearance', 'ashamed', 'staring', 'stare',	self-judgement/insecurities	Body image anxiety and social self consciousness	Body image insecurities and social anxiety	Body insecurity and social self consciousness
10	['hiring', 'resume', 'worker', 'retail', 'restaurant', 'hire', 'unemployed', 'freelance', 'applying', 'apply']	employment	Employment challenges and job search	Social anxiety and employment challenges	Employment experiences and challenges
11	'conversation', 'greet', 'polite', 'acting', 'speaking', 'quietness', 'silent', 'pretend']	awkwardness socializing in person	Social anxiety and awkwardness in conversation	Social anxiety and face-to-face interactions	Awkwardness in interpersonal interactions
12	'psychedelics', 'therapist', 'psychedelic', 'medicine', 'weed', 'psychiatrist', 'alcohol']	treatments for SA	Mental health treatment and substance use	Mental health treatment and self-medication	Mental health treatment and self-medication
13	'conversating', 'bored', 'flirt', 'texting', 'convos', 'autistic', 'befriend', 'boring']	inability to maintain conversations	Struggles with conversation and social interaction	Difficulty maintaining and engaging in conversations	Difficulty maintaining and engaging in conversations
14	['sport', 'athletic', 'varsity', 'participate', 'boxing', 'coach', 'ball', 'join', 'skateboarding', 'highschool']	participating in team sports	Struggles and anxiety in sports participation	Negative experience and anxiety in youth sports participation	Anxiety in sports participation

Table S3: Counts of the final coding from the qualitative analysis performed using NVivo

Code Name	Unique Count	Total References
Advice to others		
Encourages action	65	70
Challenges and Barriers		
Causes Symptoms	15	16
No access	4	4
Triggers stressors	60	70
Unable due to SA	16	16
Unavailable	5	5
Coping Strategies		
Exposure Therapy	20	20
Facilitates behavior change	26	26
Enhanced Social Connection		
Connection with others	15	16
Shared interest	10	10
Positive impact on wellbeing		
Alleviates symptoms	7	7
Calming and relaxing	21	21
Positive emotion	76	81
Wish to use it to help	22	22
Restorative Environment		
Reduces stress	10	10
Restores attention	6	6
Grand Total	378	400