CPR Preparedness Across Massachusetts Public High Schools: A Statewide Cross-Sectional Study

Authors

Meng Yang[1,†,*], Nayan L Sapers[2,†], Ivette I Chen[2,†], William A Porcaro[3,4,*]

[†]These authors contributed equally to this work and share first authorship.

[*]Email: mengxxyang@gmail.com (M.Y.); wporcaro@mah.harvard.edu (W.A.P.)

[1]Harvard Division of Continuing Education, Cambridge, MA, USA;
[2]Harvard College, Cambridge, MA, USA;
[3]Department of Emergency Medicine, Mount Auburn Hospital, Beth Israel Lahey Health, Cambridge, MA, USA;
[4]Harvard Medical School, Boston, MA, USA

Key Terms: Cardiopulmonary Resuscitation; Automated External Defibrillator; CPR in Schools; School Emergency Preparedness; Health Equity

Abstract

Background: Out-of-hospital cardiac arrest accounts for over 350,000 deaths annually in the United States, and survival depends on early bystander cardiopulmonary resuscitation (CPR). Although many cardiac arrests occur on or near school grounds, Massachusetts has no statewide CPR graduation requirement and little current data on school preparedness.

Methods: We conducted a cross-sectional electronic survey of all 413 public high schools in Massachusetts (including charter, vocational, and technical) between September 29 and November 17, 2025. The 14-item survey asked about enrollment, staff size, CPR and automated external defibrillator (AED) resources, student and staff training, and the presence of a cardiac emergency response plan. The CERP item was excluded from analysis due to inconsistent interpretation. We summarized resources per 1,000 students or staff, compared Title I and non–Title I schools, and explored geographic variation and multivariable predictors of AED availability and CPR teaching.

Results: One hundred schools responded (24.2%), representing 13 of 14 counties, with a median enrollment of 662 students, and 33.0% were Title I schools. Overall, 72.0% reported teaching CPR. The median student training rate was 138.2 per 1,000 students, though only 10.0% of schools with non-missing data reported all students trained and 15.0% reported at least 70% of students trained. Among responding schools, Title I schools had fewer trained students than non–Title I schools (median 50.3 vs 199.8 per 1,000; Holm-Bonferroni adjusted $p = 0.025$), despite similar AED and manikin availability. This disparity persisted in sensitivity analyses using median imputation for missing student training data. County-level analyses suggested geographic variation in both training rates and AED density, although county-level estimates were based on small numbers of responding schools.

Conclusions: Among responding Massachusetts high schools, most reported some CPR instruction, but only a small minority achieved broad student coverage, with particularly low training rates in Title I schools. These exploratory findings underscore the need for policies ensuring equitable CPR training access, particularly in Title I schools, and support targeted investment in school-based cardiac emergency preparedness

Introduction

Out-of-hospital cardiac arrest (OHCA) is a major public health concern in the United States, occurring in more than 350,000 people each year, including an estimated 23,000 occurring in children under eighteen.[1,2] Survival depends heavily on early bystander cardiopulmonary resuscitation (CPR), and each minute without CPR or defibrillation is associated with an 7–10% decrease in survival.[3,4] Prior studies estimate that one in every 250 to 600 cardiac arrests occurs on school grounds,[5,6] which highlights the importance of CPR education and preparedness in school settings.

Although school-based CPR instruction is widely supported as an effective approach to increase community preparedness, implementation across the United States remains variable.[7] Massachusetts is one of only nine states without a statewide CPR mandate for students,[8] and current data on national CPR training and resources are limited.[9,10] Evidence from national studies also suggests that schools in lower-income communities face greater barriers to CPR training because of limited equipment and local resource constraints.[11–14]

To address these gaps, we conducted an evaluation of CPR and automated external defibrillator (AED) infrastructure across public Massachusetts high schools. We assessed student and staff CPR training rates and equipment availability, with attention to socioeconomic and regional variation. Together, these findings aim to inform efforts to expand and improve the equity of school-based CPR education in Massachusetts.

Methods

This observational cross-sectional study used an electronic survey to assess CPR and AED infrastructure in Massachusetts public high schools. Data collection occurred between September 29, 2025, and November 17, 2025. Eligible schools included all public, charter, vocational, and technical schools serving grades 9–12 listed in the Massachusetts Department of Elementary and Secondary Education School and District Profiles database.[15] Nonpublic schools were not included in the sampling frame as they operate under different funding streams and regulatory requirements. The study was reviewed by the Harvard University Committee on the Use of Human Subjects and determined to be exempt human subjects research in accordance with federal regulations.

The survey consisted of fourteen items administered electronically. Respondents provided their role, school name, and district. Schools reported student enrollment, staff size, numbers of CPR manikins and AEDs, and estimated counts of students and staff trained in CPR. The survey also asked whether CPR is taught and whether the school maintained a Cardiac Emergency Response Plan (CERP). Because Massachusetts high schools are required to maintain a Medical and Behavioral Health Emergency Response Plan (MBHERP), qualitative review indicated that many respondents conflated CERPs with the state-mandated MBHERP. Because responses could not be consistently interpreted, the CERP item was excluded from all analyses. Title I status was determined using the 2024–2025 Massachusetts Department of Elementary and Secondary Education database.[15]

The survey was intended for school personnel with direct knowledge of emergency preparedness or health education, including school nurses, principals, athletic directors, health and physical education teachers, and district administrators. All Massachusetts superintendents were contacted via six rounds of email during the study period. Additional dissemination occurred through partner organizations, including the Athletic Trainers of Massachusetts (ATOM), the Massachusetts School Nurses Organization (MSNO), and Harvard CrimsonEMS and the American Heart Association's Massachusetts High School CPR Ambassadors. Schools that responded or opted out were removed from subsequent

outreach rounds. Follow-up outreach was conducted, when needed, to clarify implausible entries and to obtain school-specific information when respondents represented district-level offices.

One hundred unique Massachusetts high schools (24.2% response rate) remained for analysis following data cleaning. Most responses were submitted by school nurses or health administrators (60.0%), followed by school administrators (23.0%), health, physical education teachers, or athletic staff (13.0%), and science teachers (4.0%). Student-facing metrics (AEDs, manikins, students trained) were normalized per 1,000 enrolled students; staff training was normalized per 1,000 staff. Analyses involving student or staff CPR training rates used complete-case samples, defined as schools with non-missing and internally consistent values for the corresponding variable. Implausible values (e.g., staff training rates exceeding 1,000 per 1,000 staff) were excluded a priori. Identifying information such as respondent names and email addresses was retained only for follow-up communication and verification and was not included in the analytic dataset. All schools verified consent for inclusion in de-identified aggregate analysis through an opt-out email sent after the study period.

Statistical Analysis
Descriptive statistics were summarized as medians with interquartile ranges (IQRs) for continuous variables due to non-normal distributions and as frequencies with percentages for categorical variables. Differences between Title I and non–Title I schools were assessed using Mann–Whitney U tests for continuous variables and chi-square tests for categorical variables; Fisher's exact tests were used when expected cell counts were <5. To account for multiple hypothesis testing within each domain, p-values were adjusted using the Holm–Bonferroni method. Geographic variation in CPR training and AED availability was evaluated using Kruskal–Wallis tests. Counties with fewer than three responding schools were excluded from these analyses because small group sizes yield unstable variance estimates and violate the assumptions of rank-based tests.

Two multivariable regression models were fit to explore patterns in CPR and AED resources. Model 1 used negative binomial regression to examine predictors of AED count, with log enrollment included as an offset such that coefficients reflected AEDs per student. Predictors included Title I status, enrollment (per one hundred students), and county (modeled as indicator variables to adjust for geographic clustering). Model 2 used logistic regression to examine whether Title I status and enrollment predicted whether schools reported teaching CPR without county adjustment due to small cell sizes. Residual diagnostics (e.g. Breusch-Pagan test for heteroscedasticity, variance inflation factors for multicollinearity, and events-per-variable assessment for the logistic model) did not reveal major deviations from model assumptions. Given the self-reported sample, these models were treated as exploratory and were intended to describe associations rather than test hypotheses or generate population-level estimates.

Sensitivity analyses assessed robustness to missing data. Twenty schools (20%) had missing values for student CPR training counts; in sensitivity analyses, these values were imputed using the median training rate within each Title I stratum before repeating Mann–Whitney U tests. For Model 1, an additional linear regression model with log-transformed AEDs per one thousand students as the outcome was fit. Because most missing values reflected "do not know" responses, these analyses were used to evaluate directional consistency rather than produce unbiased estimates.

All analyses were conducted in Python version 3.10 using scipy, statsmodels, and scikit-learn. Statistical significance was defined as $\alpha = 0.05$ (two-tailed).

Results

Respondent Characteristics
Of 413 public high schools in Massachusetts, 100 (24.2%) completed the survey, representing 13 of 14 counties (Nantucket County had no respondents). Compared to statewide values, respondent schools had higher median enrollment (662 vs. 542 students) and lower Title I representation (33.0% vs. 45.5%).

The median school enrollment was 662 students (IQR: 433–1,200) with a median staff size of 106 (IQR: 75–200). Thirty-three schools (33.0%) were designated as Title I. Missing and excluded data ranged from 0% to 20.0% across variables (Table 1).

CPR Training and Equipment
Seventy-two schools (72.0%) reported teaching CPR in some capacity. The median number of students trained was 138.2 per 1,000 enrolled (IQR: 44.9–265.0), while the median number of staff trained was 238.1 per 1,000 staff (IQR: 150.0–375.0). Among 80 schools with non-missing student training data, 8 schools (10.0%) reported 100% of students trained, and an additional 4 schools (5.0%) reached 70–99% of students trained. The schools with missing data (20.0%) reported not knowing how many students were trained. The median manikin availability was 8.9 per 1,000 students (IQR: 1.9–20.0). Notably, of 96 schools with non-missing manikin data, 22 (22.9%) reported zero manikins.

Across all schools, the median AED availability was 7.9 devices per 1,000 students (IQR: 4.6–11.9). County-level variation was substantial, ranging from 3.5 per 1,000 in Suffolk County to 33.3 per 1,000 in Dukes County; however, these estimates were based on small numbers of schools per county (range: 1–14).

The rate of students trained in CPR was significantly lower in Title I schools compared to non-Title I schools (median: 50.3 vs. 199.8 per 1,000; U = 466.5, adjusted p = 0.025), with a medium effect size (r = 0.37; Figure 1). No significant differences were observed for AED availability, manikin availability, or staff training rates after adjustment for multiple comparisons. Table 2 presents bivariable comparisons between Title I and non-Title I schools.

Exploratory Analyses

In sensitivity analyses using median imputation for missing student training data within Title I strata (20 schools with missing values), the disparity in student CPR training between Title I and non–Title I schools persisted (Mann–Whitney U test, $p < 0.001$). As a sensitivity analysis, we also fit an ordinary least squares model using log-transformed AEDs per 1,000 students as the outcome. Results were consistent with the negative binomial model: the direction and statistical significance of all predictors were unchanged.

After excluding counties with fewer than three responding schools, geographic variation was observed across counties for AED availability (Kruskal-Wallis H = 23.29, df = 11, $p = 0.016$, $\varepsilon^2 = 0.24$, indicating a large effect) and student CPR training rates (H = 20.84, df = 10, $p = 0.022$, $\varepsilon^2 = 0.27$), with large effect sizes. County-level median student training rates ranged from 19.0 per 1,000 (Hampden County, n = 9) to 712.9 per 1,000 (Middlesex County, n = 10). Teaching CPR ranged from 33.3% (Hampshire and Suffolk counties, n = 6 each) to 100.0% (Barnstable County, n = 3). Given the small sample sizes per county (1–14 schools), county-specific estimates should be interpreted with caution.

The Poisson model showed overdispersion (deviance/df = 2.42), supporting the use of negative binomial regression with dispersion parameter $\alpha = 0.706$. In the negative binomial regression model with AED count as the outcome and log(enrollment) as an offset, Title I status was not significantly associated with AED count (IRR = 1.06, 95% CI: 0.78–1.43, $p = 0.725$).

In multivariable logistic regression (n = 100; 72 events, 28 non-events), neither Title I status (OR = 0.67, 95% CI: 0.24–1.78, $p = 0.427$) nor enrollment (OR = 1.05 per 100 students, 95% CI: 0.98–1.19, $p = 0.292$) were significantly associated with CPR teaching. As expected for structural predictors, model discrimination was modest (AUC = 0.61) and adequate calibration (Brier score = 0.196). With 72 events and 2 predictors, the events per variable ratio was 36, exceeding the recommended threshold of 10.

Discussion

In this cross-sectional survey of 100 Massachusetts public high schools (24.2% response rate), we identified three main patterns in CPR and AED infrastructure. First, although 72.0% of responding schools reported teaching CPR, only 10.0% with non-missing data achieved universal student training, highlighting a substantial gap between offering instruction and achieving full coverage. Second, student training rates differed markedly by socioeconomic context: Title I schools had a roughly four-fold lower median student training rate than non–Title I schools, despite reporting similar levels of AED availability, manikin supply, staff training, and CPR course offerings. Third, exploratory analyses suggested geographic variation in training capacity, though these findings require caution given small county-level samples.

Although we did not assess implementation processes, the gap between offering CPR instruction and achieving universal coverage suggests variation in how schools integrate CPR training into curricula. Equipment availability may also influence training capacity, as 22.9% of responding schools reported no manikins. Median manikin counts did not differ by Title I status, but lower-resource schools may face greater challenges in acquiring or maintaining equipment. Prior studies have documented that schools with limited equipment sometimes rely on external organizations for support,[10,16] which may partly explain disparities observed in other settings.

Exploratory analyses also indicated possible county-level differences in training capacity, though these findings should be interpreted cautiously given small samples within several counties. These patterns suggest that local context may contribute to variation in CPR training beyond socioeconomic status alone.

These patterns may have important public health implications. School-level differences in CPR training may reflect or contribute to broader community inequities in cardiac arrest preparedness. Survival from OHCA depends heavily on early bystander CPR, and survival decreases by approximately 7–10% for every minute without intervention.[3,4] Low-income and rural communities have consistently lower bystander CPR rates and poorer cardiac arrest outcomes.[14] Limited access to CPR instruction for students in these communities may reinforce these disparities by reducing the number of trained responders in the community. School-based CPR training is considered a cost-effective public health intervention, reinforcing the importance of expanding access to training resources.[10,17]

These findings have several implications for policy and program development. At the federal level, the HEARTS (Cardiomyopathy Health Education, Awareness, and Research, and AED Training in the Schools) Act of 2024 (H.R.6829) would provide funding for CPR infrastructure but remains unfunded;[18] our data support targeted funding to rural and Title I districts to address resource inequities. Massachusetts is also evaluating new CPR in schools legislation, and these findings may help inform policy design.[19–26] At the state level, centralized manikin purchasing programs or subsidized equipment loan libraries may help address equipment limitations.

At the school level, several scalable models exist for expanding CPR education. Student-led programs such as American Heart Association HEART Clubs provide a low-cost mechanism for increasing student engagement in CPR training.[27] The American Heart Association's recent $4,500 school-based grant program may also help offset equipment and implementation costs.[28] Programs such as Project ADAM (Automated Defibrillators in Adam's Memory) and HEARTSafe Communities offer frameworks for improving school cardiac preparedness through standardized AED access, emergency planning, and regular drills.[29,30] Harvard CrimsonEMS's CPR Ambassador Program is an example of how collegiate EMS agencies can further support high school CPR advocacy through training, equipment access, and mentorship.[31] Our study did not evaluate the effectiveness of these

programs; we reference them as examples of existing initiatives that could be considered in efforts to strengthen school-based CPR and AED infrastructure.

Limitations

This study has several limitations. First, the response rate was modest (24.2%), and respondent schools had lower Title I representation and underrepresentation from Western Massachusetts counties compared with statewide distributions, raising concern for nonresponse bias. Schools without CPR programs may have been less likely to respond, potentially inflating estimates of CPR teaching prevalence. Second, all data were self-reported by a single respondent per school, introducing potential for recall error, social desirability bias (overreporting of training), and incomplete knowledge of school-wide practices. We did not verify AED functionality, manikin condition, or training quality. Third, the cross-sectional design precludes assessment of temporal trends or causal inference. These limitations are common in prior studies of CPR in schools.[5,32] In addition, due to the ambiguity of our question, we were unable to determine the true prevalence of CERPs across the state. For the future, we recommend having a more explicit question about MBHERPs and CERPs, with clear definitions to differentiate the two.

Conclusion

Despite these limitations, this project also demonstrates that a statewide audit of CPR and AED infrastructure can be conducted rapidly and at minimal cost. Using a brief electronic survey, we collected actionable statewide data within two months without external funding or personnel support. For states seeking to evaluate school preparedness, this model represents a highly cost-effective and scalable approach, and can be feasibly repeated on an annual or biennial basis to identify areas in need of targeted support. Other organizations may consider adapting this approach to understand their CPR and AED training landscape. We hope the resources we generated from this study will be adapted by other states and organizations seeking to assess their CPR and AED training landscape.

Abbreviations and Acronyms

AED	=	automated external defibrillator
CPR	=	cardiopulmonary resuscitation
OHCA	=	out-of-hospital cardiac arrest
CERP	=	cardiac emergency response plan
MBHERP	=	medical and behavioral health emergency response plan

Competing Interest Statement

This project was reviewed by the Harvard University Committee on the Use of Human Subjects and determined to be exempt human subjects research in accordance with federal regulations. The authors declare the following potential conflicts of interest:

I.C., M.Y., and N.L.S. are affiliated with Harvard CrimsonEMS, which is mentioned in the Discussion as an example program. This affiliation did not influence data collection, analysis, or interpretation.

Funding Statement

No financial conflicts exist. We did not receive any payment for any aspect of the submitted work.

AI Use Disclosure

Portions of this work were supported by the use of generative artificial intelligence tools (ChatGPT, OpenAI; Claude Code, Anthropic) to assist with code generation, debugging, and editing for clarity. All data analysis, statistical decisions, interpretations, and conclusions were performed by the authors, who take full responsibility for the content of this manuscript.

Acknowledgments

We would like to thank Dr. Stylianos Maheras for his review and comments on our manuscript.

References

1. 2025 Heart Disease and Stroke Statistics: A Report of US and Global Data From the American Heart Association. doi:10.1161/CIR.0000000000001303

2. Okubo M, Chan HK, Callaway CW, Mann NC, Wang HE. Characteristics of paediatric out-of-hospital cardiac arrest in the United States. *Resuscitation*. 2020;153:227-233. doi:10.1016/j.resuscitation.2020.04.023

3. Larsen MP, Eisenberg MS, Cummins RO, Hallstrom AP. Predicting survival from out-of-hospital cardiac arrest: a graphic model. *Ann Emerg Med*. 1993;22(11):1652-1658. doi:10.1016/s0196-0644(05)81302-2

4. Hara M, Hayashi K, Hikoso S, Sakata Y, Kitamura T. Different Impacts of Time From Collapse to First Cardiopulmonary Resuscitation on Outcomes After Witnessed Out-of-Hospital Cardiac Arrest in Adults. *Circ Cardiovasc Qual Outcomes*. 2015;8(3):277-284. doi:10.1161/CIRCOUTCOMES.115.001864

5. Swor R, Grace H, McGovern H, Weiner M, Walton E. Cardiac arrests in schools: Assessing use of automated external defibrillators (AED) on school campuses. *Resuscitation*. 2013;84(4):426-429. doi:10.1016/j.resuscitation.2012.09.014

6. Lotfi K, White L, Rea T, et al. Cardiac arrest in schools. *Circulation*. 2007;116(12):1374-1379. doi:10.1161/CIRCULATIONAHA.107.698282

7. Vetter VL, Griffis H, Dalldorf KF, et al. Impact of State Laws: CPR Education in High Schools. *J Am Coll Cardiol*. 2022;79(21):2140-2143. doi:10.1016/j.jacc.2022.03.359

8. CPR in Schools Legislation Map. cpr.heart.org. Accessed November 29, 2025. https://cpr.heart.org/en/training-programs/community-programs/cpr-in-schools/cpr-in-schools-legislation-map

9. Schroeder DC, Semeraro F, Greif R, et al. KIDS SAVE LIVES: Basic Life Support Education for Schoolchildren: A Narrative Review and Scientific Statement From the International Liaison Committee on Resuscitation. *Circulation*. 2023;147(24):1854-1868. doi:10.1161/CIR.0000000000001128

10. Cave DM, Aufderheide TP, Beeson J, et al. Importance and Implementation of Training in Cardiopulmonary Resuscitation and Automated External Defibrillation in Schools. *Circulation*. 2011;123(6):691-706. doi:10.1161/CIR.0b013e31820b5328

11. Blewer AL, Okubo M. Disparities within pediatric out-of-hospital cardiac arrest: A call to action. *Resuscitation*. 2023;192. doi:10.1016/j.resuscitation.2023.109968

12. Anderson ML, Cox M, Al-Khatib SM, et al. Rates of Cardiopulmonary Resuscitation Training in the United States. *JAMA Intern Med*. 2014;174(2):201. doi:10.1001/jamainternmed.2013.11320

13. Abdulhay NM, Totolos K, McGovern S, et al. Socioeconomic disparities in layperson CPR training within a large U.S. city. *Resuscitation*. 2019;141:13-18. doi:10.1016/j.resuscitation.2019.05.038

14. Sasson C, Magid DJ, Chan P, et al. Association of neighborhood characteristics with bystander-initiated CPR. *N Engl J Med*. 2012;367(17):1607-1615. doi:10.1056/NEJMoa1110700

15. Profiles Search. Accessed November 29, 2025. https://profiles.doe.mass.edu/search/search.aspx?leftNavId=11238

16. Sadjadi M, Brülle R, Onbasilar U, et al. Implementation of school-based CPR training - A systematic review and mixed-methods meta-analysis. *Resusc Plus*. 2025;23:100955. doi:10.1016/j.resplu.2025.100955

17. Swor R, Compton S. Estimating cost-effectiveness of mass cardiopulmonary resuscitation training strategies to improve survival from cardiac arrest in private locations. *Prehosp Emerg Care*. 2004;8(4):420-423. doi:10.1016/j.prehos.2004.06.012

18. Rep. Pallone F. Text - H.R.6829 - 118th Congress (2023-2024): HEARTS Act of 2024. December 23, 2024. Accessed November 29, 2025. https://www.congress.gov/bill/118th-congress/house-bill/6829/text

19. Bill H.556. Accessed December 7, 2025. https://malegislature.gov/Bills/194/H556

20. Bill H.572. Accessed December 7, 2025. https://malegislature.gov/Bills/194/H572

21. Bill H.750. Accessed December 7, 2025. https://malegislature.gov/Bills/194/H750

22. Bill H.2552. Accessed December 7, 2025. https://malegislature.gov/Bills/194/H2552

23. Bill H.4107. Accessed December 7, 2025. https://malegislature.gov/Bills/194/H4107

24. Bill S.447. Accessed December 7, 2025. https://malegislature.gov/Bills/194/S447

25. Bill S.456. Accessed December 7, 2025. https://malegislature.gov/Bills/194/S456

26. Bill S.1631. Accessed December 7, 2025. https://malegislature.gov/Bills/194/S1631

27. Start a Club. www.heart.org. Accessed November 29, 2025. https://www.heart.org/en/volunteer/high-school-and-college-students/start-a-club

28. High School Heart Club Grants. www.heart.org. Accessed November 29, 2025. https://www.heart.org/en/volunteer/high-school-and-college-students/start-a-club/club-resources/high-school-heart-club-grants

29. Heart Safe Programs. Accessed November 29, 2025. https://projectadam.com/Heartsafe

30. HEARTSAFE COMMUNITY – Citizen CPR. Accessed November 29, 2025. https://citizencpr.org/heartsafe-community/

31. Advocacy – CrimsonEMS. Accessed November 29, 2025. https://crimsonems.org/advocacy/

32. Brown LE, Lynes C, Carroll T, Halperin H. CPR Instruction in U.S. High Schools. *JACC*. 2017;70(21):2688-2695. doi:10.1016/j.jacc.2017.09.1101

Table 1. Missing and Exclusion Data Summary

Variable	Missing/Excluded, n (%)
Title I status	0 (0.0)
Enrollment	0 (0.0)
Staff count	0 (0.0)
AEDs	0 (0.0)
Manikins	4 (4.0)
Teaches CPR	0 (0.0)
Students trained	20 (20.0)
Staff trained	11 (11.0)[a]

[a]Includes 3 schools excluded due to implausible values (staff trained > 1,000 per 1,000 staff).

Table 2. CPR Preparedness by Title I Status

Measure	Title I	Non-Title I	Adjusted p-value
Equipment, median (IQR)			
AEDs per 1,000 students	9.2 (5.1–12.0)	6.9 (4.4–11.8)	0.78
Manikins per 1,000 students	5.4 (0.9–14.8)[a]	11.1 (3.2–21.8)[b]	0.27
Training, median (IQR)			
Students trained per 1,000	50.3 (12.5–173.6)[c]	199.8 (84.8–272.7)[d]	**0.025**
Staff trained per 1,000 staff	243.2 (106.2–333.3)[e]	238.1 (153.8–472.2)[f]	0.78
Programs, % (n)			
Teaches CPR	66.7 (22/33)	74.6 (50/67)	0.55

[a]n = 32. [b]n = 64. [c]n = 29. [d]n = 51. [e]n = 30. [f]n = 59.

Note: p-values are Holm-Bonferroni adjusted. Continuous variables compared using Mann-Whitney U tests. Bold indicates statistical significance at $\alpha = 0.05$. Effect size for students trained: $r = 0.37$ (medium).

Figure 1. Student CPR training rates by Title I status. Box plots show median (horizontal line), interquartile range (box), and 1.5x IQR (whiskers); outliers shown as circles. Title I schools (n=29) trained significantly fewer students than non-Title I schools (n=51; median: 50.3 vs. 199.8 per 1,000; p = 0.025, Holm-Bonferroni adjusted).

Figure 2. CPR preparedness resources by Title I status. Bars represent medians for continuous variables (top four panels) and percentages for categorical variables (bottom panel). Sample sizes shown below each bar. Three schools with implausible staff training values were excluded from staff analysis. *p = 0.025 (Holm-Bonferroni adjusted).