PROBLEM BASED LEARNING APPLIED TO PRACTICE IN MEDICAL SCHOOLS IN BRAZIL: A MINI-SYSTEMATIC REVIEW

Frederico Alberto Bussolaro¹; Claudine Thereza-Bussolaro²

¹Federal University of Mato Grosso, Brazil

² University of Alberta, Canada

ABSTRACT

Background

Active learning is a well-established educational methodology in medical schools worldwide, although its implementation in Brazilian clinical settings is quite challenging. The objective of this study is to review the literature in a systematic manner to find and conduct a reflective analysis of how problem-based learning (PBL) has been applied to clinical teaching in medical schools in Brazil.

Material & methods

A systematic literature search was conducted in three databases. A total of 250 papers related to PBL in Brazilian medical schools were identified through the database searches. Four studies were finally selected for the review.

Results

Four fields of medicine were explored on the four selected papers: gynecology/family medicine, medical semiology, psychiatry, and pediatrics. Overall, all the papers reported some level of strategic adaptability of the original PBL methodology to be applied in the Brazilian medical school's curricula and to the peculiar characteristics specific to Brazil.

Conclusion

PBL application in Brazilian medical schools require some level of alteration from the original format, to better adapt to the characteristics of Brazilian students' maturity, health system priorities and the medical labor market.

KEYWORDS:

Active learning, problem-based learning, medical education, student-centered

INTRODUCTION

Problem-based learning, a constructivist method, was introduced to the medical curriculum in 1969 (1) to help students become effective solvers of biomedical problems and to foster attitudes leading to behavior as responsible physicians and scientists in relation to their patients.

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

The constructivism view of learning has evolved since the beginning of its concept in 1960. The need for more critical humanist and reflective ethical health-related professionals, promoted the tendency to use "active" methods. The concept of an active methodology is that the students must be active during their learning process, meaning that books, slides, online presentations, and lectures are considered passive and non-constructivist venues of teaching; whereas, interactive games, hands-on activities, and group discussions are classified as constructivist i.e. active venues. A systematic review(2) analyzed the effects of PBL on the future physician and conclude that PBL during medical school has a positive effect on physician competency.

Active learning emphasizes that knowledge cannot be transmitted but needs to be constructed.(3) The active methodology has been spread worldwide by the discovery-based learning methodology (DBL). Both students and professors are keen on the DBL methodology.(2) DBL is a constructivist based approach in education i.e. a "learn by doing" method in which the students are provided with the materials to find the answers.

The challenges in medicine are related to patient safety concerns, operating room efficiencies, and duty-hour restrictions.(3) The traditional apprenticeship-style "see one, do one, teach one" has significant disadvantages, in today's pressured academic environment where research productivity and clinical and operating room efficiencies are prioritized over teaching time.(4)

Similarly challenging, PBL has a rigorous and highly structured practical teaching-learning process in which the student learns while trying to understand or solve a problem.(5) PBL is structured in "problem, solution, practice, research, questioning, realism, originality and integration"(6), therefore its implementation in clinical settings requires more time, higher costs and more training of teachers, and is affected not only by the educational aspects but for the unique priorities of health care environments as well.(7,8)

Brazilian program curricula abide by the 2001 national guidelines for medical courses of the ministry of education. The guideline requires that 35% of the total workload of the medical curricula is dedicated to clerkship during the last two years of the program. Additionally, the guidelines require that students be exposed to patients of different levels of clinical complexity, difficulty, and assistance. Therefore, the guidelines strongly encourage the use of PBL and suggests that students see patients early on in their medical program.(9)

PBL methodology has been introduced to medical schools in Brazil since 1997.(10) This study aims to review the literature in a systematic manner to find and conduct a

reflective analysis about how PBL has been applied to clinical teaching in Brazilian medical schools.

MATERIAL AND METHODS

This is a study based on the mini-systematic literature review on PBL methodology adopted in Brazil's medical schools.

Protocol and registration

This review followed as much as possible the preferred reporting items for systematic review and meta-analyses (PRISMA). We did not register the protocol of this review.

Eligibility Criteria

The identification of the studies was based on the research question: what field of medicine has been applying PBL methodology in medical schools in Brazil?

Inclusion criteria

This review included retrospective and prospective studies concerning active learning, specifically the PBL methodology, adopted in medical schools in Brazil.

Exclusion criteria

Review articles, and articles in which the methodology was applied to fields other than medicine. Articles that did not present information related to the clinical applicability of the PBL methodology were excluded.

Search strategy

Electronic databases searched were LILACS, MEDLINE and PsycINFO

The search approach was developed through consultation with medical professors and reviewing articles related to the topic. Appropriate keyword, truncation and word combinations were adapted.

Data search

Three databases were searched LILACS, PsycINFO and MEDLINE, plus a manual search were conducted from the reference lists of the included articles. The literature search was conducted on July 2, 2019 with the words "PBL" OR "Problem based learning" AND "Brazil*" AND "medical school" OR "medicine". For the LILACS search words in Portuguese were added. A total of 250 papers were found as follow: LILACS: 113 papers; PsycINFO: 84 papers; MEDLINE: 53 papers.

After duplicates were removed, a total of 238 articles were screened by title and abstract. Finally a total of four articles met our eligibility criteria. A flowchart of the selection can be seen in figure 1.

Figure 1 Flowchart of the review

Study selection and Eligibility

All abstracts identified during the database search were screened by two independent reviewers (F.A.B. and C.T.B). Potentially relevant abstracts were then selected for full article

evaluation by the same two independent reviewers. Any selection discrepancies were resolved through discussion between the two reviewers.

Strategy for data extraction and selection

The main outcome was applicability of PBL as the teaching methodology within the clinical setting in medicine. The organization of the results was based on the medical clinical field.

RESULTS

A total of 250 papers were found and, after applying the inclusion and exclusion criteria, 4 papers (10-13) were definitely selected for this review. Table 1 shows the summary of findings.

Author	Year	State(Brazil)	Field of application	Students (n)	Year	Integrated practice	Objective
Paulin & Poças	2009	São Paulo	Psychiatric	80	5th	yes	experience report
Prado et al.	2011	Pernambuco	Paediatric	72	5th	yes	compare educational effectiveness of ward rounds conducted with two different methodologies
Bestetti et al.	2014	São Paulo	Gynecology, internal medicine, family physician	N/R	5th year (8-10 semester)	yes	experience report
Dias-Lima et al.	2019	Bahia	Medical Semiology	N/R	2 & 3rd semester	yes	experience report

n, number; NR, Not reported

Fields of application

Four fields of medicine were explored on the selected papers: gynecology/family medicine, medical semiology, psychiatry and pediatrics.

Gynecology and family medicine: the authors believe PBL is a worthwhile approach to teach Brazilian medical students. Bestetti et al. (11) reported a coordinate mix (tutoring, medical skills and primary care) in which students are trained in clinics and labs after the tutorial part of PBL; and, at the end of the process, students are expected to solve patient health problems.

Aggression and Defense Mechanism(Medical Semiology): the authors Dias-Lima et al. (12) observed a positive impact on student training and interest in the subjects taught.

Psychiatry: Paulin & Poças (10) report on the implementation of the PBL methodology to a psychiatry internship. The authors noticed improvement on the students' knowledge regarding psychiatry. Another observation was proper patient referral from former students who had been taught under the same methodology.

Paediatric Clinical teaching-ward rounds: Prado et al. assessed the contribution of two different methodologies - traditional methodology and active methodology - in improving students' knowledge. The study was performed on three phases, and true/false pre- test assessment and post-test assessments were applied. Prado et al. (13) study found that

students' knowledge on pneumonia and diarrhea improved 3.5 more when the active methodology was applied.

DISCUSSION

During this mini-systematic review, four studies reported the use of PBL methodology in Brazilian medical schools (10-13), in hospitals, internships, and simulation labs.

It should be explained that PBL was introduced in Canada in a three-year undergrad curriculum rather than the traditional four-year program.(1) The traditional four-year program has four-month of break in the summer, while the three-year PBL curriculum has only one-month therefore students have 112 weeks of academic activity plus 12 weeks of elective time as seen in figure 2. PBL has four phases:

- Phase I lasts 14 weeks and is dedicated to normal structure and function;
- Phase II lasts six weeks and is dedicated to abnormal biological mechanisms;
- Phase III lasts 40 weeks and is dedicated to abnormal structure and function;
- Phase IV is dedicated to the clerkships in four interchangeable blocks of: family medicine practice, surgery and psychiatry, pediatrics, and obstetrics and gynecology.

Throughout Phase I to Phase III students also have a horizontal program (one hour per day) dedicated to problems related to professional attitudes and ethics, abnormal behavior, biomedical statistics, epidemiology, and rehabilitation medicine. Furthermore, students have two six-week periods of elective experiences arranged by faculty members, and before entering the clerkship students have a week of clinical skills in history taking, examination, and planning of further investigation and treatment.

	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE
YEAR I 1969-70	PRELIMINARY COURSE FOR 4-5 STUDENTS CELL BIOLOGY BIOCHEMISTRY BEHAVIOURAL SCIENCE			PHASE I		H O L I D A Y	PHASE II			PHASE III (1)		
PREScribed COURSE TIME - 40 WEEKS				14			6			20		
YEAR II 1970-71	H O L I D A Y		PHASE III (2)			H O L I D A Y	REVISION	ELECTIVE	C L I N I C A L S K I L L S	PHASE IV CLERKSHIP		
PREScribed COURSE TIME - 40 WEEKS			20				6		1	13		
YEAR III 1971-72		H O L I D A Y	PHASE IV CLERKSHIP *			H O L I D A Y		PHASE IV CLERKSHIP *		REVISION	COUNCILS	GRADUATE
PREScribed COURSE TIME - 32 WEEKS								32		5		

Figure 2 Outline of the three-year undergrad medical curriculum proposed by McMaster University, including six weeks of elective time (retrieved from Spaulding, 1969, page 660) (1)

Additionally, it should be stressed that the requirements for a student to be admitted to medical schools are different between Canada and Brazil. In Canada, the PBL program was proposed for students who already had at least three years in behavioral science, biochemistry, and cell biology, and students should preferably have completed a degree program. In Brazil, the requirement to enter a medical school is to pass in an exam which evaluates student's knowledge in languages, codes and related technologies, as well as various subjects such as Portuguese, History, Geography, Mathematics, Physics, Chemistry and Biology and a written essay. Therefore the maturity and the academic backgrounds are different between students in the first year of medical school, factors that can compromise the success of PBL in medical schools in Brazil.

The maturity issue among Brazilian students has been observed. Accordingly (11), Brazilian medical students lack maturity and confidence to excel in a PBL approach, leading them to be anxious and insecure about their short-term learning in the context of PBL methodology.(11)

Nonetheless, the Brazilian medical school curriculum has been linked wherever possible with the PBL methodology. Bestetti et al. (11) relate the importance of cultural and structural context in implementing PBL in Brazilian medical schools. In Brazil, the implementation of the PBL methodology is said to be affected by the medical labor market and the health system as well as the educational aspect.(11)

Factors such as time constraints, clinical flows, and diversity of clinical problems impact teaching conditions.(8) Barrows, 1986 stated the PBL method requires more time, costs more, and requires more effort from teachers compared to the lecture-based methods. Accordingly, an effective PBL method requires a quality of tutorial skills, meaning that the teacher or tutor has to guide the students to consider all the steps in the reasoning of the problem. If this fails, the objectives of the PBL are compromised.(14) Another issue that can compromise the use of PBL in the clinical teaching setting is that clinical teachers are always engaged in a dual process: clinical reasoning to care for patients, and educational reasoning to teach patients.(8)

Couto et al.(15), analyzed Brazilian medical students perceptions of subject-matter expertise among PBL facilitators, and they concluded that PBL facilitator experts in the topic are essential to the learning process. Similarly, in Canada the birthplace of PBL, studies (16-18) have shown that for the success of the PBL methodology, professors should be able to facilitate groups and be knowledgeable about the content, and at the same time students need to be willing to participate in peer teaching and be supportive of the group learning process. It is expected that the professors have expertise in their field.(16-18)

The McMaster University medical school that initially proposed the PBL curriculum program has also undergone modifications since its first implementation over 30 years ago. They maintained the philosophy but changed the curriculum in 2005, implementing the Compass (Concept-oriented, multidisciplinary, problem-based, practice for transfer, simulations in clerkship, streaming). The major changes were in student evaluations, the roles of the tutor, and the number and purpose of educational sessions.(17) Figure 3 shows the outline of the three-year Compass undergrad curriculum currently in place at McMaster University.

JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC				
								ORIENTATION	Professional Competencies		INTEGRATION	VACATION			
									MEDICAL FOUNDATIONS 1 INTRODUCTION TO DETERMINANTS OF HEALTH CARDIO/RESP/HEME						
Professional Competencies												VACATION			
MEDICAL FOUNDATIONS 2 HOMEOSTASIS I ENERGY BALANCE (GI, ENDO, NUTRITION)		INTEGRATION	MEDICAL FOUNDATIONS 3 HOMEOSTASIS II RENAL, ACID BASE, BP REPRODUCTION AND PREGNANCY GENETICS I		INTEGRATION	MEDICAL FOUNDATIONS 4 HOST DEFENSE NEOPLASIA GENETICS II		INTEGRATION	ELECTIVE	VACATION	MEDICAL FOUNDATIONS 5 MOVEMENT CONTROL INTERACTING AND COMMUNICATING		INTRO TO CLERKSHIP INTEGRATION	ELECTIVE	
Professional Competencies															
CLERKSHIP (2 weeks vacation sometime in June/July)												VACATION			
Professional Competencies															
ELECTIVE	CLERKSHIP		SYN1 + LMCC LECTURES												

Figure 3 Outline of the three-year Compass undergraduate MD curriculum retrieved from Neville & Norman, page 373(17)

In our review, we found that Bestetti (11) also related the importance of subject-matter expertise tutors to minimize time preparation and maximize student confidence. Additionally, they invest in courses and preparation of tutors within the practice and theoretical content with the PBL methodology. In contrast, most teachers in Brazil are more familiar with the traditional lecture-based methodology rather than the student-centered approach used in the PBL methodology.

Dias-Lima et al.(12) reported a positive impact of the student training part of their program. Although, their program has adapted the PBL method with educational tools to integrate the apprenticeship of disciplines like microbiology, parasitology, immunology, and pathology in a clinical context. The drawback of the study is the absence of inclusion of patients in the discipline taught; they used videos to simulate a clinical environment.

Similarly, Lucchetti et al.(19), describe the experience of active methodology, including simulation, to teach geriatrics and observed improvement in medical student's knowledge, attitudes, and skills. Geriatrics is a very challenge area to teach in comparison to

other areas where the presence of technology and procedures turns them into more attractive areas for students. Although the paper addressed the use of active methodology, it did not specify the use of PBL; therefore, it was excluded from our analyses.

In the pediatric field (13), researchers selected six patients from the emergency room with three patients diagnosed with diarrhea and three with pneumonia. Seventy-two students were submitted to a test prior to assessing the patients, after that students participated in the academic ward round conducted by a staff member previously trained in both methodologies, TM (traditional method) and AM (active methodology). Lastly, students were submitted to a second cognitive test 48 hours after the ward round. The authors concluded that AM showed better results on students' knowledge acquisition perception.

In Brazil, learning in the internship phase is done with hospitalized patients in hospital beds, basic units, specialized outpatient clinics, or emergency rooms. These situations usually require immediate care to the patient in the hospital, which limit studies and tutorial discussions. To eliminate or even clear some of the limitations, the studies by Paulin & Pocas (10) and Prado et al.(13), demonstrated adaptations/models of hospital and outpatient care focused on learning with PBL, situations that need adaptations/modifications in the healthcare system that assists patients, allows the creation of moments for studies and discussion of cases without impairing the quality of the care of the patients. Both teachers and students need to adapt with a greater sense of responsibility in preparing with studying prior to care and thus aiming to reduce insecurities. Students can increase their dedication to practices in laboratories/semiology activities; teachers can widen the search to bring tools that allow students to be motivated. Teachers need to prepare and understand the new profile of these students, who ask more questions, due to the broad access to information available on the internet and from varied sources which are not always scientific.

PBL in medical education has been presented, for the most part, as a prospect for improving the skills of physicians trained by this active methodology. However, these studies have not shown a convincing improvement in the knowledge and performance gains of trained medical professionals using this methodology as compared to the traditional methods used in most Brazilian medical schools until the end of the last century.

CONCLUSION

PBL application in medical schools in Brazil undergo some level of alteration from the original format, to better adapt to the peculiarities of Brazilian student maturity, health system priorities, and the medical labor market.

In Brazil, more studies on PBL methodology need to be conducted to evaluate the student knowledge acquisition through active learning methodology.

Reference List

1. Spaulding WB. The undergraduate medical curriculum (1969 model): McMaster university. *Can Med Assoc J.* 1969;100(14):659-64.
2. Koh GC, Khoo HE, Wong ML, Koh D. The effects of problem-based learning during medical school on physician competency: a systematic review. *CMAJ.* 2008;178(1):34-41.
3. Luc JGY, Antonoff MB. Active learning in medical education: Application to the training of surgeons. *Journal of medical education and curricular development.* 2016;3:J Med Educ Curric Dev. 2016;3 doi: 10.4137/JMECD.S18929.
4. Graffam B. Active learning in medical education: strategies for beginning implementation. *Med Teach.* 2007;29(1):38-42.
5. Barrows HS, Tamblyn RM. Problem-based learning: An approach to medical education: Springer Publishing Company; 1980.
6. Akinoğlu O, Tandoğan RÖ. The Effects of Problem-Based Active Learning in Science Education on Students' Academic Achievement, Attitude and Concept Learning. *Eurasia J Math, Sci Tech Educ.* 2007;3(1):71-81. doi:10.12973/ejmste/75375.
7. Schmidt HG, Rotgans JI, Yew EH. The process of problem-based learning: what works and why. *Med Educ.* 2011;45(8):792-806.
8. Audétat MC, Laurin S, Sanche G, Béique C, Fon NC, Blais JG, et al. Clinical reasoning difficulties: a taxonomy for clinical teachers. *Med Teach.* 2013;35(3):e984-e989.
9. Bestetti RB, Couto LB, Restini CB, Faria M Jr, Romão GS. Assessment test before the reporting phase of tutorial session in problem-based learning. *Adv Med Educ Pract.* 2017;8:181-87.
10. Paulin LFRS, Pocas RCG. The experience of Universidade São Francisco with the medical internship in psychiatry using the problem-based learning method. [Portuguese]. *Revista de Psiquiatria do Rio Grande do Sul.* 2009;31(1):67-72.
11. Bestetti RB, Couto LB, Romão GS, Araújo GT, Restini CB. Contextual considerations in implementing problem-based learning approaches in a Brazilian medical curriculum: the UNAERP experience. *Med Educ Online.* 2014;19:24366.
12. Dias-Lima A, Silva MdC, Ribeiro LCV, Bendicho MT, Guedes HTV, Lemaire DC. Evaluation, Teaching and Active Methodologies: an Experience as Part of the Curricular Component Mechanisms of Aggression and Defense of the Medicine course of Universidade do Estado da Bahia, Brazil. [Portuguese] *Rev bras educ méd.* 2019;43(2):216-24.

13. Melo Prado H, Hanois Falbo G, Falbo AR, Figueirôa JN. Active learning on the ward: outcomes from a comparative trial with traditional methods. *Med Educ*. 2011;45(3):273-279.
14. Barrows HS. A taxonomy of problem-based learning methods. *Med Educ*. 1986;20(6):481-6.
15. Couto LB, Bestetti RB, Restini CB, Faria M Jr., Romão GS. Brazilian medical students' perceptions of expert versus non-expert facilitators in a (non) problem-based learning environment. *Med EducOnline*. 2015;20(26893).
16. Cunningham CE, Deal K, Neville A, Rimas H, Lohfeld L. Modeling the problem-based learning preferences of McMaster University undergraduate medical students using a discrete choice conjoint experiment. *Adv Health Sci Educ Theory Pract*. 2006;11(3):245-66.
17. Neville AJ, Norman GR. PBL in the undergraduate MD program at McMaster University: three iterations in three decades. *Acad Med*. 2007;82(4):370-4.
18. Lohfeld L, Neville A, Norman G. PBL in undergraduate medical education: a qualitative study of the views of Canadian residents. *Adv Health Sci Educ Theory Pract*. 2005;10(3):189-214.
19. Lucchetti AL, Duarte BS, de Assis TV, Laurindo BO, Lucchetti G. Is it possible to teach Geriatric Medicine in a stimulating way? Measuring the effect of active learning activities in Brazilian medical students. *Australas J Ageing*. 2019;38(2):e58-e66.