1 Temperature and relative humidity are not major contributing factor on the occurrence 2 of COVID-19 pandemic: An observational study in 57 countries (2020-05-08)

3 Md. Abdus Sobur,¹ Md. Saiful Islam,¹ Md. Emdadul Haque,² AMM Taufiqer Rahman,³
4 Md. Taohidul Islam,⁴ Antonio Toniolo,⁵ Md. Tanvir Rahman^{1*}

5 ¹Department of Microbiology and Hygiene, Faculty of Veterinary Science, Bangladesh
6 Agricultural University, Mymensingh 2202, Bangladesh.

7 ²Faculty of Fisheries, Bangladesh Agricultural University, Mymensingh 2202, Bangladesh.

8 ³Naogaon District Hospital, Naogaon, Bangladesh.

9 ⁴Department of Medicine, Faculty of Veterinary Science, Bangladesh Agricultural
10 University, Mymensingh 2202, Bangladesh.

11 ⁵Global Virus Network, University of Insubria, 21100 Varese, Italy.

12 *Corresponding Author: Md. Tanvir Rahman

13 Professor, Department of Microbiology and Hygiene, Faculty of Veterinary Science,
14 Bangladesh Agricultural University, Mymensingh-2202, Bangladesh.

15 Phone: +8809167401-6 Ext. 6385, Mobile. +8801913323307, Fax: +8809161510.

16 Email: tanvirahman@bau.edu.bd

17

18 Abstract

19 The world searching for hope has already experienced a huge loss of lives due to COVID-19
20 caused by SARS-CoV-2 started in Wuhan, China. There are speculations that climatic
21 conditions can slowdown the transmission of COVID-19. Findings from the early outbreak
22 indicated the possible association of air temperature and relative humidity in COVID-19
23 occurrence in China. Current study focused on whether climatic conditions (temperature and
24 relative humidity) are having any influence in the occurrence of COVID-19 when the
25 outbreak has been classified as pandemic. To determine the effect of daily average
26 temperature and average relative humidity on log-transformed total daily cases of COVID-19,
27 polynomial regression as a quadratic term and linear regression were done. Linear regression
28 analysis was also carried out to explore the same effect on selected countries. Present study
29 observed no correlation between the climatic conditions (the daily average temperature and
30 relative humidity) and the number of cases of COVID-19. Similar result was found in relation
31 between daily average temperature and average number of cases per day in country-wise
32 analysis. However, about 93.5% cases of COVID-19 occurred between 1⁰C to 16⁰C and the
33 average number of cases per day was lower in high temperature country than low temperature
34 country with exceptions. The minimum effect of summer temperature may not be effective to
35 control the pandemic rather need to apply the control measures of COVID-19.

36 **Keywords:** COVID-19; temperature; relative humidity; contact; transmission

37

38 1. Introduction

39 COVID-19 caused by SARS-CoV-2 is an enveloped, positive sense single stranded
40 RNA virus of the family *Coronaviridae*, a major pathogen of respiratory illness (Pal et al.,
41 2020). Since the outbreak of COVID-19 in Wuhan, China on the late December, 2019 (Lu et
42 al., 2020), it has rapidly spread throughout China and all over the world (Gorbalenya, 2020;
43 Arab-Mazar et al., 2020; Chen et al., 2020; Huang et al., 2020; Wang et al., 2020a; Holshue
44 et al., 2020; Wang et al., 2020b). The major contributing factor for this new epidemic was the
45 importation of COVID-19 cases from epidemic countries. So far, more than 200 countries
46 and territories have been affected with 1,395,136 confirmed cases and 81,580 deaths,
47 together with cessation of normal social operations and massive economic loss (WHO,
48 2020a). Earlier, WHO, observing the current situation across the world, declared COVID-19
49 as “a pandemic” (WHO, 2020b).

50 The experience of SARS and MERS outbreak differs with COVID-19 in
51 extensiveness of spread, and death rate but finds similarity in sign-symptoms and
52 transmission pattern (Wang et al., 2020c). Seasonality of respiratory viral disease is an old
53 theme that recognized winter as an important factor of influenza like diseases transmission
54 (Sobsey and Meschke, 2003; Wolkoff, 2018). The transmission of virus is under the influence
55 of climate conditions e.g., temperature and relative humidity (Hemmes, et al., 1960, Dalziel,
56 et al. 2018). Several studies found droplet, aerosol, and direct and indirect contact can act as
57 the major factors in the transmission of SARS like viruses (Peng et al., 2020; Rodríguez-
58 Morales et al., 2020; To et al., 2020). Survivability of SARS virus in environment and
59 surfaces is associated with temperature and relative humidity (Chan et al., 2011). High
60 temperature reduces aerosol but cannot inhibit contact transmission immediately (Lowen et
61 al., 2008). SARS-CoV-1 and SARS-CoV-2 are able to survive in air and surface for sizable
62 time periods, thus enabling the virus more capable to affect human (VanDoremalen et al.,
63 2020). Survival of SARS-CoV-2 in air and surfaces associated with climate with is still
64 unclear.

65 Although some studies found relationships of climatic conditions with the occurrence
66 of COVID-19 cases (Wang et al., 2020d, Wang et al., 2020e, Zhu and Xie, 2020), they had
67 limited option to include high temperature country as the outbreak was mainly circulating in
68 temperate zone during the early stage of outbreak. Therefore, this study aimed to understand
69 the possible role of temperature and relative humidity in the occurrence of COVID-19 in 57
70 countries from tropical and temperate zone.

71 2. Materials and methods

72 2.1. Data

73 Countries having at least 500 cumulative cases by March 28, 2020 were selected
74 for study. Once a country reported at least 10 cases on particular day was considered for data
75 recording for that day. Date wise metrological parameter, like temperature and relative
76 humidity were obtained from 57 countries to find out a possible link between COVID-19
77 cases and metrological data. The highest and the lowest temperature were recorded and the
78 average of these two data was considered as the daily temperature. The daily relative

humidity was recorded as AM (Before mid-day) and PM (After mid-day). The average was considered as the daily relative humidity.

2.2. Source of Data

We extracted information from national and international reports of the outbreak and metrological data from relevant websites. The daily case reports were documented from “WHO”, “Worldometer”, and “Kaiser Family Foundation” websites (WHO, 2020c; Worldometer, 2020; KFF, 2020). The daily temperature and relative humidity data were recorded from “The Weather Channel”, “Timeanddate” and “Accuweather” websites (The Weather Channel, 2020; Timeanddate, 2020, Accuweather 2020). All the data taken for this study were from January 9, 2020 to March 25, 2020.

2.3. Statistical Analysis

Natural Log-transformation was performed on total number of daily COVID-19 confirmed cases of 57 countries. Polynomial regression as a quadratic term was done to find out the relationship between daily average temperature and log transformed daily cases of COVID-19 as we observed a non-linear relationship during initial data exploration (Bradley and Srivastava, 1979). However, the linear regression was used to find out the effect of daily average relative humidity on COVID-19 cases (Matthews, 2014). For a certain country, the natural log of the average number of cases per day was used, and the linear regression was done to find out the effect of temperature and relative humidity on the occurrence of COVID-19 cases.

3. Results

The data on average temperature, average relative humidity, and log transformed confirmed cases per day of COVID-19 in 57 countries are listed in Supplementary Table. Here, we included 444,405 cases from 57 countries (January 9, 2020 to March 25, 2020). The daily average lowest and highest temperature was respectively -5°C in Finland and 29.9°C in Thailand. Percent relative humidity varied from 30 in Saudi Arabia to 78.8 in Indonesia. Data suggest relative humidity was fluctuating with large deviation in every country. Except China (January, February, March), Italy (February, March), Iran (February, March), South Korea (February, March), France (February, March) and Japan (February, March) all other countries had COVID-19 cases in March. In China, the early outbreak was in January when average cases per day were lower than in February and March. Similarly, Italy, Iran, South Korea, France and Japan had lower average cases per day in February compared to March. Among the countries, Italy had the lowest and highest average cases per day respectively in February (average monthly temperature 7.5°C) and March (average monthly temperature 9.4°C).

In polynomial regression as a quadratic term, no correlation ($R^2 = 0.031$) between the daily average temperature and the number of cases of COVID-19 was found. The analysis showed that $\lg N$ of cases increased as the average temperature rose and started to decline moderately when temperature reached the peak (Fig. 1). The analysis showed that 98.8% proportionate cases occurred between -0.5°C to 30°C and, more restrictively, 93.5% cases occurred between 1°C to 16°C (Fig. 1). The average relative humidity was also not correlated

($R^2 = 0.0272$) with the occurrence of COVID-19 in linear regression (Fig. 2). However, most of the low temperature countries had relatively higher average number of cases per day than high temperature countries (Fig. 3). There were also exceptions. For country-wise analysis, average monthly observations were used for each country. In linear regression country-wise analysis revealed no correlation ($R^2 = 0.0602$) between temperature and occurrence of COVID-19 cases per day (Fig. 3).

4. Discussion

This is the first study that consider the pandemic situation (57 countries including high and low temperature countries) to draw conclusions on possible association of temperature and relative humidity with COVID-19 cases. Therefore, the findings of this study demand importance. No correlation between the daily average temperature and the occurrence of cases of COVID-19 was observed. Earlier studies found correlation between temperature and the occurrence of COVID-19 (Wang et al., 2020d, Wang et al., 2020e, Zhu et al 2020). Wang et al., (2020d) showed that most COVID-19 cases in China occurred between 0°C to 10°C . Another study analyzed data (January 20, to February 4, 2020) of COVID-19 cases and revealed that the majority of cases occurred with temperature around 10°C (Wang et al., 2020e). But all these studies obtained data from the early stage of the outbreak, at best till February when most of the affected countries were in winter. In our study, temperature varied from -24°C to 30.5°C in 57 countries. The huge variation of temperature in analysis found no correlation with COVID-19 cases. We found 93.5% COVID-19 cases were between 1°C to 16°C as most of cases were from China, Italy, USA, Iran, Germany, France and Spain where the duration of outbreak is prolong (Supplementary Table).

In country-wise analysis, no correlation was observed between average daily temperature and average per day cases of COVID-19. However, in general, countries having high temperature experienced relatively lower occurrence of COVID-19 (Fig. 3) with exceptions. This may be due to high temperature countries are at early stage of outbreak. With the progress of outbreak the number of cases may increase exponentially if proper control measures are not taken. The transmission was exponential in some developed low-temperature countries like USA, Italy, Spain, Germany, and France where large scale community transmission was reported (WHO, 2020a). On the other hand, similar countries like South Korea, Japan took steps during early stage of the outbreak being quite successful in limiting virus transmission (Financial Times, 2020). The average daily temperature in Hong Kong (21.7°C) and Brazil (23.1°C) was quite similar, but Brazil had relatively higher number of daily average cases (Supplementary Table). These findings suggest all countries for applying proper control measures. However, these exceptions can be interpreted taking into consideration that virus transmission in an outbreak largely depends on the interventions taken by each particular government. In addition, duration of outbreak, population density, other metrological variables, level of awareness in people, and medical facilities are not same for all countries. Among so many factors, transmission of COVID-19 virus from asymptomatic is carrier very important. A study has been carried out on the passengers of Diamond Princess cruise ship, where 50.47% COVID-19 patients were asymptomatic carrier

(Mizumoto et al., 2020). Additional study is required to consider many more variables. A variable relative humidity was considered in our study. Though Wang et al., (2020d) found a correlation between relative humidity and the occurrence of COVID-19 cases, we could not confirm this association. A recent study in China Jakarta, Indonesia also showed no effect of relative humidity on COVID-19 occurrence (Tosepu et al., 2020). This observed variation in results may be due to a variation in the investigated time periods and data size in the different studies. In addition we observed inconsistent relative humidity in most of the countries in our study.

The stability SARS virus was studied in laboratory, at 22-25°C SARS-CoV is stable up to five days on plastic surface while rapidly losing activity at 38°C or more (Chan et al., 2011). SARS-CoV-2 survive in air (3 hours), on plastic and stainless steel surfaces (up to 72 hours) thus contact transmission is facilitated (Van Doremalen et al., 2020), but investigations of this type associated temperature and humidity are scarce for SARS-CoV-2. Preliminary evidences indicate that high temperature affect virus transmissibility through droplet and aerosol (Lowen et al., 2008), but contact transmission cannot be ignored (Van Doremalen et al, 2020). Therefore, “high temperature” itself is not enough to combat the pandemic. The primary epicenter in Wuhan, China already has proved that the virus is controllable in a low-temperature region (WHO, 2020d). We suggest that all countries should follow control measures similar to those adopted in China, taking into account that temperature increments will not be enough.

5. Conclusions

To the best of our knowledge, this is the first study describing temperature and relative humidity has no major effect to describe on the current COVID-19 pandemic. More studies needed to which variables are contributing most. Current study suggests all countries not to depend on summer rather to implement possible all control measures of COVID-19.

Conflict of interest

All the authors report no conflicts of interest in this paper.

Funding

No funding.

Author's contribution

MTR and MAS designed the study. MAS, MSI and MEH collected data. MAS, MEH and MTI analyzed and interpreted the data. MAS, MSI, AT, MTI, AMMTR and MTR drafted the manuscript. MAS, MTI, AT, AMMTR and MTR critically reviewed and updated the manuscript to its final version. The final version of the manuscript was approved by all authors.

Figure and Table legends

Figure 1. The relationship between average temperature and COVID-19 cases (natural log transformed) in 57 countries

Figure 2. The relationship between average relative humidity and COVID-19 cases (natural log transformed) in 57 countries

Figure 3. Country-wise log transformed average cases of COVID-19 per day v.s. average temperature in 57 countries

Supplementary Table legend:

Supplementary Table: Average temperature, relative humidity and COVID-19 cases in 57 countries

Figure and Supplementary Table legend:

Figure 1. The relationship between average temperature and COVID-19 cases (natural log transformed) in 57 countries

Figure 2. The relationship between average relative humidity and COVID-19 cases (natural log transformed) in 57 countries

Figure 3. Country-wise log transformed average cases of COVID-19 per day v.s. average temperature in 57 countries.

Supplementary Table legend:

Supplementary Table: Average temperature, relative humidity and COVID-19 cases in 57 countries

228

229 Figure 1. The relationship between average temperature and COVID-19 cases (natural log
230 transformed) in 57 countries.

231

Figure 2. The relationship between average relative humidity and COVID-19 cases (natural log transformed) in 57 countries.

Figure 3. Country-wise log transformed average cases of COVID-19 per day v.s. average temperature in 57 countries.

244 Supplementary Table 1. Average temperature, relative humidity and COVID-19 cases in 57 countries

Country	Month	Number of Reports	Temperature				Relative Humidity				COVID-19 Cases			
			Mini mum	Maxi mum	Ave rag e	Standard Deviation	Mini mum	Maxi mum	Aver age	Stand ard Devia tion	Mini mum	Maxim um	Average	Standard Deviation
Argentina	March	12	19.5	24.5	22.1	1.9	60.5	84.0	72.5	6.9	2.4	4.8	3.3	0.9
Australia	March	19	12.5	21.5	16.4	2.3	58.5	89.5	69.0	8.2	2.5	6.3	4.2	1.3
Austria	March	21	.5	15.5	7.7	4.4	46.0	78.5	60.0	9.0	2.5	6.8	4.9	1.4
Belgium	March	22	3.5	13.0	7.3	2.3	38.0	93.5	71.7	16.3	2.3	6.5	4.9	1.2
Brazil	March	14	20.5	25.5	23.1	2.0	64.0	80.5	72.9	4.9	2.9	5.9	4.8	1.1
Canada	March	18	-9.5	2.5	-3.4	3.5	48.5	88.0	65.8	11.7	2.3	6.6	4.4	1.4
Chile	March	13	15.5	22.0	19.5	1.7	40.0	70.5	52.3	8.2	2.4	5.4	4.1	1.0
China	Feb	373	-24.0	18.0	6.3	6.4	15.0	96.5	71.2	14.9	2.3	9.5	3.7	1.3
China	Jan	143	-12.0	14.5	5.0	3.4	37.5	96.0	70.0	14.2	2.3	6.8	3.3	0.9

China	March	25	7.5	20.0	13.9	3.7	44.5	85.5	67.3	9.9	2.5	6.4	4.2	0.9
Colombia	March	10	15.0	17.5	16.6	0.8	72.5	83.5	76.9	4.3	2.4	4.6	3.5	0.8
Croatia	March	10	.5	12.5	7.1	5.1	42.5	86.5	63.3	14.8	2.4	4.4	3.5	0.7
Czechia	March	15	-1.0	11.0	5.3	4.1	43.5	90.5	64.2	14.2	3.1	5.6	4.5	0.8
Denmark	March	19	1.5	7.0	4.7	1.6	54.5	93.0	73.6	12.5	2.5	5.5	4.2	0.8
D Republic	March	8	24.0	25.0	24.6	0.3	61.5	76.0	70.9	4.6	2.3	4.5	3.6	0.8
Ecuador	March	10	10.5	16.5	13.4	1.9	62.5	77.5	70.5	5.0	3.0	5.5	4.6	0.7
Egypt	March	10	16.5	27.5	20.9	3.7	34.0	55.5	43.1	7.6	2.6	4.1	3.6	0.4
Estonia	March	11	-2.5	5.5	0.9	2.5	53.0	89.5	65.7	11.9	2.8	4.1	3.3	0.5
Finland	March	14	-12.0	.5	-5.0	3.5	55.0	89.5	70.8	10.6	2.7	4.6	3.9	0.7
France	Feb	1	10.5	10.5	10.5		88.5	88.5	88.5		2.9	2.9	2.9	
France	March	25	5.5	14.5	9.1	2.8	36.0	89.5	74.2	14.8	3.0	8.3	6.2	1.4
Germany	March	25	3.0	12.5	6.5	2.8	34.0	85.0	63.1	13.8	3.3	8.4	6.4	1.7
Greece	March	19	7.5	16.5	11.0	2.5	36.0	73.0	57.0	11.8	2.3	4.6	3.5	0.7

Hong Kong	March	10	19.5	24.5	21.7	1.8	68.0	87.0	78.1	5.7	2.3	3.9	3.2	0.5
Iceland	March	16	-3.5	2.5	-0.2	1.9	47.0	86.5	72.6	10.0	2.4	4.6	3.5	0.7
India	March	15	21.5	30.5	27.0	2.7	63.0	73.0	70.1	3.0	2.5	4.8	3.4	0.8
Indonesia	March	14	26.0	29.0	28.0	0.9	71.0	85.5	78.8	3.5	2.6	4.7	3.8	0.7
Iran	Feb	16	4.5	15.0	9.3	2.9	37.5	91.0	63.4	14.3	2.3	4.2	3.0	0.5
Iran	March	32	7.0	17.0	11.9	2.7	19.5	85.5	41.2	17.0	2.4	7.7	6.1	1.6
Iraq	March	13	12.5	21.5	18.0	2.5	33.5	76.5	56.1	12.8	2.3	3.9	2.9	0.5
Ireland	March	16	3.5	10.5	6.4	2.4	68.0	86.0	77.8	5.7	2.5	5.5	4.2	1.0
Israel	March	18	5.5	18.5	11.3	3.5	50.0	83.5	71.6	8.5	2.5	6.2	4.2	1.2
Italy	Feb	4	6.5	9.5	7.5	1.4	63.0	85.0	74.1	9.0	2.3	3.4	2.8	0.6
Italy	March	25	4.5	15.0	9.4	2.9	40.0	80.5	62.6	11.1	5.8	8.8	7.7	0.9
Japan	Feb	14	3.0	12.5	8.7	2.7	37.0	91.5	59.6	16.7	2.3	4.6	3.6	0.8
Japan	March	24	6.5	16.5	10.6	2.7	32.5	87.5	60.9	15.2	2.7	4.7	3.7	0.5
Luxembourg	March	13	3.5	12.0	6.8	3.3	32.0	81.5	63.1	18.2	2.5	5.5	4.2	1.1

Malaysia	March	19	27.5	30.5	29.4	1.0	62.0	87.0	78.1	6.9	2.3	5.4	4.1	1.0
Mexico	March	12	17.5	21.5	19.6	1.2	21.5	55.0	40.6	10.4	2.4	4.2	3.3	0.6
Netherlands	March	22	5.0	10.5	7.5	1.7	42.5	91.5	73.2	14.7	2.6	6.7	5.2	1.1
Norway	March	22	-2.0	7.5	3.0	2.5	38.5	93.5	71.5	17.1	3.0	5.5	4.7	0.9
Pakistan	March	11	16.5	20.5	18.6	1.4	62.5	77.5	68.3	5.3	3.1	5.4	4.4	0.6
Panama	March	11	26.5	28.5	28.1	0.6	64.5	75.0	67.6	2.9	2.5	4.6	3.4	0.7
Peru	March	11	13.0	16.0	14.4	1.0	48.0	92.5	77.4	11.8	2.3	4.5	3.5	0.7
Philippines	March	15	27.5	30.0	28.9	0.7	52.5	71.0	63.1	5.5	2.3	4.7	3.6	0.9
Poland	March	15	-2.0	10.5	4.2	4.6	41.0	77.5	60.5	13.6	2.8	5.0	4.0	0.8
Portugal	March	17	11.5	16.5	14.2	1.4	59.0	86.0	74.0	7.3	1.9	6.5	4.4	1.5
Qatar	March	11	20.0	25.5	23.2	1.8	42.0	72.5	60.4	9.0	2.3	5.5	3.2	1.0
Romania	March	14	1.5	14.5	8.2	4.3	37.5	87.5	59.9	15.9	2.3	5.4	3.8	0.9
Russia	March	12	-3.0	6.5	1.3	3.3	36.0	75.0	54.3	11.8	2.6	5.1	3.7	0.7
Saudi Arabia	March	12	23.0	29.5	25.5	2.1	20.0	51.5	30.0	10.1	2.7	5.3	4.0	0.8

Serbia	March	11	-.5	14.0	7.5	5.3	45.0	91.0	60.1	13.1	2.3	4.4	3.3	0.7
Singapore	March	17	26.5	30.0	28.7	0.9	69.0	84.0	76.0	4.8	2.3	4.3	3.2	0.6
Slovenia	March	14	.5	13.5	6.9	4.4	41.0	87.0	60.6	14.4	2.4	4.0	3.5	0.4
South Africa	March	11	18.5	22.5	20.9	1.2	51.0	81.0	65.3	8.3	2.4	5.0	3.7	1.0
South Korea	Feb	6	5.0	8.0	6.6	1.4	40.0	52.5	45.8	5.8	2.9	5.3	4.3	1.0
South Korea	March	25	4.5	14.5	8.5	2.8	29.5	80.5	49.9	13.2	3.6	6.7	5.1	0.8
Spain	March	25	6.5	16.5	11.2	2.7	44.5	82.0	63.3	11.5	3.3	8.9	6.5	1.9
Swedan	March	21	-1.0	6.5	2.7	2.2	33.5	94.0	72.3	16.4	2.6	5.5	4.6	0.7
Switzerland	March	24	1.0	11.0	6.0	2.8	51.0	88.5	71.3	9.9	2.7	7.2	5.4	1.4
Thailand	March	12	26.5	31.0	29.9	1.4	70.0	87.5	75.0	4.9	2.4	5.2	4.0	0.9
Turkey	March	11	-.5	11.5	6.0	4.7	45.5	80.5	59.4	9.4	2.5	6.3	4.9	1.2
UK	March	23	5.0	12.5	8.0	1.9	44.5	92.0	73.0	14.1	2.4	7.3	5.2	1.4
USA	March	24	3.0	16.0	9.0	3.4	31.5	83.0	52.2	15.9	3.0	9.5	6.5	2.1

References:

- Accuweather, 2020. <https://www.accuweather.com/en> (accessed 26 March, 2020).
- Arab-Mazar, Z., Sah, R., Rabaan, A.A., Dhama, K., Rodríguez-Morales, A.J., 2020. Mapping the incidence of the COVID-19 hotspot in Iran–Implications for Travellers. *Travel. Med. Infect. Dis.* 101630. <https://doi.org/10.1016/j.tmaid.2020.101630>.
- Bradley, R.A., Srivastava, S.S., 1979. Correlation in polynomial regression. *Am. Stat.* 33, 11-14. <https://doi.org/10.1080/00031305.1979.10482644>.
- Chan, K.H., Peiris, J.S., Lam, S.Y., Poon, L.L., Yuen, K.Y., Seto, W.H., 2011. The effects of temperature and relative humidity on the viability of the SARS coronavirus. *Adv. Virol.* 2011, 734690. <https://doi.org/10.1155/2011/734690>.
- Chen, N., Zhou, M., Dong, X., Qu J., Gong, F., Han, Y., Qiu Y., Wang, J., Liu, Y., Wei, Y., Yu, T., 2020. Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study. *The Lancet.* 395, 507-513. [https://doi.org/10.1016/S0140-6736\(20\)30211-7](https://doi.org/10.1016/S0140-6736(20)30211-7).
- Dalziel, B.D., Kissler, S., Gog, J.R., Viboud, C., Bjørnstad, O.N., Metcalf, C.J., Grenfell, B.T., 2018. Urbanization and humidity shape the intensity of influenza epidemics in US cities. *Science.* 362, 75-9. <https://doi.org/10.1126/science.aat6030>.
- Financial Times, 2020. Containing coronavirus: lessons from Asia. <https://www.ft.com/content/e015e096-6532-11ea-a6cd-df28cc3c6a68> (Accessed 7 April, 2020).
- Gorbalenya, A.E., 2020. Severe acute respiratory syndrome-related coronavirus–The species and its viruses, a statement of the Coronavirus Study Group. *BioRxiv.* <https://doi.org/10.1101/2020.02.07.937862>.
- Hemmes, J.H., Winkler, K., Kool, S.M., 1960. Virus survival as a seasonal factor in influenza and poliomyelitis. *Nature.* 188, 430-431. <https://doi.org/10.1038/188430a0>.
- Holshue, M.L., DeBolt, C., Lindquist, S., Lofy, K.H., Wiesman, J., Bruce, H., Spitters, C., Ericson, K., Wilkerson, S., Tural, A., Diaz, G., 2020. First case of 2019 novel coronavirus in the United States. *N. Engl. J. Med.* 382, 929-936. <https://doi.org/10.1056/NEJMoa2001191>.
- Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., Zhang, L., Fan, G., Xu, J., Gu, X., Cheng, Z., 2020. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *The Lancet.* 395, 497-506. [https://doi.org/10.1016/S0140-6736\(20\)30183-5](https://doi.org/10.1016/S0140-6736(20)30183-5).
- KFF, 2020. Global Health Policy. COVID-19 Coronavirus Tracker. <https://www.kff.org/global-health-policy/fact-sheet/coronavirus-tracker/> (accessed 26 March, 2020).
- Lowen, A.C., Steel, J., Mubareka, S., Palese, P., 2008. High temperature (30 °C) blocks aerosol but not contact transmission of influenza virus. *J. Virol.* 82, 5650-5652. <https://doi.org/10.1128/JVI.00325-08>.

283 Lu, H., Stratton, C.W., Tang, Y.W., 2020. Outbreak of Pneumonia of Unknown Etiology in
284 Wuhan China: the Mystery and the Miracle. *J.Med.Virol.* 92, 401–402.
285 <https://doi.org/10.1002/jmv.25678>.

286 Matthews, D.E., 2014. Multiple linear regression. Wiley StatsRef: Statistics Reference
287 Online. <https://doi.org/10.1002/9781118445112.stat05766>.

288 Mizumoto, K., Kagaya, K., Zarebski, A., Chowell, G., 2020. Estimating the asymptomatic
289 proportion of coronavirus disease 2019 (COVID-19) cases on board the Diamond Princess
290 Cruise ship, Yokohama, Japan, 2020. *Eurosurveillance.* 25, 2000180.
291 <https://doi.org/10.2807/1560-7917.ES.2020.25.10.2000180>.

292 Pal, M., Berhanu, G., Desalegn, C., Kandi, V., 2020. Severe Acute Respiratory Syndrome
293 Coronavirus-2 (SARS-CoV-2): An Update. *Cureus.* 26, e7423.
294 <https://doi.org/10.7759/cureus.7423>.

295 Peng, X., Xu, X., Li, Y., Cheng, L., Zhou, X., Ren, B., 2020. Transmission routes of 2019-
296 nCoV and controls in dental practice. *Int. J. Oral. Sci.* 12, 1-6.
297 <https://doi.org/10.1038/s41368-020-0075-9>.

298 Rodríguez-Morales, A.J., MacGregor, K., Kanagarajah, S., Patel, D., Schlagenhauf, P., 2020.
299 Going global-Travel and the 2019 novel coronavirus. *Travel. Med. Infect. Dis.* 33,101578.
300 <https://doi.org/10.1016/j.tmaid.2020.101578>.

301 Sobsey, M.D., Meschke, J.S., 2003. Virus survival in the environment with special attention
302 to survival in sewage droplets and other environmental media of fecal or respiratory origin.
303 Report for the World Health Organization, Geneva, Switzerland.

304 The Weather Channel, 2020. Monthly Weather, <https://weather.com/> (accessed 26 March,
305 2020).

306 Timeanddate, 2020. World Temperatures — Weather around the World,
307 <https://www.timeanddate.com/weather/> (accessed 26 March, 2020).

308 To, K.K., Tsang, O.T., Chik-Yan Yip, C., Chan, K.H., Wu, T.C., Chan, J., Leung, W.S.,
309 Chik, T.S., Choi, C.Y., Kandamby, D.H., Lung, D.C., 2020. Consistent detection of 2019
310 novel coronavirus in saliva. *Clin. Infect. Dis.* <https://doi.org/10.1093/cid/ciaa149>.

311 Tosepu, R., Gunawan J., Effendy, D.S., Ahmad L.O.A.I., Lestari, H., Bahar, H., Asfian, P.,
312 2020. Correlation between weather and Covid-19 pandemic in Jakarta, Indonesia. *Sci. Total.*
313 *Environ.* <https://doi.org/10.1016/j.scitotenv.2020.138436>.

314 Van Doremalen, N., Bushmaker, T., Morris, D., Holbrook, M., Gamble, A., Williamson, B.,
315 Tamin, A., Harcourt, J., Thornburg, N., Gerber, S., Lloyd-Smith, J., 2020. Aerosol and
316 surface stability of HCoV-19 (SARS-CoV-2) compared to SARS-CoV-1.N. *Engl. J. Med.*
317 <https://doi.org/10.1056/NEJMc2004973>.

318 Wang, C., Horby, P.W., Hayden, F.G., Gao, G.F., 2020a. A novel coronavirus outbreak of
319 global health concern. *The Lancet.* 395, 470-473. [https://doi.org/10.1016/S0140-6736\(20\)30185-9](https://doi.org/10.1016/S0140-6736(20)30185-9).

Wang, D., Hu, B., Hu, C., Zhu, F., Liu, X., Zhang, J., Wang, B., Xiang, H., Cheng, Z., Xiong, Y., Zhao, Y., 2020b. Clinical characteristics of 138 hospitalized patients with 2019 novel coronavirus-infected pneumonia in Wuhan, China. JAMA. 323, 1061-1069. <https://doi.org/10.1001/jama.2020.1585>.

Wang, J., Tang, K., Feng, K., Lv, W., 2020d. High Temperature and High Humidity Reduce the Transmission of COVID-19. <http://dx.doi.org/10.2139/ssrn.3551767>.

Wang, M., Jiang, A., Gong, L., Luo, L., Guo, W., Li, C., Zheng, J., Li, C., Yang, B., Zeng, J., Chen, Y., 2020e. Temperature significantly change COVID-19 Transmission in 429 cities. MedRxiv. <https://doi.org/10.1101/2020.02.22.20025791>.

Wang, Y., Wang, Y., Chen, Y., Qin, Q., 2020c. Unique epidemiological and clinical features of the emerging 2019 novel coronavirus pneumonia (COVID-19) implicate special control measures. J.Med.Virol. 2020, 1-9. <https://doi.org/10.1002/jmv.25748>.

Wolkoff, P., 2018. Indoor air humidity, air quality, and health—An overview. Int.J.Hyg. Environ. Health. 221, 376-390. <https://doi.org/10.1016/j.ijheh.2018.01.015>.

World Health Organization (WHO), 2020a. Novel Coronavirus (2019-nCoV) situation report-79. https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200408-sitrep-79-covid-19.pdf?sfvrsn=4796b143_6 (accessed 9 April, 2020).

World Health Organization (WHO), 2020b. Coronavirus disease (COVID-2019) press briefings: WHO Emergencies Press Conference on coronavirus disease outbreak – 11 March 2020. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/media-resources/press-briefings> (accessed 7 April, 2020).

World Health Organization (WHO), 2020c. Coronavirus disease (COVID-19) Pandemic. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019> (accessed 8 April, 2020).

World Health Organization (WHO), 2020d. Report of the WHO-China Joint Mission on Coronavirus Disease 2019 (COVID-19). <https://www.who.int/docs/default-source/coronaviruse/who-china-joint-mission-on-covid-19-final-report.pdf> (accessed 7 April, 2020).

Worldometer, 2020. COVID-19 coronavirus outbreak. <https://www.worldometers.info/coronavirus/> (accessed 7 April, 2020).

Zhu, Y., and Xie, J., 2020. Association between ambient temperature and COVID-19 infection in 122 cities from China. Sci. Total. Environ. 138201. <https://doi.org/10.1016/j.scitotenv.2020.138201>.