Covid-19 Pandemic- Pits and falls of major states of India.

Abhinesh Singh*, Samriddhi S Gupte**

*Research Associate, Tata Institute of Social Sciences, Mumbai

** International Institute for Population Sciences.

abhineshsingh25@gmail.com , samriddhi.gupte2907@gmail.com

Abstract:

Covid-19, just like SARS and MERS before it, is a disease caused by corona virus and can lead to severe respiratory diseases in humans. With the outbreak of novel corona virus, WHO on 30th January 2020 declared it a Public Health Emergency and further on 11th March 2020, Covid-19 disease was declared a pandemic. India in the initial stages of the pandemic dealt with it in a very effective manner. With timely implementation of lockdown, India was able to contain the spread of Covid-19 to some extent. However with the recently announced Unlock 1.0, the SARS CoV-2 is expected to spread. This study aims to track and analyze the Covid-19 situation in major states that constitute of 70 percent of the total cases. Thus the states selected for the study are: Maharashtra, Delhi, Tamil Nadu, Gujarat, Uttar Pradesh and Rajasthan. These are the states which had more than ten thousand Covid-19 patients as/on June 10th 2020. The analysis period is from March 25th to June 10th and the data source is India's Covid-19 tracker. To assess the previous and current Covid-19 situations in these states indicators such as Active rates, Recovery rate, Case fatality rate, Test positivity rate, tests per million, cases per million, test per confirmed case has been used. The study finds that although the absolute number of active cases may be rising, however it is showing a decreasing trend with an increase in recovery rates. With increasing number of Covid-19 cases, testing also has increased however not in the similar proportion and thus by developed nation standard we are lagging. With increasing TPR and cases per million, Delhi is well on its way to surpass even Mumbai which till now has proven to be worst hit in this pandemic. An interesting finding is that of test per confirmed case which shows that every 6th person in Maharashtra and every 8th in Delhi is showing positive result of Covid-19 test. Given such an increase and unlocked India, Delhi might soon enter into the third stage of community transmission where source of 50 percent or more cases would be unknown. There has

been an increase in the Covid-19 related health infrastructure with the public-private partnership which involved both private hospitals and lab joining hands to battle Covid-19, however, affordability still remains an issue. If experts are to be believed, pandemic isn't over because we've unlocked. The worst is yet to come as Covid-19 is predicted to peak in mid-July to August in India. Thus, it'd be advisable to not venture out unnecessarily just because restrictions have been lifted. Also, following the guidelines- hand-washing, avoiding public gathering, social distancing and covering nose and mouth has now become imperative.

Introduction:

Covid-19, like its ancestors SARS and MERS is caused by a zoonotic pathogen by the name Corona Virus and can cause severe respiratory diseases in humans ^{[1][2]}. World Health Organization on January 30th 2020 declared Novel Coronavirus as Public Health Emergency of International concern and on March 11th 2020 Covid-19 disease was stated as pandemic based on its spreads severity ^[3]. A peculiar aspect of Covid-19 disease is that its transmission can be symptomatic, mild symptomatic, or even asymptomatic. A study conducted by Indian Council of Medical Research said that out of total active cases till April 30th, 28 percent were asymptomatic and it was also observed that such patients were younger and without comorbidities ^[4]. The said study also evaluated Covid-19 patients by age and stated that the attack rate per million was highest among 50-69 years old and lowest among children below 10 years old. Gender wise attack rate was higher among men compared to women ^[5]. India has 287157 confirmed Covid-19 cases out of which 48 percent patients constitute the active cases and 49 percent patients have recovered as on June 10th 2020 ^[6]. In order to check the spread of CoV-2 at an early stage, a nationwide lockdown was implemented in four phases from March 25th to May 31st 2020. Many studies asserted that without lockdown, cases would have tripled or quadrupled in comparison to today's figure ^[7]. On April 11th the Joint Secretary of Health Ministry, Lav Agarwal, presented a graph which projected CoVid cases had lockdown not been implemented and stated the scenario would have been grave as the statistic of confirmed cases and doubling rate would have sky rocketed ^[8]. Also, the World Health Organization Emergencies Programme Executive Director, Michael Ryan, on June 5th said that due to lockdown in India the doubling time for Covid-19 spread is about three weeks at present. ^[9].

On 1st June 2020, around 9 weeks after the first phase of lockdown, India announced unlock 1.0. But the question remains whether lifting the lockdown is a good idea. In accordance to the World Health Organization recommendations a nation could unlock only if and when daily positivity rates fall below 5 percent and remain so for a period of 14 days. However, India's daily positivity rates was nowhere near 5 percent and stood at 7.7 percent (on June 1st) ^[10].

With the increasing spread of corona virus infections, it becomes imperative for the testing to increase in the same or at least similar proportion. Testing per million population serves as an important indicator to compare nations in regard to handling Covid-19 disease. Enough testing ensures and gives the actual figures of Covid-19 patients. India, although, has conducted more than 5 million tests yet it is not adequate given India's population, the figure for its testing per million population remain less than many other Covid-19 affected countries ^[11]. A study while analysing the burden of pandemic in India found that Maharashtra having highest number of Covid-19 positive cases is solely responsible for more than one third of cases as on May 17th 2020 followed by Gujarat and Tamil Nadu. Also, higher test positivity rate is another issue in these states. Along with this the study also forecasted that Covid-19 designated hospitals are less in number and that soon all the ventilators will be occupied due to increasing number of patients along with other patients suffering from communicable and non-communicable disease amidst this pandemic ^[12]. This can turn out to be true in forthcoming days as peak of Covid-19 cases is expected in mid-July. Therefore, this study aims to track and analyze the Covid-19 situations of the major states which share almost 70% burden of the total cases. Thus, the states taken into consideration for the study are the states which had more than 10,000 confirmed Covid-19 patients as/on June 10th. The six major states so included are: *Maharashtra, Tamil Nadu, Delhi, Gujarat, Rajasthan, and Uttar Pradesh*.

The Covid-19 related information is taken from the Application Programming Interface (API, <http://api.Covid19india.org>). It is a data sharing portal that provides the most recently updated information on daily basis. It gives data related to total tests, confirmed cases, active cases, recovered cases, and deaths for each affected state/UT as well as for whole India. The number of Covid-19 designated public and private laboratories doing Covid-19 testing has been taken from Indian Council of Medical Research website as they publishes list of laboratories for each

states/UTs. The projected population of India and states/UT for the year 2020 have been taken from Report of the technical group on population projections, 2019 ^[13].

The analysis for the study has been done from 25th March 2020 (lockdown 1.0) all the way to 10th June 2020 i.e. ten days after unlock 1.0. For sake of convenience in analysis, this time period is further bifurcated in 10 days interval. In the study, rate of active case is defined as the total number of active cases out of total confirmed cases. Recovery rate is defined as the total number of recovered cases out of total confirmed cases. Case fatality rate is defined as the total number of deaths out of total confirmed cases. Test Positivity rate is defined as the proportion of confirmed cases per 100 people tested. Tests per million population and cases per million population are also calculated. Test per confirmed cases is defined as the number of test done per positive cases.

Findings:

Table 1 gives the Covid-19 scenario of India and states/UT selected for study since 25th March to June 10th 2020. The number of confirmed cases has increased in this duration for the India as well as states/UT with diminishing rate. The study calculated rate of active cases for the selected time period for India and states/UT and it is decreasing since outbreak of coronavirus and recovery rate is also calculated and it is increasing for India and states/UT. Study also calculated case fatality rates and it shows total number of deaths out of confirmed cases.

Figure1: Rate of active cases for India and selected states/UT.

Figure 1 shows the active cases of India and six selected states. For most of these, active cases have more or less decreased since April 20th with an exception that of Tamil Nadu. Tamil Nadu's active cases are fluctuating with a sudden increase in the duration April 30th to May 10th and peaking around 10th May. Post 30th May 2020, the active cases line of Uttar Pradesh, Tamil Nadu and Delhi have shown a slight upward trend. Across India, in the said duration, the cases are fluctuating with a small peak around 10th May and then decreasing in the latter part of the taken time period.

Figure 2: Recovery rate for India and selected states/UT.

Figure 2 shows the trend of recovery rates of India and the selected states. The graph shows that the recovery rates are steadily increasing. Tamil Nadu again stands out as the rates can be seen to fluctuate during the period 30th April to 30th May. In this time period, Tamil Nadu sees both high and low peaks in recovery rates. Post 30th May, the recovery rates can be seen to be increasing gradually for India, Maharashtra, Gujarat and Rajasthan. However, a minor decrease can be observed in the recovery rates of Uttar Pradesh, Delhi and Tamil Nadu.

Figure 3: Case fatality rate for India and selected states/UT.

Figure 3 shows the case fatality rate of India and the selected states. It is observed that Tamil Nadu, irrespective of having a higher level of active cases has maintained a very low case fatality rate throughout the duration of analysis. Rajasthan, also, in the entire duration has stayed below the national average of case fatality with Uttar Pradesh rising in the case fatality rates to touch this national average and Delhi surpassing it around 10th June. Maharashtra and Gujarat from the very beginning have been way higher than the national average case fatality rate. However, where case fatality rate of Maharashtra is seen to be decreasing gradually even if still above the national case fatality rate, Gujarat's case fatality is increasing at an alarming rate. At the end of analysis period, Gujarat's case fatality rate stands at 6.25 which is way above the national case fatality rate as on 10th June which stood at 2.82.

Table 2 gives the number of test conducted in this duration for India and states/UT and how it increased since the coronavirus reached India. Test positivity rate is calculated and shown in this table and it is defined as proportion of confirmed cases per 100 people tested. The projected population for the year 2020 has been mentioned in the table and it is taken from Report of the technical group on population projections, 2019. This study calculated Tests per million population and cases per million population both have steadily increased. Test per confirmed cases is also calculated and shown in table and it defines the number of test conducted per positive cases.

Figure 4: Test positivity rates for India and selected states/UT.

Figure 4 shows the test positivity rate means the proportion of confirmed cases per 100 people tested. India's test positivity rate has increased from 4.7 to 5.6 showing steady growth. Gujarat has shown rise in curve in initial phase till April but now is almost steady. The curve of Maharashtra and Delhi is showing upward trend, with the number of cases increasing on daily basis the test positivity rate of these states are increasing. Rajasthan and Uttar Pradesh are at lower level since beginning.

Figure 5: Testing per million population (projected 2020) for India and selected states/UT.

Figure 5 shows tests conducted per million population. As it can be seen, testing per million population has steadily increased during the analysis duration. Although, the over-all India level testing remains at a low of 3757 tests per million compared to other affected countries. Delhi can

be seen to be flaring well as far as tests are concerned. As on 10th June, Delhi's stood at 13181 tests per million population. Delhi is followed by Tamil Nadu and Rajasthan. Maharashtra although with higher number of active cases, still seems to be lagging behind in testing.

Figure 6: Cases per million population (as projected for 2020) of India and selected states/UT.

Figure 6 shows cases per million population across India. Delhi has shown continuous increase in cases per million population and has reached 1600 mark followed by Maharashtra but still a wide gap exists between these two states with Maharashtra at almost half of Delhi. States like Tamil Nadu and Gujarat were growing but now have shown a considerable rise after announcement of unlock 1.0. Apart from these states, Rajasthan and Uttar Pradesh are showing low cases per million population compared to other states since beginning.

Figure 7: Tests per confirmed cases for India and selected states/UT.

Figure 7 shows tests per confirmed cases. As the curve declines the severity of confirmed cases is increasing. As on June 10th India's curve is showing little decline as the lockdown lifted up. Severity is high in Maharashtra as every 6th person who is tested is coronavirus positive followed by Delhi as every 8th person is coronavirus positive. Whereas states which are showing better results are Uttar Pradesh where every 35th is coronavirus positive and in Rajasthan every 47th person is coronavirus positive.

Figure 8: Percentage of Covid-19 designated government and private laboratories as per ICMR on June 10th 2020, for India and selected states/UT.

Figure 8 shows the percentage of government and private laboratories doing Covid-19 tests. More the inclusion of private laboratories for Covid-19 tests shows that state is increasing its efficiency of testing. Around 28 percent of Covid-19 designated laboratories are private in India. In states like Maharashtra, Tamil Nadu, and Gujarat more than 40 percent of laboratories are private whereas in Delhi more than half of the laboratories are private. In Uttar Pradesh and Rajasthan number of private laboratories doing Covid-19 tests is around 12 percent.

Discussion and Conclusion:

Since the outbreak of novel coronavirus, Government of India took a series quick actions and as a part of it announced a nationwide lockdown on March 25th 2020. Measures like social distancing, covering face and nose, maintaining hygiene and avoiding public gathering were made compulsory. The measures were to ensure the break of human chain for transmission and thus ultimately tackle the SARS CoV-2 spread. The government has been trying to beat Covid-19 at two fronts, one, flatten the curve of coronavirus positive cases and second, to restrict the exponential growth in the number of positive cases ^[14]. However with the announcement of first unlock on June 1st 2020, the statistics are bound to change.

This study, has thus, tried to show how India's numbers have behaved since lockdown to till June 10th i.e. 10 days into the unlocked India and the strategies used by Government of India to counter Covid-19.

The Ministry of Health and Family Welfare stated on June 12th that India's doubling rate of Covid-19 cases has increased from 3.4 days when lockdown began (March 25th) to 17.4 days currently^[15]. Along with it India's active cases rate and case fatality rate are decreasing whereas recovery rate is showing an upward trend since the outbreak. At present, recovery rate is higher than active cases rate, however this is not the point to let our guards down as the peak is yet to reach of the pandemic. Also, recovery rates talks about cumulative/accumulated numbers whereas active rate give the current situation thus making them non-comparable ^[16]. Simultaneously, an analysis of the current situation in terms of new active cases and new recovered cases (in the duration of 10 days from unlock 1.0), the situation is opposite, the active cases are more than recovered cases ^[17].

This study highlighted the performance of six states but the states that stood out were Maharashtra, Tamil Nadu, and most importantly Delhi, which were well below assuring level as their active cases are not only fluctuating but also increasing as India's move to unlock 1.0. Number of new cases coming on a daily basis are alarming in these major states making them a contributor to more than 70 percent Covid-19. Test positivity rate clearly shows how the cases are accelerating with Maharashtra and Delhi as the top contributors.

However, test per million population of India and in the selected states are increasing. An increase in number of testing can trace an infected person at an earlier stage and thus inhibit its transmission at the same time since its source would be recognizable, it'll save the states from reaching stage three of CoV-2 transmission. Indian Council of Medical Research has granted private laboratories the access to conduct testing for Covid-19 and hence this has led to a better and increased capacity and efficiency of testing. With the increase in testing the cases per million population has increased and this comes out as a pressing matter of concern for India. The study has highlighted the situation of Delhi and Maharashtra that have become major hotspots as test per positive cases in Maharashtra is 6 percent and in Delhi it is 8 percent which means in Maharashtra out of every 6 person tested one is coming as coronavirus positive and in Delhi out of every 8 persons tested one is coming positive. This graph is going down steadily for all the selected states and for India as a whole meaning that the spread is once again gaining pace.

As the daily cases are increasing the government has also realized the need of more hospitals in India. Therefore, the number of Covid-19 designated hospitals have been increased by 22 percent i.e. from 2719 Covid-19 Health Centers on May 7th to 3319 Covid-19 Health Centers on June 5th [18]. With the inclusion of private labs and increasing number of health centers government is trying to counter the Covid-19 crisis with increased testing and accessibility of hospitals for infected patients, but even after this we are grappling to match pace with the increasing Covid-19 cases especially in Delhi and Maharashtra. The number of active and newly infected cases are showing a tremendous increase in these 2 states.

India has spent only 1.28 percent of GDP on its health infrastructure which is quite less when compared to other developed nation where pandemic is at peak. As per Global health expert's prediction India lags in health infrastructure and capability to deal with this pandemic [19]. Though India has performed well in wake of the SARS CoV pandemic, it can be credited to timely

lockdown thereby actively inhibiting its transmission yet it struggled to flatten the curve of infected patients.

However lockdown has delayed the peak of coronavirus in Indian subcontinent giving it time to strengthen its health infrastructure and thus be better equipped to fight the upcoming challenge. Government of India is trying to tackle the pandemic with joining hands and involving both public as well as private laboratories and hospitals to share the burden. However, to ensure the affordability along with accessibility government needs to have an upper ceiling of the charges that people would have to pay in order to get treated.

Thus it can be said that India fared well at the beginning with timely lockdown and series of quick actions but this was at cost of economy. With new regime of unlock 1.0, India is reluctant to ignore economy anymore and thus India's initial success of containing the spread of Cov-2 seems to be faltering. India is trying to counter the pandemic with public-private partnership as well as an increase in efficiency and accessibility of testing and health care facility but the affordability still remains an aspect that can be worked upon. Where on one hand, India is grappling to take control of the situation with increase in daily positivity rates and tests per positive cases, on the other hand, if experts are to be believed, we are yet to see the worst of it in around mid-July to August when Cov-2 would reach its actual peak. Hence, it goes without saying that it isn't the end of pandemic and even though lockdown has been lifted, it'd be advisable to not venture out unnecessarily and maintain social distancing, avoiding public places and covering mouth and nose along with the recommended hygiene practices.

References:

1. World Health Organization (2020). Coronavirus disease. Accessed from https://www.who.int/health-topics/coronavirus#tab=tab_1
2. Wit, E. D. *et al.*, (2016). “SARS and MERS: recent insights into emerging coronaviruses”. Accessed from <https://www.nature.com/articles/nrmicro.2016.81.pdf>
3. World Health Organization (2020). Event as they happen (Coronavirus disease 2019). Accessed from <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/events-as-they-happen>
4. Ghosh, A. (2020). Asymptomatic transmission of Covid-19: Why it matters, where evidence stands. Accessed from <https://indianexpress.com/article/explained/asymptomatic-cases-covid-19-coronavirus-6454677/>
5. Press Trust of India (2020). Coronavirus | 28% of 40,814 COVID-19 cases in India till April 30 asymptomatic, says study. Accessed from <https://www.thehindu.com/sci-tech/health/coronavirus-28-of-40184-covid-19-cases-in-india-till-april-30-asymptomatic-study/article31711110.ece>
6. Covid19India.org (2020). India Covid-19 Tracker 2020. Accessed from <https://www.covid19india.org/>
7. Dwivedi, L. K. *et al.*, (2020). Assessing the Impact of Complete Lockdown on COVID-19 Infections in India and its Burden on Public Health Facilities. Accessed from https://www.iipsindia.ac.in/sites/default/files/iips_covid19_aicl.pdf
8. S, Rukmini (2020). Covid-19 lockdown, successful or not? There are 5 ways to answer this question. Accessed from <https://theprint.in/opinion/covid-19-lockdown-successful-or-not-there-are-5-ways-to-answer-this-question/415049/>
9. Press Trust of India (2020). Unlock 1.0 | Covid-19 not ‘exploded’ in India but risk remains as country eases lockdown: WHO expert. Accessed from <https://www.hindustantimes.com/more-lifestyle/covid-19-not-exploded-in-india-but-risk-remains-who-expert/story-zb1YSTpwsQqdWIdz06qpjI.html>
10. Dutta, P. K. (2020). Covid-19: Another reason why unlock 1.0 may be ill-timed in India. Accessed from <https://www.indiatoday.in/news-analysis/story/covid-19-unlock-1-0-india-lockdown-coronavirus-cases-1687162-2020-06-09>

11. Alexander, S., Devulapalli, S. (2020). Everything you wanted to know about India's test numbers, in five charts. Accessed from <https://www.livemint.com/news/india/everything-you-wanted-to-know-about-india-s-test-numbers-in-five-charts-11588956200820.html>
12. Sahoo, H., *et al.* (2020). Burden of COVID-19 pandemic in India: Perspectives from Health Infrastructure. Accessed from <https://www.medrxiv.org/content/10.1101/2020.05.26.20113456v1>
13. Registrar General of India. (2019). Population Projection for India and States 2011-2036, New Delhi. Accessed from https://nhm.gov.in/New_Updates_2018/Report_Population_Projection_2019.pdf
14. Gupta, R., *et al.* (2020). A Comprehensive Analysis of COVID-19 Outbreak situation in India. Accessed from <https://www.medrxiv.org/content/10.1101/2020.04.08.20058347v2>
15. Press Trust of India (2020). Doubling time of coronavirus cases in India improves to 17.4 days: Health Ministry. Accessed from <https://health.economictimes.indiatimes.com/news/industry/doubling-time-of-coronavirus-cases-in-india-improves-to-17-4-days-health-ministry/76349237>
16. Sinha, A. (2020). India coronavirus number explained: More recoveries than active cases, but how relevant is that. Accessed from <https://indianexpress.com/article/explained/india-coronavirus-recoveries-active-cases-lockdown-6453644/>
17. Worldometer. (June 10, 2020). COVID-19 CORONAVIRUS PANDEMIC (India). Accessed from <https://www.worldometers.info/coronavirus/country/india/>
18. Dutta, S. S. (2020). 600 more hospitals in India designated as Covid-19 treatment centres within four weeks. Accessed from <https://www.newindianexpress.com/nation/2020/jun/05/600-more-hospitals-in-india-designated-as-covid-19-treatment-centres-within-four-weeks-2152691.html>
19. Changoiwala, P. (2020). Covid-19 Threatens to Overwhelm India's Health Care System. Accessed from <https://undark.org/2020/04/14/covid-19-india/>

Table 1: Confirmed cases, Active cases, Recovered cases, Deceased cases, and their respective rates for India and selected states for selected time period.

Country/States/UT	Date	Total confirmed cases	Active cases	Active cases rate	Recovered cases	Recovery rate	Deceased	Case fatality rate
India	25 th March	657	650	98.9	3	0.5	1	0.15
	10 th April	7599	6561	86.3	786	10.3	249	3.28
	20 th April	18544	14675	79.1	3273	17.6	593	3.20
	30 th April	34867	24650	70.7	9059	26.0	1154	3.31
	10 th May	67177	49389	73.5	20970	31.2	2214	3.30
	20 th May	112201	63336	56.4	45422	40.5	3436	3.06
	30 th May	181859	89729	49.3	86934	47.8	5185	2.85
	10 th June	287157	138106	48.1	140928	49.1	8108	2.82
Maharashtra	25 th March	122	122	100.0	0	0.00	0	0.00
	10 th April	1574	1276	81.1	188	11.94	110	6.99
	20 th April	4666	3862	82.8	575	12.32	232	4.97
	30 th April	10498	8266	78.7	1773	16.89	459	4.37
	10 th May	22171	17140	77.3	4199	18.94	832	3.75
	20 th May	39297	27589	70.2	10318	26.26	1390	3.54
	30 th May	65168	34890	53.5	28081	43.09	2197	3.37
	10 th June	94041	46087	49.0	44516	47.34	3438	3.66
Tamil Nadu	25 th March	26	26	100.0	0	0.00	0	0.00
	10 th April	911	858	94.2	44	4.83	9	0.99
	20 th April	1520	1046	68.8	457	30.07	17	1.12
	30 th April	2323	1038	44.7	1258	54.15	27	1.16
	10 th May	7204	5198	72.2	1959	27.19	47	0.65
	20 th May	13191	7221	54.7	5882	44.59	88	0.67
	30 th May	21184	9021	42.6	12000	56.65	163	0.77
	10 th June	36841	17182	46.6	19333	52.48	326	0.88
Delhi	25 th March	35	35	100.0	0	0.00	0	0.00
	10 th April	903	862	95.5	27	2.99	14	1.55
	20 th April	2081	1603	77.0	431	20.71	47	2.26

	30 th April	3515	2362	67.2	1094	31.12	59	1.68
	10 th May	6923	4781	69.1	2069	29.89	73	1.05
	20 th May	11088	5720	51.6	5192	46.83	176	1.59
	30 th May	18549	10058	54.2	8075	43.53	416	2.24
	10 th June	32810	19581	59.7	12245	37.32	984	3.00
Gujarat	25 th March	38	38	100.0	0	0.00	0	0.00
	10 th April	378	326	86.2	33	8.73	19	5.03
	20 th April	1939	1737	89.6	131	6.76	71	3.66
	30 th April	4395	3568	81.2	613	13.95	214	4.87
	10 th May	8195	5157	62.9	2545	31.06	493	6.02
	20 th May	12539	6571	52.4	5219	41.62	749	5.97
	30 th May	16356	6119	37.4	9230	56.43	1007	6.16
	10 th June	21554	5464	25.4	14743	68.40	1347	6.25
Rajasthan	25 th March	38	38	100.0	0	0.00	0	0.00
	10 th April	561	498	88.8	60	10.70	3	0.53
	20 th April	1576	1346	85.4	205	13.01	25	1.59
	30 th April	2584	1633	63.2	893	34.56	58	2.24
	10 th May	3814	1465	38.4	2241	58.76	108	2.83
	20 th May	6015	2464	41.0	3404	56.59	147	2.44
	30 th May	8617	2685	31.2	5739	66.60	193	2.24
	10 th June	11600	2772	23.9	8569	73.87	259	2.23
Uttar Pradesh	25 th March	38	38	100.0	0	0.00	0	0.00
	10 th April	433	397	91.7	32	7.39	4	0.92
	20 th April	1184	1026	86.7	140	11.82	18	1.52
	30 th April	2211	1620	73.3	551	24.92	40	1.81
	10 th May	3467	1735	50.0	1653	47.68	79	2.28
	20 th May	5175	1982	38.3	3066	59.25	127	2.45
	30 th May	7701	2837	36.8	4651	60.39	213	2.77
	10 th June	11610	4318	37.2	6971	60.04	321	2.76

© Source: Covid19india.org

Table 2: Total test conducted, Confirmed cases, Test positivity rate, Test per million population, Cases per million population, Test per confirmed cases, and Projected Population (2020) for India and selected states/UT for selected time period.

Country/States/UT	Date	Total test conducted	Total confirmed cases	Test Positivity rate	Test per million population	Cases per million population	Test per confirmed cases	Projected Population (2020)
India	10 th April	161330	7599	4.7	120	6	21.2	1347121000
	20 th April	432104	18544	4.3	321	14	23.3	
	30 th April	830201	34867	4.2	616	26	23.8	
	10 th May	1609037	67177	4.2	1194	50	24.0	
	20 th May	2512388	112201	4.5	1865	83	22.4	
	30 th May	3611599	181859	5.0	2681	135	19.9	
	10 th June	5061332	287157	5.7	3757	213	17.6	
Maharashtra	10 th April	30000	1574	5.2	243	13	19.1	123295000
	20 th April	71321	4666	6.5	578	38	15.3	
	30 th April	135694	10498	7.7	1101	85	12.9	
	10 th May	225524	22171	9.8	1829	180	10.2	
	20 th May	307535	39297	12.8	2494	319	7.8	
	30 th May	448661	65168	14.5	3639	529	6.9	
	10 th June	595282	94041	15.8	4828	763	6.3	
Tamil Nadu	10 th April	8410	911	10.8	111	12	9.2	76049000
	20 th April	46985	1520	3.2	618	20	30.9	
	30 th April	119748	2323	1.9	1575	31	51.5	
	10 th May	243037	7204	3.0	3196	95	33.7	
	20 th May	360068	13191	3.7	4735	173	27.3	
	30 th May	479155	21184	4.4	6301	279	22.6	
	10 th June	638846	36841	5.8	8400	484	17.3	
Delhi	10 th April	11061	903	8.2	548	45	12.2	20193000
	20 th April	25900	2081	8.0	1283	103	12.4	
	30 th April	47225	3515	7.4	2339	174	13.4	

	10 th May	93810	6923	7.4	4646	343	13.6	
	20 th May	150282	11088	7.4	7442	549	13.6	
	30 th May	206739	18549	9.0	10238	919	11.1	
	10 th June	266156	32810	12.3	13181	1625	8.1	
Gujarat	10 th April	7718	378	4.9	112	5	20.4	68862000
	20 th April	33316	1939	5.8	484	28	17.2	
	30 th April	64007	4395	6.9	929	64	14.6	
	10 th May	113493	8195	7.2	1648	119	13.8	
	20 th May	160772	12539	7.8	2335	182	12.8	
	30 th May	205780	16356	7.9	2988	238	12.6	
	10 th June	266404	21554	8.1	3869	313	12.4	
Rajasthan	10 th April	22349	561	2.5	286	7	39.8	78273000
	20 th April	57290	1576	2.8	732	20	36.4	
	30 th April	103704	2584	2.5	1325	33	40.1	
	10 th May	166424	3814	2.3	2126	49	43.6	
	20 th May	265555	6015	2.3	3393	77	44.1	
	30 th May	395490	8617	2.2	5053	110	45.9	
	10 th June	543312	11600	2.1	6941	148	46.8	
Uttar Pradesh	10 th April	9332	433	4.6	41	2	21.6	227943000
	20 th April	34326	1184	3.4	151	5	29.0	
	30 th April	78013	2211	2.8	342	10	35.3	
	10 th May	129955	3467	2.7	570	15	37.5	
	20 th May	191164	5175	2.7	839	23	36.9	
	30 th May	279288	7701	2.8	1225	34	36.3	
	10 th June	404637	11610	2.9	1775	51	34.9	

© Source: Covid19india.org

Table 3: List of Covid-19 designated government and private laboratories provided by ICMR on June 10th 2020 for India and selected states/UT.

States/UTs	Total Operational Laboratories	Government Laboratories	Private Laboratories
Maharashtra	95	53	42
Tamil Nadu	77	44	33
Delhi	40	17	23
Gujarat	41	23	18
Rajasthan	24	21	3
Uttar Pradesh	75	66	9
India	837	602	235

© Source: Covid19india.org