The effect of reopening policy on COVID-19 related cases and deaths

Qiyao Zhou¹

Department of Economics, University of Maryland

Abstract: By May 29, 2020, all 50 states in the United States had reopened their economies to some extent after the coronavirus lockdown. Although there are many debates about whether states reopened their economies too early, no study has examined this effect quantitatively. This paper takes advantage of the daily cases, deaths, and test data at the state level, and uses the synthetic control method to address this question. I find that reopening the economy caused an additional 2000 deaths in the 6 states (Alabama, Colorado, Georgia, Mississippi, Tennessee, and Texas) that reopened before May 1st by three weeks after reopening. It also increased daily confirmed cases by 40%, 52%, and 53% after the first, second, and third week of reopening, respectively. Moreover, contrary to scientists' prescription that expanding tests is a necessary condition for reopening, these states witnessed a decline in daily tests by 17%, 47%, and 31% after the first, second, and third week of reopening, respectively.

Keywords: COVID-19, reopen, synthetic control

1. Introduction

If states reopen prematurely and don't have the capability to handle new cases, "the consequences could be really serious" and more outbreaks can occur.

-Anthony Fauci, May 12 2020

The outbreak of coronavirus in 2020 has become one of the most serious challenges to public health not only in the United States but also throughout the world. In response to the rapid spread of the coronavirus, 43 states and Washington DC issued the stay-at-home orders and shut down their economies. On one hand, the stay-at-home order is believed to increase the fraction of people who stay at home all day (Guo, 2020), reduce COVID-19 cases and save lives (Fowler et al., 2020; Friedson et al., 2020; Lyu and Wehby, 2020). On the other hand, the economic cost of stay-at-home order was large, and increased unemployment significantly. On April 24th, Alaska was the first to reopen its economy, followed by Colorado (reopened on April 26th), Montana (reopened on April 26th), and Mississippi (April 27th), etc.

There are fierce policy debates about whether some states in the United States reopened their economies too fast. Stock (2020) asked the following questions: *"What are the consequences of reopening now, as opposed to (say) waiting until deaths decline further? Among NPIs that have similar effects on the paths of infections and deaths, are some more economically desirable than others? How can one most effectively reopen the economy while achieving some public health objective, whether flattening the curve or sharply reducing infections and deaths?"*

Thus far, the answers to these questions are limited. Alvarez et al. (2020) constructed a planner's dynamic planning problem, and found that the optimal policy prescribes a lockdown for around two weeks, followed by a gradual loosening of restrictions in the following four months. Rampini (2020) calibrated an SIR model with heterogeneous population and suggested a sequential approach to reopening the economy. One consensus that current research has reached is that sufficient testing is a necessary condition to reopen the economy (Taipale et al., 2020; Alvarez et al., 2020; Berger et al., 2020).

The goal of this study is to quantify the effect of reopening the economy on daily confirmed cases and deaths. I use the synthetic control method (Abadie and Gardeazabal, 2003; Abadie et al., 2010) to estimate the effect of this policy in the states that were the first to open. The main advantage of this approach is that it requires fewer observations and imposes fewer functional form restrictions to construct a robust estimator compared with the difference-in-difference method.

Using the state-level daily confirmed COVID-19 cases, COVID-related deaths data, and test data from March 1st to May 24th, I comprehensively analyze the effect of reopening policy. George Floyd's death on May 25th sparked nationwide protests in

subsequent weeks. These widespread protests may be linked to the spread of the coronavirus and may bias the analysis of policies to reopen the economy if I include the data after May 25th.

My preferred results suggest that reopening policies causes an additional 2000 deaths in the 6 states that reopened before May 1st by three weeks after reopening. Reopening also significantly increased the daily confirmed cases in these 6 states by more than 1000. However, the increase in the cases was not due to the increase in tests conducted. On the contrary, the number of tests conducted in these states significantly decreased. All these results suggest that reopening the states too early incurred substantial public health costs.

The COVID-19 outbreak has been accompanied by a cascade of academic research. Many papers discuss the effect of social distancing on flattening the curve (Kapoor et al., 2020; Mangrum and Niekamp, 2020). However, there is little evidence on the impact of reopening the economy. My study mainly focuses on the costs of reopening the economy. The results of my paper shed light on its potential consequences, and lays the foundations to answering questions asked by Stock (2020): when and how to reopen the economy?

Section 2 introduces the data and empirical methods I use to study the impact of reopening the state on confirmed cases, deaths, and tests. Section 3 discusses the results. A conclusion is drawn in section 4.

2. Methods

2.1 Data

State-level data on coronavirus daily confirmed cases, deaths comes from Killeen et al. (2020)'s JHU dataset. The coronavirus test data come from the New York Times dataset and is aggregated by the "*covidtracking website*"². The CDC in some states conflated viral and antibody tests at the beginning of the coronavirus outbreak, and reported both. Then they adjusted this data and reported the viral test results only. Therefore, the number of tests in some states might become negative at the date when they adjusted the test data. It is worthwhile to note that the test data are more volatile and of lower quality compared with confirmed cases and deaths data. I collect the state-level confirmed COVID-19 cases, COVID-19 related deaths, and number of tests data from March 1st to May 24th on a daily basis.

The date the state reopened the economy comes from the New York Times dataset, and the Kaiser Family Foundation³. The treatment group includes the states that

² <https://covidtracking.com/api>

³ <https://www.kff.org/coronavirus-policy-watch/lifting-social-distancing-measures-in-america-state-actions-metrics/>

reopened the economy before May 1st, the remaining states are assigned to the control group. I also restrict our control group to the states that reopened after May 10th in Appendix 2, and the results are still robust. Table 1 lists the states that reopened before May 10th.

Table 1. The reopening date of states

State	reopening date	state	reopening date
Alaska	2020/4/24	Missouri	2020/5/3
Colorado	2020/4/26	Kansas	2020/5/3
Montana	2020/4/26	Indiana	2020/5/4
Mississippi	2020/4/27	South Carolina	2020/5/4
Texas	2020/4/30	Florida	2020/5/4
Georgia	2020/4/30	North Carolina	2020/5/8
Tennessee	2020/4/30	Pennsylvania	2020/5/8
Idaho	2020/4/30	Rhode Island	2020/5/8
Alabama	2020/4/30		

Source: New York Times dataset and Kaiser Family Foundation.

2.2 Estimation

I use the synthetic control method introduced by Abadie and Gardeazabal (2003), and Abadie et al. (2011) to estimate the effect of reopening the economy on the daily confirmed cases and daily COVID-19 related deaths in the nine states that reopened before May 1st. The synthetic control method allows more flexible functional forms and imposes fewer restrictions on the observations.

The estimation procedure can be summarized as follows:

In the first step, I choose the optimal weight W^* to minimize:

$$\sum_{m=1}^k (X_{im} - X_{0m}W)^2 \quad (1)$$

where X_{im} is the value of the m^{th} variable for the 9 treated states. X_{0m} is a $1 \times n$ vector containing the values of the m^{th} variable for the units in our donor pool, which includes $n=42$ states (and the District of Columbia) that reopened or planned to reopen after May 1st. As noted above, I also consider as an alternate control group the states that reopened or planned to reopen after May 10th, and the results remain robust.

In the second step, the effect of reopening the economy can be estimated as:

$$\theta_i = \bar{Y}_i - w_j \bar{Y}_j \quad (2)$$

where Y_i and Y_j are the outcome variables (i.e., daily confirmed cases, deaths, and the number of tests).

In step 2, I use the bootstrapping method to conduct hypothesis testing. The estimated effect $\tilde{\theta}_t$ is denoted by:

$$\tilde{\theta}_t = \frac{\sum_{b=1}^B \theta_{ib}}{B} \quad (3)$$

The estimated variance is:

$$\text{Var}(\tilde{\theta}_t) = \frac{1}{B-1} \sum_{b=1}^B (\tilde{\theta}_t - \theta_{ib})^2 \quad (4)$$

where B denotes the total bootstrapping times. B=50 in this study. θ_{ib} denotes the synthetic control estimator for state i at time b.

The observables I choose to match across the treatment and control pools include the outcome variables (i.e., daily confirmed cases, deaths, and number of tests), and a set of controls that includes population density and hospital beds per capita. I report the results that use only the outcomes variables as the matching criterion. The results remain unchanged if I add a set of controls.

With regard to the time window, I largely follow (Friedson et al., 2020). My primary strategy is to generate a synthetic control that closely approximates coronavirus cases (and deaths, and tests) in the treated states in each of seven pre-treatment days. When I extend the pre-treatment days to 14 in Appendix 3, the results remain quite robust.

One drawback of the synthetic control method is that the variable of interest (i.e., daily confirmed cases, deaths, and number of tests) in the treated states should be written as a convex combination of the same variables in the donor pool. Therefore, it is hard to find an ideal synthetic state for some states with the highest daily confirmed cases or deaths, and for some states with the lowest daily confirmed cases and deaths (e.g., Alaska, Montana, and Idaho). I delete Alaska, Montana, and Idaho from the treated pool, and analyze the effect of reopening the economy in the 6 remaining states (Alabama, Colorado, Georgia, Mississippi, Tennessee, and Texas) that reopened before May 1st.

3. Results

In this section, I present the synthetic control results using the daily confirmed cases, COVID-19 related deaths, and number of tests conducted as the variable of interest. In Appendix 1, I present parallel results that uses the same variable of interest but on a per million population basis. It is quite similar to our main results.

3.1 Reopening the economy and daily confirmed cases

Figure 1 compares daily confirmed cases for each of the 6 states that reopened before May 1st and their synthetic control states. I assign weights to synthetic control

states based on the daily confirmed cases on each of 7 pre-treatment dates. The y-axis is the daily confirmed case in thousands, and the x-axis is the date. The dashed line in the middle represents the effective date when the state reopened the economy.

Trends in daily confirmed cases for the treated states before they reopened the economy do not show a clear declining pattern. The results in Figure 1 suggest that the synthetic control states match quite well most of the treated state during the pre-treatment periods (although Texas is not matched very well). However, after the treated states reopened the economy, two lines diverge markedly, with the daily confirmed cases in treated states that reopened the economy before May 1st increasing much faster than the synthetic control states.

Figure 1. Synthetic control results for daily confirmed cases

I then check the timing effect of the reopening policy and conduct the statistical inference using bootstrapping methods. The results are reported in Table 2. Note that in Table 2. Week 0 refers to the week before the reopening policy. Weeks 1, 2, and 3 refer to the weeks after the reopening policy, respectively. The column treated-synthetic refers to the difference in terms of the daily confirmed case between the treated state and the synthetic state. The coefficients reported in Table 2 could be interpreted as the difference in terms of the number of daily COVID-19 confirmed cases between the treated states and the synthetic control states at week i . For instance, 74.3 at column 3 row 3 means that on average Colorado has 74.3 more COVID-19 confirmed cases on a daily basis compared with the synthetic control states for Colorado.

The results in Table 2 support the patterns reported in Figure 1. I find that there doesn't exist a significant difference in daily confirmed cases between treated and synthetic control states before the date when the treated states reopened the economy. However, this difference becomes large and significant after the reopening policy. And the gap reaches its peak 2 weeks after reopening, then remains relatively constant in the 3rd week. Using the average daily confirmed cases during the pre-treatment week as the benchmark, I find that the daily confirmed cases increase by 40% in the first week after reopening the economy, and this number increases to 52% and 53% in the second and the third weeks after the policy, respectively. The analysis suggests that if the goal of the policy-maker is to reduce the transmission of the coronavirus, then it may have not been successful for these 6 states.

Table 2. Estimated effect of reopening on daily confirmed cases

week	state	treated-synthetic	std	week	state	treated-synthetic	std
0	Colorado	-2.6	1.62	0	Mississippi	0.4	1.82
1	Colorado	74.3	48.72	1	Mississippi	30.4*	15.98
2	Colorado	175.4**	74.14	2	Mississippi	102.6***	19.93
3	Colorado	122.3*	64.64	3	Mississippi	98.8***	15.61
0	Texas	-1.8	2.12	0	Georgia	-0.3	2.14
1	Texas	489.3***	65.77	1	Georgia	273.4***	26.18
2	Texas	754.7***	72.79	2	Georgia	175.5***	28.30
3	Texas	807.8***	72.30	3	Georgia	217.7***	29.44
0	Tennessee	-1.4	2.60	0	Alabama	-1.0	2.23
1	Tennessee	149.6***	8.20	1	Alabama	67.9***	3.69
2	Tennessee	58.9***	8.65	2	Alabama	125.7***	4.08
3	Tennessee	25.1***	8.91	3	Alabama	172.1***	4.17

Note: *** p<0.01, ** p<0.05, * p<0.1. Standard errors are estimated by bootstrapping 50 times.

3.2 Reopening the economy and deaths

I then change the variable of interest to daily COVID-19 related deaths and conduct a similar analysis as in section 3.1. Figure 2 reports the synthetic control results for daily deaths. The y-axis in Figure 2 represents daily deaths, and the x-axis denotes the date. I assign weights to synthetic control states based on the daily deaths on each 7 pre-treatment dates.

I find that the daily COVID-19 related deaths are more volatile and harder to predict than the daily confirmed cases, especially for Georgia and Colorado. Nonetheless, I still find that daily deaths between the treated states and the synthetic states start to diverge after the treated states reopened the economy. The results in Figure 2 suggest that reopening the state too early greatly increases the deaths.

Figure 2. Synthetic control results for daily deaths

I check the timing effect of the reopening policy and conduct statistical inference using the bootstrapping method. The results are reported in Table 3. The notation in Table 3 remains exactly the same as in Table 2, with week 0 denoting the pre-treatment periods, and week 1, 2 and 3 denoting the first, second and the third week after reopening the economy. The coefficients reported in Table 3 can be interpreted as the difference in the number of daily COVID-19 related deaths between the treated states and the synthetic control states at week i . For instance, 2.6 in column 3 row 3 means that on average Colorado has 2.6 more COVID-19 related deaths on a daily basis compared with its synthetic controls.

Table 3. Estimated effect of reopening on daily deaths

week	state	treated-synthetic	std	week	state	treated-synthetic	std
0	Colorado	-0.0	0.12	0	Mississippi	0.0	0.11
1	Colorado	-2.6***	0.43	1	Mississippi	2.1***	0.19
2	Colorado	-4.46***	0.67	2	Mississippi	10.2***	0.21
3	Colorado	18.2***	0.17	3	Mississippi	6.4***	0.21
0	Texas	0.12	0.15	0	Georgia	0.10	0.17
1	Texas	5.2**	0.28	1	Georgia	0.24	0.41
2	Texas	13.6**	0.51	2	Georgia	2.1***	0.46
3	Texas	18.0**	0.47	3	Georgia	4.2***	0.44
0	Tennessee	-0.1**	0.05	0	Alabama	-0.04	0.10
1	Tennessee	2.05***	0.05	1	Alabama	3.2***	0.10
2	Tennessee	1.59***	0.05	2	Alabama	8.2***	0.12
3	Tennessee	2.09***	0.07	3	Alabama	3.6***	0.11

Note: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$. Standard errors are estimated by bootstrapping 50 times.

The results in Table 3 support the patterns reported in Figure 2. The results suggest that the difference in daily deaths between treated and synthetic control states is negligible during the pre-treatment period. Then daily deaths in treated states increase by around 9% compared with the synthetic control states in the first week after reopening the economy. This number increases to 25%, and 38% in the second and the third week after reopening the economy, respectively. I find that there is a one to two week lag in the increase in deaths compared with the increase in daily confirmed cases. This result is consistent with Wang et al., (2020) and Wang et al., (2020) who argue that the median time from symptom onset to death is around 2 weeks. Converting the percentage to numbers, the above results suggest that reopening the economy early causes an additional of 2000 deaths in these 6 states within 3 weeks after the policy.

3.3 Reopening the economy and the number of tests

One consensus that scientists have reached is that expanding testing capacity is a necessary condition for reopening the economy. Testing aggressively could discover new cases at the early stage, and permit efficient contact tracing. Taipale et al. (2020) propose testing every individual repeatedly, and then isolating the infected individuals. Peto et al. (2020) argued that aggressively testing is the lockdown exit strategy for the UK. They estimated that for a local population of 200,000 people, with 90% compliance, this will require 26,000 tests per day.

In this section, I check whether states expanded their test capacity after they reopened the economy. If the daily tests performed significantly expanded in these states, the increase of daily confirmed cases does not necessarily imply that the incidence of the coronavirus per million people increased.

Figure 3 reports the synthetic control results for the number of tests performed⁴, with the same notation as in Figure 1 and 2. I assign weights to synthetic control states based on the number of daily tests on each of 7 pre-treatment dates. Note that because of the adjustment of the conflating of the viral and antibody test data in Mississippi, the number of tests performed on May 23 becomes negative. Although the test data is more volatile and of lower quality compared with confirmed cases and deaths data, it could still provide some suggestive evidence as to how tests were conducted after the reopening of the economy in these states.

The results in Figure 3 suggest that except for Georgia, the number of tests performed in the treated states after they reopened the economy decreased compared with their control counterparts.

⁴ Colorado, Delaware, Georgia, Maine, Mississippi, Missouri, New Hampshire, Pennsylvania, Texas, Vermont and Virginia mix the viral test and antibody test data.

Figure 3. Synthetic control results for daily tests

I conduct hypothesis testing and check the timing effect of reopening the economy on the number of tests. The results are reported in Table 4, using the same notation as in Table 2 and Table 3. The coefficients in Table 4 can be interpreted as the difference in terms of the number of tests performed on a daily basis between the treated states and the synthetic control states at week i . For instance, -1603.4 at column 3 row 3 means that on average Colorado conducted 1603.4 fewer tests on a daily basis compared with the synthetic control states for Colorado.

Table 4. Estimated effect of reopening on daily tests

week	state	treated-synthetic	std	week	state	treated-synthetic	std
0	Colorado	4.8	12.7	0	Mississippi	0.7	10.3
1	Colorado	-1603.4***	402.5	1	Mississippi	-820.8***	130.9
2	Colorado	-2542.7***	479.4	2	Mississippi	-2957.9***	449.7
3	Colorado	-2960.8***	513.6	3	Mississippi	118.4	112.8
0	Texas	-3.6	7.3	0	Georgia	-6.7	12.4
1	Texas	-3056.5***	820.9	1	Georgia	16.5	80.2
2	Texas	-9175.1***	1882.1	2	Georgia	-579.2***	202.6
3	Texas	-8364.1***	1559.1	3	Georgia	5420.4***	751.7
0	Tennessee	-3.8	15.3	0	Alabama	0.5	14.5
1	Tennessee	723.5***	103.7	1	Alabama	-566.3***	94.8
2	Tennessee	646.6***	99.4	2	Alabama	-1708.8***	268.3
3	Tennessee	-1806.4***	271.2	3	Alabama	-2660.4***	414.3

Note: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$. Standard errors are estimated by bootstrapping 50 times.

The results in Table 4 support the pattern in Figure 3. The difference in the number of tests performed on a daily basis is negligible between the treated and synthetic control states during the pre-treatment period (week 0). However, except for Georgia, the number of tests performed in the treated states significantly decreases after the reopening of the economy. Using the number of tests performed in treated states at week 0 (pre-treatment week) as a benchmark,⁵ the number of tests performed in the treated states decreases by around 17% in the first week after they reopened. This number becomes 47%, and 31% in the second and the third weeks, respectively.

The analysis underscores two points. First, the increase in the number of daily confirmed cases in the states that reopened before May 1st doesn't come from the expansion of the tests. On the contrary, the test number shrinks after reopening the economy. Second, these six states are not well-prepared for reopening. Lacking tests and reopening the economy too early is accompanied by significant public health costs.

Appendix 1 contains parallel results on a per million people basis. I find that reopening the states too early for the six states increased their daily confirmed cases on a per million basis by 155, 200, and 207 after the first, second, and third week of reopening, respectively, with Texas witnessing the highest increase. It increased the daily deaths on a per million basis by 1.5, 4.4, and 7.6 after the first, second, and third week of reopening, respectively, with Texas, Alabama, and Mississippi witnessing the highest increase. It decreased the tests on a per million basis by 978, 2611, and 1731 after the first, second, and third week of reopening, respectively.

4. Conclusions

By May 29, 2020, all 50 states in the United States had reopened their economies to some extent after the coronavirus lockdown. There have been many policy debates about when a state should reopen its economy. On one hand, reopening the economy reduces unemployment. On the other hand, reopening the economy prematurely may increase the spread of the coronavirus. There have been few rigorous, quantitative studies of this topic.

This study uses the synthetic control method to rigorously study the short-term effect of reopening the economy on the daily confirmed COVID-19 cases, daily deaths, and daily tests in 6 states (Alabama, Colorado, Georgia, Mississippi, Tennessee, and Texas) that reopened before May 1st. I find that all these states experienced a sharp increase in both confirmed COVID-19 cases, and COVID-19 related deaths. Except for Georgia, the other 5 states saw a decline in the number of tests performed after they reopened the economy. The magnitude of the increase in confirmed cases and deaths is substantial. It resulted in an additional 2000 deaths in the 6 states compared with their control counterparts. It also increased daily confirmed cases by 40%, 52%, and 53% after the first, second, and third weeks of reopening, respectively. However, the increase

⁵ The average number of daily tests performed at week 0 is 5,684.

of confirmed COVID-19 cases and deaths was not due to the expansion of tests. On the contrary, the number of tests performed on a daily basis decreased by 17%, 47%, and 31% after the first, second, and third weeks of reopening, respectively. The findings are robust to the pre-treatment time windows and the choice of observables with which the donor states are weighted.

My study provides some evidence that 6 states reopened prematurely: reopening increased both deaths and transmission of the virus. There are, however, additional questions that future research must address. First, my work estimates the public health costs associated with reopening the economy. Future work needs to focus on the economic benefits of reopening. Second, it is critical to study what is the most efficient way to reopen the economy from a public health perspective. If expanding tests are the best answer to this question, then how many tests are needed to monitor the transmission of COVID-19 after reopening the economy? Third, this study focuses on the short-term effects of early reopening of the economy early: What are the long-term effects?

Acknowledgements:

I am indebted to Maureen Cropper for her constructive suggestions and encouragement during this project. I thank Ziyang Chen, and Jiangnan Zeng for valuable comments.

Appendix 1.

In this Appendix I change the variables of interest from daily COVID-19 confirmed cases, daily COVID-19 related deaths, and daily tests performed to daily COVID-19 confirmed cases per million population, daily COVID-19 related deaths per million population, and daily tests performed per million population, respectively. The results are reported in Tables A1-A3, using the same notation as in Tables 2-4.

The results in Table A1 are similar to the results in Table 2: reopening the economy in the 6 states significantly increases the daily confirmed cases per million population. Texas saw the largest increase, with daily confirmed cases increasing by 489.3 per million population in the first week after reopening the economy compared with its control counterparts. This number increased to 745.7 per million population, and 807.8 per million population in the second and the third weeks after reopening respectively.

Table A1. Estimated effect of reopening on daily confirmed cases per million population

week	State	treated-synthetic	std	week	state	treated-synthetic	std
0	Colorado	-2.6	1.62	0	Georgia	-0.3	2.14
1	Colorado	74.3	48.72	1	Georgia	273.4***	26.18
2	Colorado	175.4**	74.14	2	Georgia	175.5***	28.30
3	Colorado	122.3*	64.64	3	Georgia	217.7***	29.44
0	Mississippi	0.4	1.82	0	Tennessee	-1.4	2.60
1	Mississippi	30.4*	15.98	1	Tennessee	149.6***	8.20
2	Mississippi	102.6***	19.93	2	Tennessee	58.9***	8.65
3	Mississippi	98.8***	15.61	3	Tennessee	25.1***	8.91
0	Texas	-1.8	2.12	0	Alabama	-1.0	2.23
1	Texas	489.3***	65.77	1	Alabama	67.9***	3.69
2	Texas	754.7***	72.79	2	Alabama	125.7***	4.08
3	Texas	807.8***	72.30	3	Alabama	172.1***	4.17

Note: *** p<0.01, ** p<0.05, * p<0.1. Standard errors are estimated by bootstrapping 50 times.

The results reported in Table A2 support the findings in Table 3: Reopening the economy in the six states significantly increased the daily COVID-19 related deaths per million population. Texas also saw the largest increase in COVID-19 related deaths per million population.

Table A2. Estimated effect of reopening on daily deaths per million population

week	state	treated-synthetic	std	Week	state	treated-synthetic	std
0	Colorado	-0.005	0.124	0	Georgia	0.103	0.171
1	Colorado	-2.60***	0.433	1	Georgia	0.243	0.409
2	Colorado	-4.5***	0.667	2	Georgia	2.081***	0.459
3	Colorado	18.2***	0.168	3	Georgia	4.222***	0.436
0	Mississippi	0.023	0.106	0	Tennessee	-0.128**	0.055
1	Mississippi	2.14***	0.186	1	Tennessee	2.05***	0.047
2	Mississippi	10.17***	0.213	2	Tennessee	1.593***	0.046
3	Mississippi	6.41***	0.208	3	Tennessee	2.085***	0.071
0	Texas	0.123	0.148	0	Alabama	-0.035	0.095
1	Texas	5.12***	0.281	1	Alabama	3.182***	0.101
2	Texas	13.60**	0.515	2	Alabama	8.232***	0.117
3	Texas	18.05***	0.474	3	Alabama	3.650***	0.108

Note: *** p<0.01, ** p<0.05, * p<0.1. Standard errors are estimated by bootstrapping 50 times.

The results reported in Table A3 are a bit more volatile because of the relatively lower quality of the test data. But, the pattern is similar to what was reported in Table 5. Except for Georgia, the remaining 5 states that reopened before May 1st did not increase their test capacity. This would have enabled identifying cases at an early stage and permitted contact tracing. Again, Texas saw the largest decline in tests performed per million population.

Table A3. Estimated effect of reopening on daily tests per million population

week	state	treated-synthetic	std	week	state	treated-synthetic	std
0	Colorado	5.0	12.6	0	Georgia	-7.2	12.6
1	Colorado	-1639.1***	321.0	1	Georgia	10.6	70.8
2	Colorado	-2599.6***	273.6	2	Georgia	-595.8***	170.4
3	Colorado	-3025.0***	254.4	3	Georgia	5525.7***	54.1
0	Mississippi	1.0	10.5	0	Tennessee	-4.1	15.5
1	Mississippi	-838.0***	44.6	1	Tennessee	734.9***	62.2
2	Mississippi	-3020.2***	83.1	2	Tennessee	658.1***	51.7
3	Mississippi	118.9	112.8	3	Tennessee	-1844.7***	61.8
0	Texas	-3.6	7.3	0	Alabama	0.8	14.5
1	Texas	-3131.1***	640.6	1	Alabama	-579.0***	25.4
2	Texas	-9381.7***	1217.9	2	Alabama	-1746.2***	43.8
3	Texas	-8554.1***	821.0	3	Alabama	-2718.2***	67.5

Note: *** p<0.01, ** p<0.05, * p<0.1. Standard errors are estimated by bootstrapping 50 times.

Appendix 2

In this Appendix I restrict the control group to the states that reopened after May 10th. The results are reported in Tables A4-A6, using the same notation as in Tables 2-4.

Table A4 reports the estimated effect of reopening on daily confirmed cases, with the donor pool being restricted to the states that reopened after May 10th. The results are quite similar to the results in Table 2. Reopening the economy early has significant and large effect on the increase in daily confirmed cases.

Table A4. Estimated effect of reopening on daily confirmed cases

open	state	treated-synthetic	std	open	state	treated-synthetic	std
0	Colorado	0.28	1.6	0	Georgia	0.74	2.2
1	Colorado	77.1	49.1	1	Georgia	265.2***	44.5
2	Colorado	175.8**	74.2	2	Georgia	163.3***	49.4
3	Colorado	122.2*	64.7	3	Georgia	202.1***	50.8
0	Mississippi	-0.62	2.2	0	Tennessee	-0.05	2.7
1	Mississippi	30.3**	15.4	1	Tennessee	151.8***	14.2
2	Mississippi	101.6***	19.6	2	Tennessee	59.1***	15.3
3	Mississippi	94.9***	16.0	3	Tennessee	24.90	15.7
0	Texas	0.27	2.0	0	Alabama	1.01	2.1
1	Texas	489.0***	64.8	1	Alabama	70.6***	5.7
2	Texas	754.2***	72.2	2	Alabama	126.6***	6.1
3	Texas	806.3***	71.9	3	Alabama	173.4***	6.3

Note: I restrict the control group to the states that reopened after May 10th. *** p<0.01, ** p<0.05, * p<0.1. Standard errors are estimated by bootstrapping 50 times.

Table A5 reports the estimated effect of reopening on deaths, with the donor pool restricted to the states that reopened after May 10th. The results are quite similar to the results in Table 3, except that the pre-treatment period for Tennessee doesn't match very well. Reopening the economy early significantly increases deaths, and the magnitude is large.

Table A5. Estimated effect of reopening on daily deaths

week	State	treated-synthetic	std	week	state	treated-synthetic	std
0	Colorado	-0.002	0.13	0	Georgia	0.098	0.17
1	Colorado	-2.63***	0.44	1	Georgia	0.30	0.57
2	Colorado	-4.45***	0.67	2	Georgia	2.07***	0.47
3	Colorado	18.25***	0.18	3	Georgia	4.22***	0.44
0	Mississippi	0.026	0.11	0	Tennessee	-0.13**	0.05
1	Mississippi	2.16***	0.21	1	Tennessee	2.05***	0.05
2	Mississippi	10.18***	0.24	2	Tennessee	1.60***	0.05
3	Mississippi	6.42***	0.22	3	Tennessee	2.09***	0.07
0	Texas	0.12	0.15	0	Alabama	-0.034	0.10
1	Texas	5.21***	0.29	1	Alabama	3.19***	0.11
2	Texas	13.61***	0.52	2	Alabama	8.24***	0.12
3	Texas	18.06***	0.48	3	Alabama	3.65***	0.11

Note: I restrict the control group to the states that reopened after May 10th. *** p<0.01, ** p<0.05, * p<0.1. Standard errors are estimated by bootstrapping 50 times.

Table A6 reports the estimated effect of reopening on test conducted, with the donor pool being restricted to the states that reopened after May 10th. The results suggest that except for Georgia, the number of tests performed in other treated states greatly decrease compared with their counterparts after they reopened the economy.

Table A6. Estimated effect of reopening on daily tests

week	state	treated-synthetic	std	week	state	treated-synthetic	std
0	Colorado	0.84	7.3	0	Georgia	-7.50	13.8
1	Colorado	-1367***	378.3	1	Georgia	-95.8	147.1
2	Colorado	-2413***	325.7	2	Georgia	-1063***	193.4
3	Colorado	-2911***	325.2	3	Georgia	5293***	241.7
0	Mississippi	3.3	14.6	0	Tennessee	-0.20	10.1
1	Mississippi	-680***	36.9	1	Tennessee	775***	110.5
2	Mississippi	-2588***	47.4	2	Tennessee	540***	82.6
3	Mississippi	626***	53.4	3	Tennessee	-1740***	73.6
0	Texas	-6.98	8.5	0	Alabama	3.95	12.8
1	Texas	-2934***	1420.8	1	Alabama	-545***	39.8
2	Texas	-9198***	1997.6	2	Alabama	-1911***	58.2
3	Texas	-8165***	2519.1	3	Alabama	-2699***	65.4

Note: I restrict the control group to the states that reopened after May 10th. *** p<0.01, ** p<0.05, * p<0.1. Standard errors are estimated by bootstrapping 50 times.

Appendix 3

In this Appendix I assign weights to synthetic control states based on the variable of interest (i.e., daily confirmed cases, COVID-19 related deaths, number of tests conducted) on each of 14 pre-treatment dates. The results are reported in Tables A7-A9, using the same notation as in Tables 2-4.

Table A7 reports the estimated effect of reopening on daily confirmed cases, with the pre-treatment periods being extended from 7 days to 14 days. I find similar results as in Table 2: reopening the state significantly increases the daily confirmed cases.

Table A7. Estimated effect of reopening on daily confirmed cases

week	state	treated-synthetic	std	week	state	treated-synthetic	std
0	Colorado	2.11	1.34	0	Georgia	-0.49	2.06
1	Colorado	150.6***	38.45	1	Georgia	240.5***	48.80
2	Colorado	195.2***	54.50	2	Georgia	156.0***	52.90
3	Colorado	135.1***	54.81	3	Georgia	213.9***	52.81
0	Mississippi	-0.45	2.57	0	Tennessee	-0.56	2.65
1	Mississippi	44.1***	8.56	1	Tennessee	188.0***	8.11
2	Mississippi	111.5***	15.31	2	Tennessee	90.5***	9.22
3	Mississippi	109.0***	12.55	3	Tennessee	55.4***	9.17
0	Texas	-0.32	1.62	0	Alabama	0.08	1.90
1	Texas	545.4***	100.47	1	Alabama	57.6***	7.90
2	Texas	792.5***	103.97	2	Alabama	116.3***	7.47
3	Texas	845.5***	101.86	3	Alabama	163.4***	6.71

Note: *** p<0.01, ** p<0.05, * p<0.1. Standard errors are estimated by bootstrapping 50 times.

Table A8 reports the estimated effect of reopening on deaths, with the pre-treatment periods being extended from 7 days to 14 days. The results are quite similar to the results in Table 3, except that the pre-treatment period for Tennessee doesn't match very well. Reopening the economy early significantly increases deaths, and the magnitude is large.

Table A8. Estimated effect of reopening on daily deaths

week	state	treated-synthetic	std	week	state	treated-synthetic	std
0	Colorado	0.039	0.13	0	Georgia	-0.075	0.18
1	Colorado	4.49***	0.67	1	Georgia	0.48	0.43
2	Colorado	2.20***	0.18	2	Georgia	2.17***	0.54
3	Colorado	21.18***	0.18	3	Georgia	4.25***	0.50
0	Mississippi	0.19	0.15	0	Tennessee	-0.16***	0.04
1	Mississippi	2.44***	0.25	1	Tennessee	1.46***	0.05
2	Mississippi	10.42***	0.26	2	Tennessee	1.20***	0.06
3	Mississippi	6.56***	0.24	3	Tennessee	1.90***	0.08
0	Texas	0.02	0.17	0	Alabama	-0.053	0.10
1	Texas	8.03***	0.31	1	Alabama	2.12***	0.13
2	Texas	15.20***	0.53	2	Alabama	7.36***	0.16
3	Texas	19.22***	0.48	3	Alabama	2.91***	0.15

Note: *** p<0.01, ** p<0.05, * p<0.1. Standard errors are estimated by bootstrapping 50 times.

Table A9 reports the estimated effect of reopening on test conducted, with the pre-treatment periods being extended from 7 days to 14 days. The results suggest that except for Georgia and Tennessee, the number of tests performed in other treated states greatly decrease compared with their counterparts after they reopened the economy.

Table A9. Estimated effect of reopening on daily tests

week	state	treated-synthetic	std	week	state	treated-synthetic	std
0	Colorado	6.02	7.1	0	Georgia	-2.1	7.9
1	Colorado	540.7***	60.7	1	Georgia	1230***	82.3
2	Colorado	-759.6***	14.2	2	Georgia	1165.8***	57.5
3	Colorado	-1411.6***	24.3	3	Georgia	6795.8***	203.8
0	Mississippi	-0.40	10.6	0	Tennessee	1.2	10.4
1	Mississippi	-969.5***	75.9	1	Tennessee	1177.6***	24.0
2	Mississippi	-3145.0***	43.7	2	Tennessee	1031.7***	77.5
3	Mississippi	-20.4	34.0	3	Tennessee	-1336.6***	123.5
0	Texas	-755.7***	162.4	0	Alabama	5.4	11.3
1	Texas	1700.5***	231.3	1	Alabama	41.1*	23.1
2	Texas	-777.7***	259.9	2	Alabama	-1213.6***	46.5
3	Texas	-2865.3***	559.4	3	Alabama	-2094.9***	46.9

Note: *** p<0.01, ** p<0.05, * p<0.1. Standard errors are estimated by bootstrapping 50 times.

References

1. Abadie, A., & Gardeazabal, J. (2003). The Economic Costs of Conflict: A Case Study of the Basque Country. *American Economic Review*, 93(1), 113-132.
2. Abadie, A., Diamond, A., & Hainmueller, J. (2010). Synthetic Control Methods for Comparative Case Studies: Estimating the Effect of California's Tobacco Control Program. *Journal of the American Statistical Association*, 105(490), 493-505.
3. Alvarez, F. E., Argente, D., & Lippi, F. (2020). A Simple Planning Problem for Covid-19 Lockdown (No. w26981). National Bureau of Economic Research.
4. Berger, D. W., Herkenhoff, K. F., & Mongey, S. (2020). An SEIR Infectious Disease Model with Testing and Conditional Quarantine (No. w26901). National Bureau of Economic Research.
5. Friedson, A. I., McNichols, D., Sabia, J. J., & Dave, D. (2020). Did California's Shelter-in-Place Order Work? Early Coronavirus-related Public Health Effects (No. w26992). National Bureau of Economic Research.
6. Fowler, J. H., Hill, S. J., Obradovich, N., & Levin, R. (2020). The Effect of Stay-at-Home Orders on COVID-19 Cases and Fatalities in the United States. medRxiv.
7. Guo, J. (2020). The Impact of Statewide Stay-at-Home Orders: Estimating the Heterogeneous Effects Using GPS Data from Mobile Devices.
8. Kapoor, R., Rho, H., Sangha, K., Bhayaa, S., Ajay, S., & Xu, G. (2020). God is in the Rain: The Impact of Rainfall-Induced Early Social Distancing on COVID-19 Outbreaks (p. 23). Working paper.
9. Killeen, B. D., Wu, J. Y., Shah, K., Zapaishchykova, A., Nikutta, P., Tamhane, A., ... & Unberath, M. (2020). A County-level Dataset for Informing the United States' Response to COVID-19. arXiv preprint arXiv:2004.00756.
10. Lyu, W., & Wehby, G. L. (2020). Comparison of Estimated Rates of Coronavirus Disease 2019 (COVID-19) in Border Counties in Iowa Without a Stay-at-Home Order and Border Counties in Illinois With a Stay-at-Home Order. *JAMA Network Open*, 3(5), e2011102-e2011102.
11. Mangrum, D., & Niekamp, P. (2020). College Student Contribution to Local COVID-19 Spread: Evidence from University Spring Break Timing. Available at SSRN 3606811.
12. Peto, J., Alwan, N. A., Godfrey, K. M., Burgess, R. A., Hunter, D. J., Riboli, E., ... & Smith, G. D. (2020). Universal weekly testing as the UK COVID-19 lockdown exit strategy. *The Lancet*, 395(10234), 1420-1421.
13. Stock, J. (2020). Reopening the Coronavirus-Closed Economy (Vol. 60). Tech. rep., Hutchins Center Working Paper.
14. Rampini, A. A. (2020). Sequential Lifting of Covid-19 Interventions with Population Heterogeneity (No. w27063). National Bureau of Economic Research.
15. Schneider, E. C. (2020). Failing the Test—The Tragic Data Gap Undermining the US Pandemic Response. *New England Journal of Medicine*.
16. Taipale, J., Romer, P., & Linnarsson, S. (2020). Population-scale Testing Can Suppress the Spread of COVID-19. medRxiv.
17. Wang, W., Tang, J., & Wei, F. (2020). Updated Understanding of the Outbreak of 2019 Novel Coronavirus (2019-nCoV) in Wuhan, China. *Journal of Medical Virology*, 92(4), 441-447.
18. Wang, Z., Yang, B., Li, Q., Wen, L., & Zhang, R. (2020). Clinical Features of 69 Cases with Coronavirus Disease 2019 in Wuhan, China. *Clinical Infectious Diseases*.